

TEST REPORT

Number : WUXT01521867

Date : Mar 19, 2024

Buyer	:	<b>SHOPPERS DRUG MART</b>	
QMP#	:	QMP Worksheet 261	WR# : -
Season & Program	:	BTS 2024	Product Name : SA296 Tie Dye Faux Throw Reversible - Brights
UPC#	:	194169031422, 194169031439, 194169031446	Item Number# : 03142, 03143, 03144
PO.#	:	7104765, 7104763, 7104764	Country of Origin : China
Vendor	:	-	Manufacturer : Changshu Zezone Blanket Co., Ltd
Sample Received	:	Mar 08, 2024	Date Of Issue : Mar 19, 2024
Test Type	:	-	Submission # : 1
Previous WR#	:	N/A	

<b>1.</b>	<b>Conclusion</b>
<i>Tie Dye Faux Fur Throw</i> <b>&lt;does&gt;</b> meet SDM regulatory & Labeling requirements.	
<i>Tie Dye Faux Fur Throw</i> <b>&lt;does&gt;</b> meet SDM performance & durability requirements.	

<b>2.</b>	<b>Summary of failures</b>
Ref. #	
4.2	<i>Summarize line item failure</i>
	N/A

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

TEST REPORT

Number : WUXT01521867

3.	Sample image & description	
		<p><b>Sample Description:</b></p> <p>Several pieces of submitted 100% polyester tie dye faux fur reversible throws for women, matte fur 320 g/m<sup>2</sup> in (A) lilac, (B) sage green, (C) multi.</p> 

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路8号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: [intertek.wuxi@intertek.com](mailto:intertek.wuxi@intertek.com) Website: [Intertek.com](http://Intertek.com)

Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

4.	Test Protocol for Product Category (Protocol#LCLSDM-24911-CA, Version#4)			
	Attribute	Test method, standard or regulation	Requirement or limit	Results
4.1	<b>VENDOR TESTING (Testing managed by vendor)</b>  <b>Note: Vendor to provide "Letter of Guarantee" (LOG) for test attributes as requested in this section.</b>			
4.1.1	Removal of Adhesive Label on Product (If Applicable)	Practical Test	Shall be able to remove the adhesive label by grasp the adhesive label and pull 90-degree angle without tearing the paper. Any adhesive residue shall be able to remove with general dish soap and water.	N/A
4.1.2	SCCA-Short-Chain Chlorinated Alkanes (Plasticizer & Flame Retardant) (If Applicable)	Prohibition of Certain Toxic Substances Regulations, 2012 (SOR/2012-285)	Shall not contain any detectable levels of chlorinated alkanes that have the molecular formula $C_nH_xCl_{(2n+2-x)}$ in which $10 \leq n \leq 13$ .  <b>-In lieu of testing a Letter of Guarantee (LOG) is required for: Soft Plastics (Shore A-90) and products that might have flame retardants (electronic components, and all textiles)</b>	PASS
4.1.3	Polybrominated Biphenyls (PBB) Flame Retardant (If Applicable)	Prohibition of Certain Toxic Substances Regulations, 2012 (SOR/2012-285)	Shall not be any detectable levels of Polybrominated Biphenyls that have the molecular formula $C_{12}H_{(10-n)}Br_n$ in which "n" is greater than 2.  <b>-In lieu of testing, a Letter of Guarantee (LOG) has to be provided.</b>	PASS

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

TEST REPORT

Number : WUXT01521867

4.1.4	Perfluorooctane Sulfonate and Its Salts (PFOS) Flame Retardant (If Applicable)	Prohibition of Certain Toxic Substances Regulations, 2012 (SOR/2012-285)	Shall not be any banned flame retardant used in the product.  <b>Note:</b> tested only if a product claims stain/water resistance.  <b>-In lieu of testing, a Letter of Guarantee (LOG) has to be provided.</b>	PASS
4.1.5	PBDE Flame Retardant (If Applicable)	Prohibition of Certain Toxic Substances Regulations, 2012 (SOR/2012-285)	Shall not be any detectable levels of Polybrominated diphenyl ethers that have the molecular formula $C_{12}H_{(10-n)}Br_nO$ in which $4 \leq n \leq 10$ . <b>Note: Only tested in the plastic of electrical products</b>  <b>-In lieu of testing, a Letter of Guarantee (LOG) has to be provided.</b>	PASS
4.1.6	HBCD Hexabromocyclodecane - Textiles & Expanded Polystyrene Foams (If Applicable)	Prohibition of Certain Toxic Substances Regulations, 2012 (SOR/2012-285)	Should not contain any detectable levels in the product  <b>-In lieu of testing, a Letter of Guarantee (LOG) has to be provided.</b>	PASS
4.1.7	TRIS - Flame Retardant (If Applicable)	Canada Consumer Product Safety Act (CCPSA), Schedule 2, Item 10	Composed in whole or in part of textile fibres should not contain tris (2,3 dibromopropyl) phosphate.  <b>-In lieu of testing, a Letter of Guarantee (LOG) has to be provided.</b>	PASS

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路8号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: [intertek.wuxi@intertek.com](mailto:intertek.wuxi@intertek.com) Website: [Intertek.com](http://Intertek.com)  
Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

4.1.8	TCEP- Polyurethane Foam Only (If Applicable)	Canada Consumer Product Safety Act, Schedule 2, Item 16	Should not contain tris (2-chloroethyl) phosphate (TCEP).  <b>-In lieu of testing, a Letter of Guarantee (LOG) has to be provided.</b>	PASS
4.1.9	Total Mercury – For Non- electrical Products (If Applicable)	Canadian Environmental Protection Act, Products Containing Mercury Regulations (SOR/2014-254)	Non-electrical products shall not contain mercury exceeding 0.1% by weight in homogenous materials.  NOTE: 1.) The regulations do not apply to, including food, drug, or cosmetic, surface coating material, surface coating material applied to toy(s), etc.  <b>-In lieu of testing, a Letter of Guarantee (LOG) has to be provided.</b>	PASS
4.1.1 0	Pilling Resistance (If Applicable)	CAN/ CGSB 4.2 No 51.2	Grade 3.5 min after 30 minutes	N/A
4.1.1 1	Pilling Resistance: ICI Pilling Box – For Blankets (If Applicable)	CAN/ CGSB 4.2 No 51.1	Knit: --100%lamb's wool or its blends is more than 50%of lamb's wool or polar fleece:2hours Class 3.5 minimum --Others: 3 hours, Class 4.0 minimum Woven: 5 hours, Class 4.0 minimum	PASS
4.1.1 2	Trim Attachment Strength Test (If Applicable)	Loblaws Requirement	6.8 kg (15 lbs.) for 10 seconds	N/A

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路 8 号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: intertek.wuxi@intertek.com Website: Intertek.com

Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

4.1.1 3	Colourfastness to Water	CAN/CGSB-4.2 No.20	Color Change: Print and pigment: 3.5 minimum Others: 4 minimum Color Staining: Dark colors, Pigment Dyed and Pigment Printed: 3 minimum Others: 3.5 minimum Self-staining: 4.5 minimum	PASS
4.1.1 4	Phenolic Yellowing of Textiles - For White /Pastel Colour's (If Applicable)	ISO 105 X18	Colour Staining: 4.5 min.	PASS
4.1.1 5	pH Value	In Reference to AATCC 81	4.0-7.5	PASS
<b>LAB TESTING (Testing to be conducted by the lab)</b>				
4.2	<b>Client Requirements (Supplemental Protocol)</b>			
4.2.1	Children's Product - Non Toy (If Applicable)	LCLSDM-16001- CA	Shall meet all applicable requirements specified in the protocol.	N/A
4.2.1	Heated Throw/Electric Blanket (120V Operation)	LCLSDM - EA025 -CA	Shall meet all applicable requirements specified in the protocol.	N/A

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路8号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: intertek.wuxi@intertek.com Website: Intertek.com

Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

4.3	Labeling Requirement															
4.3.1	†Pre-packaged Product (If Applicable)	Consumer Packaging and Labelling Act, R.S. 1985, c. C-38 and Regulations, C.R.C., c. 417	<p>The net quantity declaration shall present on Principal Display Panel (PDP) in English and French, metric units.</p> <p>The numerical quantity shall be bold type with letter height based on the size of Principle Display Surface (X):</p> <p><u>Size of Principle Display Surface</u></p> <table><tr><td><u>Minimum letter height</u></td><td><u>Mini</u></td></tr><tr><td><math>X \leq 32 \text{ cm}^2</math> (5 in<sup>2</sup>)</td><td>1.6 mm (1/16 in)</td></tr><tr><td><math>32 \text{ cm}^2 &lt; X \leq 258 \text{ cm}^2</math> (40 in<sup>2</sup>)</td><td>3.2 mm (1/8 in)</td></tr><tr><td><math>258 \text{ cm}^2 &lt; X \leq 645 \text{ cm}^2</math> (100 in<sup>2</sup>)</td><td>6.4 mm (1/4 in)</td></tr><tr><td><math>645 \text{ cm}^2 &lt; X \leq 25.8 \text{ dm}^2</math> (400 in<sup>2</sup>)</td><td>9.5 mm (3/8 in)</td></tr><tr><td><math>25.8 \text{ dm}^2</math> (400 in<sup>2</sup>) &lt; X</td><td>12.7 mm (1/2 in)</td></tr></table> <p>All other information in the net quantity declaration (i.e. units of measurement statements, abbreviations, symbols, etc.) shall be shown in minimum 1.6 mm letter height.</p>	<u>Minimum letter height</u>	<u>Mini</u>	$X \leq 32 \text{ cm}^2$ (5 in <sup>2</sup> )	1.6 mm (1/16 in)	$32 \text{ cm}^2 < X \leq 258 \text{ cm}^2$ (40 in <sup>2</sup> )	3.2 mm (1/8 in)	$258 \text{ cm}^2 < X \leq 645 \text{ cm}^2$ (100 in <sup>2</sup> )	6.4 mm (1/4 in)	$645 \text{ cm}^2 < X \leq 25.8 \text{ dm}^2$ (400 in <sup>2</sup> )	9.5 mm (3/8 in)	$25.8 \text{ dm}^2$ (400 in <sup>2</sup> ) < X	12.7 mm (1/2 in)	PASS
<u>Minimum letter height</u>	<u>Mini</u>															
$X \leq 32 \text{ cm}^2$ (5 in <sup>2</sup> )	1.6 mm (1/16 in)															
$32 \text{ cm}^2 < X \leq 258 \text{ cm}^2$ (40 in <sup>2</sup> )	3.2 mm (1/8 in)															
$258 \text{ cm}^2 < X \leq 645 \text{ cm}^2$ (100 in <sup>2</sup> )	6.4 mm (1/4 in)															
$645 \text{ cm}^2 < X \leq 25.8 \text{ dm}^2$ (400 in <sup>2</sup> )	9.5 mm (3/8 in)															
$25.8 \text{ dm}^2$ (400 in <sup>2</sup> ) < X	12.7 mm (1/2 in)															

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路8号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: intertek.wuxi@intertek.com Website: Intertek.com  
Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

			Product identification shall be shown on Principal Display Panel (PDP) in English and French, minimum 1.6 mm letter height.	PASS
			Dealer's name and principal place of business (address) shall be shown on any part of label except bottom, English or French, minimum 1.6 mm letter height. For imported goods, the name and address of the dealer outside Canada or the name and address of Canadian dealers shall be preceded by "imported by" (" <i>importé par</i> ") or "imported for" (" <i>importé pour</i> "), unless a statement of geographic origin is located immediately adjacent to the name and address of a Canadian dealer, and shown with letter height at least as large as those used in the declaration of the Canadian dealer's principal place of business.	PASS
4.3. 2	†The Language of Inscription (mandatory in Quebec)	The Charter of French Language, Title I, Chapter VII, Clause 51 & Regulations adopted under the Charter of French Language	Every inscription on the following shall be drafted in French, - product - product container or wrapping - document or object supplied with it (e.g. directions for use, warranty certificates) No inscription in another language may be given greater prominence than that in French. For exceptions, check the following webpage: <a href="http://www.olf.gouv.qc.ca/english/regulations/reg_business.html#div1">http://www.olf.gouv.qc.ca/english/regulations/reg_business.html#div1</a>	PASS
4.3. 3	†Country of Origin	Canada Customs Tariff, Marking of Imported Goods Regulations, SOR-94-10	Shall present in English or French if not manufactured in Canada.	PASS

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路8号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: [intertek.wuxi@intertek.com](mailto:intertek.wuxi@intertek.com) Website: [Intertek.com](http://Intertek.com)  
Attention is drawn to the terms and conditions printed overleaf



TEST REPORT

Number : WUXT01521867

4.3.4	<p>†Verify Label Claim</p> <p><i>Vendor will need to provide documentation for claims which cannot be tested.</i></p>	Competition Act	<p>Shall meet label claims as per the packaging, product specification, advertisement or purchase documentation in any of the following product representation attributes:</p> <ol style="list-style-type: none"> <li>1) Performance Attributes</li> <li>2) Accessory or Quantity Attributes</li> <li>3) Volume Capacity Attributes within tolerance of -0%/+10%</li> <li>4) Material or Chemical Attributes</li> <li>5) Age Grading</li> <li>6) Product's Graphics versus Actual Content</li> </ol> <p>All claims shall be validated either by the requirements within the current protocol, proof of compliance or new test requirements that have not been covered within the protocol. Trademarks are exempted from any product attribute assessment.</p> <p>Remark any claims that cannot be verified or discrepancies. List all claims and take a photo.</p>	PASS
4.3.5	Flexible Packaging Film Bags (If Applicable)	CCPSA Toys Regulations Item 4 (Scope Widen)	<p>The opening of the bag shall be less than 14 inches in circumference OR The bag shall</p> <ul style="list-style-type: none"> <li>- be made from film that is at least 0.75 mil thick, and</li> <li>- have printed legibly on it the following warning in both official languages: "PLASTIC BAGS CAN BE DANGEROUS. TO AVOID DANGER OF SUFFOCATION, KEEP THIS BAG AWAY FROM BABIES AND CHILDREN."</li> </ul> <p>"LES SACS DE PLASTIQUE PEUVENT ÊTRE DANGEREUX. POUR ÉVITER LE DANGER DE SUFFOCATION, NE LAISSEZ PAS CE SAC À LA PORTÉE DES BÉBÉS NI DES ENFANTS"</p> <p>This warning may be expressed in different words if those words convey clearly the same warning.</p>	N/A

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路8号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: [intertek.wuxi@intertek.com](mailto:intertek.wuxi@intertek.com) Website: [Intertek.com](http://Intertek.com)  
Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

4.3.6	Labeling of Pre-Packaged Consumer Textile Articles	Textile Labelling Act and Textile Labelling and Advertising Regulations, C.R.C., c. 1551	Per Section 21 of the Textile Labeling and Advertising Regulations, C.R.C., c. 1551, if the textile article is sold in a wrapper, package or container and the fibre content label is clearly visible to the consumer, no further labeling is required. If the label is not visible, the information to be shown on the label must be repeated on the wrapper, package or container in the prescribed manner.	PASS
4.3.7	Fibre Content Label	Textile Labeling and Advertising Regulations C.R.C., c. 1551	Label must be legible and accessible to the consumer. Per Canadian Textile Labelling Act and Textile Labelling and Advertising Regulations, C.R.C., c. 1551, the permanency of the label depends on the type of article, as specified in Schedule I or III, of the Regulations. Refer to the Regulations for details.  All fibre content information (generic names of fibres) must be in English and French.	PASS
4.3.8	CA # or Dealer Identity	Textile labeling and advertising regulations (C.R.C., c. 1551), sections 11 and 12	Verify the Listing of the Canadian dealer or the name and full postal address under which the dealer normally carries out his business.  Please refer to the link below for verification. <a href="http://strategis.ic.gc.ca/app/cb/cnmb/srchFrm.do;jsessionid=00005-sdbwHkK_vOsJOs-MhcKO:1247mv5k6?language=eng">http://strategis.ic.gc.ca/app/cb/cnmb/srchFrm.do;jsessionid=00005-sdbwHkK_vOsJOs-MhcKO:1247mv5k6?language=eng</a>	PASS

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路8号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: [intertek.wuxi@intertek.com](mailto:intertek.wuxi@intertek.com) Website: [intertek.com](http://intertek.com)  
Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

4.3.9	* Fibre Content	CAN/CGSB-4.2, No. 14 (14.1-14.18)	Per Canadian textile labeling act and advertising Regulations, C.R.C., c.1551, Section 30: Blends: Report Actual (5% Tolerance) Single Fibre: Report Actual (0% Tolerance)	PASS
4.3.10	Care Label (if included)	Visual Check	If Canadian care symbols are used, these must be presented in accordance with the Canadian Guide to Apparel and Textile Care Symbols Care labels must be permanently attached to the textile article.  <a href="https://ic.gc.ca/eic/site/oca-bc.nsf/eng/ca02009.html">https://ic.gc.ca/eic/site/oca-bc.nsf/eng/ca02009.html</a>	PASS
<b>4.4</b>	<b>Physical Characteristic</b>			
4.4.1	Overall Dimensions (L x W x H)	Standard Measurement	Report folded dimensions; shall meet the label claims (If applicable).	DATA
4.4.2	Weight	Standard Measurement	Report overall weight; shall meet the label claims (If applicable).	N/A
4.4.3	Colour	Visual Check	Report actual; shall meet label claims (if applicable).	PASS
4.4.4	Type of Weave/Knit	Visual Check	Report actual	DATA
4.4.5	Fabric Count (if claimed)	CAN/CGSB-4.2 No. 7	Report actual or +/- 5.0% from label claims	N/A

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路8号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: [intertek.wuxi@intertek.com](mailto:intertek.wuxi@intertek.com) Website: [Intertek.com](http://Intertek.com)

Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

<b>4.5</b>	<b>Construction &amp; Workmanship</b>			
4.5.1	Defects	Visual Check	<ul style="list-style-type: none"> <li>- No observable defects such as:</li> <li>-Cracks, tears, or breaks on the product or its accessories.</li> <li>-Serious scratches on external surfaces.</li> <li>-Discernible surface degradation, including loose threads, crazing, shivering, denting, bubbles, cracks, stains, deformations, chips, fractures, heavy lines, waves, shear marks, scratches, scuff marks, indentations, or blisters.</li> <li>-Shall be free of contamination, dirt, and debris.</li> <li>-Components missing, malformed, and/or fractured.</li> </ul>	PASS
4.5.2	Fabric Weight	CAN/CGSB-4.2 No. 5.1	Record data; (+/- 5%) as claimed (if applicable)	PASS
4.5.3	Fabric Defects	In Reference to ASTM D3990	No defects as identified in ASTM D3990	PASS
<b>4.6</b>	<b>Performance Test</b>			
4.6.1	LoG Document Check	Loblaw Requirement	<p>Test lines in Vendor section requesting for LOG have been received and attached to test report</p> <p><b>Note:</b> Lab to indicate Pass/Fail against this test line on the test report as well as attach the LOGs at the end of the report.</p>	PASS Refer to Doc Provided By Vendor
4.6.2	* Flammability of Textile Fibres - For Bedding (If Applicable)	<p>Textile Flammability Regulations (SOR/2016-194)</p> <p>Test Method: CAN/CGSB-4.2 No.27.5</p>	Bedding, except mattresses, that is made in whole or in part of textile fibres and that, when tested in accordance with the Canadian General Standards Board standard CAN/CGSB-4.2 No. 27.5, shall not have a time of flame spread of 7 seconds or less, if the bedding either (a) does not have a raised fibre surface; or (b) has a raised fibre surface and exhibits ignition or fusion of its base fibres.	PASS

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路8号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: intertek.wuxi@intertek.com Website: Intertek.com  
Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

4.6.3	Seam Strength – For Woven (If Applicable)	CAN/CGSB-4.2 No. 32.2	13.61 kg (30 lbs.) min.	N/A
4.6.4	Dimensional Stability to Washing -5 cycles	CAN/CGSB-4.2 No. 58	Woven: -4.0%/+3.0% Knitted: -5.0%/+5.0% Stretchable items:-7%/+0% (for stretchable direction only)	PASS
4.6.5	Appearance After Washing - 5 cycles	CAN/CGSB-4.2 No. 58	Appearance after Washing – 5 Cycles – Per Care Label	PASS
4.6.6	Dimensional Stability to Dryclean - 3cycles per care label	Commercial Dry-cleaning	Woven: ±2.5% Knitted: ±3.0% Stretchable items:-5%/+0% (for stretchable direction only)	N/A
4.6.7	Appearance after Dry-cleaning 3 Cycles – Per Care Label (If Claimed)	Commercial Dry-cleaning	Satisfactory	N/A
4.6.8	Colour fastness to Crocking	CAN/CGSB-4.2 No. 22	Dry: 4 minimum Wet: 2.5 minimum  Raised surface (including Brushed, Sanded, Peached), Dark colors, Pigment Dyed and Pigment Printed: Dry:  3.5 min. Wet: 2 min.	PASS
4.6.9	*Colour fastness to Light	AATCC 16.3 Option 3	Class 4 @ 20 hrs. (for indoor) Class 3.5 @ 40 hrs. (for outdoor)	PASS

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路8号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: intertek.wuxi@intertek.com Website: Intertek.com

Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

4.6. 10	Colourfastness to Laundering: Accelerated – Per Care Label	CAN/CGSB-4.2 No.19.1	Color Change: Print and pigment: 3.5 minimum Others: 4 minimum Color Staining: Dark colors, Pigment Dyed and Pigment Printed: 3 minimum Others: 3.5 minimum Self-staining: 4.5 minimum	PASS
4.6. 11	Colourfastness to Chlorine Bleach - Except for Spandex and Animal Fibre – Per Care Label (If Claimed)	CAN/CGSB-4.2 No. 19.2	Color Change: 4 minimum	N/A
4.6. 12	Colour fastness to Non-Chlorine Bleach – Per Care Label (If Claimed)	ISO 105 C09	Color Change: 4 minimum <b>Note:</b> In lieu of testing, a valid 3rd party test report will be accepted.	PASS
4.6. 13	*Colour fastness to Dry- clean (If Applicable)	CAN/CGSB-4.2 No. 29.1	Colour Change: Grade 4.0 min.	N/A
4.6. 14	*Colourfastness to Saliva and Perspiration – For Baby/Children's Item Under 3 Years Old (If Applicable)	64 LFGB 82.92-3/ B 82.02-13	Grading: 5 minimum <b>Note:</b> In lieu of testing, a valid 3rd party test report will be accepted.	N/A

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路 8 号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: intertek.wuxi@intertek.com Website: Intertek.com

Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

4.6.15	*Water Repellency (If Claimed)	ISO 4920	Min. ISO 3 rating.	N/A
4.6.16	*Soil Release–Picnic Blanket Only (If Claimed)	In Reference to AATCC 130	4 minimum <b>Note:</b> In lieu of testing, a valid 3rd party test report will be accepted.	N/A
4.6.17	*Water Resistance -Picnic Blanket Only (If Claimed)	CAN/CGSB-4.2 No. 26.3	Original: 2000mmH2O min After 5 cycles washing : 1000mmH2O min <b>Note:</b> In lieu of testing, a valid 3rd party test report will be accepted.	N/A
4.6.18	*Stain Resistance (If Claimed)	In Reference to AATCC 130 (Mod.)	Class: 3.0 (min.) (Mod = Additional stain materials: Wine, ketchup, grape juice)	N/A
4.6.19	*Oil Repellency (If Claimed)	In Reference to AATCC 118	Original: 5 minimum After 5 cycles washing: 4 minimum <b>Note:</b> In lieu of testing, a valid 3rd party test report will be accepted.	N/A
4.6.20	*Water Repellency: Spray Test (If Claimed)	In Reference to AATCC 22	Rating 90 Minimum <b>Note:</b> In lieu of testing, a valid 3rd party test report will be accepted.	N/A
4.6.21	Corrosion (Metal Components)	ASTM B117	Shall withstand 24 hours of 1% salt fog spray without any signs of corrosion except for crevices or edges. Grade 9 rating or better as per ASTM B610 or ASTM B537 <b>Note:</b> In lieu of testing, a valid 3rd party test report will be accepted.	N/A

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路8号 邮编:214101  
Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: intertek.wuxi@intertek.com Website: Intertek.com  
Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

4.7	Chemical Analysis			
4.7.1	*Formaldehyde Spot Test Qualitative	Qualitative Analysis	Negative	PASS
4.7.2	*Formaldehyde Content - For Fabric (Applicable, if there is a Positive Spot Check)	In Reference to AATCC 112	Formaldehyde content of fabric shall not exceed the following limit: - Baby or infant ( $\leq 36$ months): 16 ppm. - Other: 150 ppm.	N/A

Remark : N/A = Not Applicable

Prepared And Checked By:  
For Intertek Testing Services Wuxi Ltd.

*Rachel Lu*

Rachel Lu  
Textile Lab Manager

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.  
无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路 8 号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: intertek.wuxi@intertek.com Website: Intertek.com

Attention is drawn to the terms and conditions printed overleaf



TEST REPORT

Number : WUXT01521867

Tests Conducted (As Requested By The Applicant)

1 Garment Analysis (CAN/CGSB-4.2-No.14-2005 / AATCC 20-2013):

(A)

Face/Reverse:

100% Polyester

Marked  
100% Polyester

2 Formaldehyde Spot Test (AATCC TM94-1987e3(2017)e):

(A)  
Negative

(B)  
Negative

(C)  
Negative

Requirement  
Negative

3 pH Value (AATCC TM81-2022):

(A)  
6.6

(B)  
6.7

(C)  
Face: 7.5  
Back: 7.2

Requirement  
4.0-7.5

TEST REPORT

Number : WUXT01521867

Tests Conducted (As Requested By The Applicant)

4 Labeling:

(A)															
† Pre-packaged Product	Consumer Packaging and Labelling Act, R.S. 1985, c. C-38 and Regulations, C.R.C., c. 417	<p>The net quantity declaration shall present on Principal Display Panel (PDP) in English and French, metric units.</p> <p>The numerical quantity shall be bold type with letter height based on the size of Principle Display Surface (X):</p> <table><tr><td>Size of Principle Display Surface</td><td>Minimum letter height</td></tr><tr><td><math>X \leq 32 \text{ cm}^2</math> (5 in<sup>2</sup>)</td><td>1.6 mm (1/16 in)</td></tr><tr><td><math>32 \text{ cm}^2 &lt; X \leq 258 \text{ cm}^2</math> (40 in<sup>2</sup>)</td><td>3.2 mm (1/8 in)</td></tr><tr><td><math>258 \text{ cm}^2 &lt; X \leq 645 \text{ cm}^2</math> (100 in<sup>2</sup>)</td><td>6.4 mm (1/4 in)</td></tr><tr><td><math>645 \text{ cm}^2 &lt; X \leq 25.8 \text{ dm}^2</math> (400 in<sup>2</sup>)</td><td>9.5 mm (3/8 in)</td></tr><tr><td><math>25.8 \text{ dm}^2</math> (400 in<sup>2</sup>) &lt; X</td><td>12.7 mm (1/2 in)</td></tr></table> <p>All other information in the net quantity declaration (i.e. units of measurement statements, abbreviations, symbols, etc.) shall be shown in minimum 1.6 mm letter height.</p>	Size of Principle Display Surface	Minimum letter height	$X \leq 32 \text{ cm}^2$ (5 in <sup>2</sup> )	1.6 mm (1/16 in)	$32 \text{ cm}^2 < X \leq 258 \text{ cm}^2$ (40 in <sup>2</sup> )	3.2 mm (1/8 in)	$258 \text{ cm}^2 < X \leq 645 \text{ cm}^2$ (100 in <sup>2</sup> )	6.4 mm (1/4 in)	$645 \text{ cm}^2 < X \leq 25.8 \text{ dm}^2$ (400 in <sup>2</sup> )	9.5 mm (3/8 in)	$25.8 \text{ dm}^2$ (400 in <sup>2</sup> ) < X	12.7 mm (1/2 in)	Pass
		Size of Principle Display Surface	Minimum letter height												
$X \leq 32 \text{ cm}^2$ (5 in <sup>2</sup> )	1.6 mm (1/16 in)														
$32 \text{ cm}^2 < X \leq 258 \text{ cm}^2$ (40 in <sup>2</sup> )	3.2 mm (1/8 in)														
$258 \text{ cm}^2 < X \leq 645 \text{ cm}^2$ (100 in <sup>2</sup> )	6.4 mm (1/4 in)														
$645 \text{ cm}^2 < X \leq 25.8 \text{ dm}^2$ (400 in <sup>2</sup> )	9.5 mm (3/8 in)														
$25.8 \text{ dm}^2$ (400 in <sup>2</sup> ) < X	12.7 mm (1/2 in)														
		Product identification shall be shown on Principal Display Panel (PDP) in English and French, minimum 1.6 mm letter height.	Pass												

TEST REPORT

Number : WUXT01521867

Tests Conducted (As Requested By The Applicant)

Labeling (CONT'D)

		Dealer's name and principal place of business (address) shall be shown on any part of label except bottom, English or French, minimum 1.6 mm letter height. For imported goods, the name and address of the dealer outside Canada or the name and address of Canadian dealers shall be preceded by "imported by" (" <i>importé par</i> ") or "imported for" (" <i>importé pour</i> "), unless a statement of geographic origin is located immediately adjacent to the name and address of a Canadian dealer, and shown with letter height at least as large as those used in the declaration of the Canadian dealer's principal place of business.	Pass
The Language of Inscription (mandatory in Quebec)	The Charter of French Language, Title I, Chapter VII, Clause 51 & Regulations adopted under the Charter of French Language	Every inscription on the following shall be drafted in French, product product container or wrapping document or object supplied with it (e.g. directions for use, warranty certificates) No inscription in another language may be given greater prominence than that in French. For exceptions, check the following webpage: <a href="http://www2.publicationsduquebec.gouv.qc.ca/dynamicSearch/telecharge.php?type=3&amp;file=/C_11/C11R9_A.HTM">http://www2.publicationsduquebec.gouv.qc.ca/dynamicSearch/telecharge.php?type=3&amp;file=/C_11/C11R9_A.HTM</a>	Pass
† Country of Origin	Customs Tariff, Marking of Imported Goods Regulations, SOR/94-10	The country of origin marking of Non-NAFTA imported goods shall be present in English or French.	Pass

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.

无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路8号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: [intertek.wuxi@intertek.com](mailto:intertek.wuxi@intertek.com) Website: [Intertek.com](http://Intertek.com)

Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

Tests Conducted (As Requested By The Applicant)

Labeling (CONT'D)

†Verify Label Claim  <i>Vendor will need to provide documentation for claims which cannot be tested.</i>	Competition Act	<p>Shall meet label claims as per the packaging, product specification, advertisement or purchase documentation in any of the following product representation attributes:</p> <ol style="list-style-type: none"> <li>1) Performance Attributes</li> <li>2) Accessory or Quantity Attributes</li> <li>3) Volume Capacity Attributes within tolerance of -0%/+10%</li> <li>4) Material or Chemical Attributes</li> <li>5) Age Grading</li> <li>6) Product's Graphics versus Actual Content</li> </ol> <p>All claims shall be validated either by the requirements within the current protocol, proof of compliance or new test requirements that have not been covered within the protocol. Trademarks are exempted from any product attribute assessment.</p> <p>Remark any claims that cannot be verified or discrepancies. List all claims and take a photo.</p>	<p>Pass</p> <p>MADE IN GREEN BY OEKO-TEX®</p>
--	-----------------	--	---

**Intertek Testing Services Wuxi Ltd.**

No.8 Fubei Road, Xishan Economic Development Zone,  
Wuxi 214101, Jiangsu, China.

无锡天祥质量技术服务有限公司

中国江苏省无锡市锡山经济开发区府北路 8 号 邮编:214101

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 E-mail: [intertek.wuxi@intertek.com](mailto:intertek.wuxi@intertek.com) Website: [Intertek.com](http://Intertek.com)  
Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

Number : WUXT01521867

Tests Conducted (As Requested By The Applicant)

Labeling (CONT'D)

Flexible Packaging Film Bags (If Applicable)	CCPSA Toys Regulations Item 4 (Scope Widen)	<p>The opening of the bag shall be less than 14 inches in circumference OR The bag shall</p> <ul style="list-style-type: none"> <li>- be made from film that is at least 0.75 mil thick, and</li> <li>- have printed legibly on it the following warning in both official languages: "PLASTIC BAGS CAN BE DANGEROUS. TO AVOID DANGER OF SUFFOCATION, KEEP THIS BAG AWAY FROM BABIES AND CHILDREN." "LES SACS DE PLASTIQUE PEUVENT ÊTRE DANGEREUX. POUR ÉVITER LE DANGER DE SUFFOCATION, NE LAISSEZ PAS CE SAC À LA PORTÉE DES BÉBÉS NI DES ENFANTS"</li> </ul> <p>This warning may be expressed in different words if those words convey clearly the same warning.</p>	N/A
Fibre Content Label	Textile Labeling and Advertising Regulations C.R.C., c. 1551	<p>Label must be legible and accessible to the consumer. Per Canadian Textile Labelling Act and Textile Labelling and Advertising Regulations, C.R.C., c. 1551, the permanency of the label depends on the type of article, as specified in Schedule I or III, of the Regulations. Refer to the Regulations for details.</p> <p>All fibre content information (generic names of fibres) must be in English and French.</p>	Pass
CA # or Dealer Identity	Textile labeling and advertising regulations (C.R.C., c. 1551), sections 11 and 12	<p>Verify the Listing of the Canadian dealer or the name and full postal address under which the dealer normally carries out his business.</p> <p>Please refer to the link below for verification. <a href="http://strategis.ic.gc.ca/app/cb/cnmb/srchFrm.do;jsessionid=00005-sdbwHkK_vOsJOs-MhckO:1247mv5k6?language=eng">http://strategis.ic.gc.ca/app/cb/cnmb/srchFrm.do;jsessionid=00005-sdbwHkK_vOsJOs-MhckO:1247mv5k6?language=eng</a></p>	Pass

TEST REPORT

Number : WUXT01521867

Tests Conducted (As Requested By The Applicant)

Labeling (CONT'D)

* Fibre Content	CAN/CGSB-4.2, No. 14 (14.1-14.18)	Per Canadian textile labeling act and advertising Regulations, C.R.C., c.1551, Section 30: Blends: Report Actual (5% Tolerance) Single Fibre: Report Actual (0% Tolerance)	Pass
Care Label (If included )	Visual Check	If Canadian care symbols are used, these must be presented in accordance with the Canadian Guide to Apparel and Textile Care Symbols Care labels must be permanently attached to the textile article.  <a href="https://ic.gc.ca/eic/site/oca-bc.nsf/eng/ca02009.html">https://ic.gc.ca/eic/site/oca-bc.nsf/eng/ca02009.html</a>	Pass

Remark: N/A=Not applicable, no plastic bag was provided.

5 Defects:

(A)

Observation :

No Major Defects Was Found

Requirement

No Major Defects

6 Overall Dimension:

	(A)	<u>Marked</u>
Length	61	60"
Width	50 1/4	50"

7 Color (Visual Check):

(A)

Requirement

Color Shall Be Uniform And Complete.

TEST REPORT

Number : WUXT01521867

Tests Conducted (As Requested By The Applicant)

- 8 Dimensional Stability To Washing (CAN/CGSB-4.2 No. 58-2004, 8 Machine Wash At 30°C, Delicate Cycle, With 1.8 kg Load, In 20 g Original Ultra Tide Detergent Solution, Followed By Tumble Dry Delicate):

(A)	Original =====	After Five Washes =====	Dimensional Change =====	Requirement
	(cm)	(cm)	(%)	+/-5.0%
Face Length	154.3	153.7	-0.4	
Face Width	127.0	126.0	-0.8	
Back Length	154.3	154.0	-0.2	
Back Width	127.0	125.4	-1.3	

Remark : (+) Means Extension and (-) Means Shrinkage

- 9 Appearance After Wash (8 Machine Wash At 30°C, Delicate Cycle, With 1.8 kg Load, In 20 g Original Ultra Tide Detergent Solution, Followed By Tumble Dry Delicate):

(A)	Requirement
<u>After Five Washes</u>	
Color Change Of All Colors	4.5
Color Staining Onto The Pale Portion	4.5
Pilling/Fuzzing	4.0
<u>Observation :</u>	Satisfactory
-No Obvious Pile Loss Was Found On The Surface Of The Washed Sample.	
The General Appearance Of The Washed Sample Was Satisfactory.	

TEST REPORT

Number : WUXT01521867

Tests Conducted (As Requested By The Applicant)

- 10 Color Fastness To Washing (CAN/CGSB-4.2 No. 19.1-2004, Test No. 5, 45 Minutes Mechanical Wash At 30°C In 0.5% Original Tide Detergent Solution With 10 Steel Balls):

	(A)	<u>Requirement</u>
Color Change	4.5	4
Color Staining		3.5
-Acetate	4.5	
-Cotton	4.5	
-Nylon	4.5	
-Polyester	4.5	
-Acrylic	4.5	
-Wool	4.5	
Self Staining	4.5	4.5

	(B)	<u>Requirement</u>
Color Change	4.5	4
Color Staining		3.5
-Acetate	4.5	
-Cotton	4.5	
-Nylon	4.5	
-Polyester	4.5	
-Acrylic	4.5	
-Wool	4.5	
Self Staining	4.5	4.5

	(C)	<u>Requirement</u>
Color Change	4.5	4
Color Staining		3.5
-Acetate	4.5	
-Cotton	4.5	
-Nylon	4.5	
-Polyester	4.5	
-Acrylic	4.5	
-Wool	4.5	
Self Staining	4.5	4.5

- 11 Color Fastness To Crocking (CAN/CGSB-4.2 No.22-2004):

	(A)	(B)	(C)	<u>Requirement</u>
Dry	4.5	4.5	4.5	3.5
Wet(Water)	4.5	4.5	4.5	2



TEST REPORT

Number : WUXT01521867

Tests Conducted (As Requested By The Applicant)

12 Color Fastness To Light (AATCC TM16.3-2020, Option 3, Xenon-Arc Lamp):

	(A)	<u>Requirement</u>
<u>20 AATCC Fading Unit (AFU) Exposure</u>		
Grade	4.5	4
	(B)	<u>Requirement</u>
<u>20 AATCC Fading Unit (AFU) Exposure</u>		
Grade	4	4
	(C)	<u>Requirement</u>
<u>20 AATCC Fading Unit (AFU) Exposure</u>		
Grade	4	4

13 Color Fastness To Water (CAN/CGSB-4.2 No.20-M89-2004):

	(A)	<u>Requirement</u>
Color Change	4.5	4
Color Staining		3.5
-Acetate	4.5	
-Cotton	4.5	
-Nylon	4.5	
-Polyester	4.5	
-Acrylic	4.5	
-Wool	4.5	
Self Staining	4.5	4.5
	(B)	<u>Requirement</u>
Color Change	4.5	4
Color Staining		3.5
-Acetate	4.5	
-Cotton	4.5	
-Nylon	4.5	
-Polyester	4.5	
-Acrylic	4.5	
-Wool	4.5	
Self Staining	4.5	4.5

TEST REPORT

Number : WUXT01521867

Tests Conducted (As Requested By The Applicant)

Color Fastness To Water (CONT'D)

	(C)	<u>Requirement</u>
Color Change	4.5	4
Color Staining		3.5
-Acetate	4.5	
-Cotton	4.5	
-Nylon	4.5	
-Polyester	4.5	
-Acrylic	4.5	
-Wool	4.5	
Self Staining	4.5	4.5

- 14 Colour Fastness To Non-Chlorine Bleach - Oxidation Bleach Using A Low Temperature Bleach Activator(TAED) (ISO 105-C09:2001/Amd.1:2003, Annex A, Raise The Temperature From 25°C To 60°C Then Wash For 30 Minutes In 10g ECE(A) Reference Detergent, 1.8g(100% activity) TAED And 12g Sodium Perborate Solution with liquid ratio:100:1)

	(A)	(B)	(C)	<u>Requirement</u>
Colour Change	4.5	4.5	4.5	4

- 15 Assessment Of The Potential To Phenolic Yellowing Of Materials (ISO 105 X18-2007, Specimen Was Wrapped Inside The Package Assembly At 50°C For 16 hours):

	(A)	<u>Requirement</u>
Test On Sherpa Colour Staining	4.5	4.5

- 16 Weight Per Unit Area (CAN/CGSB-4.2 No. 5.1-1990):

(A-Face)	<u>Marked</u>
336.0 g/m <sup>2</sup>	320 g/m <sup>2</sup>
(9.9 oz/yd <sup>2</sup> )	+/-5%
(A-Sherpa)	<u>Marked</u>
178.1 g/m <sup>2</sup>	-
(5.3 oz/yd <sup>2</sup> )	+/-5%

TEST REPORT

Number : WUXT01521867

Tests Conducted (As Requested By The Applicant)

17 Type Of Knit:

(A-Face)  
Warp Knitted Fabric

(A-Sherpa)  
Pile Fabric

18 Pilling Resistance As Received (CAN/CGSB-4.2 No. 51.1-1995, ICI Pilling Box):

	(A-Face)	<u>Requirement</u>
<u>After A 3-Hour Test</u> Rating	4.0	4.0
	(A-Sherpa)	<u>Requirement</u>
<u>After A 3-Hour Test</u> Rating	4.0	4.0

TEST REPORT

Number : WUXT01521867

Tests Conducted (As Requested By The Applicant)

19 Flammability Test for Bedding:

With Reference To The Textiles Flammability Regulation (SOR/2016-194), the Apparatus And Methods Of Testing Were Those Described In Canadian General Standard Board Textile Test Method CAN/CGSB-4.2 No.27.5-2023.

Requirement:

The Flame Spread Time For Bedding Without A Raised Fibre Surface, Or Bedding With A Raised Fibre Surface That Exhibits Ignition Or Fusion Of Its Base Fibres, Must Be Greater Than 7 Seconds.

(A)

Raised Fibre Surface

	<u>Original</u> (seconds)	<u>After</u> <u>Drycleaning</u> <u>And Washing#</u> (seconds)
	DNI	-
	DNI	-
	DNI	-
	DNI	-
	DNI	-
	-----	-----
Average :	-	-

Remark : DNI = Did not ignite.

---

---

End of Report

*This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.*

*This report shall not be reproduced except in full, without written approval of the laboratory.*