

Bene textile





本 意 纺 织 科 技

Who We Are ?

We are professional **carpet & rug manufacturer** from China. Our goal is to become a leading and professional carpet & rug manufacturer in China and worldwide. We are group and we have own yarn / weaving / dyeing / finishing/manufacturing factories.





本意纺织科技

We have OEKO-TEX 100 and GRS certificate.

TESTEX AG, SWISS TEXTILE TESTING INSTITUTE
GOTTHARDSTRASSE 61
8002 ZÜRICH, SWITZERLAND

OEKO-TEX®
INSPIRING CONFIDENCE

CERTIFICATE

The company

Zhejiang Benyi Textile Technology Co., Ltd
No 302, Room 0311, Building 16, Shaoxing world trading center
(south zone), Keqiao Street,
Keqiao district,
Shaoxing, Zhejiang, 312000
China

is granted authorisation according to STANDARD 100 by
OEKO-TEX® to use the STANDARD 100 by OEKO-TEX®
mark, based on our test report SH015 209171.1

for the following articles:

Knitted fabric made of 100% polyester, white or piece-dyed (in a limited range of 6 disperse dyestuffs) and
finished (including antistatic finishing)
(based on material partly pre-certified according to STANDARD 100 by OEKO-TEX®)

The results of the inspection made according to STANDARD 100 by OEKO-TEX®, Annex 6, product class I have
shown that the above mentioned goods meet the human-ecological requirements of the STANDARD 100 by OEKO-
TEX® presently established in Annex 6 for baby articles.

The certified articles fulfil requirements of Annex XVII of REACH (incl. the use of azo colourants, nickel release, etc.),
the American requirement regarding total content of lead in children's articles (CPSIA; with the exception of
accessories made from glass) and of the Chinese standard GB 18401:2010 (labelling requirements were not
verified).

The holder of the certificate, who has issued a conformity declaration according to ISO 17050-1, is under an
obligation to use STANDARD 100 by OEKO-TEX® mark only in conjunction with products that conform with the
sample initially tested. The conformity is verified by audits.

The certificate SH015 209171 is valid until 15.10.2023

Zürich, 10.10.2022

Matz Bachmann
Managing Director

Faisal Rizal
Ecology Team Leader

OEKO-TEX® Association | Genferstrasse 23 | CH-8002 Zurich

Control Union Certifications B.V.
Meeuwenlaan 4-6, 8011 BZ, Zwolle, Overijssel, NL-OV, Netherlands, NL
+31 38 426 0100
www.controlunion.com

SCOPE CERTIFICATE

Scope Certificate Number: CU1197376GRS-2023-00082540

Control Union Certifications certifies that

Zhejiang Benyi Textile Technology Co., Ltd.
License Number: CB-CUC-1197376
Fifth Floor, No.10 Building, Dashanzi Village, Anchang Street, Keqiao District
312000 Shaoxing, Zhejiang Sheng, CN-ZJ, China, CN

has been audited and found to be in conformity with the
Global Recycled Standard (GRS)
- Version 4.0 -

Product categories mentioned below (and further specified in the product appendix) conform with the standard(s):
Product categories: Dyed fabrics (PC0025)

Process categories carried out under responsibility of the above-mentioned company for the certified products cover:
Knitting (PRO015), Preparatory (PRO022), Trading (PRO030)
*The processes marked with an asterisk may be carried out by subcontractors.

This certificate is valid until:
2024-10-09

Audit criteria:
Global Recycled Standard V4.0; Content Claim Standard V3.1; Textile Exchange Standard Claims Policy V1.3

Please see date of issue

Certificate body

Standard's logo

Zwolle, 2023-10-10
Last updated: 2023-10-13
On behalf of the Managing Director
Jifu Wang | Certifier


Certification Body: Control Union Certifications B.V.
Accredited by: Sri Lanka Accreditation Board (SAB), Accreditation No: CP-004-01
Inspection Body: Control Union Certifications B.V.
This Scope Certificate provides no proof that any goods delivered by its holder are GRS-certified. Proof of GRS certification of goods delivered is
provided by a valid Textile Exchange Certificate (TC) covering them.
The issuing body may withdraw this certificate before it expires if the standard referenced is no longer substantiated.
For further details, please visit www.TextileExchange.org/Certificates.

CONTROL UNION
POST: Meeuwenlaan 4-6, 8011 BZ, Zwolle, Netherlands, NL
T: +31 38 426 0100 F: +31 38 423 7040 | certificates@controlunion.com
This electronically issued document is the valid original version. | Licence Number: CB-CUC-1197376 | Page 1 / 2



本 意 纺 织 科 技

AREA RUG & CARPET



NAME:IMITATION CASHMERE CARPET

ITEM NO:100001

MATERIALS:100% POLYESTER


WEIGHT:1500GSM

PILE HEIGHT:1-1.2CM

BACKING:NON-WOVEN FABRIC+ANTI SLIP DOTS/TPR+COTTON FABRIC



本 意 纺 织 科 技



NAME:IMITATION SILK CARPET

ITEM NO:100023

MATERIALS:100% POLYESTER



WEIGHT:1300GSM

PILE HEIGHT:0.5CM

BACKING:NON-WOVEN FABRIC+ANTI SLIP DOTS/TPR+COTTON FABRIC



本 意 纺 织 科 技



NAME:IMITATION CASHMERE CARPET
(ULTRA-FINE YARN)

ITEM NO:100005

MATERIALS:100% POLYESTER



WEIGHT:1400GSM

PILE HEIGHT:0.6-0.8CM

BACKING:NON-WOVEN FABRIC+ANTI SLIP DOTS/TPR+COTTON FABRIC



本 意 纺 织 科 技



NAME:FAUX RABBIT FUR CARPET

ITEM NO:100128

MATERIALS:100% POLYESTER


WEIGHT:1500GSM

PILE HEIGHT:1.5-2CM

BACKING:NON-WOVEN FABRIC+ANTI SLIP DOTS/TPR+COTTON FABRIC



本 意 纺 织 科 技



NAME:FAUX BUBBLY RABBIT FUR CARPET

MATERIALS:100% POLYESTER



WEIGHT:1500GSM

PILE HEIGHT:1.5-2.5CM

BACKING:NON-WOVEN FABRIC+ANTI SLIP DOTS/TPR+COTTON FABRIC



本 意 纺 织 科 技



NAME:IMITATION MINK VELVET CARPET

ITEM NO:100022

MATERIALS:100% POLYESTER


WEIGHT:1300GSM

PILE HEIGHT:0.5CM

BACKING:NON-WOVEN FABRIC+ANTI SLIP DOTS/TPR+COTTON FABRIC



本 意 纺 织 科 技



NAME:CHENILLE CARPET

ITEM NO:100019

MATERIALS:100% POLYESTER



WEIGHT:1180GSM

PILE HEIGHT:0.2CM

BACKING:NON-WOVEN FABRIC+ANTI SLIP DOTS/TPR+COTTON FABRIC



本 意 纺 织 科 技



NAME:BELGIAN VELVET CARPET

ITEM NO:100138

MATERIALS:100% POLYESTER


WEIGHT:1130GSM

PILE HEIGHT:0.1CM

BACKING:NON-WOVEN FABRIC+ANTI SLIP DOTS/TPR+COTTON FABRIC



本 意 纺 织 科 技



NAME:DIAMOND VELVET CARPET

ITEM NO:100053

MATERIALS:100% POLYESTER



WEIGHT:980GSM

PILE HEIGHT:0.1CM

BACKING:NON-WOVEN FABRIC+ANTI SLIP DOTS/TPR+COTTON FABRIC




本 意 纺 织 科 技



NAME:PV PLUSH CARPET
MATERIALS:100% POLYESTER
WEIGHT:500GSM
PILE HEIGHT:4CM
BACKING:NON-WOVEN FABRIC+SPONGE+ANTI SLIP DOTS



本 意 纺 织 科 技



NAME:SOUTH KOREAN VELVET CARPET

ITEM NO:100054

MATERIALS:100% POLYESTER

WEIGHT:1200GSM


PILE HEIGHT:1.5CM

BACKING:EVA FOAM



本 意 纺 织 科 技

PRAYER MAT



NAME:SHINY VELVET PRAYER MAT

ITEM NO:100079

MATERIALS:100% POLYESTER

WEIGHT:1150GSM

PILE HEIGHT:0.3CM

BACKING:NON-WOVEN FABRIC+ANTI SLIP DOTS/TPR+COTTON FABRIC



本 意 纺 织 科 技



NAME:DOVE VELVET CARPET

ITEM NO:100021

MATERIALS:100% POLYESTER

WEIGHT:1180GSM


PILE HEIGHT:0.5CM

BACKING:NON-WOVEN FABRIC+ANTI SLIP DOTS/TPR+COTTON FABRIC



本意纺织科技



BATH MAT



NAME:POLARIS VELVET BATH MAT
ITEM NO:100065
MATERIALS:100% POLYESTER
WEIGHT:1650GSM
PILE HEIGHT:2CM
BACKING:TPR+COTTON FABRIC



本 意 纺 织 科 技



NAME:JACQUARD SHU VELVETEEN BATH MAT

ITEM NO:100358

MATERIALS:100% POLYESTER

WEIGHT:1330GSM

PILE HEIGHT:0.8-1CM

BACKING:TPR+COTTON FABRIC

bene

本意纺织科技



NAME:CAKE VELVET BATH MAT
ITEM NO:100013
MATERIALS:100% POLYESTER
WEIGHT:1600GSM
PILE HEIGHT:2.5-3CM
BACKING:TPR+COTTON FABRIC



本 意 纺 织 科 技



NAME:GLOSSY YARN VELVET BATH MAT

ITEM NO:100067

MATERIALS:100% POLYESTER


WEIGHT:1650GSM

PILE HEIGHT:2CM

BACKING:TPR+COTTON FABRIC




本 意 纺 织 科 技



NAME:CHENILLE BATH MAT
ITEM NO:100082
MATERIALS:100% POLYESTER
WEIGHT:1380GSM
PILE HEIGHT:0.5CM
BACKING:PVC MESH/TPR+COTTON FABRIC






本 意 纺 织 科 技



NAME:BEAUTY VELVET BATH MAT
ITEM NO:100028
MATERIALS:100% POLYESTER
WEIGHT:1200GSM
PILE HEIGHT:3CM
BACKING:TPR+COTTON FABRIC



本 意 纺 织 科 技



NAME:SNOWFLAKE VELVET BATH MAT

ITEM NO:100095

MATERIALS:100% POLYESTER

WEIGHT:1350GSM

PILE HEIGHT:1.5CM

BACKING:TPR+COTTON FABRIC




本 意 纺 织 科 技



NAME: CORAL FLEECE STONE BATH MAT
MATERIALS: 100% POLYESTER
WEIGHT: 580-600GSM
THICKNESS: 1.2CM
BACKING: NON-WOVEN FABRIC+SPONGE+ANTI SLIP DOTS




本 意 纺 织 科 技



NAME: CORAL FLEECE STRIPE BATH MAT
MATERIALS: 100% POLYESTER
WEIGHT: 580-600GSM
THICKNESS: 1.2CM
BACKING: NON-WOVEN FABRIC+SPONGE+ANTI SLIP DOTS




本 意 纺 织 科 技



NAME:DIATOMITE BATH MAT
MATERIALS:DIATOMITE
WEIGHT:1600-2000GSM
THICKNESS:2.5-3.5MM
BACKING:RUBBER



本 意 纺 织 科 技





NAME:TUFTED BATH MAT
MATERIALS:100% POLYESTER
WEIGHT:1850GSM
PILE HEIGHT:1.5CM
BACKING:TPR+COTTON FABRIC



本意纺织科技



KITCHEN MAT



NAME:IMITATION MARBLE KITCHEN MAT
MATERIALS:DIATOMITE
WEIGHT:1600-2000GSM
THICKNESS:2.5-3.5CM
BACKING:RUBBER



本意纺织科技



NAME:LUXURY DIATOMITE KITCHEN MAT
MATERIALS:DIATOMITE
WEIGHT:1600-2000GSM
THICKNESS:2.5-3.5CM
BACKING:RUBBER




本 意 纺 织 科 技

DOOR MAT



Hot melt planting process


The velvet surface firmly adheres to the bottom without deformation



NAME:PVC DOUBLE STRIPE DOOR MAT
MATERIALS:100% POLYESTER
WEIGHT:1750GSM
THICKNESS:0.6CM
BACKING:PVC




本 意 纺 织 科 技



Hot melt planting process




The surface firmly adheres to the bottom layer, making it less prone to shedding and deformation when stepped on.



NAME:IMITATION COCONUT SILK DOOR MAT
MATERIALS:100% POLYPROPYLENE
WEIGHT:1200GSM
THICKNESS:0.5CM
BACKING:PVC



本 意 纺 织 科 技



NAME:EMBROIDERED FELT DOOR MAT
MATERIALS:100% POLYESTER
WEIGHT:1100-1200GSM
THICKNESS:0.6CM
BACKING:PVC



本 意 纺 织 科 技



NAME:IMITATION COCONUT PALM DOOR MAT

MATERIALS:100% POLYESTER

WEIGHT:2000-2100GSM

THICKNESS:1CM

BACKING:PVC



本 意 纺 织 科 技





NAME:SILK LOOP DOOR MAT
MATERIALS:PVC
WEIGHT:2600GSM
THICKNESS:0.7CM
BACKING:PVC



本 意 纺 织 科 技


STAIR MAT



NAME:NON ADHESIVE SELF-ADHESIVE LUMINOUS STAIR MAT
MATERIALS:100% POLYESTER
WEIGHT:750GSM
THICKNESS:0.5CM
BACKING:FELT+ADHESIVE



本 意 纺 织 科 技



NAME:3D EMBOSSED SELF-ADHESIVE STAIR MAT

MATERIALS:100% POLYESTER

WEIGHT:850GSM

THICKNESS:0.7-0.8CM

BACKING:FELT+ADHESIVE



本 意 纺 织 科 技

Thanks

If you want to know more details about our products,
please visit our company website www.benetextile.com

Company: Zhejiang Benyi Textile Technology Co., Ltd
Address: No.75, Zhenyuan Road, Paojiang industrial zone, Yuecheng district, Shaoxing City, Zhejiang Province, China 312000
Contact: Fish
Email: fisher@benetextile.com
What's app: 86 13456256925
Wechat: +86 18967509795