

CATALOGUE

2024

OCTOBER VERSION

Stilling

SINCE 1949

Certified



Corporation

Stilling A/S
Midtager 9,
DK-2605 Brøndby
CVR: 36474513
+45 4360 0063
Stilling@Stilling.dk

WELCOME TO THE STILLING CATALOGUE 2024

In this catalogue you will find our full range of profiles and their recommended accessories, as well as a list of universal accessories to be used across various profiles.

At the back of the catalogue you will also find our maximum load specifications, custom colouring details and other practical information.

If you have any questions, we are always ready to help you. Contact us by phone at +45 4360 0063 or send us an e-mail at stilling@stilling.dk



75 YEARS OF CRAFTSMANSHIP



Stilling's management and board of directors. From left: Nille Skalts (Board member), Rasmus Stilling-Schütz (Owner), Jesper Panduro (Chairman of the Board), Thomas Trads Hansen (Owner), Henrik Stray Doijohn (Board member).



The year 2024 marks a significant moment in Stilling's history as we get to celebrate the 75th anniversary of the founding of our company, and thus 75 years since the first product left the basement in Herlev, Denmark, where our founder, Preben Stilling, established his company in 1949.

With savings accrued from collecting discarded glass bottles, which were in short supply after WWII, Preben started the development of his first venetian blinds; produced during the day and sold door-to-door at night.

Since then, we have proudly upheld craftsmanship traditions which have been passed from employee to employee for more than seven decades. We have nurtured our love for aluminium as a material and established ourselves as the biggest producer of drapery hardware in Scandinavia. A position we embrace with a profound sense of responsibility.

Responsibility for developing new products and solutions with greater care for the environment, with social responsibility for the people who enrich the products with their craft, for the local communities that they are part of, and for the value-chain from which the raw materials are sourced. It is this responsibility that has led us to attain official certification as a B Corp®, signifying our commitment to placing equal importance on caring for the planet and its people as to generating economic profits.

With a new board of directors, we take a stand for protecting the world and the communities we are part of, for the consequences of our presence, and the general changes that are needed to ensure that we can leave positive footprints and create worthy living conditions for future generations. To ensure that we give back more than we take.

We thank you for taking part in our history and for supporting the realization of our social and environmental projects.

Rasmus Stilling-Schütz
Hansen.

CONTENTS

HIGHLIGHTS

SUSTAIN™ label	PAGE	8
Specialised Stilling® tools	PAGE	10
CURTAINLIGHT™ 2.0	PAGE	12
WAVEFEEDER®	PAGE	14

CURTAIN TRACKS

AP 0520 / 0521	PAGE	18
AP 0589	PAGE	24
AP 0689	PAGE	30
AP 1005	PAGE	36
AP 1100 / 1121	PAGE	42
AP 1170	PAGE	48
AP 1200	PAGE	54
AP 1400	PAGE	60
AP 1500	PAGE	64
AP 1600	PAGE	68
AP 1905 S Piet Hein	PAGE	74
AP 2001	PAGE	80
AP 2002	PAGE	88
AP 2005	PAGE	92
AP 2300	PAGE	98
AP 2500	PAGE	104
AP 5001	PAGE	110
AP 5001 SAFETRACK™	PAGE	116
AP 5408	PAGE	120
AP 5408-14	PAGE	124
AP 8061	PAGE	128
AP 8062	PAGE	132
AP 8062-60	PAGE	136
AP 8063	PAGE	140
AP 8065	PAGE	144
AP 9001	PAGE	148
GLYDEA (Hand drawn)	PAGE	154

CORNICES

AP 2668	PAGE	162
AP 2694	PAGE	166
AP 2690	PAGE	170

ELECTRIC CURTAIN TRACKS

GLYDEA (Powered by Somfy)	PAGE	176
Motorisation quick guide	PAGE	184

CONTENTS

ROMAN BLINDS

AP 8900	PAGE	192
AP 8901	PAGE	198
AP 8990 SMARTLIFT™	PAGE	206

PANEL TRACKS

AP 5400 (5402 / 5403 / 5404 / 5405)	PAGE	212
---	------	-----

SHOWER RODS & TRACKS

Shower rods & shower tracks	PAGE	218
-----------------------------------	------	-----

SEWING ACCESSORIES

Tape	PAGE	222
Cords	PAGE	226
Chains	PAGE	230
Hooks	PAGE	234
Eyelets	PAGE	238

UNIVERSAL ACCESSORIES

L-Brackets	PAGE	242
Ceiling supports	PAGE	246
Draw rods	PAGE	250
Gliders	PAGE	252
Wave gliders	PAGE	254
Child safety	PAGE	260

INFORMATION FOR RETAILERS

Guiding max. load table	PAGE	264
Height chart	PAGE	266
Marketing materials	PAGE	270
Custom colouring	PAGE	272
Bending tools and inlays	PAGE	274
Contact information	PAGE	279
Index	PAGE	280





LOOK FOR THE SUSTAIN™ LABEL

Our all encompassing goal is to be able to offer you the best in product design and functionality with as little negative impact on the world as possible. Therefore, transparency regarding material composition and origin are some of the latest measures we have taken to ensure consistent openness about our products.

It goes without saying that all our products are subject to strict criteria for quality and environmental footprint, but we are constantly looking for new technologies and methods that can ensure that we continuously minimize our footprint. To reflect this effort, we have created a label for those of our products that meet our highest criteria. We call the labelling SUSTAIN™.

WHAT DOES THE SUSTAIN™ LABEL MEAN?

The SUSTAIN™ label is our way of marking that a given product meets our highest criteria for responsibility throughout all phases of it's life cycle; production, period of use and disposal.

For a product to receive the SUSTAIN™ label, it must:

- 1) Be produced from a minimum of 50% recycled material.
- 2) Be at least as durable as an equivalent conventional product.
- 3) Be composed of recyclable and separable materials.
- 4) Be produced and transported with minimized or otherwise improved energy consumption.

WANT TO LEARN MORE?

You can read more about the SUSTAIN™ label and find more details on the selection criteria on our website.

Visit stilling.dk/en/sustain/

THE BEST RESULTS WITH SPECIALISED STILLING® TOOLS

To ensure the best experience with our products, we continuously develop specialised tools, each designed with their own special purpose in mind. The latest addition is a mounting tool for curtain tracks that are mounted directly into the ceiling without the use of brackets (XX21-article numbers). The tool protects the gliding track when mounting and thus ensures that the functionality of the track is maintained.

Find the tool (art. 1590) and the compatible bits (art. 1591/1592) next to each compatible product throughout this catalogue.







SAY HELLO TO CURTAINLIGHT™ 2.0

AMBIENT LIGHTING FOR CURTAIN TRACKS

With 2024, we introduce a whole new version of our 2024 "CURTAINLIGHT™" LED lighting for curtain tracks, which is now not only dimmable, but can also change temperature gradually from cold to warm white.

COMPATIBLE WITH PHILIPS HUE

To control the new lighting system, we have added a series of new remotes in both 1- and 4-channel versions, while the new LED driver runs on the Zigbee-protocol, which means that you can easily connect the light to existing smart home systems such as Philips Hue or Somfy TaHoma®.

GRADUAL DIMMING



ADJUSTABLE TEMPERATURE

ARE YOU FAMILIAR WITH OUR PATENTED WAVEFEEDER®?

Installing wave gliders can both be a challenging, tiresome and time consuming task. In an effort to streamline the process, we have spent years inventing a new and unique tool to make the task a quick and easy procedure. And now, we are ready to introduce our new WAVEFEEDER® tool!


HOW IT WORKS

The WAVEFEEDER® tool is mounted on the compatible Stilling track, and the first waveglider is placed in the track as usual. Following this, the wave gliders are mounted quickly and easily by simply pulling the first glider towards the end of the track. In our experience it takes about 1.5 minutes to mount wavegliders in a 6 metre track, but with the WAVEFEEDER® tool, it can be done in as little as 8 seconds!

WANT TO LEARN MORE?

Feel free to contact us for more information about our new WAVEFEEDER® tool by writing to customerservice@stilling.dk.





AVAILABLE SYSTEMS

The WAVEFEEDER® is a precision tool and only works with Stilling® tracks and Stilling® wave gliders. Using incompatible accessories or tracks with even small deviations will result in the tool not working properly. As of January 2024, we offer the following wavefeeders:

- WF 0520 - *compatible with track AP 0520 / 0521*
- WF 1100 - *compatible with track AP 1100 / 1121*
- WF 2001 - *compatible with track AP 2001*
- WF 2005 - *compatible with track AP 2005*
- WF 2300 - *compatible with track AP 2300*
- WF 2500 - *compatible with track AP 2500*



CURTAIN TRACKS

Ever since our first professional curtain track was developed back in the 1980s, we have dedicated ourselves to becoming one of the world leaders in specialized drapery hardware. Almost all our tracks are processed by hand in Denmark by skilled craftspeople, before being exported to countries throughout the world.



AP 0520 / 0521





AP 0520 is a graphic wide track profile which over the years has remained a firm, global favourite. The AP 0521 profile is identical to AP 0520, but is supplied with pre-drilled holes for direct mounting without the use of brackets. AP 0520S is made from min. 75% recycled post-consumer aluminium and extruded using only renewable energy, making it part of our SUSTAIN™ portfolio.

COLOURS



White



Super Silver




Black


Gold
(ano.)Bronze
(ano.)

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.


ORIGIN & MATERIALS



OR



We offer our AP 0520 in two versions. A conventional version extruded from virgin material or a recycled SUSTAIN™ version ("S") extruded from min. 75% post-consumer aluminium. Please inquire about available combinations. Please note that AP 0521 still is produced in conventional aluminium in all colours.



RECOMMENDED USE



Ceiling-mounting



Wall mounting



Ceiling supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Hand & cord drawn

External dimensions:

15,00 mm x 10,00 mm

Track width:

6,0 mm

Length:

6000 mm

Maximum load:

Up to 9 kg (see sep. table)

Bending radius:


Min. 10 (recommended)

Environmental impact:

2,3 kg CO₂e per kg (extrusion)

*SUSTAIN™ version

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

	DESCRIPTION	COLOUR
	AP 0520S / 0520 / 0521	AP 0520S White Super Silver Black Gold (ano.) Bronze (ano.)
	Wide track profile 15,00 mm x 1 mm	
	In lengths of 6 metres & bulks of 180 metres	AP 0520 White Super Silver Black
	AP 0521 has pre-drilled holes every 50 cm for mounting directly into the ceiling.	AP 0521 White Super Silver Black

END CAPS

0587	5743		
			
End cap with screw	End cap with screw		
White Super Silver Black Bronze Gold Quantity: 100 pcs	White Black Gold Quantity: 100 pcs		

BRACKETS

9578	9578S D	9579	9825
			
Ceiling bracket	Cover for ceiling bracket (art. 9578)	Click ceiling bracket	End bracket
White Silver Black Gold Quantity: 100 pcs	White Super Silver Black Bronze Gold Quantity: 100 pcs	White Silver Black Quantity: 100 pcs	White Silver Quantity: 10 pcs

REGULAR GLIDERS

5738	5737	5728	5740
			
Glider in nylon String of 10 pcs for easy insert	Click glider in PE String of 20 pcs for easy insert Not to be used as primary glider	Click glider in nylon String of 10 pcs for easy insert Not to be used as primary glider	Glider with curtain hook
White Black Gold Quantity: 2000 pcs	Transparent Quantity: 1000 pcs	White Quantity: 100 pcs	White Quantity: 100 pcs

REGULAR GLIDERS


WAVE GLIDERS

NEW 6038	NEW 14059	14051	14058
			
Roller glider 10 mm wheel, metal eyelet	Low wave glider with swivel head 8 cm distance	Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance
White Black Quantity: 100 pcs	White Length: 50 m	White Length: 50 m	White Black Length: 50/100 m





WAVE GLIDERS

5730	5735	6036	6037
			
Wave glider 6 cm distance	Wave glider 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 6 cm distance
White Black Length: 25/70 m	White Black Length: 25/90 m	White Black Length: 40 m	White Length: 30 m

WAVE GLIDERS

1050224			
			
Low wave glider 8 cm distance			
White (1050224) Black (1050224 S) Length: 50 m			

ADDITIONAL ACCESSORIES

5744	9827	1106	2571
			
Twist end stop in plastic/metal	Twist end stop in plastic	Joiner	Curtain hook 22 mm int. 28 mm ext.
White Black Quantity: 100 pcs	White Quantity: 100 pcs	White Silver Black Quantity: 10 pcs	White Black Quantity: 2000 pcs


ADDITIONAL ACCESSORIES

4761	4760	6026	6122
			
Wave stop "The curtain bug"	Wave hanger	Cord wheel	Overlap/master glider with metal arm <i>Turnable</i>
White Sand Grey Black Quantity: 100 pcs	White Black Quantity: 10 pcs	Silver Quantity: 1 pc	White Quantity: 1 pc

ADDITIONAL ACCESSORIES

9432	2989	6123	NEW 1590
			
Cord 2,2 mm	Cord weight 110 gr.	Master carrier	Mounting tool for AP 0521 <i>Highly recommended</i>
White	White Grey Black	White	Orange
Quantity: 250 m	Quantity: 10 pcs	Quantity: 1 pc	Quantity: 1 pc

ADDITIONAL ACCESSORIES

1591	1592	NEW 1944	
			
Long bit for 1590 Torx T10	Long bit for 1590 Philips PH.1	Design twist stopper	
Silver	Silver	White Grey Black	
Quantity: 1 pc	Quantity: 1 pc	Quantity: 100 pcs	

AP 0589



AP 0589 is a slim, curved profile, which is well suited for carrying light curtains. With this track you can create a discreet and elegant curtain solution, as the AP 0589 is mounted with hidden ceiling brackets. In unison with our new low wave glider art. 14059 your curtains will move smoothly and effortlessly.

COLOURS



White



Super Silver



Black

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



Our ambition is to eventually convert all our curtain tracks from conventional to recycled, or otherwise more responsible, materials. These changes will happen gradually over time.

ORIGIN

Extrusion
TurkeyLacquering
TurkeyProcessing
Denmark

11,40 mm

16,50 mm

RECOMMENDED USE



Ceiling-mounting



Wall mounting



Ceiling supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

External dimensions:

16,50 mm x 11,40 mm

Track width:

6,0 mm

Length:

6000 mm


Maximum load:

Up to 10 kg (see sep. table)

Bending radius:


Min. 10 (recommended)

MAXIMUM LOAD




The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

	DESCRIPTION	COLOUR
	<p>AP 0589</p> <p>Wide track profile 16,50 x 11,40 mm</p> <p>In lengths of 6 metres & bulks of 180 metres</p>	<p>White Super Silver Black</p>

END CAPS

0593			
			
End cap			
<p>White Grey Black</p> <p>Quantity: 100 pcs</p>			

BRACKETS

0594	0594P		
			
Twist bracket in metal	Twist bracket in plastic		
<p>Metal</p> <p>Quantity: 100 pcs</p>	<p>White Black</p> <p>Quantity: 100 pcs</p>		





REGULAR GLIDERS

5738	5721		
			
Glider in nylon String of 10 pcs for easy insert	Tee-glider 'medium duty' String of 10 pcs for easy insert		
White Black Gold Quantity: 2000 pcs	White Quantity: 100 pcs		

WAVE GLIDERS & ACCESSORIES

14059	1050224	14051	14058
			
Low wave glider with swivel head 8 cm distance	Low wave glider 8 cm distance	Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance
White Length: 50 m	White (1050224) Black (1050224 S) Length: 50 m	White Length: 50 m	White Black Length: 50/100 m

ADDITIONAL ACCESSORIES

0595	5744	2571	2572
			
Joiner	Twist end stop in plastic/metal	Curtain hook 22 mm int. 28 mm ext.	Hook
White Quantity: 10 pcs	White Black Quantity: 100 pcs	White Black Quantity: 2000 pcs	White Black Quantity: 2000 pcs

ADDITIONAL ACCESSORIES

4760	4761		
			
Wave hanger	Wave stop "The curtain bug"		
White Black Quantity: 10 pcs	White Sand Grey Black Quantity: 100 pcs		



AP 0689





AP 0689 is the big brother of AP 0589, with which it shares its curved design. AP 0689 is mounted with a hidden twist bracket and works perfectly with our smooth 12 mm waveglider (art. 6035). Together, they create an aesthetic and silent solution for almost all types of curtains. AP 0689S is made from min. 75% recycled post-consumer aluminium and extruded using only renewable energy, making it part of our SUSTAIN™ portfolio.

COLOURS



White




Super Silver




Black

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

ORIGIN & MATERIALS



OR



We offer our AP 0689 in two versions. A conventional version extruded from virgin material or a recycled SUSTAIN™ version ("S") extruded from min. 75% post-consumer aluminium. Please inquire about available combinations.



RECOMMENDED USE



Ceiling-mounting



Wall mounting



Ceiling supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

External dimensions:

22,10 mm x 18,20 mm

Track width:

6,0 mm

Length:

6000 mm

Maximum load:

Up to 12,5 kg (see sep. table)

Bending radius:


Min. 16 (recommended)

Environmental impact:

2,3 kg CO₂e per kg (extrusion)


*SUSTAIN™ version

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.


PROFILE

DESCRIPTION		COLOUR
	AP 0689S / AP 0689 Wide track profile 22,10 mm x 18,20 mm In lengths of 6 metres & bulks of 60 or 180 metres	AP 0689S White Super Silver Black
		AP 0689 White Super Silver Black

END CAPS

0693	NEW 0697		
			
End cap	Special end cap only for AP 0689 S		
White Super Silver Black Quantity: 100 pcs	White Super Silver Black Quantity: 100 pcs		



BRACKETS

0694			
			
Twist bracket metal			
Silver Quantity: 10 pcs			

REGULAR GLIDERS

5738	5734	NEW 6038	
			
Glider in nylon <i>String of 10 pcs for easy insert</i>	Heavy duty glider (13,8 x 28,7 mm)	Roller glider 10 mm wheel, metal eyelet	
White Black Gold	White Black	White Black	
Quantity: 2000 pcs	Quantity: 100 pcs	Quantity: 100 pcs	





WAVE GLIDERS

NEW 14059	6035	5730	NEW XL ROLL 5735
			
Low wave glider with swivel head 8 cm distance	Wave roller glider 12 mm wheel, metal eyelet 8 cm distance	Wave glider 6 cm distance	Wave glider 8 cm distance
White	White	White Black	White Black
Length: 50 m	Length: 40 m	Length: 25/70 m	Length: 25/90 m


WAVE GLIDERS

14051	14058	1050224	
			
Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance	Low wave glider 8 cm distance	
White	White Black	White (1050224) Black (1050224 S)	
Length: 50 m	Length: 50/100 m	Length: 50 m	

ADDITIONAL ACCESSORIES

0695	2571	4761	4760
			
Joiner	Curtain hook 22 mm int. 28 mm ext.	Wave stop "The curtain bug"	Wave hanger
White Quantity: 10 pcs	White Black Quantity: 2000 pcs	White Sand Grey Black Quantity: 100 pcs	White Black Quantity: 10 pcs

ADDITIONAL ACCESSORIES

5744			
			
Twist end stop in plastic/metal			
White Black Quantity: 100 pcs			



AP 1005





AP 1005 is a discreet, curved track for light curtains. The profile's small size makes it popular for e.g. inner, base layer curtains. AP 1005 is made from min. 75% recycled post-consumer aluminium and extruded using only renewable energy, making it part of our SUSTAIN™ portfolio.

COLOURS



White



Off white


Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



This profile is made from min. 75% recycled post-consumer waste. By mixing recycled aluminium with a smaller part of primary aluminium, we preserve the aluminium's durability and flexibility.

ORIGIN

Extrusion
SwedenLacquering
DenmarkProcessing
Denmark

RECOMMENDED USE



Ceiling-mounting



Wall mounting



Ceiling supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

External dimensions:

10,50 mm x 14,50 mm

Track width:

4,2 mm

Length:

6000 mm

Maximum load:

Up to 8,5 kg (see sep. table)


Bending radius:

Min. 10 (recommended)

Environmental impact:

2,3 kg CO₂e per kg (extrusion)

MAXIMUM LOAD




The recommended max. load depends on many factors. Please see our Max. Load table.


PROFILE

DESCRIPTION		COLOUR
	AP 1005S	
	Narrow track profile 10,50 mm x 14,50 mm	White Off white
	In lengths of 6 metres & bulks of 60 or 180 metres	

END CAPS

4068			
			
End cap			
White			
Quantity: 100 pcs			


BRACKETS

1030	1034	1040	
			
Ceiling bracket with slot	Ceiling bracket with hole	Wall bracket with hole	
White	White	White	
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	

REGULAR GLIDERS

4050S	4050	4048	4069
			
Special low-friction glider in recycled nylon with silicone <i>String of 20 pcs for easy insert</i>	Special low-friction glider in nylon with silicone <i>String of 20 pcs for easy insert</i>	Glider in PE <i>Only for stationary, lightweight curtains</i>	Click glider in nylon <i>Not to be used as primary glider but great as extra glider</i>
Powder White Black Coastal Blue Green Leaf	White Grey Black Gold Brown	White	White
Quantity: 1000 pcs	Quantity: 1000 pcs	Quantity: 1000 pcs	Quantity: 1000 pcs

REGULAR GLIDERS

4057			
			
Twin glider for drapery rod or curtain hook			
White			
Quantity: 2000 pcs			

WAVE GLIDERS

4041	4042	14067	14072
			
Wave glider 6 cm distance	Wave glider 8 cm distance	Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance
White Black	White Black	White	White
Length: 25/160 m	Length: 25/180 m	Length: 50 m	Length: 50 m

ADDITIONAL ACCESSORIES

4060	1090	2571	2578
			
Twist end stop In plastic/metal	Joiner	Curtain hook 22 mm int. 28 mm ext.	Strong, tall hook 24 mm int. 35 mm ext.
White Grey Gold Black Brown Coastal Blue Green Leaf Quantity: 100 pcs	Silver Quantity: 10 pcs	White Black Quantity: 2000 pcs	White Quantity: 2000 pcs

ADDITIONAL ACCESSORIES

4760	4761		
			
Wave hanger	Wave stop "The curtain bug"		
White Black Quantity: 10 pcs	White Sand Grey Black Quantity: 100 pcs		



AP 1100 / 1121






AP 1100 is our smallest curtain track for medium-weight curtains. The profile's architectonic look and strong "wings" make it ideal for professional projects. The AP 1121 profile is identical to the AP 1100, but comes with pre-drilled holes for direct mounting without the use of brackets. AP 1100S is made from min. 75% recycled post-consumer aluminium and extruded using only renewable energy, making it part of our SUSTAIN™ portfolio.

COLOURS




Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.


ORIGIN & MATERIALS



OR



We offer our AP 1100 in two versions. A conventional version extruded from virgin material or a recycled SUSTAIN™ version ("S") extruded from min. 75% recycled post-consumer aluminium. Please inquire about available combinations. Please note that AP 1121 still is produced in conventional aluminium in all colours.



RECOMMENDED USE



SPECIFICATIONS

Material:
Aluminium alloy 6060/T5-6

Operation:
Hand drawn

External dimensions:
19,45 mm x 13,75 mm

Track width:
6,0 mm


Length:
6000 mm

Maximum load:
Up to 15 kg (see sep. table)

Bending radius:
Min. 10 (recommended)


Environmental impact:
2,3 kg CO₂e per kg (extrusion)
*SUSTAIN™ version

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

DESCRIPTION		COLOUR
	AP 1100S / AP 1100 / 1121 Wide track profile 19,45 x 13,75 mm In lengths of 6 metres & bulks of 180 metres AP 1121 has pre-drilled holes every 50 cm for mounting directly into the ceiling	AP 1100S White Super Silver Black Dutch White Comice Avalon AP 1100 White Super Silver Black AP 1121 White Black

END CAPS

1101	NEW 1114	1104	1605
			
End cap with screw	Design end cap in metal	Ceiling bracket <i>For wall mounting 1104 on bracket 560 use a M4x13 screw</i>	Click Ceiling bracket
White Grey Black Quantity: 10 pcs	White Black Dutch White (Ltd.) Comice (Ltd.) Avalon (Ltd.) Quantity: 10 pcs	White Silver Black Quantity: 10 pcs	White Super Silver Black Dutch White (Ltd.) Comice (Ltd.) Avalon (Ltd.) Quantity: 500 pcs





BRACKETS

1107	1607	5738	5737
			
Wall bracket 7 cm <i>For fixing on the 560 brackets use a 12 mm, not 10 mm screw</i>	L bracket 6 cm	Glider in nylon <i>String of 10 pcs for easy insert</i>	Click glider in PE <i>String of 20 pcs for easy insert</i> <i>Not to be used as primary glider</i>
White Black Dutch White (Ltd.) Comice (Ltd.) Avalon (Ltd.) Quantity: 10 pcs	White Quantity: 100 pcs	White Black Gold Quantity: 2000 pcs	Transparent Quantity: 1000 pcs

REGULAR GLIDERS

5728	6025	5740	NEW 6038
			
Click glider in nylon <i>String of 10 pcs for easy insert</i> <i>Not to be used as primary glider</i>	Roller glider with plastic wheel <i>String of 10 pcs for easy insert</i>	Glider with curtain hook	Roller glider 10 mm wheel, metal eyelet
White Quantity: 100 pcs	White Black Quantity: 100 pcs	White Quantity: 100 pcs	White Black Quantity: 100 pcs


WAVE GLIDERS

NEW 14059	1050224	5730	NEW XL ROLL 5735
			
Low wave glider with swivel head 8 cm distance	Low wave glider 8 cm distance	Wave glider 6 cm distance	Wave glider 8 cm distance
White Length: 50 m	White (1050224) Black (1050224 S) Length: 50 m	White Black Length: 25/70 m	White Black Length: 25/90 m

WAVE GLIDERS

6035	6037	14051	14058
			
Wave roller glider 12 mm wheel, metal eyelet 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 6 cm distance	Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance
White Length: 40 m	White Length: 30 m	White Length: 50 m	White Black Length: 50/100 m



ADDITIONAL ACCESSORIES

1105	1110	1111	2571
			
Cover for 1104 ceiling bracket	External joiner	Internal joiner	Curtain hook 22 mm int. 28 mm ext.
White Grey Black Quantity: 10 pcs	White Dutch White (Ltd.) Comice (Ltd.) Avalon (Ltd.) Quantity: 1 pc	White Quantity: 1 pc	White Black Quantity: 2000 pcs

ADDITIONAL ACCESSORIES

4761	4760	5744	NEW 1590
			
Wave stop "The curtain bug"	Wave hanger	Twist end stop in plastic/metal	Mounting tool for AP 1121 <i>Highly recommended</i>
White Sand Grey Black Quantity: 100 pcs	White Black Quantity: 10 pcs	White Black Quantity: 100 pcs	Orange Quantity: 1 pc

ADDITIONAL ACCESSORIES

1591	1592		
			
Long bit for 1590 Torx T10	Long bit for 1590 Philips PH.1		
Silver Quantity: 1 pc	Silver Quantity: 1 pc		



AP 1170





AP 1170 is a new version of our AP 1100, which is specifically designed for built-in LED ambiance lighting. LED highlights the sleek, architectonic look of the profile and is an obvious choice for hospitality clients. AP 1170S is made from min. 75% recycled post-consumer aluminium and extruded using only renewable energy, making it part of our SUSTAIN™ portfolio.

COLOURS




Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



This profile is made from min. 75% recycled post-consumer waste. By mixing recycled aluminium with a smaller part of primary aluminium, we preserve the aluminium's durability and flexibility.

ORIGIN



RECOMMENDED USE



SPECIFICATIONS

Materials:
Aluminium alloy 6060/T5-6

Operation:
Hand drawn

Ext. dimensions:
19,45 x 13,75 mm


Track width:
6,0 mm

Length:
6000 mm

Max. load:
Up to 15 kg (see sep. table)

Environmental impact:
2,3 kg CO₂e per kg (extrusion)

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

DESCRIPTION		COLOUR
 <div>NEW PRODUCT</div>	AP 1170S	White Super Silver Black Dutch White Comice Avalon
	Wide track profile 19,45 mm x 13,75 mm Separate track for LED light In lengths of 6 metres & in bulks of 60 metres	

END CAPS

1114		1104	1605
			
Design end cap in metal		Ceiling bracket <i>For wall mounting 1104 on bracket 560 use a M4x13 screw</i>	Click Ceiling bracket
White Black Dutch White (Ltd.) Comice (Ltd.) Avalon (Ltd.) Quantity: 10 pcs		White Black Quantity: 10 pcs	White Super Silver Black Dutch White (Ltd.) Comice (Ltd.) Avalon (Ltd.) Quantity: 500 pcs

BRACKETS





REGULAR GLIDERS

1107	1607	5738	5737
			
Wall bracket 7 cm <i>For fixing on the 560 brackets use a 12 mm, not 10 mm screw</i>	L bracket 6 cm	Glider in nylon <i>String of 10 pcs for easy insert</i>	Click glider in PE <i>String of 20 pcs for easy insert</i> <i>Not to be used as primary glider</i>
White Black Dutch White (Ltd.) Comice (Ltd.) Avalon (Ltd.) Quantity: 10 pcs	White Black Quantity: 100 pcs	White Black Gold Quantity: 2000 pcs	Transparent Quantity: 1000 pcs

REGULAR GLIDERS

5728	6025	5740	
			
Click glider in nylon <i>String of 10 pcs for easy insert</i> <i>Not to be used as primary glider</i>	Roller glider with plastic wheel <i>String of 10 pcs for easy insert</i>	Glider with curtain hook	
White Quantity: 100 pcs	White Black Quantity: 100 pcs	White Quantity: 100 pcs	

WAVE GLIDERS

NEW 14059	1050224	5730	5735
			
Low wave glider with swivel head 8 cm distance	Low wave glider 8 cm distance	Wave glider 6 cm distance	Wave glider 8 cm distance
White Length: 50 m	White (1050224) Black (1050224 S) Length: 50 m	White Black Length: 25/70 m	White Black Length: 25/90 m

WAVE GLIDERS

6035	6037	14051	14058
			
Wave roller glider 12 mm wheel, metal eyelet 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 6 cm distance	Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance
White Length: 40 m	White Length: 30 m	White Length: 50 m	White Black Length: 50/100 m

ADDITIONAL ACCESSORIES

1105	1110	2571	5744
			
Cover for 1104 ceiling bracket	External joiner	Curtain hook 22 mm int. 28 mm ext.	Twist end stop in plastic/metal
White Grey Black Quantity: 10 pcs	White Dutch White (<i>ltd.</i>) Comice (<i>ltd.</i>) Avalon (<i>ltd.</i>) Quantity: 1 pc	White Black Quantity: 2000 pcs	White Black Quantity: 100 pcs

ADDITIONAL ACCESSORIES

NEW 1944	4761	4760	
			
Design twist stopper	Wave stop "The curtain bug"	Wave hanger	
White Grey Black Quantity: 100 pcs	White Sand Grey Black Quantity: 100 pcs	White Black Quantity: 10 pcs	

LED ACCESSORIES (CURTAINLIGHT™)

NEW 7050	NEW 7051		
			
COB CCT Light Strip 10 metre on a roll	LED Controller 2.4G + Zigbee 3.0 compatible		
CCT	White		
Lenght: 10 m	1 stk. pr. forpakning		

REMOTE CONTROLS (CURTAINLIGHT™)

NEW 7052	NEW 7054	NEW 7058	1870594
			
1-channel remote w/ dimming & temperature control	4-channel remote w/ dimming & temperature control	CURTAINLIGHT™ 2.0 WiFi Bridge Zigbee 3.0 compatible	TaHoma® Switch Somfy Smart Home Hub
White (7052W) Black (7052B)	White	White	White
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc

POWER SUPPLIES (CURTAINLIGHT™)

7023	7030	7036	7040
			
LED driver 24V, 30 W plug 'n play 0 - 240 cm track	LED driver 24V, 50 W plug 'n play 260 - 400 cm track	LED driver 24V, 75 W plug 'n play 420 - 600 cm track	LED driver 24V, 100 W plug 'n play 600 - 900 cm track
White	White Black	White Black	White
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc

AP 1200 S





The AP 1200 S profile's architectural look and strong "wings" make it ideal for professional tasks. AP 1200 S is made from min. 75% recycled post-consumer aluminium and extruded using only renewable energy, making it part of our SUSTAIN™ portfolio.

COLOURS



White




Super Silver



Black

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



This profile is made from min. 75% recycled post-consumer waste. By mixing recycled aluminium with a smaller part of primary aluminium, we preserve the aluminium's durability and flexibility.

ORIGIN

Extrusion
SwedenLacquering
DenmarkProcessing
Denmark

15,20 mm

17,40 mm

RECOMMENDED USE

Ceiling-
mountingWall
mountingCeiling
supports

Bending



Milling



Recessing

SPECIFICATIONS

Materials:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

Ext. dimensions:

17,40 mm x 15,20 mm

Track width:

6,0 mm

Length:

6000 mm

Max. load:

Up to 13,5 kg (see sep. table)


Bending radius:

Min. 10 (recommended)

Environmental impact:

2,3 kg CO₂e per kg (extrusion)

MAXIMUM LOAD




The recommended max. load depends on many factors. Please see our Max. Load table.


PROFILE

DESCRIPTION		COLOUR
	AP 1200S	
	Wide track profile 17,40 mm x 15,20 mm	White Super Silver Black
	In lengths of 6 metres & bulks of 60 or 180 metres	

END CAPS

1201			
			
End cap			
White Silver Black Quantity: 100 pcs			



BRACKETS

1304			
			
Ceiling bracket			
White Silver Black Quantity: 100 pcs			


REGULAR GLIDERS

5738	5737	5728	6025
			
Glider in nylon <i>String of 10 pcs for easy insert</i>	Click glider in PE <i>String of 20 pcs for easy insert</i> <i>Not to be used as primary glider</i>	Click glider in nylon <i>String of 10 pcs for easy insert</i> <i>Not to be used as primary glider</i>	Roller glider with plastic wheel <i>String of 10 pcs for easy insert</i>
White Black Gold Quantity: 2000 pcs	Transparent Quantity: 1000 pcs	White Quantity: 100 pcs	White Black Quantity: 100 pcs

REGULAR GLIDERS

5740	NEW 6038		
			
Glider with curtain hook	Roller glider 10 mm wheel, metal eyelet		
White Quantity: 100 pcs	White Black Quantity: 100 pcs		




WAVE GLIDERS

NEW 14059	6035	5730	5735
			
Low wave glider with swivel head 8 cm distance	Wave roller glider 12 mm wheel, metal eyelet 8 cm distance	Wave glider 6 cm distance	Wave glider 8 cm distance
White Length: 50 m	White Length: 40 m	White Black Length: 25/70 m	White Black Length: 25/90 m



WAVE GLIDERS

14051	14058		
			
Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance		
White Length: 50 m	White Black Length: 50/100 m		

ADDITIONAL ACCESSORIES

1310	5744	2571	
			
Joiner	Twist end stop in plastic/metal	Curtain hook 22 mm int. 28 mm ext.	
White Silver Quantity: 10 pcs	White Black Quantity: 100 pcs	White Black Quantity: 2000 pcs	

ADDITIONAL ACCESSORIES

4760	4761		
			
Wave hanger	Wave stop "The curtain bug"		
White Black Quantity: 10 pcs	White Sand Grey Black Quantity: 100 pcs		



AP 1400



AP 1400 can handle even the most demanding tasks. The strong, cord drawn track is specially designed for the heaviest drapes, such as stage curtains and sound-absorbing room dividers. To ensure the best functionality, the AP 1400 is always equipped with roller gliders with ball bearings. Can be assembled to a length of up to 24 metres and mounted with our specially designed ceiling brackets.

COLOURS



White



Black

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



Our ambition is to eventually convert all our curtain tracks from conventional to recycled, or otherwise more responsible, materials. These changes will happen gradually over time.

ORIGIN



Extrusion
China




Lacquering
China



Processing
Denmark

This profile will be extruded and lacquered in Poland from the next production run. Until then, we will deplete our current stock of profiles made in China.

1:1 drawing



RECOMMENDED USE



Ceiling-
mounting



Wall
mounting



Ceiling
supports



Bending



Milling



Recessing

SPECIFICATIONS

Materials:

Aluminium alloy 6060/T5-6

Operation:

Cord drawn

Ext. dimensions:

23,30 mm x 32,20 mm

Track width:

6,0 mm

Length:

6000 mm


Max. load:

Up to 40 kg (see sep. table)

Bending radius:


Not possible

MAXIMUM LOAD




The recommended max. load depends on many factors. Please see our Max. Load table.



PROFILE

DESCRIPTION		COLOUR
	AP 1400	
	Wide track profile 23,30 mm x 32,20 mm	White Black
	In lengths of 6 metres & bulks of 60 or 180 metres	


END CAPS

1410			
			
Cord wheel			
White Black			
Quantity: 1 pc			

BRACKETS

1415	1418		
			
Ceiling bracket	Twist bracket		
White Black	Silver		
Quantity: 10 pcs	Quantity: 10 pcs		

REGULAR GLIDERS

1417			
			
Roller glider with ball bearings and rubber wheel			
White Black Quantity: 10 pcs			

ADDITIONAL ACCESSORIES

1416	1412	1413	1411
			
Joiner	Cord joiner	Master overlap	Cord 4,5 mm
White Black Quantity: 1 pc	White Quantity: 1 pc	Silver Quantity: 1 pc	White Black Length: 200 m

AP 1500



AP 1500 is a curtain track for installation directly into ceilings and panels. If you want an ultra-discreet and almost completely invisible track, the AP 1500 is the right solution. It creates a beautiful, extravagant look with curtain fabric cascading from floor to ceiling. The track is easily mounted with screws directly through the pre-drilled holes using our mounting tool (art. 1590).

COLOURS



White



Black


Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



Our ambition is to eventually convert all our curtain tracks from conventional to recycled, or otherwise more responsible, materials. These changes will happen gradually over time.

ORIGIN

Extrusion
TurkeyLacquering
TurkeyProcessing
Denmark

RECOMMENDED USE

Ceiling-
mountingWall
mountingCeiling
supports

Bending



Milling



Recessing

SPECIFICATIONS

Materials:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

Ext. dimensions:

20,00 mm x 13,00 mm

Track width:

6,0 mm

Length:

6000 mm


Max. load:

Up to 15 kg (see sep. table)

Bending radius:


Min. 16 (recommended)

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.


PROFILE

	DESCRIPTION	COLOUR
	<p>AP 1500</p> <p>Wide track profile 20,00 mm x 13,00 mm</p> <p>In lengths of 6 metres & bulks of 60 or 180 metres</p> <p>AP 1500 has pre-drilled holes every 15 cm for recessing and mounting directly into the ceiling</p> <p><i>Always use flat headed screws</i></p>	<p>White Black</p>





REGULAR GLIDERS

5738	5734	5737	
			
<p>Glider in nylon <i>String of 10 pcs for easy insert</i></p>	<p>Heavy duty glider (13,8 x 28,7 mm)</p>	<p>Click glider in PE <i>String of 20 pcs for easy insert</i> <i>Not to be used as primary glider</i></p>	
<p>White Black Gold</p> <p>Quantity: 2000 pcs</p>	<p>White Black</p> <p>Quantity: 100 pcs</p>	<p>Transparent</p> <p>Quantity: 1000 pcs</p>	






WAVE GLIDERS

<div>NEW</div> 14059	1050224		
			
<p>Low wave glider with swivel head 8 cm distance</p>	<p>Low wave glider 8 cm distance</p>		
<p>White</p> <p>Length: 50 m</p>	<p>White (1050224) Black (1050224 S)</p> <p>Length: 50 m</p>		



ADDITIONAL ACCESSORIES

5016	5744	2571	4760
			
Dust cover	Twist end stop in plastic/metal	Curtain hook 22 mm int. 28 mm ext.	Wave hanger
White Grey Length: 125 m	White Black Quantity: 100 pcs	White Black Quantity: 2000 pcs	White Black Quantity: 10 pcs

ADDITIONAL ACCESSORIES

4761	1590	1591	1592
			
Wave stop "The curtain bug"	Mounting tool for AP 1500 <i>Highly recommended</i>	Long bit for 1590 Torx T10	Long bit for 1590 Philips PH.1
White Sand Grey Black Quantity: 100 pcs	 Orange Quantity: 1 pc	Silver Quantity: 1 pc	Silver Quantity: 1 pc

ADDITIONAL ACCESSORIES

6095	6097		
			
Lock spring	Punch tool for 6 mm tracks		
White Quantity: 100 pcs	Metal Quantity: 1 pc		

AP 1600



AP 1600 is a cord drawn track with elegant, sleek lines and strong "wings" which smoothly supports medium-weight curtains. Over the years, AP 1600 has maintained its position as a very popular track for both private homes and the contract market.

COLOURS



White



Black


Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



Our ambition is to eventually convert all our curtain tracks from conventional to recycled, or otherwise more responsible, materials. These changes will happen gradually over time.

ORIGIN

Extrusion
PolandLacquering
PolandProcessing
Denmark

RECOMMENDED USE

Ceiling-
mountingWall
mountingCeiling
supports

Bending



Milling



Recessing

SPECIFICATIONS

Materials:

Aluminium alloy 6060/T5-6

Operation:

Cord drawn

Ext. dimensions:

19,50 mm x 14,00 mm

Track width:

6,0 mm

Length:

6000 mm


Max. load:

Up to 12 kg (see sep. table)

Bending radius:


Min. 11 (recommended)

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

DESCRIPTION		COLOUR
	AP 1600S	White Black
	Wide track profile 19,50 mm x 14,00 mm	
	In lengths of 6 metres & bulks of 60 or 80 metres	

END CAPS

1606	1601		
			
End cap with return wheel	Master cord wheel		
White Black	White Black		
Quantity: 10 pcs	Quantity: 1 pc		

BRACKETS

1104	1605	1607	1107
			
Ceiling bracket <i>For wall mounting 1104 on bracket 560 use a M4x13 screw</i>	Click Ceiling bracket	L bracket 6 cm	Wall bracket 7 cm <i>For fixing on the 560 brackets use a 12 mm, not 10 mm screw</i>
White Black	White Super Silver Black Dutch White (Ltd.) Comice (Ltd.) Avalon (Ltd.)	White Black Dutch White (Ltd.) Comice (Ltd.) Avalon (Ltd.)	White Black
Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 10 pcs

REGULAR GLIDERS

5738	5734	5737	
			
Glider in nylon <i>String of 10 pcs for easy insert</i>	Heavy duty glider (13,8 x 28,7 mm)	Click glider in PE <i>String of 20 pcs for easy insert</i> <i>Not to be used as primary glider</i>	
White Black Gold Quantity: 2000 pcs	White Black Quantity: 100 pcs	Transparent Quantity: 1000 pcs	

WAVE GLIDERS

14059	14058	14051	1050224
			
Low wave glider with swivel head 8 cm distance	Wave glider with swivel head 8 cm distance	Wave glider with swivel head 6 cm distance	Low wave glider 8 cm distance
White Length: 50 m	White Black Length: 50/100 m	White Length: 50 m	White (1050224) Black (1050224 S) Length: 50 m

ADDITIONAL ACCESSORIES

6004	1602	1604	6124
			
Cord 3,5 mm	Cord connector	Master carrier	Cord tensioner
White Black Length: 250 m	White Quantity: 1 pc	White Quantity: 10 pcs	Silver Quantity: 1 pc

ADDITIONAL ACCESSORIES

1105	1110	1603/R	1603/L
			
Cover for 1104 ceiling bracket	External joiner	Master carrier with bent arm right-handed	Master carrier with bent arm left-handed
White Grey Black Quantity: 10 pcs	White Dutch White <i>(ltd.)</i> Comice <i>(ltd.)</i> Avalon <i>(ltd.)</i> Quantity: 1 pc	White Quantity: 1 pc	White Quantity: 1 pc

ADDITIONAL ACCESSORIES

2571	4761	4760	
			
Curtain hook 22 mm int. 28 mm ext.	Wave stop "The curtain bug"	Wave hanger	
White Black Quantity: 2000 pcs	White Sand Grey Black Quantity: 100 pcs	White Black Quantity: 10 pcs	



AP 1905 SUPERELLIPSE®



The first Superellipse® shaped curtain track and also the first with a designated groove for CURTAINLIGHT™ LED lighting. Created by Stilling in liason with heritage design brand Piet Hein. The track has a perfect functionality and a plethora of specially designed accessories.

COLOURS



Snow



Midnight



Stone



Eclipse



Sand

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



Our ambition is to eventually convert all our curtain tracks from conventional to recycled, or otherwise more responsible, materials. These changes will happen gradually over time.

ORIGIN



Extrusion
China




Lacquering
China



Processing
Denmark

This profile will be extruded from recycled materials in Sweden from the next production run. Until then, we will deplete our current stock of conventional profiles made in China.

1:1 drawing



RECOMMENDED USE



Ceiling-
mounting



Wall
mounting



Ceiling
supports



Bending



Milling



Recessing

Bending and milling on request.

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

External dimensions:

44 mm x 29 mm

Track width:

6,3 mm

Length:

6000 mm

Thickness:

1,0 - 1,2 mm

Maximum load:

10 - 25 kg (see sep. table)


Bending:

Not possible

Environmental impact:

2,3 kg CO2e per kg (extrusion)

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

	DESCRIPTION	COLOUR
	<p>AP 1905S</p> <p>Superellipse® shaped curtain track designed in collaboration with heritage brand Piet Hein</p> <p>Wide track profile 44 mm x 29 mm</p> <p><i>With a groove specifically designed for integrated LED</i></p>	<p>Snow Midnight Stone Sand Eclipse</p>

END CAPS

1906	1907	1908	
			
Metal end cap with 1 screw and eyelet	Metal end cap with 1 screw	Recess fit end cap	
<p>Snow Midnight Stone Sand Eclipse</p> <p>Quantity: 1 pc</p>	<p>Snow Midnight Stone Sand Eclipse</p> <p>Quantity: 1 pc</p>	<p>Snow Midnight Stone Sand Eclipse</p> <p>Quantity: 1 pc</p>	


BRACKETS

1911	191707	191712	
			
Ceiling bracket with magnetic cover	Curve wall bracket 7 cm	Curve wall bracket 12 cm	
<p>Snow Midnight Stone Sand Eclipse</p> <p>Quantity: 1 pc</p>	<p>Snow Midnight Stone Sand Eclipse</p> <p>Quantity: 1 pc</p>	<p>Snow Midnight Stone Sand Eclipse</p> <p>Quantity: 1 pc</p>	

BRACKETS

387810	387812		
			
Square wall bracket 10 cm	Square wall bracket 12 cm		
Snow Midnight Stone Sand Eclipse Quantity: 1 pc	Snow Midnight Stone Sand Eclipse Quantity: 1 pc		





REGULAR GLIDERS

8020	5738		
			
Roller glider with ball bearings and rubber wheels	Glider in nylon <i>String of 10 pcs for easy insert</i>		
White Beige Grey Black Quantity: 75 pcs	White Black Gold Quantity: 2000 pcs		



WAVE GLIDERS

8020W	5730	5735	
			
Wave roller glider with ball bearings 8 cm distance	Wave glider 6 cm distance	Wave glider 8 cm distance	
White Beige Grey Black Length: 40 m	White Black Length: 25/70 m	White Black Length: 25/90 m	

ADDITIONAL ACCESSORIES

1915	1990	4761	4760
			
Metal connector with plastic support	90 degree metal corner connector	Wave stop "The curtain bug"	Wave hanger
Orange Quantity: 1 pc	Silver Quantity: 1000 pcs	White Sand Grey Black Quantity: 100 pcs	White Black Quantity: 10 pcs

ADDITIONAL ACCESSORIES

2573	NEW 1944	F19	
			
Hook, strong model	Design twist stopper	Promotional box	
White Quantity: 2000 pcs	White Grey Black Quantity: 100 pcs	Quantity: 1 pc	

LED ACCESSORIES (CURTAINLIGHT™)

NEW 7050	NEW 7051		
			
COB CCT Light Strip 10 metre on a roll	LED Controller 2.4G + Zigbee 3.0 compatible		
CCT	White		
Lenght: 10 m	1 stk. pr. forpakning		


REMOTE CONTROLS (CURTAINLIGHT™)

NEW 7052	NEW 7054	NEW 7058	1870594
			
1-channel remote w/ dimming & temperature control	4-channel remote w/ dimming & temperature control	CURTAINLIGHT™ 2.0 WiFi Bridge Zigbee 3.0 compatible	TaHoma® Switch Somfy Smart Home Hub
White (7052W) Black (7052B)	White	White	White
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc

POWER SUPPLIES (CURTAINLIGHT™)

7023	7030	7036	7040
			
LED driver 24V, 30 W plug 'n play 0 - 240 cm track	LED driver 24V, 50 W plug 'n play 260 - 400 cm track	LED driver 24V, 75 W plug 'n play 420 - 600 cm track	LED driver 24V, 100 W plug 'n play 600 - 900 cm track
White	White Black	White Black	White
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc

AP 2001





AP 2001 is a modern classic with a sleek, stylish look. Since the original profile was created in 1981, it has been a favourite among architects, contractors and private homeowners alike. AP 2001S is made from min. 75% recycled post-consumer aluminium and extruded using only renewable energy, making it part of our SUSTAIN™ portfolio.

COLOURS



White



Super Silver




Black


Gold
(ano.)Bronze
(ano.)

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.


ORIGIN & MATERIALS



OR



We offer our AP 2001 in two versions. A conventional version extruded from virgin material or a recycled SUSTAIN™ version ("S") extruded from min. 75% post-consumer aluminium. Please inquire about available combinations.



RECOMMENDED USE



Ceiling-mounting



Wall mounting



Ceiling supports



Bending



Milling



Recessing

SPECIFICATIONS

Materials:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

Ext. dimensions:

8,20 mm x 25,00 mm

Track width:

4,0 mm

Length:

6000 mm

Max. load:

Up to 8 kg (see sep. table)

Bending radius:


Min. 10 (recommended)

Environmental impact:

2,3 kg CO₂e per kg (extrusion)


*SUSTAIN™ version

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

	DESCRIPTION	COLOUR
	<p>AP 2001S / AP 2001</p> <p>Narrow track profile 8,20 mm x 25,00 mm</p> <p>In lengths of 6 metres & bulks of 60 or 180 metres</p> <p><i>AP 2001 can be milled vertically for church windows - please contact us for details</i></p>	<p>AP 2001S</p> <p>White Super Silver Black Gold (ano.) Bronze (ano.)</p> <p>AP 2001</p> <p>White Super Silver Black</p>

END CAPS

4061	4065	4076	4081
			
End cap	End cap with screw	End cap	End cap with screw <i>Pair of left & right</i>
White Grey Black Gold Brown Quantity: 100 pcs	White Grey Quantity: 100 pcs	Transparent Quantity: 100 pcs	White Grey Black Gold Quantity: 100 pcs

BRACKETS

NEW 382010	2027	2022	2021
			
Design wall bracket 10 cm <i>To be combined with art. 2027</i>	Twist ceiling bracket with low slot for L brackets (art. 560 & 580)	Twist ceiling bracket with slot	Twist ceiling bracket with hole
White Off white Sand Super Silver Black Gold metallic Quantity: 10 pcs	White Grey Black Gold Coastal Blue Green Leaf Quantity: 50 pcs	White Grey Black Gold Quantity: 50 pcs	White Grey Black Gold Brown Coastal Blue Green Leaf Quantity: 50 pcs

BRACKETS

2023	2024	2025	2026
			
Twist combi bracket with hole 3 cm	Twist combi bracket with hole 4 cm	Twist combi bracket with hole 5 cm	Twist combi bracket with hole 6 cm
White Grey Black Gold Quantity: 50 pcs	White Grey Black Gold Quantity: 50 pcs	White Grey Black Gold Quantity: 50 pcs	White Grey Black Gold Quantity: 50 pcs

BRACKETS

2028	NEW 2027R	NEW 2021R	4030
			
Twist combi bracket with hole 8 cm	Twist ceiling bracket with friction button and low slot for L brackets (art. 560 & 580)	Twist ceiling bracket with friction button and hole	Click ceiling bracket with slot
White Grey Black Gold Quantity: 50 pcs	White Black Quantity: 50 pcs	White Black Quantity: 50 pcs	White Black Quantity: 100 pcs

BRACKETS

4034	4034S	4040	4040S
	 SUSTAIN		 SUSTAIN
Click ceiling bracket with hole	Click ceiling bracket with hole <i>made from 100% recycled nylon</i>	Click combi bracket 4 cm	Click combi bracket 4 cm <i>made from 100% recycled nylon</i>
White Black Quantity: 100 pcs	Powder White Black Coastal Blue Green Leaf Quantity: 100 pcs	White Black Quantity: 100 pcs	Powder White Black Quantity: 100 pcs

BRACKETS

4043	4044	4045	4046
			
Click combi bracket 3 cm	Click combi bracket 4 cm	Click combi bracket 5 cm	Click combi bracket 6 cm
White Quantity: 100 pcs	White Black Quantity: 100 pcs	White Quantity: 100 pcs	White Black Quantity: 50 pcs





BRACKETS

4033	6042	6041	6040
			
Click ceiling bracket with slot for L brackets (art. 560 & 580)	Side bracket in metal with 2 holes	Side bracket in metal with 1 hole	Side bracket
White Grey Gold Quantity: 10 pcs	White Silver Quantity: 10 pcs	White Silver Quantity: 10 pcs	White Grey Quantity: 50 pcs

BRACKETS

6046	2551	4080	4047
			
Side bracket <i>For wall-to-wall mounting</i>	Click bracket for reverse mounting	Button for flat wall mounting <i>Max. load 20 kg</i>	Ceiling bracket for lowered ceilings
Transparent Quantity: 50 pcs	Transparent Quantity: 50 pcs	White Quantity: 100 pcs	White Quantity: 50 pcs

REGULAR GLIDERS

4050S	4050	4027	4057
			
Special low-friction glider in recycled nylon with silicone <i>String of 20 pcs for easy insert</i>	Special low-friction glider in nylon with silicone <i>String of 20 pcs for easy insert</i>	Glider for back track <i>Used when reverse mounting with the glide track facing upwards.</i>	Twin glider for drapery rod or curtain hook
Powder White Black Coastal Blue Green Leaf Quantity: 1000 pcs	White Grey Black Gold Brown Quantity: 1000 pcs	White Quantity: 100 pcs	White Quantity: 2000 pcs





WAVE GLIDERS

4041	4042	14067	14072
			
Wave glider 6 cm distance	Wave glider 8 cm distance	Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance
White Black Length: 25/160 m	White Black Length: 25/180 m	White Length: 50 m	White Length: 50 m


ADDITIONAL ACCESSORIES

4060	4761	4760	2571
			
Twist end stop In plastic/metal	Wave stop "The curtain bug"	Wave hanger	Curtain hook 22 mm int. 28 mm ext.
White Grey Gold Black Brown Coastal Blue Green Leaf Quantity: 100 pcs	White Sand Grey Black Quantity: 100 pcs	White Black Quantity: 10 pcs	White Black Quantity: 2000 pcs

ADDITIONAL ACCESSORIES


6088	6090	4038	4039
			
Joiner with star screw	Joiner with Allen key	Guide with straight arm	Guide with bent arm
Silver	Silver	White	White
Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 10 pcs

ADDITIONAL ACCESSORIES

2029R			
			
Single twist mechanism with friction button			
White Black			
Quantity: 1 pcs			



AP 2002





AP 2002 is a velcro profile which is a popular and easy solution for both lift curtains and cornices, where the velcro on the front is used to fasten the fabric. The AP 2002 works with our user-friendly mounting accessories, including swivel- and side brackets, making it incredibly easy to install and very flexible in use.

COLOURS




White



Silver


Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



This profile is made from 80% recycled aluminium, of which approx. half is post-consumer. Post-consumer aluminium stem from products that have already been used in other products such as aluminium cans.

ORIGIN

Extrusion
SpainLacquering
SpainProcessing
Denmark

RECOMMENDED USE

Ceiling-
mountingWall
mountingCeiling
supports

Bending



Milling



Recessing

SPECIFICATIONS

Materials:

Aluminium alloy 6060/T5-6

Operation:

For roman blind systems
and cornices

Ext. dimensions:

10,30 mm x 24,90 mm

Track width:

4,0 mm

Length:

6000 mm

Max. load:

Up to 4 kg (see sep. table)


Bending radius:

Min. 10 (recommended)

Environmental impact:


2,56 kg CO₂e per kg (unextruded)

MAXIMUM LOAD




The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

	DESCRIPTION	COLOUR
	AP 2002S	
	Narrow track profile	
	10,30 mm x 24,90 mm	
	Velcro on the front (male side)	White Silver (ano.)
	In lengths of 6 metres & bulks of 180 metres	
	<i>AP 2002 can be milled vertically for church windows - please contact us for details</i>	

END CAPS

4063			
			
End cap			
White			
Quantity: 50 pcs			

BRACKETS

NEW 2027R	NEW 2021R	4030	4034
			
Twist ceiling bracket with friction button and low slot for L brackets (art. 560 & 580)	Twist ceiling bracket with friction button and hole	Click ceiling bracket with slot	Click ceiling bracket with hole
White Black	White Black	White Black	White Black
Quantity: 50 pcs	Quantity: 50 pcs	Quantity: 100 pcs	Quantity: 100 pcs

BRACKETS

4034S	2027	2022	2021
			
Click ceiling bracket with hole <i>made from 100% recycled nylon</i>	Twist ceiling bracket with low slot for L brackets (art. 560 & 580)	Twist ceiling bracket with slot	Twist ceiling bracket with hole
Powder White Black Coastal Blue Green Leaf Quantity: 100 pcs	White Silver Black Gold Coastal Blue Green Leaf Quantity: 50 pcs	White Silver Black Gold Quantity: 50 pcs	White Silver Black Gold Brown Coastal Blue Green Leaf Quantity: 50 pcs


BRACKETS

6041	6042	4080	
			
Side bracket in metal with 1 hole	Side bracket in metal with 2 holes	Button for flat wall mounting <i>Max. 20 kg load</i>	
White Silver Quantity: 10 pcs	White Silver Quantity: 10 pcs	White Quantity: 100 pcs	

ADDITIONAL ACCESSORIES

3012M	3012	3009	NEW 2029R
			
Cordlock with metal wheel	Cord lock with plastic wheel	Small cordwheel	Single twist mechanism with friction button
White Quantity: 50 pcs	White Quantity: 50 pcs	White Quantity: 100 pcs	White Black Quantity: 1 pcs

AP 2005






AP 2005 is a stylish, curved profile, which has been one of our most popular tracks since it was designed in 1991. AP 2005 is a versatile track as it can be bent and milled and can support up to medium weight curtains. Choose from 14 collection colours with matching accessories. AP 2005 is made from min. 75% recycled post-consumer aluminium and extruded using only renewable energy, making it part of our SUSTAIN™ portfolio. Selected accessories available in 100% recycled nylon.

COLOURS




Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS




This profile is made from min. 75% recycled post-consumer waste. By mixing recycled aluminium with a smaller part of primary aluminium, we preserve the aluminium's durability and flexibility.

ORIGIN



RECOMMENDED USE



SPECIFICATIONS

Materials:
Aluminium alloy 6060/T5-6

Operation:
Hand drawn

Ext. dimensions:
10,50 x 25,00 mm

Track width:
4,0 mm


Length:
6000 Mm

Max. load:
Up to 13 kg (see sep. table)

Bending radius:
Min. 10 (recommended)

Environmental impact:
2,3 kg CO₂e per kg (extrusion)

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

DESCRIPTION		COLOUR
	AP 2005S	White
	Narrow track profile 10,50 mm x 25,00 mm	Off white
	In lengths of 6 metres & bulks of 60 metres	Sand
		Super Silver
		Silver metallic
		Brushed steel
		Anthracite
		Slate grey
		Black
		Gold metallic
		Antique brass
		Chocolate
		Green Leaf (limited edition)
		Coastal Blue (limited edition)

END CAPS

BRACKETS

4087S	4077	NEW 382010	2027
			
Flush end cap Pair of left & right	End cap	Design wall bracket 10 cm To be combined with art. 2027	Twist ceiling bracket with low slot for L brackets (art. 560 & 580)
White, Off white, Silver, Gold, Black, Sand, Anthracite, Slate grey, Brown, Coastal Blue, Green Leaf Quantity: 100 pcs	Transparent Quantity: 100 pcs	White Off white Sand Super Silver Black Gold metallic Quantity: 10 pcs	White Grey Black Gold Coastal Blue Green Leaf Quantity: 50 pcs

BRACKETS

2022	2021	2023	2024
			
Twist ceiling bracket with slot	Twist ceiling bracket with hole	Twist combi bracket with hole 3 cm	Twist combi bracket with hole 4 cm
White Grey Black Gold Quantity: 50 pcs	White Grey Black Gold Brown Coastal Blue Green Leaf Quantity: 50 pcs	White Grey Black Gold Quantity: 50 pcs	White Grey Black Gold Quantity: 50 pcs

BRACKETS

2025	2026	2028	NEW 2027R
			
Twist combi bracket with hole 5 cm	Twist combi bracket with hole 6 cm	Twist combi bracket with hole 8 cm	Twist ceiling bracket with friction button and low slot for L brackets (art. 560 & 580)
White Grey Black Gold Quantity: 50 pcs	White Grey Black Gold Quantity: 50 pcs	White Grey Black Gold Quantity: 50 pcs	White Black Quantity: 50 pcs


BRACKETS

NEW 2021R	4030	4034	4034S
			
Twist ceiling bracket with friction button and hole	Click ceiling bracket with slot	Click ceiling bracket with hole	Click ceiling bracket with hole <i>In 100% recycled nylon</i>
White Black Quantity: 50 pcs	White Black Quantity: 100 pcs	White Black Quantity: 100 pcs	Powder White Black Coastal Blue Green Leaf Quantity: 100 pcs

BRACKETS

4040	4040S	4046	4043
			
Click combi bracket 4 cm	Click combi bracket 4 cm	Click combi bracket 6 cm	Click combi bracket 3 cm
White Black Quantity: 100 pcs	Powder White Black Quantity: 100 pcs	White Black Quantity: 10 pcs	White Quantity: 10 pcs


BRACKETS

4044	4045	4033	6043
			
Click combi bracket 4 cm	Click combi bracket 5 cm	Click ceiling bracket with slot for L brackets (art. 560 & 580)	Side bracket in metal with 2 holes
White	White	White Grey Gold	White Silver
Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 10 pcs

BRACKETS

6045	6044	2551	4080
			
Side bracket in metal with 2 holes	Side bracket for wall-to-wall mounting	Click bracket for reverse mounting	Button for flat wall mounting Max. load 20 kg
White Silver	Transparent	Transparent	White
Quantity: 10 pcs	Quantity: 50 pcs	Quantity: 50 pcs	Quantity: 100 pcs

REGULAR GLIDERS

4050S	4050	4057	4027
 			
Special low-friction glider in 100% recycled nylon with silicone String of 20 pcs for easy insert	Special low-friction glider in nylon with silicone String of 20 pcs for easy insert	Twin glider for drapery rod or curtain hook	Glider for back track Used when reverse mounting with the glide track facing upwards.
Powder White Black Coastal Blue Green Leaf	White Grey Black Gold Brown	White	White
Quantity: 1000 pcs	Quantity: 1000 pcs	Quantity: 2000 pcs	Quantity: 100 pcs

WAVE GLIDERS

4041	4042	14067	14072
			
Wave glider 6 cm distance	Wave glider 8 cm distance	Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance
White Black Length: 25/160 m	White Black Length: 25/180 m	White Length: 50 m	White Length: 50 m

ADDITIONAL ACCESSORIES

4060	4761	4760	2571
			
Twist end stop In plastic/metal	Wave stop "The curtain bug"	Wave hanger	Curtain hook 22 mm int. 28 mm ext.
White Grey Gold Black Brown Coastal Blue Green Leaf Quantity: 100 pcs	White Sand Grey Black Quantity: 100 pcs	White Black Quantity: 10 pcs	White Black Quantity: 2000 pcs

ADDITIONAL ACCESSORIES

6089	4038	4039	2029R
			
Joiner with star screw	Guide with straight arm	Guide with bent arm	Single twist mechanism with friction button
Silver Quantity: 10 pcs	White Quantity: 10 pcs	White Quantity: 10 pcs	White Black Quantity: 1 pcs

AP 2300



AP 2300 is similar to the AP 2001 with its sleek, stylish look but the profile comes in the European standard 23 mm height instead of 25 mm. It is easy to install and highly functional with lighter curtain fabrics. We now offer it in the collection colour black as well as white.

COLOURS



White




Black

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



ORIGIN

Extrusion
TurkeyLacquering
TurkeyProcessing
Denmark

RECOMMENDED USE

Ceiling-
mountingWall
mountingCeiling
supports

Bending



Milling



Recessing

SPECIFICATIONS

Materials:

Aluminum alloy

Operation:

Hand drawn

Ext. dimensions:

8,30 mm x 23,00 mm

Track width:

4,0 mm

Length:

6000 mm


Max. load:

Up to 8 kg (see sep. table)

Bending radius:

Min. 10 (recommended)

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE


DESCRIPTION		COLOUR
	AP 2300	
	Narrow track profile 8,30 mm x 23,00 mm	White Black
	In lengths of 6 metres & bulks of 60 or 180 metres	

END CAPS

BRACKETS

4066	N2000K	382010	2027
			
End cap with screw	End cap	Design wall bracket 10 cm <i>To be combined with art. 2027</i>	Twist ceiling bracket with low slot for L brackets (art. 560 & 580)
White Black Quantity: 100 pcs	White Black Quantity: 100 pcs	White Off white Sand Super Silver Black Gold metallic Quantity: 10 pcs	White Grey Black Gold Coastal Blue Green Leaf Quantity: 50 pcs

BRACKETS

2022	2021	2023	2024
			
Twist ceiling bracket with slot	Twist ceiling bracket with hole	Twist combi bracket with hole 3 cm	Twist combi bracket with hole 4 cm
White Grey Black Gold Quantity: 50 pcs	White Grey Black Gold Brown Coastal Blue Green Leaf Quantity: 50 pcs	White Grey Black Gold Quantity: 50 pcs	White Grey Black Gold Quantity: 50 pcs

BRACKETS

2025	2026	2028	NEW 2027R
			
Twist combi bracket with hole 5 cm	Twist combi bracket with hole 6 cm	Twist combi bracket with hole 8 cm	Twist ceiling bracket with friction button and low slot for L brackets (art. 560 & 580)
White Grey Black Gold Quantity: 50 pcs	White Grey Black Gold Quantity: 50 pcs	White Grey Black Gold Quantity: 50 pcs	White Black Quantity: 50 pcs

BRACKETS

NEW 2021R	4030	4034S	4040
			
Twist ceiling bracket with friction button and hole	Click ceiling bracket with slot	Click ceiling bracket with hole <i>In 100% recycled nylon</i>	Click combi bracket 4 cm
White Black Quantity: 50 pcs	White Black Quantity: 100 pcs	Powder White Black Coastal Blue Green Leaf Quantity: 100 pcs	White Black Quantity: 100 pcs

BRACKETS

4040S	4046	4043	4044
			
Click combi bracket 4 cm	Click combi bracket 6 cm	Click combi bracket 3 cm	Click combi bracket 4 cm
Powder White Black Quantity: 100 pcs	White Black Quantity: 10 pcs	White Quantity: 10 pcs	White Quantity: 10 pcs

BRACKETS

4045	4033	6041	6042
			
Click combi bracket 5 cm	Click ceiling bracket with slot for L brackets (art. 560 & 580)	Side bracket in metal with 1 hole	Side bracket in metal with 2 holes
White Quantity: 10 pcs	White Grey Gold Quantity: 10 pcs	White Silver Quantity: 10 pcs	White Silver Quantity: 10 pcs




BRACKETS

6040	6046	4080	
			
Side bracket	Side bracket <i>For wall-to-wall mounting</i>	Button for flat wall mounting <i>Max. load 20 kg</i>	
White Grey Quantity: 50 pcs	Transparent Quantity: 50 pcs	White Quantity: 100 pcs	

ADDITIONAL ACCESSORIES

6089	4038	4039	NEW 2029R
			
Joiner with star screw	Guide with straight arm	Guide with bent arm	Single twist mechanism with friction button
Silver Quantity: 10 pcs	White Quantity: 10 pcs	White Quantity: 10 pcs	White Black Quantity: 1 pcs

REGULAR GLIDERS

4050S	4050	4057	4027
			
Special low-friction glider in 100% recycled nylon with silicone <i>String of 20 pcs for easy insert</i>	Special low-friction glider in nylon with silicone <i>String of 20 pcs for easy insert</i>	Twin glider for drapery rod or curtain hook	Glider for back track <i>Used when reverse mounting with the glide track facing upwards.</i>
Powder White Black Coastal Blue Green Leaf Quantity: 1000 pcs	White Grey Black Gold Brown Quantity: 1000 pcs	White Quantity: 2000 pcs	White Quantity: 100 pcs

WAVE GLIDERS

4041	4042	14067	14072
			
Wave glider 6 cm distance	Wave glider 8 cm distance	Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance
White Black Length: 25/160 m	White Black Length: 25/180 m	White Length: 50 m	White Length: 50 m

ADDITIONAL ACCESSORIES

4060	4761	4760	2571
			
Twist end stop In plastic/metal	Wave stop "The curtain bug"	Wave hanger	Curtain hook 22 mm int. 28 mm ext.
White Grey Gold Black Brown Coastal Blue Green Leaf Quantity: 100 pcs	White Sand Grey Black Quantity: 100 pcs	White Black Quantity: 10 pcs	White Black Quantity: 2000 pcs

AP 2500





AP 2500 is a strong, elegant and very versatile curtain track. The very first 2500 profile was extruded back in 1983 and it has been one of our most popular tracks for medium-weight curtains ever since. AP 2500 can be mounted upside down, so that the gliding track is not visible from below, which creates a minimalistic look.

COLOURS



White



Super Silver



Black

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



This profile is made from 100% recycled aluminium, of which min. 60% is post-consumer. Post-consumer aluminium stem from products that have already been used in other products such as aluminium cans.

ORIGIN




Extrusion
Poland



Lacquering
Poland



Processing
Denmark



RECOMMENDED USE



Ceiling-mounting



Wall-mounting



Ceiling supports



Bending



Milling



Recessing

SPECIFICATIONS

Materials:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

Ext. dimensions:

14,20 mm x 26,00 mm

Track width:

6,0 mm

Length:

6000 mm

Max. load:

Up to 14,5 kg (see sep. table)


Bending radius:

Min. 10 (recommended)

Environmental impact:


2,42 kg CO₂e per kg (extrusion)

MAXIMUM LOAD




The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

	DESCRIPTION	COLOUR
	<p>AP 2500S</p> <p>Wide track profile 14,20 mm x 26,00 mm</p> <p>In lengths of 6 metres & Bults of 120 metres</p>	<p>White Super Silver Black</p>

END CAPS

2562			
			
<p>End cap with screw Pair of left & right</p>			
<p>White Silver Black</p> <p>Quantity: 10 pairs</p>			


BRACKETS

NEW 2027R	NEW 2021R	4030	4034
			
<p>Twist ceiling bracket with friction button and low slot for L brackets (art. 560 & 580)</p>	<p>Twist ceiling bracket with friction button and hole</p>	<p>Click ceiling bracket with slot</p>	<p>Click ceiling bracket with hole</p>
<p>White Black</p> <p>Quantity: 50 pcs</p>	<p>White Black</p> <p>Quantity: 50 pcs</p>	<p>White Black</p> <p>Quantity: 100 pcs</p>	<p>White Black</p> <p>Quantity: 100 pcs</p>

BRACKETS

4034S	6043	6045	9825
			
Click ceiling bracket with hole <i>In 100% recycled nylon</i>	Side bracket in metal with 2 holes	Side bracket in metal with 2 holes	End bracket
Powder White Black Coastal Blue Green Leaf Quantity: 100 pcs	White Silver Quantity: 10 pcs	White Silver Quantity: 10 pcs	White Silver Quantity: 1 pc

BRACKETS

2550			
			
Click bracket <i>For reverse mounting</i>			
Transparent Quantity: 50 pcs			


REGULAR GLIDERS

5738	5737	5728	6025
			
Glider in nylon <i>String of 10 pcs for easy insert</i>	Click glider in PE <i>String of 20 pcs for easy insert</i> <i>Not to be used as primary glider</i>	Click glider in nylon <i>String of 10 pcs for easy insert</i> <i>Not to be used as primary glider</i>	Roller glider with plastic wheel <i>String of 10 pcs for easy insert</i>
White Black Gold Quantity: 2000 pcs	Transparent Quantity: 1000 pcs	White Quantity: 100 pcs	White Black Quantity: 100 pcs





REGULAR GLIDERS

5740	1307	5734	NEW 6038
			
Glider with curtain hook	Heavy duty glider (16,6 x 27,7 mm)	Heavy duty glider (13,8 x 28,7 mm)	Roller glider 10 mm wheel, metal eyelet
White	White	White Black	White Black
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs

REGULAR GLIDERS

4027			
			
Back track glider <i>For reverse mounting (with glide track facing upwards)</i>			
White			
Quantity: 100 pcs			





WAVE GLIDERS

5730	5735	6036	6037
			
Wave glider 6 cm distance	Wave glider 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 6 cm distance
White Black	White Black	White Black	White
Length: 25/70 m	Length: 25/90 m	Length: 40 m	Length: 30 m

WAVE GLIDERS

14059	14058	14051	1050224
			
Low wave glider with swivel head 8 cm distance	Wave glider with swivel head 8 cm distance	Wave glider with swivel head 6 cm distance	Low wave glider 8 cm distance
White Length: 50 m	White Black Length: 50/100 m	White Length: 50 m	White (1050224) Black (1050224 S) Length: 50 m

ADDITIONAL ACCESSORIES

5744	4026	6089	2571
			
Twist end stop in plastic/metal	End stop for reverse mounting	Joiner with star screw	Curtain hook 22 mm int. 28 mm ext.
White Black Quantity: 100 pcs	White Quantity: 25 pcs	Silver Quantity: 10 pcs	White Black Quantity: 2000 pcs

ADDITIONAL ACCESSORIES

4761	4760	2029R	
			
Wave stop "The curtain bug"	Wave hanger	Single twist mechanism with friction button	
White Sand Grey Black Quantity: 100 pcs	White Black Quantity: 10 pcs	White Black Quantity: 1 pcs	

AP 5001





AP 5001 is a strong profile which can carry everything from light to heavy curtains and it is one of our most popular curtain tracks - also as a room divider, for ceiling curtains and for bathrooms. The AP 5001 profile was originally designed for technical curtain solutions in hospitals and healthcare facilities, and the cubicle track therefore has a wide range of options for mounting, bending and milling, as well as a lot of specially designed accessories.

COLOURS



White



Super Silver



Black

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIAL



This profile is made from 100% recycled aluminium, of which min. 60% is post-consumer. Post-consumer aluminium stem from products that have already been used in other products such as aluminium cans.

ORIGIN



Extrusion
Spain




Lacquering
Spain



Processing
Denmark

1:1 drawing



RECOMMENDED USE



SPECIFICATIONS

Materiale;
Aluminium alloy 6060/T5-6

Operation:
Hand drawn

Ext. dimensions:
15,0 mm x 33,0 mm

Track width:
6,0 mm


Length:
6000 mm

Max. load:
Up to 22 kg (see sep. table)

Bending radius:
Min. 10 (recommended)


Environmental impact:
2,42 kg CO₂e per kg (extrusion)

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

DESCRIPTION		COLOUR
	AP 5001S	
	Wide track profile 15 mm x 33 mm	
	In lengths of 6 metres & bulks of 60 metres	White Silver Black
	<i>Highly recommended as cubicle track and for technical curtain solutions</i>	

END CAPS

BRACKETS

5041	5040	5010	5939
			
Flat end cap	End cap	Ceiling bracket	Ceiling bracket 30 mm
White Grey Black	White Silver Black	White Silver Black Gold Antique	White
Quantity: 100 pcs	Quantity: 50 pcs	Quantity: 10 pcs	Quantity: 25 pcs

BRACKETS




4047	5006	5110	5017
			
Ceiling bracket for lowered ceilings	L wall bracket 6 cm	L wall bracket 10 cm	End bracket for wall mounting
White	White Silver Black Gold	White Silver Black Gold	White Grey Black
Quantity: 50 pcs	Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 50 pcs

BRACKETS

REGULAR GLIDERS

5140	5142	5143	5738
			
Side bracket	Wall bracket horizontally adjustable	Wall bracket vertically adjustable	Glider in nylon <i>String of 10 pcs for easy insert</i>
White Silver	White Silver	White Silver	White Black Gold
Quantity: 5 pcs	Quantity: 5 pcs	Quantity: 5 pcs	Quantity: 2000 pcs





REGULAR GLIDERS

5737	5728	6025	NEW 6038
			
Click glider in PE <i>String of 20 pcs for easy insert</i> <i>Not to be used as primary glider</i>	Click glider in nylon <i>String of 10 pcs for easy insert</i> <i>Not to be used as primary glider</i>	Roller glider with plastic wheel <i>String of 10 pcs for easy insert</i>	Roller glider 10 mm wheel, metal eyelet
Transparent	White	White Black	White Black
Quantity: 1000 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs

REGULAR GLIDERS

5740	1307	5734	5739K
			
Glider with curtain hook	Heavy duty glider (16,6 x 27,7 mm)	Heavy duty glider (13,8 x 28,7 mm)	Glider with hook
White	White	White Black	White Black
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs

WAVE GLIDERS

5730	5735	6036	6037
	 NEW XL ROLL		
Wave glider 6 cm distance	Wave glider 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 6 cm distance
White Black Length: 25/70 m	White Black Length: 25/90 m	White Black Length: 40 m	White Length: 30 m

WAVE GLIDERS

14051	14058	NEW 14059	
			
Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance	Low wave glider with swivel head 8 cm distance	
White Length: 50 m	White Black Length: 50/100 m	White Length: 50 m	



ADDITIONAL ACCESSORIES

5014	5015	5016	5002
			
Joiner bridge 30 cm	T-connector	Dust Cover	Joiner
White Silver Black Quantity: 1 pc	White Silver Black Quantity: 10 pcs	White Grey Length: 125 m	Silver Quantity: 10 pcs

ADDITIONAL ACCESSORIES


2571	4760	4761	
			
Curtain hook 22 mm int. 28 mm ext.	Wave hanger	Wave stop "The curtain bug"	
White Black Quantity: 2000 pcs	White Black Quantity: 10 pcs	White Sand Grey Black Quantity: 100 pcs	

ADDITIONAL ACCESSORIES

6095	6096		
			
Spring stopper	Locking tool for 6 mm track		
White Quantity: 100 pcs	Metal Quantity: 1 pc		

LOOKING FOR CEILING SUPPORTS OR OTHER UNIVERSAL ACCESSORIES?

Find our wide selection of ceiling supports and other universal accessories such as pull rods in the dedicated chapter named "Universal accessories".



AP 5001 SAFETRACK™





The AP 5001 cubicle track works together with AP Safetrack™, our range of anti-ligature accessories, developed for installation in psychiatric hospitals. To avoid self-harm or loss of life, the AP Safetrack is designed to release from attachment points such as wall brackets and ceiling supports at a pull of as little as 8 kg. Safetrack is tested and certified by the Danish Technological Institute and meets the international anti-ligature standards.

COLOURS



White



Super Silver



Black

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIAL



This profile is made from 100% recycled aluminium, of which min. 60% is post-consumer. Post-consumer aluminium stem from products that have already been used in other products such as aluminium cans.

ORIGIN



Extrusion
Spain




Lacquering
Spain



Processing
Denmark

1:1 drawing



RECOMMENDED USE



Ceiling-
mounting



Wall
mounting



Ceiling
supports



Bending



Milling



Recessing

SPECIFICATIONS

Materials:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

Ext. dimensions:

15,0 mm x 33,0 mm

Track width:

6,0 mm

Length:

6000 mm

Max. load:

Up to 8 kg (see sep. table)


Bending radius:

Min. 10 (recommended)

Environmental impact:


2,42 kg CO₂e per kg (extrusion)

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

DESCRIPTION		COLOUR
	AP 5001S Wide track profile 15 mm x 33 mm In lengths of 6 metres & bulks of 60 or 180 metres <i>Cubicle track with anti-ligature accessories developed for technical solutions in health care facilities</i>	White Silver Black



END CAPS

5041	5040		
			
End cap	End cap		
White Grey Black Quantity: 100 pcs	White Silver Black Quantity: 50 pcs		

BRACKETS

5010ST	5017ST		
			
Safetrack™ ceiling bracket	Safetrack™ end bracket for wall mounting		
White Silver Black Quantity: 10 pcs	White Silver Black Quantity: 10 pcs		

SAFETRACK GLIDERS

5738ST GREY	5738ST RED		
			
Safetrack™ special glider Releases by a pull of 8 kilos <i>Approved for use with profile 5001</i>	Safetrack™ special glider Releases by a pull of 12 kilos <i>Approved for use with profile 5001</i>		
Grey Quantity: 200 pcs	Red Quantity: 100 pcs		

ADDITIONAL ACCESSORIES

F4045ST	5020	N32ST	
			
Safetrack™ bottom part for 16 mm tube	V ceiling support 8 mm tube	Safetrack™ bracket for V ceiling support with 8 mm tube	
White Silver Black Quantity: 10 pcs	White Silver Quantity: 1 pc	White Silver Black Quantity: 100 pcs	

Instructions for using the SAFETRACK™ gliders

Place two (2) pcs. 5738ST RED as the first gliders in the track and one (1) as the last glider; if possible on the outside of the stopper.


Place the 5738ST GRAY gliders between these two positions.

Use a maximum of 10 gliders per metre track.



AP 5408





AP 5408 is a profile with 3 tracks, designed for the contract market and one of our most popular curtain tracks for hotel projects. Available in both 4 and 6 metres length as a standard. Mounted directly into the ceiling with screws. AP 5408 is made from min. 75% recycled post-consumer aluminium and extruded using only renewable energy, making it part of our SUSTAIN™ portfolio.


COLOURS



White

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



This profile is made from min. 75% recycled post-consumer waste. By mixing recycled aluminium with a smaller part of primary aluminium, we preserve the aluminium's durability and flexibility.

ORIGIN



Extrusion
Sweden



Lacquering
Denmark



Processing
Denmark

RECOMMENDED USE



Ceiling-
mounting



Wall
mounting



Ceiling
supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

Ext. dimensions:

91,0 mm x 8,0 mm

Track width:

3 x 6,0 mm

Length:

6000 mm

Max. load:

Up to 13 kg (see sep. table)


Bending radius:

Not possible

Environmental impact:

2,3 kg CO₂e per kg (extrusion)

MAXIMUM LOAD




The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

	DESCRIPTION	COLOUR
	<p>AP 5408S</p> <p>Wide track profile with 3 tracks 91,0 mm x 8,0 mm</p> <p>In lengths of 4 or 6 metres & bulk of 40 or 60 metres</p> <p>No pre-drilled holes but a mounting groove in the profile</p>	White

END CAPS

5408-4			
			
End cap			
<p>White</p> <p>Quantity: 25 pcs</p>			


REGULAR GLIDERS

5734	1307	5738	
			
Heavy duty glider (13,8 x 28,7 mm)	Heavy duty glider (16,6 x 27,7 mm)	Glider in nylon <i>String of 10 pcs for easy insert</i>	
<p>White Black</p> <p>Quantity: 100 pcs</p>	<p>White</p> <p>Quantity: 100 pcs</p>	<p>White Black Gold</p> <p>Quantity: 2000 pcs</p>	

WAVE GLIDERS

5730	5735	14051	14058
	 NEW XL ROLL		
Wave glider 6 cm distance	Wave glider 8 cm distance	Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance
White Black	White Black	White	White Black
Length: 25/70 m	Length: 25/90 m	Length: 50 m	Length: 50/100 m

WAVE GLIDERS


NEW 14059			
			
Low wave glider with swivel head 8 cm distance			
White			
Length: 50 m			

ADDITIONAL ACCESSORIES

5408-3	5408-2	5744	
			
Corner connector 90 degrees	Joiner	Twist end stop in plastic/metal	
Silver	Silver	White Black	
Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 100 pcs	

AP 5408-14





The AP 5408-14 with 3 tracks and a 65 mm pelmet is a unique profile which is very suitable for hotel projects. Supplied in either 4 m or 6 m length. The profile has one track for inner curtains and two tracks for blackout curtains. Both heavy duty gliders and wave gliders work perfectly together with 5408-14.

COLOURS



White

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



Our ambition is to eventually convert all our curtain tracks from conventional to recycled, or otherwise more responsible, materials. These changes will happen gradually over time.

ORIGIN




RECOMMENDED FOR



SPECIFICATIONS


- Materials:**
Aluminium alloy 6060/T5-6
- Operation:**
Hand drawn
- Ext. dimensions:**
140,0 mm x 65,0 mm
- Track width:**
3 x 6,0 mm
- Length:**
6000 mm
- Max. load:**
Up to 13 kg (see sep. table)
- Bending radius:**
Not possible

MAXIMUM LOAD




The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

DESCRIPTION		COLOUR
	AP 5408-14	White
	Wide track profile 3 tracks 140,0 mm x 65,0 mm	
	Comes in white in lengths of 4 or 6 metres and In bulks of 10 metres.	
	No pre-drilled holes but a mounting groove.	

END CAPS

5408-4			
			
End cap			
White			
Quantity: 50 pcs			


REGULAR GLIDERS

5734	1307	5738	
			
Heavy duty glider (13,8 x 28,7 mm)	Heavy duty glider (16,6 x 27,7 mm)	Glider in nylon <i>String of 10 pcs for easy insert</i>	
White Black	White	White Black Gold	
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 2000 pcs	

WAVE GLIDERS

5730	5735	14051	14058
	 NEW XL ROLL		
Wave glider 6 cm distance	Wave glider 8 cm distance	Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance
White Black	White Black	White	White Black
Length: 25/70 m	Length: 25/90 m	Length: 50 m	Length: 50/100 m

WAVE GLIDERS

NEW 14059			
			
Low wave glider with swivel head 8 cm distance			
White			
Length: 50 m			

ADDITIONAL ACCESSORIES

5408-3	5408-2	5744	
			
Corner connector 90 degrees	Joiner	Twist end stop in plastic/metal	
Silver	Silver	White Black	
Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 100 pcs	

AP 8061



AP 8061 is a slim, elegant profile with 2 tracks, designed for the contract market. An obvious choice for hotel curtains with a sheer curtain in the inner track and a blackout curtain in the outer track. The profile is mounted directly in the ceiling and has pre-drilled holes. Comes in both 4 & 6 metre lengths.

COLOURS



White

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



This profile is coming to stock in 100% recycled aluminium, of which min. 60% is post-consumer. Post-consumer aluminium stem from products that have already been used in other product.

ORIGIN



Extrusion
China




Lacquering
China



Processing
Denmark

This profile will be extruded and lacquered in Poland from the next production run. Until then, we will deplete our current stock of profiles made in China.



RECOMMENDED USE



Ceiling-
mounting



Wall
mounting



Ceiling
supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

Ext. dimensions:

44,0 mm x 7,5 mm

Track width:

2 x 6,0 mm

Length:

6000 mm / 4000 mm


Max. load:

Up to 10 kg (see sep. table)

Bending radius:


Not possible

MAXIMUM LOAD




The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

DESCRIPTION		COLOUR
	AP 8061	White
	Wide track profile with 2 tracks 44,0 mm x 7,5 mm	
	In lengths of 4 or 6 metres & bulks of 40 or 60 metres	
	AP 8061 comes with pre-drilled holes every 50 cm for direct mounting	



END CAPS

5741			
			
End stop			
White			
Quantity: 100 pcs			

REGULAR GLIDERS

5738	5721	5722	
			
Glider in nylon <i>String of 10 pcs for easy insert</i>	Tee-glider medium duty <i>String of 10 pcs for easy insert</i>	Tee-glider heavy duty <i>String of 10 pcs for easy insert</i>	
White Black Gold	White	White	
Quantity: 2000 pcs	Quantity: 100 pcs	Quantity: 100 pcs	

ADDITIONAL ACCESSORIES

5744	2571		
			
Twist end stop in plastic/metal	Curtain hook 22 mm int. 28 mm ext.		
White Black Quantity: 100 pcs	White Black Quantity: 2000 pcs		

AP 8062



AP 8062 is a two-track profile with a 35 mm pelmet, particularly suitable for hotel projects where complete blackout is desired. The curtain track has pre-drilled holes for direct mounting in the ceiling with screws. The profile can also be mounted with L brackets (art. 560 and 580). Comes with a specially designed end cap.

COLOURS



White

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



This profile is coming to stock in 100% recycled aluminium, of which min. 60% is post-consumer. Post-consumer aluminium stem from products that have already been used in other product.

ORIGIN



Extrusion
Poland




Lacquering
Poland



Processing
Denmark

1:1 drawing



RECOMMENDED USE



Ceiling-
mounting



Wall
mounting



Ceiling
supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

Ext. dimensions:

55,0 mm x 35,0 mm

Track width:

2 x 6,0 mm

Length:

6000 mm


Max. load:

Up to 10 kg (see sep. table)

Bending radius:

Not possible

MAXIMUM LOAD




The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

DESCRIPTION		COLOUR
	AP 8062	White
	Wide track profile with 2 tracks & pelmet 55,0 mm x 35,0 mm	
	In lengths of 6 metres & bulks of 60 metres	
	AP 8062 comes with pre-drilled holes every 50 cm for direct mounting	



END CAPS

8069			
			
End cap <i>Pair of left & right</i>			
White Quantity: 20 pairs			

REGULAR GLIDERS

5738	5721	5722	
			
Glider in nylon <i>String of 10 pcs for easy insert</i>	Tee-glider medium duty <i>String of 10 pcs for easy insert</i>	Tee-glider heavy duty <i>String of 10 pcs for easy insert</i>	
White Black Gold Quantity: 2000 pcs	White Quantity: 100 pcs	White Quantity: 100 pcs	

ADDITIONAL ACCESSORIES

5744	2571		
			
Twist end stop in plastic/metal	Curtain hook 22 mm int. 28 mm ext.		
White Black Quantity: 100 pcs	White Black Quantity: 2000 pcs		

AP 8062-60





AP 8062-60 is a profile with 2 tracks and a 60 mm pelmet. Like the AP 8062 it is very suitable for hotel projects where complete blackout is desired. The curtain track has pre-drilled holes for direct mounting in the ceiling with screws. Supplied in both 4 and 6 metres.

COLOURS



White

Powder coating and wet lacquering possible in all std. RAL and standard NCS colours for an additional charge.

MATERIALS



This profile is made from 100% recycled aluminium, of which min. 60% is post-consumer. Post-consumer aluminium stem from products that have already been used in other products such as aluminium cans.

ORIGIN




Extrusion
Poland



Lacquering
Poland



Processing
Denmark



RECOMMENDED FOR



Ceiling
mounting



Wall
mounting



Ceiling
supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:
Aluminium alloy 6060/T5-6

Operation:
Hand drawn

External dimensions:
55,0 mm x 60,0 mm

Track width:
6,0 mm


Length:
6000 mm / 4000 mm

Maximum load:
4 - 10 kg (see sep. table)

Bending radius:
Not possible

Environmental impact:
2,42 kg CO2e per kg (extrusion)

MAXIMUM LOAD




The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

DESCRIPTION		COLOUR
	AP 8062-60S	White
	Wide track profile with 2 tracks & pelmet 55,0 mm x 60,0 mm	
	In lengths of 4 or 6 metres & bulks of 40 or 60 metres	
	AP 8062-60 comes with pre-drilled holes every 50 cm for direct mounting	

END CAPS

8062-62			
			
End cap <i>Pair of left and right</i>			
White Quantity: 20 pairs			

REGULAR GLIDERS

5738	5721	5722	
			
Glider in nylon <i>String of 10 pcs for easy insert</i>	Tee-glider medium duty <i>String of 10 pcs for easy insert</i>	Tee-glider heavy duty <i>String of 10 pcs for easy insert</i>	
White Black Gold Quantity: 2000 pcs	White Quantity: 100 pcs	White Quantity: 100 pcs	

ADDITIONAL ACCESSORIES

5744	2571		
			
Twist end stop in plastic/metal	Curtain hook 22 mm int. 28 mm ext.		
White Black Quantity: 100 pcs	White Black Quantity: 2000 pcs		

AP 8063





AP 8063 is one of our most popular hospitality profiles. With two tracks - one for sheer inner curtains and one for blackout curtains, and with pre-drilled holes for direct installation in the ceiling. The profile comes in 4 and 6 metre lengths as standard and in 2 metre lengths on request.

COLOURS



White

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



This profile is made from 80% recycled aluminium, of which approx. half is post-consumer. Post-consumer aluminium stem from products that have already been used in other products such as aluminium cans.

ORIGIN




Extrusion
Spain



Lacquering
Spain



Processing
Denmark



RECOMMENDED USE



Ceiling-
mounting



Wall
mounting



Ceiling
supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

Ext. dimensions:

74,0 mm x 13,0 mm

Track width:

2 x 6,0 mm

Length:

4000 mm / 6000 mm

Max. load:

Up to 15 kg (see sep. table)


Bending radius:

Not possible

Environmental impact:


2,56 kg CO₂e per kg (unextruded)

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

	DESCRIPTION	COLOUR
	<p>AP 8063S</p> <p>Wide track profile with 2 tracks 74,0 mm x 13,0 mm</p> <p>In lengths of 4 or 6 metres & bulks of 40 or 60 metres</p> <p>Also on request in lengths of 2 in bulks of 80 or 120 metres</p> <p>AP 8063 comes with pre-drilled holes every 25 cm for direct mounting</p>	White

END CAPS

8066	5741		NEW 6038
			
End cap	End stop		Roller glider 10 mm wheel, metal eyelet
White	White		White Black
Quantity: 1 pc	Quantity: 1 pc		Quantity: 100 pcs

REGULAR GLIDERS

5738	5721	5722	5734
			
Glider in nylon <i>String of 10 pcs for easy insert</i>	Tee-glider medium duty <i>String of 10 pcs for easy insert</i>	Tee-glider heavy duty <i>String of 10 pcs for easy insert</i>	Heavy duty glider (13,8 x 28,7 mm)
White Black Gold	White	White	White Black
Quantity: 2000 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs



WAVE GLIDERS

5730	5735	6036	6037
			
Wave glider 6 cm distance	Waveglider 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 6 cm distance
White Black Length: 25/70 m	White Black Length: 25/90 m	White Black Length: 40 m	White Length: 30 m

WAVE GLIDERS

14051	14058		
			
Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance		
White Length: 50 m	White Black Length: 50/100 m		

ADDITIONAL ACCESSORIES

5744	2571		
			
Twist end stop in plastic/metal	Curtain hook 22 mm int. 28 mm ext.		
White Black Quantity: 100 pcs	White Black Quantity: 2000 pcs		

AP 8065



AP 8065 is a super slim profile with two tracks, which easily accommodates two lightweight curtains. Layered curtains provide both privacy, extra insulation, and elegance. AP 8065 is a perfect track for large projects on a budget. Available in lengths of 6 metres. Installation directly in the ceiling with screws.

COLOURS



White

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



This profile is coming to stock in 100% recycled aluminium, of which min. 60% is post-consumer. Post-consumer aluminium stem from products that have already been used in other product.

ORIGIN



Extrusion
China




Lacquering
China



Processing
Denmark

This profile will be extruded and lacquered in Poland from the next production run. Until then, we will deplete our current stock of profiles made in China.



RECOMMENDED USE



Ceiling-
mounting



Wall
mounting



Ceiling
supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

Ext. dimensions:

35,0 mm x 7,0 mm

Track width:

2 x 6,0 mm

Length:

6000 mm / 4000 mm


Max. load:

Up to 10 kg (see sep. table)

Bending radius:


Not possible

MAXIMUM LOAD




The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

DESCRIPTION		COLOUR
	AP 8065	White
	Wide track profile with 2 tracks 35,0 mm x 7,0 mm	
	In lengths of 6 metres	



END CAPS

8067			
			
End cap			
White			
Quantity: 10 pcs			


REGULAR GLIDERS

5721	5722		
			
Tee-glider medium duty <i>String of 10 pcs for easy insert</i>	Tee-glider heavy duty <i>String of 10 pcs for easy insert</i>		
White	White		
Quantity: 100 pcs	Quantity: 100 pcs		

ADDITIONAL ACCESSORIES

5744	2571		
			
Twist end stop in plastic/metal	Curtain hook 22 mm int. 28 mm ext.		
White Black Quantity: 100 pcs	White Black Quantity: 2000 pcs		

AP 9001






AP 9001 looks like a classic curtain rod with its beautiful, circular shape, while it has the functionality of a curtain track. The profile can be both bent and curved and it can carry heavy curtains with wave gliders. It comes with several decorative design fittings and end caps and in 6 beautiful collection colours. AP 9001 is made from min. 75% recycled aluminium, making it part of our SUSTAIN™ portfolio.

COLOURS




Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.


ORIGIN & MATERIALS



OR



We produce our AP 9001 profile in two versions of recycled aluminium. A version made from min. 75% recycled post-consumer aluminium and a version from 100% recycled aluminium, where min. 60% is from post-consumer waste. Both version carry our SUSTAIN™ label.



RECOMMENDED USE



SPECIFICATIONS

Material:
Aluminium alloy 6060/T5-6

Operation:
Hand drawn
Cord drawn

Ext. dimensions:
26,0 mm x 28,0 mm

Track width:
6,0 mm


Length:
6000 mm / 3000 mm (Gold)

Max. load:
Up to 16,5 kg (see sep. table)

Bending radius:
Min. 32 (recommended)

Environmental impact:
2,3 - 2,42 kg CO2e per kg (extrusion)

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

	DESCRIPTION	COLOUR
	AP 9001S / AP 9001 Wide track profile 26,0 mm x 28,0 mm In lengths of 6 metres & bulks of 60 or 180 metres Gold only comes in 3 metres & bulks of 30 metres	AP 9001S White Super Silver Anthracite Black Antique AP 9001 Off white Gold (ano.)

END CAPS

679928	672228		
			
Flat end cap	Round end cap		
White Super Silver (from Q1) Black Gold Antique Quantity: 10 pcs	White Super Silver (from Q1) Black Gold Antique Quantity: 10 pcs		

DESIGNBRACKETS

NS21828	387810	387812	389717
			
Round wall bracket heavy duty 10 cm	Square wall bracket 10 cm	Square wall bracket 12 cm	Square double wall bracket 17 cm
White Super Silver (from Q1) Black Gold Antique Quantity: 10 pcs	White Super Silver (from Q1) Black Gold Antique Quantity: 10 pcs	White Super Silver (from Q1) Black Gold Antique Quantity: 10 pcs	White Super Silver (from Q1) Black Gold Antique Quantity: 10 pcs

BRACKETS

5010	9035	9037	
			
Ceiling bracket	End bracket in metal	End bracket in metal <i>Recess measurement 3 cm</i>	
White Silver Black Gold Antique	White Silver	Metal	
Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 10 pcs	

BRACKETS

5006	5110		
			
L wall bracket 6 cm	L wall bracket 10 cm		
White Silver Black Gold	White Silver Black Gold		
Quantity: 25 pcs	Quantity: 25 pcs		




REGULAR GLIDERS

5738	5737	5728	5740
			
Glider in nylon <i>String of 10 pcs for easy insert</i>	'Click' glider in PE <i>String of 20 pcs for easy insert</i> <i>Not to be used as primary glider</i>	Click glider in nylon <i>String of 10 pcs for easy insert</i> <i>Not to be used as primary glider</i>	Glider with curtain hook
White Black Gold	Transparent	White	White
Quantity: 2000 pcs	Quantity: 1000 pcs	Quantity: 100 pcs	Quantity: 100 pcs





REGULAR GLIDERS

1307	5734	5721	5722
			
Heavy duty glider (16,6 x 27,7 mm)	Heavy duty glider (13,8 x 28,7 mm)	Tee-glider medium duty <i>String of 10 pcs for easy insert</i>	Tee-glider heavy duty <i>String of 10 pcs for easy insert</i>
White Quantity: 100 pcs	White Black Quantity: 100 pcs	White Quantity: 100 pcs	White Quantity: 100 pcs

REGULAR GLIDERS

5739K	 6038		
			
Glider with hook	Roller glider 10 mm wheel, metal eyelet		
White Black Quantity: 100 pcs	White Black Quantity: 100 pcs		

WAVE GLIDERS

5730	5735	6036	6037
			
Wave glider 6 cm distance	Waveglider 8 cm mellemrum	Wave roller glider 10 mm wheel, metal eyelet 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 6 cm distance
White Black Length: 25/70 m	White Black Length: 25/90 m	White Black Length: 40 m	White Length: 30 m

WAVE GLIDERS

14051	14058		
			
Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance		
White Length: 50 m	White Black Length: 50/100 m		

ADDITIONAL ACCESSORIES

9037D	9005		
			
Plastic cover for 9037 end bracket	Connector with 4 screws		
White Silver Anthracite Black Antique Quantity: 2 pcs	Silver Quantity: 10 pcs		

GLYDEA

HAND DRAWN





AP 1781379 GLYDEA is a strong electric curtain track which can carry up to 25 kg. Therefore it can also be used as an ordinary hand drawn track for heavy curtains or for room dividers in places where a motor track solution is not desired. Now available in both 6 and 7 metre lengths.

COLOURS



White



Black


Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



This profile is made from 100% recycled aluminium, of which min. 60% is post-consumer. Post-consumer aluminium stem from products that have already been used in other products such as aluminium cans.

ORIGIN

Extrusion
SpainLacquering
SpainProcessing
Denmark

RECOMMENDED USE

Ceiling-
mountingWall
mountingCeiling
supports

Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

Ext. dimensions:

30,6 mm x 25,0 mm

Track width:

6,0 mm

Length:

6000 mm / 7000 mm

Max. load:

Up to 25 kg (see sep. table)


Bending radius:

Min. 30 (recommended)

Environmental impact:


2,42 kg CO₂e per kg (extrusion)

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE

DESCRIPTION		COLOUR
	AP 1781379S "GLYDEA"	
	Wide track profile 30,6 mm x 25,0 mm	White (6 m) Black (6 m) White (7 m)
	In lengths of 6 or 7 metres & bulks of 60 or 70 metres	

END CAPS

			
	End cap with screw		
White Black			
Quantity: 1 pcs	Quantity: 1 pcs		

BRACKETS

1780906 / 9026929	1780907	1782789	
			
Twist ceiling bracket	Somfy click ceiling bracket	Somfy ceiling fixing plate bracket	
Silver (1780906) Black (9026929)	White	White	
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	

REGULAR GLIDERS

8626	8020	1307	5734
			
Roller glider	Roller glider with ball bearings and rubber wheels	Heavy duty glider (16,6 x 27,7 mm)	Heavy duty glider (13,8 x 28,7 mm)
White Black	White Beige Grey Black	White	White Black
Quantity: 100 pcs	Quantity: 75 pcs	Quantity: 100 pcs	Quantity: 100 pcs

REGULAR GLIDERS

5738	6025	5721	5722
			
Glider in nylon <i>String of 10 pcs for easy insert</i>	Roller glider with plastic wheel <i>String of 10 pcs for easy insert</i>	Tee-glider medium duty <i>String of 10 pcs for easy insert</i>	Tee-glider heavy duty <i>String of 10 pcs for easy insert</i>
White Black Gold	White Black	White	White
Quantity: 2000 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs

WAVE GLIDERS

8625	8627	8020W	6035
			
Wave roller glider 8 cm distance	Wave roller glider 6 cm distance	Wave roller glider with ball bearings 8 cm distance	Wave roller glider 12 mm wheel, metal eyelet 8 cm distance
White Black	White Black	White Beige Grey Black	White
Length: 40 m	Length: 30 m	Length: 40 m	Length: 40 m

ADDITIONAL ACCESSORIES

591	592	1782316	
			
Adjustable XL bracket 10 - 17 cm <i>without mounting screw</i>	Adjustable XL bracket 16 - 25 cm <i>without mounting screw</i>	Joiner, heavy duty	
White Quantity: 10 pcs	White Quantity: 10 pcs	Silver Quantity: 10 pcs	






CORNICES

A curtain cornice is a beautiful aluminium pelmet which you can mount in front of your curtain solution and thereby hide both curtain tracks and fixings. Traditionally, the curtain cornice is covered with fabric. For a more contemporary look, it can also be used without fabric, and even custom lacquered to match the wall colour.



AP 2668





The AP 2668 cornice is a stylish addition to curtains or roman blinds. The profile is used with 63 mm vertical slats or regular fabric with fleece lining. AP 2668 can also be used without textiles. You can choose custom lacquering to match your wall colour (add. cost). Our cornice profiles come in 3 sizes, are all made from min. 75% recycled post-consumer aluminium waste and extruded using only renewable energy, making them part of our SUSTAIN™ portfolio.

COLOURS



White



Silver
(Ano.)

Powdercoating and wet lacquering in all RAL and standard NCS colours possible at an additional cost.

MATERIALS



This profile is made from min. 75% recycled post-consumer waste. By mixing recycled aluminium with a smaller part of primary aluminium, we preserve the aluminium's durability and flexibility.

ORIGIN




Extrusion
Sweden



Lacquering
Denmark



Processing
Denmark



RECOMMENDED FOR



Ceiling
mounting



Wall
mounting



Ceiling
supports



Bending



Milling



Recessing

SPECIFICATIONS

Materials:

Aluminium alloy 6060/T5-6

Operation:

Stationary

Ext. dimensions:

68,5 mm x 10,5 mm

Track width:

4,0 mm

Length:

6000 mm


Bending radius:

10 (standard)

Environmental impact:

2,3 kg CO₂e per kg (extrusion)

PROFILE

	DESCRIPTION	COLOUR
	<p>AP 2668S</p> <p>Cornice profile 68,5 mm x 10,5 mm</p> <p>For 63 mm vertical slats or fleece lining used with regular fabrics</p> <p><i>Please note that our cornices cannot be milled and can only be bent radius 10.</i></p>	<p>White Silver (Ano.)</p>

BRACKETS

2027	2022	2021	4030
			
Twist ceiling bracket with low slot for L brackets (art. 560 & 580)	Twist ceiling bracket with slot	Twist ceiling bracket with slot with hole	Click ceiling bracket with slot
White Silver Black Gold Coastal Blue Green Leaf Quantity: 50 pcs	White Silver Black Gold Quantity: 50 pcs	White Grey Black Gold Brown Coastal Blue Green Leaf Quantity: 50 pcs	White Black Quantity: 100 pcs


BRACKETS

4034	4034S	NEW 2027R	NEW 2021R
			
Click ceiling bracket with hole	Click ceiling bracket with hole <i>In 100% recycled nylon</i>	Twist ceiling bracket with friction button and low slot for L brackets (art. 560 & 580)	Twist ceiling bracket with friction button and hole
White Black Quantity: 100 pcs	Powder White Black Coastal Blue Green Leaf Quantity: 100 pcs	White Black Quantity: 50 pcs	White Black Quantity: 50 pcs


BRACKETS

6041	6042		
			
Side bracket in metal with 1 hole	Side bracket in metal with 2 holes		
White Silver	White Silver		
Quantity: 10 pcs	Quantity: 10 pcs		

FLEECE LINING

2663			
			
Fleece lining 63 mm			
White			
Length: 30 m			

ADDITIONAL ACCESSORIES

2029R			
			
Single twist mechanism with friction button			
White Black			
Quantity: 1 pcs			

AP 2694





The AP 2694 cornice is a stylish addition to curtains or roman blinds. The profile is used with 89 mm vertical slats or regular fabric with fleece lining. AP 2694 can also be used without textiles. You can choose custom lacquering to match your wall colour (add. cost). Our cornice profiles come in 3 sizes, are all made from min. 75% recycled post-consumer aluminium waste and extruded using only renewable energy, making them part of our SUSTAIN™ portfolio.

COLOURS




White



Silver
(Ano.)

Powdercoating and wet lacquering in all RAL and standard NCS colours possible at an additional cost.

MATERIALS



This profile is made from min. 75% recycled post-consumer waste. By mixing recycled aluminium with a smaller part of primary aluminium, we preserve the aluminium's durability and flexibility.

ORIGIN



Extrusion
Sweden



Lacquering
Denmark



Processing
Denmark

10,5 mm

1:1 drawing

94,0 mm

89,0 mm

RECOMMENDED USE



Ceiling
mount



Wall mount



Ceiling
supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Stationary

Ext. dimensions:

94,0 mm x 10,5 mm

Track width:

4,0 mm

Length:

6000 mm

Bending radius:

10 (standard)

Environmental impact:

2,3 kg CO₂e per kg (extrusion)

PROFILE

	DESCRIPTION	COLOUR
	<p>AP 2694S</p> <p>Cornice profile 94 mm x 10,5 mm</p> <p>For 89 mm vertical slats or fleece lining used with regular fabrics</p> <p><i>Please note our cornices can't be milled and can only be bent Radius 10</i></p>	<p>White Silver (Ano.)</p>

BRACKETS

2027	2022	2021	4030
			
Twist ceiling bracket with low slot for L brackets (art. 560 & 580)	Twist ceiling bracket with slot	Twist ceiling bracket with slot with hole	Click ceiling bracket with slot
<p>White Silver Black Gold Coastal Blue Green Leaf</p> <p>Quantity: 50 pcs</p>	<p>White Silver Black Gold</p> <p>Quantity: 50 pcs</p>	<p>White Grey Black Gold Brown Coastal Blue Green Leaf</p> <p>Quantity: 50 pcs</p>	<p>White Black</p> <p>Quantity: 100 pcs</p>


BRACKETS

4034	4034S	NEW 2027R	NEW 2021R
	 SUSTAIN		
Click ceiling bracket with hole	Click ceiling bracket with hole <i>In 100% recycled nylon</i>	Twist ceiling bracket with friction button and low slot for L brackets (art. 560 & 580)	Twist ceiling bracket with friction button and hole
<p>White Black</p> <p>Quantity: 100 pcs</p>	<p>Powder White Black Coastal Blue Green Leaf</p> <p>Quantity: 100 pcs</p>	<p>White Black</p> <p>Quantity: 50 pcs</p>	<p>White Black</p> <p>Quantity: 50 pcs</p>


BRACKETS

6041	6042		
			
Side bracket in metal with 1 hole	Side bracket in metal with 2 holes		
White Silver	White Silver		
Quantity: 10 pcs	Quantity: 10 pcs		

FLEECE LINING

2663			
			
Fleece lining 63 mm			
White			
Length: 30 m			

ADDITIONAL ACCESSORIES

2029R			
			
Single twist mechanism with friction button			
White Black			
Quantity: 1 pcs			

AP 2690





The AP 2690 cornice is a stylish addition to curtains or roman blinds. The profile is used with 127 mm vertical slats or regular fabric with fleece lining. AP 2690 can also be used without textiles. You can choose custom lacquering to match your wall colour (add. cost). Our cornice profiles come in 3 sizes, are all made from min. 75% recycled post-consumer aluminium waste and extruded using only renewable energy, making them part of our SUSTAIN™ portfolio.

COLOURS



White



Silver
(Ano.)

Powdercoating and wet lacquering in all RAL and standard NCS colours possible at an additional cost.

MATERIALS



This profile is made from min. 75% recycled post-consumer waste. By mixing recycled aluminium with a smaller part of primary aluminium, we preserve the aluminium's durability and flexibility.

ORIGIN




Extrusion
Sweden



Lacquering
Denmark



Processing
Denmark



RECOMMENDED USE



Ceiling
mount



Wall mount



Ceiling
supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Stationary

Ext. dimensions:

132,0 mm x 10,5 mm

Track width:

4,0 mm

Length:

6000 mm


Bending radius:

10 (standard)

Environmental impact:

2,3 kg CO₂e per kg (extrusion)

PROFILE

	DESCRIPTION	COLOUR
	<p>AP 2690S</p> <p>Cornice profile 132 mm x 10,5 mm</p> <p>For 127 mm vertical slats or fleece lining used with regular fabrics</p> <p><i>Please note our cornices can't be milled and can only be bent radius 10.</i></p>	<p>White Silver (Ano.)</p>

BRACKETS

2027	2022	2021	4030
			
<p>Twist ceiling bracket with low slot for L brackets (art. 560 & 580)</p>	<p>Twist ceiling bracket with slot</p>	<p>Twist ceiling bracket with slot with hole</p>	<p>Click ceiling bracket with slot</p>
<p>White Silver Black Gold Coastal Blue Green Leaf</p> <p>Quantity: 50 pcs</p>	<p>White Silver Black Gold</p> <p>Quantity: 50 pcs</p>	<p>White Grey Black Gold Brown Coastal Blue Green Leaf</p> <p>Quantity: 50 pcs</p>	<p>White Black</p> <p>Quantity: 100 pcs</p>


BRACKETS

4034	4034S	NEW 2027R	NEW 2021R
			
<p>Click ceiling bracket with hole</p>	<p>Click ceiling bracket with hole <i>In 100% recycled nylon</i></p>	<p>Twist ceiling bracket with friction button and low slot for L brackets (art. 560 & 580)</p>	<p>Twist ceiling bracket with friction button and hole</p>
<p>White Black</p> <p>Quantity: 100 pcs</p>	<p>Powder White Black Coastal Blue Green Leaf</p> <p>Quantity: 100 pcs</p>	<p>White Black</p> <p>Quantity: 50 pcs</p>	<p>White Black</p> <p>Quantity: 50 pcs</p>


BRACKETS

6041	6042		
			
Side bracket in metal with 1 hole	Side bracket in metal with 2 holes		
White Silver	White Silver		
Quantity: 10 pcs	Quantity: 10 pcs		

FLEECE LINING

2612			
			
Fleece lining 172 mm			
White			
Length: 30 m			

ADDITIONAL ACCESSORIES

2029R			
			
Single twist mechanism with friction button			
White Black			
Quantity: 1 pcs			



ELECTRIC CURTAIN TRACKS

With Stilling you will find a wide selection of motors for your electric curtain track, each with its own special qualities and price. In addition to a wide range from Somfy, we also supply a budget-friendly alternative in our own Stilling® motor series.



GLYDEA

MOTORISED CURTAIN TRACK





GLYDEA is a versatile and functional electric curtain track, which is available with a standard 230V motor or battery motor from, among others, Somfy. Can be controlled via remote control or integrated into the main control system via WT or DCT switch control. Exclusive roller gliders ensure smooth movements.

COLOURS



White



Black


Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



This profile is made from 100% recycled aluminium, of which min. 60% is post-consumer. Post-consumer aluminium stem from products that have already been used in other products such as aluminium cans.

ORIGIN



RECOMMENDED USE



SPECIFICATIONS

Material:
Aluminium alloy 6060/T5-6

Operation:
Motor

Ext. dimensions:
30.6 mm x 25 mm

Track width:
6,0 mm


Length:
6000 mm

Max. load:
Up to 90 kg (see sep. table)

Bending radius:
Min. 30 (recommended)

Environmental impact:
2,42 kg CO₂e per kg (extrusion)

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max. Load table.

PROFILE





	DESCRIPTION	COLOUR
	AP 1781379S "GLYDEA"	
	Electric curtain track 30.6 mm x 25 mm	
	In lengths of 6 metres or 7 metres (white only) & bulks of 60 metres	White Black
	Can be mounted both with Somfy and AP motor track accessories.	
	<i>Motor tracks over 6 metres must open in the middle to operate optimally. GLYDEA is not suited for mounting on sloping walls.</i>	

END CAPS

1780945 / 9026933	1782318 / 9026927	1780897	1780906 / 9026929
			
Drive pulley	Small end wheel	End wheel	Twist ceiling bracket
White (1780987) Black (9026933)	White (1782318) Black (9026927)	White	Silver (1780906) Black (9026929)
Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 100 pcs

BRACKETS





REGULAR GLIDERS

1780907	1782789	8626	8021
			
Somfy click ceiling bracket	Somfy plate bracket	Roller glider	Roller glider with metal wheel and eyelet
White	White	White Black	White Black
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs

WAVE GLIDERS

8625	8627	8021W	
			
Wave roller glider 8 cm distance	Wave roller glider 6 cm distance	Wave roller glider with metal wheel and eyelet 8 cm distance	
White Black Length: 40 m	White Black Length: 30 m	White Black Length: 40 m	

ADDITIONAL ACCESSORIES

1782084	1781416 / 9026936	1781417 / 9026937	1781344
			
High performance belt	Standard carrier	Overlap carrier	Master carrier
Green Length: 55 m	Silver (1781416) Black (9026936) Quantity: 10 pcs	Silver (1781417) Black (9026937) Quantity: 10 pcs	Silver Quantity: 10 pcs

ADDITIONAL ACCESSORIES

8628	591	592	1780895 / 9026928
			
Wave master carrier <i>expected Q2 2024</i>	Adjustable XL bracket 10 - 17 cm <i>without mounting screw</i>	Adjustable XL bracket 16 - 25 cm <i>without mounting screw</i>	Hook for fastening curtain on the back of the motor
White Black Quantity: 10 pcs	White Quantity: 10 pcs	White Quantity: 10 pcs	White (1780895) Black (9026928) Quantity: 20 pc

SOMFY MOTORS

1240237/ 1240238/ 1240239	1240219 / 1240227	1240228 / 1240229 / 1240230	1240365
			
Somfy Movelite (230V / 35 kg)	Somfy Glydea 35e (230V / 35 kg)	Somfy Glydea 60e (230V / 60 kg)	Somfy Movelite Wirefree (Battery / 35 kg)
WT (1240237) DCT (1240238) RTS (1240239)	RTS (1240227)	WT (1240228) DCT (1240229) RTS (1240230)	RTS (1240365)
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc

STILLING MOTORS

7975	7995	7975BA	
			
AP Motor (230V / 60 kg)	AP Heavy duty Motor (230V / 95 kg)	AP Wirefree Motor (230V / 60 kg)	
RS (7975)	RS (7995)	RS (7975BA)	
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	

MOTOR ACCESSORIES

9025268	9025269	1870136	7980 / 7980C
			
Single battery for Movelite 35 Wirefree motor	230V plug for Movelite 35 Wirefree motor	24V RTS receiver for sticking on wall	Single battery & charger for 7995 motor
White	Black	White	Battery (7980) Charger (7980C)
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc

OPERATION

1811011 / 1811009	1870404	1870420	1811608
			
Somfy Smooove RTS 1-channel wall switch	Somfy Situo 1 RTS 1-channel remote control	Somfy Situo 5 RTS 5-channel remote control	Somfy Situo 1 VAR RTS 1-channel remote ctrl. w/ scroll
White (1811011) Black (1811009)	White	White	White
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc


OPERATION

1811610	1811020 / 1811021	7902	7904
			
Somfy Situo 5 VAR RTS 5-channel remote ctrl. w/ scroll	Somfy Telis 16 RTS 16-channel remote control	1-channel wall switch for AP motors	2-channel wall switch for AP motors
White	White (1811021) Grey (1811020)	White	Black
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc




OPERATION

7901	7906	7916	
			
1-channel remote control for AP motors	6-channel remote control for AP motors	16-channel remote control for AP motors	
White Black	White Black	White Black	
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	




SMART HOME

1870594			
			
TaHoma® Switch Somfy Smart Home Hub			
White			
Quantity: 1 pc			

ADDITIONAL ACCESSORIES

9027045	9027179		
			
Adjustable guide for wave gliders	90 degrees motor adapter <i>For reversing the motor</i>	Foiling of motor <i>Choose any RAL colour foil for the Glydea motor</i>	
Silver	White	All std. RAL colours	
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	

DIMENSIONAL DRAWINGS





CHOOSE FROM OUR RANGE

With Stilling you will find a wide selection of motors for your electric curtain track, each with its own special qualities and price. In addition to a wide range from Somfy, we also supply a budget-friendly alternative in our own Stilling® motor series.

230V OR BATTERY?

When you choose a motor for your track, you can generally choose between either a 230V motor which must be connected to the electrical installations, or a plug 'n play battery motor which is charged with the purchased charger. While a battery motor is an easier solution in terms of mounting, a 230V motor never needs to be charged. Therefore, be careful not to sell battery motors for windows that cannot be easily accessed.

SMART HOME SOLUTIONS

If you want to connect the motor track to a smart home system, we recommend choosing a Somfy motor (Glydea & Movelite) combined with a TaHoma® Switch hub. This enables operation via the TaHoma® app and can be connected to e.g. Google Home and Amazon Alexa for voice control.

MOTORISATION QUICK GUIDE

	GLYDEA ULTRA	MOVELITE	MOVELITE WIREFREE
POWER SUPPLY	230V	230V	Battery
MAX. LOAD	60 KG	35 KG	35 KG
SOUND LEVEL	38 dBA	40.6 dBA	40.6 dBA
ADJUSTABLE SPEED	Yes	No	No
SOFT START/STOP	Yes	No	No
TOUCH MOTION	Yes	Yes (DCT / RTS)	Yes
SWITCH CONTROL	Yes	Yes	No
REMOTE CONTROL	Yes	Yes	Yes
SMART HOME HUBS	Somfy TaHoma®	Somfy TaHoma®	Somfy TaHoma®

Stilling	AP7975	AP7975 WIREFREE	AP7995 HEAVY DUTY
POWER SUPPLY	230V	Battery	230V
MAX. LOAD	60 KG	60 KG	90 KG
SOUND LEVEL	<40 dBA	<40 dBA	<40 dBA
ADJUSTABLE SPEED	No	No	No
SOFT START/STOP	No	No	No
TOUCH MOTION	Yes	Yes	Yes
SWITCH CONTROL	Yes	No	Yes
REMOTE CONTROL	Yes	Yes	Yes
SMART HOME HUBS	No	No	No

SOMFY GLYDEA ULTRA (35 & 60 KG)



Power supply
100 - 240V ~ 50/60 Hz

Max. load
35 or 60 kg

Linear speed
12.45 cm/s - 19.96 cm/s
(7.49 cm/s in silent mode)

Sound level
38.0 dBA'

Rated torque
1.0 nm

Soft start/stop
Yes

Touch motion
Yes

Adjustable speed
Yes

Colour
Silver

Power usage
60W

Wired options
DCT (Dry Contact)
WT (Wired)

Wireless protocol
Somfy RTS
(Radio Technology)

Smart Home
Somfy TaHoma®

SOMFY MOVELITE (35 KG)



Power supply
100 - 240V ~ 50/60 Hz

Max. load
35 kg

Linear speed
15.0 cm/s

Sound level
40.6 dBA

Rated torque
0.6 nm

Soft start/stop
No

Touch motion
Yes (DCT / RTS)

Adjustable speed
No

Colour
White

Wired options
DCT (Dry Contact)
WT (Wired)

Wireless protocol
Somfy RTS
(Radio Technology)

Smart Home
Somfy TaHoma®

SOMFY MOVELITE WIREFREE (35 KG)



Power supply
14.8V/2000 mAh battery

Max. load
35 kg

Linear speed
15.0 cm/s

Sound level
40.6 dBA

Rated torque
0.6 nm

Soft start/stop
No

Touch motion
Yes

Adjustable speed
No

Colour
White

Charger
100 - 240V AC ~ 50/60 Hz

Charging time
<9 timer

Wired options
No

Wireless protocol
Somfy RTS
(Radio Technology)

Smart Home
Somfy TaHoma®

7975 MOTOR (60 KG)**433 MHz****Power supply**
100 - 240V ~ 50/60 Hz**Max. load**
60 kg**Linear speed**
14.0 cm/s**Sound level**
<40.0 dBA**Rated torque**
1.5 nm**Soft start/stop**
No**Touch motion**
Yes**Adjustable speed**
No**Colour**
White**Power usage**
65W**Wired options**
DCT (Dry Contact)
WT (Wired)**Wireless protocol**
Radio Technology**Smart Home**
No

7975BA WIREFREE MOTOR (60 KG)**433 MHz****Power supply**
14.8V/5200 mAh battery**Max. load**
60 kg**Linear speed**
14.0 cm/s**Sound level**
<40.0 dBA**Rated torque**
1.5 nm**Soft start/stop**
No**Touch motion**
Yes**Adjustable speed**
No**Colour**
White**Charger**
100 - 240V AC ~ 50/60 Hz**Wired options**
No**Wireless protocol**
Radio Technology**Smart Home**
No

7995 MOTOR (95 KG)**433 MHz****Power supply**
14.8V/2000 mAh battery**Max. load**
90 kg**Linear speed**
16.0 cm/s**Sound level**
<40.0 dBA**Rated torque**
1.0 nm**Soft start/stop**
No**Touch motion**
Yes**Adjustable speed**
No**Colour**
White**Power usage**
96W**Wired options**
DCT (Dry Contact)
WT (Wired)**Wireless protocol**
Radio Technology**Smart Home**
No



ROMAN BLINDS

The roman blind is a timeless classic and is often made in combination with curtains, using the same fabric for both. It also works great for blackout curtains. We offer a wide range of roman blind systems, which are easy to install, safe and highly functional.





ROMAN BLIND SYSTEMS QUICK GUIDE

AP 8900 / CLOSED HEADRAIL



AP 8900 is a closed headrail system, which together with the open headrail 8901 system are marketleading in roman blinds. AP 8900 comes with patented low-noise cord rollers and chain operation. Weight capacity up to 8 kilo.

AP 8901 / OPEN HEADRAIL



AP 8901 is an open headrail system which together with the closed headrail 8900 system is marketleading in roman blinds. AP 8901 comes with patented low-noise cord rollers and chain operation. Weight capacity of up to 8 kilo.

AP 8990 / SMARTLIFT™



The AP 8990 is our most premium lift system, operated with a smart pump function called Smartlift™. One of the advantages of Smartlift™ is that the cord is always the same length. Always right side operation. Weight capacity of up to 4.5 kg.

AP 2002 / VELCRO SYSTEM



AP 2002 is our open lift system without a cassette, which is operated by cord. The system is very popular as a do-it-yourself solution and is easy to assemble. Weight capacity of up to 4 kg. Max. 6 cords.

AP 8900





AP 8900 is a closed headrail system, which together with the open headrail 8901 system are marketleading in roman blinds. AP 8900 comes with patented low-noise cord rollers and chain operation. And with a weight capacity of up to 8 kilo.


COLOURS



White

Powder coating and wet lacquering in all RAL and NCS colours is possible for an additional charge.

MATERIALS




This profile is made from 80% recycled aluminium, of which approx. half is post-consumer. Post-consumer aluminium stem from products that have already been used in other products such as aluminium cans.

ORIGIN


Extrusion
Spain


Lacquering
Spain


Processing
Denmark



RECOMMENDED USE

 Ceiling mounting	 Wall mounting	 Motor
 Cord operated	 Chain operated	 Smartlift™

SPECIFICATIONS

Materials:
Aluminium alloy 6060/T5-6

Operation:
Cord drawn
Chain drawn

Ext. dimensions:
31,7 mm x 37,0 mm

Length:
5800 mm

Environmental impact:
2,56 kg CO2e per kg (unextruded)

PROFILE




DESCRIPTION		COLOUR
	AP 8900S Closed headrail 31,70 mm x 37,00 mm	White
	In lengths of 5,8 metres & bulks of 58 metres	

CHAIN MECHANISMS

8912	8914	8924	8926
			
Chain operation unit 1:2 for squarebar Max. load 3 kg	Chain operation unit 1:4 for squarebar Max. load 4 kg	'Heavy Duty' chain operation unit 1:2 for squarebar Max. load 6 kg	'Heavy Duty' chain operation unit 1:4 for squarebar Max. load 8 kg
White Quantity: 1 pc	White Quantity: 1 pc	White Quantity: 1 pc	White Quantity: 1 pc

CHAIN MECHANISMS

CORD ROLLS

8984	8986	8928	
			
'Pull Away' chain operation unit 1:1 for squarebar Max. load 6 kg	'Pull Away' chain operation unit 1:4 for squarebar Max. load 6 kg	Patented low noise cord roll w/ twist lock & easy roll incl. 3,5 m cord	
White Quantity: 1 pc	White Quantity: 1 pc	White Beige Grey Black Quantity: 10 pcs	

BRACKETS

8930	8935	8940	
			
Ceiling bracket	Click combi bracket wall and ceiling	Twist wall and ceiling bracket	
White	White	White	
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	

FIBER BARS & SQUARE BARS

2991/3	2991/6	4400	8906
			 
Fiberbar Ø4 mm	Fiberbar Ø4 mm	Aluminium tube Ø13 mm	Square bar 5x5 mm
White	White	White	Silver
Length: 10 X 3 m	Length: 10 X 6 m	Quantity: 10 pcs	Length: 30 x 5,8 m





BOTTOM WEIGHTS

3000/3 D	3000/6 D	2997	2995
			
Aluminium bottom weight 190g - 20 x 4 mm	Aluminium bottom weight 190g - 20 x 4 mm	Aluminium bottom weight 270g - 20 x 5 mm	Aluminium bottom weight 162g - 20 x 3 mm
White	White	Silver	White Silver
Length: 10 x 3 m	Length: 10 x 6 m	Length: 6 m	Length: 10 x 6 m


ADDITIONAL ACCESSORIES

4013	3013	3015	3006/200
			
End cap for alu tube art. 4400	Cord winder	Cord connector	Cord 1,5 mm
White	White	White	White
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Length: 200 m

ADDITIONAL ACCESSORIES

2983	2984	9940	9947
			
Cord joiner in metal	Cord joiner in metal	Endless chain in plastic <i>Several sizes available, see separate chapter</i>	Endless chain in metal <i>Several sizes available, see separate chapter</i>
Silver	White	White	Antique brown, Nickel plated brass, Dungeon, White, Mystic red, Yellow brass, Gun metal, Medieval brass, Black, Stainless steel
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 1 pc	Quantity: 1 pc


ADDITIONAL ACCESSORIES

8907			
			
Cutting support for roman blind profile			
Black			
Quantity: 10 pcs			

CHILD SAFETY

1518	1522	1523	1525
			
Adjustable cord lock break away at a pull of 6 kg <i>Great on the back of roman blinds</i>	Adjustable, patented cord lock w/ hook and break away by pull of 6 kg (for 1,0 mm cord)	Adjustable, patented cord lock w/ hook and break away by pull of 6 kg (for 1,2 mm cord)	Break away with hook and eyelet
Transparent Quantity: 100 pcs	Transparent Quantity: 100 pcs	Transparent Quantity: 100 pcs	Transparent Quantity: 100 pcs

AP 8901





AP 8901 is an open headrail system which together with the closed headrail 8900 system is marketleading in roman blinds. AP 8901 comes with patented low-noise cord rollers and chain operation. And with a weight capacity of up to 8 kilo.


COLOURS



White


Powder coating and wet lacquering in all RAL and NCS colours is possible for an additional charge.

MATERIALS




This profile is made from 80% recycled aluminium, of which approx. half is post-consumer. Post-consumer aluminium stem from products that have already been used in other products such as aluminium cans.

ORIGIN



RECOMMENDED USE



SPECIFICATIONS

Material:
Aluminium alloy 6060/T5-6

Operation:
Cord drawn
Chain operated
Motor

Ext. dimensions:
31,7 mm x 37,0 mm

Length:
5800 mm

Environmental impact:
2,56 kg CO2e per kg (unextruded)


PROFILE

	DESCRIPTION	COLOUR
	<p>AP 8901S</p> <p>Open headrail system 31,70 mm x 37,00 mm</p> <p>In lengths of 5,8 metres & bulks of 69,6 metres</p> <p>This system has the option for built-in battery or 24V motor</p>	White

CHAIN MECHANISMS

8903	8905	8934	8936
			
Chain operation unit 1:2 for squarebar Max. load 3 kg	Chain operation unit 1:4 for squarebar Max. load 4 kg	'Heavy Duty' chain operation unit 1:2 for squarebar Max. load 6 kg	'Heavy Duty' chain operation unit 1:4 for squarebar Max. load 8 kg
White	White	White	White
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc






CHAIN OPERATION

8909			
			
End cap for cord draw			
White			
Quantity: 1 pc			

BRACKETS

8930	8935	8940	
			
Ceiling bracket	Click combi bracket wall and ceiling	Twist wall and ceiling bracket	
White	White	White	
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 10 pcs	

SQUARE BAR & CORD ROLLS

8906	8917	8927	8921
 			
Square bar	Cord roll incl. 3,5 m cord	Patented low noise cord roll w/ twist lock & easy roll incl. 3,5 m cord	Patented low noise cord roll w. twist lock & easy roll incl. 2,4 m cord
Silver	White Beige Grey Black	White Beige Grey Black	White Beige Grey Black
Length: 30 x 5,8 m	Quantity: 10 pcs	Quantity: 10 pcs	Quantity: 10 pcs

BOTTOM WEIGHTS

3000/3 D	3000/6 D	2997	2995
			
Aluminium bottom weight 190g - 20 x 4 mm	Aluminium bottom weight 190g - 20 x 4 mm	Aluminium bottom weight 270g - 20 x 5 mm	Aluminium bottom weight 162g - 20 x 3 mm
White	White	Silver	White Silver
Length: 10 x 3 m	Length: 10 x 6 m	Length: 6 m	Length: 10 x 6 m





ADDITIONAL ACCESSORIES

2991/3	2991/6	4400	4013
			
Fiberbar Ø4 mm	Fiberbar Ø4 mm	Aluminium tube Ø13 mm	End cap for art. 4400
White	White	White Chrome	White
Length: 3 m	Length: 6 m	Quantity: 10 pcs	Quantity: 2000 pcs

ADDITIONAL ACCESSORIES

3013	3015	3006/200	2983
			
Cord winder	Childproof cord winder	Cord 1,5 mm	Cord joiner in metal
White	White	White	Silver
Quantity: 100 pcs	Quantity: 100 pcs	Length: 200 m	Quantity: 100 pcs

ADDITIONAL ACCESSORIES

2984	9940	9947	8907
			
Cord joiner in metal	Endless chain in plastic <i>Several sizes available, see separate chapter</i>	Endless chain in metal <i>Several sizes available, see separate chapter</i>	Cutting support for roman blind profile
White	White	Antique brown, Nickel plated brass, Dungeon, White, Mystic red, Yellow brass, Gun metal, Medieval brass, Black, Stainless steel	Black
Quantity: 100 pcs	Quantity: 1 pc Se seperate pages	Quantity: 1 pc Se seperate pages	Quantity: 10 pcs


MOTOR BUNDLES

102200	102301	102400	
			
Motor bundle #1 (no battery) <i>Incl. 12V motor, adaptor & lock rings. Add 1822445 for fixed power supply.</i>	Motor bundle #2 (recharg. battery) <i>Incl. 12V motor, adaptor, lock rings, Li-ion battery, holder</i>	Motor bundle #4 (24V motor) <i>Incl. 24V motor, Li-ion battery, holder, adaptor and lock rings</i>	
White	White	White	
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	

OPERATION

1811011 / 1811009	1870404	1870420	1811608
			
Somfy Smooove RTS 1-channel wall switch	Somfy Situo 1 RTS 1-channel remote control	Somfy Situo 5 RTS 5-channel remote control	Somfy Situo 1 VAR RTS 1-channel remote ctrl. w/ scroll
White (1811011) Black (1811009)	White	White	White
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc


OPERATION

1811610			
			
Somfy Situo 5 VAR RTS 5-channel remote ctrl. w/ scroll			
White			
Quantity: 1 pc			

MOTORS

1002295	LW2583		
			
12V motor with RTS receiver	24V motor w/ integrated brake & shaft play equalizer		
Silver	White		
Quantity: 1 pc	Quantity: 1 pc		


MOTOR ACCESSORIES

9021217	9021028	1822445	
			
12V rechargeable battery	Charger for 12V battery (art. 9021217)	12V power supply (for art. 1002295)	
White	White	White	
Quantity: 1 pc	Quantity: 1 pc	Quantity: 1 pc	

MOTOR ACCESSORIES

1870136	9019180		
			
RTS receiver for 24V motor (art. LW2583)	Kit for mounting w/ 2 motoradapters, 2 lock rings and 2 squarebar adapters		
White	Silver Brass		
Quantity: 1 pc	Quantity: 1 pc		

SMART HOME

1870594			
			
TaHoma® Switch Somfy Smart Home Hub			
White			
Quantity: 1 pc			

CHILD SAFETY

1518	1522	1523	1525
			
Adjustable cord lock break away at a pull of 6 kg <i>Great on the back of roman blinds</i>	Adjustable, patented cord lock w/ hook and break away by pull of 6 kg (for 1,0 mm cord)	Adjustable, patented cord lock w/ hook and break away by pull of 6 kg (for 1,2 mm cord)	Break away with hook and eyelet
Transparent	Transparent	Transparent	Transparent
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs

AP 8990 SMARTLIFT™



The AP 8990 is our most premium roman blind system, operated with a smart pump function called Smartlift™, which makes the blind smooth and easy to operate. Another advantage of Smartlift™ is that the cord is always the same length. Always right side operation. Weight capacity of up to 4.5 kg.

COLOURS



White

Powder coating and wet lacquering in all RAL and NCS colours is possible for an additional charge.

MATERIALS



Our ambition is to eventually convert all our curtain tracks from conventional to recycled, or otherwise more responsible, materials. These changes will happen gradually over time.

ORIGIN




Extrusion
Spain



Lacquering
Spain



Processing
Denmark



RECOMMENDED USE



Ceiling
mounting



Wall
mounting



Motor



Cord
operated



Chain
operated



Smartlift™

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Smartlift™

Ext. dimensions:

31,7 mm x 37,0 mm

Min. size (recommended)

Min. width 80 cm

Min. bottom weight 400 g

Max. size (recommended)

Max. width 280 cm

Max. bottom weight 500 g




Length:

5800 mm

PROFILE

DESCRIPTION		COLOUR
	AP 8900	White
	SMARTLIFT™	
	31,70 mm x 37,00 mm	
	In lengths of 5,8 metres & bulks of 58 metres	

CORD MECHANISMS

8993R	8993L	8996	
			
SMARTLIFT™ Cord mechanism (right) Max. load 4,5 kg.	SMARTLIFT™ Cord mechanism (left) Max. load 4,5 kg.	SMARTLIFT™ Cord roll incl. 3,5 metre cord	
White	White	Transparent (White cord)	
Quantity: 300 pcs	Quantity: 300 pcs	Quantity: 400 pcs	

CORD LOCKS

1522	1525	8994	8995
			
Adjustable, patented cord lock w/ hook and break away by pull of 6 kg	Break away w. hook and eyelet	Stopper	Break
Transparent	Transparent	White	White
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs

BRACKETS

8935	8940		
			
Click combi bracket wall and ceiling	Twist wall and ceiling bracket		
White	White		
Quantity: 100 pcs	Quantity: 100 pcs		

FIBER BARS & SQUARE BARS

2991/3	2991/6	8992	8998
			
Fiberbar Ø4.0 mm	Fiberbar Ø4.0 mm	Square bar 4x4 mm	Lock ring
White	White	Silver	Silver
Length: 3 m	Length: 6 m	Length: 30 x 6 m	Length: 30 x 6 m

BOTTOM WEIGHTS

2995	2997		
			
Aluminium bottom weight 190g - 20 x 4 mm	Aluminium bottom weight 270g - 20 x 5 mm		
White	Silver		
Length: 10 x 3 m	Length: 6 m		




PANEL TRACKS

Panel tracks offer a variety of solutions for both beautiful and practical interior design. They can be used as sun protection for large window panes or as room dividers, both in private homes and in offices. Our panel tracks can be operated either by hand or by cord.



AP 5400 SERIES

5402 / 5403 / 5404 / 5405



AP 5400 is our series of panel systems. Panel tracks are a great solution for large glass sections or as room dividers, both at home and in the office. The AP 5400 series consists of 4 profiles, with two to five tracks. Available as either hand drawn or cord operated.

COLOURS



White



Silver

Powder coating and wet lacquering in all RAL and standard NCS colours is possible for an additional charge.

MATERIALS



Our ambition is to eventually convert all our curtain tracks from conventional to recycled, or otherwise more responsible, materials. These changes will happen gradually over time.

ORIGIN



Extrusion
Poland



Lacquering
Poland



Processing
Denmark




40,0 mm



51,0 mm



69,0 mm



87,0 mm

1:2 drawing

RECOMMENDED USE



Ceiling-
mounting



Wall
mounting



Ceiling
supports



Bending



Milling



Recessing

SPECIFICATIONS

Material:

Aluminium alloy 6060/T5-6

Operation:

Hand drawn

Cord operated

Ext. dimensions:

Please see next page

Track width:

6,0 mm

Length:

6000 mm


Max. load:

Up to 13 kg (see sep. table)

Bending radius:


Not possible

MAXIMUM LOAD



The recommended max. load depends on many factors. Please see our Max.Load table.

PROFILE

DESCRIPTION		COLOUR
 <p>Panel tracks, hand or cord operated</p> <p>AP 5402 40,0 mm x 15,4 mm</p> <p>AP 5403 51,0 mm x 15,4 mm</p> <p>AP 5404 69,0 mm x 15,4 mm</p> <p>AP 5405 87,0 mm x 15,4 mm</p> <p>In lengths of 6 metres & bulks of 60 or 180 metres</p>		White Silver

END CAPS

5409	5410	5411	5412
			
End cap for 5402 (set of two)	End cap for 5403 & 5404 (set of two)	End cap for 5405 (set of two)	End cap for 5402 with cord operation (set of two)
White Grey	White Grey	White Grey	White
Quantity: 25 pcs	Quantity: 25 pcs	Quantity: 25 pcs	Quantity: 25 pcs

BRACKETS

5413	5414	5415	
			
End cap for 5403 with cord operation (set of two)	End cap for 5404 with cord operation (set of two)	End cap for 5405 with cord operation (set of two)	
White	White	White	
Quantity: 25 pcs	Quantity: 25 pcs	Quantity: 25 pcs	

BRACKETS





5420	5421	5426	5425
			
Click top fix bracket for 5402, 5403 & 5404	Click top fix bracket for 5402, 5403, 5404. <i>For screws with bigger heads</i>	Twist top fix bracket for 5402, 5403 & 5404	Click top fix bracket for 5405
White Silver	White Silver	Silver	Silver
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs

BRACKETS

PANEL GLIDERS

5428		5418	5419
			
Twist top fix ceiling bracket for 5405		Panel track glider	Panel track glider with eyelet
Silver		White	White
Quantity: 50 pcs		Quantity: 100 pcs	Quantity: 100 pcs

PANEL GLIDERS

5433	5432	5328	5329
			
Panel track roller glider for 5430 with 2 rubberwheels and eyelet	Panel track roller glider for 5430 with 2 rubberwheels	Panel track roller glider for 5320	Click glider for 5320
White	White	White	White
Quantity: 100 pcs	Quantity: 100 pcs	19,00 pr. stk. 100 stk. pr. forpakning	20,00 pr. stk. 100 stk. pr. forpakning

ADDITIONAL ACCESSORIES

5422	5423	5424	5325
			
T-stop angle for 5430	Simple stop angle for 5430	L-stop angle for 5430	Simple stop angle for 5320
White	White	White	White
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs

END CAPS

5326	5333	5044	6004
			
T-stop angle for 5320	Eyelet for draw rod for 5320	End stop	Cord 3,5 mm
White	White	Silver	White
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 250 m

BRACKETS





5416	5417	2989	6126
			
Stopper for cord	Guide for cord	Cord weight 110 gr.	Cord weight 170 gr.
Silver	White	White Grey Black	Hvid
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	80,00 pr. stk. 25 stk. pr. forpakning

ADDITIONAL ACCESSORIES

6124	2990	4400	4013
			
Cord tensioner	Cord weight	Aluminium tube Ø13 mm	End cap for 4400
Sølv 124,00 pr. stk.	Hvid Beige Grå Sort 67,00 pr. stk.	Hvid 161,00 pr. m	White
1 stk. pr. forpakning	25 stk. pr. forpakning	10 x 5 m pr. forpakning	Quantity: 100 pcs

ADDITIONAL ACCESSORIES

PANEL PROFILES

54020	54021	5430	5320
			
Joiner for 5402, 5403 & 5404	Joiner for 5405	Standard panel profile with velcro (open version)	Tall panel profile with velcro (closed version)
White Silver	White	White	White Silver
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 180 m	Quantity: 180 m

REGULAR GLIDERS

5431	5321	5322	
			
Set of standard panel profile with velcro and roller gliders (white)	Set of tall panel profile with velcro and roller gliders (white & silver)	Set of tall panel profile with velcro and click gliders (white & silver)	
40 cm 60 cm 80 cm 100 cm 120 cm 140 cm Quantity: 1 pc	40 cm 60 cm 80 cm 100 cm 120 cm 140 cm Quantity: 1 pc	40 cm 60 cm 80 cm 100 cm 120 cm 140 cm Quantity: 1 pc	

SHOWER RODS & TRACKS



SHOWER RODS

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
	5781	70 - 120 cm tension shower rod in 20 mm aluminium with plastic end caps	White Silver Black
	5783	120 - 220 cm tension shower rod in 20 mm aluminium with plastic end caps	White Silver Black
	5784	155 - 260 cm tension shower rod in 20 mm aluminium with plastic end caps	White Silver Black
	5767	Set of 20 mm curved and straight rod, assembles to 80 x 80 cm	White Silver
	5764	Set of 20 mm curved and straight rod, assembles to 80 x 170 cm	White Silver
	5766	Set of 20 mm curved and straight rods, assembles to a U-shape 80 x 80 x 80 cm	Silver

ACCESSORIES FOR SHOWER RODS

5914	5923	5915	5917
			
Shower ring w/ lock	C-ring	Spring ring in metal	Ball bracket for mounting tension rod on sloping walls <i>Pair of 2 pcs</i>
White Transparent Black Quantity: 100 pcs	White Transparent Quantity: 100 pcs	Metal Quantity: 100 pcs	White Quantity: 10 pcs

SHOWER TRACKS

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
	1231	AP 2001 shower track in cardboard packaging, complete with 60 cm ceiling support, gliders and hook. With a curved and a straight track which assemble to 90 x 90 cm. Deluxe version with ceiling support, which is firmly attached to both ceiling and wall. The curtain moves smoothly in the track with gliders.	White Silver (ano.)




SEWING ACCESSORIES


It's all in the details! We have a wide range of sewing accessories so you can create the most beautiful curtain design with super functionality.



TAPE



WAVE TAPE & ACCESSORIES

4758			
			
Wave tape 75 mm <i>Only sold in full rolls</i>			
Transparent (100 m) Black (50 m) Length: 50/100 m			

ACCESSORIES FOR TAPE

4760	4761	3907	3908
			
Wave hanger	Wave stop "The curtain bug"	Ring for tape or cord	Ring with hook
White Black Quantity: 10 pcs	White Sand Grey Black Quantity: 100 pcs	Transparent Quantity: 100 pcs	Transparent Quantity: 100 pcs

ACCESSORIES FOR TAPE

5590	5591	5592	9914
			
Ring in plastic int. 8 mm x ext.13 mm	Ring in plastic int. 11 mm x ext.16 mm	Ring in plastic int. 13 mm x ext.18 mm	Lock for lift tape
Transparent Quantity: 100 pcs	Transparent White Quantity: 100 pcs	Transparent White Quantity: 100 pcs	White Quantity: 100 pcs





TAPE & BUTTONS

1561	1562	1568	1564
			
Zink tape 22 g	Zink tape 40 g	Steel button galvanized 8 g	Steel button galvanized 10 g
White Black	White	Silver	Silver
Quantity: 100 m	Quantity: 100 m	Quantity: 50 pcs	Quantity: 50 pcs


BUTTONS & WEIGHTS

1565	1566	1106224	1106850
			
Steel button galvanized 14 g	Steel button galvanized 21 g	Bottom weight for curtain 24 g	Bottom weight for curtain 50 g
Silver	Silver	Steel	Steel
Quantity: 50 pcs	Quantity: 50 pcs	Quantity: 10 pcs	Quantity: 10 pcs


SPIRALS, HOOKS & LISTS

1580	1582	1581	5749
			
Curtain spiral <i>Also 500 m roll on request</i>	Hook eyelet	Hook	Flexible curtain list
White	Silver	Silver	Silver
Quantity: 30 m	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 2 m

VELCRO TAPE

2012	2014	2013	2015
			
Velcro tape, male 20 mm <i>Only sold in full rolls</i>	Velcro tape, male, adhesive 20 mm <i>Only sold in full rolls</i>	Velcro tape, female 20 mm <i>Only sold in full rolls</i>	Velcro tape, female, adhesive 20 mm <i>Only sold in full rolls</i>
White Black Quantity: 25 m	White Black Quantity: 25 m	White Black Quantity: 25 m	White Black Quantity: 25 m

CORDS



CORDS

8630	3005	3006/5	3006/10
			
Cord for venetian blinds 1,4 mm <i>Only sold in full rolls</i>	Cord 1,2 mm <i>Only sold in full rolls</i>	Cord 1,5 mm <i>Only sold in full rolls</i>	Cord 1,5 mm <i>Only sold in full rolls</i>
46 colours <i>Please inquire</i> Length: 50-1000 m	White Black Grey Length: 500 m	White Length: 5 m	White Length: 10 m

CORDS

3006/200	3003	9434	9432
			
Cord 1,5 mm <i>Only sold in full rolls</i>	Cord 1,0 mm <i>Only sold in full rolls</i>	Cord 2,0 mm <i>Only sold in full rolls</i>	Cord 2,2 mm <i>Only sold in full rolls</i>
White Length: 200 m	White Length: 1000 m	White Length: 300 m	White Length: 250 m

CORDS

3007	6004	1411	
			
Cord 3,0 mm <i>Only sold in full rolls</i>	Cord 3,5 mm <i>Only sold in full rolls</i>	Cord 4,5 <i>Only sold in full rolls</i>	
White Length: 250 m	White Black Length: 250 m	White Black Length: 200 m	


ACCESSORIES FOR CORDS

5590	5591	5592	2984
			
Ring in plastic int. 8 mm x ext.13 mm	Ring in plastic int. 11 mm x ext.16 mm	Ring in plastic int. 13 mm x ext.18 mm	Cord joiner metal
Transparent	Transparent White	Transparent White	White
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs

ACCESSORIES FOR CORDS

3907	9914	2981	2983
			
Ring in plastic for cord/tape	Lock for lift tape	Cord joiner	Cord joiner metal
Transparent	White	White Silver Anthracite	Silver
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs

ENDLESS CORDS

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
	8947/050	50 cm endless cord 3,5 mm width	White
	8951/050	50 cm endless cord 3,1 mm width	
	8947/075	75 cm endless cord 3,5 mm width	
	8951/075	75 cm endless cord 3,1 mm width	
	8947/100	100 cm endless cord 3,5 mm width	
	8951/100	100 cm endless cord 3,1 mm width	
	8947/125	125 cm endless cord 3,5 mm width	
	8951/125	125 cm endless cord 3,1 mm width	
	8947/150	150 cm endless cord 3,5 mm width	
	8951/150	150 cm endless cord 3,1 mm width	
	8947/175	175 cm endless cord 3,5 mm width	
	8951/175	175 cm endless cord 3,1 mm width	
	8947/200	200 cm endless cord 3,5 mm width	
	8951/200	200 cm endless cord 3,1 mm width	
	8947/250	250 cm endless cord 3,5 mm width	
	8951/250	250 cm endless cord 3,1 mm width	

CHAINS




METAL CHAINS

9947	9947	9947	9947
			
Metal chain, steel <i>Only sold in full rolls</i>	Metal chain, steel <i>Only sold in full rolls</i>	Metal chain, steel <i>Only sold in full rolls</i>	Metal chain, steel <i>Only sold in full rolls</i>
Stainless steel Length: 150 m	White Length: 150 m	Antique brown Length: 150 m	Medieval brass Length: 150 m

METAL CHAINS

9947	9947	9947	9947
			
Metal chain, steel <i>Only sold in full rolls</i>	Metal chain, steel <i>Only sold in full rolls</i>	Metal chain, steel <i>Only sold in full rolls</i>	Metal chain, steel <i>Only sold in full rolls</i>
Nickel plated steel (anthracite) Length: 150 m	Nickel plated (matte) brass Length: 150 m	Yellow brass Length: 150 m	Mystic red (rust) Length: 150 m





METAL CHAINS

9947	9947		
			
Metal chain, steel <i>Only sold in full rolls</i>	Metal chain, steel <i>Only sold in full rolls</i>		
Dungeon (matte black) Length: 150 m	Gun metal (black) Length: 150 m		

PLASTIC CHAINS

9940	9944		
			
Plastic chain 6 mm distance <i>Only sold in full rolls</i>	Plastic chain 12 mm distance <i>Only sold in full rolls</i>		
White Length: 250 m	White Beige Black Length: 250 m		


ACCESSORIES FOR CHAINS

9946	9946/x	9939	2981
			
Chain connector, metal	Chain connector, metal	Chain connector, plastic	Cord joiner
Steel Quantity: 1 pcs	Antique Brown, White, Nickl.pl. steel, Nickl.pl. brass, Yellow brass, Me- dieval brass, Dungeon, Gun metal, Mystic red, Stainless steel, Copper Quantity: 1 pcs	White Transparent Black Quantity: 1 pcs	White Silver Anthracite Quantity: 200 pcs


ACCESSORIES FOR CHAINS

2989	2990		
			
Cord weight 110 gr.	Cord weight		
White Grey Black Quantity: 25 pcs	White Beige Grey Black Quantity: 25 pcs		

ENDLESS CHAINS IN PLASTIC

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
	9940/050	50 cm endless plastic chain - with 6 mm distance (4,5 x 6,0 mm)	White
	8941 9940/075	75 cm endless plastic chain - with 12 mm distance - with 6 mm distance (4,5 x 6,0 mm)	
	8942 9940/100	100 cm endless plastic chain - with 12 mm distance - with 6 mm distance (4,5 x 6,0 mm)	
	8943 9940/125	125 cm endless plastic chain - with 12 mm distance - with 6 mm distance (4,5 x 6,0 mm)	
	8944 9940/150	150 cm endless plastic chain - with 12 mm distance - with 6 mm distance (4,5 x 6,0 mm)	
	8945 9940/175	175 cm endless plastic chain - with 12 mm distance - with 6 mm distance (4,5 x 6,0 mm)	
	8946 9940/200	200 cm endless plastic chain - with 12 mm distance - with 6 mm distance (4,5 x 6,0 mm)	

ENDLESS CHAINS IN METAL

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
	9947/050	50 cm endless metal chain - with 6 mm distance	White Gun metal (black) Dungeon (matte black) Antique brown Medieval brass Nickel plated steel (anthracite) Copper Nickel plated brass (matte brass) Yellow brass Mystic red (rust) Stainless steel
	9947/075	75 cm endless metal chain - with 6 mm distance	
	9947/100	100 cm endless metal chain - with 6 mm distance	
	9947/125	125 cm endless metal chain - with 6 mm distance	
	9947/150	150 cm endless metal chain - with 6 mm distance	
	9947/175	175 cm endless metal chain - with 6 mm distance	
	9947/200	200 cm endless metal chain - with 6 mm distance	





HOOKS







PLASTIC HOOKS

2569	2568	2571	2572
			
Adjustable hook 95 mm	Adjustable hook 74 mm	Hook 22 mm int. 28 mm ext.	Hook 19 mm int. 25 mm ext.
White Quantity: 10 pcs	White Quantity: 10 pcs	White Black Quantity: 2000 pcs	White Black Quantity: 2000 pcs





PLASTIC HOOKS

2573	2574	2575	2578
			
Strong hook <i>Supports the pleat tape</i> 19 mm int. / 30 mm ext.	Clip hook	Double hook 28 mm ext.	Strong, tall hook 24 mm int. 35 mm ext.
White Quantity: 2000 pcs	White Quantity: 2000 pcs	White Quantity: 100 pcs	White Quantity: 2000 pcs


METAL HOOKS

4071	4072	10038	5801
			
Metal hook 25 mm int. 28 mm ext.	Metal hook 34 mm int. 38 mm ext.	Metal hook 16 mm int. 25 mm ext.	Clip with hook
Silver Quantity: 100 pcs	Silver Quantity: 100 pcs	Metal Quantity: 100 pcs	Silver Quantity: 100 pcs




FINGER HOOKS

5981	5982	5983	5984
			
Finger hook 1 finger short model	Finger hook 2 fingers short model	Finger hook 4 fingers short model	Finger hook 1 finger long model
Silver	Silver	Silver	Silver
Quantity: 2000 pcs	Quantity: 2000 pcs	Quantity: 1000 pcs	Quantity: 2000 pcs

FINGER HOOKS

5985	5986		
			
Finger hook 2 fingers long model	Finger hook 4 fingers long model		
Silver	Silver		
Quantity: 2000 pcs	Quantity: 1000 pcs		

TIE BACK HOOKS

1541-28/24/29	1540-22/24/28/70	14403-28/24/29	
			
Tie back hook height 38 mm / depth 42 mm	Tie back hook height 30 mm / depth 38 mm	Tie back hook small height 38 mm / depth 40 mm	
White (154128) Brass (154124) Silver (154129)	Chrome (1540-22) Brass (1540-24) White (1540-28) Antique (1540-70)	White (1440328) Brass (1440324) Nickel (1440329)	
Quantity: 25 pcs	Quantity: 25 pcs	Quantity: 25 pcs	



EYELETS



EYELETS

5524	5532	5540	
			
Eyelet in plastic Ø24 mm	Eyelet in plastic Ø32 mm	Eyelet in plastic Ø40 mm	
Transp. colours Metallic colours Lacquer colours Quantity: 50 pcs	Transp. colours Metallic colours Lacquer colours Quantity: 50 pcs	Transp. colours Metallic colours Lacquer colours Quantity: 50 pcs	

VARIOUS COLOURS AVAILABLE. PLEASE INQUIRE.



UNIVERSAL ACCESSORIES

Through our design principle - *refuse, reduce, rethink* - we seek to create greater cohesion in our range and thereby reduce the number of necessary warehouse units. Therefore, you can use accessories such as brackets, ceiling supports, gliders etc. for several of our curtain tracks.



L-BRACKETS



560 BRACKETS

560-03	560-05	560-07	560-09
			
L-Bracket 3 cm 40 x 37 mm <i>Oval slot for mounting</i>	L-Bracket 5 cm 40 x 47 mm <i>Oval slot for mounting</i>	L-Bracket 7 cm 40 x 67 mm <i>Oval slot for mounting</i>	L-Bracket 9 cm 40 x 87 mm <i>Oval slot for mounting</i>
White Silver Quantity: 25 pcs	White Silver Quantity: 25 pcs	White Silver Gold Black Quantity: 25 pcs	White Silver Black Quantity: 25 pcs

560 BRACKETS

560-12	560-14	560-16	560-19
			
L-Bracket 12 cm 40 x 117 mm <i>Oval slot for mounting</i>	L-Bracket 14 cm 40 x 137 mm <i>Oval slot for mounting</i>	L-Bracket 16 cm 40 x 157 mm <i>Oval slot for mounting</i>	L-Bracket 19 cm 40 x 187 mm <i>Oval slot for mounting</i>
White Silver Black Quantity: 25 pcs	White Silver Quantity: 25 pcs	White Silver Quantity: 25 pcs	White Silver Black Quantity: 25 pcs


560 BRACKETS

560-24	560-D		
			
L-Bracket 24 cm 40 x 237 mm <i>Oval slot for mounting</i>	Cover for 560 L-brackets 13 cm <i>Adjustable size</i>		
White Silver Quantity: 25 pcs	White, Grey Gold, Anthracite, Off white, Black, Brown, Coastal Blue, Green Leaf Quantity: 50 pcs		



580 BRACKETS

580-05	580-10	580-15	580-20
			
L-Bracket 5 cm 53 x 50 mm <i>Long base with key hole</i>	L-Bracket 10 cm 53 x 100 mm <i>Long base with key hole</i>	L-Bracket 15 cm 53 x 150 mm <i>Long base with key hole</i>	L-Bracket 20 cm 53 x 200 mm <i>Long base with key hole</i>
White	White	White	White
Quantity: 25 pcs	Quantity: 25 pcs	Quantity: 25 pcs	Quantity: 25 pcs

580 BRACKETS


580-25			
			
L-Bracket 25 cm 53 x 250 mm <i>Long base with key hole</i>			
White			
Quantity: 25 pcs			

EXTENDERS

6080	6180		
			
8,5 cm extender for 560-X & 580-X brackets, as well as for parallel mounting of tracks	12 cm extender for 560-X & 580-X brackets, as well as for parallel mounting of tracks		
Hvid 29,00 Sølv 25,00 pr. stk.	Hvid 36,00 Sølv 32,00 pr. stk.		
Quantity: 10 pcs	Quantity: 10 pcs		



CEILING SUPPORTS



CEILING SUPPORTS

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
		RECOMMENDED FOR AP 5001	
	5022/020	20 cm ceiling support w/ 8 mm tube	White Silver (ano.) Black
	5022/040	40 cm ceiling support w/ 8 mm tube	
	5022/060	60 cm ceiling support w/ 8 mm tube	
	5022/080	80 cm ceiling support w/ 8 mm tube	
	5022/100	100 cm ceiling support w/ 8 mm tube	
	5022/125	125 cm ceiling support w/ 8 mm tube	
	5022/150	150 cm ceiling support w/ 8 mm tube	
	5022/175	175 cm ceiling support w/ 8 mm tube	
	5022/200	200 cm ceiling support w/ 8 mm tube	
		Minimum height 9 cm	

CEILING SUPPORTS

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
		RECOMMENDED FOR AP 9001	
	5023/020	20 cm ceiling support w/ 8 mm tube	White Silver (ano.) Black
	5023/040	40 cm ceiling support w/ 8 mm tube	
	5023/060	60 cm ceiling support w/ 8 mm tube	
	5023/080	80 cm ceiling support w/ 8 mm tube	
	5023/100	100 cm ceiling support w/ 8 mm tube	
	5023/125	125 cm ceiling support w/ 8 mm tube	
	5023/150	150 cm ceiling support w/ 8 mm tube	
	5023/175	175 cm ceiling support w/ 8 mm tube	
	5023/200	200 cm ceiling support w/ 8 mm tube	
		Minimum height 9 cm	

CEILING SUPPORTS

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
		RECOMMENDED FOR AP 2001, 2005 & 2500	
	510/020	20 cm ceiling support w/ 8 mm tube	White Silver (ano.) Black
	510/040	40 cm ceiling support w/ 8 mm tube	
	510/060	60 cm ceiling support w/ 8 mm tube	
	510/080	80 cm ceiling support w/ 8 mm tube	
	510/100	100 cm ceiling support w/ 8 mm tube	
	510/120	120 cm ceiling support w/ 8 mm tube	
	510/140	140 cm ceiling support w/ 8 mm tube	
	510/160	160 cm ceiling support w/ 8 mm tube	
		Minimum height 9 cm	

CEILING SUPPORTS

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
		RECOMMENDED FOR AP 5001 & 9001	
	5021/020	20 cm ceiling support w/ 16 mm tube	
	5021/040	40 cm ceiling support w/ 16 mm tube	
	5021/060	60 cm ceiling support w/ 16 mm tube	
	5021/080	80 cm ceiling support w/ 16 mm tube	White
	5021/100	100 cm ceiling support w/ 16 mm tube	Silver (ano.)
	5021/125	125 cm ceiling support w/ 16 mm tube	Black
	5021/150	150 cm ceiling support w/ 16 mm tube	
	5021/175	175 cm ceiling support w/ 16 mm tube	
	5021/200	200 cm ceiling support w/ 16 mm tube	
		<i>Minimum height 16 cm</i>	

CEILING SUPPORTS

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
	511-060	60 cm ceiling support in plastic	White
	511-100	100 cm ceiling support in plastic	Grey
		<i>Minimum height 6 cm</i>	

CEILING SUPPORTS

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
		RECOMMENDED FOR AP 5001	
	5020/40	40 cm V-ceiling support w/ 8 mm tube	
	5020/60	60 cm V-ceiling support w/ 8 mm tube	
	5020/80	80 cm V-ceiling support w/ 8 mm tube	
	5020/100	100 cm V-ceiling support w/ 8 mm tube	White
	5020/120	120 cm V-ceiling support w/ 8 mm tube	Silver (ano.)
	5020/140	140 cm V-ceiling support w/ 8 mm tube	
	5020/200	100 cm V-ceiling support w/ 8 mm tube	
		<i>Minimum height 25 cm</i>	


TOP & BOTTOM PARTS

F4042	F4045/L113	L102	L110
			
Top part 9,5 cm for 16 mm tube	Bottom part 5,5 cm for 16 mm tube	Top part 8 cm for 8 mm tube	Top part 5 cm for 8 mm plastic tube
White Silver (ano.) Black Quantity: 1 pc	White Silver (ano.) Black Quantity: 1 pc	White Silver (ano.) Black Quantity: 1 pc	White Silver (ano.) Quantity: 1 pc


ALUMINIUM TUBES

F4043	L100		
			
16 mm alu tube in lengths of 5 metres	8 mm alu tube in lengths of 6 metres		
White Silver Black Quantity: 1 pc	White Silver Black Quantity: 1 pc		

WIREOPHÆNG

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
		RECOMMENDED FOR AP 5001 & AP 9001	
	5024/2	200 cm adjustable wire suspension	Silver
	5024/5	500 cm adjustable wire suspension	
		RECOMMENDED FOR AP 1905 SUPERELLIPSE®	
	5024/2 PH	200 cm adjustable wire suspension	Silver
	5024/5 PH	500 cm adjustable wire suspension	
		Adjustable in height by cutting the wire or hiding it inside the mounting track.	

DRAW RODS




DRAW RODS, ACRYLIC

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
	1277	50 cm draw rod, acrylic	Transparent
	1278	75 cm draw rod, acrylic	
	1279	100 cm draw rod, acrylic	
	1282	125 cm draw rod, acrylic	
	1285	150 cm draw rod, acrylic	
	1288	200 cm draw rod, acrylic	
	Quantity: 50 pcs		

DRAW RODS, PLASTIC COVERED STEEL

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
	1274	50 cm draw rod, steel with plastic cover	White Black
	1275	75 cm draw rod, steel with plastic cover	
	1276	100 cm draw rod, steel with plastic cover	
	1280	125 cm draw rod, steel with plastic cover	
	1281	150 cm draw rod, steel with plastic cover	
	1284	175 cm draw rod, steel with plastic cover	
	1283	200 cm draw rod, steel with plastic cover	
	1273	250 cm draw rod, steel with plastic cover	
Quantity: 25 pcs			

DRAW RODS, ALUMINIUM

ILLUSTRATION	ART.	DESCRIPTION	COLOUR
	1384	75 cm premium draw rod, aluminium	Silver (ano.)
	1385	100 cm premium draw rod, aluminium	
	1386	125 cm premium draw rod, aluminium	
	1387	150 cm premium draw rod, aluminium	
	1388	75 cm premium draw rod, aluminium	White
	1389	100 cm premium draw rod, aluminium	
	1390	125 cm premium draw rod, aluminium	
	1391	150 cm premium draw rod, aluminium	
	1392	75 cm premium draw rod, aluminium	Black
	1393	100 cm premium draw rod, aluminium	
	1394	125 cm premium draw rod, aluminium	
	1395	150 cm premium draw rod, aluminium	
Quantity: 25 pcs			

GLIDERS



REGULAR GLIDERS (NARROW TRACK - 4 MM)

4050S	4050	4051	4057
 			
Special low-friction glider in recycled nylon with silicone <i>String of 20 pcs for easy insert</i>	Special low-friction glider in nylon with silicone <i>String of 20 pcs for easy insert</i>	Glider with reverse eyelet	Twin glider for drapery rod or curtain hook
Powder White Black Coastal Blue Green Leaf Quantity: 1000 pcs	White Grey Black Gold Brown Quantity: 1000 pcs	White Quantity: 1000 pcs	White Quantity: 2000 pcs



REGULAR GLIDERS (NARROW TRACK - 4 MM)

4055	4069	4048	
			
Sew-in glider	Click glider in nylon <i>Not to be used as primary glider but great as extra glider</i>	Glider in PE <i>Only for stationary, lightweight curtains</i>	
Transparent Quantity: 1000 pcs	White Quantity: 1000 pcs	White Quantity: 1000 pcs	

REGULAR GLIDERS (WIDE TRACK - 6 MM)

5738	1307	5734	5739K
			
Glider in nylon <i>String of 10 pcs for easy insert</i>	Heavy duty glider (16,6 x 27,7 mm)	Heavy duty glider (13,8 x 28,7 mm)	Glider with hook
White Black Gold Quantity: 2000 pcs	White Quantity: 100 pcs	White Black Quantity: 100 pcs	White Black Quantity: 100 pcs





REGULAR GLIDERS (FOR WIDE TRACK - 6 MM)

5721	5722	5737	5728
			
Tee-glider medium duty <i>String of 10 pcs for easy insert</i>	Tee-glider heavy duty <i>String of 10 pcs for easy insert</i>	Click glider in PE <i>String of 20 pcs for easy insert</i> <i>Not to be used as primary glider</i>	Click glider in nylon <i>String of 10 pcs for easy insert</i> <i>Not to be used as primary glider</i>
White Quantity: 100 pcs	White Quantity: 100 pcs	Transparent Quantity: 1000 pcs	White Quantity: 100 pcs



REGULAR GLIDERS (FOR WIDE TRACK - 6 MM)

5740	6125		
			
Glider with curtain hook	Twin glider		
White Quantity: 100 pcs	White Quantity: 500 pcs		


ROLLER GLIDERS

6025	8626	1417	8020
			
Roller glider with plastic wheel <i>String of 10 pcs for easy insert</i>	Roller glider	Roller glider with ball bearings and rubber wheel	Roller glider with ball bearings and rubber wheel
White Black Quantity: 100 pcs	White Black Quantity: 100 pcs	White Black Quantity: 10 pcs	White Beige Grey Black Quantity: 75 pcs


ROLLER GLIDERS

8021	NEW 6038		
			
Roller glider with metal wheel and eyelet	Roller glider 10 mm wheel, metal eyelet		
White Black Quantity: 100 pcs	White Black Quantity: 100 pcs		

BACK TRACK GLIDERS

4027			
			
Back track glider <i>For reverse mounting</i> <i>(with glide track facing upwards)</i>			
White Quantity: 100 pcs			

WAVE GLIDERS




WAVE GLIDERS (NARROW TRACK - 4 MM)

4041	4042	14067	14072
			
Wave glider 6 cm distance	Wave glider 8 cm distance	Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance
White Black Length: 25/160 m	White Black Length: 25/180 m	White Length: 50 m	White Length: 50 m

WAVE GLIDERS (WIDE TRACK - 6 MM)

5730	5735	14051	14058
			
Wave glider 6 cm distance	Waveglider 8 cm distance	Wave glider with swivel head 6 cm distance	Wave glider with swivel head 8 cm distance
White Black Length: 25/70 m	White Black Length: 25/90 m	White Length: 50 m	White Black Length: 50/100 m

WAVE GLIDERS (WIDE TRACK - 6 MM)

14059	1050224		
			
Low wave glider with swivel head 8 cm distance	Low wave glider 8 cm distance		
White Length: 50 m	White (1050224) Black (1050224 S) Length: 50 m		

Please note that wave gliders are only sold in full rolls

WAVE GLIDERS (WIDE TRACK - 6 MM)

8020W	8021W	8625	8627
			
Wave roller glider with ball bearings 8 cm distance	Wave roller glider with metal wheel and eyelet 8 cm distance	Wave roller glider 8 cm distance	Wave roller glider 6 cm distance
White Beige Grey Black Length: 40 m	White Black Length: 40 m	White Black Length: 40 m	White Black Length: 30 m

WAVE GLIDERS (WIDE TRACK - 6 MM)

6035	6036	6037	
			
Wave roller glider 12 mm wheel, metal eyelet 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 8 cm distance	Wave roller glider 10 mm wheel, metal eyelet 6 cm distance	
White Length: 40 m	White Black Length: 40 m	White Length: 30 m	



CHILD SAFETY



CLEATS

1454/2	1454	3022	3015CS
			
Cord cleat 2 pcs i a bag incl. safety warning	Cord cleat <i>Mount 2 pcs on wall, min. 10 cm distance, min. 150 cm above floor</i>	Bottom lift trigger for cord <i>delivered in 3 parts</i>	Sew-in lift hook for cord Child safety standard 6 kg
Transparent	Transparent	Klar	White
Quantity: 100 pcs	Quantity: 100 pcs	21,00 pr. stk. 100 stk pr. forpakning	Quantity: 100 pcs

CORD LOCKS

1518	1522	1523	1525
			
Adjustable cord lock break away at a pull of 6 kg <i>Great on the back of roman blinds</i>	Adjustable, patented cord lock w/ hook and break away by pull of 6 kg (for 1,0 mm cord)	Adjustable, patented cord lock w/ hook and break away by pull of 6 kg (for 1,2 mm cord)	Break away with hook and eyelet
Transparent	Transparent	Transparent	Transparent
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs

SAFETY HOOKS

CONNECTORS

SAFETY WARNINGS

1028	3909	3021	1520 / 1521
			
Safety hook (small) <i>Fastens cord or chain tight against the wall</i>	Safety hook (large) <i>Fastens cord or chain tight against the wall</i>	Chain connector Break away by pull of 3.7 kg	Safety warning white / orange
Transparent	Transparent	White	
Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 100 pcs	Quantity: 200 pcs

Our child safety accessories comply with the European standard EN 13120 for indoor window treatments, which are installed in places where children between 0 and 42 months are present.



INFORMATION FOR RETAILERS

At Stilling, we greatly appreciate our many business partners at home and abroad. We want happy customers and take pride in providing the very best service.



GUIDING MAXIMUM LOAD TABLE

PROFILE		1 metre	2 metre	3 metre	4 metre	5 metre	6 metre
AP 0520 / 0521	Hand drawn	3	4	5	6	7	9
AP 0589	Hand drawn	3	4,5	6,5	8	9	10
AP 0689	Hand drawn	5	6,5	8	9,5	11	12,5
AP 1005	Hand drawn	2,5	4	5	6,5	7,5	8,5
AP 1100 / 1121	Hand drawn	4,5	6,5	9	11,5	13,5	15
AP 1170	Hand drawn	4,5	6,5	9	11,5	13,5	15
AP 1200	Hand drawn	6	7,5	9	10,5	12	13,5
AP 1400	Cord drawn	10	15	20	26	32	40
AP 1500	Hand drawn	4,5	6,5	9	11,5	13,5	15
AP 1600	Cord drawn	4,5	6	7,5	9	10,5	12
AP 1905	Hand drawn	10	12	15	18	21	25
AP 2001	Hand drawn	3,5	4	4,5	5	6,5	8
AP 2002	Hand drawn	1,5	2	2,5	3	3,5	4
AP 2005	Hand drawn	5,5	7	8,5	10	11,5	13

GUIDING MAXIMUM LOAD TABLE

PROFILE		1 metre	2 metre	3 metre	4 metre	5 metre	6 metre
AP 2300	Hand drawn	4	5,5	7	8,5	10	11,5
AP 2500	Hand drawn	7	8,5	10	11,5	13	14,5
AP 5001	Hand drawn	10	12	14	16,5	19	22
AP 5400	Hand drawn	6	7	8,5	10	11,5	13
AP 5400	Cord drawn	6	7	8,5	10	11,5	13
AP 5408 (-14)	Hand drawn	6	7	8,5	10	11,5	13
AP 8061	Hand drawn	4	5,5	7	8	9	10
AP 8062 (-60)	Hand drawn	4	5,5	7	8	9	10
AP 8063	Hand drawn	6	7	9,5	11	13	15
AP 8065	Hand drawn	4	5,5	7	8	9	10
AP 9001	Hand drawn	9	10,5	12	13,5	15	16,5
AP 9001	Cord drawn	7	8,5	10	11,5	13	14,5
GLYDEA	Motor	Up to 90 kg - Check max. load of motor					
GLYDEA	Hand drawn	10	12	15	18	21	25

GUIDING MAX. LOAD TABLE

All Stilling curtain tracks have a maximum limit when it comes to how many kilos of curtain fabric they can carry. To illustrate this, we have created a "max. load" table. Ask your fabric supplier how much the chosen fabric weighs.

If the fabric weighs more than the curtain track is designed to carry, Stilling cannot guarantee functionality and longevity.

PLEASE NOTE

If a curtain track is produced with bending or milling, the recommended max. load is halved. For example, the AP 0589 profile can carry 10 kg on a 6 metre track, but only 5 kg if it has been curved.

DISCLAIMER


All max. load indications are guiding, as there are many factors that influence how heavy the curtain can be. What type of gliders are used? Is the track mounted in the ceiling or on the wall and on which surface? Which screws and how many brackets are used? Always be aware of these factors when choosing curtain tracks and ask us if you have any doubts.



HEIGHT CHART (NARROW TRACK)

The total height of our curtain tracks is depending on which bracket and gliders is used. Below is a table showing the total height from the top of the track to the top of the glider loop where the hook is placed.

Please note that the overview is guiding and we make no guarantee in relation to tolerance differences between batches.



Height is shown in millimetres (mm).

PROFILE	AP 1005	AP 2001	AP 2002	AP 2005
REGULAR GLIDERS				
4027	23	33	33	33
4048	22	32	32	32
4050	23	33	33	33
4050S	23	33	33	33
4051	23	33	33	33
4057	23	33	33	33
4069	23	33	33	33
WAVE GLIDERS				
4041	23	33	33	33
4042	23	33	33	33
14067	25	35	35	35
14072	25	35	35	35

HEIGHT CHART (WIDE TRACK)


Height is shown in millimetres (mm).

PROFIL	AP 0520	AP 0589	AP 0689	AP 1100	AP 1170	AP 1200	AP 1400	AP 1500	AP 1600	AP 2500
REGULAR GLIDERS										
5738	20	20	27	24	24	24	-	22	23	36
1307	29	-	35	33	33	33	-	31	-	45
5734	29	-	35	33	33	33	-	31	-	46
5739K	43	43	50	47	47	47	-	45	48	59
5721	20	20	25	24	24	24	-	22	23	36
5722	28	-	33	32	32	32	-	30	31	44
5737	18	18	25	22	22	22	-	20	21	34
5728	19	19	26	23	23	23	-	21	22	35
6025	-	-	27	27	27	27	-	24	-	38
6038	-	-	31	26	26	26	-	-	-	39
5740	28	28	35	32	32	32	-	30	31	44
5025	32	32	39	36	36	36	-	34	35	48
6125	18	18	25	22	22	22	-	20	21	34
8020	-	-	-	-	-	-	-	-	-	-
8021	-	-	-	-	-	-	-	-	-	-
1417	-	-	-	-	-	-	42,5	-	-	-
WAVE GLIDERS										
5730	17	-	25	21	21	21	-	19	-	33
5735	17	-	25	21	21	26	-	19	-	33
6035	-	-	31	26	26	26	-	-	-	39
6036	23	-	31	26	26	26	-	24	-	39
14058	19	-	27	23	23	23	-	21	24	35
14059	19	19	27	23	23	23	-	21	24	35
14051	19	-	27	23	23	23	-	21	24	35
1050224	18	19	26	22	22	22	-	20	23	34
8020W	-	-	-	-	-	-	-	-	-	-
8021W	-	-	-	-	-	-	-	-	-	-
8625	-	-	-	-	-	-	-	-	-	-
8627	-	-	-	-	-	-	-	-	-	-



HEIGHT CHART (WIDE TRACK)

Height is shown in millimetres (mm).




AP 5001	AP 5408	AP 5408-14	AP 8061	AP 8062	AP 8063	AP 8065	AP 9001	GLYDEA	PIET HEIN
REGULAR GLIDERS									
43	19	20	18	17	23	17	35	34	38
52	28	29	-	-	32	-	44	43	47
53	28	29	-	-	32	-	44	43	47
66	42	43	41	40	46	40	48	57	61
43	19	20	18	17	23	-	35	34	38
51	27	28	26	25	31	25	43	42	46
41	17	18	16	15	21	15	33	32	36
42	18	19	17	16	22	16	34	33	37
45	-	-	-	-	25	-	37	36	40
45	-	-	-	-	-	-	-	36	42
51	27	28	26	25	31	-	43	42	46
55	31	32	30	29	35	-	47	46	50
41	17	18	16	15	21	-	33	32	36
-	-	-	-	-	-	-	-	35	39
-	-	-	-	-	-	-	-	44	48
-	-	-	-	-	-	-	-	-	-
WAVE GLIDERS									
39	16	17	-	-	20	-	32	30	36
39	16	17	-	-	20	-	32	30	36
45	-	-	-	-	-	-	-	36	42
45	-	-	-	-	26	-	38	36	42
41	-	-	-	-	22	-	34	32	38
41	17	18	16	16	21	15	33	31	37
41	-	-	-	-	22	-	34	32	38
40	17	18	16	16	21	15	33	31	37
-	-	-	-	-	-	-	-	35	39
-	-	-	-	-	-	-	-	44	48
-	-	-	-	-	-	-	-	47	51
-	-	-	-	-	-	-	-	47	51



MARKETING MATERIALS

TABLE DISPLAY (CONSUMER)	TABLE DISPLAY (PROJECTS)	PIET HEIN DISPLAY
		
Stilling® table display with a selection of popular curtain tracks selected for consumers	Stilling® table display with a selection of popular curtain tracks selected for projects	Exhibition display for AP 1905 Piet Hein Superellipse® curtain track
F26 Price on request	F36 Price on request	F19 Price on request

ZENITH™ DISPLAY	AP 2005 S SAMPLE BAG	MIX AND MATCH SAMPLE BAG
		
Exhibition display for ZENITH™ venetian blind Contains all colour samples	Sample bag containing all collection colours of the AP 2005 S curtain track	Mix and match sample bag for showing a selection of your Stilling® assortment
F49 Price on request	F136 Price on request	F134P Price on request

2023/2024 LOOKBOOK	LOGO SIGNS	SHOWROOM SAMPLES
		
Our 2023/2024 lookbook with inspiration for selecting curtain tracks	Stilling® logo signs	Showroom samples with special discounts
F15 Price on request	20 x 10 cm (F38A) 30 x 20 cm (F38B) 50 x 30 cm (F38C) 70 x 50 cm (F38D) 90 x 70 cm (F38E) 10 x 10 cm (F38F) Price on request	Price on request



CUSTOM LACQUERING

Virtually all of our aluminium profiles can be custom painted in a large selection of colours.

POWDER COATING

Powder coating is the most durable form of coating we offer. The powder coating is electrostatically charged so that the track attracts the powder.

With powder coating, we paint the tracks before bending and curving, as the paint lends itself well to shaping. Choose from all standard RAL colours.

For powder coating, we charge for min. 6 metres profile.

WET LACQUERING

Wet painting is a more budget friendly form of painting than powder coating. We use a special coating which ensures both durability and gliding properties.

With wet painting, we lacquer the tracks after they have been bent or milled. Choose from all standard RAL & standard NCS colours.

For wet painting, we charge for min. 6 metres profile.

BENDING INLAYS

Art. Nr.	For profile:	Lengths	Please note
1013	AP 0520	40, 100 & 200 cm	
1014	AP 2001, AP 2002, AP 2668, AP 2690, AP 2694	40, 100 & 200 cm	
1020	AP 2500	40, 100 & 200 cm	
1021	AP 1100	40, 100 & 200 cm	
1022	AP 1005, AP 2005	40, 100 & 200 cm	
1026	AP 1300	40, 100 & 200 cm	
1027	AP 0589	40, 100 & 200 cm	
1027 B	AP 0589 back track	40, 100 & 200 cm	
1029	AP 0689	40, 100 & 200 cm	Set of 2
1055	AP 5001	40, 100 & 200 cm	
1202	AP 1200, AP 1500	40, 100 & 200 cm	
1202 B	AP 1200	40, 100 & 200 cm	Use 1 pc 1202 and 1 pc 1202 B for bending
1202 V	AP 1200	40, 100 & 200 cm	Use 1 pc 1202 and 1 pc 1202 B for milling
1655	AP 1600	40, 100 & 200 cm	
2055	Profiles with back track	40, 100 & 200 cm	Suitable for all back track profiles, eg. AP 2005
9040/2	AP 9001	200 cm	Set of 3
9040/3	AP 9001	300 cm	Set of 3
178155	AP 1781379 GLYDEA		Set of 4

BENDING TOOLS

Art. Nr.	Fit for profile
1016	AP 0520, AP 2001, AP 2002, AP 2500, AP 5001
1018	AP 0589, AP 0689
1092	AP 2005, AP 1005



BENDING INLAYS



Art. 1013
Bending inlay
for AP 0520



Art. 1014 / Art. 2055
Bending inlay
for AP 2001, 2002



Art. 1014 / Art. 2055
Bending inlay
for AP 2668, 2690, 2694



Art. 1020 / Art. 2055
Bending inlay
for AP 2500



Art. 1021
Bending inlay
for AP 1100



Art. 1022
Bending inlay
for AP 1005



Art. 1022 / Art. 2055
Bending inlay
for AP 2005



Art. 1027 / B
Bending inlay
for AP 0589



Art. 1029
Bending inlay
for AP 0689



Art. 1055
Bending inlay
for AP 5001



Art. 1202 / B / V
Bending inlay
for AP 1200



Art. 1655
Bending inlay
for AP 1600



Art. 2055
Bending inlay
for profiles with back tracks



Art. 9040
Bending inlay
for AP 9001



Art. 178155
Bending inlay
for AP 1781379 Glydea







CONTACT US

CUSTOMER SERVICE
General inquiries
customerservice@stilling.dk

NIELS BREMER
Sales Director
nb@stilling.dk

ANDERS RAVN
Key Account Manager
ar@stilling.dk

MADS DORNFELDT
Key Account Manager
md@stilling.dk

INDEX

Art. No.	Placement		
510/XX	247		
511-XX	248		
520	20		
520S	20		
521	20		
560-D	243		
560-X	243		
580-X	244		
587	20		
589	26		
591	158	179	
592	158	179	
593	26		
594	26		
0594P	26		
595	27		
689S	32		
693	32		
694	32		
695	34		
697	32		
1013	274		
1014	274		
1016	274		
1018	274		
1020	274		
1021	274		
1022	274		
1026	274		
1027	274		
1027 B	274		
1028	261		
1029	274		
1030	38		
1034	38		
1040	38		
1055	274		
1090	40		
1092	274		
1100	44		
1100S	44		
1101	44		
1104	44	50	70
1105	46	52	72
1106	22		
1107	44	50	70
1110	46	52	72

1111	46	52	
1114	44	50	
1121	44		
1170S	50		
1200S	56		
1201			
1202	274		
1202 B	274		
1202 V	274		
1231	219		
1273	251		
1274	251		
1275	251		
1276	251		
1277	251		
1278	251		
1279	251		
1280	251		
1281	251		
1282	251		
1283	251		
1284	251		
1285	251		
1288	251		
1304	56		
1307	253		
1310	58		
1384	251		
1385	251		
1386	251		
1387	251		
1388	251		
1389	251		
1390	251		
1391	251		
1392	251		
1393	251		
1394	251		
1395	251		
1400	62		
1410	62		
1411	227		
1412	63		
1413	63		
1415	62		
1416	63		
1417	254		
1418	62		

1454	261		
1454/2	261		
1500	66		
1518/100	261		
1520	261		
1521	261		
1522	261		
1523	261		
1525	261		
1540-XX	236		
1541-XX	236		
1561	224		
1562	224		
1564	224		
1565	224		
1566	224		
1568	224		
1580	224		
1581	224		
1582	224		
1590	23	46	67
1591	23	46	67
1592	23	46	67
1600	70		
1601	70		
1602	71		
1603/L	72		
1603/R	72		
1604	71		
1605	44	50	70
1606	70		
1607	44	50	70
1655	274		
1906	76		
1907	76		
1908	76		
1911	76		
1915	78		
1944	52	78	
1990	78		
2001	82		
2001S	82		
2002	90		
2005S	94		
2012	225		
2013	225		
2014	225		
2015	225		

2021	82	91	94
2021R	83	90	95
2022	82	91	94
2023	83	94	100
2024	83	94	100
2025	83	95	101
2026	83	95	101
2027	82	91	94
2027R	83	90	95
2028	83	95	101
2029R	86	91	97
2055	274		
2300	100		
2500S	106		
2550	107		
2551	84	96	
2562	106		
2568	235		
2569	235		
2571	235		
2572	235		
2573	235		
2574	235		
2575	235		
2578	235		
2612	172		
2663	164		
2668S	164		
2689	168		
2690S	172		
2694S	168		
2981	228	232	
2983	196	202	228
2984	196	202	228
2989	23	216	232
2990	217	232	
2991/3	195	202	209
2991/6	195	202	209
2995	195	201	209
2997	195	201	209
3000/3 D	195	201	
3000/6 D	195	201	
3003	227		
3005	227		
3006/5	227		
3006/10	227		
3006/200	227		
3007	227		

INDEX

3009	91		
3012	91		
3012M	91		
3013	196	202	
3015	196	202	
3015CS	261		
3021	261		
3022	261		
3907	223	228	
3908	223		
3909	261		
4013	196	202	
4026	109		
4027	255		
4030	83	90	95
4033	84	96	102
4034	83	90	95
4034S	83	91	95
4038	86	97	102
4039	86	97	102
4040	83	95	101
4040S	83	95	101
4041	257		
4042	257		
4043	84	95	101
4044	84	96	101
4045	84	96	102
4046	84	95	101
4047	84	112	
4048	253		
4050	253		
4050S	253		
4051	253		
4055	253		
4057	253		
4060	40	85	97
4061	82		
4063	90		
4065	82		
4066	100		
4068	38		
4069	253		
4071	235		
4072	235		
4076	82		
4077	94		
4080	84	91	96
4081	82		

4087S	94		
4400	195	202	
4707	223		
4758	223		
4760	223		
4761	223		
5001S	112	118	
5002	114		
5006	112	151	
5010	112	151	
5010ST	118		
5014	114		
5015	114		
5016	67	114	
5017	112		
5017ST	118		
5020	119		
5020/XX	248		
5021/XX	248		
5022/XX	247		
5023/XX	247		
5024/X	249		
5024/X PH	249		
5040	112	118	
5041	112	118	
5044	216		
5110	112	151	
5140	113		
5142	113		
5143	113		
5321	217		
5322	217		
5325	216		
5326	216		
5328	215		
5329	215		
5333	216		
5350	217		
5402	214		
5403	214		
5404	214		
5405	214		
5408S	122		
5408-2	123	127	
5408-3	123	127	
5408-4	122		
5408-14	126		
5409	214		

5410	214		
5411	214		
5412	214		
5413	214		
5414	214		
5415	214		
5416	216		
5417	216		
5418	215		
5419	215		
5420	215		
5421	215		
5422	216		
5423	216		
5424	216		
5425	215		
5426	215		
5428	215		
5430	217		
5431	217		
5432	215		
5433	215		
5524	239		
5532	239		
5540	239		
5590	223	228	
5591	223	228	
5592	223	228	
5721	254		
5722	254		
5728	254		
5730	257		
5734	253		
5735	257		
5737	254		
5738	253		
5738ST	119		
5739K	253		
5740	254		
5741	130	142	
5743	20		
5744	22	27	34
5749	224		
5764	219		
5766	219		
5767	219		
5781	219		
5783	219		

5784	219		
5801	235		
5914	219		
5915	219		
5917	219		
5923	219		
5939	112		
5981	236		
5982	236		
5983	236		
5984	236		
5985	236		
5986	236		
6004	227		
6025	254		
6026	22		
6035	258		
6036	258		
6037	258		
6038	255		
6040	84	102	
6041	84	91	102
6042	84	91	102
6043	96		
6044	96		
6045	96		
6046	84	96	102
6080	244		
6089	86	97	102
6090	86		
6095	67	115	
6097	67	115	
6122	22		
6123	23		
6124	71	217	
6125	254		
6126	216		
6180	244		
7023	53	79	
7030	53	79	
7036	53	79	
7040	53	79	
7050	53	79	
7051	53	79	
7052	53	79	
7054	53	79	
7058	53	79	
7901	181		

INDEX

7902	181		
7904	181		
7906	181		
7916	181		
7975	180		
7975BA	180		
7980	180		
7980C	180		
7995	180		
8020	254		
8020W	258		
8021	255		
8021W	258		
8061	130		
8062	134		
8062-60S	138		
8062-62	138		
8063	142		
8065	146		
8066	142		
8067	146		
8069	134		
8625	258		
8626	254		
8627	258		
8628	179		
8630	227		
8687	156		
8947/XX	229		
8900	194		
8901	200		
8903	200		
8905	200		
8906	195		
8907	196	202	
8909	200		
8912	194		
8914	194		
8917	201		
8921	201		
8924	194		
8926	194		
8927	201		
8928	194		
8930	195	201	
8934	200		
8935	195	201	209

8936	200		
8940	195	201	209
8941	233		
8942	233		
8943	233		
8944	233		
8945	233		
8946	233		
8947/XX	229		
8951/XX	229		
8984	194		
8986	194		
8992	209		
8993L	208		
8993R	208		
8994	208		
8995	208		
8996	208		
8998	209		
9001S	150		
9005	153		
9035	151		
9037	151		
9037D	153		
9040/2	274		
9040/3	274		
9432	227		
9434	227		
9578	20		
9578S D	20		
9579	20		
9825	20	107	
9827	22		
9914	223	228	
9939	232		
9940/XX	233		
9944	233		
9946	232		
9947	231		
9947/XX	233		
10038	235		
14051	257		
14058	257		
14059	257		
14067	257		
14072	257		
14403-XX	236		

54020	217		
54021	217		
102200	203		
102301	203		
102400	203		
178155	274		
191707	76		
191712	76		
382010	82	94	100
387810	77	150	
387812	77	150	
389717	150		
672228	150		
679928	150		
1002295	204		
1050224	257		
1106224	224		
1106850	224		
1240227	180		
1240228	180		
1240229	180		
1240230	180		
1240237	180		
1240238	180		
1240239	180		
1240365	180		
1780895	179		
1780897	178		
1780906	156	178	
1780907	156	178	
1780945	178		
1781344	179		
1781379S	156	178	
1781416	179		
1781417	179		
1782084	179		
1782316	158		
1782318	178		
1782789	156	178	
1811009	181	203	
1811011	181	203	
1811020	181		
1811021	181		
1811608	181	203	
1811610	181	203	
1822445	204		
1870136	180	204	


1870404	181	203	
1870420	181	203	
1870594	53	79	205
9019180	204		
9021028	204		
9021217	204		
9025268	180		
9025269	180		
9026927	178		
9026928	179		
9026929	156	178	
9026933	178		
9026936	179		
9026937	179		
9027045	182		
9027179	182		
1005S	38		
F134P	271		
F136	271		
F15	271		
F19	271		
F26	271		
F36	271		
F38X	271		
F4042	249		
F4043	249		
F4045	249		
F4045ST	119		
F49	271		
L100	249		
L102	249		
L110	249		
L113	249		
LW2583	204		
N2000K	100		
N32ST	119		
NS21828	150		

Bending guide


T. 1




T. 2



T. 3




T. 4




T. 5




T. 6




T. 7




T. 8




T. 9




T. 10



T. 11



T. 12



T. 13

Stilling

Stilling A/S
Midtager 9, 2605 Brøndby
+45 4360 0063 | Stilling@Stilling.dk | Stilling.dk