


Product brochure



body fat scale / smart scale
personal scale / baby scale
pet scale / kitchen scale / luggage scale

Guangdong Winburg Technology Co.,Ltd

📍: 1F Factory building, No 1,Yihui Fifth Road , Henglan Town,
Zhongshan City, Guangdong Province, China

☎: 86-760-23781070

☎: 86-760-86749225

💻: www.winburgscale.com

✉: scale@huibaoscale.com



Huibao®



Company Profile

Established in 1995 ,Zhongshan Jibao Electronic Co.,Ltd specializes in developing and manufacturing all kinds of household scales . Jibao moved to a new company “Guangdong Winburg Technology Co.,Ltd “ located in Henglan town, Zhongshan city in 2020.

Our brand “HUIBAO” has gained credibility and good reputation in export markets such as Europe,Japan, North American, and South American.

Our area is 25000-square-meter with about three hundred person. We have seven workshops and eight automatic assembling production lines, which all of our product are in compliance with CE& ROHS, FDA, FCC, LFGB, REACH certificate. About 90% of our accessories are made in-house.

We have our own laboratory with a full set of advanced detecting instrument and high precision adjusting scale equipment. (ESD test; High low temperature testing room; XRF Quick Screening Machine; Life test; Drop test machine;Vibration testing machine; Salt Fog Testing Room; Weight accuracy test; Environmental test; Mechanical intensity test)

With rich experience for OEM/ODM project, which each year is almost fifteen ODM and twenty two OEM with fastest time 30days.

Our mission is to provide unparalleled customer service, excellent satisfaction and establish long-term good relationships. We highly value our customers, which we do provide our best quality and perfect cooperation to them.



CE RoHS FCC EMC POPS REACH



Obtain certification



➤ Introduction

Year of Establishment: 1995

Type of Business: Scales

Factory Location: Zhongshan City,
Guangdong Province

Factory Area: 23,000 sq.M

Monthly Production Capacity:
300,000PCS

Lead Time: 38-45 Days

Design and Development Team: 10

Marketing Team: 8

QC Team: 12

➤ Our Services:

Design: We provide our customer
with latest designs

Sample time: 4-6 Days

Quality Assurance and Control :
AQL:

Maj.2.5 Min.4.0

Logistic: Provides smooth customs
clearance in China and the best
shipping line / air lines to our
customers by sea & air.



6 Electronic Kitchen Scale






EC401

- Capacity:5kg
- 3mm tempered glass
- 54x22mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/lb.oz /ml/fl.oz



♦ Infrared operation instead of traditional buttons




Scale size	145x200x20mm
Color box size	163x32x214mm
Carton size	355x175x233mm
10pcs/ctn	0.015cbm/ctn
N.W.: 4.1kg	G.W.: 5.5kg
20":18300 pcs	40":39030 pcs
HQ:44500 pcs	



EC204

- Max capacity: 5kg
- Division: 1g
- 3mm tempered glass
- 93x22mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/ml/lb,oz
- With timer function (9M,59S)
- With USB chargeable function




Scale size	160x160x20mm
Color box size	186X28X192mm
Carton size	309x198x210mm
10pcs/ctn	0.0128cbm/ctn
N.W.: 3.4kg	G.W.: 5.5kg
20":21010 pcs	40":44140 pcs
HQ:52140 pcs	





EC209


- Capacity:5kg
- 3mm tempered glass
- 53.5X24.3mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/lb.oz/ml/fl.oz



Scale size	167x215x22mm
Color box size	197x31x226mm
Carton size	407X343x246mm
20pcs/ctn	0.034cbm/ctn
N.W.:8.6kg	G.W.: 11.2kg
20":15600 pcs	40":33200 pcs
HQ:39100 pcs	

EC416


- Capacity:5kg
- Stainless steel platform
- ϕ40mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/lb.oz/ml/fl.oz



Scale size	70x235x14mm
Color box size	82x23x246mm
Carton size	353X255x264mm
40pcs/ctn	0.023cbm/ctn
N.W.:5.6kg	G.W.: 7.6kg
20":44160 pcs	40":94000 pcs
HQ:110800 pcs	

EC406


- Capacity:5kg
- Ultra thin stainless steel surface
- 45.6x22mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/lb,oz/ml/fl,oz




Scale size	150x210x11.5mm
Color box size	176X22X238mm
Carton size	296x188x256mm
12pcs/ctn	0.0142cbm/ctn
N.W.: 3.7kg	G.W.: 5.6kg
20":22440 pcs	40":47760 pcs
HQ:56160 pcs	

EC406A

- Capacity:5kg
- 3mm tempered glass
- 45.6x22mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/lb,oz/ml/fl,oz




Scale size	154x214x14mm
Color box size	179x24x242mm
Carton size	321x191x260mm
12pcs/ctn	0.016cbm/ctn
N.W.: 5.0kg	G.W.: 6.9kg
20":20316 pcs	40":42900 pcs
HQ:50460 pcs	





EC223R

- Capacity:5kg
- 4mm tempered glass
- ϕ 44mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	250x265.5x104mm
Color box size	218x70x265mm
Carton size	548x372x235mm
10pcs/ctn	0.048cbm/ctn
N.W.: 5.2kg	G.W.: 7.2kg
20":5630 pcs	40":11890 pcs
HQ:13980 pcs	



EC407

- Capacity:5kg
- Plastic housing
- 47x25mm LCD digital display
- Equipped with 4 high strain gauge sensors
- Units : g/oz/lb,oz/ml/fl,oz




Scale size	160x200x19(25.5)mm
Color box size	187X47X230mm
Carton size	388x255x248mm
10pcs/ctn	0.0245cbm/ctn
N.W.: 3.1kg	G.W.: 4.1kg
20":10800 pcs	40":23060 pcs
HQ:27140 pcs	



EC417

- Capacity:5kg
- Plastic housing with 2.5L large bowl
- 45x16mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/lb,oz/ml/fl,oz




Scale size	213x213x134mm
Color box size	230x104x220mm
Carton size	480x436x238mm
8pcs/ctn	0.05cbm/ctn
N.W.: 3kg	G.W.: 5.0kg
20":4336 pcs	40":9152 pcs
HQ:10760 pcs	





EC205R


- Capacity:3kg
- ABS plastic housing
- 48x18 LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz




Scale size	194x170x123mm
Color box size	200x90x175mm
Carton size	475x365x220mm
10pcs/ctn	0.038cbm/ctn
N.W.:3.3kg	G.W.: 5.0kg
20":6940 pcs	40":14810 pcs
HQ:17430 pcs	

EC213A

- Capacity:5kg
- 3mm tempered glass
- 45.5x23mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/ml/lb,oz/fl,oz




Scale size	145x200x17mm
Color box size	221x55x252mm
Carton size	294x178x242mm
10pcs/ctn	0.013cbm/ctn
N.W.:3.3kg	G.W.: 4.5kg
20":20700 pcs	40":43800 pcs
HQ:52700 pcs	



EC301R


- Capacity:5kg
- ABS Plastic housing
- 48x18.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz



Scale size	250x229x116mm
Color box size	226x72x265mm
Carton size	545x385x245mm
10pcs/ctn	0.05cbm/ctn
N.W.: 5.4kg	G.W.: 7.3kg
20":5150 pcs	40":10990 pcs
HQ:12740 pcs	

EC415

- Capacity:5kg
- 3mm tempered glass
- 45.5x23mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/ml/lb,oz/fl,oz




Scale size	145x200x17mm
Color box size	160x30x212mm
Carton size	323x170x230mm
10pcs/ctn	0.013cbm/ctn
N.W.:3.3kg	G.W.: 4.5kg
20":19560 pcs	40":42260 pcs
HQ:50080 pcs	





EC211

- Capacity:5kg
- 3mm tempered glass
- 45.5x23mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/ml/lb,oz/fl,oz




Scale size	184x184x17mm	
Color box size	201x27x222mm	
Carton size	370x210x222mm	
12pcs/ctn	0.017cbm/ctn	
N.W.: 4.0kg	G.W.: 5.6kg	
20":18480 pcs	40":39420 pcs	HQ:46392 pcs



EC215


- Capacity:10kg
- 3mm tempered glass
- 54.7x25.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/ml



Scale size	224x184x20mm	
Color box size	202x34x238mm	
Carton size	365x215x255mm	
10pcs/ctn	0.02cbm/ctn	
N.W.:6.3kg	G.W.: 8.2kg	
20":13240 pcs	40":27980 pcs	HQ:29000 pcs

EC100

- Capacity:5kg
- Ultra-stable natural bamboo12mm
- 44x26mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/lb'oz/ml/fl,oz




Scale size		317x248x46.5mm
Color box size		351X67x293mm
Carton size		364X291x313mm
6pcs/ctn		0.033cbm/ctn
20":3196 pcs	40":6816 pcs	HQ:8023 pcs






EC219

- Capacity:5kg
- 3mm tempered glass
- 86x53mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/ml/lb,oz/fl,oz




Scale size	200x145x22mm
Color box size	170x30x242mm
Carton size	352x208x260mm
12pcs/ctn	0.019cbm/ctn
N.W.:5.2kg	G.W.: 6.7kg
20":16704 pcs	40":35616 pcs
HQ:41280 pcs	




EC600N

- Capacity:5kg
- 3mm tempered glass
- 60.9x27.3mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : g/oz/lb/ml




Scale size	224x184x18mm
Color box size	202X28X238mm
Carton size	382x215x255mm
12pcs/ctn	0.021cbm/ctn
N.W.:6.4kg	G.W.: 8.2kg
20":15180 pcs	40":32364 pcs
HQ:38100 pcs	





EL10

- Capacity:50kg
- plastic housing
- 36.5x12mm LCD digits
- Equipped with precision strain gauge sensor
- Units : kg/lb/oz/g




Scale size	160x34x48mm
Color box size	49X39X163mm
Carton size	212X209X185mm
20pcs/ctn	0.008cbm/ctn
N.W.: 1.4kg	G.W.: 2.35kg
20":65860 pcs 40":139060 pcs HQ:163460 pcs	



EL11


- Capacity:50kg
- Aluminium alloy
- 36.5X12.2mm LED digital display
- Equipped with precision strain gauge sensor
- Units : kg/lb/oz/g



Scale size	152x32x17.1mm
Color box size	50.6x37x155mm
Carton size	220x197x173mm
20pcs/ctn	0.008cbm/ctn
N.W.: 2.2kg	G.W.: 2.6kg
20":66240 pcs 40":141240 pcs HQ:166240 pcs	

EL18

- Capacity:50kg
- plastic housing
- 27x15mm LCD digits
- Equipped with precision strain gauge sensor
- Units : kg/lb/oz/g



Scale size	110x31x35mm
Color box size	115X39X143mm
Carton size	405x242x160mm
20pcs/ctn	0.017cbm/ctn
N.W.: 1.4kg	G.W.: 2.5kg
20":33140 pcs 40":71420 pcs HQ:84160p pcs	

