


Product brochure



body fat scale / smart scale
personal scale / baby scale
pet scale / kitchen scale / luggage scale

Guangdong Winburg Technology Co.,Ltd

📍: 1F Factory building, No 1,Yihui Fifth Road , Henglan Town,
Zhongshan City, Guangdong Province, China

☎: 86-760-23781070

☎: 86-760-86749225

💻: www.winburgscale.com

✉: scale@huibaoscale.com



Huibao®



Company Profile

Established in 1995 ,Zhongshan Jibao Electronic Co.,Ltd specializes in developing and manufacturing all kinds of household scales . Jibao moved to a new company “Guangdong Winburg Technology Co.,Ltd “ located in Henglan town, Zhongshan city in 2020.

Our brand “HUIBAO” has gained credibility and good reputation in export markets such as Europe,Japan, North American, and South American.

Our area is 25000-square-meter with about three hundred person. We have seven workshops and eight automatic assembling production lines, which all of our product are in compliance with CE& ROHS, FDA, FCC, LFGB, REACH certificate. About 90% of our accessories are made in-house.

We have our own laboratory with a full set of advanced detecting instrument and high precision adjusting scale equipment. (ESD test; High low temperature testing room; XRF Quick Screening Machine; Life test; Drop test machine;Vibration testing machine; Salt Fog Testing Room; Weight accuracy test; Environmental test; Mechanical intensity test)

With rich experience for OEM/ODM project, which each year is almost fifteen ODM and twenty two OEM with fastest time 30days.

Our mission is to provide unparalleled customer service, excellent satisfaction and establish long-term good relationships. We highly value our customers, which we do provide our best quality and perfect cooperation to them.



CE RoHS FCC EMC POPS REACH



Obtain certification



► Introduction

Year of Establishment: 1995

Type of Business: Scales

Factory Location: Zhongshan City,
Guangdong Province

Factory Area: 23,000 sq.M

Monthly Production Capacity:
300,000PCS

Lead Time: 38-45 Days

Design and Development Team: 10

Marketing Team: 8

QC Team: 12

► Our Services:

Design: We provide our customer
with latest designs

Sample time: 4-6 Days

Quality Assurance and Control :

AQL:

Maj.2.5 Min.4.0

Logistic: Provides smooth customs
clearance in China and the best
shipping line / air lines to our
customers by sea & air.




1 Electronic Body Fat Scale






BF615

- Capacity:180kg/396lb/28: 4st
- 5mm tempered glass
- 50.5x24.8mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	268x259x17.5mm
Color box size	285x29x277mm
Carton size	295x205x295mm
6pcs/ctn	0.018cbm/ctn
N.W.: 6.0kg	G.W.: 7.5kg
20":8832 pcs	40":18828 pcs
HQ:19992 pcs	



BF113

- Capacity:180kg/396lb/28: 4st
- 5mm tempered glass
- 80x35.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	302x302x20mm
Color box size	323X31X331mm
Carton size	336x210x351mm
6pcs/ctn	0.023cbm/ctn
N.W.: 7.8kg	G.W.: 10.0kg
20":6360 pcs	40":12930 pcs
HQ:12930 pcs	





BF104

- Capacity:180kg/396lb/28: 4st
- 5mm tempered glass
- 72x27mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	302x302x20mm
Color box size	330x28x322mm
Carton size	342X186X340mm
6pcs/ctn	0.022cbm/ctn
N.W.: 7.8kg	G.W.: 9.8kg
20":7224 pcs	40":15300 pcs
HQ:15300 pcs	





BF321


- Capacity:180kg/396lb/28 : 4st
- Full plastic housing
- 80x35.5 LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	300x300x23.5mm
Color box size	79x64x257mm
Carton size	341x269x342mm
20pcs/ctn	0.031cbm/ctn
N.W.: 6.4kg	G.W.: 8.3kg
20": 17080 pcs	40": 36440 pcs
HQ:4290 pcs	

BF721

- Capacity:180kg/396lb
- 6mm tempered glass
- 96x87mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb



Scale size	310x330x28.5mm
Color box size	364x58x352mm
Carton size	376x368x372mm
6pcs/ctn	0.052cbm/ctn
N.W.:11.5kg	G.W.: 12.8kg
20":3060 pcs	40":6540 pcs
HQ:7680 pcs	



BF617


- Capacity:200kg/440lb/31 : 6st
- 8mm tempered glass
- 95x57mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	380x330x27mm
Color box size	408x60x372mm
Carton size	420x260x390mm
4pcs/ctn	0.043cbm/ctn
N.W.: 11kg	G.W.: 13.2kg
20":2532 pcs	40":5352 pcs
HQ:6292 pcs	

BF619




- Capacity:180kg/396lb/28 : 4st
- 5mm tempered glass
- 72x30.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	302x302x17.5mm
Color box size	330x28x322mm
Carton size	342X195X340mm
6pcs/ctn	0.023cbm/ctn
N.W.: 8.0kg	G.W.: 9.6kg
20":7008 pcs	40":13908 pcs
HQ:13908 pcs	




XL Wide platform 38X33cm
Easy to read with large LCD
Capacity up to 200 kg





BF608

- Capacity:200kg/440lb/31 : 6st
- 6mm tempered glass
- 93.8x55.8mm reversed LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	310x300x26mm
Color box size	346x50x338mm
Carton size	358x320x358mm
6pcs/ctn	0.041cbm/ctn
N.W.: 10.1kg	G.W.:11.8kg
20":3876 pcs	40":8268 pcs
HQ:9720 pcs	



BF824X

- Capacity:180kg/396lb/28 : 4st
- 6mm tempered glass
- 80x35.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	302x302x18.5mm
Color box size	320x28x322mm
Carton size	328x200x340mm
6pcs/ctn	0.0223cbm/ctn
N.W.: 9.6kg	G.W.: 11.6kg
20":7260 pcs	40":12963 pcs
HQ:12963 pcs	




BF119


- Capacity:180kg/396lb/28 : 4st
- 6mm tempered glass
- 73x36mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	302x302x21.5mm
Color box size	320x33x317mm
Carton size	332x223x335mm
6pcs/ctn	0.0248cbm/ctn
N.W.: 11.1kg	G.W.: 13kg
20":6528 pcs	40":10614 pcs
HQ:10614 pcs	




USB Rechargeable
Multi-coloured display for fat
percentage classification






BF713

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 105x36mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	302x302x26mm
Color box size	326x42x320mm
Carton size	340x240x345mm
5pcs/ctn	0.028cbm/ctn
N.W.: 9.0kg	G.W.: 10kg
20":4705 pcs	40":10030 pcs
HQ:11810 pcs	




BF859

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 65.4x34mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	302x302x17mm
Color box size	330x46x360mm
Carton size	345x300x378mm
6pcs/ctn	0.039cbm/ctn
N.W.: 9.5kg	G.W.: 10.8kg
20":4140 pcs	40":8736 pcs
HQ:10272 pcs	



BF858A

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 80x35.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	300x300x35.5mm
Color box size	334x43x324mm
Carton size	346x283x342mm
6pcs/ctn	0.0248cbm/ctn
N.W.: 11.1kg	G.W.: 13kg
20": 4746 pcs	40":9990p pcs
HQ:11910 pcs	






BF518

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- φ65mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	300x300x22.5mm
Color box size	330x36x328mm
Carton size	342x243x346mm
6pcs/ctn	0.029cbm/ctn
N.W.:10.1kg	G.W.: 12kg
20":5526 pcs	40":11784 pcs
HQ:12480 pcs	



BF824A


- Capacity:180kg/396lb/28: 4st
- 5mm tempered glass
- 82.5x37mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	302x302x18mm
Color box size	320x28x322mm
Carton size	328X200X340mm
6pcs/ctn	0.0223cbm/ctn
N.W.: 9.6kg	G.W.: 11.6kg
20":7260 pcs	40":12963 pcs
HQ:12963 pcs	

BF300

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 73x30.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	300x300x25mm
Color box size	322x40x316mm
Carton size	335x182x335mm
4pcs/ctn	0.02cbm/ctn
N.W.: 7.0kg	G.W.: 9.0kg
20":5188 pcs	40":11064 pcs
HQ:11760 pcs	





BF114

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 94x51mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	300x300x25mm
Color box size	378x56x352mm
Carton size	390x245x370mm
4pcs/ctn	0.035cbm/ctn
N.W.: 6.9kg	G.W.: 8.2kg
20":2996 pcs	40":13908 pcs
HQ:7524 pcs	






BF111

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 80x46mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	300x300x18mm
Color box size	315x31x327mm
Carton size	340x330x205mm
6pcs/ctn	0.023cbm/ctn
N.W.: 9.3kg	G.W.: 11.3kg
20":6912 pcs	40":12600 pcs
HQ:12600 pcs	



BF117

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 91x52mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	300x300x18.5mm
Color box size	330x28x322mm
Carton size	342x130x340mm
4pcs/ctn	0.015cbm/ctn
N.W.: 6.5kg	G.W.: 7.26kg
20":7144 pcs	40":13600 pcs
HQ:13600 pcs	





BF708A

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 194.3x42mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	345x300x24mm	
Color box size	368x40x319mm	
Carton size	380x268x338mm	
6pcs/ctn	0.034cbm/ctn	
N.W.: 11.1kg	G.W.: 12.5kg	
20":4614 pcs	40":9846 pcs	HQ:11586 pcs





BF858

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 80x35.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	300x300x23.5mm	
Color box size	334x43x327mm	
Carton size	346x283x345mm	
6pcs/ctn	0.033cbm/ctn	
N.W.: 11.1kg	G.W.: 13kg	
20": 4746 pcs	40": 9990 pcs	HQ:11910 pcs



BF842

- Capacity:180kg/396lb/28: 4st
- Sturdy bamboo weighing platform
- 80x35.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	300x300x28mm	
Color box size	320x43x333mm	
Carton size	333x281x352mm	
6pcs/ctn	0.03cbm/ctn	
N.W.: 5.5kg	G.W.: 6.8kg	
20":4860 pcs	40":10320 pcs	HQ:12090 pcs






App : OKOK international

BF714BT


- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- ϕ65mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	302x302x25mm
Color box size	334x43x327mm
Carton size	346X283X345mm
6pcs/ctn	0.033cbm/ctn
N.W.: 10.5kg	G.W.: 12.5kg
20":4704 pcs	40":10032 pcs
HQ:11760 pcs	

BF858BT

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 80x35.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	302x302x26.5mm
Color box size	334x43x327mm
Carton size	346x283x345mm
6pcs/ctn	0.033cbm/ctn
N.W.: 11.1kg	G.W.: 13kg
20":4746 pcs	40":9990 pcs
HQ:11910 pcs	



BF913-BT


- Capacity:180kg/396lb/28: 4st
- 5mm tempered glass
- 78x30mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	300x260x24mm
Color box size	316x35x275mm
Carton size	328x235x293mm
6pcs/ctn	0.023cbm/ctn
N.W.: 7.2kg	G.W.: 9.2kg
20":6912 pcs	40":14736 pcs
HQ:16620 pcs	

BF819BT

- Capacity:180kg/396lb/28: 4st
- 5mm tempered glass
- 72x38mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	280x280x25.5mm
Color box size	301x36x309mm
Carton size	314x240x329mm
6pcs/ctn	0.025cbm/ctn
N.W.: 7.2kg	G.W.: 8.8kg
20":6408 pcs	40":13788 pcs
HQ:17340 pcs	

