


Product brochure



body fat scale / smart scale
personal scale / baby scale
pet scale / kitchen scale / luggage scale

Guangdong Winburg Technology Co.,Ltd

📍: 1F Factory building, No 1,Yihui Fifth Road , Henglan Town,
Zhongshan City, Guangdong Province, China

☎: 86-760-23781070

☎: 86-760-86749225

💻: www.winburgscale.com

✉: scale@huibaoscale.com



Huibao®



Company Profile

Established in 1995 ,Zhongshan Jibao Electronic Co.,Ltd specializes in developing and manufacturing all kinds of household scales . Jibao moved to a new company “Guangdong Winburg Technology Co.,Ltd “ located in Henglan town, Zhongshan city in 2020.

Our brand “HUIBAO” has gained credibility and good reputation in export markets such as Europe,Japan, North American, and South American.

Our area is 25000-square-meter with about three hundred person. We have seven workshops and eight automatic assembling production lines, which all of our product are in compliance with CE& ROHS, FDA, FCC, LFGB, REACH certificate. About 90% of our accessories are made in-house.

We have our own laboratory with a full set of advanced detecting instrument and high precision adjusting scale equipment. (ESD test; High low temperature testing room; XRF Quick Screening Machine; Life test; Drop test machine;Vibration testing machine; Salt Fog Testing Room; Weight accuracy test; Environmental test; Mechanical intensity test)

With rich experience for OEM/ODM project, which each year is almost fifteen ODM and twenty two OEM with fastest time 30days.

Our mission is to provide unparalleled customer service, excellent satisfaction and establish long-term good relationships. We highly value our customers, which we do provide our best quality and perfect cooperation to them.



CE RoHS FCC EMC POPS REACH



Obtain certification



► Introduction

Year of Establishment: 1995

Type of Business: Scales

Factory Location: Zhongshan City,
Guangdong Province

Factory Area: 23,000 sq.M

Monthly Production Capacity:
300,000PCS

Lead Time: 38-45 Days

Design and Development Team: 10

Marketing Team: 8

QC Team: 12

► Our Services:

Design: We provide our customer
with latest designs

Sample time: 4-6 Days

Quality Assurance and Control :

AQL:

Maj.2.5 Min.4.0

Logistic: Provides smooth customs
clearance in China and the best
shipping line / air lines to our
customers by sea & air.




3 Electronic Personal Scale



EB148

- Capacity:180kg/396lb/28: 4st
- 5mm tempered glass
- 82x32.6mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	310x28x300mm	
Color box size	366X62x335mm	
Carton size	393x379x357mm	
6pcs/ctn	0.053cbm/ctn	
N.W.: 9.6kg	G.W.: 11.8kg	
20":3000 pcs	40":6396 pcs	HQ:7500 pcs






EB104

- Capacity:180kg/396lb/28: 4st
- 5mm tempered glass
- 72x27mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	302x302x20mm	
Color box size	330X28X322mm	
Carton size	342x187x340mm	
6pcs/ctn	0.022cbm/ctn	
N.W.: 7.8kg	G.W.: 9.8kg	
20":7224 pcs	40":15300 pcs	HQ:15300 pcs





EB858

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 80x35.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	300x300x23.5mm	
Color box size	334x43x324mm	
Carton size	346X283X342mm	
6pcs/ctn	0.033cbm/ctn	
N.W.: 11.1kg	G.W.: 13kg	
20":4746 pcs	40":9990 pcs	HQ:11910 pcs





EB113

- Capacity:180kg/396lb/28: 4st
- 5mm tempered glass
- 80x35.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	302x302x20mm	
Color box size	323x31x331mm	
Carton size	336x210x351mm	
6pcs/ctn	0.023cbm/ctn	
N.W.:7.8kg	G.W.: 10.0kg	
20":6360 pcs	40":12930 pcs	HQ:12930 pcs



EB113

- Capacity:180kg/396lb/28: 4st
- 5mm tempered glass
- 80x35.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	302x302x20mm	
Color box size	330x28x322mm	
Carton size	342x186x340mm	
6pcs/ctn	0.023cbm/ctn	
N.W.:8.0kg	G.W.: 9.6kg	
20":7008 pcs	40":13908 pcs	HQ:13908 pcs

EB842

- Capacity:180kg/396lb/28: 4st
- Bamboo platform
- 82.5x37mm LED digital display
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	300x300x28mm	
Color box size	320x43x333mm	
Carton size	333x281x352mm	
6pcs/ctn	0.03cbm/ctn	
N.W.: 6.78kg	G.W.: 8.7kg	
20":5400 pcs	40":11568 pcs	HQ:12996 pcs





EB852

- Capacity:150kg/330lb/23: 8st
- 6mm tempered glass
- 73x28mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	300x300x18.5mm	
Color box size	315x29x325 mm	
Carton size	330x205x340mm	
6pcs/cn	0.023cbm/ctn	
N.W.: 9.5kg	G.W.: 12kg	
20":6912 pcs	40":12600 pcs	HQ:13200 pcs





EB859

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 65.4x34mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	302x302x17mm
Color box size	330x46x360mm
Carton size	345x300x378mm
6pcs/ctn	0.039cbm/ctn
N.W.: 9.5kg	G.W.: 10.8kg
20":4140 pcs	40":8736 pcs
	HQ:10272 pcs



EB620

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 120x45mm LED digital display
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st
- Relief LED display



Scale size	302x302x25mm
Color box size	317x40x328mm
Carton size	328x265x348mm
6pcs/cn	0.03cbm/ctn
N.W.: 10.8kg	G.W.: 13.4kg
20":5352 pcs	40":10968 pcs
	HQ:10968 pcs





EB300

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 72x30mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	300x300x25mm
Color box size	322x40x316mm
Carton size	335x180x335mm
4pcs/ctn	0.02cbm/ctn
N.W.: 6.5kg	G.W.: 8.5kg
20":5188 pcs	40":11064 pcs
HQ:13020 pcs	



EB503

- Capacity:250kg/500lb
- Plastic housing
- 95.6x43mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb



Scale size	328x328x24mm
Color box size	349x36x350mm
Carton size	362x164x368mm
4pcs/ctn	0.022cbm/ctn
N.W.: 6.3kg	G.W.: 7.7kg
20":4816 pcs	40":4816 pcs
HQ:12088 pcs	





EB801

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 86x41mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	303x303x28mm
Color box size	323X42X326mm
Carton size	335X188X345mm
4pcs/ctn	0.0217cbm/ctn
N.W.:8.5kg	G.W.: 9.6kg
20":4876 pcs	40":10400 pcs
HQ:12240 pcs	





EB856

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 94x51mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	300x300x29mm
Color box size	336x57x348mm
Carton size	346x250x365mm
6pcs/ctn	0.032cbm/ctn
N.W.:7.4kg	G.W.: 9.3kg
20":3392 pcs	40":7496 pcs
HQ:8460 pcs	






EB617

- Capacity:200kg/440lb/31 : 6st
- 8mm tempered glass
- 95x57mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	380x330x27mm	
Color box size	408x60x380mm	
Carton size	420x260x390mm	
4pcs/ctn	0.043cbm/ctn	
N.W.: 10.8kg	G.W.: 12.8kg	
20":2532 pcs	40":5352 pcs	HQ:6292 pcs




EB117

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 91x52mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	300x300x18.5mm	
Color box size	330x28x322mm	
Carton size	342x195x340mm	
6pcs/ctn	0.023cbm/ctn	
N.W.:9.6kg	G.W.: 11.6kg	
20":7020 pcs	40":13440 pcs	HQ:13440 pcs





EB518

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 65x65mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	311x311x23mm	
Color box size	330x36x328mm	
Carton size	342x243x346mm	
6pcs/ctn	0.029cbm/ctn	
N.W.: 10.1kg	G.W.: 12kg	
20":5526 pcs	40":11784 pcs	HQ:12480 pcs





EB843U


- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 74.5x28mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	302x302x29mm		
Color box size	335x48x342mm		
Carton size	347x310x360mm		
6pcs/ctn	0.039cbm/ctn		
N.W.:9.0kg	G.W.: 10.8kg		
20":4104 pcs	40":8748 pcs	HQ:10302 pcs	

EB911

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 80x30mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	300x300x24mm		
Color box size	315x34x316mm		
Carton size	327x229x334mm		
6pcs/ctn	0.025cbm/ctn		
N.W.:9.5kg	G.W.: 11.0kg		
20":6480 pcs	40":13440 pcs	HQ:13800 pcs	



EB114

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 94x51mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	300x300x25mm		
Color box size	378x56x352mm		
Carton size	390x245x370mm		
4pcs/ctn	0.035cbm/ctn		
N.W.: 6.8kg	G.W.: 8.2kg		
20":2996 pcs	40":6392 pcs	HQ:7524 pcs	




EB615

- Capacity:180kg/396lb/28:4st
- 6mm tempered glass
- 50.5x24.8mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	268x259x17mm		
Color box size	285x29x277mm		
Carton size	295x205x295mm		
6pcs/ctn	0.018cbm/ctn		
N.W.: 5.9kg	G.W.: 7.4kg		
20":8832 pcs	40":18828 pcs	HQ:19992 pcs	





EB920

- Capacity:150kg/330lb/23: 8st
- Plastic housing
- 53x64mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	280x280x32mm
Color box size	304x38x289mm
Carton size	315x213x305mm
5pcs/ctn	0.02cbm/ctn
N.W.: 4.9kg	G.W.: 5.4kg
20":6770 pcs	40":13060 pcs
HQ:16445 pcs	



EB619SS

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 72x30.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	300x300x20mm
Color box size	318X28X321mm
Carton size	328x200x340mm
6pcs/ctn	0.022cbm/ctn
N.W.: 8.9kg	G.W.: 10.8kg
20":7128 pcs	40":14400 pcs
HQ:14400 pcs	



EB608

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 93.8x55.8mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	300x300x24.5mm
Color box size	346x50x338mm
Carton size	358x328x358mm
6pcs/ctn	0.042cbm/ctn
N.W.: 9.8kg	G.W.: 11.6kg
20":3780 pcs	40":7998 pcs
HQ:9138 pcs	





EB610A


- Capacity:150kg/330lb/23: 8st
- Plastic housing
- 61x40mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	225x195x24mm
Color box size	250x46x217mm
Carton size	592X260X236mm
12pcs/ctn	0.036cbm/ctn
N.W.:4.8kg	G.W.: 6.5kg
20":8664 pcs	40":18660 pcs
HQ:21996 pcs	

EB906

- Capacity:150kg /330lb/23: 8st
- 6mm tempered glass
- 95x41.4mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	302x302x23mm
Color box size	325x40x329mm
Carton size	335x260x350mm
6pcs/ctn	0.031cbm/ctn
N.W.: 9.5kg	G.W.: 11.3kg
20":5214 pcs	40":11118 pcs
HQ:12888 pcs	





EB917

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 86x41mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st




Scale size	300x300x23.5mm
Color box size	331x200x338mm
Carton size	331x200x338mm
6pcs/ctn	0.022cbm/ctn
N.W.: 7.2kg	G.W.: 9.0kg
20":4824 pcs	40":10188 pcs
HQ:11200 pcs	





EB619


- Capacity:180kg/396lb/28: 4st
- 5mm tempered glass
- 72x30.5mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	300x300x20mm
Color box size	330x28x322mm
Carton size	342x195x340mm
6pcs/ctn	0.023cbm/ctn
N.W.: 8.0kg	G.W.: 9.6kg
20":7008 pcs	40":14700 pcs
HQ:15600 pcs	



◆ Projection function



EB909

- Capacity:180kg/396lb/28: 4st
- 6mm tempered glass
- 62x40mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	330x320x40mm
Color box size	380x59x365mm
Carton size	392x375x383mm
6pcs/ctn	0.056cbm/ctn
N.W.: 11.1kg	G.W.: 12.6kg
20":2856 pcs	40":6096 pcs
HQ:7068 pcs	



EB316

- Capacity:150kg/330lb/23: 8st
- Plastic housing
- 60x26mm LCD digits
- Equipped with 4 high strain gauge sensors
- Units : kg/lb/st



Scale size	310x326x27.3mm
Color box size	325x37x343mm
Carton size	335x360x175mm
4pcs/ct	0.021cbm/ctn
N.W.: 4.0kg	G.W.: 5.7kg
20":5020 pcs	40":10708 pcs
HQ:12412 pcs	

