



**YIENN LIH ENTERPRISES  
CO., LTD.**


Adjust the grind fineness at the bottom



YLSP-2513-001  
H: 16.6 X W: 5.8 cm





YLSP-2513-002  
H: 16.6 X W: 5.8 cm




YLSP-2513PM  
H: 16.6 X W: 5.8 cm



YLSP-2513SM  
H: 16.6 X W: 5.8 cm



YLSP-2513-005  
H: 16.6 X W: 5.8 cm



YLSP-2513-006  
H: 16.6 X W: 5.8 cm

# YIENN LIH ENTERPRISES CO., LTD.



YLSP-2513-007  
H: 17.7 X W: 5.7 cm

YLSP-2513-005-1  
H: 17.7 X W: 5.7 cm



YLSP-2513-006-1  
H: 17.7 X W: 5.7 cm

**YIENN LIH ENTERPRISES  
CO., LTD.**

**One-handed Mill**



YLSP-2098PM-001

H: 21.1 X W: 4.4 D: 8.5 cm



YLSP-2098PM-002

H: 21.1 X W: 4.4 D: 8.5 cm



YLSP-1694-025

H: 16.8 X W: 8.3 cm

# YIENN LIH ENTERPRISES CO., LTD.

Inverted bottom-adjustable grinding



YLSP-1977PM-001

H: 11.4 X W: 5.2 cm

YLSP-1977PM-002

H: 11.4 X W: 5.2 cm

## 5-stage grind fineness adjustment function



YLSP-1847-014  
H: 17.9 X W: 6 cm



YLSP-1847--015  
H: 17.9 X W: 6 cm

**5-stage grind fineness adjustment function**



1

2

3

1. YLSP-2245--032

H: 14.8 X W: 6 cm

2. YLSP-1546-120

H: 17.3 X W: 5.9 cm

3. YLSP-1547-109

H: 21.6 X W: 6 cm

# YIENN LIH ENTERPRISES CO., LTD.



YLSP-2350PM-001  
H: 16.9 X W: 5.3 cm



YLSP-2350PM-002  
H: 16.9 X W: 5.3 cm



YLSP-2350PM-003  
H: 16.9 X W: 5.3 cm



YLSP-2350PM-004  
H: 16.9 X W: 5.3 cm

**Dual-purpose 2-in-1 grinding**





YLSP-2177-004

H: 22.5 X W: 5.8 cm

YLSP-2177-005

H: 22.5 X W: 5.8 cm



YLSP-2177-006

H: 22.5 X W: 5.8 cm