

**ROHDE**

Enjoy your **results.**


Up to  
**40 %**  
less power  
consumption

## **ROHDE Ecotop**

The top catch  
for professionals

Intuitive operation:  
ST 310 Controller  
Digital firing log:  
ROHDE myKiln App





**Quality, efficiency and  
performance in series.  
The sustainable and  
innovative kiln.**

**Round. Sustainable.  
Innovative.**

Rediscover the Ecotop series!



ROHDE Ecotop

Product description

- ▶ The new Ecotop is now also an Ecotop in both senses of the word: Our new toploader kiln consumes up to **40% less electricity** and so saves you a lot of money. This is made possible by the newly thought-out insulation concept, which minimises heat loss.
- ▶ All sizes in the new Ecotop series reach **application temperatures up to 1290°C**. This means more variety and possibilities when firing – even with high-temperature stoneware and soft-paste porcelain. For versions up to 60 litres, you only need a standard household **Schuko socket (230 V)**.
- ▶ With its **rounder firing chamber geometry**, the Ecotop makes it easier for all users to handle the furniture batts and offers better space utilisation.
- ▶ In keeping with sustainability, the new **heating elements** have a **service life that is 3 times longer**.



Up to  
**40 %**  
less power  
consumption

NEW  
**HEATING ELEMENTS**  
Optimised heat distribution  
3 x longer service life

NEW  
**ST 310 CONTROLLER**  
Use your own solar power

NEW  
**INSULATION**  
High-quality 2-layer insulation,  
fibre-free

NEW  
**AIR SUPPLY SLIDE**  
Ideally placed, ergonomic  
and intuitive to use

NEW  
**FIRING CHAMBER**  
More efficient use of space  
Easier handling of the furniture  
batts



**Simple control**  
Smart firing



**Technical data**  
at a glance



**All Ecotop models are equipped with the new ST 310 controller as standard**

- ▶ New, innovative technology
- ▶ Intuitive and clear operation (like the previous TC 304)
- ▶ 32 Firing program channels
- ▶ SolarReady for consumption of your own solar power
- ▶ Robust, proven and reliable

**Included and free of charge: the ROHDE myKiln app, the digital firing log**

- ▶ Shows the live status of the kiln at any time
- ▶ Simply create programs on your smartphone and send them to the controller
- ▶ Archive firing curves, save your pictures and notes
- ▶ Reminders on your smartphone for events

Model	Ecotop 20 S	Ecotop 43	Ecotop 43 S	Ecotop 60
Volume	20 litres	43 litres	43 litres	60 litres
Application temp.	1290°C	1260°C	1290°C	1260°C
Power	2.3 kW	2.9 kW	3.6 kW	3.6 kW
Connection	Schuko, 230 V	Schuko, 230 V	Schuko, 230 V	Schuko, 230 V
Internal dimensions (Ø x H)	330 x 225 mm	400 x 340 mm	400 x 340 mm	400 x 455 mm

Model	Ecotop 60 S	Ecotop 80 S	Ecotop 95 S	Ecotop 145 S
Volume	60 litres	80 litres	95 litres	145 litres
Application temp.	1290°C	1290°C	1290°C	1290°C
Power	5 kW	6 kW	7.3 kW	8.8 kW
Connection	CEE 16 A for 400 V	CEE 16 A for 400 V	CEE 16 A for 400 V	CEE 16 A for 400 V
Internal dimensions (Ø x H)	400 x 455 mm	470 x 455 mm	520 x 455 mm	520 x 680 mm

Helmut ROHDE GmbH  
Ried 9  
83134 Prutting, Germany  
Tel.: +49 8036 674976-10  
Mail: [info@rohde.eu](mailto:info@rohde.eu)  
[www.rohde.eu](http://www.rohde.eu)



More information at:  
[ecotop.rohde.eu/en/](http://ecotop.rohde.eu/en/)

Follow us:



70000639 - Ecotop Flyer 2024

Your trusted local specialist