




SINGLE PIPE

Data Sheet

SINGLE PIPE HTB GAS BALL COCKS WITH INSPECTION

01/03/2019

Rev. 0






Technical Features

Description:	manually operated brass ball valve
	full bore
Fluid:	Gas
Nominal Pressure:	MOP5/C0,1
Temperature limit:	- 20°C / + 60°C
Connections:	threads ISO 7/1
Operating device:	yellow lever handle

Material

Body	Brass CW617N
End plug	Brass CW617N
Ball	Brass CW617N - Chrome Plated
Stem	Brass CW617N
Ball seats	PTFE
Sealing	NBR
Handle	Aluminium
Screw	AISI 304
Exces flow valve	/
Nut	Brass CW617N
O-ring	NBR
Thead protection cup	Poliethylene



Dimensions

Size	DN	Part no.	A	B	exces flow valve
1"3/8	25	753000100	43	83	NO
1"3/8		753000108	43	83	2,5 m3/h
1"3/8		753000113	43	83	4 m3/h
1"3/8		753000118	43	83	6 m3/h
1"3/8		753000158	43	83	TAE GT25 BAZ11



SINGLE PIPE

Data Sheet


SINGLE PIPE HTB GAS BALL COCKS WITH INSPECTION

01/03/2019

Rev. 0


UNION CONNECTION MALE 1" Rp ISO 7/1

COD.	EXCES FLOW VALVE	A	B
753000104	NO	92	132
753000109	2,5 m3/h	92	132
753000114	4 m3/h	92	132
753000119	6 m3/h	92	132
753000159	TAE GT25 BAZ11	92	132




UNION CONNECTION FEMALE 1" Rp ISO 7/1

COD.	EXCES FLOW VALVE	A	B
753000105	NO	92	132
753000110	2,5 m3/h	92	132
753000115	4 m3/h	92	132
753000120	6 m3/h	92	132
753000160	TAE GT25 BAZ11	92	132




UNION CONNECTION FEMALE Ø22

COD.	EXCES FLOW VALVE	A	B
753000106	NO	92	122
753000111	2,5 m3/h	92	122
753000116	4 m3/h	92	122
753000121	6 m3/h	92	122
753000161	TAE GT25 BAZ11	92	122



UNION CONNECTION FEMALE Ø28

COD.	EXCES FLOW VALVE	A	B
753000107	NO	92	122
753000112	2,5 m3/h	92	122
753000117	4 m3/h	92	122
753000122	6 m3/h	92	122
753000162	TAE GT25 BAZ11	92	122



UNION CONNECTION MALE 1" Rp ISO 7/1

COD.	EXCES FLOW VALVE	A	B
753000102	NO	92	132



UNION CONNECTION MALE 1" Rp ISO 7/1

COD.	EXCES FLOW VALVE	A	B
753000163	NO	87	127






SINGLE PIPE

Data Sheet

SINGLE PIPE HTB GAS BALL COCKS WITH INSPECTION

01/03/2019

Rev. 0





Technical Features

Description:	manually operated brass ball valve
	full bore
Fluid:	Gas
Nominal Pressure:	MOP5/C0,1
Temperature limit:	- 20°C / + 60°C
Connections:	threads G ISO 228
Operating device:	yellow t-handle

Material

Body	Brass CW617N
End plug	Brass CW617N
Ball	Brass CW617N - Chrome Plated
Stem	Brass CW617N
Ball seats	PTFE
Sealing	NBR
T-handle	Zamak
Screw	AISI 304
Nut	Brass CW617N
O-ring	NBR
Nut	Steel
Wascher	Steel
Wall bracket	Steel
Thread protection cup	Polietilene



Dimensions

Size	DN	Part no.
1"3/8	25	753500002



SINGLE PIPE

Data Sheet


SINGLE PIPE HTB GAS BALL COCKS WITH INSPECTION

01/03/2019

Rev. 0


CONFIGURATION

COD.	IN	OUT
753000000	FEMALE Rp 1" UNION CONNECTION	UNION CONNECTION Rp 1" FEMALE
753000003		UNION CONNECTION R 1" MALE
753000004		UNION CONNECTION Ø28
753000005		UNION CONNECTION Ø22
753000013	MALE R 1" UNION CONNECTION	UNION CONNECTION Rp 1" FEMALE
753000014		UNION CONNECTION R 1" MALE
753000015		UNION CONNECTION Ø28
753000022		UNION CONNECTION Ø22
753000016	UNION CONNECTION Ø28	UNION CONNECTION Rp 1" FEMALE
753000017		UNION CONNECTION R 1" MALE
753000018		UNION CONNECTION Ø28
753000023		UNION CONNECTION Ø22
753000019	UNION CONNECTION Ø22	UNION CONNECTION Rp 1" FEMALE
753000020		UNION CONNECTION R 1" MALE
753000021		UNION CONNECTION Ø28
753000050		UNION CONNECTION Ø22



CONFIGURATION

COD.	IN	OUT
753000035	MALE R 1" WITHOUT EXCES FLOW VALVE	WITHOUT CONNECTION
753000036		UNION CONNECTION Rp 1" FEMALE
753000037		UNION CONNECTION R 1" MALE
753000038		UNION CONNECTION Ø28
753000039		UNION CONNECTION Ø22
753000035	MALE R 1" WITH EXCES FLOW VALVE 2,5 m3/H	WITHOUT CONNECTION
753000036		UNION CONNECTION Rp 1" FEMALE
753000037		UNION CONNECTION R 1" MALE
753000038		UNION CONNECTION Ø28
753000039		UNION CONNECTION Ø22
753000040	MALE R 1" WITH EXCES FLOW VALVE 4 m3/H	WITHOUT CONNECTION
753000041		UNION CONNECTION Rp 1" FEMALE
753000042		UNION CONNECTION R 1" MALE
753000043		UNION CONNECTION Ø28
753000044		UNION CONNECTION Ø22
753000045	MALE R 1" WITH EXCES FLOW VALVE 6 m3/H	WITHOUT CONNECTION
753000046		UNION CONNECTION Rp 1" FEMALE
753000047		UNION CONNECTION R 1" MALE
753000048		UNION CONNECTION Ø28
753000049		UNION CONNECTION Ø22
753000064	MALE R 1" WITH TAE	WITHOUT CONNECTION
753000065		UNION CONNECTION Rp 1" FEMALE
753000066		UNION CONNECTION R 1" MALE
753000067		UNION CONNECTION Ø28
753000068		UNION CONNECTION Ø22





SINGLE PIPE

Data Sheet

SINGLE PIPE HTB GAS BALL COCKS WITH INSPECTION

01/03/2019

Rev. 0

CONFIGURATION

COD.	IN	OUT
753000025	FEMALE Rp 1" END PLUG	UNION CONNECTION Rp 1" FEMALE
753000026		UNION CONNECTION R 1" MALE
753000027		UNION CONNECTION Ø28
753000028		UNION CONNECTION Ø22
753000010	UNION CONNECTION Ø28 END PLUG	UNION CONNECTION Rp 1" FEMALE
753000011		UNION CONNECTION R 1" MALE
753000012		UNION CONNECTION Ø28
753000029		UNION CONNECTION Ø22
753000031	UNION CONNECTION Ø22 END PLUG	UNION CONNECTION Rp 1" FEMALE
753000032		UNION CONNECTION R 1" MALE
753000033		UNION CONNECTION Ø28
753000034		UNION CONNECTION Ø22

