

1111111-1 A. I.

Product Line Overview

2022

AQUAPHOR Consumer, Professional and Industrial Products

R&D leader in decentralized water purification from filter bottles for consumers to large systems for small towns and manufacturing plants. AQUAPHOR manufacturing, research and development facilities total 53 000 m², including 51 000 m² of modern manufacturing in Estonia and 2 000 m² in Israel.

AQUAPHOR products and production facilities have been certified by TUV and SGS since 2006.

- Chemistry
- Mechanical and Chemical Engineering
- Automated manufacturing

- Distribution
- Marketing

AQUAPHOR

• Service



Softeners. S-series

AQUAPHOR softeners are an advanced alternative to the classic whole-home water softeners. AQUAPHOR softeners are exceptionally efficient, with low salt consumption and small amount of water needed for regeneration.







Whole-House Water Supply

Laundry & Cleaning

Advantages

Fully automatic, compact and silent softeners feature exceptionally low salt usage, highly effective iron removal (up to 14 mg/L), prefiltration down to 20 microns. AQUAPHOR softeners contain patented highefficiency Dual Core Valves and other engineering solutions to ensure long-term trouble-free performance.

• Salt savings up to 60%

Thanks to the unique tank design and extra-fine ion-exchange resin, salt efficiency is maximized.

• 2-in-1: water softening & iron removal

The patented system design provides larger contact surface, eliminates channeling, while small ion-exchange granules regenerate faster and more efficiently. As a result — removal of high concentration of Fe (up to 14 mg/L concentration in water) and hardness.

Exceptionally small water usage for regeneration

The innovative, patented Dual Core Valves of the AQUAPHOR softener assure long-term trouble-free performance whilst wasting minimal amount of water.

• 10-year warranty for the main parts

The high-strength thick wall made of homogeneous glass-filled composite will serve over 10 years, while classic columns typically serve less than 5 years.

Low maintenance

In addition to low salt consumption of the system, ion-exchange resin lasts 10 times longer that in typical water softeners.

- Operates efficiently even at very low tap pressure
- Fully recyclable body and tank
- NSF certified




| Specification | S550 |
|---|-------|
| Maximum compensated hardness, mg/L | 1 20 |
| Maximum concentration of dissolved iron and manganese, mg/L | 10 |
| Nominal/maximum flow, L/min | 23/2 |
| Capacity in HE mode, kg of salt/gram of hardness | 0.8/4 |
| Dimensions (length x height x width), mm | 322 : |
| Fine mesh resin, L | 15 |

Softeners





Beauty & SPA



Viking Series

The AQUAPHOR Viking is made either of stainless steel, withstanding temperatures of up to 90 °C, or entirely of special plastics. It is resistant to pressure surges, guarantees trouble-free operation and protects other filters downstream ensuring purified drinking water.











Whole-House Water Supply

Laundry & Cleaning

Advantages

AQUAPHOR Viking series delivers drinking water filtration as well as pre-filtration, depending on the cartridge type. Viking can be used with hot and cold water to remove suspended and dissolved compounds, heavy metals, chlorine and other contaminants.

Clean water at home

Provides water for all bathing and housekeeping needs. Viking protects all household appliances and lowers overall maintenance costs.

• Space saving, elegant shape

The housing fits into tight bathroom spaces and comes in three sizes, including Midi and Mini options.

• Simple to install and use

Designed for easier installation and maintenance with the quick-release fittings. You will not need any tools to replace filters on your own.

Viking PRO is a prefiltration housing made of high-strength glass fiber filled plastic to be used for cold water treatment. Great for HoReCa and office use.

NEW CARTRIDGE B520 PRO for cold water Patented high-capacity corrugated multilaye filtration cartridge

Capacity - 150 000 L


Viking

| | • |
|----------------------------------|-----------|
| Dimensions, mm | 180 x 595 |
| Cartridges for cold water | B5 |
| Recommended flow rate, L/min | |
| Filter cartridge capacity, L | 1 |
| Cartridges for hot water | B520-14 |
| Recommended flow rate, L/min | 25 |
| Filter cartridge capacity, L/min | 50 000 |
| Cartridges for drinking water | B1 |
| Recommended flow rate, L/min | |
| Filter cartridge capacity, L | 4 |
| | |





Beauty & SPA



Gross Series

The AQUAPHOR Gross series comes in high-strength glass fiber filled polymer housing. With a variety of filter cartridges, Gross ensures pre-filtration and protects the drinking water filters downstream.











Whole-House Water Supply

Laundry & Cleaning

Advantages

Gross housing is a durable and reliable solution that can be equipped with sediment filters to protect home appliances from solid particles. Carbon Block + AQUALEN™ filter cartridges for Gross series will reduce chlorine, heavy metals and other dissolved impurities.

Long-lasting housing

The filter housing is made of high quality plastic and can withstand high pressures in high performance situations.

- Protects household appliances & downstream filters
- Wide range of filters cartridges
- BigBlue standard replacement filters 10" and 20"

Specifications and Performance

| MODEL | SIZE | NOMINAL PARTICLE RATING | | CHLORINE TASTE AND ODOR REDUCTION | VOC | LEAD REDUCION |
|---------|-----------------|-------------------------------|---------------------|---|-----|------------------|
| B510-12 | 100 mm x 254 mm | 5 microns | 0,2 bar and 7,5 Lpm | 24 000 L | NA | NA |
| B520-12 | 100 mm x 508 mm | 5 microns | 0,2 bar and 15 Lpm | 48 000 L | NA | NA |

Replacement Filters









Beauty & SPA



B520-12GROSS 20"



Gross 20 replacement filter for cold water purification for the entire home. Its unique structure and design allow the module to remove sediments, chlorine, heavy metals and other impurities from the water.

Nano Purity 1200

Eco-friendly and multipurpose whole-home & commercial RO station. Affordable and practical water purifier for houses, small municipal entities or local businesses. Fully automatic all-in-one solution that replaces salt-emitting water softeners and cuts maintenance costs.



The Nano Purity 1200 is a unique water purification system designed to combine various technologies including reverse osmosis, nano filtration, precision dosed antiscalant, and ultra-violet sterilization. The system is fully automatic with the APRO intelligent controller and wi-fi enabled monitoring app.

Soft and safe water for the whole house

The Nano Purity 1200 system both softens water without sodium additives and efficiently removes harmful impurities: nitrates, nitrites, bacteria, viruses, hormones, residual pharmaceuticals, microplastics, heavy metals, chlorine, THM's and most other harmful contaminants found in municipal water.

Prevents corrosion

The Nano Purity 1200 prevents pipework corrosion by providing water at pH 7-8.

• Works with any water source

The system purifies practically any tap or artesian well water with high levels of hardness and iron.

Smart permeate recovery up to 95%

The patented AI controlled high-frequency drainage system allows a high-speed recirculating water flow, keeping the membrane clean, providing exceptionally high permeate recovery up to 95%.

- Artificial Intelligence (AI) saves up to 50% of energy Patented AI effectively controls a high-efficiency booster pump and a high-flow yet low-energy
- Fully automated and easily controlled

The Nano Purity 1200 is fully automated and can be easily remotely controlled with a monitoring app (Wi-Fi/GSM).

• Great tasting, healthy drinking water!

The innovative Nano Purity 1200 mineralization unit delivers optimized, balanced drinking water with all the body's necessary minerals and nutrients.

- Wi-Fi & GSM enbled
- Optional rainwater purification
- Low cost & low maintenance
- High-capacity pre-filtration cartridges



Patented high performance pre-filtration cartridge

MODEL

Operational pressure, bar Membrane quantity* size, inch Max inlet TDS, ppm Reduction of salt content, % System recovery, % Accumulation tank




recirculation pump, which saves up to 50% of energy consumption.



Nano Purity 1200

| internal, 80 L |
|----------------|
| up to 99 |
| up to 95 |
| 2 000 |
| 3 x 4040 |
| 7–10 |



The Nano Purity 120 — a compact reverse osmosis solution for whole-house. The system is fully automated and operated with APRO controller.

- Eco-friendly: minimum waste and extremely energy-saving Patented AI system controls high-frequency drainage providing exceptionally high permeate recovery (up to 95%) minimizing associated waste. At the same time, high-flow yet low-energy recirculation pump saves up to 50% of energy.
- Compact design

The Nano Purity 120 is perfect for space-limited areas.

- Fully automated
- Smart mineralization system (optional)



Nano Purity 120

Low-energy consuming water purifier with an exceptionally high permeate recovery, and reduced wastewater drainage.



External tank


Tank for purified water in one of three sizes (300 / 500 / 800 L)



Viking PRO

Removes suspended and dissolved compounds, heavy metals, chlorine, rust and other dirt for the whole house.









Whole-House Water Supply Municipal Entities

Water mineralization affects the taste of coffee and tea, a process of wine and beer fermentation, and hundreds of other drinks from different parts of the world.

This time, Aquaphor Professional focused on water treatment for the most popular drinks in the world — coffee and tea — and developed an innovative **APRO Nano Purity 80** system with water remineralization.

Water is the most important ingredient in coffee, and it is responsible for absorbing the extracts from beans and grounds. It is necessary to maintain a high quality of water because even a tiny bit of impurities can crucially change the whole card of coffee flavor.

APRO Nano Purity 80 carefully removes all the impurities affecting the taste of a drink. At the same time, we leave the necessary minerals that are essential for a rich coffee flavor, refreshing tea, and pure drinking water taste. The mineralization is easily adjustable and stable.

Advantages

- Smart permeate recovery up to 65%
- Ultra-low energy consumption patented technology
- User-friendly operation
- Adjustable mineralization
- Stable taste
- Compact design
- Easy maintenance

| Permeate Flow, LPH | 80 |
|-----------------------------------|-----------|
| Membrane Quantity | 1 |
| Membrane type | 600GPM |
| Prefiltration membrane | 2 × K2 |
| Adjustable mineralization | + |
| Max inlet TDS, ppm | 1500 |
| Reduction of salt content, % | Up to 95% |
| System recovery, % | 50-90% |
| Input pressure, bar | 1-4 |
| Power supply | 24VDC (AC |
| Dimensions (LxWxH), mm | 492 × 290 |
| Net weight, kg | 26 |
| Size (inlet, outlet, concentrate) | 3/8"/1/4" |





Small Business

6 (before remineralization)

C/DC adapter is installed) x 535

4"/1/4" 3G







Whole-House Water Supply

Entities

Municipal

APRO 120 is a flexible solution that delivers high-quality pure water. It is an indispensable companion for every small business holder: boutique hotels, restaurants, bars, beauty salons, small farms, and others.

With APRO 120 small business appliances serve much longer since pure water helps to avoid scaling and rusting. Pipes and plumbing avoid clogging, while dishwashers and washing machines require fewer detergents.

The system is fully automatic and requires minimum maintenance, making it an easy-to-use.

• Smart permeate recovery up to 95%

An innovative anti-clogging membrane features high-speed recirculating water flow to keep the membrane clean. It provides an exceptionally high permeate recovery, while the wastewater drainage is significantly reduced.

• Energy use reduction up to 50%*

Fast recirculating flow saves up to 50% energy.

- Crucially reducing scaling, rusting and clogging of appliances
- Space-saving design

The system is suitable for a small technical room or a compact kitchen in a local bar, small restaurant, or boutique hotel.

• Remote access

| Permeate Flow, LPH | 120 |
|-----------------------------------|-----------|
| Membrane Quantity | 2 |
| Membrane type | B520-H |
| Prefiltration membrane | 2 × K2 |
| Adjustable mineralization | - |
| Max inlet TDS, ppm | 1500 |
| Reduction of salt content, % | Up to 95% |
| System recovery, % | 50-90% |
| Input pressure, bar | 1-4 |
| Power supply | 24VDC (AC |
| Dimensions (LxWxH), mm | 485 × 215 |
| Net weight, kg | 27 |
| Size (inlet, outlet, concentrate) | 3/8"/1/4' |





Small Business



Small & Meduim Business

6 (before remineralization)

C/DC adapter is installed) × 662

4"/1/4" 3G

APRO SST 150–750 Systems

Ultra low-energy systems suit small & medium businesses in the food industry, professional kitchens, service and public entities. They are ready to supply as much clean filtered water as the business requires.

The stainless steel housing in the SST line suits areas of high humidity or sites with stringent cleanliness and hygiene requirements.

AQUAPHOR





Whole-House Water Supply Municipa Entities



| MODEL | APRO SST 150 | APRO SST 300 | APRO SST 250 | APRO SST 500 | APRO SST 750 |
|-----------------------------------|-----------------|-----------------|-------------------------|-------------------|-------------------|
| Operational pressure, bar | | | 7-10 | | |
| Permeate Flow, LPH | 150 | 300 | 250 | 500 | 750 |
| Membrane Quantity | 1 | 2 | 1 | 2 | 3 |
| Membrane Size, inch | 4 > | < 21 | | 4 × 40 | |
| Max inlet TDS, ppm | | | 2 000 | | |
| Reduction of salt content, % | | | up to 95 | | |
| System recovery, % | | | 75 - 99 | | |
| Power supply | | | single-phase 230V, 50Hz | Z | |
| Dimensions, mm | 510 × 390 × 725 | 595 × 390 × 845 | 555 × 390 × 1 210 | 630 × 390 × 1 270 | 765 × 390 × 1 270 |
| Net weight, kg | 38,5 | 49,5 | 47,5 | 58,5 | 72 |
| Size (inlet, outlet, concentrate) | | | 3/4"/1/2"/1/2" NPTF | | |

APRO 150–750 systems are also available in versions for High Pressure (HP) and High Salinity (HS)

APRO-HP series Compact high-pressure RO units that feature supreme salt rejection.

| MODEL | APRO 250 HP | APRO 500 HP | APRO 750 HP |
|------------------------------|-------------|------------------------|-------------|
| Operational pressure, bar | | 12-16 | |
| Membrane Quantity | 1 | 2 | 3 |
| Membrane Size, inch | | 4 × 40 | |
| Max inlet TDS, ppm | | 4 000 | |
| Reduction of salt content, % | | up to 98 | |
| System recovery, % | | 75 - 95 | |
| Power supply | | three-phase 400V, 50Hz | |

APRO-HS series RO units for sea water purification. Serves civil and business needs.

| MODEL | APRO 250 HS | APRO 500 HS | APRO 750 HS |
|------------------------------|-------------|------------------------|-------------|
| Operational pressure, bar | | 16-30 | |
| Membrane Quantity | 1 | 2 | 3 |
| Membrane Size, inch | | 4 × 40 | |
| Max inlet TDS, ppm | | 8 000 | |
| Reduction of salt content, % | | up to 98 | |
| System recovery, % | | 75 - 95 | |
| Power supply | | three-phase 400V, 50Hz | |

• Low enenrgy consuming booster

- Permeate recovery up to 99%
- Extended membrane life
- Easy maintenance

- Space saving design







Small Business Small & Meduin Business



APRO 3000 / 4000 / 6000

The game-changing stackable RO water purification solution for businesses. These innovative technology allow a business to vary water output capacity and flex the system to perfectly fit current and future needs and conditions, altering as and when these changes are required.





Municipal

Agriculture and Farms

Innovative modular RO units with varying production rates can be easily rearranged or reinforced with other units to meet the changing requests of capacity and space. Remote control allows managing the system from any place. Booster pump and recirculation pumps save up to 50% electricity.

Advantages

- Permeate recovery up to 99%
- Extended membrane life
- Patented high frequency discharge
- Ultra low energy consumption (saves approx. 40–50% as compared to the competitors)
- System operates in fully automatic mode with remote control
- Robust construction and easy maintenance
- Quiet operation
- Space saving design
- Mass produced



| MODEL | APRO 3000 |
|-----------------------------------|-------------------|
| Operational pressure, bar | |
| Permeate Flow, LPH | 3 000 |
| Membrane Quantity | 3 |
| Membrane Size, inch | |
| Max inlet TDS, ppm | |
| Reduction of salt content, % | |
| System recovery, % | |
| Power supply | |
| Dimensions, mm (L×W×H) | 3 640 × 840 × 1 1 |
| Net weight, kg | 236 |
| Size (inlet, outlet, concentrate) | |
| | |





Industrial Processes

as compared to the competitors) control



Multiarray of Monoblocks

Innovative RO monoblocks of 6000 LPH allow the user to set inexpensive, multipurpose water purification units into a high-capacity multiarray with up to 8 monoblocks combined under one master control board.





Municipal


Medical and Pharmaceutical

By managing the number of monoblocks in a multiarray, a business stays lean in resources and keeps a minimal needed number of monoblocks working at any given time. More RO units of monoclocks can be added or detached as soon as it is required.

Advantages

- System recovery, % up to 95
- Patented high frequency membrane cleaning concentrate discharge
- Low energy consuming Grundfos booster pumps and high flow, low energy recirculation pumps (save up to 50% of electricity)
- Self-sufficient monoblocks with slave controllers and smart master controller (cloud optimization)
- Optional built-in UF pre-filtration
- Extended membrane life
- Space saving design
- Low-cost operation
- Easy maintenance

Master Controll Board



Master control board with touch screen color monitor supports management of up to 8 monoblocks and all kinds of the prefiltration and supply systems.





Agriculture and Farms



Industrial Processes

ate discharge nigh flow, ctricity) nart master controller (cloud optimization)

Monoblocks consist of standart APRO 6000 units

AP-UF-RO Systems

The powerful RO system turns seawater to fresh drinking water for business and civil purposes in multiple applications from marinas, hotels, resorts, off-shore platforms to vulnerable communities living by the sea who face shortages of municipal or natural freshwater sources.





Drinking Water for Seashore Housing

Alternative to City Water

Advantages

Watermaker seawater desalination systems use reverse osmosis technology to turn virtually any seawater source into fresh, safe water which can be used for drinking, bathing, cooking, deck and exterior wash-downs, and a variety of other applications.



AP-UF-R0 SW (Sea Water)

| MODEL | AP-UF-R0 SW |
|------------------------------|------------------------|
| Operational pressure, bar | 35-50 |
| Permeate Flow, LPH | 5 000 |
| Max inlet TDS, ppm | 45 000 |
| Reduction of salt content, % | up to 99 |
| System recovery, % | up to 90 |
| Power supply | three-phase 400V, 50Hz |







Freshwater for Marinas

Laboratory Water Purifier

This Laboratory Water Machine provides high purity water to fit most laboratory needs, including the cleaning of instruments and preparing the basis for cell cultures, buffers and reagents. The system ensures ultra high quality purified water, crucial for the accuracy of experiments.







Medical & Pharmaceutical

Testing Laboratories

LWM (Laboratory Water Machine)-205:

- Patented Double pass RO
- Large capacity patented filter cartridges for any type of tap water
- 0.1 micron microfiltration hollow fiber membrane
- Internal 5 L storage tank
- Highly efficient recirculation pump
- Fully automatic TDS measurements and control
- High permeate water recovery & high capacity patented pre-filtration
- LCD control panel

Crystal DI PRO (Demineralization):

- Designed for deionizing water up to 18 $\text{M}\Omega$
- Online TDS control
- Mixed bed demineralization cartridge
- 0.1 micron microfiltration hollow fiber membrane post filter
- High capacity mixed bed cartridges

| -18 | | |
|-----|---|-----|
| - | - | - |
| 4 | 2 | 161 |
| - | - | - |

| 1 181 1 1 181 1 | | |
|--------------------|--|--|
| CRYSTAL DI PRO | LWM-205 | LWM-205 + CRYSTAL DI PRO |
| Mixed beds | Double pass RO system | Double pass RO system + mixed beds |
| 120l/h | 50 l/h | 50 l/h |
| 0.1-18 MΩ | ≤1 MΩ | ≤18 MΩ |
| 0.1 | 1 | |
| 100 | up to 80 | |
| | <0.01ppm | |
| | <0.01ppm | |
| _ | CRYSTAL DI PRO Mixed beds 120l/h 0.1-18 ΜΩ 0.1 | CRYSTAL DI PRO LWM-205 Mixed beds Double pass RO system 1201/h 50 1/h 0.1-18 MΩ ≤1 MΩ 0.1 100 |

APRO Specialities



PWD (Pure Water Dispenser)-05:

• User-friendly dispenser with the advanced water quality control features

APRO-100-DI, APRO-500-DI

The APRO water deionization systems are housed in high quatity steel cabinets, providing complete solutions for delivering ultrapure water whenever required. Deionized water helps maintain product safety and integrity.







Medical and Pharmaceutical

Testing Laboratories

Advantages

- Fully automated AQUAPHOR APRO-100-DI and APRO-500-DI RO systems with advanced drainage system provide a steady ultrapure water supply
- A conductivity measuring unit ensures that only high-quality water passes to the storage tank
- A two-step prefiltration system for mechanical impurities removal
- An indicator box measures the membrane pressure
- Water supply monitoring sensors
- Fully equipped electric board
- Exceptionally low energy consumption (classical RO needs twice more energy)

| MODEL | A |
|---|----|
| Permeate capacity, LPH | |
| Permeate accumulation tank volume, liters | |
| Supply pump flow | n |
| Supply pressure | |
| Mixed bed ion-exchange resin volume, liters | |
| cabinet dimensions, mm | 60 |
| Accumulation tank, mm | ł |
| Power supply | |
| Connection Sizing (inlet, outlet, drainage) | 1" |
| | |

APRO Specialities





MicroChip Production



Containerized Water Purification Plant

When a stand-alone drinking water solution is required anywhere in the world, regardless of the incoming water quality, the AQUAPHOR containerized mobile solution delivers clean drinking water that meets the WHO Guidelines for Drinking-water Quality at low cost of less than €0.20 per cubic meter.







Drinking Water for Communities

Alternative to City Water

Advantages

• Any source of water

Fast production of clean drinking water from wells, open sources like lakes, rivers, ponds, and brackish water.

Instant deployment

13 stages of water treatment technologies are packed in the size of a standard 20 ft container that can be mounted as far as 20 meters high, 100 meters away from any available water source, and launched immediately.

• Over 10 years of operation

Robust and tamper-proof self-sufficient construction of the container protects the high-end equipment against the weather and other threats.

- Requires minimal maintenance
- User-friendly plug-and-play installation
- Remote control through encrypted internet traffic





Rainwater Collection

The system represents an additional or alternative whole-home water source. Featuring a multisource function, it automatically switches to a reserve source of inlet water when rainwater is not sufficient.



Whole-House Water Supply

Advantages

This compact and low-energy system is fully automated when there is a need to switch between the sources of water — municipal or harvested rainwater. It also features the stagnation protection technology against bacteria growth and automatically starts recirculation when the system is in standby mode.

- Low energy consuming booster pump
- Permeate recovery up to 99%
- Extended membrane life
- Easy maintenance
- Space saving design
- Low cost operation
- Reduced antiscalant consumption



CARTRIDGE B520 PRO for cold water Patented high-capacity corrugated multilayer

filtration cartridge

| MODEL | APRO 500RW |
|-----------------------------------|-------------------------|
| Operational pressure, bar | 7-10 |
| Permeate Flow, LPH | 500 |
| Membrane quantity | 2 |
| Membrane size, inch | 4 × 40 |
| Max inlet TDS, ppm | 2 000 |
| Reduction of salt content, % | up to 95 |
| System recovery, % | 75-98 |
| Storage tank | external, 100 liters |
| Power supply | single-phase 230V, 50Hz |
| Size (inlet, outlet, concentrate) | 3⁄4"/1⁄2"/1⁄2" NPTF |







Aquaphor International OÜ L. Tolstoi 2A, 40231, Sillamäe, Estonia pro.sales@aquaphor.com aquaphor-pro.com