



ECOTECH CHEMICALS SOLUȚI CHIMICE INTEGRATE ECOTECHIS Performanchemicals



# **TOP GEAR** Active foam for intense dirt



#### ACTIVE FOAM TOP GEAR 60 KG / 25 KG / 5 KG

Foaming detergent for heavily soiled bodies. USE: Active foam - a product that is used in car washes (manual or automatic) as well as in the transport industry. Water-soluble detergent with high foaming power, ideal for cleaning and degreasing car bodies. Product suitable for all types of vehicles: cars, trucks, vans and other types of agricultural vehicles.



#### ACTIVE FOAM ECOGRADE 60 KG / 25 KG /5 KG

Soda-free foam detergent. USE: Active foam without soda. Scented. Contains a complex package of enzymes. Product used in car washes (manual or automatic) as well as in the transport industry. Water-soluble detergent with high foaming power, ideal for cleaning and degreasing car bodies. Product suitable for all types of vehicles: cars, trucks, vans and other types of agricultural vehicles. It does not attack the metal ornaments inserted in the bodies.

# **MONSTER TRUCK** Active foam for trucks



## ACTIVE FOAM MONSTER TRUCK 60 KG / 25 KG / 5 KG

Foam detergent for truck washing, USE: Two-component active foam with solvent content - a product used in car washes (manual or automatic) as well as in the transport industry. Water-soluble detergent with high foaming power, ideal for cleaning and degreasing car bodies. Product suitable for heavy-duty commercial vehicles: cars, vans and other types of agricultural vehicles.



#### BIOSOLVENT OIL TANK - 60 KG / 25 KG / 5 KG

USE: BIOSOLVENT OIL TANK is used for degreasing hydrocarbon tanks or other oily surfaces using pressure equipment, for vaporization. PROPERTIES: Biodegradable solvent for degreasing, successfully replaces acetone or methylene chloride. It is a product that evaporates 3-5 times less than other volatile solvents, so more convenient. It is not flammable, which is very important in the washing process when vapors can be created.

# **BIOCONTROL** active foam for tank washing



#### ACTIVE FOAMBIOCONTROL-60KG/25KG/5KG

Acid foam detergent for washing tanks and trucks. USE: Active sanitizing foam - a product that is used in car washes (manual or automatic) as well as in the transport industry. Water-soluble detergent with medium foaming power, ideal for cleaning, degreasing and descaling tanks and trucks used for food transport. Unpleasant organic odors are eliminated. Product suitable for types of vehicles: cars, trucks, vans and agricultural vehicles, carrying out food transport, meat, milk, vegetables, fruits, etc. and hygiene and odor change are required.





#### LIQUID CAR WAX 5 KG / 500ML

Concentrated liquid wax with active polymers for manual or automatic washing. Creates a protective film that prevents traces from forming and facilitates drying. Lying on the body, it has optimal protective properties and highlights the shine of the paint. Protects, maintains and insulates the car body for a long time against the influences of weather and the environment. Suitable for all types of car paint (metallic and non-metallic) offers long-lasting protection, regenerates matte colors giving shine. It gives the body a glossy appearance, has an antistatic effect, leaves no white marks and does not contain solvents.

# BUGS OUT



#### **INSECT CLEANING SOLUTION BUGS OUT 5 KG / 500ML**

Solution for removing insects from bodies. USE: Ready-made solution for removing insects from the body. PROPERTIES: BUGS OUT is composed of a mixture of surfactants and enzymes, for the efficient and fast removal of organic traces left by crushed insects on the body of vehicles. The solution softens and dissolves dirt without damaging the varnish, paint or other chrome trim.

# RINSE AID

#### rinsing solution, provides protection against dirt



#### RINSE ADDITIVE RINSE AID 60 KG / 25KG / 5KG

USE: Ready-to-use solution for rinsing vehicles after washing with active foam or car shampoo. PROPERTIES: RINSE AID consists of a repellent pack of silicone microemulsion, non-foaming surfactants and ethanol for quick drying. The surface remains glossy and is protected from harsh dirt, weather, rain, snow, sleet, which are easily removed from the body or windshield.

# SILVERSTONE solution for cleaning rims of any metal



#### **RIM CLEANING SOLUTION SILVERSTONE 5 KG / 500ML**

Rim cleaning solution with exceptional cleaning power. It does not attack any type of surface, suitable for all types of rims (alloys chrome, steel, aluminum, including plastic ornaments on the wheels. fast and effective on even the most severe stains, giving shine and shine.



#### SAFESKY TYPE I AIRCRAFT DEFROST SOLUTION BULK / KG

USE: SAFESKY type I is a solution used for the easy removal of ice or snow deposits from civilian, military, train or craft aircraft. PROPERTIES: The solution is based on propylene glycol with biodegradable corrosion inhibitors, compatible with metals such as aluminum, copper, etc. Can be used with all types of spray equipment. The minimum freezing temperature that can be obtained from use is - 32 degrees C.

## **NERO INTENSO** solution for tire maintenance



#### TIRE MAINTENANCE SOLUTION NERO INTENSO 5 KG / 500ML

Ready-to-use active substance for cleaning, polishing, maintenance and protection of caucine surfaces. Nourishes and regenerates rubber surfaces, tires and other rubber components of the car. Using it regularly, the tires regain their new and shiny appearance. Due to its maintenance properties and covering strength, it forms a smooth protective film, leaving a long-lasting gloss after drying, protecting and increasing the tire's resistance to wear and environmental factors.

## SAFESKY typell aircraft de-icing solution



#### SAFESKY TYPE II AIRCRAFT DEFROST SOLUTION BULK / KG

USE: SAFESKY type II is a solution used for frost or snow protection for civilian and military aircraft required for take-off. It can be used for trains or boats, having a very good remanence due to thixotropic characteristics. biodegradable corrosion, compatible with metals such as aluminum, copper, copper, etc. Can be used with all types of spray equipment. The product can be applied hot or cold, as such or in dilution.



solution for cleaning cement from industrial machinery

# DETASINOX



#### CIMSOL 5 KG / 500ML

Professional solution for cleaning cement from industrial machinery or concrete conveyor cords, for removing the rest of the cement from external surfaces, as well as for cleaning the excess hardened adhesive from the installation of tiles. Removes cement film and cement residues, potassium nitrate efflorescence, dirt. Recommended for all surfaces with caution for acid-sensitive surfaces, such as faience, ceramic kiln surfaces, natural stone such as granite, marl and quartzite, concrete and glass pavers.



#### RUGINEX 5 KG / 500ML

RUGINEX is a solution for removing rust. Eye Dam. 1: H318 - Causes serious eye damage. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation.P271 Use only outdoors or in well-ventilated areas.



#### **STAINLESS STEEL DESCALER DETASINOX 5 KG / 500ML**

Specialized solution for cleaning stainless steel surfaces without the need for rinsing. Gently cleans the difficult dirt on stainless steel surfaces without scratching them, leaving them clean and shiny, without traces of water or fingerprints. Thanks to the special polishing agents it contains gives shine to stainless steel surfaces and cares for them. Can be used on all stainless-steel objects, elevators, stainless steel bars, escalators, stair railings, etc. Restores the shine of stainless steel, chrome surfaces (both inside and outside the house) leaving a fragrance fresh.



#### ALUMINIUM INSTALLS DESCALER NITRICAL 5 KG

**DESCRIPTION:** Acid descaler for a wide range of applications: removal of rust, removal of limescale or silicon stoppers from the circulation tubes of boilers, heat exchangers, to remove traces of oxidation in aluminum installations.

# **ECOGEL**

thermodynamically added car antifreeze - 40 C

#### AUTO CARBOXYLIC ANTIFREEZE ECOGEL 4 KG / 1KG

USE: Antifreeze for ready-made heat engines. Freezing point - 40 degrees C. PROPERTIES: Ready-made thermodynamic additive G12 antifreeze with carboxylic corrosion inhibitor and high heat transfer. The functional longevity performance of the corrosion inhibitor package (without borates, phosphates, silicates, nitrates) but with a PH reserve, makes the service lifelong.



#### **CARBOXYLIC CORROSION INHIBITOR 5 KG / 1KG**

Carboxylic additive for district heating and motor vehicles. Agent for the protection of district heating and air conditioning circuits, thermal power plants, cooling towers, motor vehicles, against chemical corrosion and oxidation. metals and antifreeze agents. USE: 1-2% of the installation volume

## MOTOR&PARTS CLEANING engine cleaning solution



#### ENGINE CLEANING SOLUTION **MOTOR&PARTS CLEANING 5 KG / 500ML**

USE: MOTOR&PARTS CLEANING is used for degreasing engines or engine components. PROPERTIES: Biodegradable solvent for degreasing, successfully replaces acetone or methylene chloride. It is a product that evaporates 3-5 times less than other volatile solvents, so more convenient. It is not flammable, which is very important in the washing process when vapors can be created.

# MOTOR CLEAN degreasing detergent for cleaning car engines



#### **MOTOR CLEAN DEGREASING DETERGENT 5 KG / 10KG**

Motor Clean has a strong cleaning effect for alkali-resistant surfaces: oils, greases, lubricants. indicated wherever there is a need for a detergent with intense cleaning action. For aluminum parts it is recommended to rinse thoroughly with water after use. Reduced foaming. For use we recommend the following dilutions: -1:10 (water) - ratio used for particularly difficult - with rinsing -1:20 (water) - ratio used for dirty surfaces - with rinsing.Motor Clean has a strong cleaning effect for alkali-resistant surfaces: oils, greases, lubricants.Dissolves and cleans oily dirt, grease and other impurities that can be collected on the engine or the transmission area, quickly and efficiently. It is indicated wherever there is a need for a nt with intense cleaning a

## **TRACKS** solution for removing traces of rubber



#### SOLUTION FOR REMOVING RUBBER TRACES TRACKS 5 KG / 500ML

USE: TRAKS is a solution used for easy removal of intense rubber marks from floors, simple, only cement or treated with epoxy or polyurethane membrane. PROPERTIES: Biodegradable solvent for removing or cleaning rubber traces, degreases, successfully replaces acetone or methylene chloride. It is a product that evaporates 3-5 times less than other volatile solvents, so more convenient. It is not flammable, which is very important in the washing process when vapors can be created.

# ICEKO MECANIC

defrosting and lubricating solution for mechanisms exposed to cold



#### **DEGIVRANT- LUBRICANT ICEKO MECANIC**

USE: Antifreeze lubricant solution, used in weathered mechanisms such as door locks for trains, vehicles, trailers and boats. PROPERTIES: Due to the repellent properties offered by nano silica particles, other lubricating and antifreeze ingredients, a solution is obtained that protects and lubricates the mechanisms up to a temperature of -30 degrees C.

# 

FRIKY FRIKY

Abrasive paste for cleaning hands

#### ABRASIVE PASTE FOR CLEANING HANDS FRIKY FRIKY 5 KG BUCKET

Abrasive paste for hand cleaning, made with a mixture of natural surfactants, glycerin, sawdust, water and perfume. It has a dirt-cleaning action such as: Vaseline, oil, grease, paints, pigments, rust. HOW TO USE: Wet your hands, apply abrasive paste by rubbing until the dirt is completely dissolved. Rinse thoroughly. The product is not used on delicate parts of the body (face, intimate areas, armpits), or in applications other than those recommended without seeking advice from the technical department. RECOMMENDATIONS: Used especially in mechanical workshops, car service, industry, etc.

# FACTOR NET professional floor cleaner



#### **PROFESSIONAL FLOOR CLEANER FACTOR NET 5 KG**

Professional floor cleaner, has a strong cleaning effect for surfaces resistant to alkalis, oils, lubricants, greases, rubber marks. It is suitable for factories, the food industry, car service, warehouses, where there is a need for a detergent with intense action and sanitation. There are no restrictions on the use of surfaces, except for wooden floors and aluminum objects. Reduced foaming.



anti-fog solution for glasses, windshields, mirrors



#### ANTI-FOG SOLUTION ANTIFOG - 500 ML / 80ML

USE: Anti-fog solution is used for windshields, windows of any kind, mirrors, glasses, swimming or diving goggles, ski goggles, binoculars. PROPERTIES: Due to the repellency properties offered by nano silica particles together with silica particles it has a longlasting anti-fog effect. Also, the treated surfaces are harder to get dirty and are protected from fine scratches.





#### WINDSHIELD SOLUTION WINTER - 25 C / SUMMER 5 KG

Ideal Winter is a solution used for defrosting and washing windshields and headlights, used as such in the washing systems of road vehicles, up to temperatures of -25C. It is recommended for cleaning car windshields and headlights, giving them a clear and shiny appearance. It dries quickly, has an antistatic effect and a pleasant smell. Ideal summer windshield fluid for warm weather. It is recommended for cleaning car windshields and headlights, giving them a clear, bright look.

## **STRIKE BACK** windshield repellent solution



#### WINDSHIELD SOLUTION STRIKE BACK 5 KG / 500ML

USE: Used to protect the windows and surfaces of vehicles, trains and airplanes. It is also applied on tiles. PROPERTIES: Due to the repellent properties offered by silicone microemulsions, STRIKE BACK facilitates vision during rain, precipitation such as snow and sleet is easily removed. The product has antistatic properties, reduces remorse and improves scratch resistance.

# WINDSHIELD DEFROSTER solution for cleaning frozen surfaces



#### WINDSHIELD DEFROSTER - 37 C 5 KG / 500ML

Solution for defrosting surfaces covered by an ice start: windshields, handles, bumpers, etc. PROPERTIES: Due to the anti-freeze properties conferred by glycol and alcohol, ice-covered surfaces can be defrosted down to a temperature of -37C. The product is composed of a silicone microemulsion that will protect the surface from the weather and facilitate subsequent defrosting. Dosage: spray the product on the ice layer and wait a minute for it to penetrate. Use a squeegee to remove dislodged pieces of ice. If you are using the vehicle solution, we recommend starting the engine and directing the heat to the windshield.

# BRILLANTE



#### **BRILLANTE SURFACES SOLUTION 5 KG / 500ML**

USE: Ready-made solution for cleaning and maintenance of plastic, wood, leather. PROPERTIES: BRILLIANT is composed of a mixture of silicones, surfactant and ethanol. Protects, cleans, perfumes and invigorates the color of plastic surfaces, has the role of pleasant polishing, matte effect, with antistatic role, on wood or leather, inside car shows, trains, boats, planes.

#### UPHOLSTERY REPELLENT ECOTECH repellent solution for leather and textile upholstery



#### **UPHOLSTERY REPELLENT ECOTECH 5 KG / 500ML**

USE: Ready-made solution for leather and textile upholstery protection. PROPERTIES: ECOTECH upholstery repellent solution, is a high quality and protective product, offers excellent water and oil repellent, resistant to oil and water stains , provides uncompromising performance in connection with the appearance of the substrate (does not after colors, does not dull, does not shine) and the breathability of the material. Don't make a movie. Application safe in terms of application, toxicity or other adverse health effects. Dosage: The product is used as such, sprayed directly on surfaces, which will be slightly moistened. Wait as long as necessary, until completely dry, only then we recommend you to resume using the asset.

# SOLTEX upholstery detergent



#### **UPHOLSTERY DETERGENT SOLTEX 5 KG / 500ML**

It is used for cleaning and maintenance of upholstery, covers and interior of vehicles. It is intended for cleaning car upholstery made of natural or synthetic textile material. Specially contained active substances easily penetrate the threads of the fabric, removing even the most difficult stains. Eliminates unpleasant odors and revitalizes fabric colors. Cleaning properties, dissolves dirt and nicotine marks from upholstery fabric. It does not attack the fabric and colors. The scent of the solution accentuates the effect of cleanliness and freshness eliminating heavy odors.

# **ECOCARPET** upholstery and carpet cleaner with enzymes



#### DETERGENT FOR UPHOLSTERY AND CARPETS ECOCARPET 5 L / 500ML

It is a high-quality carpet cleaning concentrate with a complete formula for odor control and exceptional and long-lasting cleaning. Applications: Carpet stain cleaning, Car upholstery cleaning. OVERVIEW: Ecocarpet offers outstanding performance and a longlasting odor control. The surfactant package provides immediate cleaning of a wide range of stains from carpets and upholstery. The combination of bacteria with specific action penetrates deep into the fibers of the carpets for a complete degradation of residual dirt that can cause unpleasant odors or recurrence of stains.





# ICEKO PULBERE

defrosting powder, treads and other surfaces

# ICEKO LICHID



#### ICEKO PULBERE DEFROSTER - SACK 25 KG / BUCKET 5 KG

USE: ICEKO PULBERE is a powder used for easy removal of ice or snow from runways in airports, railway stations or other ancillary surfaces. PROPERTIES: The powder optimizes melting times and thus reduces the operating costs of aircraft or vehicles. The product has a de-icing effect in a few minutes. For best results, it is recommended to use liquid de-icer immediately after applying the powder.



#### **BIOMARK 5 KG / 1 KG**

Biomark is a progressive detergent based on bacteria and enzymes for industrial use. This unique formulation is based on the specific action of Bacillus bacteria and Enzymatic Complex Package, penetrating surface pores and removing organic debris by biodegradation. and effective in keeping surfaces clean.

#### ICEKO LICHID DEICER - 15 C- BULK/KG / 10 KG

USE: ICEKO LICHID is a solution used to easily remove ice or snow from runways in airports, railway stations or other auxiliary surfaces. Non-toxic, biodegradable product. PROPERTIES: The solution optimizes melting times and thus reduces the operating costs of aircraft or the product has a defrosting effect in a few minutes. For best results, it is recommended to use ICEKO PULBERE defroster immediately before applying ICEKO LICHID solution.

# ABSORBANT

absorbent inert mineral for chemical pollution incidents

#### **ABSORBANT - SACK 25 KG**

USE: Porous material that has the ability to absorb diesel, lubricating oils, hydraulic oils, kerosene, cooking oils, various organic solvents, acids, cooling and cutting emulsions, aqueous ammonia solutions, etc. Dosage: As deemed necessary. TECHNICAL FEATURES: Inert powder. STORAGE: storage temperature 0-40 degrees Celsius.



## **BIODIZOL** solution for unclogging pipes



#### PIPES AND SIPHONS UNCLOGGER DIZOL 1 KG

ECOTECH

rant rand

Dizol pipe unclogging solution is a fast-acting professional liquid for toilet bowls, sinks and industrial drains. water, the solution descends to the place of blockage, provided that there are not too many siphons. In this case we recommend using a larger amount of Dizol pipe unclogging solution. The process of releasing the pipes takes on average between 15 and 30 minutes, depending on the existing subjects.

dizo

# BIOACTIVATOR FOSE SEPTICE solution for septic tanks



## **BIOACTIVATOR FOSE SEPTICE 1 KG**

BIOACTIVATOR FOSE SEPTICE It is a multi-functional, ready-to-use, powder-based bacterial formulation designed as a cost-effective solution for a wide range of applications: In the maintenance of drains and grease collectors. municipal sewage and pumping stations, applications for sludge / sediment reduction, general purpose biological augmentation and treatment of effluents from food processing, agriculture, pulp and paper mills, treatment of agricultural suppensions, waste treatment, regulation of unpleasant odors for a wide range of applications, such as household care, pet care or waste container treatment (dumpsters, bins, etc.)

#### PIPES AND SIPHONS UNCLOGGER BIODIZOL 1 KG

BIODYSOL It is a liquid bacterial concentrate that combines a unique, environmentally friendly chemistry with bacteria and enzymes to provide a proven, innovative and effective long-term solution for odor control and unclogging of organic matter pipes. Applications: Odor control and biological dissolution for: bathrooms and toilets, the interior of vehicles equipped with ecological toilets, waste collection areas, cages and animal pens, largescale applications such as landfills, disaster remediation, high effectiveness against spoiled food, fish odor, cigarette smoke and other odors.



#### FAT SEPARATOR BIOACTIVATOR ENZYCAN 5KG / 1 KG

ENZYCAN BIOACTIVATOR - It is a bacterial formulation in liquid form, specifically designed to degrade fats, oils and other food waste in the demanding environments of drains, collectors and grease separators. Applications: grease collectors and separators, kitchen drainage networks, wastewater wells and pipes, municipal domestic wastewater treatment plants with grease problems, industrial wastewater treatment, especially in the food industry.









# **EXTERIOR CAMION**



www.ecotech.com.ro

# TRENURI



# TRENURI



Industrial use detergent.

www.ecotech.com.ro

inert absorbing mineral for chemical incidents

# AVIAȚIE

#### SAFESKYtype1

TI		M	T
+++	T	M	tt
			Щ
-			1

Aircraft defrosting solution **ICEKO LICHID** 



tracks and other surfaces



repellent solution for leather and textile upholstery

ECODOR1X

Organic odor remover DEZLIPICI **Removes labels** and chewing gum



dezlipește etichete și guma de mestecat



## SAFESKY tip



Aircraft defrosting solution **ICEKO PULBERE** 



tracks and other surfaces



Upholster

## **ECOCARPET**



Enzyme detergent for upholstery and carpets **BEACTIVE 02 RTU** 



dezinfectant gata preparat pentru domeniul public