

WE KEEP SMART THINGS SIMPLE.



THE SERIES

NeoSoft Connect

The new soft
in water softening

NeoSoft - part of the SYR CONNECT system





The new art of water softening

NeoSoft

Stylish design, effective and reliable technology, convenient commissioning and ease of use - the soft water systems NeoSoft Connect 2500 and 5000 provide noticeably soft water and protect against everything that hard water can cause.

Soft water leaves no trace on anything that would otherwise quickly become stained.




Shiny taps and a limescale-free installation: Soft water protects and saves energy.

A tangible sense of well-being: Soft water soothes your skin and makes your hair shine.



Soft water ensures cuddly soft laundry - without any fabric softener.

Soft water saves shampoo and care products and can soothe skin irritations.



The additional advantage of soft water - full-bodied, flavourful tea and coffee.

NeoSoft 2500 Connect Single unit

Our new NeoSoft 2500 Connect turns the high-quality NeoSoft soft water systems into a product range. The NeoSoft 2500 Connect supplies soft water for up to three residential units.

With its patented, torsion-resistant one-hose system, the unit offers a safe and fast installation.

The 4.2" touchscreen displays the operating mode, which the NeoSoft 2500 automatically selects depending on consumption.

Wi-Fi network and control via app are standard as for the NeoSoft 5000 system.

The NeoSoft 2500 Connect is pre-assembled ready for connection.

Effective softening for noticeably soft water.

Effective softening technology

NeoSoft Connect units are based upon the proven ion exchange process, in which the hardness-forming calcium and magnesium ions are exchanged for sodium ions.

Once the resin is saturated, the units will start the regeneration process. The NeoSoft 5000 Connect with its dual system ensures that soft water is reliably available, even during the regeneration phase. With the NeoSoft 2500 single unit, the time of regeneration can be freely selected.

Automatic operating mode

The built-in turbine of the NeoSoft Connect units continuously measures the water consumption so that the intelligent system always optimally adjusts the operating mode to the water consumption. Whether ECO, STANDARD or POWER – the mode currently active is displayed in green on the touchscreen.



Intuitive touchscreen operation

All information can be called up on the modern displays, thus allowing for convenient operation of the systems.

Smart and internet-enabled

NeoSoft Connect systems can be operated via Wi-Fi network or LAN with the SYR app. When in online mode, users are notified by push notification and/or e-mail.

The unit provides access to a logbook, statistics such as water consumption, maintenance settings and maintenance procedures.



Salt tank with soft-close lid

Filling the salt tank is extremely easy. When you open the soft-close lid, the tank illumination switches on.

Completely pre-assembled units

The pre-assembled NeoSoft unit with its sandwich flange is safe and timesaving to install. Place the sandwich connection flange on the SYR universal flange. The flexible hose connections are mounted with a torsion-resistant plug-in system. Connect the flush and overflow hoses to the triple tundish (included in delivery of both units) and fill in the regenerating salt. The installation checklist indicates whether the installation has been successfully completed.

The touchscreen guides you step by step through the commissioning process.

NeoSoft 5000 Connect Duplex

With its two resin bottles, the NeoSoft 5000 Connect soft water system reliably supplies soft water 24/7 for up to eight residential units.

Enjoy the convenience and ease of use of the state-of-the-art 7" touchscreen with swipe function.

The smart NeoSoft 5000 Connect can be controlled either via Wi-Fi network or LAN with the SYR app and informs the user in online mode via push notification and/or email.

The system is supplied ready for connection and fully automatic water hardness adjustment means it can be set up and ready to use.



NEW

NeoSoft 2500 Connect Single unit

NeoSoft 5000 Connect Duplex



The NeoSoft Connect Water softening systems **at a glance**

The triple tundish with high flow rate offers a fast connection of the NeoSoft Connect systems to the wastewater system. Comes with hose connection for TRIO DFR/LS Connect and DRUFI+ backwash filter. Easy to maintain thanks to detachable revision. Comes with DN 50 wastewater connection.



- Wi-Fi network/LAN-enabled
- Control, monitoring and push notifications via SYR app
- 100% performance online and offline



Animation
NeoSoft 2500 Connect



Animation
NeoSoft 5000 Connect

WE KEEP SMART THINGS SIMPLE.



Proven technology. Perfectly matched. Smart combination.

Connected competence

The latest SYR technology for highest demands in modern domestic installations. Our combination includes the universal flange, the backwash filter TRIO DFR/LS Connect with pressure reducing valve and leakage protection, the soft water systems NeoSoft 2500 and 5000 (see illustration) Connect, the dosing pump NeoDos Connect and the SafeFloor Connect floor sensor.

All devices are part of the smart, intelligent SYR CONNECT system and can be connected and controlled via the SYR app.



100% performance
online and offline



The SYR CONNECT system has received the SySS security certificate
and has been awarded the Smart Home Award.

Stay connected

