



40th Anniversary

Innovative solutions for chimneys and ducts

Domestic Biomass



Catalogue & Price-List

2024
February

New

DEKO WOOD
1,2 mm

dinak.com






Chimney Systems

For a partnership built on trust

For over 40 years, Dinak have been providing the best service and solutions for chimney and flue professionals, with a guarantee of quality and service.

Being one of Europe's leading manufacturers, Dinak offers you the best solution for every application.



Following our "customer oriented" culture, at Dinak we keep working in order to offer:



Complete range
of products for every
application



**The best
quality - price
ratio**



Service
to meet our
customers
expectations



**Constant and
state-of-the-art
development**



**Continuous listening
and assistance,**
to meet all
market needs



Heating



Industrial



Fire resistance - EI




Domestic

Fast and continuous service

dinak.com

Thanks to our website, you can download any price list, catalogue, product certificate, picture or technical guide at any time.



Multimedia catalogue

This USB pendrive provides you with all our paperwork (catalogues, technical guides, product certificates) in a digital format.



DINAK Communication

Dinak is able to provide you with all relevant information regarding current regulations and the latest technical developments.



Point of Sale material

Dinak has a range of point of sale material available, from desk top displays to roll-up banners.



Product customisation

Your modular flue can be customised choosing any colour from the RAL palette.



Domestic





Domestic

Solutions for wood logs

- 6** Deko Wood
- 9** Deko Wood 1,2 mm
- 11** Deko Wood 2 mm
- 13** SW6
- 18** Diflux Triple Wall
- 21** DW Wood
- 25** DW Wood Black
- 28** DW6 Wood
- 32** DW50

Solutions for pellets

- 37** Deko Pellets
- 41** Deko Pellets 1,2 mm
- 43** SW Pellets & SW Pellets Black
- 47** Diflux Pellets
- 50** DW Pellets & DW Pellets Black

Common solutions for Pellets & Wood

- 57** Dinaflex
- 60** Fireshield
- 62** Conections
- 66** Terminals
- 67** Stainless steel roof flashings

DEKO WOOD

Vitreous mild steel single wall chimney

Ø125 - Ø150 - Ø180 - Ø200



0036 CPD 90220 045

EN 1856-2 T600 N1 D VO L80080 G375NM



TECHNICAL SPECIFICATIONS

- Thickness: 0,8 mm
- Finishing: matt black

ADVANTAGES

RESISTANCE

Because of its inner and outer vitrified material, the DEKO range guarantees its colour stability with high temperatures and condensation.

APPEARANCE

The plain appearance of DEKO WOOD, without markings or beadings, adapts itself perfectly to match designer stove connections.



STRAIGHT LENGTHS

020



Straight length L = 950 mm

Ø	Code	€
125	039A 12 020 DEN	53,09
150	039A 15 020 DEN	58,57
180	039A 18 020 DEN	69,40
200	039A 20 020 DEN	80,30

024



Straight length L = 450 mm

Code	€
039A 12 024 DEN	44,79
039A 15 024 DEN	49,00
039A 18 024 DEN	53,80
039A 20 024 DEN	60,82

025



Straight length L = 285 mm

Code	€
039A 12 025 DEN	41,39
039A 15 025 DEN	44,93
039A 18 025 DEN	48,91
039A 20 025 DEN	55,17

022

Adjustable length
L = 120 - 450 mm

Code	€
039A 12 022 DEN	69,93
039A 15 022 DEN	75,04
039A 18 022 DEN	85,79
039A 20 022 DEN	89,97

25H



Sleeve F - F L = 125 mm

Code	€
039A 12 25H DEN	37,28
039A 15 25H DEN	40,43
039A 18 25H DEN	44,00
039A 20 25H DEN	49,64

TEES & ELBOWS

25M



Sleeve M - M L = 100 mm

Ø	Code	€
125	039A 12 25M DEN	37,28
150	039A 15 25M DEN	40,43
180	039A 18 25M DEN	44,00
200	039A 20 25M DEN	49,64

031



90° Tee with male branch

Code	€
039A 12 031 DEN	75,59
039A 15 031 DEN	81,83
039A 18 031 DEN	84,00
039A 20 031 DEN	94,70

31F



90° Tee with female branch

Code	€
039A 12 31F DEN	75,59
039A 15 31F DEN	81,83
039A 18 31F DEN	84,00
039A 20 31F DEN	94,70

32M

90° Tee with Ø80 branch and
test unit

Code	€
039A 12 32M DEN	83,15
-	-
-	-
-	-

40A



Set of 45° elbows to offset

Code	€
039A 12 40A DEN	86,39
039A 15 40A DEN	90,98
039A 18 40A DEN	97,10
039A 20 40A DEN	106,82

040



45° Elbow

Ø	Code	€
125	039A 12 040 DEN	57,59
150	039A 15 040 DEN	60,65
180	039A 18 040 DEN	64,73
200	039A 20 040 DEN	71,21

040 Premium



45° Premium Elbow

Code	€
039A 12 040 D1N	72,94
039A 15 040 D1N	76,82
039A 18 040 D1N	81,99
039A 20 040 D1N	90,19

Invisible welds and premium packaging

042



30° Elbow

Code	€
039A 12 042 DEN	58,29
039A 15 042 DEN	61,55
039A 18 042 DEN	70,76
039A 20 042 DEN	76,49

042 Premium



30° Premium Elbow

Code	€
039A 12 042 D1N	73,83
039A 15 042 D1N	77,96
039A 18 042 D1N	89,62
039A 20 042 D1N	96,89

Invisible welds and premium packaging

433



90° Elbow

Code	€
039A 12 433 DEN	86,39
039A 15 433 DEN	90,98
039A 18 433 DEN	97,10
039A 20 433 DEN	106,82

433 Premium



90° Premium Elbow

Code	€
039A 12 433 D1N	109,41
039A 15 433 D1N	115,23
039A 18 433 D1N	122,99
039A 20 433 D1N	135,29

Invisible welds and premium packaging

INSPECTION & CLEANING

24P

Inspection straight length
L = 450 mm

Ø	Code	€
125	039A 12 24P DEN	104,99
150	039A 15 24P DEN	109,20
180	039A 18 24P DEN	142,16
200	039A 20 24P DEN	157,37

40P



45° Inspection elbow

Code	€
039A 12 40P DEN	117,79
039A 15 40P DEN	120,86
-	-
-	-

432



90° Elbow with inspection

Code	€
039A 12 432 DEN	118,49
039A 15 432 DEN	121,76
039A 18 432 DEN	164,22
039A 20 432 DEN	179,36

432 Premium

90° Premium elbow with
inspection

Code	€
039A 12 432 D1N	150,08
039A 15 432 D1N	154,22
039A 18 432 D1N	208,01
039A 20 432 D1N	227,18

Invisible welds and premium packaging

060



Soot collector

Code	€
039A 12 060 DEN	73,98
039A 15 060 DEN	79,70
039A 18 060 DEN	87,95
039A 20 060 DEN	93,93

TERMINALS

061



Soot collector with drain

Ø	Code	€
125	039A 12 061 DEN	83,93
150	039A 15 061 DEN	89,66
180	039A 18 061 DEN	97,91
200	039A 20 061 DEN	103,87

010



Raincap

Code	€
039A 12 010 DEN	72,15
039A 15 010 DEN	79,46
039A 18 010 DEN	94,32
039A 20 010 DEN	102,20

Includes specific locking band

012



Weathering cap

Code	€
039A 12 012 DEN	104,61
039A 15 012 DEN	115,23
039A 18 012 DEN	136,76
039A 20 012 DEN	148,18

PROTECTIONS

113



Finishing collar

Code	€
039A 12 113 DEN	31,69
039A 15 113 DEN	35,41
039A 18 113 DEN	41,03
039A 20 113 DEN	47,75

SUPPORTS

075



Light weight support with nut

Code	€
0390 12 075 SWNAH	18,54
0390 15 075 SWNAH	20,20
0390 18 075 SWNAH	33,39
0390 20 075 SWNAH	34,97

CONNECTIONS

086



Flat wall support

Ø	Code	€
125	0390 12 086 SWNAH	24,75
150	0390 15 086 SWNAH	26,93
180	0390 18 086 SWNAH	44,57
200	0390 20 086 SWNAH	54,32

1C0



Stove adaptor L = 200 mm

Code	€
039A 12 1C0 DEN	46,55
039A 15 1C0 DEN	52,17
039A 18 1C0 DEN	56,46
039A 20 1C0 DEN	63,67

055



Straight length with drain
L = 150 mm

Code	€
039A 12 055 DEN	35,32
039A 15 055 DEN	37,28
039A 18 055 DEN	42,88
039A 20 055 DEN	46,35

ACCESSORIES

120



Draught regulator

Code	€
039A 12 120 DEN	155,73
039A 15 120 DEN	161,10
039A 18 120 DEN	175,29
039A 20 120 DEN	185,56

32R



90° Tee with draft stabilizer

Code	€
039A 12 32R DEN	452,43
039A 15 32R DEN	465,87
039A 18 32R DEN	473,88
039A 20 32R DEN	525,17

14P



Cover protection top outlet
L = 980 mm

Ø	Code	€
125	0390 12 14P SWN	190,08
150	0390 15 14P SWN	216,07
180	0390 18 14P SWN	269,18
200	0390 20 14P SWN	304,61

14S



Adjustable cover protection
L = 1.040 - 1.930 mm

Code	€
0390 12 14S SWN	323,14
0390 15 14S SWN	367,31
0390 18 14S SWN	457,63
0390 20 14S SWN	517,84

FIX



Fixation kit for finishing collar

Code	€
059K 99 FIX	23,99
-	-
-	-
-	-

Same code and price for all diameters

SPR



High temperature spray paint
200 ml

Code	€
0588 99 SPR DEN	41,06
-	-
-	-
-	-

Same code and price for all diameters

REDUCERS / INCREASERS

026



Reducer M-F / Reducer F-M

	Ø 125		Ø 150		Ø 175		Ø 180		Ø 200	
Ø	Code	€	Code	€	Code	€	Code	€	Code	€
125	-	-	069A A0 026 DEN	67,27	-	-	-	-	-	-
150	069A M0 026 DEN	67,27	-	-	-	-	069A DI 026 DEN	72,38	069A B6 26D EN	79,87
180	-	-	069A DY 026 DEN	72,05	069A DZ 026 DEN	78,44	-	-	069A EA 26D EN	79,87
200	-	-	069A M4 026 DEN	79,52	-	-	069A EV 026 DEN	79,87	-	-

REDUCERS / INCREASERS

262



Reducer F - F

	Ø 110		Ø 120		Ø 125		Ø 130		Ø 140		Ø 153		Ø 175	
Ø	Code	€	Code	€	Code	€	Code	€	Code	€	Code	€	Code	€
125	069A KM 262 DEN	73,80	069A BD 262 DEN	64,13	-	-	069A CB 262 DEN	66,59	-	-	-	-	-	-
150	-	-	069A BF 262 DEN	68,27	069A A0 262 DEN	68,27	069A CK 262 DEN	68,26	069A XR 262 DEN	68,26	069A NK 262 DEN	60,23	069A M2 262 DEN	72,38
180	-	-	-	-	-	-	-	-	-	-	-	-	069A DQ 262 DEN	78,44
200	-	-	-	-	-	-	-	-	-	-	-	-	069A C9 262 DEN	79,86

DEKO WOOD 1,2 mm

NEW!

Single-wall chimney, matt black enamel, 1,2 mm thick, with aesthetic connections

The Deko Wood 1,2 mm range is the ideal solution for wood-burning stoves where the flue pipe is visible



0036 CPR 90220 063

EN 1856-2 T600 N1 D Vm L80120 GXXX NM

MATERIALS

- Enamelled steel
- Thickness 1,2 mm


TECHNICAL SPECIFICATIONS

- Available diameters: Ø130, 150, 180 and 200 mm
- Finish: matt black
- Overlap: 50 mm
- Cuttable on female side




Individually packaged with heat-shrink film

Smooth finish, no visible welding



Ø 125
to
Ø 200



DEKO WOOD 1,2 mm

STRAIGHT LENGTHS

020



Straight length L = 950 mm

Ø	Code	€
130	039A 13 020 D1N	67,25
150	039A 15 020 D1N	74,19
180	039A 18 020 D1N	87,90
200	039A 20 020 D1N	101,72

024



Straight length L = 450 mm

Code	€
039A 13 024 D1N	56,73
039A 15 024 D1N	62,06
039A 18 024 D1N	68,14
039A 20 024 D1N	77,04

025



Straight length L = 200 mm

Code	€
039A 13 025 D1N	52,42
039A 15 025 D1N	56,91
039A 18 025 D1N	61,95
039A 20 025 D1N	69,88

022



Adjustable length
L = 100 - 400 mm

Code	€
039A 13 022 D1N	88,58
039A 15 022 D1N	95,05
039A 18 022 D1N	108,66
039A 20 022 D1N	113,96

25H



Sleeve H-H L = 125 mm

Code	€
039A 13 25H D1N	47,22
039A 15 25H D1N	51,21
039A 18 25H D1N	55,74
039A 20 25H D1N	62,88

TEES & ELBOWS

25M



Sleeve M-M L = 25 mm

Ø	Code	€
130	039A 13 25M D1N	47,22
150	039A 15 25M D1N	51,21
180	039A 18 25M D1N	55,74
200	039A 20 25M D1N	62,88

31F



90° Tee with female branch

Code	€
039A 13 31F D1N	95,74
039A 15 31F D1N	103,65
039A 18 31F D1N	106,40
039A 20 31F D1N	119,96

031



90° Tee with male branch

Code	€
039A 13 031 D1N	95,74
039A 15 031 D1N	103,65
039A 18 031 D1N	106,40
039A 20 031 D1N	119,96

040



45° Elbow

Code	€
039A 13 040 D1N	72,94
039A 15 040 D1N	76,82
039A 18 040 D1N	81,99
039A 20 040 D1N	90,19

433



90° Elbow

Code	€
039A 13 433 D1N	109,41
039A 15 433 D1N	115,23
039A 18 433 D1N	122,99
039A 20 433 D1N	135,29

432



90° Elbow with inspection

Ø	Code	€
130	039A 13 432 D1N	150,08
150	039A 15 432 D1N	154,22
180	039A 18 432 D1N	208,01
200	039A 20 432 D1N	227,18

050



Stove adaptor

Code	€
039A 13 050 D1N	35,79
039A 15 050 D1N	37,78
039A 18 050 D1N	38,89
039A 20 050 D1N	46,97

24P



Straight length with inspection

Code	€
039A 13 24P D1N	199,34
039A 15 24P D1N	132,98
039A 18 24P D1N	138,32
039A 20 24P D1N	180,07

060



Soot collector with drain

Code	€
039A 13 060 D1N	93,71
039A 15 060 D1N	100,96
039A 18 060 D1N	111,41
039A 20 060 D1N	118,98

061



Soot collector with drain

Code	€
039A 13 061 D1N	106,31
039A 15 061 D1N	113,56
039A 18 061 D1N	124,02
039A 20 061 D1N	131,57

PROTECTIONS

113



Finishing collar

Ø	Code	€
130	059G 13 113 D1N	40,14
150	059G 15 113 D1N	44,85
180	059G 18 113 D1N	51,97
200	059G 20 113 D1N	60,49

SUPPORTS

086



Flat wall support

Code	€
0390 13 086 SWNAH	25,86
0390 15 086 SWNAH	26,93
0390 18 086 SWNAH	44,57
0390 20 086 SWNAH	54,32

075



Light weight support with nut

Code	€
0390 13 075 SWNAH	19,40
0390 15 075 SWNAH	20,20
0390 18 075 SWNAH	33,39
0390 20 075 SWNAH	34,97

ACCESSORIES

FIX



Fixation kit for finishing collar

Ø	Code	€
130	059K 99 FIX	23,99

SPR



High temperature spray paint
400 ml

Code	€
0588 99 SPR DEN	41,06

DEKO WOOD 2 mm

Vitreous mild steel 2 mm single wall chimney

DEKO Wood 2 mm is the perfect system for your visible wood stove connection



0036 CPD 90220 058

EN 1856-2 T450 N1 D Vm L01200 G390 NM

MATERIALS

- Vitreous mild steel

TECHNICAL SPECIFICATIONS

- Diameters available: Ø130, 150, 180 and 200 mm
- Thickness: 2 mm
- Finishing: Matt black
- Overlap: 50 mm
- Cuttable

Smooth finish with no visible welds

Also available in grey finish!

Ø 130
to
Ø 200



DEKO WOOD 2 mm

STRAIGHT LENGTHS

020



Straight length L = 950 mm

Ø	Code	€
130	059G 13 020 D2N/41	61,27
150	059G 15 020 D2N/41	65,10
180	059G 18 020 D2N/41	79,22
200	059G 20 020 D2N/41	90,02

024



Straight length L = 450 mm

Code	€
059G 13 024 D2N/41	37,77
059G 15 024 D2N/41	41,15
059G 18 024 D2N/41	52,39
059G 20 024 D2N/41	62,93

025



Straight length L = 200 mm

Code	€
059G 13 025 D2N/41	30,99
059G 15 025 D2N/41	33,51
059G 18 025 D2N/41	41,76
059G 20 025 D2N/41	47,54

022



Adjustable length
L = 100 - 400 mm

Code	€
059G 13 022 D2N/41	70,13
059G 15 022 D2N/41	72,49
059G 18 022 D2N/41	78,61
059G 20 022 D2N/41	81,27

023



Adjustable length
L = 100 - 150 mm

Code	€
059G 13 023 D2N/41	76,68
059G 15 023 D2N/41	77,02
059G 18 023 D2N/41	86,27
059G 20 023 D2N/41	87,43

TEES & ELBOWS

25M



Sleeve M-M L = 50 mm

Ø	Code	€
130	059G 13 25M D2N/41	32,46
150	059G 15 25M D2N/41	35,40
180	059G 18 25M D2N/41	42,59
200	059G 20 25M D2N/41	48,20

31F



90° Tee with female branch and
soot collector

Code	€
059G 13 31F D2N/41	113,30
059G 15 31F D2N/41	113,30
059G 18 31F D2N/41	121,95
059G 20 31F D2N/41	128,78

040



45° Elbow

Code	€
059G 13 040 D2N/41	51,90
059G 15 040 D2N/41	54,44
059G 18 040 D2N/41	67,22
059G 20 040 D2N/41	72,96

042



30° Elbow

Code	€
059G 13 042 D2N/41	61,34
059G 15 042 D2N/41	61,72
-	-
-	-

433



90° Elbow

Code	€
059G 13 433 D2N/41	68,53
059G 15 433 D2N/41	73,10
059G 18 433 D2N/41	85,35
059G 20 433 D2N/41	88,76

INSPECTION & CLEANING

40D



45° Swept elbow

Ø	Code	€
130	-	-
150	059G 15 40D D2N/41	161,67
180	-	-
200	-	-

43D



90° Swept elbow

Code	€
-	-
059G 15 43D D2N/41	171,20
-	-
-	-

20P



Inspection straight length
L = 950 mm

Code	€
059G 13 20P D2N/41	98,00
059G 15 20P D2N/41	105,59
059G 18 20P D2N/41	123,49
059G 20 20P D2N/41	128,54

40P



45° Elbow with inspection

Code	€
059G 13 40P D2N/41	92,88
059G 15 40P D2N/41	98,88
-	-
-	-

432



90° Elbow with inspection

Code	€
059G 13 432 D2N/41	92,33
059G 15 432 D2N/41	100,22
059G 18 432 D2N/41	114,81
059G 20 432 D2N/41	118,81

PROTECTIONS

050



Slove adaptor

Ø	Code	€
130	059G 13 050 D2N/41	39,28
150	059G 15 050 D2N/41	43,51
180	059G 18 050 D2N/41	45,35
200	059G 20 050 D2N/41	46,73

113



Finishing collar

Code	€
059G 13 113 D2N/41	23,45
059G 15 113 D2N/41	25,33
059G 18 113 D2N/41	28,16
059G 20 113 D2N/41	30,99

SUPPORTS

086



Flat wall support

Code	€
0390 13 086 SWNAH	25,86
0390 15 086 SWNAH	26,93
0390 18 086 SWNAH	44,57
0390 20 086 SWNAH	54,32

ACCESSORIES

FIX



Fixation kit for finishing collar

Code	€
059K 99 FIX	23,99
-	-
-	-
-	-

Same code and price for all diameters

SPR



High temperature spray paint
400 ml

Code	€
0588 99 SPR D2N/41	57,55
-	-
-	-
-	-

Same code and price for all diameters

INCREASERS / ADAPTORS

026

Increaser M-F



Ø	Code	€	Code	€	Code	€
125	-	-	-	-	-	-
130	059G DH 026 D2N/41	72,75	-	-	-	-
150	-	-	059G DY 026 D2N/41	73,30	059G M4 026 D2N/41	75,05
153	-	-	-	-	-	-
180	-	-	-	-	059G EV 026 D2N/41	75,05

262

Adaptor F-F



Code	€	Code	€
059G CB 262 D2N/41	75,65	-	-
-	-	-	-
-	-	059G NK 262 D2N/41	60,81
-	-	-	-

INCREASERS / ADAPTORS

SW6

Single wall chimney

The SW is perfectly suitable for lining existing chimneys or as a connecting flue pipe

Ø110 to Ø300



Chimneys

0036 CPD 90220 030

Ø80-300 T250 N1 W V2 L50060 050

Ø80-300 T200 P1 W V2 L50060 040

Connecting flue pipe

0036 CPD 90220 039

Ø80-300 T600 N1 W V2 L50060 O(3xØ≥375)NM

Ø80-300 T600 N1 W V2 L50060 G(3xØ≥375)NM

Liner

0036 CPD 90220 031

Ø80-300 T600 N1 W V2 L50060 G

Ø80-300 T200 P1 W V2 L50060 O

Ø80-300 T600 N1 W V3 L50060 G with insulation

MATERIALS

- Stainless Steel AISI 316L

TECHNICAL SPECIFICATIONS

- 50 mm overlapping
- Straight elements can be cut to measure
- Available diameters: Ø 110 to Ø 300

ADVANTAGES


SAFETY END

Its perfect fit and folded ends guarantee total safety during installation

QUICK AND EASY ASSEMBLY

50 mm overlapping joint which guarantees rigidity

Also, see connections p. 66



STRAIGHT LENGTHS
020


Straight length L = 930 mm

Ø	Code	€
110	039F 11 020 SW6	60,20
120	039F 1A 020 SW6	64,69
130	039F 13 020 SW6	70,85
140	039F 14 020 SW6	76,19
150	039F 15 020 SW6	81,51
160	039F 16 020 SW6	89,49
180	039F 18 020 SW6	97,45
200	039F 20 020 SW6	108,04
250	039F 25 020 SW6	139,93
300	039F 30 020 SW6	173,61

024


Straight length L = 430 mm

Code	€
039F 11 024 SW6	35,10
039F 1A 024 SW6	37,66
039F 13 024 SW6	41,29
039F 14 024 SW6	44,36
039F 15 024 SW6	47,47
039F 16 024 SW6	52,12
039F 18 024 SW6	56,75
039F 20 024 SW6	62,93
039F 25 024 SW6	81,51
039F 30 024 SW6	101,09

025


Straight length L = 265 mm

Code	€
039F 11 025 SW6	25,51
039F 1A 025 SW6	27,37
039F 13 025 SW6	30,01
039F 14 025 SW6	32,29
039F 15 025 SW6	34,52
039F 16 025 SW6	37,88
039F 18 025 SW6	41,29
039F 20 025 SW6	45,74
039F 25 025 SW6	59,27
039F 30 025 SW6	80,89

022

 Adjustable length
L = 65 - 375 mm

Code	€
039F 11 022 SW6	66,67
039F 1A 022 SW6	71,56
039F 13 022 SW6	78,42
039F 14 022 SW6	84,27
039F 15 022 SW6	90,16
039F 16 022 SW6	98,95
039F 18 022 SW6	107,82
039F 20 022 SW6	119,59
039F 25 022 SW6	154,85
039F 30 022 SW6	192,08

023

 Adjustable length
L = 65 - 205 mm

Code	€
039F 11 023 SW6	48,49
039F 1A 023 SW6	51,99
039F 13 023 SW6	57,01
039F 14 023 SW6	61,33
039F 15 023 SW6	65,57
039F 16 023 SW6	72,02
039F 18 023 SW6	78,42
039F 20 023 SW6	86,91
039F 25 023 SW6	112,64
039F 30 023 SW6	153,66

255


Sleeve M - F L = 130 mm

Ø	Code	€
110	039F 11 255 SW6	22,96
120	039F 1A 255 SW6	24,63
130	039F 13 255 SW6	27,01
140	039F 14 255 SW6	29,06
150	039F 15 255 SW6	31,06
160	039F 16 255 SW6	34,10
180	039F 18 255 SW6	37,17
200	039F 20 255 SW6	41,16
250	039F 25 255 SW6	53,34
300	039F 30 255 SW6	72,80

055


Straight length with drain

Code	€
039F 11 055 SW6	79,29
039F 1A 055 SW6	82,12
039F 13 055 SW6	86,09
039F 14 055 SW6	89,58
039F 15 055 SW6	93,02
039F 16 055 SW6	98,19
039F 18 055 SW6	103,37
039F 20 055 SW6	110,20
039F 25 055 SW6	130,86
039F 30 055 SW6	163,81

051


Test unit with drain

Code	€
039F 11 051 SW6	95,15
039F 1A 051 SW6	98,54
039F 13 051 SW6	103,33
039F 14 051 SW6	107,51
039F 15 051 SW6	111,57
039F 16 051 SW6	117,83
039F 18 051 SW6	124,05
039F 20 051 SW6	132,22
039F 25 051 SW6	157,03
039F 30 051 SW6	196,58

203

 Descending element
L = 930 mm

Code	€
039F 11 203 SW6	81,49
039F 1A 203 SW6	87,51
039F 13 203 SW6	95,88
039F 14 203 SW6	103,06
039F 15 203 SW6	110,25
039F 16 203 SW6	121,06
039F 18 203 SW6	131,82
039F 20 203 SW6	146,21
039F 25 203 SW6	189,34
039F 30 203 SW6	234,88

TEES & ELBOWS
030

 135° Tee (natural draft and dry
applications)

Code	€
039F 11 030 SW6	141,70
039F 1A 030 SW6	150,74
039F 13 030 SW6	171,83
039F 14 030 SW6	183,95
039F 15 030 SW6	195,99
039F 16 030 SW6	211,07
039F 18 030 SW6	226,11
039F 20 030 SW6	271,35
039F 25 030 SW6	331,66
039F 30 030 SW6	391,95

031


90° Tee

Ø	Code	€
110	039F 11 031 SW6	80,96
120	039F 1A 031 SW6	86,16
130	039F 13 031 SW6	98,19
140	039F 14 031 SW6	105,13
150	039F 15 031 SW6	111,99
160	039F 16 031 SW6	120,62
180	039F 18 031 SW6	129,23
200	039F 20 031 SW6	155,05
250	039F 25 031 SW6	189,51
300	039F 30 031 SW6	223,96

31A


93° Tee

Code	€
039F 11 31A SW6	80,98
039F 1A 31A SW6	86,16
039F 13 31A SW6	98,20
039F 14 31A SW6	105,13
039F 15 31A SW6	112,00
039F 16 31A SW6	120,62
039F 18 31A SW6	129,23
039F 20 31A SW6	155,05
039F 25 31A SW6	189,53
039F 30 31A SW6	223,98

040


45° Elbow

Code	€
039F 11 040 SW6	37,21
039F 1A 040 SW6	38,90
039F 13 040 SW6	40,52
039F 14 040 SW6	42,97
039F 15 040 SW6	45,36
039F 16 040 SW6	50,97
039F 18 040 SW6	56,58
039F 20 040 SW6	64,15
039F 25 040 SW6	80,75
039F 30 040 SW6	137,83

042


30° Elbow

Code	€
039F 11 042 SW6	40,94
039F 1A 042 SW6	42,81
039F 13 042 SW6	44,59
039F 14 042 SW6	47,25
039F 15 042 SW6	49,92
039F 16 042 SW6	56,07
039F 18 042 SW6	62,24
039F 20 042 SW6	70,53
039F 25 042 SW6	88,85
039F 30 042 SW6	151,62

044


15° Elbow

Code	€
039F 11 044 SW6	40,94
039F 1A 044 SW6	42,81
039F 13 044 SW6	44,59
039F 14 044 SW6	47,25
039F 15 044 SW6	49,92
039F 16 044 SW6	56,07
039F 18 044 SW6	62,24
039F 20 044 SW6	70,53
039F 25 044 SW6	88,85
039F 30 044 SW6	151,62

INSPECTION & CLEANING

043



87° Elbow

Ø	Code	€
110	039F 11 043 SW6	54,25
120	039F 1A 043 SW6	57,45
130	039F 13 043 SW6	60,38
140	039F 14 043 SW6	64,12
150	039F 15 043 SW6	67,80
160	039F 16 043 SW6	77,06
180	039F 18 043 SW6	86,31
200	039F 20 043 SW6	95,43
250	039F 25 043 SW6	120,01
300	039F 30 043 SW6	151,89

433



90° Elbow

Code	€
039F 11 433 SW6	54,24
039F 1A 433 SW6	57,45
039F 13 433 SW6	60,38
039F 14 433 SW6	64,12
039F 15 433 SW6	67,80
039F 16 433 SW6	77,06
039F 18 433 SW6	86,31
039F 20 433 SW6	88,09
039F 25 433 SW6	144,01
039F 30 433 SW6	151,89

431



87° Elbow with inspection

Code	€
039F 11 431 SW6	65,10
039F 1A 431 SW6	68,97
039F 13 431 SW6	72,47
039F 14 431 SW6	76,92
039F 15 431 SW6	81,36
039F 16 431 SW6	92,51
039F 18 431 SW6	103,59
039F 20 431 SW6	114,49
039F 25 431 SW6	144,01
039F 30 431 SW6	182,23

432



90° Elbow with inspection

Code	€
039F 11 432 SW6	65,10
039F 1A 432 SW6	68,97
039F 13 432 SW6	72,47
039F 14 432 SW6	76,92
039F 15 432 SW6	81,36
039F 16 432 SW6	92,51
039F 18 432 SW6	103,59
039F 20 432 SW6	114,49
039F 25 432 SW6	144,01
039F 30 432 SW6	182,23

050



Test unit L = 130 mm

Code	€
039F 11 050 SW6	63,44
039F 1A 050 SW6	65,69
039F 13 050 SW6	68,88
039F 14 050 SW6	71,67
039F 15 050 SW6	74,39
039F 16 050 SW6	78,55
039F 18 050 SW6	82,69
039F 20 050 SW6	88,14
039F 25 050 SW6	104,69
039F 30 050 SW6	131,05

528



90° Inspection tee

Ø	Code	€
110	039F 11 528 SW6	150,04
120	039F 1A 528 SW6	156,05
130	039F 13 528 SW6	170,67
140	039F 14 528 SW6	182,17
150	039F 15 528 SW6	193,63
160	039F 16 528 SW6	209,24
180	039F 18 528 SW6	224,77
200	039F 20 528 SW6	262,70
250	039F 25 528 SW6	301,21
300	039F 30 528 SW6	339,72

060



Soot collector

Code	€
039F 11 060 SW6	29,78
039F 1A 060 SW6	29,88
039F 13 060 SW6	30,46
039F 14 060 SW6	32,36
039F 15 060 SW6	34,24
039F 16 060 SW6	37,22
039F 18 060 SW6	40,19
039F 20 060 SW6	44,69
039F 25 060 SW6	54,82
039F 30 060 SW6	73,91

061



Soot collector with drain

Code	€
039F 11 061 SW6	42,04
039F 1A 061 SW6	43,38
039F 13 061 SW6	45,65
039F 14 061 SW6	47,10
039F 15 061 SW6	48,53
039F 16 061 SW6	52,27
039F 18 061 SW6	56,06
039F 20 061 SW6	59,43
039F 25 061 SW6	69,30
039F 30 061 SW6	85,12

613



Soot collector with lateral drain (horizontal run)

Code	€
039F 11 613 SW6	52,56
039F 1A 613 SW6	54,21
039F 13 613 SW6	57,07
039F 14 613 SW6	58,86
039F 15 613 SW6	60,68
039F 16 613 SW6	65,36
039F 18 613 SW6	70,06
039F 20 613 SW6	74,29
039F 25 613 SW6	86,61
039F 30 613 SW6	106,37

010



Raincap

Code	€
039F 11 010 SW6	87,99
039F 1A 010 SW6	97,11
039F 13 010 SW6	100,33
039F 14 010 SW6	106,61
039F 15 010 SW6	112,84
039F 16 010 SW6	122,45
039F 18 010 SW6	132,07
039F 20 010 SW6	154,09
039F 25 010 SW6	194,62
039F 30 010 SW6	255,55

Includes specific locking band

10S



Light raincap

Ø	Code	€
110	039F 11 10S SW6	65,99
120	039F 1A 10S SW6	72,83
130	039F 13 10S SW6	75,25
140	039F 14 10S SW6	79,96
150	039F 15 10S SW6	84,62
160	039F 16 10S SW6	91,84
180	039F 18 10S SW6	99,04
200	039F 20 10S SW6	115,57
250	-	-
300	-	-

Includes specific locking band

011



Open terminal

Code	€
039F 11 011 SW6	66,10
039F 1A 011 SW6	70,05
039F 13 011 SW6	72,81
039F 14 011 SW6	76,59
039F 15 011 SW6	80,33
039F 16 011 SW6	87,10
039F 18 011 SW6	93,81
039F 20 011 SW6	102,19
039F 25 011 SW6	127,82
039F 30 011 SW6	159,17

111



Open terminal with mesh

Code	€
039F 11 111 SW6	82,64
039F 1A 111 SW6	87,56
039F 13 111 SW6	91,01
039F 14 111 SW6	95,74
039F 15 111 SW6	100,41
039F 16 111 SW6	108,87
039F 18 111 SW6	117,27
039F 20 111 SW6	127,73
039F 25 111 SW6	159,78
039F 30 111 SW6	198,97

12B



Weathering cap PRO

Code	€
039F 11 12B SW6	129,47
039F 1A 12B SW6	142,90
039F 13 12B SW6	147,65
039F 14 12B SW6	156,87
039F 15 12B SW6	167,27
039F 16 12B SW6	167,29
039F 18 12B SW6	167,29
039F 20 12B SW6	203,81
039F 25 12B SW6	275,89
039F 30 12B SW6	361,01

Includes specific locking band

014



Wall sleeve

Code	€
0390 11 014 SW	44,55
0390 1A 014 SW	46,13
0390 13 014 SW	48,48
0390 14 014 SW	49,39
0390 15 014 SW	50,31
0390 16 014 SW	51,27
0390 18 014 SW	52,18
0390 20 014 SW	54,04
0390 25 014 SW	70,81
0390 30 014 SW	80,17

13A



Storm collar for flashing

Ø	Code	€
110	0390 11 13A SW	41,09
120	0390 1A 13A SW	42,56
130	0390 13 13A SW	43,66
140	0390 14 13A SW	43,66
150	0390 15 13A SW	47,72
160	0390 16 13A SW	47,72
180	0390 18 13A SW	49,20
200	0390 20 13A SW	56,64
250	0390 25 13A SW	71,59
300	0390 30 13A SW	80,75

J02


Water tightness seal for storm collar


Code	€
0559 10 J02 FL	6,23
0559 13 J02 FL	11,42
0559 13 J02 FL	11,42
0559 15 J02 FL	11,42
0559 15 J02 FL	11,42
0559 15 J02 FL	11,42
0559 18 J02 FL	11,74
0559 20 J02 FL	12,56
0559 25 J02 FL	19,94
0559 30 J02 FL	20,08

171
NEW !!


Adjustable flashing 30/45°

Code	€
0390 10 171 FL	147,18
0390 13 171 FL	166,29
0390 13 171 FL	166,29
0390 15 171 FL	169,49
0390 15 171 FL	169,49
0390 16 171 FL	169,49
0390 18 171 FL	171,52
0390 20 171 FL	172,96
0390 25 171 FL	219,70
0390 30 171 FL	225,54


Storm collar (ref. 13A) not included

181
NEW !!


Adjustable flashing 5/30°

Code	€
0390 10 181 FL	147,18
0390 13 181 FL	166,29
0390 13 181 FL	166,29
0390 15 181 FL	169,49
0390 15 181 FL	169,49
0390 16 181 FL	169,49
0390 18 181 FL	171,52
0390 20 181 FL	172,96
0390 25 181 FL	219,70
0390 30 181 FL	225,54

Storm collar (ref. 13A) not included

191
NEW !!


Flat flashing

Code	€
0390 10 191 FL	115,88
0390 13 191 FL	130,94
0390 13 191 FL	130,94
0390 15 191 FL	134,13
0390 15 191 FL	134,13
0390 16 191 FL	134,13
0390 18 191 FL	136,13
0390 20 191 FL	137,56
0390 25 191 FL	183,98
0390 30 191 FL	189,82

Storm collar (ref. 13A) not included

132


Wall finishing plate 30/45°

Ø	Code	€
110	0390 11 132 SW	59,57
120	0390 1A 132 SW	60,98
130	0390 13 132 SW	63,75
140	0390 14 132 SW	65,08
150	0390 15 132 SW	66,42
160	0390 16 132 SW	67,80
180	0390 18 132 SW	69,21
200	0390 20 132 SW	71,89
250	0390 25 132 SW	81,39
300	0390 30 132 SW	97,67

133


Wall finishing plate 0/30°

Code	€
0390 11 133 SW	59,57
0390 1A 133 SW	60,98
0390 13 133 SW	63,75
0390 14 133 SW	65,08
0390 15 133 SW	66,42
0390 16 133 SW	67,80
0390 18 133 SW	69,21
0390 20 133 SW	71,89
0390 25 133 SW	81,39
0390 30 133 SW	97,67

13D


Flat finishing plate

Code	€
0390 11 13D SW	34,51
0390 1A 13D SW	35,74
0390 13 13D SW	37,55
0390 14 13D SW	38,21
0390 15 13D SW	38,84
0390 16 13D SW	40,08
0390 18 13D SW	41,33
0390 20 13D SW	47,59
0390 25 13D SW	60,13
-	-

13E


Flat finishing plate with magnets

Code	€
039K 11 13E SW	51,77
039K 1A 13E SW	53,61
039K 13 13E SW	56,33
039K 14 13E SW	57,32
039K 15 13E SW	58,26
039K 16 13E SW	60,13
039K 18 13E SW	62,00
039K 20 13E SW	71,38
-	-
-	-

070


Locking band

Code	€
0590 11 070 SW	7,01
0590 1A 070 SW	7,01
0590 13 070 SW	7,81
0590 14 070 SW	7,81
0590 15 070 SW	7,81
0590 16 070 SW	8,20
0590 18 070 SW	8,58
0590 20 070 SW	8,58
0590 25 070 SW	9,35
0590 30 070 SW	9,35

SUPPORTS
071


Location bracket

Ø	Code	€
110	0390 11 071 SW	24,41
120	0390 1A 071 SW	24,98
130	0390 13 071 SW	26,10
140	0390 14 071 SW	27,04
150	0390 15 071 SW	27,96
160	0390 16 071 SW	28,89
180	0390 18 071 SW	29,83
200	0390 20 071 SW	30,79
250	0390 25 071 SW	31,69
300	0390 30 071 SW	35,41

075


Light weight support with nut

Code	€
0590 11 075 SW	10,07
0590 1A 075 SW	10,30
0590 13 075 SW	10,78
0590 14 075 SW	10,99
0590 15 075 SW	11,22
0590 16 075 SW	14,88
0590 18 075 SW	18,56
0590 20 075 SW	19,43
0590 25 075 SW	20,21
0590 30 075 SW	24,16

82R


Reinforced roof support

Code	€
0592 11 82R SW/35	55,20
0592 1A 82R SW/35	56,11
0592 13 82R SW/35	57,86
0592 14 882 RSW/35	58,73
0592 15 882 RSW/35	59,59
0592 16 882 RSW/35	78,54
0592 18 82R SW/35	97,44
0592 20 82R SW/35	103,47
0592 25 82R SW/35	109,24
0592 30 82R SW/35	115,43

Galvanized steel

824


Roof support with angular profiles

Code	€
0392 11 824 SW	50,59
0392 1A 824 SW	51,44
0392 13 824 SW	53,04
0392 14 824 SW	53,85
0392 15 824 SW	54,62
0392 16 824 SW	72,00
0392 18 824 SW	89,33
0392 20 824 SW	94,84
0392 25 824 SW	100,14
0392 30 824 SW	105,81

Galvanized steel

825


Roof support double angular profiles

Code	€
-	-
-	-
-	-
-	-
-	-
-	-
0390 20 825 SW	18,89
0390 25 825 SW	22,67
0390 30 825 SW	25,16

086



Flat wall support

Ø	Code	€
110	0390 11 086 SW	13,43
120	0390 1A 086 SW	13,75
130	0390 13 086 SW	14,36
140	0390 14 086 SW	14,66
150	0390 15 086 SW	14,96
160	0390 16 086 SW	19,84
180	0390 18 086 SW	24,75
200	0390 20 086 SW	25,86
250	0390 25 086 SW	26,98
300	0390 30 086 SW	32,18

831

Flat adjustable wall support
L = 70 - 120 mm

Code	€
0390 11 831 SW	35,29
0390 1A 831 SW	36,10
0390 13 831 SW	37,75
0390 14 831 SW	38,54
0390 15 831 SW	39,84
0390 16 831 SW	41,11
0390 18 831 SW	42,83
0390 20 831 SW	44,03
0390 25 831 SW	47,26
0390 30 831 SW	53,60

836

Flat cuttable short wall support
L = 100 - 250 mm

Code	€
0690 11 836 SW	61,69
0690 1A 836 SW	63,16
0690 13 836 SW	66,06
0690 14 836 SW	67,42
0690 15 836 SW	68,74
0690 16 836 SW	91,26
0690 18 836 SW	113,74
0690 20 836 SW	118,99
0690 25 836 SW	124,06
0690 30 836 SW	148,05

846

Flat cuttable long wall support
L = 250 - 430 mm

Code	€
0690 11 846 SW	77,11
0690 1A 846 SW	78,95
0690 13 846 SW	82,57
0690 14 846 SW	84,27
0690 15 846 SW	85,95
0690 16 846 SW	114,08
0690 18 846 SW	142,20
0690 20 846 SW	148,72
0690 25 846 SW	155,08
0690 30 846 SW	185,06

854



Console plate

Code	€
039F 11 854 SW	181,36
039F 1A 854 SW	185,65
039F 13 854 SW	194,04
039F 14 854 SW	198,35
039F 15 854 SW	202,68
039F 16 854 SW	207,13
039F 18 854 SW	211,57
039F 20 854 SW	221,03
039F 25 854 SW	251,83
039F 30 854 SW	543,20

857



Side brackets

Ø	Code	€
110	0690 11 857 SW	68,44
120	0690 1A 857 SW	70,06
130	0690 13 857 SW	73,23
140	0690 14 857 SW	85,66
150	0690 15 857 SW	98,11
160	0690 16 857 SW	98,77
180	0690 18 857 SW	99,41
200	0690 20 857 SW	136,69
250	0690 25 857 SW	139,49
300	0690 30 857 SW	148,48

110



Guide wire bracket

Code	€
0390 11 110 SW	24,41
0390 1A 110 SW	24,98
0390 13 110 SW	26,10
0390 14 110 SW	27,04
0390 15 110 SW	27,96
0390 16 110 SW	28,89
0390 18 110 SW	29,83
0390 20 110 SW	29,83
0390 25 110 SW	31,69
0390 30 110 SW	33,57

ACCESSORIES

120



Draught regulator

Code	€
039F 11 120 SW6	194,27
039F 1A 120 SW6	194,27
039F 13 120 SW6	194,27
-	-
039F 15 120 SW6	207,78
-	-
039F 18 120 SW6	221,43
039F 20 120 SW6	223,83
039F 25 120 SW6	257,36
039F 30 120 SW6	296,55

001



Seal

Code	€
0505 63 001	8,89
0505 67 001	8,89
0505 65 001	8,89
0510 48 001	8,89
0505 66 001	8,89
0510 48 001	8,89
0505 68 001	11,88
0505 69 001	11,88
-	-
-	-

607



Inspection door L = 140 x 200 mm

Code	€
039F 88 607 SW	50,12
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

Same code and price for all diameters

DIFLUX TRIPLE WALL 316L/GALVA/304

Concentric flue system with insulated gas exhaust duct

Ø130* - Ø150 - Ø180* - Ø200*

**Check availability with the Dinak team*

DIFLUX TRIPLE WALL is a concentric flue system specifically designed to be used with room-sealed wood stoves with external air feed. These installations are characterised by the high temperature of the exhaust gases.

The inner wall of the insulated duct avoids possible problems in the operation of the stove caused by the heat transfer between the gas duct and the air duct.

Concentric chimneys are an excellent solution for these applications, since they allow the air intake and the gas exhaust by means of one single chimney, making their installation easier and improving the aesthetic finish of the system.



0036 CPD 90220 054

EN 1856-1 T450 N1 D L50040 G70

MATERIALS

- Inner wall: Stainless Steel AISI 316L
- Middle wall: Galvanised steel
- Outer wall: Stainless steel AISI 304
- Inner duct insulation: 30 mm of Rockwool

TECHNICAL SPECIFICATIONS

- Available in Ø150/210/260 mm (Please check with DINAK for other items)
- Thickness 0,4 mm
- 40 mm overlapping
- Safety end in every item

ADVANTAGES

EXPANSION ABSORPTION

Thanks to its exclusive manufacture system, the DIFLUX TRIPLE WALL expands freely.

FINISHING


DIFLUX TRIPLE WALL can be coated in any RAL range color.

AESTHETICS

The profile of this wall is as flat as possible to increase the aesthetics of the product, so it does not have expansions or grooves for the seals.


Vertical stove outlet

- The gases come out of the top of the stove.
- The connection to the air intake outlet can be made with a rigid SW flue (Ø80 or Ø100) or with a flexible flue.



Rear stove outlet and indoors installation

- The gases come out of the back of the stove.
- The first piece will be an adjustable floor support (855 or 85R) that allows for the air intake.
- The next item is a 25P: short straight length with inspection. This item is used for the inspection and cleaning in the chimney
- After the 25P, we connect the 31F tee. This is a short tee (L=333mm) with a female SW Ø150mm branch that connects to the gas stove outlet.



STRAIGHT LENGTHS

020



Straight length L = 940 mm

Ø	Code	€
130/190/240	03A5 13 020 ET	192,06
150/210/260	03A5 15 020 ET	214,67
180/240/300	03A5 18 020 ET	239,98
200/260/310	03A5 20 020 ET	293,48

024



Straight length L = 440 mm

Code	€
03A5 13 024 ET	118,33
03A5 15 024 ET	132,42
03A5 18 024 ET	149,86
03A5 20 024 ET	180,82

025



Straight length L = 270 mm

Code	€
03A5 13 025 ET	98,63
03A5 15 025 ET	109,87
03A5 18 025 ET	126,81
03A5 20 025 ET	149,86

022



Adjustable length
L = 530 - 880 mm

Code	€
03A5 13 022 ET	242,77
03A5 15 022 ET	270,95
03A5 18 022 ET	299,10
03A5 20 022 ET	358,30

023



Adjustable length
L = 530 - 880 mm

Code	€
03A5 13 023 ET	186,48
03A5 15 023 ET	206,20
03A5 18 023 ET	231,52
03A5 20 023 ET	273,82

TEES & ELBOWS

31C



90° tee with insulated M
branch

Ø	Code	€
130/190/240	03A5 13 31C ET	225,93
150/210/260	03A5 15 31C ET	251,22
180/240/300	03A5 18 31C ET	349,78
200/260/310	03A5 20 31C ET	392,06

31F



90° Tee with female branch

Code	€
03A5 13 31F ET	203,34
03A5 15 31F ET	226,11
03A5 18 31F ET	314,81
03A5 20 31F ET	352,86

040



45° elbow

Code	€
03A5 13 040 ET	129,67
03A5 15 040 ET	144,20
03A5 18 040 ET	163,92
03A5 20 040 ET	189,29

042



30° Elbow

Code	€
03A5 13 042 ET	149,86
03A5 15 042 ET	163,92
03A5 18 042 ET	192,06
03A5 20 042 ET	220,26

044



15° Elbow

Code	€
03A5 13 044 ET	149,86
03A5 15 044 ET	163,92
03A5 18 044 ET	192,06
03A5 20 044 ET	220,26

INSPECTION & CLEANING

25P



Inspection straight length
L = 320 mm

Ø	Code	€
130/190/240	03A5 13 25P ET	333,44
150/210/260	03A5 15 25P ET	356,08
180/240/300	03A5 18 25P ET	384,12
200/260/310	03A5 20 25P ET	429,33

TERMINALS

10R



Short vertical terminal

Code	€
0301 13 10R ET	243,09
0301 15 10R ET	368,93
0301 18 10R ET	368,93
0301 20 10R ET	608,92

13A



Storm collar for flashing

Code	€
0309 13 13A ET	56,64
0309 20 13A	71,59
0309 18 13A ET	71,59
0309 20 13A ET	71,59

J02



Water tightness seal for storm
collar

Code	€
05S9 23 J02 FL	13,79
05S9 25 J02 FL	19,94
05S9 30 J02 FL	20,08
05S9 30 J02 FL	20,08

171



Adjustable flashing 30/45°

Code	€
0390 23 171 FL	194,99
0390 25 171 FL	219,70
0390 30 171 FL	225,54
0390 30 171 FL	225,54

Storm collar (ref. 13A) not included

181

NEW !!




Adjustable flashing 5/30°

Ø	Code	€
130/190/240	0390 23 181 FL	194,99
150/210/260	0390 25 181 FL	219,70
180/240/300	0390 30 181 FL	225,54
200/260/310	0390 30 181 FL	225,54

Storm collar (ref. 13A) not included

191

NEW !!



Flat flashing

Code	€
0390 23 191 FL	159,41
0390 25 191 FL	183,98
0390 30 191 FL	189,82
0390 30 191 FL	189,82

Storm collar (ref. 13A) not included

132



Wall finishing plate 30°/45°

Code	€
0309 18 132 DW	81,39
0309 20 132 DW	86,86
0390 30 132 SW	97,67
0309 25 132 DW	97,67

133



Wall finishing plate 0°/30°

Code	€
0309 18 133 DW	81,39
0309 20 133 DW	86,86
0390 30 133 SW	97,67
0309 25 133 DW	97,67

13D



Flat finishing plate

Code	€
0309 18 13D DW	60,14
0309 20 13D DW	64,75
0309 18 13D ET	58,28
0309 25 13D	85,39

13E



Flat finishing plate with
magnets

Ø	Code	€
130/190/240	03K9 18 13E DW	90,21
150/210/260	03K9 20 13E DW	97,13
180/240/300	03K9 18 13E ET	128,09
200/260/310	03K9 25 13E DW	128,09

LOCKING BANDS

070



Locking band

Code	€
0388 13 070 ET	11,94
0388 15 070 ET	13,74
0388 18 070 ET	16,49
0388 20 070 ET	16,49

SUPPORTS

086



Flat wall support

Code	€
0309 18 086 DW	33,59
0309 20 086	34,52
0309 20 086 GL	43,07
0309 25 086	43,07

82R



Reinforced roof support

Code	€
0529 18 82R DW/35	97,50
0529 20 82R DW/35	104,73
0592 30 82R SW/35	115,43
0529 25 82R DW/35	115,43

Galvanized steel

824



Roof support with angular
profiles

Code	€
0329 18 824 DW	89,38
0329 20 824	96,00
0392 30 824 SW	105,81
0329 25 824	105,81

Galvanized steel

Ø130, Ø180 and Ø200 check availability with Dinak

DIFLUX TRIPLE WALL

831



Flat adjustable wall support
L = 70 - 120 mm

Ø	Code	€
130/190/240	0309 18 831 DW	39,61
150/210/260	0309 20 831	47,27
180/240/300	0309 20 831 GL	53,84
200/260/310	0309 25 831	53,84

836



Flat cuttable short wall support
L = 100 - 250 mm

Code	€
0609 18 836 DW	117,49
0609 20 836	123,92
0609 20 836 GL	150,71
0609 25 836	150,71

846



Flat cuttable long wall support
L = 250 - 430 mm

Code	€
0609 18 846 DW	134,22
0609 20 846	141,59
0609 20 846 GL	172,22
0609 25 846	172,22

855



Cutttable floor support air inlet
L = 1,000 mm

Code	€
06A5 ** 855 ET	375,23
06A5 ** 855 ET	416,16
06A5 ** 855 ET	443,42
06A5 ** 855 ET	465,62

Check code with Dinak

85R



Cutttable floor support air inlet
L = 500 mm

Code	€
06A5 ** 85R ET	250,15
06A5 ** 85R ET	277,44
06A5 ** 85R ET	295,61
06A5 ** 85R ET	310,41

Check code with Dinak

CONNECTIONS

901



Slab support

Ø	Code	€
130/190/240	0309 13 901 ET	38,81
150/210/260	0309 15 901 ET	40,05
180/240/300	0309 18 901 ET	41,80
200/260/310	0309 20 901 ET	41,80

1B9



Biflux adaptor

Code	€
02A5 13 1B9 ET	1.005,55
02A5 15 1B9 ET	1.022,43
02A5 18 1B9 ET	1.047,82
02A5 20 1B9 ET	1.082,42

201



1 m Flexible length

Ø	Code	€
80	059B 08 201 DF	43,08
100	059B 10 201 DF	53,85

115



Horizontal terminal for air intake


Code	€
0390 08 115 EPN	54,96
-	-

1F1



Air intake adaptor

Code	€
-	-
0598 ZM 1F1 EP	55,00
0598 ZN 1F1 EP	55,00
0598 ZO 1F1 EP	59,00
0598 YA 1F1 EP	62,99



DW WOOD DW WOOD BLACK DW6 WOOD

Insulated twin wall chimney

The range DW can be used for wood stoves, for internal or external installations

Ø130 - Ø150 - Ø180 -

Ø200 - Ø250 - Ø300



DW WOOD / DW WOOD BLACK

0036 CPR 90220 001

EN 1856-1 T600 N1 D V2 L50040 G60

DW6 WOOD

0036 CPD 90220 022

EN 1856-1 T600 N1 D V3 L50060 G60

MATERIALS

- Inner wall: Stainless steel AISI 316L (1.4404)
- Outer wall: Stainless steel AISI 304 (1.4301)
Galvanised steel with black finish (**DW WOOD BLACK**)
- Insulation: 30 mm of rockwool

TECHNICAL SPECIFICATIONS

- 40 mm overlapping
- Available diameters: Ø130 to 300 mm

ADVANTAGES

EXPANSION ABSORPTION

Thanks to its exclusive manufacturing system, the DW expands freely

THERMAL CONTINUITY

The continuity of the insulation ensures an optimum draught
With the DW, thermal bridges are over!

INSULATION

The insulation quality of the DW system optimises the technical efficiency of the appliance and reduces the noise levels

TERMINALS

DINAK gives you the option to choose among many kinds of terminals

PRICING OPTIONS

Price modification to be applied to every part except for locking bands and supports.

DW WOOD
316L/304

+32,3%

DW6 316L/galvanised
with black finish



STRAIGHT LENGTHS

020



Straight length L = 940 mm

Ø	Code	€
130	0301 13 020 DW	139,73
150	0301 15 020 DW	156,18
180	0301 18 020 DW	174,57
200	0301 20 020 DW	213,47
250	0301 25 020 DW	272,93
300	0301 30 020 DW	326,59

024



Straight length L = 440 mm

Code	€
0301 13 024 DW	86,05
0301 15 024 DW	96,34
0301 18 024 DW	109,01
0301 20 024 DW	131,54
0301 25 024 DW	158,21
0301 30 024 DW	199,21

025



Straight length L = 270 mm

Code	€
0301 13 025 DW	71,74
0301 15 025 DW	79,94
0301 18 025 DW	92,24
0301 20 025 DW	109,01
0301 25 025 DW	133,56
0301 30 025 DW	156,18

022

Adjustable length
L = 530 - 880 mm

Code	€
0301 13 022 DW	176,59
0301 15 022 DW	197,11
0301 18 022 DW	217,58
0301 20 022 DW	260,66
0301 25 022 DW	326,59
0301 30 022 DW	375,71

023

Adjustable length
L = 350 - 530 mm

Code	€
0301 13 023 DW	135,67
0301 15 023 DW	150,01
0301 18 023 DW	168,43
0301 20 023 DW	199,21
0301 25 023 DW	242,17
0301 30 023 DW	285,22

TEES & ELBOWS

030



135° Tee (natural draft and dry applications)

Ø	Code	€
130	0301 13 030 DW	281,16
150	0301 15 030 DW	306,06
180	0301 18 030 DW	334,79
200	0301 20 030 DW	381,94
250	0301 25 030 DW	624,07
300	0301 30 030 DW	708,10

031



90° Tee

Code	€
0301 13 031 DW	164,34
0301 15 031 DW	182,77
0301 18 031 DW	254,45
0301 20 031 DW	285,22
0301 25 031 DW	347,08
0301 30 031 DW	404,46

040



45° Elbow

Code	€
0301 13 040 DW	94,33
0301 15 040 DW	104,89
0301 18 040 DW	119,26
0301 20 040 DW	137,70
0301 25 040 DW	166,38
0301 30 040 DW	197,11

042



30° Elbow

Code	€
0301 13 042 DW	109,01
0301 15 042 DW	119,26
0301 18 042 DW	139,73
0301 20 042 DW	160,24
0301 25 042 DW	188,94
0301 30 042 DW	223,75

044



15° Elbow

Code	€
0301 13 044 DW	109,01
0301 15 044 DW	119,26
0301 18 044 DW	139,73
0301 20 044 DW	160,24
0301 25 044 DW	188,94
0301 30 044 DW	223,75

INSPECTION & CLEANING

433



90° Elbow

Ø	Code	€
130	0301 13 433 DW	198,02
150	0301 15 433 DW	220,31
180	0301 18 433 DW	250,45
200	0301 20 433 DW	289,17
250	0301 25 433 DW	349,42
300	0301 30 433 DW	413,96

24P

Inspection straight length
L = 440 mm

Code	€
0301 13 24P DW	193,12
0301 15 24P DW	203,39
0301 18 24P DW	216,06
0301 20 24P DW	238,59
0301 25 24P DW	265,27
0301 30 24P DW	306,26

431



87° Elbow with inspection

Code	€
0301 13 431 DW	282,93
0301 15 431 DW	314,70
0301 18 431 DW	357,80
0301 20 431 DW	413,06
0301 25 431 DW	499,15
0301 30 431 DW	591,37

432



90° Elbow with inspection

Code	€
0301 13 432 DW	282,93
0301 15 432 DW	314,70
0301 18 432 DW	357,80
0301 20 432 DW	413,06
0301 25 432 DW	499,15
0301 30 432 DW	591,37

523



93° Inspection tee

Code	€
0301 13 523 DW	262,14
0301 15 523 DW	289,75
0301 18 523 DW	386,54
0301 20 523 DW	434,27
0301 25 523 DW	524,76
0301 30 523 DW	620,62

060



Soot collector

Ø	Code	€
130	0301 13 060 DW	57,52
150	0301 15 060 DW	58,66
180	0301 18 060 DW	67,66
200	0301 20 060 DW	76,68
250	0301 25 060 DW	90,21
300	0301 30 060 DW	112,74

061



Soot collector with drain

Code	€
0301 13 061 DW	79,61
0301 15 061 DW	81,20
0301 18 061 DW	85,66
0301 20 061 DW	99,21
0301 25 061 DW	117,25
0301 30 061 DW	135,25

065



Base plate with drain

Code	€
0301 13 065 DW	173,60
0301 15 065 DW	182,92
0301 18 065 DW	192,25
0301 20 065 DW	220,18
0301 25 065 DW	249,95
0301 30 065 DW	270,47

TERMINALS

010



Raincap

Code	€
0301 13 010 DW	89,44
0301 15 010 DW	104,69
0301 18 010 DW	121,42
0301 20 010 DW	141,91
0301 25 010 DW	186,65
0301 30 010 DW	227,63

011



Open terminal

Code	€
0301 13 011 DW	110,72
0301 15 011 DW	118,89
0301 18 011 DW	131,22
0301 20 011 DW	168,10
0301 25 011 DW	200,88
0301 30 011 DW	242,55

Includes specific locking band

PROTECTIONS

111



Open terminal with mesh

Ø	Code	€
130	0301 13 111 DW	138,39
150	0301 15 111 DW	148,61
180	0301 18 111 DW	164,04
200	0301 20 111 DW	210,13
250	0301 25 111 DW	251,11
300	0301 30 111 DW	303,19

12B



Weathering cap PRO

Code	€
0301 13 12B DW	99,11
0301 15 12B DW	115,86
0301 18 12B DW	134,49
0301 20 12B DW	156,84
0301 25 12B DW	205,26
0301 30 12B DW	249,95

Includes specific locking band

014



Wall sleeve

Code	€
0309 13 014 DW	52,18
0309 15 014 DW	54,04
0309 18 014 DW	57,79
0309 20 014 DW	70,82
0309 25 014 DW	80,17
0309 30 014 DW	93,51

13A



Storm collar for flashing

Code	€
0309 13 13A DW	56,64
0309 15 13A DW	56,64
0309 18 13A DW	71,59
0309 20 13A DW	71,59
0309 25 13A DW	80,75
0309 30 13A DW	105,95

J02




Water tightness seal for storm collar

Code	€
05S9 18 J02 FL	11,74
05S9 20 J02 FL	12,56
05S9 23 J02 FL	13,79
05S9 25 J02 FL	19,94
05S9 30 J02 FL	20,08
05S9 35 J02 FL	20,08

171

NEW !!




Adjustable flashing 30/45°

Ø	Code	€
130	0390 18 171 FL	171,52
150	0390 20 171 FL	172,96
180	0390 23 171 FL	194,99
200	0390 25 171 FL	219,70
250	0390 30 171 FL	225,54
300	0390 35 171 FL	424,70

Storm collar (ref. 13A) not included

181

NEW !!




Adjustable flashing 5/30°

Code	€
0390 18 181 FL	171,52
0390 20 181 FL	172,96
0390 23 181 FL	194,99
0390 25 181 FL	219,70
0390 30 181 FL	225,54
0390 35 181 FL	424,70

Storm collar (ref. 13A) not included

191

NEW !!



Flat flashing

Code	€
0390 18 191 FL	136,13
0390 20 191 FL	137,56
0390 23 191 FL	159,41
0390 25 191 FL	183,98
0390 30 191 FL	189,82
0390 35 191 FL	280,94

Storm collar (ref. 13A) not included

132



Wall finishing plate 30/45°

Code	€
0309 13 132 DW	69,21
0309 15 132 DW	71,89
0309 18 132 DW	81,39
0309 20 132 DW	86,86
0309 25 132 DW	97,67
0309 30 132 DW	112,50

133



Wall finishing plate 0/30°

Code	€
0309 13 133 DW	69,21
0309 15 133 DW	71,89
0309 18 133 DW	81,39
0309 20 133 DW	86,86
0309 25 133 DW	97,67
0309 30 133 DW	112,50

13D



Flat finishing plate

Ø	Code	€
130	0309 13 13D DW	40,72
150	0309 15 13D DW	55,13
180	0309 18 13D DW	60,14
200	0309 20 13D DW	64,75
250	0309 25 13D DW	67,83
300	-	-


13E



Flat finishing plate with magnets

Code	€
03K9 13 13E DW	71,39
03K9 15 13E DW	90,21
03K9 18 13E DW	90,21
03K9 20 13E DW	97,13
03K9 25 13E DW	128,09
-	-


64A



Firestop plate G60

Code	€
0309 13 064 DW	72,67
-	-
-	-
-	-
-	-
-	-


064



Firestop plate G60

Code	€
-	-
0309 15 064	76,40
0309 18 064 DW	82,01
0309 20 064	93,51
0309 25 064	110,24
0309 30 064	125,18

641



Ventilated firestop plate G60

Code	€
0309 13 641 DW	138,07
0309 15 641 DW	145,15
0309 18 641 DW	155,80
0309 20 641 DW	177,67
0309 25 641 DW	209,45
0309 30 641 DW	237,85

OMK



Mesh kit

Code	€
0309 13 OMK DW	255,28
0309 15 OMK DW	266,53
0309 18 OMK DW	283,42
0309 20 OMK DW	293,59
-	-
-	-

LOCKING BANDS

070



Locking band

Ø	Code	€
130	0309 13 070 DW	10,90
150	0309 15 070	11,51
180	0309 18 070 DW	12,17
200	0309 20 070	13,99
250	0309 25 070	16,79
300	0309 30 070	18,65

70C



Locking band with quick fastener

Code	€
0309 13 70C DW	10,90
0309 15 70C DW	11,51
0309 18 70C DW	12,17
0309 20 70C DW	13,99
0309 25 70C DW	16,79
0309 30 70C DW	18,65

071



Location bracket

Code	€
0309 13 071 DW	29,80
0309 15 071	30,78
0309 18 071 DW	31,69
0309 20 071	35,41
0309 25 071	37,27
0309 30 071	39,14

074



Descending kit

Code	€
0309 13 074 DW	68,97
0309 15 074	70,82
0309 18 074 DW	72,67
0309 20 074	76,40
0309 25 074	83,89
0309 30 074	85,71

SUPPORTS

080



Wall support

Code	€
0309 13 080 DW	29,80
0309 15 080	30,79
0309 18 080 DW	31,69
0309 20 080	34,52
0309 25 080	39,14
0309 30 080	44,70

086

Flat wall support

Ø	Code	€
130	0309 13 086 DW	29,80
150	0309 15 086	30,78
180	0309 18 086 DW	33,59
200	0309 20 086	34,52
250	0309 25 086	43,07
300	0309 30 086	44,70

82R

Reinforced roof support

Code	€
0529 13 82R DW/35	90,28
0529 15 82R DW/35	90,29
0529 18 82R DW/35	97,50
0529 20 82R DW/35	104,73
0529 25 82R DW/35	115,43
0529 30 82R DW/35	119,21

Galvanized steel

824

Roof support with angular profiles

Code	€
0329 13 824 DW	82,74
0329 15 824	82,74
0329 18 824 DW	89,38
0329 20 824	96,00
0329 25 824	105,81
0329 30 824	109,29

Galvanized steel

083Adjustable wall support
L = 70 - 120 mm

Code	€
0309 13 083 DW	32,96
0309 15 083	33,86
0309 18 083 DW	34,52
0309 20 083	36,36
0309 25 083	41,23
0309 30 083	47,14

831Flat adjustable wall support
L = 70 - 120 mm

Code	€
0309 13 831 DW	37,25
0309 15 831	38,48
0309 18 831 DW	39,61
0309 20 831	47,27
0309 25 831	53,84
0309 30 831	55,90

835Cutttable short wall support
L = 100 - 250 mm

Ø	Code	€
130	0609 13 835 DW	104,39
150	0609 15 835	107,75
180	0609 18 835 DW	110,91
200	0609 20 835	120,81
250	0609 25 835	137,01
300	0609 30 835	156,50

836Flat cuttable short wall support
L = 100 - 250 mm

Code	€
0609 13 836 DW	110,91
0609 15 836	110,91
0609 18 836 DW	117,49
0609 20 836	123,92
0609 25 836	150,71
0609 30 836	156,50

845Cutttable long wall support
L = 250 - 430 mm

Code	€
0609 13 845 DW	119,28
0609 15 845	123,15
0609 18 845 DW	126,76
0609 20 845	138,08
0609 25 845	156,59
0609 30 845	178,85


846Flat cuttable long wall support
L = 250 - 430 mm

Code	€
0609 13 846 DW	126,76
0609 15 846	130,12
0609 18 846 DW	134,22
0609 20 846	141,59
0609 25 846	172,22
0609 30 846	178,85

854

Console plate

Code	€
0601 13 854 DW	162,73
0601 15 854 DW	170,04
0601 18 854 DW	193,73
0601 20 854 DW	236,27
0601 25 854 DW	417,85
0601 30 854 DW	463,03

857

Side brackets

Ø	Code	€
130	0609 13 857 DW	99,44
150	0609 15 857	136,68
180	0609 18 857 DW	139,49
200	0609 20 857	141,39
250	0609 25 857	148,51
300	0609 30 857	170,59

856

Adjustable floor support

Code	€
-	-
-	-
-	-
0301 20 856 DW	473,97
0301 25 856 DW	610,37
0301 30 856 DW	652,94

903

180° Double slab support

Code	€
0309 13 903 DW	69,18
0309 15 903	70,90
0309 18 903 DW	73,76
0309 20 903	76,09
0309 25 903	77,43
0309 30 903	79,45

110

Guide wire bracket

Code	€
0309 13 110 DW	29,80
0309 15 110	29,83
0309 18 110 DW	31,69
0309 20 110	33,57
0309 25 110	37,27
0309 30 110	41,01

11K

Roof brace kit

Code	€
0309 13 11K DW	223,78
0309 15 11K DW	224,09
0309 18 11K DW	226,45
0309 20 11K DW	229,27
0309 25 11K DW	233,45
0309 30 11K DW	238,15

ADAPTORS**A27**

Conical adaptor L = 490 mm

Ø	Code	€
130	-	-
150	0301 A0 A27	183,24
180	0301 DI A27	206,82
200	-	-
250	-	-
300	-	-

ACCESSORIES**120**

Draught regulator

Code	€
0301 13 120 DW	184,82
0301 15 120 DW	186,90
0301 18 120 DW	197,11
0301 20 120 DW	213,49
0301 25 120 DW	246,30
0301 30 120 DW	279,07

STRAIGHT LENGTHS
020


Straight length L = 940 mm

Ø	Code	€
130	0321 13 020 DWN	160,69
150	0321 15 020 DWN	179,60
180	0321 18 020 DWN	200,75
200	0321 20 020 DWN	245,49
250	0321 25 020 DWN	313,86
300	0321 30 020 DWN	375,58

024


Straight length L = 440 mm

Code	€
0321 13 024 DWN	98,97
0321 15 024 DWN	110,80
0321 18 024 DWN	125,36
0321 20 024 DWN	151,26
0321 25 024 DWN	181,94
0321 30 024 DWN	229,09

025


Straight length L = 270 mm

Code	€
0321 13 025 DWN	82,50
0321 15 025 DWN	91,93
0321 18 025 DWN	106,08
0321 20 025 DWN	125,36
0321 25 025 DWN	153,58
0321 30 025 DWN	179,60

022

 Adjustable length
L = 530 - 880 mm

Code	€
0321 13 022 DWN	203,08
0321 15 022 DWN	226,68
0321 18 022 DWN	250,23
0321 20 022 DWN	299,76
0321 25 022 DWN	375,58
0321 30 022 DWN	432,06

023

 Adjustable length
L = 350 - 530 mm

Code	€
0321 13 023 DWN	156,05
0321 15 023 DWN	172,52
0321 18 023 DWN	193,70
0321 20 023 DWN	229,09
0321 25 023 DWN	278,50
0321 30 023 DWN	328,00

TEES & ELBOWS
030


135° Tee (natural draft and dry applications)

Ø	Code	€
130	0321 13 030 DWN	323,33
150	0321 15 030 DWN	351,98
180	0321 18 030 DWN	385,01
200	0321 20 030 DWN	439,25
250	0321 25 030 DWN	717,68
300	0321 30 030 DWN	814,34

031


90° Tee

Code	€
0321 13 031 DWN	189,00
0321 15 031 DWN	210,17
0321 18 031 DWN	292,61
0321 20 031 DWN	328,00
0321 25 031 DWN	399,16
0321 30 031 DWN	465,14

040


45° Elbow

Code	€
0321 13 040 DWN	108,46
0321 15 040 DWN	120,63
0321 18 040 DWN	137,16
0321 20 040 DWN	158,36
0321 25 040 DWN	191,32
0321 30 040 DWN	226,68

042


30° Elbow

Code	€
0321 13 042 DWN	125,36
0321 15 042 DWN	137,16
0321 18 042 DWN	160,69
0321 20 042 DWN	184,28
0321 25 042 DWN	217,28
0321 30 042 DWN	257,29

044


15° Elbow

Code	€
0321 13 044 DWN	125,36
0321 15 044 DWN	137,16
0321 18 044 DWN	160,69
0321 20 044 DWN	184,28
0321 25 044 DWN	217,28
0321 30 044 DWN	257,29

INSPECTION & CLEANING
433


90° Elbow

Ø	Code	€
130	0321 13 433 DWN	227,73
150	0321 15 433 DWN	253,35
180	0321 18 433 DWN	288,01
200	0321 20 433 DWN	332,53
250	0321 25 433 DWN	401,84
300	0321 30 433 DWN	476,06

24P

 Inspection straight length
L = 440 mm

Code	€
0321 13 24P DWN	251,06
0321 15 24P DWN	264,41
0321 18 24P DWN	280,88
0321 20 24P DWN	310,17
0321 25 24P DWN	344,85
0321 30 24P DWN	398,14

431


87° Elbow with inspection

Code	€
0321 13 431 DWN	325,37
0321 15 431 DWN	361,91
0321 18 431 DWN	411,47
0321 20 431 DWN	475,02
0321 25 431 DWN	574,04
0321 30 431 DWN	680,09

432



90° Elbow with inspection

Code	€
0321 13 432 DWN	325,37
0321 15 432 DWN	361,91
0321 18 432 DWN	411,47
0321 20 432 DWN	475,02
0321 25 432 DWN	574,04
0321 30 432 DWN	680,09

523


93° Inspection tee

Code	€
0321 13 523 DWN	301,48
0321 15 523 DWN	333,22
0321 18 523 DWN	444,52
0321 M4 523 DWN	513,23
0321 M7 523 DWN	619,72
0321 N3 523 DWN	734,03

060


Soot collector

Ø	Code	€
130	0321 13 060 DWN	74,78
150	0321 15 060 DWN	76,24
180	0321 18 060 DWN	87,93
200	0321 20 060 DWN	99,69
250	0321 25 060 DWN	117,27
300	0321 30 060 DWN	146,55

061


Soot collector with drain

Code	€
0321 13 061 DWN	103,49
0321 15 061 DWN	105,56
0321 18 061 DWN	111,36
0321 20 061 DWN	128,96
0321 25 061 DWN	152,44
0321 30 061 DWN	175,84

065


Base plate with drain

Code	€
0321 13 065 DWN	225,69
0321 15 065 DWN	237,81
0321 18 065 DWN	249,91
0321 20 065 DWN	286,24
0321 25 065 DWN	324,93
0321 30 065 DWN	351,62

TERMINALS
010


Raincap

Code	€
0301 13 010 DWN	116,28
0301 15 010 DWN	136,11
0301 18 010 DWN	157,85
0301 20 010 DWN	184,51
0301 25 010 DWN	242,63
0301 30 010 DWN	295,92

011


Open terminal

Code	€
0301 13 011 DWN	143,91
0301 15 011 DWN	154,55
0301 18 011 DWN	170,59
0301 20 011 DWN	218,55
0301 25 011 DWN	261,15
0301 30 011 DWN	315,33

Includes specific locking band

PROTECTIONS

111



Open terminal with mesh

Ø	Code	€
130	0301 13 111 DWN	158,30
150	0301 15 111 DWN	170,01
180	0301 18 111 DWN	187,65
200	0301 20 111 DWN	240,41
250	0301 25 111 DWN	287,27
300	0301 30 111 DWN	346,86

12B



Weathering cap PRO

Code	€
0301 13 12B DWN	128,84
0301 15 12B DWN	150,61
0301 18 12B DWN	174,82
0301 20 12B DWN	203,90
0301 25 12B DWN	266,84
0301 30 12B DWN	324,93

Includes specific locking band

13A



Storm collar for flashing

Code	€
0329 13 13A DWN	73,63
0329 15 13A KN	73,63
0329 18 13A DWN	93,07
0329 20 13A KN	93,07
0329 25 13A KN	104,98
0329 30 13A KN	137,74

J02




Water tightness seal for storm collar

Code	€
0559 18 J02 FL	11,74
0559 20 J02 FL	12,56
0559 23 J02 FL	13,79
0559 25 J02 FL	19,94
0559 30 J02 FL	20,08
0559 35 J02 FL	20,08

171

NEW !!



Adjustable flashing 30/45°

Code	€
0390 18 171 FLN	171,52
0390 20 171 FLN	172,96
0390 23 171 FLN	194,99
0390 25 171 FLN	219,70
0390 30 171 FLN	225,54
0390 35 171 FLN	424,70

Storm collar (ref. 13A) not included

181

NEW !!




Adjustable flashing 5/30°

Ø	Code	€
130	0390 18 181 FLN	171,52
150	0390 20 181 FLN	172,96
180	0390 23 181 FLN	194,99
200	0390 25 181 FLN	219,70
250	0390 30 181 FLN	225,54
300	0390 35 181 FLN	424,70

Storm collar (ref. 13A) not included

191

NEW !!



Flat flashing

Code	€
0390 18 191 FLN	136,13
0390 20 191 FLN	137,56
0390 23 191 FLN	159,41
0390 25 191 FLN	183,98
0390 30 191 FLN	189,82
0390 35 191 FLN	280,94

Storm collar (ref. 13A) not included

132



Wall finishing plate 30/45°

Code	€
0329 13 132 DWN	89,97
0329 15 132 DWN	93,46
0329 18 132 DWN	105,80
0329 20 132 DWN	112,93
0329 25 132 DWN	127,00
0329 30 132 DWN	146,26

133



Wall finishing plate 0/30°

Code	€
0329 13 133 DWN	89,97
0329 15 133 DWN	93,46
0329 18 133 DWN	105,80
0329 20 133 DWN	112,93
0329 25 133 DWN	127,00
0329 30 133 DWN	146,26

13D



Flat finishing plate

Code	€
0329 13 13D DWN	46,83
0329 15 13D KN	50,42
0329 18 13D DWN	69,16
0329 20 13D KN	61,20
0329 25 13D KN	70,20
-	-


13E



Flat finishing plate with magnets

Ø	Code	€
130	0329 13 13E DWN	70,26
150	0329 15 13E KN	75,62
180	0329 18 13E DWN	78,30
200	0329 20 13E KN	91,79
250	0329 25 13E KN	105,29
300	-	-

064



Firestop plate G60

Code	€
0309 13 064 DWN	94,49
0309 15 064 KN	99,31
0309 18 064 DWN	106,59
0309 20 064 KN	121,57
0309 25 064 KN	143,33
0309 30 064 KN	162,76

641



Ventilated firestop plate G60

Code	€
0309 13 641 DWN	179,53
0309 15 641 DWN	188,69
0309 18 641 DWN	202,52
0309 20 641 DWN	230,98
0309 25 641 DWN	272,33
0309 30 641 DWN	309,24

OMK



Mesh kit

Code	€
0309 13 OMK DWN	331,86
0309 15 OMK DWN	346,49
0309 18 OMK DWN	368,45
0309 20 OMK DWN	381,67
-	-
-	-

LOCKING BANDS

070



Locking band

Code	€
0309 13 070 DWN	14,18
0309 15 070 KN	14,96
0309 18 070 DWN	15,80
0309 20 070 KN	18,17
0309 25 070 KN	21,85
0309 30 070 KN	24,22

70C



Locking band with quick fastener

Ø	Code	€
130	0309 13 70C DWN	14,17
150	0309 15 70C KN	14,96
180	0309 18 70C DWN	15,82
200	0309 20 70C KN	18,19
250	0309 25 70C KN	21,83
300	0309 30 70C KN	24,25

071



Location bracket

Code	€
0309 13 071	29,80
0309 15 071	30,78
0309 18 071	31,69
0309 20 071	35,41
0309 25 071	37,27
0309 30 071	39,14

074



Descending kit

Code	€
0309 13 074	68,98
0309 15 074	70,82
0309 18 074 DW	72,67
0309 20 074 K	76,40
0309 25 074 K	83,89
0309 30 074 K	85,71

SUPPORTS

080



Wall support

Code	€
0309 13 080 DWN	38,76
0309 15 080 KN	40,02
0309 18 080 DWN	41,17
0309 20 080 KN	44,88
0309 25 080 KN	50,86
0309 30 080 KN	58,12

086



Flat wall support

Code	€
0309 13 086 DWN	41,17
0309 15 086 KN	41,17
0309 18 086 DWN	43,66
0309 20 086 KN	46,05
0309 25 086 KN	53,32
0309 30 086 KN	58,12

82R


Reinforced roof support

Ø	Code	€
130	0529 13 82R DW/35	90,28
150	0529 15 82R /35	90,29
180	0529 18 82R DW/35	97,50
200	0529 20 82R /35	104,73
250	0529 25 82R /35	111,99
300	0529 30 82R /35	119,21

Galvanized steel

824


Roof support with angular profiles

Code	€
0329 13 824 DW	82,74
0329 15 824	82,74
0329 18 824 DW	89,38
0329 20 824	96,00
0329 25 824	105,81
0329 30 824	109,29

Galvanized steel

083

 Adjustable wall support
L = 70 - 120 mm

Code	€
0309 13 083 DWN	42,86
0309 15 083 KN	44,04
0309 18 083 DWN	44,88
0309 20 083 KN	47,29
0309 25 083 KN	53,60
0309 30 083 KN	61,19

831

 Flat adjustable wall support
L = 70 - 120 mm

Code	€
0309 13 831 DWN	48,43
0309 15 831 KN	50,02
0309 18 831 DWN	51,50
0309 20 831 KN	56,10
0309 25 831 KN	63,62
0309 30 831 KN	72,67

835

 Cuttable short wall support
L = 100 - 250 mm

Code	€
0609 13 835 DWN	135,72
0609 15 835 KN	140,00
0609 18 835 DWN	144,19
0609 20 835 KN	156,98
0609 25 835 KN	178,10
0609 30 835 KN	203,49

836

 Flat cuttable short wall support
L = 100 - 250 mm

Ø	Code	€
130	0609 13 836 DWN	144,19
150	0609 15 836 KN	144,19
180	0609 18 836 DWN	152,75
200	0609 20 836 KN	161,07
250	0609 25 836 KN	186,58
300	0609 30 836 KN	203,49

845

 Cuttable long wall support
L = 250 - 430 mm

Code	€
0609 13 845 DWN	155,07
0609 15 845 KN	159,97
0609 18 845 DWN	164,79
0609 20 845 KN	179,45
0609 25 845 KN	203,52
0609 30 845 KN	232,53

846

 Flat cuttable long wall support
L = 250 - 430 mm

Code	€
0609 13 846 DWN	164,79
0609 15 846 KN	164,79
0609 18 846 DWN	174,48
0609 20 846 KN	184,06
0609 25 846 KN	213,25
0609 30 846 KN	232,53

854


Console plate

Code	€
0621 13 854 DWN	211,55
0621 15 854 DWN	221,05
0621 18 854 DWN	251,85
0621 20 854 DWN	307,16
0621 25 854 DWN	543,20
0621 30 854 DWN	601,95

857


Side brackets

Code	€
0609 13 857 DWN	129,29
0609 15 857 KN	177,69
0609 18 857 DWN	181,34
0609 20 857 KN	183,81
0609 25 857 KN	193,07
0609 30 857 KN	221,78

856


Adjustable floor support

Ø	Code	€
130	-	-
150	-	-
180	-	-
200	0301 20 856 DWN	616,15
250	0301 25 856 DWN	793,51
300	0301 30 856 DWN	848,83

903


180° Double slab support

Code	€
0309 13 903 DW	69,18
0309 15 903	70,90
0309 18 903 DW	73,76
0309 20 903	76,09
0309 25 903	77,43
0309 30 903	79,45

110


Guide wire bracket

Code	€
0309 13 110 DWN	38,76
0309 15 110 KN	38,76
0309 18 110 DWN	41,17
0309 20 110 KN	43,66
0309 25 110 KN	48,47
0309 30 110 KN	53,32

ADAPTORS
A27


Conical adaptor L = 490 mm

Code	€
-	-
0301 A0 A27 DWNAH	238,21
0301 DI A27 DWNAH	268,87
-	-
-	-
-	-

ACCESSORIES
120


Draught regulator

Code	€
0321 13 120 DWN	240,27
0321 15 120 DWN	242,98
0321 18 120 DWN	256,23
0321 20 120 DWN	277,52
0321 25 120 DWN	320,19
0321 30 120 DWN	362,78

DW6 WOOD

STRAIGHT LENGTHS

020



Straight length L = 940 mm

Ø	Code	€
130	0301 13 020 DW6	160,69
150	0301 15 020 DW6	179,60
180	0301 18 020 DW6	200,75
200	0301 20 020 DW6	245,49
250	0301 25 020 DW6	313,86
300	0301 30 020 DW6	375,58

024



Straight length L = 440 mm

Code	€
0301 13 024 DW6	98,97
0301 15 024 DW6	110,78
0301 18 024 DW6	125,37
0301 20 024 DW6	151,26
0301 25 024 DW6	181,95
0301 30 024 DW6	214,16

025



Straight length L = 270 mm

Code	€
0301 13 025 DW6	82,50
0301 15 025 DW6	91,93
0301 18 025 DW6	106,08
0301 20 025 DW6	125,37
0301 25 025 DW6	153,59
0301 30 025 DW6	179,60

022



Adjustable length
L = 530 - 880 mm

Code	€
0301 13 022 DW6	203,08
0301 15 022 DW6	226,68
0301 18 022 DW6	250,21
0301 20 022 DW6	299,76
0301 25 022 DW6	375,58
0301 30 022 DW6	432,06

023



Adjustable length
L = 350 - 530 mm

Code	€
0301 13 023 DW6	156,05
0301 15 023 DW6	172,50
0301 18 023 DW6	193,70
0301 20 023 DW6	229,09
0301 25 023 DW6	278,50
0301 30 023 DW6	328,00

TEES & ELBOWS

030



135° Tee (natural draft and dry applications)

Ø	Code	€
130	0301 13 030 DW6	323,33
150	0301 15 030 DW6	351,98
180	0301 18 030 DW6	385,01
200	0301 20 030 DW6	439,25
250	0301 25 030 DW6	717,68
300	0301 30 030 DW6	814,32

031



90° Tee

Code	€
0301 13 031 DW6	188,99
0301 15 031 DW6	210,18
0301 18 031 DW6	292,61
0301 20 031 DW6	328,00
0301 25 031 DW6	399,15
0301 30 031 DW6	465,12

040



45° Elbow

Code	€
0301 13 040 DW6	108,46
0301 15 040 DW6	120,63
0301 18 040 DW6	137,13
0301 20 040 DW6	158,36
0301 25 040 DW6	191,32
0301 30 040 DW6	226,68

042



30° Elbow

Code	€
0301 13 042 DW6	125,37
0301 15 042 DW6	137,13
0301 18 042 DW6	160,69
0301 20 042 DW6	184,28
0301 25 042 DW6	217,27
0301 30 042 DW6	257,29

044



15° Elbow

Code	€
0301 13 044 DW6	125,37
0301 15 044 DW6	137,13
0301 18 044 DW6	160,69
0301 20 044 DW6	184,28
0301 25 044 DW6	217,27
0301 30 044 DW6	257,29

INSPECTION & CLEANING

433



90° Elbow

Ø	Code	€
130	0301 13 433 DW6	227,73
150	0301 15 433 DW6	253,35
180	0301 18 433 DW6	288,01
200	0301 20 433 DW6	332,54
250	0301 25 433 DW6	401,84
300	0301 30 433 DW6	476,06

24P



Inspection straight length
L = 440 mm

Code	€
0301 13 24P DW6	223,97
0301 15 24P DW6	235,78
0301 18 24P DW6	250,37
0301 20 24P DW6	276,26
0301 25 24P DW6	306,95
0301 30 24P DW6	339,16

431



87° Elbow with inspection

Code	€
0301 13 431 DW6	325,37
0301 15 431 DW6	361,91
0301 18 431 DW6	411,47
0301 20 431 DW6	475,02
0301 25 431 DW6	574,02
0301 30 431 DW6	680,09

432



90° Elbow with inspection

Code	€
0301 13 432 DW6	325,37
0301 15 432 DW6	361,91
0301 18 432 DW6	411,47
0301 20 432 DW6	475,02
0301 25 432 DW6	574,02
0301 30 432 DW6	680,09

523



93° Inspection tee

Code	€
0301 13 523 DW6	301,48
0301 15 523 DW6	333,22
0301 18 523 DW6	444,52
0301 20 523 DW6	499,41
0301 25 523 DW6	603,47
0301 30 523 DW6	713,72

060



Soot collector

Ø	Code	€
130	0301 13 060 DW6	67,47
150	0301 15 060 DW6	72,47
180	0301 18 060 DW6	77,81
200	0301 20 060 DW6	88,19
250	0301 25 060 DW6	103,74
300	0301 30 060 DW6	129,66

061



Soot collector with drain

Code	€
0301 13 061 DW6	88,20
0301 15 061 DW6	93,38
0301 18 061 DW6	98,51
0301 20 061 DW6	114,10
0301 25 061 DW6	134,83
0301 30 061 DW6	155,53

065



Base plate with drain

Code	€
0301 13 065 DW6	199,63
0301 15 065 DW6	210,36
0301 18 065 DW6	221,07
0301 20 065 DW6	253,21
0301 25 065 DW6	287,45
0301 30 065 DW6	311,05

TERMINALS

010



Raincap

Code	€
0301 13 010 DW6	89,44
0301 15 010 DW6	104,69
0301 18 010 DW6	121,41
0301 20 010 DW6	141,91
0301 25 010 DW6	186,66
0301 30 010 DW6	227,62

011



Open terminal

Code	€
0301 13 011 DW6	127,30
0301 15 011 DW6	136,72
0301 18 011 DW6	150,91
0301 20 011 DW6	193,33
0301 25 011 DW6	231,01
0301 30 011 DW6	278,93

Includes specific locking band

PROTECTIONS
111


Open terminal with mesh

Ø	Code	€
130	0301 13 111 DW6	159,13
150	0301 15 111 DW6	170,90
180	0301 18 111 DW6	188,64
200	0301 20 111 DW6	241,66
250	0301 25 111 DW6	288,76
300	0301 30 111 DW6	348,66

12B


Weathering cap PRO

Code	€
0301 13 12B DW6	99,11
0301 15 12B DW6	115,86
0301 18 12B DW6	134,50
0301 20 12B DW6	156,84
0301 25 12B DW6	205,26
0301 30 12B DW6	249,95

Includes specific locking band

014


Wall sleeve

Code	€
0309 13 014 DW	52,18
0309 15 014	54,04
0309 18 014 DW	57,79
0309 20 014	70,82
0309 25 014	80,17
0309 30 014	93,51

13A



Storm collar for flashing

Code	€
0309 13 13A DW	56,64
0309 15 13A	56,64
0309 18 13A DW	71,59
0309 20 13A	71,59
0309 25 13A	80,75
0309 30 13A	105,95

J02


Water tightness seal for storm collar


Code	€
05S9 18 J02 FL	11,74
05S9 20 J02 FL	12,56
05S9 23 J02 FL	13,79
05S9 25 J02 FL	19,94
05S9 30 J02 FL	20,08
05S9 35 J02 FL	20,08

171
NEW !!


Adjustable flashing 30/45°

Ø	Code	€
130	0390 18 171 FL	171,52
150	0390 20 171 FL	172,96
180	0390 23 171 FL	194,99
200	0390 25 171 FL	219,70
250	0390 30 171 FL	225,54
300	0390 35 171 FL	424,70


Storm collar (ref. 13A) not included

181
NEW !!


Adjustable flashing 5/30°

Code	€
0390 18 181 FL	171,52
0390 20 181 FL	172,96
0390 23 181 FL	194,99
0390 25 181 FL	219,70
0390 30 181 FL	225,54
0390 35 181 FL	424,70

Storm collar (ref. 13A) not included

191
NEW !!


Flat flashing

Code	€
0390 18 191 FL	136,13
0390 20 191 FL	137,56
0390 23 191 FL	159,41
0390 25 191 FL	183,98
0390 30 191 FL	189,82
0390 35 191 FL	280,94

Storm collar (ref. 13A) not included

132


Wall finishing plate 30/45°

Code	€
0309 13 132 DW	69,21
0309 15 132 DW	71,89
0309 18 132 DW	81,39
0309 20 132 DW	86,86
0309 25 132 DW	97,67
0309 30 132 DW	112,50

133



Wall finishing plate 0/30°

Code	€
0309 13 133 DW	69,21
0309 15 133 DW	71,89
0309 18 133 DW	81,39
0309 20 133 DW	86,86
0309 25 133 DW	97,67
0309 30 133 DW	112,50

13D



Flat finishing plate

Ø	Code	€
130	0309 13 13D DW	40,72
150	0309 15 13D DW	55,13
180	0309 18 13D DW	60,14
200	0309 20 13D DW	64,75
250	0309 25 13D DW	67,83
300	-	-

13E



Flat finishing plate with magnets

Code	€
03K9 13 13E DW	71,39
03K9 15 13E DW	90,21
03K9 18 13E DW	90,21
03K9 20 13E DW	97,13
03K9 25 13E DW	128,09
-	-

064


Firestop plate G60

Code	€
0309 13 064 DW	72,67
0309 15 064	76,40
0309 18 064 DW	82,01
0309 20 064	93,51
0309 25 064	110,24
0309 30 064	125,18

641


Ventilated firestop plate G60

Code	€
0309 13 641 DW	138,07
0309 15 641 DW	145,15
0309 18 641 DW	155,80
0309 20 641 DW	177,67
0309 25 641 DW	209,45
0309 30 641 DW	237,85

OMK


Mesh kit

Code	€
0309 13 OMK DW	255,28
0309 15 OMK DW	266,53
0309 18 OMK DW	283,42
0309 20 OMK DW	293,59
-	-
-	-

LOCKING BANDS
070


Locking band

Ø	Code	€
130	0309 13 070 DW	10,90
150	0309 15 070	11,51
180	0309 18 070 DW	12,17
200	0309 20 070	13,99
250	0309 25 070	16,79
300	0309 30 070	18,65

70C


Locking band with quick fastener

Code	€
0309 13 70C DW	10,90
0309 15 70C	11,51
0309 18 70C DW	12,17
0309 20 70C	13,99
0309 25 70C	16,79
0309 30 70C	18,65

071


Location bracket

Code	€
0309 13 071 DW	29,80
0309 15 071	30,78
0309 18 071 DW	31,69
0309 20 071	35,41
0309 25 071	37,27
0309 30 071	39,14

074


Descending kit

Code	€
0309 13 074 DW	68,97
0309 15 074	70,82
0309 18 074 DW	72,67
0309 20 074	76,40
0309 25 074	83,89
0309 30 074	85,71

SUPPORTS
080


Wall support

Code	€
0309 13 080 DW	29,80
0309 15 080	30,79
0309 18 080 DW	31,69
0309 20 080	34,52
0309 25 080	39,14
0309 30 080	44,70

086



Flat wall support

Ø	Code	€
130	0309 13 086 DW	29,80
150	0309 15 086	30,78
180	0309 18 086 DW	33,59
200	0309 20 086	34,52
250	0309 25 086	43,07
300	0309 30 086	44,70

82R



Reinforced roof support

Code	€
0529 13 82R DW/35	90,28
0529 15 82R DW/35	90,29
0529 18 82R DW/35	97,50
0529 20 82R DW/35	104,73
0529 25 82R DW/35	115,43
0529 30 82R DW/35	119,21

Galvanized steel

824



Roof support with angular profiles

Code	€
0329 13 824 DW	82,74
0329 15 824	82,74
0329 18 824 DW	89,38
0329 20 824	96,00
0329 25 824	105,81
0329 30 824	109,29

Galvanized steel

083



Adjustable wall support
L = 70 - 120 mm

Code	€
0309 13 083 DW	32,96
0309 15 083	33,86
0309 18 083 DW	34,52
0309 20 083	36,36
0309 25 083	41,23
0309 30 083	47,14

831



Flat adjustable wall support
L = 70 - 120 mm

Code	€
0309 13 831 DW	37,25
0309 15 831	38,48
0309 18 831 DW	39,61
0309 20 831	47,27
0309 25 831	53,84
0309 30 831	55,90

835



Cutttable short wall support
L = 100 - 250 mm

Ø	Code	€
130	0609 13 831 DW	37,25
150	0609 15 831	38,48
180	0309 18 831 DW	39,61
200	0309 20 831	47,27
250	0309 25 831	53,84
300	0309 30 831	55,90

836



Flat cuttable short wall support
L = 100 - 250 mm

Code	€
0609 13 836 DW	110,91
0609 15 836	110,91
0609 18 836 DW	117,49
0609 20 836	123,92
0609 25 836	150,71
0609 30 836	156,50

845



Cutttable long wall support
L = 250 - 430 mm

Code	€
0609 13 845 DW	119,28
0609 15 845	123,15
0609 18 845 DW	126,76
0609 20 845	138,08
0609 25 845	156,59
0609 30 845	178,85

846



Flat cuttable long wall support
L = 250 - 430 mm

Code	€
0609 13 846 DW	126,76
0609 15 846	130,12
0609 18 846 DW	134,22
0609 20 846	141,59
0609 25 846	172,22
0609 30 846	178,85

854



Console plate

Code	€
0601 13 854 DW6	187,15
0601 15 854 DW6	195,54
0601 18 854 DW6	222,77
0601 20 854 DW6	271,71
0601 25 854 DW6	480,51
0601 30 854 DW6	532,50

857



Side brackets

Ø	Code	€
130	0609 13 857 DW	99,44
150	0609 15 857	136,68
180	0609 18 857 DW	139,49
200	0609 20 857	141,39
250	0609 25 857	148,51
300	0609 30 857	170,59

856



Adjustable floor support

Code	€
-	-
-	-
-	-
0301 20 856 DW6	473,97
0301 25 856 DW6	610,37
0301 30 856 DW6	652,94

903



180° Double slab support

Code	€
0309 13 903 DW	69,18
0309 15 903	70,90
0309 18 903 DW	73,76
0309 20 903	76,09
0309 25 903	77,43
0309 30 903	79,45

110



Guide wire bracket

Code	€
0309 13 110 DW	29,80
0309 15 110	29,83
0309 18 110 DW	31,69
0309 20 110	33,57
0309 25 110	37,27
0309 30 110	41,01

11K



Roof brace kit

Code	€
0309 13 11K DW	223,78
0309 15 11K	224,09
0309 18 11K DW	226,45
0309 20 11K	229,25
0309 25 11K	233,45
0309 30 11K	238,15

ADAPTORS

A27



Conical adaptor L = 490 mm

Ø	Code	€
130	-	-
150	0301 A0 A27 DW6	210,73
180	0301 DI A27 DW6	237,84
200	-	-
250	-	-
300	-	-

ACCESSORIES

120




Draught regulator

Code	€
0301 13 120 DW6	212,55
0301 15 120 DW6	214,94
0301 18 120 DW6	226,68
0301 20 120 DW6	245,49
0301 25 120 DW6	283,24
0301 30 120 DW6	320,93

INSTALLATION EXAMPLE

Outdoor installation



DW WOOD
DEKO WOOD

DW50

DW50 BLACK

Insulated twin wall chimney

The DW50 range can be used for wood stoves in internal or external installations

Ø130 - Ø150



0036 CPR 90220 052

EN 1856-1 T400 N1 D V2 L50040 G50

MATERIALS

- Inner wall: Stainless steel AISI 316L (1.4404)
- Outer wall: Stainless steel AISI 304 (1.4301)
Optional black powder coating (**DW50 BLACK**)
- Insulation: 50 mm of rockwool

TECHNICAL SPECIFICATIONS

- 40 mm overlapping
- Available diameters: Ø130 and 150 mm

ADVANTAGES

EXPANSION ABSORPTION

Thanks to its exclusive manufacturing system, the DW expands freely

THERMAL CONTINUITY


The continuity of the insulation ensures an optimum draught
With the DW, thermal bridges are over!

INSULATION

Suitable for installation without the need for enclosure (safe-to-touch surface temperature)

TERMINALS

DINAK gives you the option to choose among many kinds of terminals



STRAIGHT LENGTHS
020


Straight length L = 940 mm

Ø	Code	€
150	0301 15 020 DW50	195,21
200	0301 20 020 DW50	266,84

024


Straight length L = 440 mm

Code	€
0301 15 024 DW50	120,41
0301 20 024 DW50	164,43

025


Straight length L = 270 mm

Code	€
0301 15 025 DW50	99,93
0301 20 025 DW50	136,26

022


Adjustable length L = 530 - 880 mm

Code	€
0301 15 022 DW50	246,39
0301 20 022 DW50	325,83

TEE & ELBOWS
030


Te 135°

Code	€
0301 15 030 DW50	382,60
0301 20 030 DW50	477,44

031


Te 90°

Ø	Code	€
150	0301 15 031 DW50	228,44
200	0301 20 031 DW50	356,53

040


45° Elbow

Code	€
0301 15 040 DW50	131,11
0301 20 040 DW50	172,11

042


30° Elbow

Code	€
0301 15 042 DW50	149,09
0301 20 042 DW50	200,29

044


15° Elbow

Code	€
0301 15 044 DW50	149,09
0301 20 044 DW50	200,29

433


90° Elbow

Code	€
0301 15 433 DW50	275,39
0301 20 433 DW50	361,46

INSPECTION & CLEANING
24P


Straight length with inspection L = 440 mm

Ø	Code	€
150	0301 15 24P DW50	240,41
200	0301 20 24P DW50	284,43

431


87° Elbow with inspection

Code	€
0301 15 431 DW50	393,36
0301 20 431 DW50	516,33

432


90° Elbow with inspection

Code	€
0301 15 432 DW50	393,36
0301 20 432 DW50	516,33

060


Soot collector

Code	€
0301 15 060 DW50	73,34
0301 20 060 DW50	95,86

061


Soot collector with drain

Code	€
0301 15 061 DW50	101,50
0301 20 061 DW50	124,01

TERMINALS
010


Raincap

Ø	Code	€
150	0301 15 010 DW50	141,91
200	0301 20 010 DW50	186,66

011


Open terminal

Code	€
0301 15 011 DW50	168,10
0301 20 011 DW50	200,88

111


Open terminal with mesh

Code	€
0301 15 111 DW50	168,10
0301 20 111 DW50	200,88

12B


Weathering cap PRO

Code	€
0301 15 12B DW50	156,84
0301 20 12B DW50	205,26

PROTECTIONS
014


Wall - Sleeve

Code	€
0390 25 014 SW	70,81
0390 30 014 SW	80,17

13A



Storm collar

Ø	Code	€
150	0390 25 13A SW	71,59
200	0390 30 13A SW	80,75

J02



Water tightness seal for storm collar

Code	€
0559 25 J02 FL	19,94
0559 30 J02 FL	20,08

171
NEW!!



Terminal 30°/45° H = 200 mm lead base

Code	€
0390 25 171 FL	219,70
0390 30 171 FL	225,54

181
NEW!!


Terminal 5°/30° H = 200 mm lead base

Code	€
0390 25 181 FL	219,70
0390 30 181 FL	225,54

191
NEW!!


Flat Terminal H = 200 mm lead base

Code	€
0390 25 191 FL	183,98
0390 30 191 FL	189,82

Storm collar (ref. 13A) not included

Storm collar (ref. 13A) not included

Storm collar (ref. 13A) not included

132



Wall finishing plate 30°/45°

Ø	Code	€
150	0390 25 132 SW	81,39
200	0390 30 132 SW	97,67

133



Wall finishing plate 0/30°

Code	€
0390 25 133 SW	81,39
0390 30 133 SW	97,67

13D



Flat finishing plate

Code	€
0309 15 13D DW50	63,99
0309 20 13D DW50	84,36

LOCKING BANDS

070



Locking band

Code	€
0309 15 070 K+	14,95
0309 20 070 K+	18,17

70C



Quick-fastening locking band

Code	€
0309 15 70C DW50	13,98
0309 20 70C DW50	16,81

071



Location band

Ø	Code	€
150	0309 15 071 DW50	35,41
200	0309 20 071 DW50	37,28

074



Descending kit

Code	€
0309 15 074 DW50	76,40
0309 20 074 DW50	83,85

080



Wall support

Code	€
0309 15 080 K+	40,01
0309 20 080 K+	44,88

086



Flat wall support

Code	€
0309 15 086 GL	37,18
0309 20 086 GL	43,07

82R



Reinforced Roof Support

Code	€
0592 25 82R SW/35	109,24
0592 30 82R SW/35	115,43

083



Adjustable wall support 70 - 120 mm

Ø	Code	€
150	0309 15 083 K+	33,89
200	0309 20 083 K+	36,37

831



Adjustable flat wall support 70 - 120 mm

Code	€
0309 15 831 GL	46,48
0309 20 831 GL	53,84

854



Console plate

Code	€
0301 15 854 DW50	236,27
0301 20 854 DW50	417,85

857



Side brackets

Code	€
0690 25 857 SW	139,49
0690 30 857 SW	148,48

110



Guide wire bracket

Code	€
0309 15 110 K+	29,80
0309 20 110 K+	33,59

CONNECTIONS

100



Adaptor

Ø	Code	€
150	0301 15 100 DW50	53,03
200	0301 20 100 DW50	61,96

ADAPTORS

A21



Adaptor DW50 - DW

Code	€
0301 15 A21 DW50	257,09
0301 20 A21 DW50	333,65

16Q



Adaptor DW50 - SW

Code	€
0301 15 16Q DW50	128,00
0301 20 16Q DW50	154,96

030


Te 135°

Code	€
0321 15 030 DW50N	497,38
0321 20 030 DW50N	620,67

STRAIGHT LENGTHS

020


Straight length L = 940 mm

Ø	Code	€
150	0321 15 020 DW50N	253,77
200	0321 20 020 DW50N	346,89

024


Straight length L = 440 mm

Code	€
0321 15 024 DW50N	156,53
0321 20 024 DW50N	213,76

025


Straight length L = 270 mm

Code	€
0321 15 025 DW50N	129,91
0321 20 025 DW50N	177,14

022


Adjustable length L = 530 - 880 mm

Code	€
0321 15 022 DW50N	320,31
0321 20 022 DW50N	423,58

031


Te 90°

Ø	Code	€
150	0321 15 031 DW50N	296,97
200	0321 20 031 DW50N	463,49

040


45° Elbow

Code	€
0321 15 040 DW50N	170,44
0321 20 040 DW50N	223,74

042


30° Elbow

Code	€
0321 15 042 DW50N	193,82
0321 20 042 DW50N	260,38

044


15° Elbow

Code	€
0321 15 044 DW50N	193,82
0321 20 044 DW50N	260,38

433


90° Elbow

Code	€
0321 15 433 DW50N	358,01
0321 20 433 DW50N	469,90

INSPECTION & CLEANING

24P


Straight length with inspection L = 440 mm

Ø	Code	€
150	0321 15 24P DW50N	312,53
200	0321 20 24P DW50N	369,76

431



87° Elbow with inspection

Code	€
0321 15 431 DW50N	511,37
0321 20 431 DW50N	671,23

432


90° Elbow with inspection

Code	€
0321 15 432 DW50N	511,37
0321 20 432 DW50N	671,23

060


Soot collector

Code	€
0321 15 060 DW50N	95,34
0321 20 060 DW50N	124,62

061


Soot collector with drain

Code	€
0321 15 061 DW50N	131,95
0321 20 061 DW50N	161,21

TERMINALS

010


Raincap

Ø	Code	€
150	0301 15 010 DW50N	184,48
200	0301 20 010 DW50N	242,66

011


Open terminal

Code	€
0301 15 011 DW50N	218,53
0301 20 011 DW50N	261,14

111


Open terminal with mesh

Code	€
0301 15 111 DW50N	218,53
0301 20 111 DW50N	261,14

12B


Weathering cap PRO

Code	€
0301 15 12B DW50N	203,89
0301 20 12B DW50N	266,84

PROTECTIONS

13A



Storm collar

Code	€
0392 25 13A SWN	104,98
0392 30 13A SWN	137,74

J02



Water tightness seal for storm collar

Ø	Code	€
150	05S9 25 J02 FL	19,94
200	05S9 30 J02 FL	20,08

171
NEW !!



Terminal 30°/45° H = 200 mm lead base

Code	€
0390 25 171 FLN	219,70
0390 30 171 FLN	225,54

181
NEW !!


Terminal 5°/30° H = 200 mm lead base

Code	€
0390 25 181 FLN	219,70
0390 30 181 FLN	225,54

191
NEW !!


Flat Terminal H = 200 mm lead base

Code	€
0390 25 191 FLN	183,98
0390 30 191 FLN	189,82

132


Wall finishing plate 30°/45°

Code	€
0392 25 132 SWN	146,50
0392 30 132 SWN	175,81

Storm collar (ref. 13A) not included

Storm collar (ref. 13A) not included

Storm collar (ref. 13A) not included

LOCKING BANDS

133



Wall finishing plate 0/30°

Ø	Code	€
150	0392 25 133 SWN	146,50
200	0392 30 133 SWN	175,81

13D



Flat finishing plate

Code	€
0329 15 13D DW50N	95,99
0329 20 13D DW50N	126,54

070



Locking band

Code	€
0329 15 070 K+N	18,17
0329 20 070 K+N	21,85

70C



Quick-fastening locking band

Code	€
0309 15 70C DW50N	18,17
0309 20 70C DW50N	21,85

071



Location band

Code	€
0309 15 071 DW50	35,41
0309 20 071 DW50	37,28

074



Descending kit

Ø	Code	€
150	0309 15 074 DW50	76,40
200	0309 20 074 DW50	83,85

080



Wall support

Code	€
0309 15 080 K+N	44,88
0309 20 080 K+N	50,90

086



Flat wall support

Code	€
0309 15 086 GLN	44,88
0309 20 086 GLN	50,90

82R



Reinforced Roof Support

Code	€
0592 25 82R SW/35	109,24
0592 30 82R SW/35	115,43

083



Adjustable wall support 70 - 120 mm

Code	€
0309 15 083 K+N	44,06
0309 20 083 K+N	47,28

831



Adjustable flat wall support 70 - 120 mm

Ø	Code	€
150	0309 15 831 GLN	60,42
200	0309 20 831 GLN	69,99

854



Console plate

Code	€
0301 15 854 DW50N	307,15
0301 20 854 DW50N	543,21

857



Side brackets

Code	€
0690 25 857 SWN	251,08
0690 30 857 SWN	267,26

110



Guide wire bracket

Code	€
0309 15 110 K+N	43,67
0309 20 110 K+N	48,46

CONNECTIONS

100



Adaptor

Code	€
0301 15 100 DW50NAH	68,93
0301 20 100 DW50NAH	80,55

ADAPTORS

A21



Adaptor DW50 - DW

Ø	Code	€
150	0301 15 A21 DW50N	334,21
200	0301 20 A21 DW50N	433,74

16Q



Adaptor DW50 - SW

Code	€
0301 15 16Q DW50NAH	166,40
0301 20 16Q DW50NAH	201,45

DEKO PELLETS

Vitrified mild steel single wall flue, seal in the female side and matt black finishing

Ø80-Ø100



0036 CPD 90220 044

EN 1856-2 T200 P1 W Vm L80080 040

EN 1856-2 T600 N1 D Vm L80080 G375 NM

TECHNICAL SPECIFICATIONS

- Thickness: 0.8 mm
- Finishing: matt black
- Tightness seal

ADVANTAGES

RESISTANCE

Because of its inner and outer vitrified material, the DEKO range guarantees its colours stability with high temperatures and condensations

CUTTABLE

The straight lengths of DEKO PELLETS can be cut by the male end using a fine-grained cutting disc

ADVANTAGES

RESISTANCE

Thanks to its interior and exterior glaze, the DEKO PELLETS CLASSIC range guarantees stability of colour as well as resistance to high temperatures and condensation

DESIGN

The quality of the DEKO PELLETS CLASSIC flue, together with its colour and texture, allows you to preserve all the beauty of the visible connection to the stove and at the same time achieving full architectural integration

CUTTABLE

The flue can be cut, so long as the male end of the piece is always conserved. To cut use a fine grain cutting disk and then apply Dinak heat-resistant paint to the cut surface

Dinak Advantages

Colour : Matt Black

Installation without locking bands



CONNECTION FLUE PIPE

Living room connection flues, free standing and insert stoves may be single walled, up to 1.8m maximum off a freestanding stove and ensuring all building regulations are adhered to. Also the minimum distance to combustible materials is met. By installing this product, you achieve greater heat output to the room from radiated heat from the connection pipe.

PROTECTION SLEEVES

Dinak has developed a range of protective sleeves to install around the DEKO PELLETS CLASSIC Connection flue pipe, to avoid the risk of accidental human contact.

The models available are:

• 14P - Upper outlet protection sleeve

This sleeve is specifically designed for installation where the exhaust pipe of the pellet stove leaves from the top of the unit.

• 14R - Back outlet protection sleeve


This protection sleeve model is specifically designed for installation where the exhaust pipe leaves from the back of the unit and incorporates a space to allow the bridging of the connection to the stove.

• 14S - Extendable protection sleeve

This model of sleeve without perforations allows the protection of the full vertical length of the exposed flue in installations where the flue exists from the upper part of the unit.

Thanks to its adjustable design, it allows for the length of flue up to 1900 mm to be protected.

Moreover, the sleeve incorporates upper and lower vents which allow the circulation of air current inside the sleeve, reducing its outer temperature.



14P
Upper outlet protection
sleeve

020



Straight length L = 945 mm

Ø	Code	€
80	039A 08 020 PEN	39,82
100	039A 10 020 PEN	46,00

024



Straight length L = 445 mm

Code	€
039A 08 024 PEN	38,96
039A 10 024 PEN	44,66

025



Straight length L = 275 mm

Code	€
039A 08 025 PEN	36,87
039A 10 025 PEN	42,13

022



Adjustable length L = 530 - 870 mm

Code	€
039A 08 022 PEN	74,01
039A 10 022 PEN	84,86

023



Adjustable length L = 360 - 530 mm

Ø	Code	€
80	039A 08 023 PEN	70,03
100	039A 10 023 PEN	80,02

255



Sleeve M - F L = 150 mm

Code	€
039A 08 255 PEN	35,19
039A 10 255 PEN	40,24

25H



Sleeve F - F L = 200 mm

Code	€
039A 08 25H PEN	38,81
039A 10 25H PEN	44,78

25M



Sleeve M - M L = 100 mm

Code	€
039A 08 25M PEN	31,57
039A 10 25M PEN	35,72

030



135° Tee

Ø	Code	€
80	039A 08 030 PEN	185,63
100	039A 10 030 PEN	204,64

031



90° Tee

Code	€
039A 08 031 PEN	65,83
039A 10 031 PEN	71,26

312



90° Tee with Ø80 female branch

Code	€
-	-
039A 10 312 PEN	75,80

31F



90° Tee with female branch

Code	€
039A 08 31F PEN	69,49
039A 10 31F PEN	75,80

040



45° Elbow

Ø	Code	€
80	039A 08 040 PEN	51,14
100	039A 10 040 PEN	56,98

042



30° Elbow

Code	€
039A 08 042 PEN	51,38
039A 10 042 PEN	57,35

433



90° Elbow

Code	€
039A 08 433 PEN	76,71
039A 10 433 PEN	85,47

435



M-M 90° Elbow

Code	€
039A 08 435 PEN	51,38
039A 10 435 PEN	57,35

24P



Inspection straight length L = 445 mm

Ø	Code	€
80	039A 08 24P PEN	88,98
100	039A 10 24P PEN	96,50

33F



90° Short tee with female branch and inspection

Code	€
039A 08 33F PEN	104,23
039A 10 33F PEN	113,71

432



90° Inspection elbow

Code	€
039A 08 432 PEN	103,28
039A 10 432 PEN	111,10

608



Short soot collector

Code	€
039A 08 608 PEN	37,90
039A 10 608 PEN	46,62

DEKO PELLETS CLASSIC

618



Short soot collector with drain

Ø	Code	€
80	039A 08 618 PEN	49,67
100	039A 10 618 PEN	60,15

113



Finishing collar

Code	€
039A 08 113 PEN	26,84
039A 10 113 PEN	32,73

114



Wall sleeve flashing

Code	€
039A 08 114 PEN	67,56
-	-

075



Light weight support with nut

Code	€
0390 08 075 SWNA	24,08
0390 10 075 SWNA	24,31

086



Flat wall support

Ø	Code	€
80	0390 08 086 SWNA	27,28
100	0390 10 086 SWNA	27,59

REDUCERS / INCREASERS

026



Reducer MØ80 - FØ100

Code	€
069A AD 026 PEN	102,54
-	-

14P



Cover protection top outlet L = 980 mm

Code	€
0390 08 14P SWN	116,66
0390 10 14P SWN	130,50

14R



Cover protection back outlet L = 980 mm

Code	€
0390 08 14R SWN	116,66
0390 10 14R SWN	130,50

14S



Adjustable cover protection
L = 1.040 - 1.930 mm

Ø	Code	€
80	0390 08 14S SWN	174,98
100	0390 10 14S SWN	195,76

001



Seal

Code	€
0505 61 001	2,92
0505 62 001	3,63

005



Bag with 10 units of fiberglass joints

Code	€
0398 08 005 PEN	30,88
0398 10 005 PEN	35,35

FIX



Fixation kit for finishing collar

Code	€
059K 99 FIX DEN	23,99
-	-

Same code and price for all diameters

SPR



High temperature spray paint 200 ml

Ø	Code	€
80	0588 99 SPR DEN	41,06
100	-	-

Same code and price for all diameters

DEKO PELLETS 1,2 mm

Vitrified mild steel single wall 1,2 mm flue, seal in the female side and matt black finishing

Ø80-Ø100



0036 CPR 90220 060

EN 1856-2 T200 P1 W Vm L01120 020 M

EN 1856-2 T600 N1 D Vm L01120 G375 NM

TECHNICAL SPECIFICATIONS

- Available diameters : Ø80 and 100 mm
- Thickness: 1,2 mm
- Finishing : Matt black
- Interlocking: 50 mm
- Cutable on the male side



Ø80
to
Ø100



DEKO PELLETS 1,2 mm

20A



Straight length L = 1450 mm

Ø	Code	€
80	059G 08 20A P2N/41	67,68
100	059G 10 20A P2N/41	73,32

020



Straight length L = 950 mm

Code	€
059G 08 020 P2N/41	35,39
059G 10 020 P2N/41	38,61

024



Straight length L = 450 mm

Code	€
059G 08 024 P2N/41	24,38
059G 10 024 P2N/41	27,15

025



Straight length L = 200 mm

Code	€
059G 08 025 P2N/41	18,91
059G 10 025 P2N/41	20,91

022



Adjustable length
L = 360 - 560 mm

Code	€
059G 08 022 P2N/41	48,59
059G 10 022 P2N/41	56,79

25H



Sleeve F - F

Ø	Code	€
80	059G 08 25H P2N/41	29,69
100	059G 10 25H P2N/41	32,66

31F



90° Tee with female branch and
soot collector

Code	€
059G 08 31F P2N/41	65,34
059G 10 31F P2N/41	70,13

312



90° Tee with female reduced
branch and soot collector

Code	€
-	-
059G 10 312 P2N/41	101,57

040



45° Elbow

Code	€
059G 08 040 P2N/41	32,27
059G 10 040 P2N/41	37,25

433



90° Elbow

Code	€
059G 08 433 P2N/41	78,62
059G 10 433 P2N/41	87,42

432



90° Inspection elbow

Ø	Code	€
80	059G 08 432 P2N/41	61,31
100	059G 10 432 P2N/41	70,99

113



Finishing collar

Code	€
059G 08 113 P2N/41	28,72
059G 10 113 P2N/41	28,72

086



Flat wall support

Code	€
0390 08 086 SWNA	27,28
0390 10 086 SWNA	27,59

ACCESORIES

FIX



Fixation kit for finishing collar

Code	€
059K 99 FIX	23,99
-	-

SPR



High temperature spray paint
400 ml

Code	€
0588 99 SPR D2N/41	57,55
-	-

Same code and price for all diameters

Same code and price for all diameters

REDUCERS / INCREASERS

001



Seal

Ø	Code	€
80	059S 08 001 P2N/41	7,30
100	059S 10 001 P2N/41	9,12

026



Increaser M-F

Ø 100		Ø 80	
Code	€	Code	€
059G AD 026 P2N/41	80,48	-	-
-	-	059G Y0 026 P2N/41	80,48

SW PELLETS / SW PELLETS BLACK

Single wall chimney with seal

Ø80-Ø100

Inox finishing: SW6 Pellets

Black finishing: SW6 Pellets Black

The SW6 pellets is suitable for pellets stove, in case of lining existing chimneys.

The SW6 pellets black is suitable for the connection between the stove and the duct.



Chimney

0036 CPD 90220 030

Ø80-300 mm T250 N1 W V2 L50060 050

Ø80-300 mm T200 P1 W V2 L50060 040

Connecting flue pipe

0036 CPD 90220 039

Ø80-300 mm T600 N1 D V2 L50060 G375 NM

Ø80-300 mm T200 P1 W V2 L50060 0375 NM

Liner

0036 CPD 90220 031

Ø80-300 mm T600 N1 W V2 L50060 G

Ø80-300 mm T200 P1 W V2 L50060 O

Ø80-300 mm T600 N1 D V3 L50060 G with insulation

MATERIALS

- SW6 Pellets: Stainless Steel AISI 316L (1.4404)
- SW6 Pellets Black: Stainless Steel AISI 316L (1.4404) black powder coated to resist up to 250°C
- Tightness seal



TECHNICAL SPECIFICATIONS

- 50 mm Overlap
- Straight lengths can be cut by the male side
- Available diameters: Ø80-Ø100



ADVANTAGES

SAFETY END

Its perfect fit and edged ends guarantee total safety during manipulation

QUICK AND EASY ASSEMBLY

50 mm overlapping joint which guarantees rigidity

OPTION TO CUT

Straight lengths can be cut by the male side



020



Straight length L = 930 mm

Ø	Code	€
80	039F 08 020 SWJ	39,74
100	039F 10 020 SWJ	45,95

024



Straight length L = 430 mm

Code	€
039F 08 024 SWJ	24,37
039F 10 024 SWJ	28,34

025



Straight length L = 265 mm

Code	€
039F 08 025 SWJ	18,55
039F 10 025 SWJ	21,59

022



Adjustable length
L = 65 - 375 mm

Code	€
039F 08 022 SWJ	36,67
039F 10 022 SWJ	41,38

023



Adjustable length
L = 65 - 205 mm

Code	€
039F 08 023 SWJ	30,84
039F 10 023 SWJ	34,64

203



Descending element
L = 930 mm

Ø	Code	€
80	039F 08 203 SWJ	52,72
100	039F 10 203 SWJ	60,86

255



Sleeve M - F L = 130 mm

Code	€
039F 08 255 SWJ	16,69
039F 10 255 SWJ	19,44

25H



Sleeve F - F L = 185 mm

Code	€
039F 08 25H SWJ	19,94
039F 10 25H SWJ	23,51

25M



Sleeve M - M L = 80 mm

Code	€
039F 08 25M SW	14,04
039F 10 25M SW	16,12

030



135° Tee (natural draft and dry applications)

Code	€
039F 08 030 SWJ	84,13
039F 10 030 SWJ	96,48

031



90° Tee

Ø	Code	€
80	039F 08 031 SWJ	49,34
100	039F 10 031 SWJ	56,69

31A



93° Tee

Code	€
039F 08 31A SWJ	49,34
039F 10 31A SWJ	56,69

31F



90° Tee with female branch

Code	€
039F 08 31F SWJ	52,35
039F 10 31F SWJ	60,45

040



45° Elbow

Code	€
039F 08 040 SWJ	26,09
039F 10 040 SWJ	30,40

042



30° Elbow

Code	€
039F 08 042 SWJ	28,39
039F 10 042 SWJ	33,08

044



15° Elbow

Ø	Code	€
80	039F 08 044 SWJ	28,39
100	039F 10 044 SWJ	33,08

043



87° Elbow

Code	€
039F 08 043 SWJ	37,22
039F 10 043 SWJ	42,38

433



90° Elbow

Code	€
039F 08 433 SWJ	37,22
039F 10 433 SWJ	42,38

33F



90° Short tee with female branch and inspection

Code	€
039F 08 33F SWJ	72,99
039F 10 33F SWJ	83,79

431



87° Elbow with inspection

Code	€
039F 08 431 SWJ	44,08
039F 10 431 SWJ	50,15

432



90° Elbow with inspection

Ø	Code	€
80	039F 08 432 SWJ	44,08
100	039F 10 432 SWJ	50,15

528



90° Inspection tee

Code	€
039F 08 528 SWJ	88,50
039F 10 528 SWJ	104,45

607



Inspection door
L = 140 x 200 mm

Code	€
039F 88 607 SW	50,12
-	-

057



Anti - condensate length

Code	€
039F 08 057 SWJ	51,87
039F 10 057 SWJ	55,70

060



Soot collector

Code	€
039F 08 060 SWJ	19,81
039F 10 060 SWJ	24,46

Same code and price for all diameters

061


Soot collector with drain

Ø	Code	€
80	039F 08 061 SWJ	31,65
100	039F 10 061 SWJ	34,57

608


Short soot collector

Code	€
039F 08 608 SWJ	19,00
039F 10 608 SWJ	23,42

618


Short soot collector with drain

Code	€
039F 08 618 SWJ	30,06
039F 10 618 SWJ	32,85

065


Soot collector with lateral drain (horizontal run)

Code	€
039F 08 065 SWJ	142,07
039F 10 065 SWJ	146,27

010


Raincap

Code	€
039F 08 010 SW	61,34
039F 10 010 SW	65,86

Includes specific locking band

10S


Light raincap

Ø	Code	€
80	039F 08 10S SW	45,98
100	039F 10 10S SW	49,40

Includes specific locking band

011


Open terminal

Code	€
039F 08 011 SW	45,88
039F 10 011 SW	48,28

111


Open terminal with mesh

Code	€
039F 08 111 SW	57,35
039F 10 111 SW	60,35

12B


Weathering cap PRO

Code	€
-	-
039F 10 12B SW	95,11

Includes specific locking band

151


Horizontal deflector

Code	€
-	-
039F 08 151 SW	42,17

15E


Horizontal deflector

Ø	Code	€
80	039F 08 15E SW	131,60
100	039F 10 15E SW	131,75

13A


Storm collar for flashing

Code	€
0390 08 13A SW	38,14
0390 10 13A SW	39,63

13D


Flat finishing plate

Code	€
0390 08 13D SW	19,69
0390 10 13D SW	33,29

13E


Flat finishing plate with magnets

Code	€
039K 08 13E SW	47,56
039K 10 13E SW	49,94

171


Adjustable flashing 30/45°

Code	€
0390 08 171 FL	141,78
0390 10 171 FL	147,18


Storm collar (ref. 13A) not included

181
NEW !!


Adjustable flashing 5/30°

Ø	Code	€
80	0390 08 181 FL	141,78
100	0390 10 181 FL	147,18


Storm collar (ref. 13A) not included

191
NEW !!


Flat flashing

Code	€
0390 08 191 FL	111,61
0390 10 191 FL	115,88

Storm collar (ref. 13A) not included

85B
NEW !!


Finishing plate

Code	€
0390 08 85B SW	26,49
0390 10 85B SW	33,37

Storm collar (ref. 13A) not included

070


Locking band

Code	€
0590 08 070 SW	6,23
0590 10 070 SW	6,23

071


Location bracket

Code	€
0390 08 071 SW	23,25
0390 10 071 SW	23,84

075


Light weight support with nut

Ø	Code	€
80	0590 08 075 SW	9,59
100	0590 10 075 SW	9,82

82R


Reinforced roof support

Code	€
0592 08 82R SW/35	53,45
0592 10 82R SW/35	54,33

Galvanized steel

824


Roof support with angular profiles

Code	€
0392 08 824 SW	48,99
0392 10 824 SW	49,79

Galvanized steel

831


Flat adjustable wall support L = 70 - 120 mm

Code	€
0390 08 831 SW	33,63
0390 10 831 SW	34,44

086


Flat wall support

Code	€
0390 08 086 SW	12,80
0390 10 086 SW	13,12

SW PELLETS

836



Flat cuttable short wall support
L = 100 - 250 mm

Ø	Code	€
80	0390 08 836 SW	58,78
100	0390 10 836 SW	60,23

846



Flat cuttable long wall support
L = 250 - 430 mm

Code	€
0390 08 846 SW	73,46
0390 10 846 SW	75,30

110



Guide wire bracket

Code	€
0390 08 110 SW	23,25
0390 10 110 SW	23,84

14P



Cover protection top outlet
L = 980 mm

Code	€
0390 08 14P SW	64,80
0390 10 14P SW	82,38

14R



Cover protection back outlet
L = 980 mm

Code	€
0390 08 14R SW	64,80
0390 10 14R SW	82,38

SW PELLETS BLACK

020



Straight length L = 930 mm

Ø	Code	€
80	039F 08 020 SWJNA	54,46
100	039F 10 020 SWJNA	79,76

024



Straight length L = 430 mm

Code	€
039F 08 024 SWJNA	32,95
039F 10 024 SWJNA	48,03

025



Straight length L = 265 mm

Code	€
039F 08 025 SWJNA	24,78
039F 10 025 SWJNA	35,93

255



Sleeve M - F L = 130 mm

Code	€
039F 08 255 SWJNA	22,58
039F 10 255 SWJNA	32,70

25H



Sleeve F - F L = 185 mm

Code	€
039F 08 25H SWJNA	35,89
039F 10 25H SWJNA	36,41

25M



Sleeve M - M L = 80 mm

Ø	Code	€
80	039F 08 25M SWNA	19,61
100	039F 10 25M SWNA	29,02

031



90° Tee

Code	€
039F 08 031 SWJNA	67,93
039F 10 031 SWJNA	99,14

31F



90° Tee with female branch

Code	€
039F 08 31F SWJNA	70,90
039F 10 31F SWJNA	102,84

040



45° Elbow

Code	€
039F 08 040 SWJNA	35,35
039F 10 040 SWJNA	51,77

433



90° Elbow

Code	€
039F 08 433 SWJNA	50,96
039F 10 433 SWJNA	73,33

528



90° Inspection tee

Ø	Code	€
80	039F 08 528 SWJNA	159,34
100	039F 10 528 SWJNA	188,00

608



Short soot collector

Code	€
039F 08 608 SWJNA	25,40
039F 10 608 SWJNA	39,18

618



Short soot collector with drain

Code	€
039F 08 618 SWJNA	41,11
039F 10 618 SWJNA	56,53

010



Raincap

Code	€
039F 08 010 SWNA	105,03
039F 10 010 SWNA	118,57

151



Horizontal deflector

Code	€
039F 08 151 SWNA	80,10
039F 10 151 SWNA	93,38

Includes specific locking band

13D



Flat finishing plate

Ø	Code	€
80	0392 08 13D SWNA	57,67
100	0392 10 13D SWNA	59,92

075



Light weight support with nut

Code	€
0390 08 075 SWNA	24,08
0390 10 075 SWNA	24,31

086



Flat wall support

Code	€
0390 08 086 SWNA	27,28
0390 10 086 SWNA	27,59

831



Flat adjustable wall support
L = 70 - 120 mm

Code	€
0390 08 831 SWNA	60,53
0390 10 831 SWNA	62,00

001



Seal

Code	€
0505 61 001	2,92
0505 62 001	3,63

DIFLUX PELLETS

Concentric flue for pellet-burning stoves

The Diflux Pellets system is a concentric chimney which allows for simultaneous gas outlet and air intake. Ideal for family homes, it is designed for pellets-burning stoves with less that 20kW rated input.

Ø 80/125

Ø100/150

Ø130/200

Ø150/200

Codes & Prices at DIFLUX INOX

Page 58



0036 CPD 90220 025

EN 1856-1 T200 P1 WV2 L50040 050

EN 1856-1 T450 N1 WV2 L50040 G100

TECHNICAL SPECIFICATIONS

- Inner wall stainless steel AISI 316L (1.4404)
- Working temperature:
200 °C with silicone seal
450 °C without seal
- Tightness:
P1 (up to 200 Pa) with silicone seal
N1 (up to 40 Pa) without seal

ADVANTAGES

- A safety edge on all our pipes: prevents the risk of cuts and reinforces the rigidity.
- Improved finish, simple and discreet locking bands.
- Easy and simple to assemble.


PRICING OPTIONS

Price modification to be applied to every part except for locking bands and supports.

Standard
Configuration
DIFLUX PELLETS
316L/304

+30%

316L/galvanised
with black finish



020



Straight length L = 930 mm

Ø	Code	€
80/125	0301 08 020 EV	111,08
100/150	0301 10 020 EV	133,28
130/200	0301 13 020 EV	155,52

024



Straight length L = 430 mm

Code	€
0301 08 024 EV	78,79
0301 10 024 EV	94,56
0301 13 024 EV	110,34

025



Straight length L = 265 mm

Code	€
0301 08 025 EV	66,96
0301 10 025 EV	80,33
0301 13 025 EV	93,75

023



Adjustable length L = 320 - 530 mm

Code	€
0301 08 023 EV	149,61
0301 10 023 EV	179,52
0301 13 023 EV	209,47

31G



90° Tee for air intake, stack Ø60 M

Ø	Code	€
80/125	0301 08 31G EP	149,95
100/150	0301 10 31G EP	179,93
130/200	0301 13 31G EP	209,92

31I



Kit 90° Tee for gas exhaust + soot collector + locking band

Code	€
0301 08 31I EP	193,52
0301 10 31I EP	229,71
0301 13 31I EP	270,85

337



Kit 90° Tee for gas exhaust M + soot collector + locking band

Code	€
0301 08 337 EP	79,89
0301 10 337 EP	228,51
-	-

342



90° Tee branch M with short soot collector

Code	€
0301 08 342 EP	216,00
0301 10 342 EP	256,71
0301 13 342 EP	302,32

040



45° Elbow

Ø	Code	€
80/125	0301 08 040 EV	72,77
100/150	0301 10 040 EV	87,32
130/200	0301 13 040 EV	101,89

433



90° Elbow

Code	€
0301 08 433 EV	82,42
0301 10 433 EV	98,90
0301 13 433 EV	115,39

528



90° Inspection tee

Code	€
0301 08 528 EP	237,34
0301 10 528 EP	273,55
0301 13 528 EP	314,66

060



Soot collector

Code	€
0301 08 060 EP	21,14
0301 10 060 EP	23,99
0301 13 060 EP	31,33

010



Vertical terminal

Ø	Code	€
80/125	0311 08 010 EV	178,89
100/150	0311 10 010 EV	214,69
130/200	0311 13 010 EV	250,48

Includes specific locking band

10R



Short vertical terminal

Code	€
0311 08 10R EV	143,12
0311 10 10R EV	171,74
0311 13 10R EV	200,39

011



Adjustable horizontal terminal

Code	€
0311 08 011 EV	168,81
0311 10 011 EV	241,04
0311 13 011 EV	281,24

Windscreen band not included in Ø130 & Ø150

11R



Short horizontal terminal

Code	€
0311 08 11R EV	160,70
0311 10 11R EV	192,84
0311 13 11R EV	224,98

Windscreen band not included in Ø130 & Ø150

13A



Storm collar for flashing

132



Wall finishing plate 30/45°

J02



Water tightness seal for storm collar

133



Wall finishing plate 0/30°


134



Wall finishing plate

Ø	Code	€	Code	€	Code	€	Code	€	Code	€
80/125	0390 12 13A SW		0309 08 132 EV		05S9 13 J02 FL		0309 08 133 EV		0309 08 134 EV	43,65
100/150	0390 15 13A SW	47,70	0309 10 132 EV	66,42	05S9 15 J02 FL	11,42	0309 10 133 EV	66,42	0309 10 134 EV	46,23
130/200	0390 20 13A SW		0309 13 132 EV		05S9 20 J02 FL		0309 13 133 EV		0309 13 134 EV	56,65


13D



Flat finishing plate

Ø	Code	€
80/125	0309 08 13D EV	36,64
100/150	0309 10 13D EV	38,84
130/200	0309 13 13D EV	47,59

13E



Flat finishing plate with magnets

Code	€
03K9 08 13E EV	54,96
03K9 10 13E EV	58,27
03K9 13 13E EV	71,39


014



Wall sleeve

Code	€
0309 08 014 EV	47,29
0309 10 014 EV	50,31
0309 13 014 EV	54,04

171




Adjustable flashing 30/45°

Code	€
0390 13 171 FL	166,29
0390 15 171 FL	169,49
0390 20 171 FL	172,96

Storm collar (ref. 13A) not included

181

NEW !!




Adjustable flashing 5/30°

Ø	Code	€
80/125	0390 13 181 FL	166,29
100/150	0390 15 181 FL	169,49
130/200	0390 20 181 FL	172,96

Storm collar (ref. 13A) not included

191

NEW !!




Flat flashing

Code	€
0390 13 191 FL	130,94
0390 15 191 FL	134,13
0390 20 191 FL	137,56

Storm collar (ref. 13A) not included


64B



Firestop plate

Code	€
0309 08 64B EV	111,79
0309 10 64B EV	116,80
0309 13 64B EV	132,65

643



Ventilated firestop plate G120

Code	€
0309 08 643 EP	108,99
0309 10 643 EP	114,38
0309 13 643 EP	134,56

85B



Finishing plate for chimney duct

Ø	Code	€
80/125	0301 08 85B EP	120,56
100/150	0301 10 85B EP	125,90
130/200	0301 13 85B EP	137,30

85G



Finishing plate for chimney duct adaptor to FLEX

Code	€
0301 08 85G EP	135,40
0301 10 85G EP	141,52
0301 13 85G EP	154,46

070



Locking band

Code	€
0590 12 070 SW	7,43
0590 15 070 SW	7,81
0590 20 070 SW	8,58

82R



Reinforced roof support

Code	€
0592 12 82R SW/35	77,91
0592 15 82R SW/35	81,24
0592 20 82R SW/35	103,47

Galvanized steel

824



Roof support with angular profiles

Ø	Code	€
80/125	0329 08 824 EP	52,24
100/150	0329 10 824 EP	54,62
130/200	0329 13 824 EP	94,84

Galvanized steel

086



Flat wall support

Code	€
0390 12 086 SW	14,05
0390 15 086 SW	14,96
0390 20 086 SW	25,86

831


Flat adjustable wall support
L = 70 - 120 mm

Code	€
0390 12 831 SW	37,25
0390 15 831 SW	39,84
0390 20 831 SW	44,03

903



180° Double slab support

Code	€
0309 08 903 EV	62,27
0309 10 903 EV	66,43
0309 13 903 EV	70,90

ACCESSORIES

001



Seal

Ø	Code	€
80/125	0518 96 001	2,95
100/150	0505 62 001	3,63
130/200	0505 65 001	8,89

DW PELLETS / DW PELLETS BLACK

Insulated twin wall chimney with optional seal

The DW PELLETS range can be used for wood stoves for internal or external installations

Ø100

Inox finishing: DW Pellets

Black finishing: DW Pellets Black



0036 CPR 90220 001

Ø80-300 mm T600 N1 D V2 L50040 G60

Ø80-300 mm T450 N1 D V2 L50040 O60

Ø80-300 mm T200 P1 W V2 L50040 000

MATERIALS

- Inner wall: Stainless steel AISI 316L (1.4404)
- Outer wall:
 - DW Pellets: Stainless steel AISI 304 (1.4301)
 - DW Pellets Black: Galvanized steel painted RAL 9005 TXT
- Insulation: 30 mm of rockwool

TECHNICAL SPECIFICATIONS

- Available diameters: Ø100
- 40 mm overlap

ADVANTAGES

DRAUGHT

The insulation of the DW pellets optimizes the draught

FINISHING

The DW pellets can be produced in any RAL range colour

PRICING OPTIONS

Price modification to be applied to every part except for locking bands and supports.


Standard	→	-9%	→	316L/409
Configuration	→	-13%	→	316L/galvanised
(DIFLUX PELLETS)	→			



OUTSIDE
INSTALLATION

DW


DIFLUX
PELLETS



The connection between the room-sealed pellets stove is made through Diflux Pellets (concentric flue) and the connection to DW is made with the 331 Tee. The air intake takes place through the branch of the 331.

Dinak advantage

The tee with air intake (331) simplifies the installation of a room-sealed pellets stove



020



Straight length L = 940 mm

Ø	Code	€
80	0301 08 020 DW	110,67
100	0301 10 020 DW	119,71

024



Straight length L = 440 mm

Code	€
0301 08 024 DW	65,84
0301 10 024 DW	72,81

025



Straight length L = 270 mm

Code	€
0301 08 025 DW	54,90
0301 10 025 DW	60,71

022



Adjustable length
L = 530 - 880 mm

Code	€
0301 08 022 DW	135,11
0301 10 022 DW	149,46

023



Adjustable length
L = 350 - 530 mm

Code	€
0301 08 023 DW	103,74
0301 10 023 DW	114,76

030



135° Tee (natural draft and dry applications)

Ø	Code	€
80	0301 08 030 DW	253,07
100	0301 10 030 DW	269,94

031



90° Tee

Code	€
0301 08 031 DW	147,90
0301 10 031 DW	157,75

311



90° Tee 80 branch with short soot collector

Code	€
0301 08 311 DW	246,59
0301 10 311 DW	263,37

31R



90° Tee with short soot collector

Code	€
0301 08 31R DW	215,20
0301 10 31R DW	231,81

331



90° Tee air intake branch & short soot collector with drain

Code	€
0301 08 331 DW	294,37
0301 10 331 DW	314,34

040



45° Elbow

Ø	Code	€
80	0301 08 040 DW	84,85
100	0301 10 040 DW	90,54

042



30° Elbow

Code	€
0301 08 042 DW	98,10
0301 10 042 DW	104,68

044



15° Elbow

Code	€
0301 08 044 DW	98,10
0301 10 044 DW	104,68

433



90° Elbow

Code	€
0301 08 433 DW	178,23
0301 10 433 DW	190,11

24P



Inspection straight length
L = 440 mm

Code	€
0301 08 24P DW	172,90
0301 10 24P DW	179,86

431



87° Elbow with inspection

Ø	Code	€
80	0301 08 431 DW	254,56
100	0301 10 431 DW	271,60

432



90° Elbow with inspection

Code	€
0301 08 432 DW	254,56
0301 10 432 DW	271,60

523



93° Inspection tee

Code	€
0301 08 523 DW	235,96
0301 10 523 DW	251,69

608



Short soot collector

Code	€
0301 08 608 DW	46,53
0301 10 608 DW	50,12

Compatible with 311, 31R & 331

618



Short soot collector with drain

Code	€
0301 08 618 DW	64,76
0301 10 618 DW	69,54

Compatible with 311, 31R & 331

060



Soot collector

Ø	Code	€
80	0301 08 060 DW	51,71
100	0301 10 060 DW	55,69

Compatible with 031

061



Soot collector with drain

Code	€
0301 08 061 DW	71,96
0301 10 061 DW	77,29

Compatible with 031

010



Raincap

Code	€
0301 08 010 DW	80,53
0301 10 010 DW	85,89

Includes specific locking band

011



Open terminal

Code	€
0301 08 011 DW	99,65
0301 10 011 DW	106,27

111



Open terminal with mesh

Code	€
0301 08 111 DW	124,56
0301 10 111 DW	132,84

12B



Weathering cap PRO

Ø	Code	€
80	0301 08 12B DW	89,19
100	0301 10 12B DW	95,11

Includes specific locking band

132



Wall finishing plate 30/45°

Code	€
0309 08 132 DW	63,75
0309 10 132 DW	66,42


133



Wall finishing plate 0/30°

Code	€
0309 08 133 DW	63,75
0309 10 133 DW	66,42

134



Wall finishing plate

Code	€
0309 08 134 DW	43,64
0309 10 134 DW	46,52

13A



Storm collar for flashing

Code	€
0309 08 13A DW	43,66
0309 10 13A DW	47,72


13D



Flat finishing plate

Ø	Code	€
80	0309 08 13D DW	36,65
100	0309 10 13D DW	39,07

13E



Flat finishing plate with magnets

Code	€
03K9 08 13E DW	54,98
03K9 10 13E DW	58,62


014



Wall sleeve

Code	€
0309 08 014 DW	46,98
0309 10 014 DW	50,08

171




Adjustable flashing 30/45°

Code	€
0390 15 171 FL	169,49
0390 16 171 FL	169,49

Storm collar (ref. 13A) not included

181




Adjustable flashing 5/30°

Code	€
0390 15 181 FL	169,49
0390 16 181 FL	169,49

Storm collar (ref. 13A) not included

191

NEW !!




Flat flashing

Ø	Code	€
80	0390 15 191 FL	134,13
100	0390 16 191 FL	134,13

Storm collar (ref. 13A) not included


064



Firestop plate G60

Code	€
0309 08 064 DW	65,41
0309 10 064 DW	69,76

641



Ventilated firestop plate G60

Code	€
0309 08 641 DW	124,27
0309 10 641 DW	132,54

OMK



Mesh kit

Code	€
0309 08 OMK DW	228,57
0309 10 OMK DW	241,76

070



Locking band

Code	€
0309 08 070 DW	9,82
0309 10 070 DW	10,47

70C



Locking band with quick fastener

Ø	Code	€
80	0309 08 70C DW	9,82
100	0309 10 70C DW	10,47

071



Location bracket

Code	€
0309 08 071 DW	26,85
0309 10 071 DW	28,67

074



Descending kit

Code	€
0309 08 074 DW	62,07
0309 10 074 DW	66,19

080



Wall support

Code	€
0309 08 080 DW	26,85
0309 10 080 DW	28,67

086



Flat wall support

Code	€
0309 08 086 DW	26,85
0309 10 086 DW	28,66

82R



Reinforced roof support

Ø	Code	€
80	0529 08 82R DW/35	81,25
100	0529 10 82R DW/35	86,66

Galvanized steel

824



Roof support with angular profiles

Code	€
0329 08 824 DW	74,47
0329 10 824 DW	79,43

Galvanized steel

083



Adjustable wall support
L = 70 - 120 mm

Code	€
0309 08 083 DW	29,65
0309 10 083 DW	31,65

831



Flat adjustable wall support
L = 70 - 120 mm

Code	€
0309 08 831 DW	33,56
0309 10 831 DW	35,83

835



Cutttable short wall support
L = 100 - 250 mm

Code	€
0609 08 835 DW	93,92
0609 10 835 DW	100,20

DW PELLETS

836



Flat cuttable short wall support
L = 100 - 250 mm

Ø	Code	€
80	0609 08 836 DW	99,81
100	0609 10 836 DW	106,48

845



Cuttable long wall support
L = 250 - 430 mm

Code	€
0609 08 845 DW	107,36
0609 10 845 DW	114,53

846



Flat cuttable long wall support
L = 250 - 430 mm

Code	€
0609 08 846 DW	114,08
0609 10 846 DW	121,70

854



Console plate

Code	€
0601 08 854 DW	149,00
0601 10 854 DW	155,90

857



Side brackets

Code	€
0609 08 857 DW	73,23
0609 10 857 DW	98,11

903



180° Double slab support

Ø	Code	€
80	0309 08 903 DW	62,27
100	0309 10 903 DW	66,43

110



Guide wire bracket

Code	€
0309 08 110 DW	26,85
0309 10 110 DW	28,67

1A8



Biflux adaptor L = 425 - 525 mm

Code	€
0301 08 1A8 EP	247,14
0301 10 1A8 EP	265,75

001



Seal

Code	€
0505 61 001	2,92
0505 62 001	3,63

DW PELLETS BLACK

020



Straight length L = 940 mm

Ø	Code	€
80	0321 08 020 DWN	127,28
100	0321 10 020 DWN	137,69

024



Straight length L = 440 mm

Code	€
0321 08 024 DWN	75,71
0321 10 024 DWN	83,72

025



Straight length L = 270 mm

Code	€
0321 08 025 DWN	63,13
0321 10 025 DWN	69,82

022



Adjustable length
L = 530 - 880 mm

Code	€
0321 08 022 DWN	155,38
0321 10 022 DWN	171,86

023



Adjustable length
L = 350 - 530 mm

Code	€
0321 08 023 DWN	119,31
0321 10 023 DWN	131,98

030



135° Tee (natural draft and dry applications)

Ø	Code	€
80	0321 08 030 DWN	291,04
100	0321 10 030 DWN	310,43

031



90° Tee

Code	€
0321 08 031 DWN	170,05
0321 10 031 DWN	181,39

311



90° Tee 80 branch with short soot collector

Code	€
0321 08 311 DWN	283,57
0321 10 311 DWN	302,86

31R



90° Tee with short soot collector

Code	€
0321 08 31R DWN	249,57
0321 10 31R DWN	266,59

331



90° Tee air intake branch & short soot collector with drain

Code	€
0321 08 331 DWN	338,53
0321 10 331 DWN	338,53

040



45° Elbow

Ø	Code	€
80	0321 08 040 DWN	97,59
100	0321 10 040 DWN	104,12

042



30° Elbow

Code	€
0321 08 042 DWN	112,81
0321 10 042 DWN	120,38

044



15° Elbow

Code	€
0321 08 044 DWN	113,01
0321 10 044 DWN	120,38

433



90° Elbow

Code	€
0321 08 433 DWN	204,95
0321 10 433 DWN	218,64

24P



Inspection straight length
L = 440 mm

Code	€
0321 08 24P DWN	213,72
0321 10 24P DWN	221,73

431



87° Elbow with inspection

Ø	Code	€
80	0321 08 431 DWN	292,74
100	0321 10 431 DWN	312,35

432



90° Elbow with inspection

Code	€
0321 08 432 DWN	292,74
0321 10 432 DWN	312,35

523



93° Inspection tee

Code	€
0321 08 523 DWN	271,34
0321 10 523 DWN	289,43

608



Short soot collector

Code	€
0321 08 608 DWN	53,53
0321 10 608 DWN	57,64

Compatible with 311, 31R & 331

618



Short soot collector with drain

Code	€
0321 08 618 DWN	74,47
0321 10 618 DWN	79,98

Compatible with 311, 31R & 331

060



Soot collector

Ø	Code	€
80	0321 08 060 DWN	59,47
100	0321 10 060 DWN	64,05

Compatible with 031

061



Soot collector with drain

Code	€
0321 08 061 DWN	82,74
0321 10 061 DWN	88,86

Compatible with 031

010



Raincap

Code	€
0301 08 010 DWN	104,69
0301 10 010 DWN	111,66

Includes specific locking band

011



Open terminal

Code	€
0301 08 011 DWN	129,55
0301 10 011 DWN	138,15

111



Open terminal with mesh

Code	€
0301 08 111 DWN	161,92
0301 10 111 DWN	172,69

12B



Weathering cap PRO

Ø	Code	€
80	0301 08 12B DWN	115,93
100	0301 10 12B DWN	123,65

Includes specific locking band

132



Wall finishing plate 30/45°

Code	€
0329 08 132 DWN	82,86
0329 10 132 DWN	86,33

133



Wall finishing plate 0/30°

Code	€
0329 08 133 DWN	82,86
0329 10 133 DWN	86,33

13D



Flat finishing plate

Code	€
0309 08 13D DWN	42,15
0309 10 13D DWN	44,93

13E



Flat finishing plate with magnets

Code	€
03K9 08 13E DWN	71,47
03K9 10 13E DWN	76,21

13A



Storm collar for flashing

Ø	Code	€
80	0309 08 13A DWN	56,76
100	0309 10 13A DWN	62,04

J02

NEW !!




Water tightness seal for storm collar

Code	€
05S9 15 J02 FL	11,42
05S9 15 J02 FL	11,42

171

NEW !!



Adjustable flashing 30/45° with storm collar

Code	€
0390 15 171 FLN	169,49
0390 16 171 FLN	169,49

Storm collar (ref. 13A) not included

181

NEW !!




Adjustable flashing 5/30° with storm collar

Code	€
0390 15 181 FLN	169,49
0390 16 181 FLN	169,49

Storm collar (ref. 13A) not included

191

NEW !!



Flat flashing with storm collar

Code	€
0390 15 191 FLN	134,13
0390 16 191 FLN	134,13

Storm collar (ref. 13A) not included


064



Firestop plate G60

Ø	Code	€
80	0309 08 064 DWN	85,03
100	0309 10 064 DWN	90,68

641



Ventilated firestop plate G60

Code	€
0309 08 641 DWN	161,55
0309 10 641 DWN	172,30


OMK



Mesh kit

Code	€
0309 08 OMK DWN	297,14
0309 10 OMK DWN	314,29

070



Locking band

Code	€
0309 08 070 DWN	12,77
0309 10 070 DWN	13,62

70C



Locking band with quick fastener

Code	€
0309 08 70C DWN	12,77
0309 10 70C DWN	13,62

080



Wall support

Ø	Code	€
80	0309 08 080 DWN	34,88
100	0309 10 080 DWN	37,26

086



Flat wall support

Code	€
0309 08 086 DWN	37,08
0309 10 086 DWN	39,53

82R



Reinforced roof support

Code	€
0529 08 82R DW/35	81,25
0529 10 82R DW/35	86,66

Galvanized steel

824



Roof support with angular profiles

Code	€
0329 08 824 DW	74,47
0329 10 824 DW	79,43

Galvanized steel

083



Adjustable wall support
L = 70 - 120 mm

Code	€
0309 08 083 DWN	38,54
0309 10 083 DWN	41,13

831



Flat adjustable wall support
L = 70 - 120 mm

Ø	Code	€
80	0309 08 831 DWN	43,63
100	0309 10 831 DWN	46,57

835



Cutttable short wall support
L = 100 - 250 mm

Code	€
0609 08 835 DWN	122,10
0609 10 835 DWN	130,28

836



Flat cuttable short wall support
L = 100 - 250 mm

Code	€
0609 08 836 DWN	129,77
0609 10 836 DWN	138,45

845



Cutttable long wall support
L = 250 - 430 mm

Code	€
0609 08 845 DWN	139,57
0609 10 845 DWN	148,91

846



Flat cuttable long wall support
L = 250 - 430 mm

Code	€
0609 08 846 DWN	148,29
0609 10 846 DWN	158,21

854



Console plate

Ø	Code	€
80	0601 08 854 DWN	194,04
100	0601 10 854 DWN	202,68

857



Side brackets

Code	€
0609 08 857 DWN	95,19
0609 10 857 DWN	127,55

903



180° Double slab support

Code	€
0309 08 903 DW	62,27
0309 10 903 DW	66,43

110



Guide wire bracket

Code	€
0309 08 110 DWN	34,88
0309 10 110 DWN	37,26

1A8



Biflux adaptor L = 425 - 525 mm

Code	€
0301 08 1A8 EPN	321,28
0301 10 1A8 EPN	345,48

001



Seal

Ø	Code	€
80	0505 61 001	2,92
100	0505 62 001	3,63

DINAFLEX

Stainless steel flexible twin wall liner

The Dinaflex liner is suitable if there is no possibility to install rigid chimneys

Ø80 to Ø250



AISI 316L
0036 CPD 90220 045

EN 1856-2 T200 P1 W Vm L50010 O
EN 1856-2 T600 N1 W Vm L50010 G

AISI 904L
0063 CPD 56981

T200 P1 W V2 L70010 O
T450 N1 W V2 L70010 G

MATERIALS

- Stainless Steel AISI 316L
- Stainless Steel 904L
- The inner wall is smooth

BOX WITH DISPENSER



Supply options (complete coils)

Metres by coil:

	Ø 100	Ø 125	Ø 150	Ø 180	Ø 200	Ø 250
Carboard with dispenser	25 x 2	20 x 2	20	15	12	please check with Dinak


ADVANTAGES

Excellent resistance to traction and torsion

Perfect tightness

Maximum working temperature: 600°C

Easy handling



FLEXIBLE LINER

201



1 m Flexible length

Ø	Code	€
100	0511 10 201 DF/17	53,85
130	0511 12 201 DF/17*	70,00
150	0511 15 201 DF/17	80,75
180	0511 18 201 DF/17	96,91
200	0511 20 201 DF/17	107,67
250	0511 25 201 DF/17	134,57

*Flexible liner provided in Ø125

ADAPTORS

10F



SW-Flex adaptor

Code	€
039F 10 10F SW6	31,65
039F CB 10F SW6*	37,25
039F 15 10F SW6	42,34
039F 18 10F SW6	49,45
039F 20 10F SW6	53,56
039F 25 10F SW6	62,10

*Ø130 SW to Ø125 Flex

1F0



Flex-SW adaptor

Code	€
039F 10 1F0 SW6	31,65
039F CJ 1F0 SW6*	37,25
039F 15 1F0 SW6	42,34
039F 18 1F0 SW6	49,45
039F 20 1F0 SW6	53,56
039F 25 1F0 SW6	62,10

*Ø125 Flex to Ø130 SW

25F



Flex-flex adaptor

Code	€
0391 10 25F DF	36,00
0391 12 25F DF*	41,42
0391 15 25F DF	42,59
0391 18 25F DF	49,97
0391 20 25F DF	54,20
0391 25 25F DF	64,33

*Ø125 Flex to Ø125 Flex

1CF



SW-Flex adaptor (for condensing applications)

Code	€
039F 10 1CF SW6	64,56
039F CB 1CF SW6*	72,84
039F 15 1CF SW6	83,03
039F 18 1CF SW6	96,60
039F 20 1CF SW6	104,98
039F 25 1CF SW6	132,12

*Ø130 SW to Ø125 Flex

1FC



Flex-SW adaptor (for condensing applications)

Ø	Code	€
100	039F 10 1FC SW6J	64,44
130	039F CJ 1FC SW6J*	72,70
150	039F 15 1FC SW6J	82,83
180	039F 18 1FC SW6J	96,62
200	039F 20 1FC SW6J	104,97
250	039F 25 1FC SW6J	132,12

*Ø125 Flex to Ø130 SW

25C



Flex-flex adaptor (for condensing applications)

Code	€
0391 10 25C DF	64,44
0391 12 25C DF*	72,70
0391 15 25C DF	82,84
0391 18 25C DF	96,60
0391 20 25C DF	104,98
0391 25 25C DF	132,12

*Ø125 Flex to Ø125 Flex

024



Straight length L = 430 mm

Code	€
039F 10 024 SW6J	35,72
039F 13 024 SW6	41,29
039F 15 024 SW6	47,47
039F 18 024 SW6	56,75
039F 20 024 SW6	62,93
039F 25 024 SW6	81,51

031



90° Tee

Code	€
039F 10 031 SW6J	72,61
039F 13 031 SW6	98,19
039F 15 031 SW6	111,99
039F 18 031 SW6	129,23
039F 20 031 SW6	155,05
039F 25 031 SW6	189,51

061



Soot collector with drain

Code	€
039F 10 061 SW6J	43,87
039F 13 061 SW6	45,65
039F 15 061 SW6	48,53
039F 18 061 SW6	56,06
039F 20 061 SW6	59,43
039F 25 061 SW6	69,30

010



Raincap

Ø	Code	€
100	039F 10 010 SW6	85,64
130	039F 13 010 SW6	100,33
150	039F 15 010 SW6	112,84
180	039F 18 010 SW6	132,07
200	039F 20 010 SW6	154,09
250	039F 25 010 SW6	194,62

Includes specific locking band

011



Open terminal

Code	€
039F 10 011 SW6	62,77
039F 13 011 SW6	72,81
039F 15 011 SW6	80,33
039F 18 011 SW6	93,81
039F 20 011 SW6	102,19
039F 25 011 SW6	127,82

PROTECTIONS

85B



Finishing plate for chimney duct

Code	€
0390 10 85B DF	160,64
0390 12 85B DF*	160,64
0390 15 85B DF	214,21
0390 18 85B DF	214,21
0390 20 85B DF	214,21
0390 25 85B DF	214,21

85G



Finishing plate for chimney duct adaptor to FLEX

Code	€
-	-
059F 13 85G DF	176,25
059F 15 85G DF	229,82
-	-
-	-
-	-

85B SW

NEW !!



Finishing plate

Code	€
0390 10 85B SW	33,37
0390 13 85B SW	37,41
0390 15 85B SW	41,86
0390 18 85B SW	50,18
0390 20 85B SW	57,02
0390 25 85B SW	80,41

Storm collar (ref. 13A) not included

SUPPORTS

672



Support for fixing to chimney conduct

Ø	Code	€
100	0390 10 672 DF	39,99
130	0390 12 672 DF*	44,28
150	0390 15 672 DF	47,22
180	0390 18 672 DF	51,57
200	0390 20 672 DF	54,44
250	0390 25 672 DF	61,63

071



Location bracket

Code	€
0390 10 071 SW	23,84
0390 13 071 SW	26,10
0390 15 071 SW	27,96
0390 18 071 SW	29,83
0390 20 071 SW	30,79
0390 25 071 SW	31,69


831



Flat adjustable wall support
L = 70 - 120 mm



Code	€
0390 10 831 SW	34,44
0390 13 831 SW	37,75
0390 15 831 SW	39,84
0390 18 831 SW	42,83
0390 20 831 SW	44,03
0390 25 831 SW	47,26

INSTALLATION EXAMPLE



FIRESHIELD



The FireShield system ensures compliance with the RT 2012 requirements, for the connection of room sealed appliances, working on wood or granulated materials such as pellets. Depending on the type of installed flue, the thickness of the insulation of FireShield varies.





FIRESHIELD is an adjustable insulated cylinder system, which minimises heat transfer from the flue to ceiling or roof joists.

It is composed of rock wool insulation placed around the perimeter of the flue and lined with an adjustable stainless steel casing, with fixed plates securing the FIRESHIELD system to the roof joists to avoid any movement.

VERTICAL SOLUTION



HORIZONTAL WALL SOLUTION



INCLINED SOLUTION



The FIRESHIELD system has been designed and certified to go through combustible construction floors and/or walls safely.

The system is composed of three elements:

- A special wall sleeve of 350 mm long for horizontal and/or vertical installations, code 14J; or 500 mm long for inclined vertical installations, code 14K.
- A flat finishing plate with joint, code 644, for horizontal and/or vertical installations; and code 645 for inclined vertical installations. This optional item allows an increase of energy efficiency while preventing heat loss.
- A flat finishing plate. Dinak offers a wide scope of simple and aesthetic solutions to seal your installation. It is advised to use a flat finishing plate, code 13D, or a flat finishing plate with magnet, code 13E, for vertical and/or horizontal installations. Whereas for inclined vertical installations, the use of a finishing plate, code 132 or 133 depending on the slope, is recommended.

14J



Flat tight wall sleeve
L = 350 mm

Ø	Code	€
80	0388 08 14J DW	112,06
100	0388 10 14J DW	123,97
130	0388 13 14J DW	146,52
150	0388 15 14J DW	162,02
180	0388 18 14J DW	181,92
200	0388 20 14J DW	215,16

14K



Angles tight wall sleeve
L = 500 mm

Code	€
0388 08 14K DW	196,09
0388 10 14K DW	216,94
0388 13 14K DW	256,41
0388 15 14K DW	283,53
0388 18 14K DW	318,37
0388 20 14K DW	376,52

644



Flat finishing plate with seal

Code	€
0329 08 644 DW	57,35
0329 10 644 DW	59,77
0329 13 644 DW	62,29
0329 15 644 DW	64,70
0329 18 644 DW	73,24
0329 20 644 DW	78,16

645



Flat angles finishing plate with seal

Code	€
0329 08 645 DW	74,58
0329 10 645 DW	77,69
0329 13 645 DW	80,96
0329 15 645 DW	84,10
0329 18 645 DW	95,22
0329 20 645 DW	101,62

13D INOX



Flat finishing plate stainless steel

Code	€
0309 08 13D DW	36,65
0309 10 13D DW	39,07
0309 13 13D DW	40,72
0309 15 13D DW	55,13
0309 18 13D DW	60,14
0309 20 13D DW	64,75

13D BLACK



Flat finishing plate black painted

Ø	Code	€
80	0329 08 13D DWN	42,15
100	0329 10 13D DWN	44,93
130	0329 13 13D DWN	46,83
150	0329 15 13D DWN	63,40
180	0329 18 13D DWN	69,16
200	0329 20 13D DWN	74,46

132 INOX



Wall finishing plate 30/45°

Code	€
0309 08 132 DW	63,75
0309 10 132 DW	66,42
0309 13 132 DW	69,21
0309 15 132 DW	71,89
0309 18 132 DW	81,39
0309 20 132 DW	86,86

132 BLACK



Wall finishing plate 30/45° black painted

Code	€
0329 08 132 DWN	82,86
0329 10 132 DWN	86,33
0329 13 132 DWN	89,97
0329 15 132 DWN	93,46
0329 18 132 DWN	105,80
0329 20 132 DWN	112,93

133 INOX



Wall finishing plate 0/30°

Code	€
0309 08 133 DW	63,75
0309 10 133 DW	66,42
0309 13 133 DW	69,21
0309 15 133 DW	71,89
0309 18 133 DW	81,39
0309 20 133 DW	86,86

133 BLACK



Wall finishing plate 0/30° black painted

Code	€
0329 08 133 DWN	82,86
0329 10 133 DWN	86,33
0329 13 133 DWN	89,97
0329 15 133 DWN	93,46
0329 18 133 DWN	105,80
0329 20 133 DWN	112,93

14J



Flat tight wall sleeve
L = 350 mm

Ø	Code	€
80	0388 08 14J EP	168,08
100	0388 10 14J EP	185,95
130	0388 13 14J EP	219,76

14K



Angles tight wall sleeve
L = 500 mm

Code	€
0388 08 14K EP	294,13
0388 10 14K EP	325,42
0388 13 14K EP	384,60

644



Flat finishing plate with seal

Code	€
0329 08 644 EP	74,58
0329 10 644 EP	77,69
0329 13 644 EP	80,96

645



Flat angles finishing plate with seal

Code	€
0329 08 645 EP	96,95
0329 10 645 EP	101,00
0329 13 645 EP	105,26

13D INOX



Flat finishing plate stainless steel

Code	€
0309 08 13D EV	36,64
0309 10 13D EV	38,84
0309 13 13D EV	47,59

13D BLACK



Flat finishing plate black painted

Ø	Code	€
80	0329 08 13D EVN	47,63
100	0329 10 13D EVN	50,49
130	0329 13 13D EVN	61,87

132 INOX



Wall finishing plate 30/45°

Code	€
0309 08 132 EV	63,75
0309 10 132 EV	66,42
0309 13 132 EV	71,89

132 BLACK



Wall finishing plate 30/45° black painted

Code	€
0329 08 132 EVN	82,88
0329 10 132 EVN	86,35
0329 13 132 EVN	93,46

133 INOX



Wall finishing plate 0/30°

Code	€
0309 08 133 EV	63,75
0309 10 133 EV	66,42
0309 13 133 EV	71,89

133 BLACK



Wall finishing plate 0/30° black painted

Code	€
0329 08 133 EVN	82,88
0329 10 133 EVN	86,35
0329 13 133 EVN	93,46

DIFLUX TRIPLE WALL

14J



Flat tight wall sleeve
L = 350 mm

Ø	Code	€
130/190/240	0588 13 14J ET	181,93
150/210/260	0588 15 14J ET	215,17
180/240/300	0588 18 14J ET	215,17
200/260/310	0588 20 14J ET	261,56

14K



Angles tight wall sleeve
L = 500 mm

Code	€
0588 13 14K ET	318,36
0588 15 14K ET	376,54
0588 18 14K ET	376,54
0588 20 14K ET	457,71

644



Flat finishing plate with joint

Code	€
0329 18 644 DW	73,24
0329 20 644	78,16
0329 25 644	87,90
0329 25 644	87,90

645



Flat angles finishing plate with joint

Code	€
0329 18 645 DW	95,22
0329 20 645	101,62
0329 25 645	114,28
0329 25 645	114,28

13D



Flat finishing plate

Code	€
0309 13 13D ET	54,11
0309 15 13D ET	58,28
0309 18 13D ET	58,28
0309 20 13D ET	76,85

132 / 133



Wall finishing plate

Code	€
0309 13 *** ET	53,06
0309 15 *** ET	62,21
0309 18 *** ET	71,37
0309 20 *** ET	71,37

*** = 132 for 30/45° or *** = 133 for 0/30°

SOLUTIONS FOR CEILING CONNECTION

SIMPLICITY, AESTHETICS AND SAFETY:

3 REQUIRED CONDITIONS TOGETHER IN ONE ITEM

Connections adaptors DINAK DEKO / DINAK DW and DW DINAK PELLETS

SAFETY

- Its perfectly fit and edged ends guarantee 100% total safety during installation.
- Insulation rock wool for the passage of combustible materials
- Overlap of 120 mm for maintaining optimal painting
- 10 year warranty

SIMPLICITY

- Passage of the double wall flue to the black flue in a one single item
- Direction of flue gasses indicated on each flue item
- Adjustable length: can be adapted to different fitting situations

AESTHETICS

- Unobtrusive appearance to any ceiling
- Available in stainless steel or black RAL 9005 TXT

105 INOX



Adaptor stainless steel

Ø	Code	€
80	0391 08 105 PE	36,94
100	0391 10 105 PE	39,38

105 BLACK



Adaptor black painted

Code	€
0391 08 105 PENA	51,71
0391 10 105 PENA	55,12

DEKO WOOD - DW

105 INOX



Adaptor stainless steel

Ø	Code	€
125	0391 12 105 DE	50,83
150	0391 15 105 DE	58,42
180	0391 18 105 DE	69,85
200	0391 20 105 DE	77,48

105 BLACK



Adaptor black painted

Code	€
0391 12 105 DENAH	66,06
0391 15 105 DENAH	75,93
0391 18 105 DENAH	90,81
0391 20 105 DENAH	100,74

DEKO WOOD - DW

A16 INOX

Adaptor stainless steel



Ø 125		Ø 150		Ø 180	
Ø	Code	€	Code	€	Code
130	0301 CB A16 DW	85,25	-	-	-
150	-	-	0301 15 A16 DW	104,56	-
180	-	-	0301 18 A16 DW	146,85	-
200	-	-	-	-	0301 20 A16 DW
					148,71

DEKO WOOD - DW

A16 BLACK

Adaptor black painted



Ø 125		Ø 150		Ø 180	
Code	€	Code	€	Code	€
-	-	-	-	-	-
0301 CB A16 DWN	110,83	-	-	-	-
-	-	0301 15 A16 DWN	135,93	-	-
-	-	0301 18 A16 DWN	190,91	0301 20 A16 DWN	193,32

DEKO WOOD - DW

A17 INOX

Adaptor stainless steel



Ø 125		Ø 150		Ø 180	
Ø	Code	€	Code	€	Code
150	0301 A0 A17 DW	90,61	-	-	-
180	-	-	0301 DI A17 DW	90,61	-
200	-	-	0301 B6 A17 DW	101,29	0301 EA A17 DW
					119,90

DEKO WOOD - DW

A17 BLACK

Adaptor black painted



Ø 125		Ø 150		Ø 180	
Code	€	Code	€	Code	€
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
0301 A0 A17 DWN	117,79	-	-	-	-
-	-	0301 DI A17 DWN	117,79	-	-
-	-	0301 B6 A17 DWN	131,66	0301 EA A17 DWN	155,87

A16 INOX



Adaptor stainless steel

Ø	Code	€
80	0301 08 A16 DW	76,76
100	0301 10 A16 DW	81,93

A16 BLACK



Adaptor black painted

Code	€
0301 08 A16 DWN	99,79
0301 10 A16 DWN	106,50

DEKO P. CLASSIC - DW

A17 INOX

Adaptor stainless steel



Ø 130	
Code	€
0301 AG A17 DW	123,83

A17 BLACK

Adaptor black painted



Ø 130	
Code	€
0301 AG A17 DWN	149,40

143 INOX



Insulated adaptor stainless steel
L = 500 mm

Ø	Code	€
80	0301 08 143 PE	67,19
100	0301 10 143 PE	74,65

143 BLACK



Insulated adaptor black painted
L = 500 mm

Code	€
0321 08 143 PEN	77,27
0321 10 143 PEN	85,85

147 INOX



Insulated adaptor stainless steel
L = 1.000 mm

Ø	Code	€
80	0301 08 147 PE	100,66
100	0301 10 147 PE	111,84

147 BLACK



Insulated adaptor black painted
L = 1.000 mm

Code	€
0321 08 147 PEN	115,76
0321 10 147 PEN	128,62

DEKO WOOD - DW

143 INOX



Insulated adaptor stainless steel
L = 500 mm

Ø	Code	€
125	0301 12 143 DE	82,94
150	0301 15 143 DE	92,83
180	0301 18 143 DE	105,03
200	0301 20 143 DE	126,72

143 BLACK



Insulated adaptor black painted
L = 500 mm

Code	€
0321 12 143 DEN	95,38
0321 15 143 DEN	106,75
0321 18 143 DEN	120,78
0321 20 143 DEN	145,73

147 INOX



Insulated adaptor stainless steel
L = 1.000 mm

Code	€
0301 12 147 DE	124,27
0301 15 147 DE	135,67
0301 18 147 DE	155,25
0301 20 147 DE	189,85

147 BLACK



Insulated adaptor black painted
L = 1.000 mm

Code	€
0321 12 147 DEN	142,91
0321 15 147 DEN	156,02
0321 18 147 DEN	178,54
0321 20 147 DEN	218,33

DINAK recommends installing the system with a flat wall collar 13D

13D Flat wall collar is available in two versions:
INOX or BLACK 9005 TXT



13D INOX



Flat finishing plate stainless steel

Ø	Code	€
80	0309 08 13D DW	36,65
100	0309 10 13D DW	39,07
130	0309 13 13D DW	40,72
150	0309 15 13D DW	55,13
180	0309 18 13D DW	60,14
200	0309 20 13D DW	64,75

13D BLACK



Flat finishing plate black painted

Code	€
0329 08 13D DWN	42,15
0329 10 13D DWN	44,93
0329 13 13D DWN	46,83
0329 15 13D DWN	63,40
0329 18 13D DWN	69,16
0329 20 13D DWN	74,46

Installation instruction of connection adaptors 143/147

Connection adaptors 143 & 147 are available in two versions: INOX or BLACK 9005 TXT. They allow establishing of the double wall flue for DINAK ranges DW Wood and DW Pellets.




Placement of 143 or 147 with concrete slab support



collar placement to ensure the installation finishing



Connection with DEKO Wood, DEKO Pellets, and SW6 Pellets Black flues (possible overlap of 12 cm)



CONNECTIONS

675 INOX



Connection plate stainless steel

Ø	Code	€
80	0301 08 675 EP	199,54
100	0301 10 675 EP	207,87
130	0301 13 675 EP	207,43

675 BLACK



Connection plate black painted

Code	€
0301 08 675 EPN	259,39
0301 10 675 EPN	270,24
0301 13 675 EPN	269,67


675 INOX



Connection plate stainless steel

Ø	Code	€
80	0391 08 675 PE	158,41
100	0391 10 675 PE	165,43

675 BLACK



Connection plate black painted

Code	€
0391 08 675 PEN	205,96
0391 10 675 PEN	205,96

DEKO WOOD - SW

673 INOX



Connection plate stainless steel

Ø	Code	€
125	0391 12 673 DE	128,93
150	0391 15 673 DE	134,66
180	0391 18 673 DE	140,56
200	0391 20 673 DE	146,84

673 BLACK



Connection plate black painted

Code	€
0391 12 673 DEN	167,62
0391 15 673 DEN	175,05
0391 18 673 DEN	182,75
0391 20 673 DEN	190,90

DEKO WOOD - DINAFLEX

675 INOX



Connection plate stainless steel

Ø	Code	€
125	0391 12 675 DE	162,79
150	0391 15 675 DE	201,39
180	0391 18 675 DE	219,29
200	0391 20 675 DE	232,98

675 BLACK



Connection plate black painted

Code	€
0391 12 675 DEN	211,65
0391 15 675 DEN	261,80
0391 18 675 DEN	285,05
0391 20 675 DEN	302,84


675 INOX



Connection plate stainless steel

Ø	Code	€
80	0301 08 675 DW	163,16
100	0301 10 675 DW	170,46

675 BLACK



Connection plate black painted

Code	€
0301 08 675 DWN	212,12
0301 10 675 DWN	262,58


671 INOX



Connection plate stainless steel

Code	€
0391 08 671 DF	126,27
0391 10 671 DF	129,43

671 BLACK



Connection plate black painted

Code	€
0391 08 671 DFN	164,14
0391 10 671 DFN	168,25

Connection plates 675 – 673 installation

The connection plates 675 - 673 allow to close the existing chimney shaft and simultaneously ensure the connection to the device and the installation of the rigid or flexible flue.

Connection plates are available in stainless steel and BLACK 9005 TXT.

Liner installation

Direct connection to ranges DINAK SW6, SW6 Pellets or DINAFLEX

Connecting flue installation

Connection with DEKO Wood, DEKO Pellets, and SW6 Pellets Black flues (possible overlap of 12 cm)

675 INOX



Connection plate stainless steel

Ø	Code	€
80	0301 08 675 DW	165,97
100	0301 10 675 DW	169,95

675 BLACK



Connection plate black painted

Code	€
0301 08 675 DWN	215,76
0301 10 675 DWN	220,94

673 INOX



Connection plate stainless steel

Ø	Code	€
80	0301 08 673 EP	115,69
100	0301 10 673 EP	117,66
130	0301 13 673 EP	128,93

673 BLACK



Connection plate black painted

Code	€
0301 08 673 EPN	150,39
0301 10 673 EPN	152,95
0301 13 673 EPN	167,62

673 INOX



Connection plate stainless steel




Ø	Code	€
80	0391 08 673 PE	115,69
100	0391 10 673 PE	117,66

673 BLACK



Connection plate black painted

Code	€
0391 08 673 PEN	150,39
0391 10 673 PEN	152,95



TERMINALS



Concerned with continuous innovation, Dinak offers you its new terminals, combining aesthetics and functionality. Its new design allows to favor the draft under the action of the wind while preventing the entry of rainwater.

Applications :

- ❑ Evacuation of combustion products
- ❑ Ventilation
- ❑ Extraction of domestic or industrial kitchen hoods



1LS



Terminal with protruding slats

Ø	Code	€
80	0311 08 1LS DW	109,51
100	0311 10 1LS DW	117,98
130	0311 13 1LS DW	119,55
150	0311 15 1LS DW	136,52
180	0311 18 1LS DW	180,69
200	0311 20 1LS DW	219,33
250	0311 25 1LS DW	274,02
300	0311 30 1LS DW	350,24
350	0311 35 1LS DW	438,27
400	0311 40 1LS DW	568,16
450	0311 45 1LS DW	691,25
500	0311 50 1LS DW	756,81
550	-	-
600	-	-

1LL



Terminal with slats in line

Code	€
0311 08 1LL DW	124,42
0311 10 1LL DW	132,73
0311 13 1LL DW	134,49
0311 15 1LL DW	145,71
0311 18 1LL DW	189,65
0311 20 1LL DW	227,69
0311 25 1LL DW	334,79
0311 30 1LL DW	347,48
0311 35 1LL DW	534,15
0311 40 1LL DW	603,25
0311 45 1LL DW	734,02
0311 50 1LL DW	803,59
-	-
-	-

01E



Elliptical terminal

Code	€
0311 08 01E DW	108,49
0311 10 01E DW	117,63
0311 13 01E DW	119,20
0311 15 01E DW	137,65
0311 18 01E DW	156,87
0311 20 01E DW	189,11
0311 25 01E DW	218,87
0311 30 01E DW	240,13
0311 35 01E DW	463,43
0311 40 01E DW	513,06
0311 45 01E DW	624,25
0311 50 01E DW	678,58
0311 55 01E DW	724,32
0311 60 01E DW	962,57

1LS



Terminal with protruding slats

Ø	Code	€
80	039F 08 1LS SW	65,14
100	039F 10 1LS SW	74,79
130	039F 13 1LS SW	110,21
150	039F 15 1LS SW	124,42
180	039F 18 1LS SW	145,15
200	039F 20 1LS SW	173,26
250	039F 25 1LS SW	211,83
300	039F 30 1LS SW	248,88
350	039F 35 1LS SW	298,34
400	039F 40 1LS SW	339,91
450	039F 45 1LS SW	526,93
500	039F 50 1LS SW	587,05

Available in female version ref. 2LS

1LL



Terminal with slats in line

Code	€
-	-
-	-
039F 13 1LL SW	161,90
039F 15 1LL SW	168,36
039F 18 1LL SW	183,48
039F 20 1LL SW	205,48
039F 25 1LL SW	298,61
039F 30 1LL SW	427,50
039F 35 1LL SW	465,97
039F 40 1LL SW	672,82
039F 45 1LL SW	621,67
039F 50 1LL SW	755,78

Available in female version ref. 2LL

01E



Elliptical terminal


Code	€
-	-
039F 10 01E SW	128,72
039F 13 01E SW	139,54
039F 15 01E SW	146,78
039F 18 01E SW	159,25
039F 20 01E SW	187,90
039F 25 01E SW	248,06
039F 30 01E SW	279,40
039F 35 01E SW	322,09
039F 40 01E SW	583,78
-	-
-	-

Available in female version ref. 02E

ROOF FLASHINGS

DW

175



Adjustable flashing 30/45° for slate roof

Ø	Code	€
80	0390 15 175 FL	186,44
100	0390 16 175 FL	186,44
130	0390 18 175 FL	188,67
150	0390 20 175 FL	190,26
180	0390 23 175 FL	214,49
200	0390 25 175 FL	241,67
250	0390 30 175 FL	248,09

176



Adjustable flashing 30/45° for tile roof

Code	€
0390 15 176 FL	254,24
0390 16 176 FL	254,24
0390 18 176 FL	257,28
0390 20 176 FL	259,44
0390 23 176 FL	292,49
0390 25 176 FL	329,55
0390 30 176 FL	338,31

Sealing plate in tile colour

F17



Adjustable flashing 30/45° for tile roof

Code	€
0390 15 F17 FL	254,24
0390 16 F17 FL	254,24
0390 18 F17 FL	257,28
0390 20 F17 FL	259,44
0390 23 F17 FL	292,49
0390 25 F17 FL	329,55
0390 30 F17 FL	338,31

Sealing plate in grey colour

185



Adjustable flashing 5/30° for slate roof

Code	€
0390 15 185 FL	186,44
0390 16 185 FL	186,44
0390 18 185 FL	188,67
0390 20 185 FL	190,26
0390 23 185 FL	214,49
0390 25 185 FL	241,67
0390 30 185 FL	248,09

186



Adjustable flashing 5/30° for tile roof

Code	€
0390 15 186 FL	254,24
0390 16 186 FL	254,24
0390 18 186 FL	257,28
0390 20 186 FL	259,44
0390 23 186 FL	292,49
0390 25 186 FL	329,55
0390 30 186 FL	338,31

Sealing plate in tile colour

F18




Adjustable flashing 5/30° for tile roof

Ø	Code	€
80	0390 15 F18 FL	254,24
100	0390 16 F18 FL	254,24
130	0390 18 F18 FL	257,28
150	0390 20 F18 FL	259,44
180	0390 23 F18 FL	292,49
200	0390 25 F18 FL	329,55
250	0390 30 F18 FL	338,31

Sealing plate in grey colour

195



Flat flashing for slate roof

Code	€
0390 15 195 FL	147,54
0390 16 195 FL	147,54
0390 18 195 FL	149,74
0390 20 195 FL	151,32
0390 23 195 FL	175,35
0390 25 195 FL	202,38
0390 30 195 FL	208,80

DIFLUX

F18



Adjustable flashing 5/30° for tile roof

Ø	Code	€
100/150	0390 15 F18 FL	254,24
130/200	0390 20 F18 FL	259,44
150/200	0390 20 F18 FL	259,44
80/125	0390 13 F18 FL	249,44

Sealing plate in grey colour

195



Flat flashing for slate roof

Code	€
0390 15 195 FL	147,54
0390 20 195 FL	151,32
0390 20 195 FL	151,32
0390 13 195 FL	144,03

(*) Attention:
indicate the color in 17T and 18T
x = Please indicate the desired color
T → TILE
G → GREY

175



Adjustable flashing 30/45° for slate roof

Ø	Code	€
100/150	0390 15 175 FL	186,44
130/200	0390 20 175 FL	190,26
150/200	0390 20 175 FL	190,26
80/125	0390 13 175 FL	182,92

176



Adjustable flashing 30/45° for slate roof

Code	€
0390 15 176 FL	254,24
0390 20 176 FL	259,44
0390 20 176 FL	259,44
0390 13 176 FL	249,44

Sealing plate in tile colour

F17



Adjustable flashing 30/45° for tile roof

Code	€
0390 15 F17 FL	254,24
0390 20 F17 FL	259,44
0390 20 F17 FL	259,44
0390 13 F17 FL	249,44

Sealing plate in grey colour

185



Adjustable flashing 5/30° for slate roof

Code	€
0390 15 185 FL	186,44
0390 20 185 FL	190,26
0390 20 185 FL	190,26
0390 13 185 FL	182,92

186



Adjustable flashing 5/30° for tile roof

Code	€
0390 15 186 FL	254,24
0390 20 186 FL	259,44
0390 20 186 FL	259,44
0390 13 186 FL	249,44

Sealing plate in tile colour

AQUADAPT

Roof outlet

The key feature of the Aquadapt is its adaptability, as it can accommodate slate, tile and zinc roof applications for pitches ranging from 0° to 25°.

AQUADAPT

ADC



Roof outlet

Ø	Code	€
75/150	0588 Y4 ADC	72,79
125-200	0588 A2 ADC	82,61
150-250	0588 B7 ADC	96,07
195-300	0588 E3 ADC	223,72
230-380	0588 F6 ADC	287,26

AFK



Installation kit

Code	€
0588 99 AFK S	28,97
0588 99 AFK S	28,97
0588 99 AFK L	46,99
0588 99 AFK L	46,99
0588 99 AFK L	46,99

INSTALLATION EXAMPLES

DEKO - DW

WOOD BURNING STOVE WITH VENTILATED FIRESTOP PLATES

INDOOR INSTALLATION

The figure shows a common setup for a wood burning stove in a single-family timber-built home, where the chimney runs inside the house.


A The double walled chimney shown is from the DW range, features an inner wall made of AISI 316L (1.4404) stainless steel. The outer wall can be aluminised steel on the section running inside the enclosure (for cost-effectiveness), and AISI 304 (1.4301) stainless steel on the outdoor section once it goes through the roof.

B The point at which the chimney goes through the living room's timber frame, can be worked out in two ways: a simple one, with an A16 adaptor (**C** bottom picture), is with which the change is made from Deko to DW; and another, more elaborate one, with the 147 element (below picture), lacquered on the outside in black.

Installation standards requires a minimum distance between the Deko and the wooden roof of 3 times the diameter and never less than 375 mm, which corresponds to the following vertical separation values (height d):



ØD (mm)	d (mm)
130 – 150 – 180	375
200	395

The ventilated firestop plates (641), located above and below the framework, have been tested according to norm BS 476: Part 20: 1987. The minimum distance between the chimney's outer wall and the combustible objects or materials is 60 mm (G60).




C The joint duct between the stove and double-walled chimney is from the Deko range. This is a single-walled steel duct with black vitreous enamel inside and out, and total Wall thickness of 0.8mm, with a sleek appearance that blends into the living room.

A16
DEKO-DW adaptor




INDOOR INSTALLATION

This assembly is similar to the previous one, except that the ventilated firestop plates are replaced by the "FireShield" kit, which includes two solid firestop plates and special 60 mm thick insulation between both, which protects the roof wood. This system obviates the heat losses caused by the ventilation in the previous system are avoided, as the point where the chimney goes through the ceiling is airtight.




A The point at which the chimney goes through the wooden frame is crucial for safety in the event of a soot fire. For energy efficiency reasons, it is advisable that this passage is airtight, to avoid heat loss from the living room to the outside of the house. Dinak has a certified solution, the "FireShield" kit (14J), which comprises a protective element that surrounds the chimney at the height of the framework and two solid firestop plates above and beneath the framework. The minimum distance between the outer chimney wall and the inner face of the space and the closure is 60 mm.

ØD (mm)	d (mm)
130 – 150 – 180	375
200	395



In cases where there are wooden walls adjacent to the joint duct, attention should be given to minimum distances that guarantee safety in the event of a soot fire.



When DEKO is used, the minimum distance is to 1.5 times the nominal diameter of the duct (1.5xD). When Dinak DW is used as the minimum distance is to 3 times the nominal diameter of the duct (3xD). This distance can be reduced to just nominal diameter of the duct (1xD) if protection wall can be reduced to just nominal diameter of the duct (1xD). made up of a panel of fireproof material with inner air chamber.


Consult DINAK for further information.

INDOOR INSTALLATION


The image shows a wood stove installed in a newly-built, single-family dwelling, with a concrete frame, in where the chimney runs through the interior of the house.




B Unlike the previous cases this structure is fire-resistant so the firestops are solid and have no thermal insulation between them. The transition from the Deko connecting duct and the DW double-walled chimney is attained here with a **147** element, which gives a more elegant finish inside the living room.





C In this case, the whole chimney is made of exterior aluminium steel, lacquered in black. The aluminium protective coating (AS 120), together with the 80 micra thick oven powder lacquer, offers robust coating protection against environmental corrosion on the exposed section of the chimney.



WOOD BURNING STOVE



A An **A16** adaptor is used for the connection between Deko and DW. A black trim (**132**) completes the opening on the interior wall of the living room. On the façade, an identical stainless steel element (**132**) is used. It is advisable to use an open terminal (**011**) or an open terminal with mesh (**111**) for diameters up to Ø300, to facilitate the outflow of combustion gases, in combination with a 90° (**031**) or 135° (**030**) Tee, with the soot collector and drain on the base (**061**). The collector also acts as an inspection and regulation element.



RELINING AN EXISTING CHIMNEY WITH SW6

SW6

FIRES AND FIREPLACES

LINER INSTALLATION

The installation consists of 2 main components: a wood-burning insert that fits into the fireplace, and a single wall duct made of AISI 316L stainless steel from the SW6 range, which lines the old built chimney. This setup improves the efficiency, durability and installation safety as well as facilitating the maintenance & cleaning of the chimney.

A The duct slides down from the end of the old brick chimney, using a straight descending module (ref. **203**). At the bottom, the base plate with a **612** side drain acts as a support for the liner duct. The length of the drain pipe (265 mm) allows rain water to be discharged outside the exterior of the brick chimney. An inspection Tee with adjustable box (250-325 mm) is mounted above the **612**. This allows direct access from the outside of the brick chimney to the interior of the duct.

The location brackets **110**, centre the duct inside the brick chimney during the descending operation.

B Finally the finishing **85B** and the storm collar **13A** stop water getting inside the old brick chimney and allows the space to be ventilated and the liner duct to dilate freely.


The finish with an open terminal **011** or open terminal with mesh **111** eases the evacuation of combustion products and avoids problems caused by using rain-stops, such as staining or condensation formation.



203 Straight descending element



612 Base plate with side drain




WOOD BURNING STOVES OR FIREPLACES

LINER INSTALLATION WITH OFFSETS

When renovating existing installations, the old brick chimney may have **offsets** that make it difficult to use rigid lining ducts. Using flexible ducts in such situations can have clear advantages.


The Dinaflex Inox range, made of two layers, each of 0.10 thick AISI 316L (1.4404) stainless steel, is ideal for solving this problem.

The smooth inner layers reduces the pressure loss from gas friction.



A The combination of the finishing plate for the old brick chimney (**85B**) and the final support (**672**) ensures duct attachment.


The Dinaflex – SW6 (**1F0**) adaptor allows the connection of a raincap to prevent rainwater from entering the duct.




DIMENSION

Access the complete list of dimension cotes by scanning the QR code below with your mobile phone or tablet


DINAK DW



DINAK SW




PPH CONCENTRIC




PPH SW

Ø60 - Ø80 - Ø100




PPH SW


Ø110 - Ø125 - Ø160 - Ø200




DIFLUX




GE30+




GE50+




EI120+



DEKO PELLETS



DEKO WOOD



1. Terms of quotation

All quotations are given and orders accepted by the Seller on the basis of these Conditions of Sale to the exclusion of any standard Conditions of Purchase of the Buyer which are inconsistent with these Conditions.

2. Variation of terms

No variation of these conditions shall be valid unless in a document specifically referring to such variation and signed by the Seller.

3. Cancellation

Orders may not (subject to Condition 8) be cancelled in whole or in part without the Seller's consent.

4. Terms of Payment

Unless otherwise agreed in writing, all invoices are strictly net for payment by the 30th of the month following the month of the invoice date. First orders from new customers will be paid in advance. In case of failure to pay when stipulated, all sums outstanding shall become payable immediately. Interest on overdue accounts shall accrue from the date the invoice is due for payment until the date of payment (both before and after any judgement) of 8% above the base rate in force preceding the date of the invoice.

5. Overdue accounts

If any payment is in arrears the Seller shall be entitled (without prejudice to any other rights it may have) to suspend further deliveries until payment is received, whether or not such deliveries are due under the same contract or other contracts.

6. Price Variation

Prices are based on costs ruling at the date of first quotation. If between such date and the date of delivery there is any variation in the total cost of materials, labour, overhead expenses, transport or any other costs connected with the manufacture, processing or delivery of the goods the Seller shall be entitled to vary the prices in proportion to the amount of such variation.

7. Risk and property

Risk in the goods shall pass to the Buyer on delivery but property shall be retained by the Seller until the Buyer has paid for the goods in full.

8. Delivery

8.1 Delivery dates quoted by the Seller are given in good faith but the Seller shall not be liable for any loss or damage due to failure to deliver on a specified date. The Buyer's only remedy in respect of an overdue delivery is to give written notice to the Seller that the order will be cancelled unless delivery takes place within 28 days from the date of service of the notice. Such notice cannot be served during period of force majeure.

8.2 The Seller shall be entitled to reject any claim for non-delivery of the goods in whole or in part unless notice in writing is given by the Buyer within such time from the date of despatch as would enable a claim to be made on the carrier.

9. Material return authorisation policy

The following terms and conditions apply to all sales

9.1. Authorisation must be obtained by contacting the Dinak UK office. The Customer will be issued a Return Material Authorisation (RMA) number, no refunds will be issued without it. Material Return Sheets must be emailed to Dinak UK prior to returns being arranged. RMA numbers expire after 30 days.

9.2. Dinak will only accept returns for standard flue items of the following product ranges:

DINAK DW Stainless Steel AISI-316L inside / AISI-304 outside up to ø450 mm

DINAK DW Black Stainless Steel AISI-316L inside / Galvanised outside from ø130 to ø150 mm

DINAK SW Stainless steel AISI-316L up to ø 450 mm

DINAK DWHP 2.0 Stainless Steel AISI-316L inside / AISI-304 outside up to ø200 mm

DINAK GE30+ Stainless Steel AISI-316L inside / AISI-304 outside up to ø300 mm

DINAK DEKO Vitreous mild steel from ø100 to ø180 mm

DINAK DIFLUX Stainless Steel AISI-316L inside / AISI-304 outside up to ø100

9.3. All returns must be 100% complete, contain all original boxes, products, components and packing material and not show any evidence of use.

9.4. Transport costs are to be paid by the customer unless otherwise agreed with Dinak.

9.5. Special items will not be refunded.

9.6. The packing list or other documents sent with the returned items must provide the following information: Description of returned items, Quantity, Order Reference and date, Dinak invoice number, Site and/or contract reference.

9.7. DINAK reserves the right to refuse any returned items upon inspection. In case the returned items are not received in good condition, DINAK will advise the customer. From that date, DINAK will hold the items in our warehouse in Erdington for a maximum period of 30 days for the customer. After 30 days, the items will be destroyed.

9.8. All non-defective returns authorised by DINAK will be charged a 20% restocking fee. No returns will be accepted after 30 days from original invoice date. Failure to supply a completed material returns form with a RMA number and the relevant information will result in a 35% restocking fee.

9.9. Any items received damaged must be reported within 5 days of receipt, signed for as damaged and reported to Dinak UK with photographic evidence of the packaging received.

10. General Liabilities

The Seller warrants that when despatched from the Seller's factory, all goods meet its published specifications or any other specification agreed in writing between Buyer and Seller. The Seller's liability is limited to repair or replacement at the Seller's option of any goods which do not conform to this warranty. If the Buyer knowingly accepts goods which do not conform to the above warranty the Seller shall not be liable for any damage arising from such acceptance. All recommendations and advice given by the Seller to the Buyer or contained in the Seller's publications or other communications as to the use, performance characteristics, mode of storing, applying or using the Seller's products are given in good faith but without acceptance of liability on the part of the Seller. The Buyer should therefore always carry out sufficient tests to establish the suitability of any product for the Buyer's intended application.

11. Force majeure

11.1 Neither the Seller nor the Buyer shall be responsible for any failure to fulfil any term of any contract if fulfilment has been delayed, hindered or prevented by any circumstance which is not within its reasonable control including, but not limited to war, fire, flood, accident, plant breakdown, shortage of supplies, strikes and lockouts (wheresoever occurring) or compliance with orders lawfully given by any public authority.



HEAD OFFICE


Camiño do Laranxo, 19.

36216 Vigo - SPAIN

+34 986 45 25 26

+34 986 45 41 92

sales@dinak.com




DINAK Website

+ Advantages

+ Information

+ Services



dinak.com

Some DINAK References

UK

Canary Wharf – London
Microsoft – Berkshire
Windsor Palace – London
Peterborough's Hospital
University of Aberdeen
Shell Bitumen – Belfast

SPAIN

Zarzuela Palace – Madrid
Barajas Airport – Madrid
Gregorio Maraón Hospital – Madrid
Prat Airport – Barcelona
Science Museum - Barcelona
University Clinic of Navarra
Guggenheim Museum- Bilbao
Ibiza Casino

FRANCE

La Cité du Design
Pasteur Clinic – Evreux
Saintes Air Base
Bordeaux University

ITALY

Teatro La Fenice – Venice
Iritel Telephonic Center
Co-generation Central – Milan
Bologna Hospital

BELGIUM

Berlaimont Building – Brussels
“Cinquantenaire” Museum – Brussels
Mons Court
La Tourelle Hospital - Mons

PORTUGAL

Estoril Casino
Lisbon Airport
Das Antas Football Stadium – Porto
Chaves Hospital

DINAK IN THE WORLD

Internacional Airport of Athens – Greece
Carpet Museum- Turkmenistan
Azreli Tower – Israel
Knesset Building – Israel
Platinum Tower – Beirut – Lebanon
Sheraton Hotel – Qatar
La Mamounia Palace – Marrakech
Fairmont Hotel – Egypt
Mitsurata Building – Nigeria