



# Product Overview

EN / NL / FR / DE

# PRODUCT OVERVIEW



## WE CARE TO CONNECT

|                                        |           |
|----------------------------------------|-----------|
| <b>1. Pipes</b>                        | <b>6</b>  |
| A. STANDARD (PE-XC/AL/PE-XC)           | 7         |
| B. RIXC (PE-XC/AL/PE-XC)               | 14        |
| C. FLOOR-RIXC (PE-XC/AL/PE-XC)         | 19        |
| D. PE-XC                               | 20        |
| E. PE-RT                               | 21        |
| F. PROTECTION HOSE                     | 22        |
| G. GAS STANDARD (PE-XC/AL/PE-XC)       | 23        |
| H. SPRINKLER STANDARD (PE-XC/AL/PE-XC) | 24        |
| <b>2. Henco Press</b>                  | <b>25</b> |
| A. HENCO PRESS PK                      | 26        |
| B. HENCO PRESS WHITE PKW               | 38        |
| C. HENCO PRESS GAS PKG                 | 46        |
| D. HENCO PRESS SUPERSIZES              | 53        |
| E. HENCO ECOLINE                       | 64        |

|                                        |            |
|----------------------------------------|------------|
| <b>3. Henco Vision</b>                 | <b>65</b>  |
| A. VISION FITTINGS                     | 65         |
| B. MANIFOLDS                           | 72         |
| <b>4. Brass Press Fittings</b>         | <b>73</b>  |
| A. PRESS FITTINGS                      | 74         |
| B. PRESS FITTINGS GAS                  | 88         |
| <b>5. Brass Compression Fittings</b>   | <b>93</b>  |
| <b>6. Manifolds</b>                    | <b>100</b> |
| A. FULL FLOW MANIFOLD                  | 101        |
| B. BRASS MANIFOLDS                     | 106        |
| <b>7. Valves</b>                       | <b>110</b> |
| A. INOX VALVES                         | 111        |
| B. BRASS VALVES                        | 112        |
| <b>8. Underfloor Heatings</b>          | <b>114</b> |
| A. SYSTEMS                             | 115        |
| B. MANIFOLDS                           | 122        |
| C. HENCOLOGIC WIRED                    | 131        |
| D. HENCOLOGIC WIRELESS                 | 132        |
| <b>9. Underfloor Heating Cabinets</b>  | <b>137</b> |
| <b>10. Tools</b>                       | <b>139</b> |
| A. BENDING TOOLS                       | 140        |
| B. CUTTING TOOLS                       | 141        |
| C. CALIBRATION TOOLS                   | 143        |
| D. PRESSING TOOLS                      | 145        |
| E. UNDERFLOOR HEATING TOOLS            | 158        |
| <b>11. Accessoires</b>                 | <b>159</b> |
| <b>12. Henco Sprinkler</b>             | <b>163</b> |
| A. SPRINKLER STANDARD (PE-XC/AL/PE-XC) | 164        |
| B. HENCO PRESS SPRINKLER               | 165        |
| C. HENCO PRO-SPRINKLER                 | 171        |
| D. SPRINKLER TOOLS                     | 175        |
| <b>Certificates</b>                    | <b>176</b> |
| <b>Index</b>                           | <b>178</b> |

## ABOUT HENCO & SUSTAINABILITY



### Sustainability, also our concern

Sustainability is an important concept at Henco. Apart from offering sustainable solutions, such as underfloor heating, we also want to operate sustainably as a company. This implies taking the 3 P's into account: people, planet and profit.

To us, corporate sustainability means paying attention to these three pillars by taking a variety of actions internally. For instance, it is important to deal sustainably with internal employees, to conduct a correct environmental policy and to use our profits wisely.

Henco products enable the following Sustainable Development Goals:



Henco is committed to be net zero carbon by 2050. Therefore, we measure, manage and monitor both our energy consumption and our CO<sub>2</sub> emissions. It is Henco's objective to decrease its CO<sub>2</sub> intensity for scope 1 and 2 with 70% by 2030, taking 2019 as a base year,

|             | Focus                                                | Projects                                                                                                                                                           | 2026                      | 2030                      | Net zero carbon 2050 |
|-------------|------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------|----------------------|
| Scope 1 + 2 | Energy use (in CO <sub>2</sub> intensity)            | <ul style="list-style-type: none"><li>• Drive energy efficiency</li><li>• Use renewable energy</li></ul>                                                           | Target 30%<br>versus 2019 | Target 70%<br>versus 2019 |                      |
| Scope 3     | Raw materials, waste, travel, transport, end of life | <ul style="list-style-type: none"><li>• Reduce, reuse, recycle</li><li>• Travel consciously</li><li>• Perform life cycle and circular design assessments</li></ul> | Target 10%<br>versus 2019 | Target 23%<br>versus 2019 |                      |



### ISO14001 certified

All the effort we put into environmental matters resulted in Henco getting through the certification audits for ISO14001. After 3 days of audits on various business processes, we achieved a very positive audit result without any recorded remarks. The auditor praised, among other things, the enthusiasm of our employees and the broad demonstration of sustainability throughout our processes.



### A silver medal from Ecovadis

The online platform Ecovadis rates companies on their Corporate Social Responsibility (CSR) performance. They look at various issues such as environmental efforts, human and labour rights, sustainable procurement and business ethics. Henco's efforts in these areas were rewarded with a silver Ecovadis medal. As Henco puts its money where its mouth is, Ecovadis places Henco among the 19% best scoring companies. And we are quite proud of that



### Aalberts Sustainability Award 2021

Aalberts also saw that we at Henco value sustainability and that we show this through all our actions. In 2022 we were very pleased to accept the Aalberts sustainability awards 2021.



### The VOKA sustainability charter: SDG pioneers

The VOKA sustainability charter was achieved by Henco for the 3rd year in a row. With this, we have officially been appointed as SDG pioneers. Sustainability is held in high esteem at Henco, this certificate proves it and we are proud of it.



### Environmental and health statement Cochebat

The French HVAC association Cochebat has tested and approved our Henco multilayer pipes and we were rewarded with inclusion in their Environmental and Health Statement.



### Interseroh Certificate Resources Saved

In 2020 and 2021 Henco received the Interseroh Certificate for Resources Saved in Germany. By recycling materials in 2021, a calculated 42,269 kilograms of resources and, in addition to this, 5,521 kilograms of greenhouse gases were saved.



### Valobat

Henco joined Valobat voluntarily in 2023. Valobat is a French eco-organization for the building industry approved by the public authorities, offering services to accelerate the circular economy in the building industry.



|                                            | <i>Page</i> |
|--------------------------------------------|-------------|
| <b>STANDARD (PE-Xc/AL/PE-Xc)</b>           | <b>7</b>    |
| <b>RIXc (PE-Xc/AL/PE-Xc)</b>               | <b>14</b>   |
| <b>FLOOR-RIXc (PE-Xc/AL/PE-Xc)</b>         | <b>19</b>   |
| <b>PE-Xc</b>                               | <b>20</b>   |
| <b>PE-RT</b>                               | <b>21</b>   |
| <b>PROTECTION HOSE</b>                     | <b>22</b>   |
| <b>GAS STANDARD (PE-Xc/AL/PE-Xc)</b>       | <b>23</b>   |
| <b>SPRINKLER STANDARD (PE-Xc/AL/PE-Xc)</b> | <b>24</b>   |



## Maximum working pressure (bar) for the different pipe types and diameters

| Diameter (mm)              | 12  | 14  | 16  | 16   | 18  | 18   | 20  | 20   | 26  | 26   | 32  | 40  | 50  | 63  | 75  | 90  |
|----------------------------|-----|-----|-----|------|-----|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| Pipe type                  | STA | STA | STA | RIXC | STA | RIXC | STA | RIXC | STA | RIXC | STA | STA | STA | STA | STA | STA |
| Max working pressure (bar) | 6   | 10  | 16  | 10   | 10  | 10   | 16  | 10   | 16  | 10   | 16  | 10  | 10  | 10  | 10  | 10  |

## Type: COIL STANDARD



Henco multilayer pipe Standard (Coil)

Henco meerlagenbuis Standard (Rol)

Henco tube multicouche Standard (Rouleau)

Henco Mehrschichtverbundrohr Standard (Rohr)

| Article number | Coil / Pallet  | Type   | Pallet dimension (mm) |
|----------------|----------------|--------|-----------------------|
| 100-121688*    | 100 m / 2200 m | 12x1,6 | 800x800               |
| 200-121688*    | 200 m / 3000 m | 12x1,6 | 800x800               |
| 100-140210     | 100 m / 2200 m | 14x2   | 800x800               |
| 200-140210     | 200 m / 3000 m | 14x2   | 800x800               |
| 50-160212      | 50 m / 1500 m  | 16x2   | 1200x800              |
| 100-160212     | 100 m / 2200 m | 16x2   | 800x800               |
| 200-160212     | 200 m / 2600 m | 16x2   | 800x800               |
| 500-160212D    | 500 m / 2500 m | 16x2   | 800x800               |
| 100-180214     | 100 m / 1700 m | 18x2   | 800x800               |
| 200-180214     | 200 m / 2000 m | 18x2   | 800x800               |
| 25-200216      | 25 m / 800 m   | 20x2   | 1200x800              |
| 50-200216      | 50 m / 1000 m  | 20x2   | 1200x800              |
| 100-200216     | 100 m / 1500 m | 20x2   | 800x800               |
| 50-260320      | 50 m / 800 m   | 26x3   | 800x800               |
| 50-320326      | 50 m / 650 m   | 32x3   | 900x900               |

\*6 bar - 60°C

## Type: COIL CSC



Henco multilayer pipe Standard (Coil with small core)

Henco meerlagenbuis Standard (Rol kleine kern)

Henco tube multicouche Standard (Petit rouleau noyau intérieure)

Henco Mehrschichtverbundrohr Standard (Rohr kleinen Kern)

| Article number | Coil / Pallet | Type | Pallet dimension (mm) |
|----------------|---------------|------|-----------------------|
| 10-160212-KB   | 10 m / 800 m  | 16x2 | 1200x800              |
| 25-160212-KB   | 25 m / 1125 m | 16x2 | 1200x800              |
| 25-200216-KB   | 25 m / 900 m  | 20x2 | 1200x800              |

internal diameter coil 28cm



# Henco Pipes

STANDARD (PE-Xc/AL/PE-Xc)

## 1 Type: STRAIGHT LENGTH



Henco multilayer pipe Standard (Straight length)  
Henco meerlagenbuis (Stang)  
Henco tube multicouche Standard (Barre)  
Henco Mehrschichtverbundrohr (Stange)

| Article number | Cylinder / Pallet | Type   | Floor space (mm) |
|----------------|-------------------|--------|------------------|
| 03-160212      | 75 m / 3600 m     | 16x2   | 4000x705         |
| 04-160212      | 100 m / 4800 m    | 16x2   | 4100x705         |
| 05-160212      | 125 m / 6000 m    | 16x2   | 5100x705         |
| 03-180214      | 60 m / 2880 m     | 18x2   | 4000x705         |
| 05-180214      | 100 m / 4800 m    | 18x2   | 5100x705         |
| 03-200216      | 54 m / 2592 m     | 20x2   | 4000x705         |
| 04-200216      | 72 m / 3456 m     | 20x2   | 4100x705         |
| 05-200216      | 90 m / 4320 m     | 20x2   | 5100x705         |
| 03-260320      | 30 m / 1440 m     | 26x3   | 4000x705         |
| 04-260320      | 40 m / 1920 m     | 26x3   | 4100x705         |
| 05-260320      | 50 m / 2400 m     | 26x3   | 5100x705         |
| 03-320326      | 21 m / 1008 m     | 32x3   | 4000x705         |
| 04-320326      | 28 m / 1344 m     | 32x3   | 4100x705         |
| 05-320326      | 35 m / 1680 m     | 32x3   | 5100x705         |
| 03-403533      | 27 m / 648 m      | 40x3,5 | 4000x705         |
| 04-403533      | 36 m / 864 m      | 40x3,5 | 4100x705         |
| 05-403533      | 45 m / 1080 m     | 40x3,5 | 5100x705         |
| 03-504042      | 21 m / 504 m      | 50x4   | 4000x705         |
| 04-504042      | 28 m / 672 m      | 50x4   | 4100x705         |
| 05-504042      | 35 m / 840 m      | 50x4   | 5100x705         |
| 03-634554      | 12 m / 288 m      | 63x4,5 | 4000x705         |
| 04-634554      | 16 m / 384 m      | 63x4,5 | 4100x705         |
| 05-634554      | 20 m / 480 m      | 63x4,5 | 5100x705         |
| 05-756063      | 10 m / 240 m      | 75x6   | 5100x705         |
| 05-907076      | 5 m / 240 m       | 90x7   | 5100x705         |



## Type: ISO4 (6 mm) Fireclass: CL, s1-d0



Henco tube pre-insulated Standard (6mm)  
Henco voorgeïsoleerde buis Standard (6mm)  
Henco tube pré-isolé Standard (6mm)  
Henco Rohr Isoliert Standard (6mm)

| Article number | Coil / Pallet  | Type      | Pallet dimension (mm) |
|----------------|----------------|-----------|-----------------------|
| 100-ISO4-14-RO | 100 m / 1000 m | 14x2 red  | 800x800               |
| 100-ISO4-14-BL | 100 m / 1000 m | 14x2 blue | 800x800               |
| 25-ISO4-16-RO  | 25 m / 450 m   | 16x2 red  | 800x800               |
| 25-ISO4-16-BL  | 25 m / 450 m   | 16x2 blue | 800x800               |
| 50-ISO4-16-RO  | 50 m / 900 m   | 16x2 red  | 800x800               |
| 50-ISO4-16-BL  | 50 m / 900 m   | 16x2 blue | 800x800               |
| 100-ISO4-16-RO | 100 m / 900 m  | 16x2 red  | 800x800               |
| 100-ISO4-16-BL | 100 m / 900 m  | 16x2 blue | 800x800               |
| 50-ISO4-18-RO  | 50 m / 650 m   | 18x2 red  | 800x800               |
| 50-ISO4-18-BL  | 50 m / 650 m   | 18x2 blue | 800x800               |
| 25-ISO4-20-RO  | 25 m / 450 m   | 20x2 red  | 800x800               |
| 25-ISO4-20-BL  | 25 m / 450 m   | 20x2 blue | 800x800               |
| 50-ISO4-20-RO  | 50 m / 700 m   | 20x2 red  | 800x800               |
| 50-ISO4-20-BL  | 50 m / 700 m   | 20x2 blue | 800x800               |
| 100-ISO4-20-RO | 100 m / 1100 m | 20x2 red  | 800x800               |
| 100-ISO4-20-BL | 100 m / 900 m  | 20x2 blue | 800x800               |
| 25-ISO4-26-RO  | 25 m / 400 m   | 26x3 red  | 800x800               |
| 25-ISO4-26-BL  | 25 m / 400 m   | 26x3 blue | 800x800               |
| 50-ISO4-26-RO  | 50 m / 500 m   | 26x3 red  | 800x800               |
| 50-ISO4-26-BL  | 50 m / 500 m   | 26x3 blue | 800x800               |
| 25-ISO4-32-RO  | 25 m / 300 m   | 32x3 red  | 800x800               |
| 25-ISO4-32-BL  | 25 m / 300 m   | 32x3 blue | 800x800               |
| 50-ISO4-32-RO  | 50 m / 300 m   | 32x3 red  | 800x800               |
| 50-ISO4-32-BL  | 50 m / 300 m   | 32x3 blue | 800x800               |

## Type: ISO4 BSD (6 mm) Fireclass: BL, s1-d0



Henco tube pre-insulated Standard (6mm) - Improved fire class  
Henco voorgeïsoleerde buis Standard (6mm) - verbeterde brandklasse  
Henco tube pré-isolé Standard (6mm) - meilleur classement au feu  
Henco Rohr Isoliert Standard (6mm) - Verbesserte Brandklasse

| Article number     | Coil / Pallet  | Type      | Pallet dimension (mm) |
|--------------------|----------------|-----------|-----------------------|
| 100-ISO4-14-BL-BSD | 100 m / 1000 m | 14x2 blue | 800x800               |
| 100-ISO4-14-RO-BSD | 100 m / 1000 m | 14x2 red  | 800x800               |
| 50-ISO4-16-BL-BSD  | 50 m / 800 m   | 16x2 blue | 800x800               |
| 50-ISO4-16-RO-BSD  | 50 m / 900 m   | 16x2 red  | 800x800               |
| 100-ISO4-16-BL-BSD | 100 m / 900 m  | 16x2 blue | 800x800               |
| 100-ISO4-16-RO-BSD | 100 m / 900 m  | 16x2 red  | 800x800               |
| 50-ISO4-18-BL-BSD  | 50 m / 650 m   | 18x2 blue | 800x800               |
| 50-ISO4-18-RO-BSD  | 50 m / 650 m   | 18x2 red  | 800x800               |
| 50-ISO4-20-BL-BSD  | 50 m / 700 m   | 20x2 blue | 800x800               |
| 50-ISO4-20-RO-BSD  | 50 m / 700 m   | 20x2 red  | 800x800               |
| 100-ISO4-20-BL-BSD | 100 m / 900 m  | 20x2 blue | 800x800               |
| 100-ISO4-20-RO-BSD | 100 m / 1100 m | 20x2 red  | 800x800               |
| 25-ISO4-26-BL-BSD  | 25 m / 400 m   | 26x3 blue | 800x800               |
| 25-ISO4-26-RO-BSD  | 25 m / 400 m   | 26x3 red  | 800x800               |
| 50-ISO4-26-BL-BSD  | 50 m / 500 m   | 26x3 blue | 800x800               |
| 50-ISO4-26-RO-BSD  | 50 m / 500 m   | 26x3 red  | 800x800               |
| 25-ISO4-32-BL-BSD  | 25 m / 300 m   | 32x3 blue | 800x800               |
| 25-ISO4-32-RO-BSD  | 25 m / 300 m   | 32x3 red  | 800x800               |
| 50-ISO4-32-BL-BSD  | 50 m / 300 m   | 32x3 blue | 800x800               |
| 50-ISO4-32-RO-BSD  | 50 m / 300 m   | 32x3 red  | 800x800               |



# Henco Pipes

STANDARD (PE-Xc/AL/PE-Xc)

## 1 Type: ISO9 (10 mm) Fireclass: CL, s1-d0



Henco tube pre-insulated Standard (10mm)  
Henco voorgeïsoleerde buis Standard (10mm)  
Henco tube pré-isolé Standard (10mm)  
Henco Rohr Isoliert Standard (10mm)

| Article number | Coil / Pallet | Type      | Pallet dimension (mm) |
|----------------|---------------|-----------|-----------------------|
| 50-ISO9-14-RO  | 50 m / 550 m  | 14x2 red  | 800x800               |
| 50-ISO9-14-BL  | 50 m / 550 m  | 14x2 blue | 800x800               |
| 50-ISO9-16-RO  | 50 m / 600 m  | 16x2 red  | 800x800               |
| 50-ISO9-16-BL  | 50 m / 600 m  | 16x2 blue | 800x800               |
| 50-ISO9-18-RO  | 50 m / 500 m  | 18x2 red  | 800x800               |
| 50-ISO9-18-BL  | 50 m / 500 m  | 18x2 blue | 800x800               |
| 50-ISO9-20-RO  | 50 m / 400 m  | 20x2 red  | 800x800               |
| 50-ISO9-20-BL  | 50 m / 400 m  | 20x2 blue | 800x800               |
| 25-ISO9-26-RO  | 25 m / 275 m  | 26x3 red  | 800x800               |
| 25-ISO9-26-BL  | 25 m / 325 m  | 26x3 blue | 800x800               |
| 50-ISO9-26-RO  | 50 m / 450 m  | 26x3 red  | 800x800               |
| 50-ISO9-26-BL  | 50 m / 450 m  | 26x3 blue | 800x800               |
| 25-ISO9-32-RO  | 25 m / 250 m  | 32x3 red  | 800x800               |
| 25-ISO9-32-BL  | 25 m / 250 m  | 32x3 blue | 800x800               |
| 50-ISO9-32-RO  | 50 m / 250 m  | 32x3 red  | 800x800               |
| 50-ISO9-32-BL  | 50 m / 250 m  | 32x3 blue | 800x800               |

## Type: ISO9 BSD (10 mm) Fireclass: BL, s1-d0

**NEW**  
PRODUCT



Henco tube pre-insulated Standard (10mm) - Improved fire class  
Henco voorgeïsoleerde buis Standard (10mm) - verbeterde brandklasse  
Henco tube pré-isolé Standard (10mm) - meilleur classement au feu  
Henco Rohr Isoliert Standard (10mm) - Verbesserte Brandklasse

| Article number    | Coil / Pallet | Type      | Pallet dimension (mm) |
|-------------------|---------------|-----------|-----------------------|
| 50-ISO9-14-BL-BSD | 50 m / 550 m  | 14x2 blue | 800x800               |
| 50-ISO9-14-RO-BSD | 50 m / 550 m  | 14x2 red  | 800x800               |
| 50-ISO9-16-BL-BSD | 50 m / 600 m  | 16x2 blue | 800x800               |
| 50-ISO9-16-RO-BSD | 50 m / 600 m  | 16x2 red  | 800x800               |
| 50-ISO9-18-BL-BSD | 50 m / 500 m  | 18x2 blue | 800x800               |
| 50-ISO9-18-RO-BSD | 50 m / 500 m  | 18x2 red  | 800x800               |
| 50-ISO9-20-BL-BSD | 50 m / 400 m  | 20x2 blue | 800x800               |
| 50-ISO9-20-RO-BSD | 50 m / 400 m  | 20x2 red  | 800x800               |
| 25-ISO9-26-BL-BSD | 25 m / 325 m  | 26x3 blue | 800x800               |
| 25-ISO9-26-RO-BSD | 25 m / 275 m  | 26x3 red  | 800x800               |
| 50-ISO9-26-BL-BSD | 50 m / 450 m  | 26x3 blue | 800x800               |
| 50-ISO9-26-RO-BSD | 50 m / 450 m  | 26x3 red  | 800x800               |
| 25-ISO9-32-BL-BSD | 25 m / 250 m  | 32x3 blue | 800x800               |
| 25-ISO9-32-RO-BSD | 25 m / 250 m  | 32x3 red  | 800x800               |
| 50-ISO9-32-BL-BSD | 50 m / 250 m  | 32x3 blue | 800x800               |
| 50-ISO9-32-RO-BSD | 50 m / 350 m  | 32x3 red  | 800x800               |



**Did you know** that you can use the hand-tearable repair tape to almost invisibly repair the Henco pre-insulated pipes?

> Find more information on **p. 162**

## Type: ISO13 (13 mm) Fireclass: CL, s1-d0



Henco tube pre-insulated Standard (13mm)  
Henco voorgeïsoleerde buis Standard (13mm)  
Henco tube pré-isolé Standard (13mm)  
Henco Rohr Isoliert Standard (13mm)

| Article number  | Coil / Pallet | Type      | Pallet dimension (mm) |
|-----------------|---------------|-----------|-----------------------|
| 50-ISO13-16-BL  | 50 m / 400 m  | 16x2 blue | 800x800               |
| 50-ISO13-16-RO  | 50 m / 400 m  | 16x2 red  | 800x800               |
| 50-ISO13-18-BL* | 50 m / 450 m  | 18x2 blue | 800x800               |
| 50-ISO13-20-BL  | 50 m / 400 m  | 20x2 blue | 800x800               |
| 50-ISO13-20-RO  | 50 m / 400 m  | 20x2 red  | 800x800               |
| 50-ISO13-26-BL  | 50 m / 300 m  | 26x3 blue | 800x800               |
| 50-ISO13-26-RO  | 50 m / 300 m  | 26x3 red  | 800x800               |
| 25-ISO13-32-BL  | 25 m / 225 m  | 32x3 blue | 800x800               |
| 25-ISO13-32-RO  | 25 m / 225 m  | 32x3 red  | 800x800               |

*\*TILL EXHAUSTION OF STOCK*

## Type: ISO13 BSD (13 mm) Fireclass: BL, s1-d0

**NEW\***  
PRODUCT



Henco tube pre-insulated Standard (13mm) - Improved fire class  
Henco voorgeïsoleerde buis Standard (13mm) - verbeterde brandklasse  
Henco tube pré-isolé Standard (13mm) - meilleur classement au feu  
Henco Rohr Isoliert Standard (13mm) - Verbesserte Brandklasse

| Article number     | Coil / Pallet | Type      | Pallet dimension (mm) |
|--------------------|---------------|-----------|-----------------------|
| 50-ISO13-16-BL-BSD | 50 m / 400 m  | 16x2 blue | 800x800               |
| 50-ISO13-16-RO-BSD | 50 m / 400 m  | 16x2 red  | 800x800               |
| 50-ISO13-18-BL-BSD | 50 m / 450 m  | 18x2 blue | 800x800               |
| 50-ISO13-18-RO-BSD | 50 m / 450 m  | 18x2 red  | 800x800               |
| 50-ISO13-20-BL-BSD | 50 m / 400 m  | 20x2 blue | 800x800               |
| 50-ISO13-20-RO-BSD | 50 m / 400 m  | 20x2 red  | 800x800               |
| 50-ISO13-26-BL-BSD | 50 m / 300 m  | 26x3 blue | 800x800               |
| 50-ISO13-26-RO-BSD | 50 m / 300 m  | 26x3 red  | 800x800               |
| 25-ISO13-32-BL-BSD | 25 m / 200 m  | 32x3 blue | 800x800               |
| 25-ISO13-32-RO-BSD | 25 m / 225 m  | 32x3 red  | 800x800               |

## Type: ISO20 BSD (20 mm) Fireclass: BL, s1-d0

**NEW\***  
PRODUCT



Henco tube pre-insulated Standard (20mm) - Improved fire class  
Henco voorgeïsoleerde buis Standard (20mm) - verbeterde brandklasse  
Henco tube pre-insulated Standard (20mm) - meilleur classement au feu  
Henco Rohr Isoliert Standard (20mm) - Verbesserte Brandklasse

| Article number     | Coil / Pallet | Type      | Pallet dimension (mm) |
|--------------------|---------------|-----------|-----------------------|
| 25-ISO20-32-BL-BSD | 25 m / 150 m  | 32x3 blue | 800x800               |
| 25-ISO20-32-RO-BSD | 25 m / 150 m  | 32x3 red  | 800x800               |



# Henco Pipes

STANDARD (PE-Xc/AL/PE-Xc)

1

## Type: STANDARD PIPE IN PIPE

2

3

4

5

6

7

8

9

10

11

12



Henco multilayer pipe with colour coded conduit Standard (Coil)

Henco meerlagenbuis met mantel Standard (Rol)

Henco tube multicouche avec gaine Standard (Rouleau)

Henco Mehrschichtverbundrohr mit Mantel Standard (Ring)

| Article number | Coil / Pallet  | Type       | Pallet dimension (mm) |
|----------------|----------------|------------|-----------------------|
| 50-014MR       | 50 m / 800 m   | 14x2 red   | 1200x800              |
| 50-014MB       | 50 m / 800 m   | 14x2 blue  | 1200x800              |
| 25-016MR       | 25 m / 500 m   | 16x2 red   | 1200x800              |
| 25-016MB       | 25 m / 500 m   | 16x2 blue  | 1200x800              |
| 50-016MR       | 50 m / 800 m   | 16x2 red   | 1200x800              |
| 50-016MB       | 50 m / 800 m   | 16x2 blue  | 1200x800              |
| 50-016MBLACK   | 50 m / 800 m   | 16x2 black | 1200x800              |
| 100-016MR      | 100 m / 1000 m | 16x2 red   | 1200x800              |
| 100-016MB      | 100 m / 1000 m | 16x2 blue  | 1200x800              |
| 100-016MBLACK  | 100 m / 1000 m | 16x2 black | 1200x800              |
| 50-018MR       | 50 m / 800 m   | 18x2 red   | 1200x800              |
| 50-018MB       | 50 m / 800 m   | 18x2 blue  | 1200x800              |
| 100-018MR      | 100 m / 1000 m | 18x2 blue  | 1200x800              |
| 100-018MB      | 100 m / 1000 m | 18x2 blue  | 1200x800              |
| 25-020MR       | 25 m / 500 m   | 20x2 red   | 1200x800              |
| 25-020MB       | 25 m / 500 m   | 20x2 blue  | 1200x800              |
| 25-020MBLACK   | 25 m / 500 m   | 20x2 black | 1200x800              |
| 50-020MR       | 50 m / 800 m   | 20x2 red   | 1200x800              |
| 50-020MB       | 50 m / 800 m   | 20x2 blue  | 1200x800              |
| 50-020MBLACK   | 50 m / 800 m   | 20x2 black | 1200x800              |
| 100-020MB      | 100 m / 1000 m | 20x2 blue  | 1200x800              |
| 100-020MR      | 100 m / 1000 m | 20x2 red   | 1200x800              |
| 25-026MR       | 25 m / 500 m   | 26x3 blue  | 1200x800              |
| 25-026MB       | 25 m / 500 m   | 26x3 blue  | 1200x800              |
| 50-026MR       | 50 m / 500 m   | 26x3 blue  | 1200x800              |
| 50-026MB       | 50 m / 500 m   | 26x3 blue  | 1200x800              |
| 50-026MBLACK   | 50 m / 500 m   | 26x3 black | 1200x800              |
| 25-032MR       | 25 m / 300 m   | 32x3 red   | 900x900               |
| 25-032MB       | 25 m / 300 m   | 32x3 blue  | 900x900               |

## Type: COMBI STANDARD



Henco Combi Standard (Coil)

Henco Combi Standard (Rol)

Henco Combi Standard (Rouleau)

Henco Combi Standard (Rohr)

| Article number | Coil / Pallet | Type | Pallet dimension (mm) |
|----------------|---------------|------|-----------------------|
| 50-COMBI16     | 50 m / 500 m  | 16x2 | 1200x800              |



## Type: FLEX STANDARD

NEW PRODUCT



Henco Flex (Coil)  
Henco Flex (Rol)  
Henco Flex (Rouleau)  
Henco Flex (Ring)

| Article number | Coil | Type | Pallet dimension (mm) |
|----------------|------|------|-----------------------|
| 1-FLEX32       | 1 m  | 32x3 | 1200x1200             |



**Did you know** you could use the rubber end cap HFMAN125 to provide a watertight seal on the Henco FLEX32 ends?

> Find more information on **p. 162**

## Type: STANDARD PIPE IN PIPE CSC



Henco multilayer pipe with colour coded conduit Standard (Coil small coil)  
Henco meerkantenbuis met mantel Standard (Rol kleine kern)  
Henco tube multicouche avec gaine Standard (Rouleau noyau intérieure)  
Henco Mehrschichtverbundrohr mit Mantel Standard (Ring kleinen Kern)

| Article number | Coil / Pallet | Type      | Pallet dimension (mm) |
|----------------|---------------|-----------|-----------------------|
| 25-016MB-KB    | 25 m / 600 m  | 16x2 blue | 1200x800              |
| 25-016MR-KB    | 25 m / 600 m  | 16x2 red  | 1200x800              |

*internal diameter coil 28cm*


## Type: LB



Carcassing pipe 16mm  
Dubbele radiatorbocht, 16mm, doorverbonden einde  
Double courbe radiateur, 16mm, embout fermé  
Heizkörperwinkel doppelt, 16mm, durchgestellt Ende

| Article number | Bag   | Type                         |
|----------------|-------|------------------------------|
| LB50           | 1 pc. | Ø16, centre-to-centre = 50mm |

## Type: ISO-BLOCK-S



Carcassing pipe 16mm with insulation  
Dubbele radiatorbocht met isolatie, 16mm, doorverbonden einde  
Double courbe radiateur, 16mm, avec isolation, embout fermé  
Heizkörperwinkel doppelt mit Isolation, 16mm, durchgestellt Ende

| Article number | Box    | Type                         |
|----------------|--------|------------------------------|
| ISO-BLOCK-S    | 50 pc. | Ø16, centre-to-centre = 50mm |



# Henco Pipes

RIXc (PE-Xc/AL/PE-Xc)

1

## Maximum working pressure (bar) for the different pipe types and diameters

| Diameter (mm)              | 12  | 14  | 16  | 16   | 18  | 18   | 20  | 20   | 26  | 26   | 32  | 40  | 50  | 63  | 75  | 90  |
|----------------------------|-----|-----|-----|------|-----|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| Pipe type                  | STA | STA | STA | RIXc | STA | RIXc | STA | RIXc | STA | RIXc | STA | STA | STA | STA | STA | STA |
| Max working pressure (bar) | 6   | 10  | 16  | 10   | 10  | 10   | 16  | 10   | 16  | 10   | 16  | 10  | 10  | 10  | 10  | 10  |

2

3

4

5

6

7

8

9

10

11

12

## Type: COIL RIXc



Henco multilayer pipe RIXc (Coil)

Henco meerlagenbuis RIXc (Rol)

Henco tube multicouche RIXc (Rouleau)

Henco Mehrschichtverbundrohr RIXc (Rohr)

| Article number | Coil / Pallet  | Type | Pallet dimension (mm) |
|----------------|----------------|------|-----------------------|
| 50-R160212     | 50 m / 1500 m  | 16x2 | 1200x800              |
| 100-R160212    | 100 m / 2200 m | 16x2 | 800x800               |
| 200-R160212    | 200 m / 2600 m | 16x2 | 800x800               |
| 500-R160212D   | 500 m / 2500 m | 16x2 | 800x800               |
| 100-R180214    | 100 m / 1700 m | 18x2 | 800x800               |
| 200-R180214    | 200 m / 2000 m | 18x2 | 800x800               |
| 50-R200216     | 50 m / 1000 m  | 20x2 | 1200x800              |
| 100-R200216    | 100 m / 1500 m | 20x2 | 800x800               |
| 25-R260320     |                | 26x3 | 1200x800              |
| 50-R260320     | 50 m / 800 m   | 26x3 | 1200x800              |

## Type: COIL RIXc CSC



Henco multilayer pipe RIXc (Coil with small core)

Henco meerlagenbuis RIXc (Rol kleine kern)

Henco tube multicouche RIXc (Petit rouleau noyau intérieure)

Henco Mehrschichtverbundrohr RIXc (Rohr kleinen Kern)

| Article number | Coil / Pallet | Type | Pallet dimension (mm) |
|----------------|---------------|------|-----------------------|
| 10-R160212-KB  | 10 m / 800 m  | 16x2 | 1200x800              |
| 15-R160212-KB  | 15 m / 900 m  | 16x2 | 1200x800              |
| 25-R160212-KB  | 25 m / 1125 m | 16x2 | 1200x800              |
| 10-R200216-KB  | 10 m / 550 m  | 20x2 | 1200x800              |
| 25-R200216-KB  | 25 m / 900 m  | 20x2 | 1200x800              |

internal diameter coil 28cm

## Type: STRAIGHT LENGTH RIXc



Henco multilayer pipe RIXc (Straight length)

Henco meerlagenbuis RIXc (Stang)

Henco tube multicouche RIXc (Barre)

Henco Mehrschichtverbundrohr RIXc (Stange)

| Article number | Cylinder / Pallet | Type | Floor space (mm) |
|----------------|-------------------|------|------------------|
| 03-R160212     | 75 m / 3600 m     | 16x2 | 4000x705         |
| 04-R160212     | 100 m / 4800 m    | 16x2 | 4100x705         |
| 05-R160212     | 125 m / 6000 m    | 16x2 | 5100x705         |
| 03-R200216     | 54 m / 2592 m     | 20x2 | 4000x705         |
| 04-R200216     | 72 m / 3456 m     | 20x2 | 4100x705         |
| 05-R200216     | 90 m / 4320 m     | 20x2 | 5100x705         |
| 03-R260320     | 30 m / 1440 m     | 26x3 | 4000x705         |
| 04-R260320     | 40 m / 1920 m     | 26x3 | 4100x705         |
| 05-R260320     | 50 m / 2400 m     | 26x3 | 5100x705         |



**Did you know** that you can use the hand-tearable repair tape to almost invisibly repair the Henco pre-insulated pipes?

> Find more information on **p. 162**

## Type: ISO4 (6 mm) RIXc **Fireclass: CL, s1-d0**



Henco tube pre-insulated RIXc (6mm)  
Henco voorgeïsoleerde buis RIXc (6mm)  
Henco tube pré-isolé RIXc (6mm)  
Henco Rohr Isoliert RIXc (6mm)

| Article number  | Coil / Pallet | Type      | Pallet dimension (mm) |
|-----------------|---------------|-----------|-----------------------|
| 50-ISO4-R16-BL  | 50 m / 800 m  | 16x2 blue | 800x800               |
| 50-ISO4-R16-RO  | 50 m / 800 m  | 16x2 red  | 800x800               |
| 100-ISO4-R16-RO | 100 m / 900 m | 16x2 red  | 800x800               |
| 100-ISO4-R16-BL | 100 m / 900 m | 16x2 blue | 800x800               |
| 50-ISO4-R18-RO  | 50 m / 650 m  | 18x2 red  | 800x800               |
| 50-ISO4-R18-BL  | 50 m / 650 m  | 18x2 blue | 800x800               |
| 50-ISO4-R20-RO  | 50 m / 700 m  | 20x2 red  | 800x800               |
| 50-ISO4-R20-BL  | 50 m / 700 m  | 20x2 blue | 800x800               |
| 25-ISO4-R26-RO  | 25 m / 300 m  | 26x3 red  | 800x800               |
| 25-ISO4-R26-BL  | 25 m / 300 m  | 26x3 blue | 800x800               |
| 50-ISO4-R26-RO  | 50 m / 500 m  | 26x3 red  | 800x800               |
| 50-ISO4-R26-BL  | 50 m / 500 m  | 26x3 blue | 800x800               |

## Type: ISO4 BSD (6 mm) RIXc **Fireclass: BL, s1-d0**



Henco tube pre-insulated RIXc (6mm) - Improved fire class  
Henco voorgeïsoleerde buis RIXc (6mm) - verbeterde brandklasse  
Henco tube pré-isolé RIXc (6mm) - meilleur classement au feu  
Henco Rohr Isoliert RIXc (6mm) - Verbesserte Brandklasse

| Article number      | Coil / Pallet | Type      | Pallet dimension (mm) |
|---------------------|---------------|-----------|-----------------------|
| 100-ISO4-R16-BL-BSD | 100 m / 900 m | 16x2 blue | 800x800               |
| 100-ISO4-R16-RO-BSD | 100 m / 900 m | 16x2 red  | 800x800               |
| 50-ISO4-R16-BL-BSD  | 50 m / 900 m  | 16x2 blue | 800x800               |
| 50-ISO4-R16-RO-BSD  | 50 m / 800 m  | 16x2 red  | 800x800               |
| 25-ISO4-R16-BL-BSD  | 25 m / 250 m  | 16x2 blue | 800x800               |
| 25-ISO4-R16-RO-BSD  | 25 m / 250 m  | 16x2 red  | 800x800               |
| 50-ISO4-R18-BL-BSD  | 50 m / 650 m  | 18x2 blue | 800x800               |
| 50-ISO4-R18-RO-BSD  | 50 m / 650 m  | 18x2 red  | 800x800               |
| 50-ISO4-R20-BL-BSD  | 50 m / 700 m  | 20x2 blue | 800x800               |
| 50-ISO4-R20-RO-BSD  | 50 m / 700 m  | 20x2 red  | 800x800               |
| 50-ISO4-R26-BL-BSD  | 50 m / 500 m  | 26x3 blue | 800x800               |
| 50-ISO4-R26-RO-BSD  | 50 m / 500 m  | 26x3 red  | 800x800               |
| 25-ISO4-R26-BL-BSD  | 25 m / 300 m  | 26x3 blue | 800x800               |
| 25-ISO4-R26-RO-BSD  | 25 m / 300 m  | 26x3 red  | 800x800               |



# Henco Pipes

RIXc (PE-Xc/AL/PE-Xc)

1

## Type: ISO9 (10 mm) RIXc Fireclass: CL, s1-d0



Henco tube pre-insulated RIXc (10mm)  
Henco voorgeïsoleerde buis RIXc (10mm)  
Henco tube pré-isolé RIXc (10mm)  
Henco Rohr Isoliert RIXc (10mm)

| Article number | Coil / Pallet | Type      | Pallet dimension (mm) |
|----------------|---------------|-----------|-----------------------|
| 50-ISO9-R16-RO | 50 m / 600 m  | 16x2 red  | 800x800               |
| 50-ISO9-R16-BL | 50 m / 600 m  | 16x2 blue | 800x800               |
| 50-ISO9-R20-RO | 50 m / 400 m  | 20x2 red  | 800x800               |
| 50-ISO9-R20-BL | 50 m / 400 m  | 20x2 blue | 800x800               |
| 25-ISO9-R26-RO | 25 m / 325 m  | 26x3 red  | 800x800               |
| 25-ISO9-R26-BL | 25 m / 325 m  | 26x3 blue | 800x800               |
| 50-ISO9-R26-BL | 50 m / 400 m  | 26x3 blue | 800x800               |
| 50-ISO9-R26-RO | 50 m / 400 m  | 26x3 red  | 800x800               |

2

3

4

5

6

7

8

9

## Type: ISO9BSD (10mm) RIXc Fireclass: BL, s1-d0



Henco tube pre-insulated RIXc (10mm) - Improved fire class  
Henco voorgeïsoleerde buis RIXc (10mm) - verbeterde brandklasse  
Henco tube pré-isolé RIXc (10mm) - meilleur classement au feu  
Henco Rohr Isoliert RIXc (10mm) - Verbesserte Brandklasse

| Article number     | Coil / Pallet | Type      | Pallet dimension (mm) |
|--------------------|---------------|-----------|-----------------------|
| 50-ISO9-R16-BL-BSD | 50 m / 600 m  | 16x2 blue | 800x800               |
| 50-ISO9-R16-RO-BSD | 50 m / 600 m  | 16x2 red  | 800x800               |
| 50-ISO9-R20-BL-BSD | 50 m / 400 m  | 20x2 blue | 800x800               |
| 50-ISO9-R20-RO-BSD | 50 m / 400 m  | 20x2 red  | 800x800               |
| 50-ISO9-R26-BL-BSD | 50 m / 400 m  | 26x3 blue | 800x800               |
| 50-ISO9-R26-RO-BSD | 50 m / 400 m  | 26x3 red  | 800x800               |
| 25-ISO9-R26-BL-BSD | 25 m / 325 m  | 26x3 blue | 800x800               |
| 25-ISO9-R26-RO-BSD | 25 m / 325 m  | 26x3 red  | 800x800               |

11

12

## Type: ISO13 (13 mm) RIXc Fireclass: CL, s1-d0



Henco tube pre-insulated RIXc (13mm)  
Henco voorgeïsoleerde buis RIXc (13mm)  
Henco tube pré-isolé RIXc (13mm)  
Henco Rohr Isoliert RIXc (13mm)

| Article number  | Coil / Pallet | Type      | Pallet dimension (mm) |
|-----------------|---------------|-----------|-----------------------|
| 50-ISO13-R16-BL | 50 m / 400 m  | 16x2 blue | 800x800               |
| 50-ISO13-R16-RO | 50 m / 400 m  | 16x2 red  | 800x800               |
| 50-ISO13-R20-BL | 50 m / 400 m  | 20x2 blue | 800x800               |
| 50-ISO13-R20-RO | 50 m / 400 m  | 20x2 red  | 800x800               |
| 50-ISO13-R26-BL | 50 m / 300 m  | 26x3 blue | 800x800               |
| 50-ISO13-R26-RO | 50 m / 300 m  | 26x3 red  | 800x800               |



**Did you know** that you can use the hand-tearable repair tape to almost invisibly repair the Henco pre-insulated pipes?

> Find more information on **p. 162**

## Type: ISO13BSD (13mm) RIXc **Fireclass: BL, s1-d0**



Henco tube pre-insulated RIXc (13mm) - Improved fire class  
Henco voorgeïsoleerde buis RIXc (13mm) - verbeterde brandklasse  
Henco tube pré-isolé RIXc (13mm) - meilleur classement au feu  
Henco Rohr Isoliert RIXc (13mm) - Verbesserte Brandklasse

| Article number      | Coil / Pallet | Type      | Pallet dimension (mm) |
|---------------------|---------------|-----------|-----------------------|
| 50-ISO13-R16-BL-BSD | 50 m / 400 m  | 16x2 blue | 800x800               |
| 50-ISO13-R16-RO-BSD | 50 m / 400 m  | 16x2 red  | 800x800               |
| 50-ISO13-R20-BL-BSD | 50 m / 400 m  | 20x2 blue | 800x800               |
| 50-ISO13-R20-RO-BSD | 50 m / 400 m  | 20x2 red  | 800x800               |
| 50-ISO13-R26-BL-BSD | 50 m / 300 m  | 26x3 blue | 800x800               |
| 50-ISO13-R26-RO-BSD | 50 m / 300 m  | 26x3 red  | 800x800               |

## Type: ISO20 (20mm) RIXc **Fireclass: CL, s1-d0**



Henco tube pre-insulated RIXc (20mm)  
Henco voorgeïsoleerde buis RIXc (20mm)  
Henco tube pre-insulated RIXc (20mm)  
Henco Rohr Isoliert RIXc (20mm)

| Article number  | Coil / Pallet | Type      | Pallet dimension (mm) |
|-----------------|---------------|-----------|-----------------------|
| 50-ISO20-R16-RO | 50 m / 250 m  | 16x2 red  | 800x800               |
| 50-ISO20-R16-BL | 50 m / 250 m  | 16x2 blue | 800x800               |
| 50-ISO20-R20-RO | 50 m / 250 m  | 20x2 red  | 800x800               |
| 50-ISO20-R20-BL | 50 m / 250 m  | 20x2 blue | 800x800               |
| 25-ISO20-R26-RO | 25 m / 175 m  | 26x3 red  | 800x800               |
| 25-ISO20-R26-BL | 25 m / 175 m  | 26x3 blue | 800x800               |

## Type: ISO20BSD (20mm) RIXc **Fireclass: BL, s1-d0**



Henco tube pre-insulated RIXc (20mm) - Improved fire class  
Henco voorgeïsoleerde buis RIXc (20mm) - verbeterde brandklasse  
Henco tube pre-insulated RIXc (20mm) - meilleur classement au feu  
Henco Rohr Isoliert RIXc (20mm) - Verbesserte Brandklasse

| Article number      | Coil / Pallet | Type      | Pallet dimension (mm) |
|---------------------|---------------|-----------|-----------------------|
| 50-ISO20-R16-BL-BSD | 50 m / 250 m  | 16x2 blue | 800x800               |
| 50-ISO20-R16-RO-BSD | 50 m / 250 m  | 16x2 red  | 800x800               |
| 50-ISO20-R20-BL-BSD | 50 m / 250 m  | 20x2 blue | 800x800               |
| 50-ISO20-R20-RO-BSD | 50 m / 250 m  | 20x2 red  | 800x800               |
| 25-ISO20-R26-BL-BSD | 25 m / 175 m  | 26x3 blue | 800x800               |
| 25-ISO20-R26-RO-BSD | 25 m / 175 m  | 26x3 red  | 800x800               |



# Henco Pipes

RIXc (PE-Xc/AL/PE-Xc)

1

2

3

4

5

6

7

8

9

10

11

12

## Type: COMBI ISO4 (6 mm) RIXc Fireclass: CL, s1-d0



Henco Combi ISO RIXc (Coil)  
Henco Combi ISO RIXc (Rol)  
Henco Combi ISO RIXc (Rouleau)  
Henco Combi ISO RIXc (Ring)

| Article number   | Coil / Pallet | Type | Pallet dimension (mm) |
|------------------|---------------|------|-----------------------|
| 50-ISO4-COMBI16R | 50 m / 400 m  | 16x2 | 800x800               |

## Type: RIXc PIPE IN PIPE Fireclass: CL, s1-d0



Henco tube with colour coded conduit RIXc  
Henco buis met mantel RIXc  
Henco tube avec gaine RIXc  
Henco Rohr mit Mantel RIXc

| Article number | Coil / Pallet  | Type       | Pallet dimension (mm) |
|----------------|----------------|------------|-----------------------|
| 25-R16MR       | 25 m / 500 m   | 16x2 red   | 1200x800              |
| 25-R16MB       | 25 m / 500 m   | 16x2 blue  | 1200x800              |
| 50-R16MR       | 50 m / 1000 m  | 16x2 red   | 1200x800              |
| 50-R16MB       | 50 m / 1000 m  | 16x2 blue  | 1200x800              |
| 50-R16MBLACK   | 50 m / 1000 m  | 16x2 black | 1200x800              |
| 100-R16MR      | 100 m / 1000 m | 16x2 red   | 1200x800              |
| 100-R16MB      | 100 m / 1000 m | 16x2 blue  | 1200x800              |
| 100-R16MBLACK  | 100 m / 1000 m | 16x2 black | 1200x800              |
| 50-R18MR       | 50 m / 800 m   | 18x2 blue  | 1200x800              |
| 50-R18MB       | 50 m / 800 m   | 18x2 blue  | 1200x800              |
| 25-R20MR       | 25 m / 500 m   | 20x2 red   | 1200x800              |
| 25-R20MB       | 25 m / 500 m   | 20x2 blue  | 1200x800              |
| 25-R20MBLACK   | 25 m / 800 m   | 20x2 black | 1200x800              |
| 50-R20MR       | 50 m / 800 m   | 20x2 red   | 1200x800              |
| 50-R20MB       | 50 m / 800 m   | 20x2 blue  | 1200x800              |
| 100-R20MR      | 100 m / 1000 m | 20x2 red   | 1200x800              |
| 100-R20MB      | 100 m / 1000 m | 20x2 blue  | 1200x800              |
| 50-R26MR       | 50 m / 500 m   | 26x3 blue  | 1200x800              |
| 50-R26MB       | 50 m / 500 m   | 26x3 blue  | 1200x800              |

## Type: COMBI RIXc Fireclass: CL, s1-d0



Henco Combi RIXc (Coil)  
Henco Combi RIXc (Rol)  
Henco Combi RIXc (Rouleau)  
Henco Combi RIXc (Rohr)

| Article number | Coil / Pallet | Type | Pallet dimension (mm) |
|----------------|---------------|------|-----------------------|
| 50-COMBI16R    | 50 m / 500 m  | 16x2 | 1200x800              |



## Type: FLOOR-RIXc



Henco multilayer pipe (Coil)  
Henco meerlagenbuis (Rol)  
Henco tube multicouche (Rouleau)  
Henco Mehrschichtverbundrohr (Ring)

| Article number | Coil / Pallet  | Type | Pallet dimension (mm) |
|----------------|----------------|------|-----------------------|
| 100-F16R-WZ    | 100 m / 2200 m | 16x2 | 800x800               |
| 200-F16R-WZ    | 200 m / 2600 m | 16x2 | 800x800               |
| 500-F16R-WZ    | 500 m / 1500 m | 16x2 | 800x800               |
| 100-F20R-WZ    | 100 m / 1000 m | 20x2 | 800x800               |

6 bar - 60°C

1

2

3

4

5

6

7

8

9

10

11

12



# Henco Pipes

PE-Xc

1

## Type: 5L PE-Xc

2

3

4

5

6

7

8

9

10

11

12



Henco 5L PE-Xc pipe PE-Xc/EVOH/PE-Xc (Coil)

Henco 5L PE-Xc buis PE-Xc/EVOH/PE-Xc (Rol)

Henco 5L PE-Xc tube PE-Xc/EVOH/PE-Xc (Rouleau)

Henco 5L PE-Xc Rohr PE-Xc/EVOH/PE-Xc (Ring)

| Article number | Coil / Pallet  | Type | Pallet dimension (mm) |
|----------------|----------------|------|-----------------------|
| 200-PXC1620    | 200 m / 1600 m | 16x2 | 800x800               |
| 600-PXC1620    | 600 m / 2400 m | 16x2 | 800x800               |
| 200-PXC1720    | 200 m / 2000 m | 17x2 | 800x800               |
| 600-PXC1720    | 600 m / 2400 m | 17x2 | 800x800               |
| 240-PXC1820    | 240 m / 2160 m | 18x2 | 800x800               |
| 200-PXC2020    | 200 m / 1000 m | 20x2 | 800x800               |
| 600-PXC2020    | 600 m / 1200 m | 20x2 | 800x800               |



## Type: 5L PE-RT



Henco 5L PE-RT pipe PE-RT/EVOH/PE-RT (Coil)

Henco 5L PE-RT pipe PE-RT/EVOH/PE-RT (Rol)

Henco 5L PE-RT pipe PE-RT/EVOH/PE-RT (Rouleau)

Henco 5L PE-RT pipe PE-RT/EVOH/PE-RT (Ring)

| Article number | Coil / Pallet  | Type | Pallet dimension (mm) |
|----------------|----------------|------|-----------------------|
| 600-PRT1420    | 600 m / 2400 m | 14x2 | 800x800               |
| 120-PRT1620    | 120 m / 1440 m | 16x2 | 800x800               |
| 270-PRT1620    | 800 m / 800 m  | 16x2 | 800x800               |
| 640-PRT1620    | 600 m / 2400 m | 16x2 | 800x800               |
| 600-PRT1720    | 600 m / 2400 m | 17x2 | 800x800               |
| 240-PRT1820    | 240 m / 1440 m | 18x2 | 800x800               |
| 600-PRT1820    | 600 m / 1800 m | 18x2 | 800x800               |
| 600-PRT2020    | 600 m / 1800 m | 20x2 | 800x800               |

1

2

3

4

5

6

7

8

9

10

11

12



# Henco Pipes

PROTECTION HOSE

1

## Type: PROTECTION HOSE

2

3

4

5

6

7

8

9



Henco colour coded conduit (Coil)

Henco mantel (Rol)

Henco gaine (Rouleau)

Henco Mantel (Ring)

| Article number | Coil / Pallet  | Type              | Pallet dimension (mm) |
|----------------|----------------|-------------------|-----------------------|
| 100-MR         | 100 m / 2400 m | Ø14/Ø16/Ø18 red   | 1200x800              |
| 100-MB         | 100 m / 2400 m | Ø14/Ø16/Ø18 blue  | 1200x800              |
| 100-MBLACK     | 100 m / 2400 m | Ø14/Ø16/Ø18 black | 1200x800              |
| 50-MR20        | 50 m / 1800 m  | Ø20 red           | 1200x800              |
| 50-MB20        | 50 m / 1800 m  | Ø20 blue          | 1200x800              |
| 50-MBLACK20    | 50 m / 1800 m  | Ø20 black         | 1200x800              |
| 50-MR26        | 50 m / 1200 m  | Ø26 red           | 1200x800              |
| 50-MB26        | 50 m / 1200 m  | Ø26 blue          | 1200x800              |
| 50-MBLACK26    | 50 m / 1200 m  | Ø26 black         | 1200x800              |
| 25-MR32        | 25 m / 500 m   | Ø32 red           | 1200x800              |
| 25-MB32        | 25 m / 500 m   | Ø32 blue          | 1200x800              |

10

11

## Type: PROTECTION HOSE GAS

12



Colour coded conduit GAS (Coil)

Mantel GAS (Rol)

Gaine GAS (Rouleau)

Mantel GAS (Ring)

| Article number | Coil / Pallet  | Type       | Pallet dimension (mm) |
|----------------|----------------|------------|-----------------------|
| 50-MG16        | 50 m / 2400 m  | Ø16 yellow | 1200x800              |
| 100-MG16       | 100 m / 2400 m | Ø16 yellow | 1200x800              |
| 50-MG20        | 50 m / 1800 m  | Ø20 yellow | 1200x800              |
| 50-MG26        | 50 m / 1200 m  | Ø26 yellow | 1200x800              |
| 25-MG32        | 25 m / 500 m   | Ø32 yellow | 1200x800              |



Gas: only allowed in countries where a HENCO GAS testing + certificate is available! (see [www.henco.be](http://www.henco.be))  
 Gas: enkel toegelaten in landen waar er een HENCO GAS keur is + een certificaat voorhanden is! (zie [www.henco.be](http://www.henco.be))  
 Gaz: seulement permis dans des pays où le contrôle a eu lieu + certificat est disponible! (Consultez [www.henco.be](http://www.henco.be))  
 Gas: nur zugelassen in Länder wo HENCO GAS Prüfung geschehen ist + Zertifikat vorhanden ist! (Siehe [www.henco.be](http://www.henco.be))

## Type: COIL GAS



Henco multilayer pipe GAS (Coil)  
 Henco meerlagenbuis GAS (Rol)  
 Henco tube multicouche GAZ (Rouleau)  
 Henco Mehrschichtverbundrohr GAS (Rohr)

| Article number | Coil / Pallet | Type | Pallet dimension (mm) |
|----------------|---------------|------|-----------------------|
| 50-260320-GAS* | 50 m / 800 m  | 26x3 | 800x800               |
| 50-320326-GAS* | 50 m / 650 m  | 32x3 | 900x900               |

\*TILL EXHAUSTION OF STOCK

## Type: STRAIGHT LENGTH GAS



Henco multilayer pipe GAS (Straight length)  
 Henco meerlagenbuis GAS (Stang)  
 Henco tube multicouche GAZ (Rouleau)  
 Henco Mehrschichtverbundrohr GAS (Stange)

| Article number | Cylinder / Pallet | Type   | Floor space (mm) |
|----------------|-------------------|--------|------------------|
| 05-160212-GAS  | 125 m / 6000 m    | 16x2   | 5100x705         |
| 05-200216-GAS  | 90 m / 4320 m     | 20x2   | 5100x705         |
| 05-260320-GAS  | 50 m / 2400 m     | 26x3   | 5100x705         |
| 05-320326-GAS  | 35 m / 1680 m     | 32x3   | 5100x705         |
| 05-403533-GAS  | 45 m / 1080 m     | 40x3,5 | 5100x705         |

## Type: GAS PIPE IN PIPE



Henco multilayer piper with colour coded conduit GAS (Coil)  
 Henco meerlagenbuis met mantel GAS (Rol)  
 Henco tube multicouche avec gaine GAZ (Rouleau)  
 Henco Mehrschichtverbundrohr mit Mantel GAS (Ring)

| Article number | Coil / Pallet | Type | Pallet dimension (mm) |
|----------------|---------------|------|-----------------------|
| 25-016GASMG    | 25 m / 500 m  | 16x2 | 1200x800              |
| 50-016GASMG    | 50 m / 800 m  | 16x2 | 1200x800              |
| 25-020GASMG    | 25 m / 500 m  | 20x2 | 1200x800              |
| 50-020GASMG    | 50 m / 800 m  | 20x2 | 1200x800              |
| 50-026GASMG    | 50 m / 500 m  | 26x3 | 1200x800              |
| 25-032GASMG    | 25 m / 300 m  | 32x3 | 1200x800              |
| 25-026GASMG    | 25 m / 500 m  | 26x3 | 1200x800              |

Gastec: Standard pipe gas in combination with Henco press fittings synthetic for gas, see page 48

DVGW and Kiwa Uni: Standard pipe gas in combination with Henco brass press fittings for gas, see page 88





## Henco Pipes

SPRINKLER STANDARD (PE-Xc/AL/PE-Xc)

1

*Sprinkler: only allowed in countries where a HENCO Sprinkler certificate is available! (see [www.henco.be](http://www.henco.be))*

2

*Sprinkler: enkel toegelaten in landen waar een HENCO Sprinkler certificaat voorhanden is! (zie [www.henco.be](http://www.henco.be))*

3

*Sprinkler: seulement permis dans des pays où le HENCO Sprinkler certificat est disponible! (consultez [www.henco.be](http://www.henco.be))*

4

*Sprinkler: nur zugelassen in Länder wo HENCO Sprinkler Zertifikat vorhanden ist! (siehe [www.henco.be](http://www.henco.be))*

5

6

7

8

9

10

11

12

### Type: COIL SPR



**Henco multilayer pipe SPRINKLER (Coil)**

**Henco meerlagenbuis SPRINKLER (rol)**

**Henco tube multicouche SPRINKLER (Rouleau)**

**Henco Mehrschichtverbundrohr SPRINKLER (Rohr)**

| Article number | Coil / Pallet | Type | Pallet dimension (mm) |
|----------------|---------------|------|-----------------------|
| 50-320326-SPR  | 50 m / 650 m  | 32x3 | 900x900               |

### Type: STRAIGHT LENGTH SPR



**Henco multilayer pipe SPRINKLER (Straight length)**

**Henco meerlagenbuis SPRINKLER (Stang)**

**Henco tube multicouche SPRINKLER (Barre)**

**Henco Mehrschichtverbundrohr SPRINKLER (Stange)**

| Article number | Cylinder / Pallet | Type   | Floor space (mm) |
|----------------|-------------------|--------|------------------|
| 05-320326-SPR  | 35 m / 1680 m     | 32x3   | 5100x705         |
| 05-403533-SPR  | 45 m / 1080 m     | 40x3,5 | 5100x705         |
| 05-504042-SPR  | 35 m / 840 m      | 50x4   | 5100x705         |
| 05-634554-SPR  | 20 m / 480 m      | 63x4,5 | 5100x705         |

Standard pipe Sprinkler in combination with Henco synthetic press fittings for Sprinkler, see page 165

Sprinkler Cup: see chapter 12 on Sprinkler systems





|                                       | <i><b>Page</b></i> |
|---------------------------------------|--------------------|
| <i><b>Henco Press BLACK - PK</b></i>  | <i><b>26</b></i>   |
| <i><b>Henco Press WHITE - PKW</b></i> | <i><b>38</b></i>   |
| <i><b>Henco Press GAS - PKG</b></i>   | <i><b>46</b></i>   |
| <i><b>Henco Press SUPER SIZES</b></i> | <i><b>51</b></i>   |
| <i><b>Henco Ecoline</b></i>           | <i><b>62</b></i>   |



## Henco Synthetic Press

Henco Press BLACK - PK

### Type: 1PK



Elbow 90°  
Knie 90°  
Coude 90°  
Winkel 90°

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 1PK-1414       | 10 pc. / 150 pc. | 14x14 |
| 1PK-1616       | 10 pc. / 120 pc. | 16x16 |
| 1PK-1818       | 10 pc. / 100 pc. | 18x18 |
| 1PK-2020       | 10 pc. / 80 pc.  | 20x20 |
| 1PK-2626       | 5 pc. / 50 pc.   | 26x26 |
| 1PK-3232       | 5 pc. / 30 pc.   | 32x32 |
| 1PK-4040       | 5 pc. / 20 pc.   | 40x40 |
| 1PK-5050       | 1 pc. / 8 pc.    | 50x50 |
| 1PK-6363       | 1 pc. / 6 pc.    | 63x63 |

### Type: 1PK-JG



Elbow 90° 16x10JG (ceiling cooling)  
Knie 90° 16x10JG (koelplafond)  
Coude 90° 16x10JG (plafond climatisé)  
Winkel 90° 16x10JG (Klimadecke)

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 1PK-20JG10     | 10 pc. / 100 pc. | 20x10JG |

### Type: 2PK (CW617)



Backplate elbow female  
Sanitair muurplaat binnendraad  
Culasse pour sanitaire  
Sanitär Wandscheibe IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 2PK-1404BP     | 10 pc. / 50 pc. | 14x1/2" |
| 2PK-1603       | 10 pc. / 50 pc. | 16x3/8" |
| 2PK-1604BP     | 10 pc. / 50 pc. | 16x1/2" |
| 2PK-1804BP     | 10 pc. / 50 pc. | 18x1/2" |
| 2PK-2004BP     | 10 pc. / 50 pc. | 20x1/2" |
| 2PK-2005       | 5 pc. / 30 pc.  | 20x3/4" |
| 2PK-2605       | 5 pc. / 30 pc.  | 26x3/4" |

### Type: 2PK-X (INOX 316 L)



Backplate elbow female Inox  
Sanitair muurplaat binnendraad Inox  
Culasse pour sanitaire Inox  
Sanitär Wandscheibe IG Inox

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 2PK-1404-X     | 10 pc. / 50 pc. | 14x1/2" |
| 2PK-1604-X     | 10 pc. / 50 pc. | 16x1/2" |
| 2PK-1804-X     | 10 pc. / 50 pc. | 18x1/2" |
| 2PK-2004-X     | 10 pc. / 50 pc. | 20x1/2" |
| 2PK-2005-X     | 5 pc. / 30 pc.  | 20x3/4" |
| 2PK-2605-X     | 5 pc. / 30 pc.  | 26x3/4" |



**Did you know** you could use our galvanised bracket plates for the 2PK, 2PK-X and 2PK-K fittings?

> Find more information on **p. 161**

## Type: 2PK-K (CW617)



Backplate elbow female, short model  
Sanitair muurplaat binnendraad, laag  
Culasse double pour sanitaire, modèle court  
Sanitär Wandscheibe IG, kurzes Modell

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 2PK-1604KBP    | 10 pc. / 50 pc. | 16x1/2" |

## Type: 3PK (CW617)



Double backplate elbow female, short model  
Sanitair muurplaat binnendraad dubbel, laag  
Culasse double pour sanitaire, modèle court  
Sanitär Wandscheibe doppelt IG, kurzes Modell

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 3PK-160416BP   | 10 pc. / 30 pc. | 16x1/2"x16 |
| 3PK-200420BP   | 10 pc. / 30 pc. | 20x1/2"x20 |

## Type: 3PK-X (INOX 316 L)



Double backplate elbow female, short model INOX  
Sanitair muurplaat binnendraad dubbel INOX  
Culasse double pour sanitaire, modèle court INOX  
Sanitär Wandscheibe doppelt IG, kurzes Modell INOX

| Article number | Bag / Box       | Type               |
|----------------|-----------------|--------------------|
| 3PK-160416-X   | 10 pc. / 30 pc. | 16x1/2"x16 (40 mm) |
| 3PK-200420-X   | 10 pc. / 30 pc. | 20x1/2"x20 (40 mm) |

## Type: BP04



Black plug for 1/2" backplate  
Zwarte stop voor 1/2" muurplaat  
Bouchon noir pour 1/2" culasse  
Schwarzen Stopf für 1/2" Wandscheibe

| Article number | Bag / Box        | Type |
|----------------|------------------|------|
| BP04           | 50 pc. / 500 pc. | 1/2" |

Not suited for testing



## Henco Synthetic Press

Henco Press BLACK - PK



**Did you know** you could use the PK-tool wrench for PK and SK fittings to realise an even quicker installation of threaded Henco fittings.

> Find more information on **p. 156**

### Type: 5PK (CW617)



**Elbow 90° male adapter**  
**Knie 90° buitendraad**  
**Coude 90° mâle**  
**Winkel 90° AG**

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 5PK-1404       | 10 pc. / 60 pc. | 14x1/2" |
| 5PK-1604       | 10 pc. / 60 pc. | 16x1/2" |
| 5PK-1804       | 10 pc. / 60 pc. | 18x1/2" |
| 5PK-2004       | 10 pc. / 60 pc. | 20x1/2" |
| 5PK-2005       | 10 pc. / 50 pc. | 20x3/4" |
| 5PK-2605       | 10 pc. / 40 pc. | 26x3/4" |
| 5PK-3206       | 5 pc. / 20 pc.  | 32x1"   |
| 5PK-4007       | 3 pc. / 15 pc.  | 40x5/4" |
| 5PK-5007       | 1 pc. / 10 pc.  | 50x5/4" |
| 5PK-5008       | 1 pc. / 8 pc.   | 50x6/4" |
| 5PK-6310       | 1 pc. / 4 pc.   | 63x2"   |

### Type: 5PK-N (CW602)



**Elbow 90° male adapter CW602**  
**Knie 90° buitendraad CW602**  
**Coude 90° mâle CW602**  
**Winkel 90° AG CW602**

| Article number | Bag / Box      | Type    |
|----------------|----------------|---------|
| 5PK-4007-N     | 3 pc. / 15 pc. | 40x5/4" |
| 5PK-5007-N     | 1 pc. / 10 pc. | 50x5/4" |
| 5PK-5008-N     | 1 pc. / 8 pc.  | 50x6/4" |
| 5PK-6310-N     | 1 pc. / 4 pc.  | 63x2"   |

### Type: 6PK (CW617)



**Elbow 90° female adapter**  
**Knie 90° binnendraad**  
**Coude 90° femelle**  
**Winkel 90° IG**

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 6PK-1404BP     | 10 pc. / 60 pc. | 14x1/2" |
| 6PK-1603       | 10 pc. / 60 pc. | 16x3/8" |
| 6PK-1604BP     | 10 pc. / 60 pc. | 16x1/2" |
| 6PK-1804BP     | 10 pc. / 60 pc. | 18x1/2" |
| 6PK-2004BP     | 10 pc. / 60 pc. | 20x1/2" |
| 6PK-2005       | 10 pc. / 50 pc. | 20x3/4" |
| 6PK-2605       | 10 pc. / 50 pc. | 26x3/4" |
| 6PK-3206       | 5 pc. / 20 pc.  | 32x1"   |
| 6PK-4007       | 5 pc. / 15 pc.  | 40x5/4" |
| 6PK-5007       | 1 pc. / 8 pc.   | 50x5/4" |
| 6PK-5008       | 1 pc. / 8 pc.   | 50x6/4" |
| 6PK-6310       | 1 pc. / 4 pc.   | 63x2"   |



## Type: 6PK-X (INOX 316 L)



Elbow 90° female adapter INOX

Knie 90° binnendraad INOX

Coude 90° femelle INOX

Winkel 90° IG INOX

| Article number | Bag / Box       | Type      |
|----------------|-----------------|-----------|
| 6PK-1404-X     | 10 pc. / 60 pc. | 14x1/2"   |
| 6PK-1604-X     | 10 pc. / 60 pc. | 16x1/2"   |
| 6PK-1804-X     | 10 pc. / 60 pc. | 18x1/2"   |
| 6PK-2004-X     | 10 pc. / 60 pc. | 20x1/2"   |
| 6PK-2005-X     | 10 pc. / 50 pc. | 20x3/4"   |
| 6PK-2605-X     | 10 pc. / 50 pc. | 26x3/4"   |
| 6PK-3206-X     | 5 pc. / 20 pc.  | 32x1"     |
| 6PK-4007-X     | 5 pc. / 15 pc.  | 40x1 1/4" |
| 6PK-5007-X     | 1 pc. / 8 pc.   | 50x1 1/4" |
| 6PK-5008-X     | 1 pc. / 8 pc.   | 50x1 1/2" |
| 6PK-6310-X     | 1 pc. / 4 pc.   | 63x2"     |

## Type: 6PK-N (CW602)



Elbow 90° female adapter CW602

Knie 90° binnendraad CW602

Coude 90° femelle CW602

Winkel 90° IG CW602

| Article number | Bag / Box      | Type    |
|----------------|----------------|---------|
| 6PK-4007-N     | 5 pc. / 15 pc. | 40x5/4" |
| 6PK-5007-N     | 1 pc. / 8 pc.  | 50x5/4" |
| 6PK-5008-N     | 1 pc. / 8 pc.  | 50x6/4" |
| 6PK-6310-N     | 1 pc. / 4 pc.  | 63x2"   |

## Type: 9PK



T-piece

T-stuk

Pièce en T

T-Stück

| Article number | Bag / Box        | Type     |
|----------------|------------------|----------|
| 9PK-141414     | 10 pc. / 100 pc. | 14x14x14 |
| 9PK-161616     | 10 pc. / 60 pc.  | 16x16x16 |
| 9PK-181818     | 10 pc. / 60 pc.  | 18x18x18 |
| 9PK-202020     | 10 pc. / 50 pc.  | 20x20x20 |
| 9PK-262626     | 5 pc. / 30 pc.   | 26x26x26 |
| 9PK-323232     | 5 pc. / 15 pc.   | 32x32x32 |
| 9PK-404040     | 5 pc. / 10 pc.   | 40x40x40 |
| 9PK-505050     | 1 pc. / 6 pc.    | 50x50x50 |
| 9PK-636363     | 1 pc. / 3 pc.    | 63x63x63 |



## Henco Synthetic Press

Henco Press BLACK - PK

### Type: 10PK



T-reduced centre  
T-verlopend  
Pièce en T réduit  
T-reduziert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 10PK-161416    | 10 pc. / 50 pc. | 16x14x16 |
| 10PK-181418    | 10 pc. / 50 pc. | 18x14x18 |
| 10PK-181618    | 10 pc. / 50 pc. | 18x16x18 |
| 10PK-201420    | 10 pc. / 50 pc. | 20x14x20 |
| 10PK-201620    | 10 pc. / 50 pc. | 20x16x20 |
| 10PK-201820    | 10 pc. / 50 pc. | 20x18x20 |
| 10PK-261626    | 5 pc. / 30 pc.  | 26x16x26 |
| 10PK-261826    | 5 pc. / 30 pc.  | 26x18x26 |
| 10PK-262026    | 5 pc. / 30 pc.  | 26x20x26 |
| 10PK-321632    | 5 pc. / 25 pc.  | 32x16x32 |
| 10PK-321832    | 5 pc. / 25 pc.  | 32x18x32 |
| 10PK-322032    | 5 pc. / 25 pc.  | 32x20x32 |
| 10PK-322632    | 5 pc. / 20 pc.  | 32x26x32 |
| 10PK-401640    | 5 pc. / 15 pc.  | 40x16x40 |
| 10PK-402040    | 5 pc. / 15 pc.  | 40x20x40 |
| 10PK-402640    | 5 pc. / 15 pc.  | 40x26x40 |
| 10PK-403240    | 5 pc. / 10 pc.  | 40x32x40 |
| 10PK-502050    | 1 pc. / 6 pc.   | 50x20x50 |
| 10PK-502650    | 1 pc. / 8 pc.   | 50x26x50 |
| 10PK-503250    | 1 pc. / 8 pc.   | 50x32x50 |
| 10PK-504050    | 1 pc. / 6 pc.   | 50x40x50 |
| 10PK-632663    | 1 pc. / 4 pc.   | 63x26x63 |
| 10PK-633263    | 1 pc. / 3 pc.   | 63x32x63 |
| 10PK-634063    | 1 pc. / 3 pc.   | 63x40x63 |
| 10PK-635063    | 1 pc. / 3 pc.   | 63x50x63 |

### Type: 10PK-JG



T-reduced centre (ceiling cooling)  
T-verlopend (koelplafond)  
Pièce en T-réduit (plafond climatisé)  
T-reduziert (Klimadecke)

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 10PK-20JG1020  | 10 pc. / 50 pc. | 20x10JGx20 |



Diameter 75mm / 90mm **SUPERSIZES p. 53**

## Type: 11PK



**T-branch and line reduced**

**T-2x verlopemd**

**Pièce en T 2x réduit**

**T-2x reduziert**

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 11PK-161414    | 10 pc. / 50 pc. | 16x14x14 |
| 11PK-181616    | 10 pc. / 50 pc. | 18x16x16 |
| 11PK-201616    | 10 pc. / 50 pc. | 20x16x16 |
| 11PK-201818    | 10 pc. / 50 pc. | 20x18x18 |
| 11PK-202016    | 10 pc. / 50 pc. | 20x20x16 |
| 11PK-261616    | 10 pc. / 50 pc. | 26x16x16 |
| 11PK-261620    | 5 pc. / 30 pc.  | 26x16x20 |
| 11PK-262016    | 5 pc. / 30 pc.  | 26x20x16 |
| 11PK-262020    | 5 pc. / 30 pc.  | 26x20x20 |
| 11PK-262616    | 5 pc. / 30 pc.  | 26x26x16 |
| 11PK-262620    | 5 pc. / 30 pc.  | 26x26x20 |
| 11PK-322026    | 5 pc. / 20 pc.  | 32x20x26 |
| 11PK-322626    | 5 pc. / 20 pc.  | 32x26x26 |
| 11PK-402032    | 5 pc. / 15 pc.  | 40x20x32 |
| 11PK-402632    | 5 pc. / 15 pc.  | 40x26x32 |
| 11PK-403232    | 5 pc. / 10 pc.  | 40x32x32 |
| 11PK-404026    | 5 pc. / 10 pc.  | 40x40x26 |
| 11PK-404032    | 5 pc. / 10 pc.  | 40x40x32 |
| 11PK-502040    | 1 pc. / 10 pc.  | 50x20x40 |
| 11PK-502640    | 1 pc. / 10 pc.  | 50x26x40 |
| 11PK-503240    | 1 pc. / 10 pc.  | 50x32x40 |
| 11PK-504040    | 1 pc. / 8 pc.   | 50x40x40 |

## Type: 12PK



**T-enlarged branch**

**T-vergroot**

**Pièce en T agrandi**

**T-erweitert**

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 12PK-161816    | 10 pc. / 50 pc. | 16x18x16 |
| 12PK-162016    | 10 pc. / 50 pc. | 16x20x16 |
| 12PK-202620    | 5 pc. / 30 pc.  | 20x26x20 |
| 12PK-263226    | 5 pc. / 20 pc.  | 26x32x26 |
| 12PK-324032    | 5 pc. / 15 pc.  | 32x40x32 |
| 12PK-405040    | 1 pc. / 8 pc.   | 40x50x40 |



# Henco Synthetic Press

Henco Press BLACK - PK

## Type: 13PK



T-female centre  
T-binnendraad  
Pièce en T femelle  
T-IG

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 13PK-160416BP  | 10 pc. / 50 pc. | 16x1/2"x16 |
| 13PK-180418BP  | 10 pc. / 50 pc. | 18x1/2"x18 |
| 13PK-200420BP  | 10 pc. / 50 pc. | 20x1/2"x20 |
| 13PK-200520    | 10 pc. / 30 pc. | 20x3/4"x20 |
| 13PK-260420BP  | 5 pc. / 30 pc.  | 26x1/2"x20 |
| 13PK-260426BP  | 5 pc. / 30 pc.  | 26x1/2"x26 |
| 13PK-260526    | 5 pc. / 30 pc.  | 26x3/4"x26 |
| 13PK-320532    | 5 pc. / 15 pc.  | 32x3/4"x32 |
| 13PK-320632    | 5 pc. / 10 pc.  | 32x1"x32   |
| 13PK-320732    | 5 pc. / 10 pc.  | 32x5/4"x32 |
| 13PK-400540    | 5 pc. / 10 pc.  | 40x3/4"x40 |
| 13PK-400640    | 5 pc. / 10 pc.  | 40x1"x40   |
| 13PK-400740    | 5 pc. / 10 pc.  | 40x5/4"x40 |
| 13PK-500550    | 1 pc. / 6 pc.   | 50x3/4"x50 |
| 13PK-500850    | 1 pc. / 4 pc.   | 50x6/4"x50 |
| 13PK-631063    | 1 pc. / 2 pc.   | 63x2"x63   |

## Type: 13PK-X (INOX 316 L)



T-female centre INOX  
T-binnendraad INOX  
Pièce en T femelle INOX  
T-IG INOX

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 13PK-160416-X  | 10 pc. / 50 pc. | 16x1/2"x16 |
| 13PK-180418-X  | 10 pc. / 50 pc. | 18x1/2"x18 |
| 13PK-200420-X  | 10 pc. / 50 pc. | 20x1/2"x20 |
| 13PK-200520-X  | 10 pc. / 30 pc. | 20x3/4"x20 |
| 13PK-260420-X  | 5 pc. / 30 pc.  | 26x1/2"x20 |
| 13PK-260426-X  | 5 pc. / 30 pc.  | 26x1/2"x26 |
| 13PK-260526-X  | 5 pc. / 30 pc.  | 26x3/4"x26 |
| 13PK-320532-X  | 5 pc. / 15 pc.  | 32x3/4"x32 |
| 13PK-320632-X  | 5 pc. / 10 pc.  | 32x1"x32   |
| 13PK-320732-X  | 5 pc. / 10 pc.  | 32x5/4"x32 |
| 13PK-400540-X  | 5 pc. / 10 pc.  | 40x3/4"x40 |
| 13PK-400640-X  | 5 pc. / 10 pc.  | 40x1"x40   |
| 13PK-400740-X  | 5 pc. / 10 pc.  | 40x5/4"x40 |
| 13PK-500550-X  | 1 pc. / 6 pc.   | 50x3/4"x50 |
| 13PK-500850-X  | 1 pc. / 4 pc.   | 50x6/4"x50 |
| 13PK-631063-X  | 1 pc. / 2 pc.   | 63x2"x63   |

## Type: 13PK-N (CW602)



T-female centre CW602  
T-binnendraad CW602  
Pièce en T femelle CW602  
T-IG CW602

| Article number | Bag / Box      | Type       |
|----------------|----------------|------------|
| 13PK-400540-N  | 5 pc. / 10 pc. | 40x3/4"x40 |
| 13PK-400640-N  | 5 pc. / 10 pc. | 40x1"x40   |
| 13PK-400740-N  | 5 pc. / 10 pc. | 40x5/4"x40 |
| 13PK-500550-N  | 1 pc. / 6 pc.  | 50x3/4"x50 |
| 13PK-500850-N  | 1 pc. / 4 pc.  | 50x6/4"x50 |
| 13PK-631063-N  | 1 pc. / 2 pc.  | 63x2"x63   |



**Did you know** you could use the PK-tool wrench for PK and SK fittings to realise an even quicker installation of threaded Henco fittings.

> Find more information on **p. 156**

## Type: 14PK (CW617)



T-male centre  
T-buitendraad  
Pièce en T mâle  
T-AG

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 14PK-160416    | 10 pc. / 50 pc. | 16x1/2"x16 |
| 14PK-180418    | 10 pc. / 50 pc. | 18x1/2"x18 |
| 14PK-200420    | 10 pc. / 40 pc. | 20x1/2"x20 |
| 14PK-200520    | 10 pc. / 30 pc. | 20x3/4"x20 |
| 14PK-260426    | 5 pc. / 30 pc.  | 26x1/2"x26 |
| 14PK-260526    | 5 pc. / 25 pc.  | 26x3/4"x26 |
| 14PK-260626    | 5 pc. / 20 pc.  | 26x1"x26   |
| 14PK-320532    | 5 pc. / 15 pc.  | 32x3/4"x32 |
| 14PK-400640    | 5 pc. / 10 pc.  | 40x1"x40   |
| 14PK-400740    | 5 pc. / 10 pc.  | 40x5/4"x40 |
| 14PK-500850    | 1 pc. / 5 pc.   | 50x6/4"x50 |
| 14PK-631063    | 1 pc. / 2 pc.   | 63x2"x63   |

## Type: 14PK-N (CW602)



T-male centre CW602  
T-buitendraad CW602  
Pièce en T mâle CW602  
T-AG CW602

| Article number | Bag / Box      | Type       |
|----------------|----------------|------------|
| 14PK-400640-N  | 5 pc. / 10 pc. | 40x1"x40   |
| 14PK-400740-N  | 5 pc. / 10 pc. | 40x5/4"x40 |
| 14PK-500850-N  | 1 pc. / 5 pc.  | 50x6/4"x50 |
| 14PK-631063-N  | 1 pc. / 2 pc.  | 63x2"x63   |

## Type: 15PK



Straight coupling  
Perssok  
Manchon  
Kupplung

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 15PK-1414      | 10 pc. / 150 pc. | 14x14 |
| 15PK-1616      | 10 pc. / 150 pc. | 16x16 |
| 15PK-1818      | 10 pc. / 100 pc. | 18x18 |
| 15PK-2020      | 10 pc. / 80 pc.  | 20x20 |
| 15PK-2626      | 5 pc. / 50 pc.   | 26x26 |
| 15PK-3232      | 5 pc. / 30 pc.   | 32x32 |
| 15PK-4040      | 5 pc. / 25 pc.   | 40x40 |
| 15PK-5050      | 1 pc. / 12 pc.   | 50x50 |
| 15PK-6363      | 1 pc. / 9 pc.    | 63x63 |



# Henco Synthetic Press

Henco Press BLACK - PK

## 1 Type: 16PK



Reducing coupling  
Verloopstuk  
Réduction  
Kupplung-reduziert

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 16PK-1614      | 10 pc. / 100 pc. | 16x14 |
| 16PK-1814      | 10 pc. / 100 pc. | 18x14 |
| 16PK-1816      | 10 pc. / 100 pc. | 18x16 |
| 16PK-2014      | 10 pc. / 100 pc. | 20x14 |
| 16PK-2016      | 10 pc. / 100 pc. | 20x16 |
| 16PK-2018      | 10 pc. / 100 pc. | 20x18 |
| 16PK-2616      | 5 pc. / 60 pc.   | 26x16 |
| 16PK-2618      | 5 pc. / 50 pc.   | 26x18 |
| 16PK-2620      | 5 pc. / 50 pc.   | 26x20 |
| 16PK-3216      | 5 pc. / 50 pc.   | 32x16 |
| 16PK-3220      | 5 pc. / 40 pc.   | 32x20 |
| 16PK-3226      | 5 pc. / 40 pc.   | 32x26 |
| 16PK-4026      | 5 pc. / 30 pc.   | 40x26 |
| 16PK-4032      | 5 pc. / 25 pc.   | 40x32 |
| 16PK-5032      | 1 pc. / 15 pc.   | 50x32 |
| 16PK-5040      | 1 pc. / 15 pc.   | 50x40 |
| 16PK-6340      | 1 pc. / 8 pc.    | 63x40 |
| 16PK-6350      | 1 pc. / 8 pc.    | 63x50 |

## 2 Type: 17PK (CW617)



Straight male adapter  
Puntstuk  
Raccord droit mâle  
Übergangsfitting AG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 17PK-1404      | 10 pc. / 80 pc. | 14x1/2" |
| 17PK-1604      | 10 pc. / 80 pc. | 16x1/2" |
| 17PK-1804      | 10 pc. / 80 pc. | 18x1/2" |
| 17PK-1805      | 10 pc. / 50 pc. | 18x3/4" |
| 17PK-2004      | 10 pc. / 80 pc. | 20x1/2" |
| 17PK-2005      | 10 pc. / 50 pc. | 20x3/4" |
| 17PK-2605      | 10 pc. / 50 pc. | 26x3/4" |
| 17PK-2606      | 10 pc. / 40 pc. | 26x1"   |
| 17PK-3206      | 10 pc. / 40 pc. | 32x1"   |
| 17PK-3207      | 5 pc. / 25 pc.  | 32x5/4" |
| 17PK-4006      | 5 pc. / 25 pc.  | 40x1"   |
| 17PK-4007      | 5 pc. / 25 pc.  | 40x5/4" |
| 17PK-5008      | 1 pc. / 10 pc.  | 50x6/4" |
| 17PK-6310      | 1 pc. / 6 pc.   | 63x2"   |

## 3 Type: 17PK-N (CW602)



Straight male adapter CW602  
Puntstuk CW602  
Raccord droit mâle CW602  
Übergangsfitting AG CW602

| Article number | Bag / Box      | Type    |
|----------------|----------------|---------|
| 17PK-4006-N    | 5 pc. / 25 pc. | 40x1"   |
| 17PK-4007-N    | 5 pc. / 25 pc. | 40x5/4" |
| 17PK-5008-N    | 1 pc. / 10 pc. | 50x6/4" |
| 17PK-6310-N    | 1 pc. / 6 pc.  | 63x2"   |



**Did you know** you could use the PK-tool wrench for PK and SK fittings to realise an even quicker installation of threaded Henco fittings.

> Find more information on **p. 156**

## Type: 18PK (CW617)



**Straight female adapter**  
**Schroeffbus**  
**Raccord droit femelle**  
**Übergangsfitting IG**

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 18PK-1404      | 10 pc. / 80 pc. | 14x1/2" |
| 18PK-1604      | 10 pc. / 80 pc. | 16x1/2" |
| 18PK-1804      | 10 pc. / 80 pc. | 18x1/2" |
| 18PK-1805      | 10 pc. / 50 pc. | 18x3/4" |
| 18PK-2004      | 10 pc. / 80 pc. | 20x1/2" |
| 18PK-2005      | 10 pc. / 50 pc. | 20x3/4" |
| 18PK-2605      | 10 pc. / 50 pc. | 26x3/4" |
| 18PK-2606      | 10 pc. / 40 pc. | 26x1"   |
| 18PK-3206      | 10 pc. / 40 pc. | 32x1"   |
| 18PK-3207      | 5 pc. / 25 pc.  | 32x5/4" |
| 18PK-4006      | 5 pc. / 25 pc.  | 40x1"   |
| 18PK-4007      | 5 pc. / 25 pc.  | 40x5/4" |
| 18PK-5008      | 1 pc. / 10 pc.  | 50x6/4" |
| 18PK-6310      | 1 pc. / 6 pc.   | 63x2"   |

## Type: 18PK-X (INOX 316 L)



**Straight female adapter INOX**  
**Schroeffbus INOX**  
**Raccord droit femelle INOX**  
**Übergangsfitting IG INOX**

| Article number | Bag / Box       | Type      |
|----------------|-----------------|-----------|
| 18PK-1604-X    | 10 pc. / 80 pc. | 16x1/2"   |
| 18PK-1804-X    | 10 pc. / 80 pc. | 18x1/2"   |
| 18PK-1805-X    | 10 pc. / 50 pc. | 18x3/4"   |
| 18PK-2004-X    | 10 pc. / 80 pc. | 20x1/2"   |
| 18PK-2005-X    | 10 pc. / 50 pc. | 20x3/4"   |
| 18PK-2605-X    | 10 pc. / 50 pc. | 26x3/4"   |
| 18PK-2606-X    | 10 pc. / 40 pc. | 26x1"     |
| 18PK-3206-X    | 10 pc. / 40 pc. | 32x1"     |
| 18PK-3207-X    | 5 pc. / 25 pc.  | 32x1 1/4" |
| 18PK-4006-X    | 5 pc. / 25 pc.  | 40x1"     |
| 18PK-4007-X    | 5 pc. / 25 pc.  | 40x1 1/4" |
| 18PK-5008-X    | 1 pc. / 10 pc.  | 50x1 1/2" |
| 18PK-6310-X    | 1 pc. / 6 pc.   | 63x2"     |



## Henco Synthetic Press

Henco Press BLACK - PK

### Type: 18PK-N (CW602)



Straight female adapter CW602  
Schroefbus CW602  
Raccord droit femelle CW602  
Übergangsfitting IG CW602

| Article number | Bag / Box      | Type    |
|----------------|----------------|---------|
| 18PK-4006-N    | 5 pc. / 25 pc. | 40x1"   |
| 18PK-4007-N    | 5 pc. / 25 pc. | 40x5/4" |
| 18PK-5008-N    | 1 pc. / 10 pc. | 50x6/4" |
| 18PK-6310-N    | 1 pc. / 6 pc.  | 63x2"   |

### Type: 19PK



Press fit with swivel to eurocone  
Perskoppeling met wartel en euroconus aansluiting  
Raccord à sertir avec écrou à visser eurocone  
Pressfitting mit Drehbar und Eurokonus

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 19PK-1605      | 10 pc. / 80 pc. | 16x3/4" EK |
| 19PK-2005      | 10 pc. / 80 pc. | 20x3/4" EK |

### Type: 26PK



Press fitting with swivel and flat sealing  
Perskoppeling met wartel en vlakke dichting  
Raccord avec écrou et joint plat  
Pressfitting mit Drehbar und flach Versiegelung

| Article number | Bag / Box       | Type   |
|----------------|-----------------|--------|
| 26PK-1605      | 10 pc. / 80 pc. | 16x3/4 |
| 26PK-2005      | 10 pc. / 80 pc. | 20x3/4 |

### Type: 26PK (CW617)



Press fitting with swivel and flat sealing  
Perskoppeling met wartel en vlakke dichting  
Raccord avec écrou et joint plat  
Pressfitting mit Drehbar und flach Versiegelung

| Article number | Bag / Box      | Type      |
|----------------|----------------|-----------|
| 26PK-4007      | 5 pc. / 15 pc. | 40x5/4"   |
| 26PK-4008      | 5 pc. / 15 pc. | 40x1 1/2" |
| 26PK-5008      | 1 pc. / 10 pc. | 50x6/4"   |
| 26PK-5010      | 1 pc. / 10 pc. | 50x2"     |
| 26PK-6310      | 1 pc. / 6 pc.  | 63x2"     |
| 26PK-6312      | 1 pc. / 6 pc.  | 63x2 1/2" |



## Type: 27PK



Elbow 45°

Knie 45°

Coude 45°

Winkel 45°

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 27PK-2626      | 5 pc. / 50 pc. | 26x26 |
| 27PK-3232      | 5 pc. / 30 pc. | 32x32 |
| 27PK-4040      | 5 pc. / 25 pc. | 40x40 |
| 27PK-5050      | 1 pc. / 10 pc. | 50x50 |
| 27PK-6363      | 1 pc. / 5 pc.  | 63x63 |

## Type: 28PK-04



Bracket wallplate for 2PK, 6PK and 13PK, interaxis 153 mm

Muurplaatbeugel voor 2PK, 6PK en 13PK, interaxis 153 mm

Attache culasse pour 2PK, 6PK et 13PK, entraxe 153 mm

Bügel Wandscheibe für 2PK, 6PK und 13PK, Mitte-zu-Mitte-Abstand 153 mm

| Article number | Bag / Box      | Type              |
|----------------|----------------|-------------------|
| 28PK-04        | 1 pc. / 50 pc. | 1/2" PK Backplate |

## Type: 53PK



Easy mounting fitting

Eenvoudige montage fitting

Raccord montage facile

Einfache Montage Fitting

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 53PK40         | 1 pc. / 20 pc. | 40x40 |
| 53PK50         | 1 pc. / 9 pc.  | 50x50 |
| 53PK63         | 1 pc. / 6 pc.  | 63x63 |

for Ø16, 20, 26 and 32, see chapter 4 article 52P

## Type: N-X (INOX 316 L)



INOX nipple

INOX nippel

Nipple INOX

INOX-nippel

| Article number | Bag    | Type        |
|----------------|--------|-------------|
| N0404-X        | 10 pc. | 1/2" x 1/2" |
| N0505-X        | 10 pc. | 3/4" x 3/4" |
| N0606-X        | 10 pc. | 1" x 1"     |



# Henco Synthetic Press

Henco Press WHITE - PKW

## Type: 1PKW



Elbow 90°  
Knie 90°  
Coude 90°  
Winkel 90°

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 1PKW-1616      | 10 pc. / 120 pc. | 16x16 |
| 1PKW-2020      | 10 pc. / 80 pc.  | 20x20 |
| 1PKW-2626      | 5 pc. / 50 pc.   | 26x26 |
| 1PKW-3232      | 5 pc. / 30 pc.   | 32x32 |

## Type: 2PKW (CW617)



Backplate elbow female  
Sanitair muurplaat binnendraad  
Culasse pour sanitaire  
Sanitär Wandscheibe IG

| Article number | Bag / Box       | Type            |
|----------------|-----------------|-----------------|
| 2PKW-1604      | 10 pc. / 50 pc. | 16x1/2" (56 mm) |
| 2PKW-2004      | 10 pc. / 50 pc. | 20x1/2" (56 mm) |
| 2PKW-2005      | 5 pc. / 30 pc.  | 20x3/4" (56 mm) |
| 2PKW-2605      | 5 pc. / 30 pc.  | 26x3/4" (56 mm) |

## Type: 2PKW-X (INOX 316 L)



Backplate elbow female INOX  
Sanitair muurplaat binnendraad INOX  
Culasse pour sanitaire INOX  
Backplate elbow female INOX

| Article number | Bag / Box       | Type            |
|----------------|-----------------|-----------------|
| 2PKW-1604-X    | 10 pc. / 50 pc. | 16x1/2" (56 mm) |
| 2PKW-2004-X    | 10 pc. / 50 pc. | 20x1/2" (56 mm) |
| 2PKW-2005-X    | 5 pc. / 30 pc.  | 20x3/4" (56 mm) |
| 2PKW-2605-X    | 5 pc. / 30 pc.  | 26x3/4" (56 mm) |

## Type: 2PKW-N (CW602)



Backplate elbow female CW602  
Sanitair muurplaat binnendraad CW602  
Culasse pour sanitaire CW602  
Sanitär Wandscheibe IG CW602

| Article number | Bag / Box       | Type            |
|----------------|-----------------|-----------------|
| 2PKW-1604-N    | 10 pc. / 50 pc. | 16x1/2" (56 mm) |
| 2PKW-2004-N    | 10 pc. / 50 pc. | 20x1/2" (56 mm) |
| 2PKW-2005-N    | 5 pc. / 30 pc.  | 20x3/4" (56 mm) |
| 2PKW-2605-N    | 5 pc. / 30 pc.  | 26x3/4" (56 mm) |



**Did you know** you could use our galvanised bracket plates for the 2PKW, 2PKW-N, 2PKW-X, 2PKW-K, 2PKW-K-N and 2PKW-K-N fittings?

> Find more information on **p. 161**

## Type: 2PKW-K (CW617)



Backplate elbow female, short model  
Sanitair muurplaat binnendraad, laag  
Culasse pour sanitaire, modèle court  
Sanitär Wandscheibe IG, kurzes Modell

| Article number | Bag / Box       | Type            |
|----------------|-----------------|-----------------|
| 2PKW-1604K     | 10 pc. / 50 pc. | 16x1/2" (40 mm) |

## Type: 2PKW-K-X (INOX 316 L)



Backplate elbow female, short model INOX  
Sanitair muurplaat binnendraad, laag INOX  
Culasse pour sanitaire, modèle court INOX  
Sanitär Wandscheibe IG, kurzes Modell INOX

| Article number | Bag / Box       | Type            |
|----------------|-----------------|-----------------|
| 2PKW-1604K-X   | 10 pc. / 50 pc. | 16x1/2" (40 mm) |

## Type: 2PKW-K-N (CW602)



Backplate elbow female, short model CW602  
Sanitair muurplaat binnendraad, laag, CW602  
Culasse pour sanitaire, modèle court CW602  
Sanitär Wandscheibe IG, kurzes Modell CW602

| Article number | Bag / Box       | Type            |
|----------------|-----------------|-----------------|
| 2PKW-1604K-N   | 10 pc. / 50 pc. | 16x1/2" (40 mm) |

## Type: 3PKW (CW617)



Double backplate elbow female, short model  
Sanitair muurplaat binnendraad dubbel, laag  
Coude double plaque arrière femelle, modèle court  
Sanitär Wandscheibe doppelt IG, kurzes Modell

| Article number | Bag / Box       | Type               |
|----------------|-----------------|--------------------|
| 3PKW-160416    | 10 pc. / 30 pc. | 16x1/2"x16 (40 mm) |
| 3PKW-200420    | 10 pc. / 30 pc. | 20x1/2"x20 (40 mm) |



# Henco Synthetic Press

Henco Press WHITE - PKW

## Type: 3PKW-X (INOX 316 L)



Double backplate elbow female, short model INOX  
Sanitair muurplaat binnendraad dubbel, laag INOX  
Coude double plaque arrière femelle, modèle court INOX  
Sanitär Wandscheibe doppelt IG, kurzes Modell INOX

| Article number | Bag / Box       | Type               |
|----------------|-----------------|--------------------|
| 3PKW-160416-X  | 10 pc. / 30 pc. | 16x1/2"x16 (40 mm) |
| 3PKW-200420-X  | 10 pc. / 30 pc. | 20x1/2"x20 (40 mm) |

## Type: 3PKW-N (CW602)



Double backplate elbow female, short model CW602  
Sanitair muurplaat binnendraad dubbel, laag CW602  
Coude double plaque arrière femelle, modèle court CW602  
Sanitär Wandscheibe doppelt IG, kurzes Modell CW602

| Article number | Bag / Box       | Type               |
|----------------|-----------------|--------------------|
| 3PKW-160416-N  | 10 pc. / 30 pc. | 16x1/2"x16 (40 mm) |
| 3PKW-200420-N  | 10 pc. / 30 pc. | 20x1/2"x20 (40 mm) |

## Type: 5PKW (CW617)



Elbow 90° male adapter  
Knie 90° buitendraad  
Coude 90° mâle  
Winkel 90° AG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 5PKW-1604      | 10 pc. / 60 pc. | 16x1/2" |
| 5PKW-2004      | 10 pc. / 60 pc. | 20x1/2" |
| 5PKW-2005      | 10 pc. / 50 pc. | 20x3/4" |
| 5PKW-2605      | 10 pc. / 40 pc. | 26x3/4" |
| 5PKW-3206      | 5 pc. / 20 pc.  | 32x1"   |

## Type: 5PKW-N (CW602)



Elbow 90° male adapter CW602  
Knie 90° buitendraad CW602  
Coude 90° mâle CW602  
Winkel 90° AG CW602

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 5PKW-1604-N    | 10 pc. / 60 pc. | 16x1/2" |
| 5PKW-2004-N    | 10 pc. / 60 pc. | 20x1/2" |
| 5PKW-2005-N    | 10 pc. / 50 pc. | 20x3/4" |
| 5PKW-2605-N    | 10 pc. / 40 pc. | 26x3/4" |
| 5PKW-3206-N    | 5 pc. / 20 pc.  | 32x1"   |

## Type: 6PKW (CW617)



Elbow 90° female adapter  
Knie 90° binnendraad  
Coude 90° femelle  
Winkel 90° IG

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 6PKW-1603      | 10 pc. / 60 pc.  | 16x3/8" |
| 6PKW-1604      | 10 pc. / 60 pc.  | 16x1/2" |
| 6PKW-2004      | 10 pc. / 60 pc.  | 20x1/2" |
| 6PKW-2005      | 10 pc. / 50 pc.  | 20x3/4" |
| 6PKW-2605      | 10 pc. / 50 pc.c | 26x3/4" |
| 6PKW-3206      | 5 pc. / 20 pc.   | 32x1"   |



**Did you know** you could use the PK-tool wrench for PK and SK fittings to realise an even quicker installation of threaded Henco fittings.

> Find more information on **p. 156**

## Type: 6PKW-X (INOX 316 L)



Elbow 90° female adapter INOX

Knie 90° binnendraad INOX

Coude 90° femelle INOX

Winkel 90° IG INOX

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 6PKW-1604-X    | 10 pc. / 60 pc. | 16x1/2" |
| 6PKW-2004-X    | 10 pc. / 60 pc. | 20x1/2" |
| 6PKW-2005-X    | 10 pc. / 50 pc. | 20x3/4" |
| 6PKW-2605-X    | 10 pc. / 50 pc. | 26x3/4" |
| 6PKW-3206-X    | 5 pc. / 20 pc.  | 32x1"   |

## Type: 6PKW-N (CW602)



Elbow 90° female adapter CW602

Knie 90° binnendraad CW602

Coude 90° femelle CW602

Winkel 90° IG CW602

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 6PKW-1603-N    | 10 pc. / 60 pc. | 16x3/8" |
| 6PKW-1604-N    | 10 pc. / 60 pc. | 16x1/2" |
| 6PKW-2004-N    | 10 pc. / 60 pc. | 20x1/2" |
| 6PKW-2005-N    | 10 pc. / 50 pc. | 20x3/4" |
| 6PKW-2605-N    | 10 pc. / 50 pc. | 26x3/4" |
| 6PKW-3206-N    | 5 pc. / 20 pc.  | 32x1"   |

## Type: 9PKW



T-piece

T-stuk

Pièce en T

T-Stück

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 9PKW-161616    | 10 pc. / 60 pc. | 16x16x16 |
| 9PKW-202020    | 10 pc. / 50 pc. | 20x20x20 |
| 9PKW-262626    | 5 pc. / 30 pc.  | 26x26x26 |
| 9PKW-323232    | 5 pc. / 15 pc.  | 32x32x32 |

## Type: 10PKW



T-reduced centre

T-verlopend

Pièce en T réduit

T-reduziert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 10PKW-201620   | 10 pc. / 50 pc. | 20x16x20 |
| 10PKW-261626   | 5 pc. / 30 pc.  | 26x16x26 |
| 10PKW-262026   | 5 pc. / 30 pc.  | 26x20x26 |
| 10PKW-321632   | 5 pc. / 25 pc.  | 32x16x32 |
| 10PKW-322032   | 5 pc. / 25 pc.  | 32x20x32 |
| 10PKW-322632   | 5 pc. / 20 pc.  | 32x26x32 |



# Henco Synthetic Press

Henco Press WHITE - PKW

## Type: 11PKW



T-branch and line reduced

T-2x verlopend

T-2x réduit

T-2x reduziert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 11PKW-201616   | 10 pc. / 50 pc. | 20x16x16 |
| 11PKW-202016   | 10 pc. / 50 pc. | 20x20x16 |
| 11PKW-261616   | 10 pc. / 50 pc. | 26x16x16 |
| 11PKW-261620   | 5 pc. / 30 pc.  | 26x16x20 |
| 11PKW-262016   | 5 pc. / 30 pc.  | 26x20x16 |
| 11PKW-262020   | 5 pc. / 30 pc.  | 26x20x20 |
| 11PKW-262616   | 5 pc. / 30 pc.  | 26x26x16 |
| 11PKW-262620   | 5 pc. / 30 pc.  | 26x26x20 |
| 11PKW-322026   | 5 pc. / 20 pc.  | 32x20x26 |
| 11PKW-322626   | 5 pc. / 20 pc.  | 32x26x26 |

## Type: 12PKW



T-enlarged branch

T-vergroot

T-agrandi

T-erweitert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 12PKW-162016   | 10 pc. / 50 pc. | 16x20x16 |
| 12PKW-202620   | 5 pc. / 30 pc.  | 20x26x20 |
| 12PKW-263226   | 5 pc. / 20 pc.  | 26x32x26 |

## Type: 13PKW (CW617)



T-female centre

T-binnendraad

T-femelle

T-IG

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 13PKW-160416   | 10 pc. / 50 pc. | 16x1/2"x16 |
| 13PKW-200420   | 10 pc. / 50 pc. | 20x1/2"x20 |
| 13PKW-200520   | 10 pc. / 30 pc. | 20x3/4"x20 |
| 13PKW-260426   | 5 pc. / 30 pc.  | 26x1/2"x26 |
| 13PKW-260526   | 5 pc. / 30 pc.  | 26x3/4"x26 |
| 13PKW-320532   | 5 pc. / 15 pc.  | 32x3/4"x32 |
| 13PKW-320632   | 5 pc. / 10 pc.  | 32x1"x32   |



**Did you know** you could use the PK-tool wrench for PK and SK fittings to realise an even quicker installation of threaded Henco fittings.

> Find more information on **p. 156**

## Type: 13PKW-X (INOX 316 L)



T-female centre INOX  
T-binnendraad INOX  
T-femelle INOX  
T-IG INOX

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 13PKW-160416-X | 10 pc. / 50 pc. | 16x1/2"x16 |
| 13PKW-200420-X | 10 pc. / 50 pc. | 20x1/2"x20 |
| 13PKW-200520-X | 10 pc. / 30 pc. | 20x3/4"x20 |
| 13PKW-260426-X | 5 pc. / 30 pc.  | 26x1/2"x26 |
| 13PKW-260526-X | 5 pc. / 30 pc.  | 26x3/4"x26 |
| 13PKW-320532-X | 5 pc. / 15 pc.  | 32x3/4"x32 |
| 13PKW-320632-X | 5 pc. / 10 pc.  | 32x1"x32   |

## Type: 13PKW-N (CW602)



T-female centre CW602  
T-binnendraad CW602  
T-femelle CW602  
T-IG CW602

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 13PKW-160416-N | 10 pc. / 50 pc. | 16x1/2"x16 |
| 13PKW-200420-N | 10 pc. / 50 pc. | 20x1/2"x20 |
| 13PKW-200520-N | 10 pc. / 30 pc. | 20x3/4"x20 |
| 13PKW-260426-N | 5 pc. / 30 pc.  | 26x1/2"x26 |
| 13PKW-260526-N | 5 pc. / 30 pc.  | 26x3/4"x26 |
| 13PKW-320532-N | 5 pc. / 15 pc.  | 32x3/4"x32 |
| 13PKW-320632-N | 5 pc. / 10 pc.  | 32x1"x32   |



# Henco Synthetic Press

Henco Press WHITE - PKW

1

2

3

4

5

6

7

8

9

10

11

12

## Type: 14PKW (CW617)



T-male centre CW617  
T-buitendraad CW617  
T-mâle CW617  
T-AG CW617

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 14PKW-160416   | 10 pc. / 50 pc. | 16x1/2"x16 |
| 14PKW-200420   | 10 pc. / 40 pc. | 20x1/2"x20 |
| 14PKW-200520   | 10 pc. / 30 pc. | 20x3/4"x20 |
| 14PKW-320532   | 5 pc. / 15 pc.  | 32x3/4"x32 |

## Type: 14PKW-N (CW602)



T-male centre CW602  
T-buitendraad CW602  
T-mâle CW602  
T-AG CW602

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 14PKW-160416-N | 10 pc. / 50 pc. | 16x1/2"x16 |
| 14PKW-200420-N | 10 pc. / 40 pc. | 20x1/2"x20 |
| 14PKW-200520-N | 10 pc. / 30 pc. | 20x3/4"x20 |

## Type: 15PKW



Straight coupling  
Doorverbinding recht  
Manchon  
Kupplung

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 15PKW-1616     | 10 pc. / 150 pc. | 16x16 |
| 15PKW-2020     | 10 pc. / 80 pc.  | 20x20 |
| 15PKW-2626     | 5 pc. / 50 pc.   | 26x26 |
| 15PKW-3232     | 5 pc. / 30 pc.   | 32x32 |



## Type: 16PKW



Reducing coupling  
Verloopstuk  
Réduction  
Kupplung-reduziert

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 16PKW-2016     | 10 pc. / 100 pc. | 20x16 |
| 16PKW-2616     | 5 pc. / 60 pc.   | 26x16 |
| 16PKW-2620     | 5 pc. / 50 pc.   | 26x20 |
| 16PKW-3216     | 5 pc. / 50 pc.   | 32x16 |
| 16PKW-3220     | 5 pc. / 40 pc.   | 32x20 |
| 16PKW-3226     | 5 pc. / 40 pc.   | 32x26 |

## Type: 17PKW (CW617)



Straight male adapter  
Puntstuk  
Raccord droit mâle  
Übergangsfitting AG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 17PKW-1604     | 10 pc. / 80 pc. | 16x1/2" |
| 17PKW-2004     | 10 pc. / 80 pc. | 20x1/2" |
| 17PKW-2005     | 10 pc. / 50 pc. | 20x3/4" |
| 17PKW-2605     | 10 pc. / 50 pc. | 26x3/4" |
| 17PKW-2606     | 10 pc. / 40 pc. | 26x1"   |
| 17PKW-3206     | 10 pc. / 40 pc. | 32x1"   |
| 17PKW-3207     | 5 pc. / 25 pc.  | 32x5/4" |

## Type: 17PKW-N (CW602)



Straight male adapter CW602  
Puntstuk CW602  
Raccord droit mâle CW602  
Übergangsfitting AG CW602

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 17PKW-1604-N   | 10 pc. / 80 pc. | 16x1/2" |
| 17PKW-2004-N   | 10 pc. / 80 pc. | 20x1/2" |
| 17PKW-2005-N   | 10 pc. / 50 pc. | 20x3/4" |
| 17PKW-2605-N   | 10 pc. / 50 pc. | 26x3/4" |
| 17PKW-2606-N   | 10 pc. / 40 pc. | 26x1"   |
| 17PKW-3206-N   | 10 pc. / 40 pc. | 32x1"   |
| 17PKW-3207-N   | 5 pc. / 25 pc.  | 32x5/4" |



# Henco Synthetic Press

Henco Press WHITE - PKW

## 1 Type: 18PKW (CW617)



Straight female adapter  
Schroefbus  
Raccord droit femelle  
Übergangsfitting IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 18PKW-1604     | 10 pc. / 80 pc. | 16x1/2  |
| 18PKW-2004     | 10 pc. / 80 pc. | 20x1/2  |
| 18PKW-2005     | 10 pc. / 50 pc. | 20x3/4  |
| 18PKW-2605     | 10 pc. / 50 pc. | 26x3/4  |
| 18PKW-2606     | 10 pc. / 40 pc. | 26x1"   |
| 18PKW-3206     | 10 pc. / 40 pc. | 32x1    |
| 18PKW-3207     | 5 pc. / 25 pc.  | 32x5/4" |

## 8 Type: 18PKW-X (INOX 316 L)



Straight female adapter INOX  
Schroefbus INOX  
Raccord droit femelle INOX  
Übergangsfitting IG INOX

| Article number | Bag / Box       | Type      |
|----------------|-----------------|-----------|
| 18PKW-1604-X   | 10 pc. / 80 pc. | 16x1/2"   |
| 18PKW-2004-X   | 10 pc. / 80 pc. | 20x1/2"   |
| 18PKW-2005-X   | 10 pc. / 50 pc. | 20x3/4"   |
| 18PKW-2605-X   | 10 pc. / 50 pc. | 26x3/4"   |
| 18PKW-2606-X   | 10 pc. / 40 pc. | 26x1"     |
| 18PKW-3206-X   | 10 pc. / 40 pc. | 32x1"     |
| 18PKW-3207-X   | 5 pc. / 25 pc.  | 32x1 1/4" |

## Type: 18PKW-N (CW602)



Straight female adapter CW602  
Schroefbus CW602  
Raccord droit femelle CW602  
Übergangsfitting IG CW602

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 18PKW-1604-N   | 10 pc. / 80 pc. | 16x1/2" |
| 18PKW-2004-N   | 10 pc. / 80 pc. | 20x1/2" |
| 18PKW-2005-N   | 10 pc. / 50 pc. | 20x3/4" |
| 18PKW-2605-N   | 10 pc. / 50 pc. | 26x3/4" |
| 18PKW-2606-N   | 10 pc. / 40 pc. | 26x1"   |
| 18PKW-3206-N   | 10 pc. / 40 pc. | 32x1"   |
| 18PKW-3207-N   | 5 pc. / 25 pc.  | 32x5/4" |



## Type: 19PKW



Press fitting to eurocone  
Perskoppeling met euroconus aansluiting  
Raccord avec raccord à visser eurocone  
Pressfitting mit Eurokonus

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 19PKW-1605     | 10 pc. / 80 pc. | 16x3/4" EK |
| 19PKW-2005     | 10 pc. / 80 pc. | 20x3/4" EK |

## Type: 26PKW



Press fitting with flat sealing  
Perskoppeling met vlakke dichting  
Raccord avec etachéité plate  
Pressfitting mit flach Versiegelung

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 26PKW-1605     | 10 pc. / 80 pc. | 16x3/4" |
| 26PKW-2005     | 10 pc. / 80 pc. | 20x3/4" |

## Type: 27PKW



Elbow 45°  
Knie 45°  
Coude 45°  
Winkel 45°

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 27PKW-2626     | 5 pc. / 50 pc. | 32x32 |
| 27PKW-3232     | 5 pc. / 30 pc. | 32x32 |

## Type: N-X (INOX 316 L)



INOX nipple  
INOX nippel  
Nipple INOX  
INOX-nippel

| Article number | Bag    | Type        |
|----------------|--------|-------------|
| N0404-X        | 10 pc. | 1/2" x 1/2" |
| N0505-X        | 10 pc. | 3/4" x 3/4" |
| N0606-X        | 10 pc. | 1" x 1"     |



# Henco Synthetic Press

Henco Press GAS - PKG

Gas: only allowed in countries where a HENCO GAS testing + certificate is available! (see [www.henco.be](http://www.henco.be))  
 Gas: enkel toegelaten in landen waar er een HENCO GAS keur is + een certificaat voorhanden is! (zie [www.henco.be](http://www.henco.be))  
 Gaz: seulement permis dans des pays où le contrôle a eu lieu + certificat est disponible! (Consultez [www.henco.be](http://www.henco.be))  
 Gas: nur zugelassen in Länder wo HENCO GAS Prüfung geschehen ist + Zertifikat vorhanden ist! (Siehe [www.henco.be](http://www.henco.be))



## Type: 1PKG



Elbow 90°  
 Knie 90°  
 Coude 90°  
 Winkel 90°

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 1PKG-1616      | 10 pc. / 120 pc. | 16x16 |
| 1PKG-2020      | 10 pc. / 80 pc.  | 20x20 |
| 1PKG-2626      | 5 pc. / 50 pc.   | 26x26 |
| 1PKG-3232      | 5 pc. / 30 pc.   | 32x32 |
| 1PKG-4040      | 5 pc. / 20 pc.   | 40x40 |

## Type: 2PKG



Backplate elbow female  
 Muurplaat binnendraad  
 Culasse femelle  
 Wandscheibe IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 2PKG-1603      | 10 pc. / 50 pc. | 16x3/8" |
| 2PKG-1604BP    | 10 pc. / 50 pc. | 16x1/2" |
| 2PKG-2004BP    | 10 pc. / 50 pc. | 20x1/2" |
| 2PKG-2005      | 5 pc. / 30 pc.  | 20x3/4" |
| 2PKG-2605      | 5 pc. / 30 pc.  | 26x3/4" |

## Type: 2PKG-K



Backplate elbow female, short model  
 Muurplaat binnendraad, laag  
 Culasse femelle, modèle court  
 Wandscheibe IG, kurzes Modell

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 2PKG-1604KBP   | 10 pc. / 50 pc. | 16x1/2" |

## Type: 5PKG



Elbow 90° male adapter  
 Knie 90° buitendraad  
 Coude 90° mâle  
 Winkel 90° AG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 5PKG-1604      | 10 pc. / 60 pc. | 16x1/2" |
| 5PKG-2004      | 10 pc. / 60 pc. | 20x1/2" |
| 5PKG-2005      | 10 pc. / 50 pc. | 20x3/4" |
| 5PKG-2605      | 10 pc. / 40 pc. | 26x3/4" |
| 5PKG-3206      | 5 pc. / 20 pc.  | 32x1"   |
| 5PKG-4007      | 5 pc. / 15 pc.  | 40x5/4" |



**Did you know** you could use the PK-tool wrench for PK and SK fittings to realise an even quicker installation of threaded Henco fittings.

> Find more information on **p. 156**

## Type: 6PKG



Elbow 90° female adapter

Knie 90° binnendraad

Coude 90° femelle

Winkel 90° IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 6PKG-1604BP    | 10 pc. / 60 pc. | 16x1/2" |
| 6PKG-2004BP    | 10 pc. / 60 pc. | 20x1/2" |
| 6PKG-2005      | 10 pc. / 50 pc. | 20x3/4" |
| 6PKG-2605      | 10 pc. / 50 pc. | 26x3/4" |
| 6PKG-3206      | 5 pc. / 20 pc.  | 32x1"   |
| 6PKG-4007      | 5 pc. / 15 pc.  | 40x5/4" |

## Type: 9PKG



T-piece

T-stuk

Pièce en T

T-Stück

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 9PKG-161616    | 10 pc. / 60 pc. | 16x16x16 |
| 9PKG-202020    | 10 pc. / 50 pc. | 20x20x20 |
| 9PKG-262626    | 5 pc. / 30 pc.  | 26x26x26 |
| 9PKG-323232    | 5 pc. / 15 pc.  | 32x32x32 |
| 9PKG-404040    | 5 pc. / 10 pc.  | 40x40x40 |

## Type: 10PKG



T-reduced centre

T-verlopend

Pièce en T réduit

T-reduziert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 10PKG-201620   | 10 pc. / 50 pc. | 20x16x20 |
| 10PKG-261626   | 5 pc. / 30 pc.  | 26x16x26 |
| 10PKG-262026   | 5 pc. / 30 pc.  | 26x20x26 |
| 10PKG-321632   | 5 pc. / 25 pc.  | 32x16x32 |
| 10PKG-322032   | 5 pc. / 25 pc.  | 32x20x32 |
| 10PKG-322632   | 5 pc. / 20 pc.  | 32x26x32 |
| 10PKG-401640*  | 5 pc. / 15 pc.  | 40x16x40 |
| 10PKG-402040   | 5 pc. / 15 pc.  | 40x20x40 |
| 10PKG-402640   | 5 pc. / 15 pc.  | 40x26x40 |
| 10PKG-403240   | 5 pc. / 10 pc.  | 40x32x40 |

\*TILL EXHAUSTION OF STOCK



# Henco Synthetic Press

Henco Press GAS - PKG

## 1 Type: 11PKG

2

3

4

5

6

7

8

9

10

11

12



T-branch and line reduced

T-2x verlopend

Pièce en T 2x réduit

T-2x reduziert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 11PKG-201616   | 10 pc. / 50 pc. | 20x16x16 |
| 11PKG-202016   | 10 pc. / 50 pc. | 20x20x16 |
| 11PKG-261620   | 5 pc. / 30 pc.  | 26x16x20 |
| 11PKG-262016   | 5 pc. / 30 pc.  | 26x20x16 |
| 11PKG-262020   | 5 pc. / 30 pc.  | 26x20x20 |
| 11PKG-262616   | 5 pc. / 30 pc.  | 26x26x16 |
| 11PKG-262620   | 5 pc. / 30 pc.  | 26x26x20 |
| 11PKG-322026   | 5 pc. / 20 pc.  | 32x20x26 |
| 11PKG-322626   | 5 pc. / 20 pc.  | 32x26x26 |
| 11PKG-402032*  | 5 pc. / 15 pc.  | 40x20x32 |
| 11PKG-402632   | 5 pc. / 15 pc.  | 40x26x32 |
| 11PKG-403232   | 5 pc. / 10 pc.  | 40x32x32 |
| 11PKG-404026   | 5 pc. / 10 pc.  | 40x40x26 |
| 11PKG-404032*  | 5 pc. / 10 pc.  | 40x40x32 |

\*TILL EXHAUSTION OF STOCK

## Type: 12PKG



T-enlarged branch

T-vergroot

Pièce en T agrandi

T-erweitert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 12PKG-162016   | 10 pc. / 50 pc. | 16x20x16 |
| 12PKG-202620   | 5 pc. / 30 pc.  | 20x26x20 |
| 12PKG-263226   | 5 pc. / 20 pc.  | 26x32x26 |
| 12PKG-324032   | 5 pc. / 10 pc.  | 32x40x32 |

## Type: 13PKG



T-female centre

T-binnendraad

Pièce en T femelle

T-IG



| Article number  | Bag / Box       | Type       |
|-----------------|-----------------|------------|
| 13PKG-160416BP  | 10 pc. / 50 pc. | 16x1/2"x16 |
| 13PKG-200420BP* | 10 pc. / 50 pc. | 20x1/2"x20 |
| 13PKG-200520    | 10 pc. / 30 pc. | 20x3/4"x20 |
| 13PKG-260420BP* | 5 pc. / 30 pc.  | 26x1/2"x20 |
| 13PKG-260426BP  | 5 pc. / 30 pc.  | 26x1/2"x26 |
| 13PKG-260526    | 5 pc. / 30 pc.  | 26x3/4"x26 |
| 13PKG-320532    | 5 pc. / 15 pc.  | 32x3/4"x32 |
| 13PKG-320632    | 5 pc. / 10 pc.  | 32x1"x32   |
| 13PKG-320732    | 5 pc. / 10 pc.  | 32x5/4"x32 |
| 13PKG-400640    | 5 pc. / 10 pc.  | 40x1"x40   |
| 13PKG-400740    | 5 pc. / 10 pc.  | 40x5/4"x40 |

\* TILL EXHAUSTION OF STOCK



**Did you know** you could use the PK-tool wrench for PK and SK fittings to realise an even quicker installation of threaded Henco fittings.

> Find more information on **p. 156**

## Type: 14PKG



T-male centre  
T-buitendraad  
Pièce en T mâle  
T-AG

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 14PKG-160416   | 10 pc. / 50 pc. | 16x1/2"x16 |
| 14PKG-200420*  | 10 pc. / 40 pc. | 20x1/2"x20 |
| 14PKG-260426   | 5 pc. / 20 pc.  | 26x1/2"x26 |
| 14PKG-260626   | 5 pc. / 20 pc.  | 26x1"x26   |

*\*TILL EXHAUSTION OF STOCK*

## Type: 15PKG



Straight coupling  
Perssok  
Manchon  
Kupplung

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 15PKG-1616     | 10 pc. / 150 pc. | 16x16 |
| 15PKG-2020     | 10 pc. / 80 pc.  | 20x20 |
| 15PKG-2626     | 5 pc. / 50 pc.   | 26x26 |
| 15PKG-3232     | 5 pc. / 30 pc.   | 32x32 |
| 15PKG-4040     | 5 pc. / 25 pc.   | 40x40 |

## Type: 16PKG



Reducing coupling  
Verloopstuk  
Réduction  
Kupplung-reduziert

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 16PKG-2016     | 10 pc. / 100 pc. | 20x16 |
| 16PKG-2616     | 5 pc. / 60 pc.   | 26x16 |
| 16PKG-2620     | 5 pc. / 50 pc.   | 26x20 |
| 16PKG-3216     | 5 pc. / 50 pc.   | 32x16 |
| 16PKG-3220     | 5 pc. / 40 pc.   | 32x20 |
| 16PKG-3226     | 5 pc. / 40 pc.   | 32x26 |
| 16PKG-4026     | 5 pc. / 30 pc.   | 40x26 |
| 16PKG-4032     | 5 pc. / 30 pc.   | 40x32 |



# Henco Synthetic Press

Henco Press GAS - PKG

1

## Type: 17PKG

2

Straight male adapter

Puntstuk

Raccord droit mâle

Übergangsfitting AG

3

4



5

6

7

8

9

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 17PKG-1604     | 10 pc. / 80 pc. | 16x1/2" |
| 17PKG-2004     | 10 pc. / 80 pc. | 20x1/2" |
| 17PKG-2005     | 10 pc. / 50 pc. | 20x3/4" |
| 17PKG-2605     | 10 pc. / 50 pc. | 26x3/4" |
| 17PKG-2606     | 10 pc. / 40 pc. | 26x1"   |
| 17PKG-3206     | 10 pc. / 40 pc. | 32x1"   |
| 17PKG-3207     | 5 pc. / 25 pc.  | 32x5/4" |
| 17PKG-4006     | 5 pc. / 25 pc.  | 40x1"   |
| 17PKG-4007     | 5 pc. / 25 pc.  | 40x5/4" |

10

## Type: 18PKG

11

Straight female adapter

Schroefbus

Raccord droit femelle

Übergangsfitting IG

12



| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 18PKG-1604     | 10 pc. / 80 pc. | 16x1/2" |
| 18PKG-2004     | 10 pc. / 80 pc. | 20x1/2" |
| 18PKG-2005     | 10 pc. / 50 pc. | 20x3/4" |
| 18PKG-2605     | 10 pc. / 50 pc. | 26x3/4" |
| 18PKG-2606     | 10 pc. / 40 pc. | 26x1"   |
| 18PKG-3206     | 10 pc. / 40 pc. | 32x1"   |
| 18PKG-3207     | 5 pc. / 25 pc.  | 32x5/4" |
| 18PKG-4006     | 5 pc. / 25 pc.  | 40x1"   |
| 18PKG-4007     | 5 pc. / 25 pc.  | 40x5/4" |

## Type: 27PKG



Elbow 45°

Knie 45°

Coude 45°


Winkel 45°

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 27PKG-4040     | 5 pc. / 25 pc. | 40x40 |



A = 75mm | B = 90 mm

## Detailed overview of Super Sizes possibilities




### 1PK

- 1 1HNA or 1HNB
- 2 HNA or HNB
- 3 8HNA-PK40 or 8HNA-PK50 or 8HNA-PK63 or 8HNA-PK75 or 8HNB-PK90

### Example / Voorbeeld / Exemple / Beispiel

1PK-7575 = 1x 1HNA + 2xHNA + 2x 8HNA-PK75




### 5PK / 6PK

- 1 1HNA or 1HNB
- 2 HNA or HNB
- 3 8HNA-PK75 or 8HNB-PK90
- 4 17HNA-10 or 17HNA-12 or 18HNA-06 or 18HNA-10 or 18HNA-12 or 18HNB-14

### Example / Voorbeeld / Exemple / Beispiel

5PK-7510 = 1x 1HNA + 2xHNA + 1x 8HNA-PK75 + 1x17HNA-10




### 9PK / 10PK / 11PK / 12PK (75mm)

- 1 9HNA
- 2 HNA
- 3 8HNA-PK32 or 8HNA-PK40 or 8HNA-PK50 or 8HNA-PK63 or 8HNA-PK75

### Example / Voorbeeld / Exemple / Beispiel

9PK-757575 = 1x 9HNA + 3xHNA + 3x 8HNA-PK75



### 10PK / 11PK / 12PK (90mm)

- 1 9HNB
- 2 HNB
- 3 8HNB-PK90
- 4 16HNBA
- 5 HNA
- 6 8HNA-PK32 or 8HNA-PK40 or 8HNA-PK50 or 8HNA-PK63 or 8HNA-PK75

### Example / Voorbeeld / Exemple / Beispiel

10PK-905090 = 1x 9HNB + 3x HNB + 2x 8HNB-PK90 + 1x 16HNBA + 1xHNA + 8HNA-PK50



# Henco Synthetic Press

Henco Press SUPER SIZES

A = 75mm | B = 90 mm

1

2

3

4

5

6

7


8

9

10

11

12




## 13PK / 14PK

- 1 9HNA or 9HNB
- 2 HNA or HNB
- 3 8HNA-PK75 or 8HNB-PK90
- 4 17HNA-10 or 17HNA-12 or 18HNA-06 or 18HNA-10 or 18HNA-12 or 18HNB-14

### Example / Voorbeeld / Exemple / Beispiel

13PK-750675 = 1x 9HNA + 3x HNA + 8HNA-PK75 + 18HNA-06




## 15PK / 16PK

- 1 HNA or HNB
- 2 8HNA-PK75 or 8HNB-PK90

### Example / Voorbeeld / Exemple / Beispiel

15PK-7575 = 1x HNA + 2x 8HNA-PK75




## 16PK

- 1 16HNBA
- 2 HNB
- 3 8HNB-PK90
- 4 HNA
- 5 8HNA-PK32 or 8HNA-PK40 or 8HNA-PK50 or 8HNA-PK63 or 8HNA-PK75

### Example / Voorbeeld / Exemple / Beispiel

16PK-9063 = 1x 16HNBA + 1x HNB + 1x 8HNB-PK90 + 1x HNA + 1x 8HNA-PK63




## 16PK-7516

- 1 HNA
- 2 8HNA-PK75
- 3 HNA-EK05
- 4 19P-1605 or 19P-1805 or 19P-2005 or 33P-1605 or 19SK-1605 or 19SK-2005



A = 75mm | B = 90 mm




## 17PK / 18PK

- ① HNA or HNB
- ② 8HNA-PK75 or 8HNB-PK90
- ③ 17HNA or 18HNA or 18HNB

### Example / Voorbeeld / Exemple / Beispiel

18PK-7512 = 1x HNA + 1x 8HNA-PK75 + 1x 18HNA-12



## 27PK

- ① 27HNA or 27HNB
- ② HNA or HNB
- ③ 8HNA-PK75 or 8HNB-PK90

### Example / Voorbeeld / Exemple / Beispiel



27PK-9090 = 1x 27HNB + 2xHNB + 2x 8HNB-PK90

### SUPER SIZE MONTAGE

\*HN connection = "click and lock"  
\*PK connection = press connection

### Possibilities

HNA: PK32 / PK40 / PK50 / PK63 / PK75  
HNB: PK90





# Henco Synthetic Press

Henco Press SUPER SIZES

A = 75mm | B = 90 mm

## Type: 1HN



Elbow 90°  
Knie 90°  
Coude 90°  
Winkel 90°

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 1HNA           | 1 pc. / 10 pc. | 75x75 |
| 1HNB           | 1 pc.          | 90x90 |

## Type: 9HN



T-piece  
T-stuk  
Pièce en T  
T-Stück

| Article number | Bag / Box     | Type     |
|----------------|---------------|----------|
| 9HNA           | 1 pc. / 7 pc. | 75x75x75 |
| 9HNB           | 1 pc.         | 90x90x90 |

## Type: 16HN



Reducing coupling  
Verloopstuk  
Pièce en T  
Kupplung-reduziert

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 16HNBA         | 1 pc. / 15 pc. | 90x75 |

## Type: 27HN



Elbow 45°  
Knie 45°  
Coude 45°  
Winkel 45°

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| 27HNA          | 1 pc. / 15 pc. | 75   |
| 27HNB          | 1 pc. / 4 pc.  | 90   |

## Type: 8HN



Press fitting  
Perskoppeling  
Raccord à sertir  
Pressfitting

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 8HNA-PK32      | 1 pc. / 20 pc. | 75x32 |
| 8HNA-PK40      | 1 pc. / 20 pc. | 75x40 |
| 8HNA-PK50      | 1 pc. / 12 pc. | 75x50 |
| 8HNA-PK63      | 1 pc. / 12 pc. | 75x63 |
| 8HNA-PK75      | 1 pc. / 12 pc. | 75x75 |
| 8HNB-PK90      | 1 pc. / 4 pc.  | 90x90 |



A = 75mm | B = 90 mm

## Type: HN



Bracket set  
Beugelset  
Support  
Bügelset

| Article number | Box   | Type |
|----------------|-------|------|
| HNA            | 1 pc. | 75   |
| HNB            | 1 pc. | 90   |

## Type: HN-PEN



Locking pin  
Beugelpin  
Goupille de verrouillage  
Sicherungsstift

| Article number | Bag / Box         | Type  |
|----------------|-------------------|-------|
| HN-PEN         | 50 pc. / 1000 pc. | 75/90 |

## Type: HN-U



Sealing ring  
Dichtingsring  
Anneau d'étanchéité  
Dichtungsring

| Article number | Bag    | Type |
|----------------|--------|------|
| HNA-U          | 10 pc. | 75   |
| HNB-U          | 10 pc. | 90   |

## Type: 17HN (CW617)



Brass adapter male  
Messing adapter buitendraad  
Raccord en laiton mâle  
Anschluss Bügel AG

| Article number | Bag / Box      | Type    |
|----------------|----------------|---------|
| 17HNA-10       | 1 pc. / 22 pc. | 75x2"   |
| 17HNA-12       | 1 pc. / 18 pc. | 75x2,5" |

## Type: 17HN-N (CW602)



Brass adapter male CW602  
Messing adapter buitendraad CW602  
Raccord en laiton mâle CW602  
Anschluss Bügel AG CW602

| Article number | Bag / Box      | Type    |
|----------------|----------------|---------|
| 17HNA-10-N     | 1 pc. / 22 pc. | 75x2"   |
| 17HNA-12-N     | 1 pc. / 18 pc. | 75x2,5" |

## Type: 17HN-X (INOX 316 L)



Stainless steel adapter male INOX  
Inox adapter buitendraad INOX  
Raccord en acier inoxydable mâle INOX  
Anschluss Bügel aus Edelstahl (AG) INOX

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| 17HNA-06-X     | 1 pc. / 30 pc. | 75   |
| 17HNA-07-X     | 1 pc. / 30 pc. | 75   |
| 17HNA-08-X     | 1 pc. / 30 pc. | 75   |
| 17HNA-10-X     | 1 pc. / 20 pc. | 75   |
| 17HNA-12-X     | 1 pc. / 20 pc. | 75   |



# Henco Synthetic Press

Henco Press SUPER SIZES

A = 75mm | B = 90 mm

## Type: 18HN (CW617)



Brass adapter female  
Messing adapter binnendraad  
Raccord en laiton femelle  
Anschluss Bügel IG

| Article number | Bag / Box      | Type    |
|----------------|----------------|---------|
| 18HNA-06       | 1 pc. / 40 pc. | 75x1"   |
| 18HNA-10       | 1 pc. / 27 pc. | 75x2"   |
| 18HNA-12       | 1 pc. / 16 pc. | 75x2,5" |
| 18HNB-14       | 1 pc. / 12 pc. | 90x3"   |

## Type: 18HN-N (CW602)



Brass adapter female CW602  
Messing adapter binnendraad CW602  
Raccord en laiton femelle CW602  
Anschluss Bügel IG CW602

| Article number | Bag / Box      | Type    |
|----------------|----------------|---------|
| 18HNA-06-N     | 1 pc. / 40 pc. | 75x1"   |
| 18HNA-10-N     | 1 pc. / 27 pc. | 75x2"   |
| 18HNA-12-N     | 1 pc. / 16 pc. | 75x2,5" |
| 18HNB-14-N     | 1 pc. / 12 pc. | 90x3"   |

## Type: 18HN-X (INOX 316 L)



Stainless steel adapter female  
Inox adapter binnendraad  
Raccord en acier inoxydable femelle  
Anschluss Bügel aus Edelstahl (IG)

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| 18HNA-06-X     | 1 pc. / 30 pc. | 75   |
| 18HNA-08-X     | 1 pc. / 30 pc. | 75   |
| 18HNA-10-X     | 1 pc. / 20 pc. | 75   |
| 18HNA-12-X     | 1 pc. / 20 pc. | 75   |

## Type: HN-STOP (CW617N)



Stop end for SUPER SIZES range  
Eindstop voor SUPER SIZES gamma  
Bouchon d'arrêt SUPER SIZES  
Endkappe für das Sortiment SUPER SIZES

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| HNA-STOP*      | 1 pc. / 90 pc. | 75   |
| HNB-STOP       | 1 pc. / 40 pc. | 90   |

\*TILL EXHAUSTION OF STOCK

## Type: HN-STOP-E (CW625N)



Stop end for SUPER SIZES range (CW625N)  
Eindstop voor SUPER SIZES gamma (CW625N)  
Bouchon d'arrêt SUPER SIZES (CW625N)  
Endkappe für das Sortiment SUPER SIZES (CW625N)

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| HNA-STOP-E     | 1 pc. / 50 pc. | 75   |



A = 75mm | B = 90 mm

## Type: HNA-INLB (CW617N)



Base plate for Ecoline solution  
Basisplaat voor Ecoline oplossing  
Plaque de base pour la solution Ecoline  
Grundplatte für Ecoline-Lösung

| Article number | Bag / Box      | Type      |
|----------------|----------------|-----------|
| HNA-INLB       | 1 pc. / 30 pc. | 16 x 3/4" |

## Type: HNA-INLB-E (CW625N)



Base plate for Ecoline solution CW625N  
Basisplaat voor Ecoline oplossing CW625N  
Plaque de base pour la solution Ecoline CW625N  
Grundplatte für Ecoline-Lösung CW625N

| Article number | Bag / Box      | Type      |
|----------------|----------------|-----------|
| HNA-INLB-E     | 1 pc. / 30 pc. | 16 x 3/4" |

## Type: HNA-EK05 (CW617N)



Adapter HNA x EK 3/4"  
Overgang HNA x EK 3/4"  
Réduction HNA x EK 3/4"  
Übergang HNA x EK 3/4"

| Article number | Bag / Box      | Type         |
|----------------|----------------|--------------|
| HNA-EK05*      | 1 pc. / 50 pc. | 75 x 3/4" EK |

\*TILL EXHAUSTION OF STOCK

## Type: HNA-EK05-E (CW625N)



Adapter HNA x EK 3/4" CW625N  
Overgang HNA x EK 3/4" CW625N  
Réduction HNA x EK 3/4" CW625N  
Übergang HNA x EK 3/4" CW625N

| Article number | Bag / Box      | Type         |
|----------------|----------------|--------------|
| HNA-EK05-E     | 1 pc. / 50 pc. | 75 x 3/4" EK |

## Type: HN-COMP (INOX 316 L)



HN expansion bellow INOX  
HN compensator INOX  
HN compensateur INOX  
HN Kompensator INOX

| Article number | Bag   | Type |
|----------------|-------|------|
| HNA-COMP       | 1 pc. | 75   |

## Type: HN-FL (INOX 316 L)



Flange connection INOX  
Flensaansluiting INOX  
Raccordement bride INOX  
Flanschverbindung INOX

| Article number | Box   | Type     |
|----------------|-------|----------|
| HNAFL-DN50     | 1 pc. | HNAxDN50 |



## Henco Synthetic Press

Henco Press SUPER SIZES

### Type: HN-1



Elbow 90°  
Knie 90°  
Coude 90°  
Winkel 90°

| Article number | Box   | Type  |
|----------------|-------|-------|
| 1PK-7575       | 1 pc. | 75x75 |
| 1PK-9090       | 1 pc. | 90x90 |

### Type: HN-5 (CW617N)



Elbow 90° male adapter  
Knie 90° buitendraad  
Coude 90° mâle  
Winkel 90° AG

| Article number | Box   | Type      |
|----------------|-------|-----------|
| 5PK-7510       | 1 pc. | 75x2"     |
| 5PK-7512       | 1 pc. | 75x2 1/2" |

### Type: HN-6 (CW617N)



Elbow 90° female adapter  
Knie 90° binnendraad  
Coude 90° femelle  
Winkel 90° IG

| Article number | Box   | Type      |
|----------------|-------|-----------|
| 6PK-7506       | 1 pc. | 75x1"     |
| 6PK-7510       | 1 pc. | 75x2"     |
| 6PK-7512       | 1 pc. | 75x2 1/2" |
| 6PK-9014       | 1 pc. | 90x3"     |

### Type: HN-9



T-piece  
T-stuk  
Pièce en T  
T-Stück

| Article number | Box   | Type     |
|----------------|-------|----------|
| 9PK-757575     | 1 pc. | 75x75x75 |
| 9PK-909090     | 1 pc. | 90x90x90 |



## Type: HN-10



T-reduced centre

T-verlopend

Pièce en T réduit

T-reduziert

| Article number | Box   | Type     |
|----------------|-------|----------|
| 10PK-753275    | 1 pc. | 75x32x75 |
| 10PK-754075    | 1 pc. | 75x40x75 |
| 10PK-755075    | 1 pc. | 75x50x75 |
| 10PK-756375    | 1 pc. | 75x63x75 |
| 10PK-903290    | 1 pc. | 90x32x90 |
| 10PK-904090    | 1 pc. | 90x40x90 |
| 10PK-905090    | 1 pc. | 90x50x90 |
| 10PK-906390    | 1 pc. | 90x63x90 |
| 10PK-907590    | 1 pc. | 90x75x90 |

## Type: HN-11



T-branch and line reduced

T-2x verlopend

Pièce en T 2x réduit

T-2x reduziert

| Article number | Box   | Type     |
|----------------|-------|----------|
| 11PK-753232    | 1 pc. | 75x32x32 |
| 11PK-753240    | 1 pc. | 75x32x40 |
| 11PK-753250    | 1 pc. | 75x32x50 |
| 11PK-753263    | 1 pc. | 75x32x63 |
| 11PK-754040    | 1 pc. | 75x40x40 |
| 11PK-754050    | 1 pc. | 75x40x50 |
| 11PK-754063    | 1 pc. | 75x40x63 |
| 11PK-755050    | 1 pc. | 75x50x50 |
| 11PK-755063    | 1 pc. | 75x50x63 |
| 11PK-756363    | 1 pc. | 75x63x63 |
| 11PK-903232    | 1 pc. | 90x32x32 |
| 11PK-903240    | 1 pc. | 90x32x40 |
| 11PK-903250    | 1 pc. | 90x32x50 |
| 11PK-903263    | 1 pc. | 90x32x63 |
| 11PK-903275    | 1 pc. | 90x32x75 |
| 11PK-904040    | 1 pc. | 90x40x40 |
| 11PK-904050    | 1 pc. | 90x40x50 |
| 11PK-904063    | 1 pc. | 90x40x63 |
| 11PK-904075    | 1 pc. | 90x40x75 |
| 11PK-905050    | 1 pc. | 90x50x50 |
| 11PK-905063    | 1 pc. | 90x50x63 |
| 11PK-905075    | 1 pc. | 90x50x75 |
| 11PK-906363    | 1 pc. | 90x63x63 |
| 11PK-906375    | 1 pc. | 90x63x75 |
| 11PK-907575    | 1 pc. | 90x75x75 |



# Henco Synthetic Press

Henco Press SUPER SIZES

## Type: HN-12



T-enlarged branch  
T-vergroot  
Pièce en T agrandi  
T-erweitert

| Article number | Box   | Type     |
|----------------|-------|----------|
| 12PK-327532    | 1 pc. | 32x75x32 |
| 12PK-329032    | 1 pc. | 32x90x32 |
| 12PK-407540    | 1 pc. | 40x75x40 |
| 12PK-409040    | 1 pc. | 40x90x40 |
| 12PK-507550    | 1 pc. | 50x75x50 |
| 12PK-509050    | 1 pc. | 50x90x50 |
| 12PK-637563    | 1 pc. | 63x75x63 |
| 12PK-639063    | 1 pc. | 63x90x75 |
| 12PK-759075    | 1 pc. | 75x90x75 |

## Type: HN-13 (CW617N)



T-female centre  
T-binnendraad  
Pièce en T femelle  
T-IG

| Article number | Box   | Type         |
|----------------|-------|--------------|
| 13PK-750675    | 1 pc. | 75x1"x75     |
| 13PK-751075    | 1 pc. | 75x2"x75     |
| 13PK-751275    | 1 pc. | 75x2 1/2"x75 |
| 13PK-901490    | 1 pc. | 90x3"x90     |

## Type: HN-14 (CW617N)



T-male centre  
T-buitendraad  
Pièce en T mâle  
T-AG

| Article number | Box   | Type         |
|----------------|-------|--------------|
| 14PK-751075    | 1 pc. | 75x2"x75     |
| 14PK-751275    | 1 pc. | 75x2 1/2"x75 |

## Type: HN-15



Straight coupling  
Perssok  
Manchon  
Kupplung

| Article number | Box   | Type  |
|----------------|-------|-------|
| 15PK-7575      | 1 pc. | 75x75 |
| 15PK-9090      | 1 pc. | 90x90 |



## Type: HN-16



Reducing coupling  
Verloopstuk  
Réduction  
Kupplung-reduziert

| Article number | Box   | Type  |
|----------------|-------|-------|
| 16PK-7532      | 1 pc. | 75x32 |
| 16PK-7540      | 1 pc. | 75x40 |
| 16PK-7550      | 1 pc. | 75x50 |
| 16PK-7563      | 1 pc. | 75x63 |
| 16PK-9032      | 1 pc. | 90x32 |
| 16PK-9040      | 1 pc. | 90x40 |
| 16PK-9050      | 1 pc. | 90x50 |
| 16PK-9063      | 1 pc. | 90x63 |
| 16PK-9075      | 1 pc. | 90x75 |

## Type: HN-17 (CW617N)



Straight male adapter  
Puntstuk  
Raccord droit mâle  
Übergangsfitting AG

| Article number | Box   | Type      |
|----------------|-------|-----------|
| 17PK-7510      | 1 pc. | 75x2"     |
| 17PK-7512      | 1 pc. | 75x2 1/2" |

## Type: HN-18 (CW617N)



Straight female adapter  
Schroefbus  
Raccord droit femelle  
Übergangsfitting IG

| Article number | Box   | Type      |
|----------------|-------|-----------|
| 18PK-7506      | 1 pc. | 75x1"     |
| 18PK-7510      | 1 pc. | 75x2"     |
| 18PK-7512      | 1 pc. | 75x2 1/2" |
| 18PK-9014      | 1 pc. | 90x3"     |

## Type: HN-27



Elbow 45°  
Knie 45°  
Coude 45°  
Winkel 45°

| Article number | Box   | Type  |
|----------------|-------|-------|
| 27PK-7575      | 1 pc. | 75x75 |
| 27PK-9090      | 1 pc. | 90x90 |



# Henco Synthetic Press

Henco Ecoline

## Type: HNA-ECOLINE-SET



Basic set for Inliner  
Basisset voor Inliner  
Set de base pour Inliner  
Grundsatz für Inliner

| Article number  | Bag / Box | Type |
|-----------------|-----------|------|
| HNA-ECOLINE-SET | 1 pc. / - |      |

Composition:  
1x 9HNA (T-piece)  
4x HNA (Bracket set)  
1x HNA-EK05 (Adapter HNA-EK)  
1x HNA-INLB (Base plate for inliner)

The Henco ECO-line is an energy saving solution for recirculation loops, which limits heat loss between supply and return pipe.

A separate pipe for the circulation water is no longer required.

Designed on the Henco Super Size concept, it also combines modularity and easy installation.

### ONE CONCEPT FOR ALL DIMENSIONS FROM 40 UP TO 75MM

- Cost effective
- Easy installation
- Less space consumption
- Anti legionellosis

### Additional items to complete the ECOLINE installation \*

| Article number | Description                                             | Page |
|----------------|---------------------------------------------------------|------|
| 8HNA-PK...     | Press fitting 40, 50, 63 or 75                          | 56   |
| 50-MXC1620     | Henco 1L PE-Xc 16x2 - 50m                               | -    |
| 19P-1605       | Nickel plated press-fit adapter to eurocone 16x3/4"     | 79   |
| 19P-2005       | Nickel plated press-fit adapter to eurocone 20x3/4"     | 79   |
| 33P-1605       | Nickel plated press-fit adapter to eurocone 90° 16x3/4" | 83   |
| 19PK-1605      | Press fit swivel to eurocone 16x3/4"                    | 38   |
| 19PK-2005      | Press fit swivel to eurocone 20x3/4"                    | 38   |
| 19SK-1605      | Push fitting with eurocone connection 16x3/4"           | 70   |
| 19SK-2005      | Push fitting with eurocone connection 20x3/4"           | 70   |



\* To complete the Ecoline installation you need to have a circulator and thermostatic balancing valve (not in Henco range)




|                              | <i>Page</i> |
|------------------------------|-------------|
| <i>Henco Vision Fittings</i> | <i>66</i>   |
| <i>Manifolds</i>             | <i>72</i>   |



## Henco Vision - Push Fit

Henco Vision Fittings



**Did you know** you could use our galvanised bracket plates for the 2S?

> Find more information on **p. 161**

### Type: 1SK



Elbow 90°  
Knie 90°  
Coude 90°  
Winkel 90°

| Article number | Bag / Box       | Type  |
|----------------|-----------------|-------|
| 1SK-1616       | 10 pc. / 70 pc. | 16x16 |
| 1SK-2020       | 10 pc. / 50 pc. | 20x20 |
| 1SK-2626       | 5 pc. / 40 pc.  | 26x26 |


### Type: 2SK



Backplate elbow female  
Sanitair muurplaat binnendraad  
Culasse pour sanitaire femelle  
Sanitär Wandscheibe IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 2SK-1604BP     | 10 pc. / 40 pc. | 16x1/2" |
| 2SK-2004BP     | 10 pc. / 40 pc. | 20x1/2" |
| 2SK-2005       | 10 pc. / 30 pc. | 20x3/4" |
| 2SK-2605       | 5 pc. / 20 pc.  | 26x3/4" |

### Type: 2S (CW617N)



Backplate elbow female, short model  
Sanitair muurplaat binnendraad, laag  
Culasse pour sanitaire femelle, modèle court  
Sanitär Wandscheibe IG, kurzes Modell

| Article number | Bag / Box       | Type      |
|----------------|-----------------|-----------|
| 2S-1604K       | 10 pc. / 50 pc. | 16 x 1/2" |

### Type: 3SK (CW617N)



Double backplate elbow female, short model  
Dubbel sanitair muurplaat binnendraad, laag  
Culasse double pour sanitaire, modèle court  
Sanitär Wandscheibe doppelt IG, kurzes Modell

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 3SK-160416BP   | 10 pc. / 30 pc. | 16x1/2"x16 |
| 3SK-200420BP   | 10 pc. / 30 pc. | 20x1/2"x20 |



**Did you know** you could use the PK-tool wrench for PK and SK fittings to realise an even quicker installation of threaded Henco fittings.

> Find more information on **p. 156**

## Type: 5SK (CW617N)



Elbow 90° male adapter  
Knie 90° buitendraad  
Coude 90° mâle  
Winkel 90° AG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 5SK-1604       | 10 pc. / 60 pc. | 16x1/2" |
| 5SK-2004       | 10 pc. / 50 pc. | 20x1/2" |
| 5SK-2005       | 10 pc. / 40 pc. | 20x3/4" |
| 5SK-2605       | 5 pc. / 30 pc.  | 26x3/4" |

## Type: 6SK (CW617N)



Elbow 90° female adapter  
Knie 90° binnendraad  
Coude 90° femelle  
Winkel 90° IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 6SK-1604BP     | 10 pc. / 60 pc. | 16x1/2" |
| 6SK-2004BP     | 10 pc. / 60 pc. | 20x1/2" |
| 6SK-2005       | 10 pc. / 30 pc. | 20x3/4" |
| 6SK-2605       | 10 pc. / 30 pc. | 26x3/4" |

## Type: 9SK



T-piece  
T-stuk  
Pièce en T  
T-Stück

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 9SK-161616     | 10 pc. / 40 pc. | 16x16x16 |
| 9SK-202020     | 10 pc. / 30 pc. | 20x20x20 |
| 9SK-262626     | 5 pc. / 20 pc.  | 26x26x26 |

## Type: 10SK



T-reduced centre  
T-verlopend  
Pièce en T réduit  
T-reduziert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 10SK-201620    | 10 pc. / 40 pc. | 20x16x20 |
| 10SK-261626    | 5 pc. / 25 pc.  | 26x16x26 |
| 10SK-262026    | 5 pc. / 20 pc.  | 26x20x26 |



## Henco Vision - Push Fit

Henco Vision Fittings

### Type: 11SK



T-branch and line reduced

T-2x verlopend

Pièce en T 2x réduit

T-2x reduziert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 11SK-201616    | 10 pc. / 40 pc. | 20x16x16 |
| 11SK-202016    | 10 pc. / 30 pc. | 20x20x16 |
| 11SK-261620    | 5 pc. / 25 pc.  | 26x16x20 |
| 11SK-262016*   | 5 pc. / 25 pc.  | 26x20x16 |
| 11SK-262020    | 5 pc. / 25 pc.  | 26x20x20 |
| 11SK-262616    | 5 pc. / 25 pc.  | 26x26x16 |
| 11SK-262620    | 5 pc. / 20 pc.  | 26x26x20 |

*\*TILL EXHAUSTION OF STOCK*

### Type: 12SK



T-enlarged branch

T-vergroot

Pièce en T agrandi

T-erweitert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 12SK-162016    | 10 pc. / 40 pc. | 16x20x16 |
| 12SK-202620    | 5 pc. / 30 pc.  | 20x26x20 |

### Type: 13SK (CW617N)



T-female centre

T-binnendraad

Pièce en T femelle

T-IG

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 13SK-160416BP  | 10 pc. / 40 pc. | 16x1/2"x16 |
| 13SK-200420BP  | 10 pc. / 30 pc. | 20x1/2"x20 |
| 13SK-200520    | 10 pc. / 30 pc. | 20x3/4"x20 |
| 13SK-260420BP  | 5 pc. / 20 pc.  | 26x1/2"x20 |
| 13SK-260426BP  | 5 pc. / 20 pc.  | 26x1/2"x26 |
| 13SK-260526    | 5 pc. / 20 pc.  | 26x3/4"x26 |

### Type: 14SK (CW617N)



T-male centre

T-buitendraad

Pièce en T mâle

T-AG

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 14SK-160416    | 10 pc. / 40 pc. | 16x1/2"x16 |
| 14SK-200420    | 10 pc. / 30 pc. | 20x1/2"x20 |
| 14SK-260426    | 5 pc. / 20 pc.  | 26x1/2"x26 |



## Type: 15SK



**Straight coupling**  
Perssok  
Manchon  
Kupplung

| Article number | Bag / Box       | Type  |
|----------------|-----------------|-------|
| 15SK-1616      | 10 pc. / 70 pc. | 16x16 |
| 15SK-2020      | 10 pc. / 60 pc. | 20x20 |
| 15SK-2626      | 5 pc. / 30 pc.  | 26x26 |

## Type: 16SK



**Reducing coupling**  
Verloopstuk  
Réduction  
Kupplung-reduziert

| Article number | Bag / Box       | Type  |
|----------------|-----------------|-------|
| 16SK-2016      | 10 pc. / 80 pc. | 20x16 |
| 16SK-2616      | 10 pc. / 50 pc. | 26x16 |
| 16SK-2620      | 10 pc. / 40 pc. | 26x20 |

## Type: 17SK (CW617N)



**Straight male adapter**  
Puntstuk  
Raccord droit mâle  
Übergangsfitting AG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 17SK-1603      | 10 pc. / 80 pc. | 16x3/8" |
| 17SK-1604      | 10 pc. / 80 pc. | 16x1/2" |
| 17SK-2004      | 10 pc. / 60 pc. | 20x1/2" |
| 17SK-2005      | 10 pc. / 60 pc. | 20x3/4" |
| 17SK-2605      | 10 pc. / 40 pc. | 26x3/4" |
| 17SK-2606      | 10 pc. / 40 pc. | 26x1"   |

## Type: 18SK (CW617N)



**Straight female adapter**  
Schroefbus  
Raccord droit femelle  
Übergangsfitting IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 18SK-1604      | 10 pc. / 80 pc. | 16x1/2" |
| 18SK-2004      | 10 pc. / 80 pc. | 20x1/2" |
| 18SK-2005      | 10 pc. / 60 pc. | 20x3/4" |
| 18SK-2605      | 10 pc. / 50 pc. | 26x3/4" |
| 18SK-2606      | 10 pc. / 40 pc. | 26x1"   |



## Henco Vision - Push Fit

Henco Vision Fittings

### 1 Type: 17SKS (CW617N)



Straight nipple male  
Puntstuk  
Raccord droit mâle  
Übergangsfitting AG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 17SKS-2004     | 5 pc. / 150 pc. | 20x1/2" |
| 17SKS-2005     | 5 pc. / 150 pc. | 20x3/4" |
| 17SKS-2604     | 5 pc. / 100 pc. | 26x1/2" |
| 17SKS-2605     | 5 pc. / 100 pc. | 26x3/4" |

*Applicable with HENCO Vision fittings & Full Flow Manifold*

### 7 Type: 18SKS (CW617N)



Straight nipple female  
Recht aansluitstuk binnendraad  
Raccord droit femelle  
Übergangsfitting IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 18SKS-2004     | 5 pc. / 150 pc. | 20x1/2" |
| 18SKS-2005     | 5 pc. / 100 pc. | 20x3/4" |
| 18SKS-2604     | 5 pc. / 100 pc. | 26x1/2" |
| 18SKS-2605     | 5 pc. / 80 pc.  | 26x3/4" |

*Applicable with HENCO Vision fittings & Full Flow Manifold*

### Type: 19SK



Push fitting with eurocone connection  
Steekkoppeling met euroconus-aansluiting  
Raccord push fit avec eurocone  
Steckkupplung mit Eurokonus

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 19SK-1505*     | 10 pc. / 80 pc. | 15x3/4" EK |
| 19SK-1605      | 10 pc. / 80 pc. | 16x3/4" EK |
| 19SK-2005      | 10 pc. / 80 pc. | 20x3/4" EK |

*\*Not suited for embedding in floors and walls*

### Type: 26SK



Push fitting with swivel and flat sealing  
Steekkoppeling met wartel en vlakke dichting  
Raccord push fit avec raccord ecrou étanchéité plate  
Steckkupplung mit Drehbar und flach Versiegelung

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 26SK-1605      | 10 pc. / 80 pc. | 16x3/4" |
| 26SK-2005      | 10 pc. / 80 pc. | 20x3/4" |



## Type: SK-PIESTOP



Stop end for pipe  
Eindstop voor buis  
Bouchon pour tube  
Endkappe für Rohre

| Article number | Bag / Box        | Type |
|----------------|------------------|------|
| SK-PIESTOP16   | 10 pc. / 120 pc. | 16   |
| SK-PIESTOP20   | 10 pc. / 80 pc.  | 20   |
| SK-PIESTOP26   | 10 pc. / 80 pc.  | 26   |

## Type: SK-STOPCLIP



Reusable stop and clip for push fit connection  
Herbruikbare stop en clip passend in een steekkoppeling  
Bouchon et clip réutilisables pour connection push fit  
Stopfen und clip für Steckanschluss, wieder verwendbar

| Article number | Bag / Box        | Type |
|----------------|------------------|------|
| SK-STOPCLIP16  | 10 pc. / 120 pc. | 16   |
| SK-STOPCLIP20  | 10 pc. / 100 pc. | 20   |
| SK-STOPCLIP26  | 10 pc. / 80 pc.  | 26   |

## Type: VISION SET



Vision revision set  
Vision revisie set  
Set de révision Vision  
Vision set

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| VISION SET 16  | 1 pc. / 100 pc. | 16   |
| VISION SET 20  | 1 pc. / 90 pc.  | 20   |
| VISION SET 26  | 1 pc. / 80 pc.  | 26   |

## Type: VISION KEY



Vision disassembly key  
Vision demontage sleutel  
Clé de démontage Vision  
Vision Entriegelungsschlüssel

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| VISION-KEY16   | 1 pc. / 200 pc. | 16   |
| VISION-KEY20   | 1 pc. / 100 pc. | 20   |
| VISION-KEY26   | 1 pc. / 100 pc. | 26   |



## Henco Vision - Push Fit

Manifolds

1

### Type: VSK-1616

2

3



Extension or body for manifold, two SK connections Ø16  
Verlengstuk of basis voor verdeler, twee SK-aansluitingen Ø16  
Complément ou base collecteur, deux sorties SK Ø16  
Erweiterung oder Basiskörper für Verteiler, zwei SK-Anschlüssen Ø16

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| VSK-1616       | 1 pc. / 14 pc. | 16-16 |

4

5

6

### Type: VSK-161616

7

8



Extension or body for manifold, three SK connections Ø16  
Verlengstuk of basis voor verdeler, drie SK-aansluitingen Ø16  
Complément ou base collecteur, trois sorties SK Ø16  
Erweiterung oder Basiskörper für Verteiler, drei SK-Anschlüssen Ø16

| Article number | Bag / Box      | Type     |
|----------------|----------------|----------|
| VSK-161616     | 1 pc. / 14 pc. | 16-16-16 |

9

10

11

### Type: SK-B05

12



Bracket for manifolds  
Montagebeugel voor verdelers  
Double support pour collecteurs  
Halter für Verteiler

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| SK-B05         | 1 pc. / 100 pc. | B05  |

*See chapter 6A for more options for the Full Flow Manifold*



|                                       | <i>Page</i> |
|---------------------------------------|-------------|
| <i>Henco Brass Press Fittings</i>     | <i>74</i>   |
| <i>Henco Brass Press Fittings GAS</i> | <i>88</i>   |



# Henco Brass Press

Henco Brass Press Fittings

## Type: 1P



Elbow 90°  
Knie 90°  
Coude 90°  
Winkel 90°

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 1P-1616        | 10 pc. / 150 pc. | 16x16 |
| 1P-1818*       | 10 pc. / 100 pc. | 18x18 |
| 1P-2020        | 10 pc. / 80 pc.  | 20x20 |
| 1P-2626        | 5 pc. / 50 pc.   | 26x26 |
| 1P-3232        | 5 pc. / 30 pc.   | 32x32 |

*\*TILL EXHAUSTION OF STOCK*

## Type: 2P



Backplate elbow female  
Sanitair muurplaat binnendraad  
Culasse pour sanitaire femelle  
Sanitär Wandscheibe IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 2P-1604        | 10 pc. / 50 pc. | 16x1/2" |
| 2P-1804        | 10 pc. / 50 pc. | 18x1/2" |
| 2P-2004        | 10 pc. / 50 pc. | 20x1/2" |
| 2P-2005        | 10 pc. / 50 pc. | 20x3/4" |
| 2P-2605        | 5 pc. / 40 pc.  | 26x3/4" |

## Type: 2P-K



Backplate elbow female, short model  
Sanitair muurplaat binnendraad, laag  
Culasse double pour sanitaire, modèle court  
Sanitär Wandscheibe IG, kurzes Modell

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 2P-1404K       | 10 pc. / 50 pc. | 14x1/2" |
| 2P-1604K       | 10 pc. / 50 pc. | 16x1/2" |

## Type: 3P



Double backplate elbow female  
Sanitair muurplaat binnendraad dubbel  
Culasse double pour sanitaire  
Sanitär Wandscheibe doppelt IG

| Article number | Bag / Box       | Type        |
|----------------|-----------------|-------------|
| 3P-160416      | 10 pc. / 40 pc. | 16x1/2"x16  |
| 3P-200420      | 10 pc. / 40 pc. | 20x1/2" x20 |

## Type: 3P-VK



Double backplate elbow female (flow), short model  
Doorstroom muurplaat binnendraad, laag  
Culasse double femelle (écoulement), modèle court  
Wandscheibe doppelt IG (Fluss), kurzes Modell

| Article number | Bag / Box      | Type               |
|----------------|----------------|--------------------|
| 3P-160416VK    | 5 pc. / 20 pc. | 16x1/2"x16 (40 mm) |
| 3P-200420VK    | 5 pc. / 20 pc. | 20x1/2"x20 (40 mm) |
| 3P-260426VK    | 5 pc. / 20 pc. | 26x1/2"x26 (40 mm) |



1

2

3

4

5

6

7

8

9

10

11

12



**Did you know** you could use our galvanised bracket plates for the 2P, 2P-K, 3P-VK and 4P?

> Find more information on **p. 161**

## Type: 4P



**Backplate elbow female, extended model**  
**Sanitair muurplaat binnendraad, hoog**  
**Culasse pour sanitaire femelle, modèle long**  
**Sanitär Wandscheibe IG, langes Modell**

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 4P-1604        | 10 pc. / 40 pc. | 16x1/2" |

## Type: 5P



**Elbow 90° male adapter**  
**Knie 90° buitendraad**  
**Coude 90° mâle**  
**Winkel 90° AG**

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 5P-1603        | 10 pc. / 150 pc. | 16x3/8" |
| 5P-1604        | 10 pc. / 150 pc. | 16x1/2" |
| 5P-1804        | 10 pc. / 120 pc. | 18x1/2" |
| 5P-2004        | 10 pc. / 100 pc. | 20x1/2" |
| 5P-2005        | 10 pc. / 80 pc.  | 20x3/4" |
| 5P-2605        | 10 pc. / 60 pc.  | 26x3/4" |
| 5P-2606        | 5 pc. / 40 pc.   | 26x1"   |
| 5P-3206        | 5 pc. / 25 pc.   | 32x1"   |

## Type: 5P-DZR (CW602N)



**Elbow 90° male adapter**  
**Knie 90° buitendraad**  
**Coude 90° mâle**  
**Winkel 90° AG**

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 5P-1603DZR     | 10 pc. / 150 pc. | 16x3/8" |
| 5P-1604DZR     | 10 pc. / 150 pc. | 16x1/2" |

## Type: 6P



**Elbow 90° female adapter**  
**Knie 90° binnendraad**  
**Coude 90° femelle**  
**Winkel 90° IG**

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 6P-1604        | 10 pc. / 120 pc. | 16x1/2" |
| 6P-1804        | 10 pc. / 120 pc. | 18x1/2" |
| 6P-2004        | 10 pc. / 120 pc. | 20x1/2" |
| 6P-2005        | 10 pc. / 50 pc.  | 20x3/4" |
| 6P-2605        | 5 pc. / 50 pc.   | 26x3/4" |



# Henco Brass Press

Henco Brass Press Fittings

## Type: 7P

1

2

3

4



Backplate elbow male

Sanitair muurplaat buitendraad met binnendraad 1/2"

Culasse pour sanitaire male

Sanitär Wandscheibe AG

| Article number | Bag / Box      | Type            |
|----------------|----------------|-----------------|
| 7P-1605        | 5 pc. / 30 pc. | 16x3/4" (78 mm) |
| 7P-1605K       | 5 pc. / 30 pc. | 16x3/4" (60 mm) |
| 7P-1605L       | 5 pc. / 30 pc. | 16x3/4" (70 mm) |

## Type: 8P

5

6

7

8



Sanitary adapter female

Sanitair aansluitstuk met binnendraad

Culasse pour sanitaire femelle

UP-Spülkastenwinkel

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 8P-1604        | 10 pc. / 50 pc. | 16x1/2" |

## Type: 9P

9



T-piece

T-stuk

Pièce en T

T-Stück

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 9P-161616      | 10 pc. / 60 pc. | 16x16x16 |
| 9P-181818      | 10 pc. / 60 pc. | 18x18x18 |
| 9P-202020      | 10 pc. / 50 pc. | 20x20x20 |
| 9P-262626      | 5 pc. / 30 pc.  | 26x26x26 |

## Type: 10P



T-reduced centre

T-verlopend

Pièce en T-réduit

T-reduziert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 10P-201620     | 10 pc. / 50 pc. | 20x16x20 |
| 10P-261626     | 5 pc. / 30 pc.  | 26x16x26 |
| 10P-262026     | 5 pc. / 30 pc.  | 26x20x26 |
| 10P-321632     | 5 pc. / 20 pc.  | 32x16x32 |
| 10P-322032     | 5 pc. / 20 pc.  | 32x20x32 |

## Type: 11P



T-branch and line reduced

T-2x verlopend

Pièce en T 2x réduit

T-2x reduziert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 11P-201616     | 10 pc. / 50 pc. | 20x16x16 |
| 11P-202016     | 10 pc. / 50 pc. | 20x20x16 |
| 11P-261620     | 5 pc. / 30 pc.  | 26x16x20 |
| 11P-262020     | 5 pc. / 30 pc.  | 26x20x20 |
| 11P-262616     | 5 pc. / 30 pc.  | 26x26x16 |
| 11P-262620     | 5 pc. / 30 pc.  | 26x26x20 |
| 11P-322026*    | 5 pc. / 20 pc.  | 32x20x26 |
| 11P-322626*    | 5 pc. / 20 pc.  | 32x26x26 |

\*TILL EXHAUSTION OF STOCK



## Type: 12P



T-enlarged branch  
T-vergroot  
Pièce en T agrandi  
T-erweitert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 12P-162016     | 10 pc. / 60 pc. | 16x20x16 |
| 12P-202620     | 5 pc. / 30 pc.  | 20x26x20 |

## Type: 13P



T-female centre  
T-binnendraad  
Pièce en T femelle  
T-IG

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 13P-160416     | 10 pc. / 60 pc. | 16x1/2"x16 |
| 13P-200420     | 10 pc. / 50 pc. | 20x1/2"x20 |
| 13P-200520     | 10 pc. / 30 pc. | 20x3/4"x20 |
| 13P-260426     | 5 pc. / 30 pc.  | 26x1/2"x26 |
| 13P-260526     | 5 pc. / 30 pc.  | 26x3/4"x26 |
| 13P-320532*    | 5 pc. / 20 pc.  | 32x3/4"x32 |

\*TILL EXHAUSTION OF STOCK

## Type: 14P



T-male centre  
T-buitendraad  
Pièce en T mâle  
T-AG

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 14P-160416     | 10 pc. / 60 pc. | 16x1/2"x16 |
| 14P-200420     | 10 pc. / 60 pc. | 20x1/2"x20 |
| 14P-200520     | 5 pc. / 30 pc.  | 20x3/4"x20 |
| 14P-260426     | 5 pc. / 30 pc.  | 26x1/2"x26 |

## Type: 15P



Straight coupling  
Perssok  
Manchon  
Kupplung

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 15P-1616       | 10 pc. / 200 pc. | 16x16 |
| 15P-1818       | 10 pc. / 150 pc. | 18x18 |
| 15P-2020       | 10 pc. / 140 pc. | 20x20 |
| 15P-2626       | 5 pc. / 80 pc.   | 26x26 |
| 15P-3232       | 5 pc. / 50 pc.   | 32x32 |



# Henco Brass Press

Henco Brass Press Fittings

## Type: 16P



Reducing coupling  
Verloopstuk  
Réduction  
Kupplung-reduziert

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 16P-1816*      | 10 pc. / 150 pc. | 18x16 |
| 16P-2016       | 10 pc. / 150 pc. | 20x16 |
| 16P-2018*      | 10 pc. / 150 pc. | 20x18 |
| 16P-2616       | 5 pc. / 100 pc.  | 26x16 |
| 16P-2620       | 5 pc. / 80 pc.   | 26x20 |
| 16P-3216*      | 5 pc. / 60 pc.   | 32x16 |
| 16P-3220*      | 5 pc. / 60 pc.   | 32x20 |
| 16P-3226       | 5 pc. / 60 pc.   | 32x26 |

\*TILL EXHAUSTION OF STOCK

## Type: 17P



Straight male adapter  
Puntstuk  
Raccord droit mâle  
Übergangsfitting AG

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 17P-1603       | 10 pc. / 150 pc. | 16x3/8" |
| 17P-1604       | 10 pc. / 150 pc. | 16x1/2" |
| 17P-1605       | 10 pc. / 150 pc. | 16x3/4" |
| 17P-1804       | 10 pc. / 150 pc. | 18x1/2" |
| 17P-1805       | 10 pc. / 150 pc. | 18x3/4" |
| 17P-2004       | 10 pc. / 150 pc. | 20x1/2" |
| 17P-2005       | 10 pc. / 150 pc. | 20x3/4" |
| 17P-2605       | 5 pc. / 80 pc.   | 26x3/4" |
| 17P-2606       | 5 pc. / 80 pc.   | 26x1"   |
| 17P-3206       | 5 pc. / 50 pc.   | 32x1"   |
| 17P-3207       | 5 pc. / 40 pc.   | 32x5/4" |

## Type: 17P-DZR (CW602N)



Straight male adapter CW602N  
Puntstuk CW602N  
Raccord droit mâle CW602N  
Übergangsfitting AG CW602N

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 17P-1603DZR    | 10 pc. / 150 pc. | 16x3/8" |
| 17P-1604DZR    | 10 pc. / 150 pc. | 16x1/2" |

## Type: 17P-CS (CW724N)



Straight male adapter CW724N  
Puntstuk CW724N  
Raccord droit mâle CW724N  
Übergangsfitting AG CW724N

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 17P-1604-CS    | 10 pc. / 170 pc. | 16x1/2" |
| 17P-2004-CS    | 10 pc. / 150 pc. | 20x1/2" |
| 17P-2005-CS    | 10 pc. / 140 pc. | 20x3/4" |
| 17P-2605-CS    | 10 pc. / 100 pc. | 26x3/4" |
| 17P-2606-CS    | 10 pc. / 80 pc.  | 26x1"   |



## Type: 18P



Straight female adapter  
Schroefbus  
Raccord droit femelle  
Übergangsfitting IG

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 18P-1604       | 10 pc. / 150 pc. | 16x1/2" |
| 18P-1804       | 10 pc. / 120 pc. | 18x1/2" |
| 18P-2004       | 10 pc. / 100 pc. | 20x1/2" |
| 18P-2005       | 10 pc. / 100 pc. | 20x3/4" |
| 18P-2605       | 5 pc. / 80 pc.   | 26x3/4" |
| 18P-2606       | 5 pc. / 70 pc.   | 26x1"   |
| 18P-3206       | 5 pc. / 50 pc.   | 32x1"   |
| 18P-3207       | 5 pc. / 30 pc.   | 32x5/4" |

## Type: 19P



Press fit adapter to eurocone  
Aansluiting met wartel en euroconus koppeling  
Raccordement avec raccord à visser eurocone  
Anschlussverschraubung mit Eurokonus

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 19P-1405       | 10 pc. / 150 pc. | 14x3/4" |
| 19P-1605       | 10 pc. / 150 pc. | 16x3/4" |
| 19P-1805       | 10 pc. / 150 pc. | 18x3/4" |
| 19P-2005       | 10 pc. / 140 pc. | 20x3/4" |

## Type: 24P



Radiator connection nickel-plated 300 mm copper pipe Ø15  
Radiatoraansluitbocht vernikkeld met 300 mm koperbuis Ø15  
Alimentation radiateur nickelé 300 mm tube de cuivre Ø15  
Heizkörperanschluss vernickelt 300 mm Kupferrohr Ø15

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 24P-1604       | 2 pc. / 50 pc. | 16x15 |
| 24P-2004*      | 2 pc. / 50 pc. | 20x15 |

\*TILL EXHAUSTION OF STOCK

## Type: 25P



Radiator connection nickel-plated 1100 mm copper pipe Ø15  
Radiatoraansluitbocht vernikkeld met 1100 mm koperbuis Ø15  
Alimentation radiateur nickelé 1100 mm tube de cuivre Ø15  
Heizkörperanschluss vernickelt 1100 mm Kupferrohr Ø15

| Article number | Bag   | Type  |
|----------------|-------|-------|
| 25P-1604*      | 2 pc. | 16x15 |

\*TILL EXHAUSTION OF STOCK



# Henco Brass Press

Henco Brass Press Fittings

## Type: 26P



Press fitting self-filling  
Aansluiting met buitendraad, vlakke dichting  
Raccord auto-étanche  
Pressfitting mit AG flachdichtend

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 26P-1604       | 10 pc. / 100 pc. | 16x1/2" |
| 26P-1605       | 10 pc. / 80 pc.  | 32x5/4" |
| 26P-2004       | 10 pc. / 80 pc.  | 20x1/2" |
| 26P-2005       | 10 pc. / 70 pc.  | 20x3/4" |
| 26P-2605       | 5 pc. / 50 pc.   | 26x3/4" |
| 26P-2606       | 5 pc. / 40 pc.   | 26x1"   |
| 26P-3206*      | 5 pc. / 25 pc.   | 32x1"   |

*\*TILL EXHAUSTION OF STOCK*

## Type: 26P-Z



Press fitting swivel adapter  
Aansluiting met wartel, vlakke dichting  
Raccord à visser, joint plat  
Pressfitting mit IG flachdichtend ohne Nippel

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 26P-16Z03      | 10 pc. / 150 pc. | 16x3/8" |
| 26P-16Z04      | 10 pc. / 150 pc. | 16x1/2" |
| 26P-16Z05      | 10 pc. / 80 pc.  | 16x3/4" |
| 26P-20Z04      | 10 pc. / 150 pc. | 20x1/2" |
| 26P-20Z05      | 10 pc. / 70 pc.  | 20x3/4" |
| 26P-26Z05      | 5 pc. / 50 pc.   | 26x3/4" |
| 26P-26Z06      | 5 pc. / 40 pc.   | 26x1"   |
| 26P-32Z06      | 5 pc. / 40 pc.   | 32x1"   |
| 26P-32Z07      | 5 pc. / 40 pc.   | 32x5/4" |

## Type: 26P-Z-DZR (CW602N)



Press fitting swivel adapter CW602N  
Aansluiting met wartel, vlakke dichting CW602N  
Raccord à visser, joint plat CW602N  
Pressfitting mit IG flachdichtend ohne Nippel CW602N

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 26P-16Z04DZR   | 10 pc. / 150 pc. | 16x1/2" |
| 26P-20Z04DZR   | 10 pc. / 150 pc. | 20x1/2" |
| 26P-20Z05DZR   | 10 pc. / 70 pc.  | 20x3/4" |
| 26P-26Z05DZR   | 5 pc. / 50 pc.   | 26x3/4" |

## Type: N



Nipple for article 26P-Z  
Nippel voor artikel 26P-Z  
Nipple pour article 26P-Z  
Nippel für Artikel 26P-Z

| Article number | Bag / Box        | Type      |
|----------------|------------------|-----------|
| N04            | 10 pc. / 250 pc. | 3/4"x3/4" |
| N05            | 10 pc. / 200 pc. | 3/4 x 3/4 |
| N06            | 25 pc. / 250 pc. | 1"x1"     |



## Type: 27P



Elbow 45°  
Knie 45°  
Coude 45°  
Winkel 45°

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 27P-2626       | 5 pc. / 50 pc. | 26x26 |
| 27P-3232       | 5 pc. / 30 pc. | 32x32 |

## Type: 28P



Double backplate elbow female, build up  
Dubbele muurplaat binnendraad, opbouw  
Culasse double pour sanitaire femelle  
Sanitär Wandscheibe doppelt IG, Oberbau

| Article number | Bag / Box      | Type              |
|----------------|----------------|-------------------|
| 28P-14041604-1 | 1 pc. / 20 pc. | 14x1/2" - 16x1/2" |
| 28P-16041604-1 | 1 pc. / 20 pc. | 16x1/2" - 16x1/2" |


## Type: 28PV



Double backplate elbow female, build-in  
Dubbele muurplaat binnendraad, inbouw  
Culasse double surélevé  
Wandwinkel doppelt erhöht

| Article number  | Bag / Box      | Type              |
|-----------------|----------------|-------------------|
| 28PV-16031603-1 | 1 pc. / 15 pc. | 16x3/8" - 16x3/8" |
| 28PV-16041604-1 | 1 pc. / 15 pc. | 16x1/2" - 16x1/2" |

## Type: 28PF



Double backplate elbow female for plaster  
Dubbel muurplaat binnendraad voor gips  
Culasse double femelle pour plâtre  
Wandscheibe doppelt IG für Gips

| Article number | Bag / Box      | Type              |
|----------------|----------------|-------------------|
| 28PF-16041604  | 1 pc. / 15 pc. | 16x1/2" - 16x1/2" |
| 28PF-20042004  | 1 pc. / 15 pc. | 20x1/2" - 20x1/2" |



# Henco Brass Press

Henco Brass Press Fittings

## Type: 29P-CS (CW724 R)



Press-fit adapter with copper pipe (CW724)  
 Persfitting verlengd met koperbuis (CW724)  
 Manchon à sertir avec tube en cuivre (CW724)  
 Pressfitting mit Kupferrohr (CW724)

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 29P-1612-CS    | 10 pc. / 120 pc. | 16x12 |
| 29P-1615-CS    | 10 pc. / 120 pc. | 16x15 |
| 29P-2018-CS    | 10 pc. / 70 pc.  | 20x18 |
| 29P-2022-CS    | 10 pc. / 70 pc.  | 20x22 |
| 29P-2622-CS    | 10 pc. / 70 pc.  | 26x22 |

## Type: 30P



Press-fit adapter to copper compression  
 Overgangsstuk Henco pers x koperbuis knelkoppeling  
 Manchon à sertir x tube en cuivre manchon à visser  
 Pressfitting x Klemmverbinder für Kupferrohr

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 30P-1614S*     | 10 pc. / 120 pc. | 16x14 |
| 30P-1615S-2    | 2 pc. / 100 pc.  | 16x15 |
| 30P-2022S      | 10 pc. / 100 pc. | 20x22 |
| 30P-2622S      | 10 pc. / 80 pc.  | 26x22 |

*\*TILL EXHAUSTION OF STOCK*

## Type: 31P



Double crossover tee  
 Kruisingsvrij T-stuk  
 Double T croisé  
 Kreuzungs-T-Stück

| Article number | Bag / Box      | Type     |
|----------------|----------------|----------|
| 31P-161616     | 1 pc. / 20 pc. | 16x16x16 |
| 31P-201616     | 1 pc. / 20 pc. | 20x16x16 |
| 31P-201620     | 1 pc. / 20 pc. | 20x16x20 |
| 31P-202020     | 1 pc. / 20 pc. | 20x20x20 |

## Type: ISO-BOX



Insulation box for double crossover tee  
 Isolatiebox voor kruisingsvrij T-Stuk  
 Boîte d'isolation pour T croisé  
 Isolierboxen für Kreuzungs-T-Stück

| Article number | Bag / Box       | Type         |
|----------------|-----------------|--------------|
| ISO-BOX        | 1 pc. / 320 pc. | 124x124x55mm |



## Type: 33P



Nickel plated press-fit adapter to eurocone, 90°

Aansluiting met wartel en euroconus-koppeling vernikkeld, 90°

Raccord à visser eurocone nickelé, 90°

Anschlussverschraubung mit Eurokonus vernickelt, 90°

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 33P-1605       | 10 pc. / 60 pc. | 16x3/4" |

## Type: 34P



Henco press swivel adapter with flat sealing, 90°

Aansluiting met wartel vlakdichtend, 90°

Raccord à visser joint plat, 90°

Anschlussverschraubung mit AG flachdichtend, 90°

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 34P-1604       | 10 pc. / 120 pc. | 16x1/2" |
| 34P-3206       | 5 pc. / 40 pc.   | 32x1"   |

## Type: 34P-CS (CW724 R)



Henco press swivel adapter with flat sealing, 90° (CW724 R)

Aansluiting met wartel vlakdichtend, 90° (CW724 R)

Raccord à visser joint plat, 90° (CW724 R)

Anschlussverschraubung mit AG flachdichtend, 90° (CW724 R)

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 34P-1605-CS    | 10 pc. / 120 pc. | 16x3/4" |
| 34P-2004-CS    | 10 pc. / 80 pc.  | 20x1/2" |
| 34P-2005-CS    | 10 pc. / 80 pc.  | 20x3/4" |
| 34P-2605-CS    | 10 pc. / 70 pc.  | 26x3/4" |

## Type: 35P



Press-fit adapter to copper press (M-profile)

Overgangsstuk Henco pers naar koper pers (M-profiel)

Manchon à sertir vers cuivre à sertir (profil M)

Pressfitting Henco zu Pressfitting für Kupferrohr (M-profile)

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 35P-1615P*     | 10 pc. / 150 pc. | 16x15 |
| 35P-2022P*     | 10 pc. / 80 pc.  | 20x22 |

\* TILL EXHAUSTION OF STOCK



# Henco Brass Press

Henco Brass Press Fittings

## Type: 36P (CW724 R)



Press-fit adapter to copper press (V, M & SA profile)

Overgangsstuk Henco pers naar koper pers (V, M & SA profiel)

Manchon à sertir Henco vers cuivre à sertir (profil M, V & SA)

Pressfittung Henco zu Pressfittung für Kupferrohr (Presskontur M, V & SA)

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 36P-1612P      | 10 pc. / 160 pc. | 16x12Cu |
| 36P-1614P      | 10 pc. / 150 pc. | 16x14Cu |
| 36P-1615P      | 10 pc. / 150 pc. | 16x15Cu |
| 36P-1616P      | 10 pc. / 150 pc. | 16x16Cu |
| 36P-2015P      | 10 pc. / 120 pc. | 20x15Cu |
| 36P-2018P      | 10 pc. / 120 pc. | 20x18Cu |
| 36P-2022P      | 10 pc. / 80 pc.  | 20x22Cu |
| 36P-2622P      | 10 pc. / 70 pc.  | 26x22Cu |
| 36P-2628P      | 10 pc. / 70 pc.  | 26x28Cu |
| 36P-3228P      | 5 pc. / 50 pc.   | 32x28Cu |

## Type: 37P



Press-fit adapter to copper pipe, elbow

Persfittung verlengd met koperbuis, knie

Coude à sertir avec tube en cuivre soudé

Pressfittung mit geschweisstem Kupferrohr, Winkel

| Article number | Bag / Box       | Type              |
|----------------|-----------------|-------------------|
| 37P-1412L      | 10 pc. / 60 pc. | 14x12 (227/200mm) |
| 37P-1612L      | 10 pc. / 40 pc. | 16x12 (227/200mm) |
| 37P-1615L      | 10 pc. / 40 pc. | 16x15 (227/200mm) |

## Type: 39P



Double bend for radiator nickel-plated 300 mm copper pipe Ø15, connected end

Dubbele radiatorbocht koperbuis Ø15, 300 mm, vernikkeld, doorverbonden einde

Double courbe radiateur nickelé 300 mm tube en cuivre Ø15, bout rattaché

Doppelter Heizkörperwinkel vernickelt 300 mm Kupferrohr Ø15, durchgestelltes Ende

| Article number | Bag / Box     | Type                 |
|----------------|---------------|----------------------|
| 39P-160450     | 1 pc. / 8 pc. | 16x1/2" (AS = 50 mm) |

Interaxis 50 mm

## Type: 40P



Press-fit elbow to copper compression

Knie Henco pers x koperbuis knelkoppeling

Coude à sertir x tube en cuivre manchon à visser, 90°

Winkel Henco Press x Klemmverbinder für Kupferrohr

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 40P-1615S      | 10 pc. / 60 pc. | 16x15 Cu |
| 40P-2022S      | 10 pc. / 60 pc. | 20x22 Cu |
| 40P-2622S      | 10 pc. / 60 pc. | 26x22 Cu |



## Type: 41P



Brass press coupling for valve F-connection  
Messing perskoppeling voor F-aansluiting  
Connecteur F en laiton  
Pressfittung für F-Connection

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| 41P-16         | 10 pc. / 40 pc. | 16   |
| 41P-20         | 10 pc. / 40 pc. | 20   |
| 41P-26         | 10 pc. / 40 pc. | 26   |



## Type: 42P



Straight coupling PEX  
Doorverbinder recht PEX  
Manchon PEX  
Kupplung PEX

| Article number | Bag / Box        | Type          |
|----------------|------------------|---------------|
| 42P-161615     | 10 pc. / 200 pc. | 16x2 - 16x1,5 |
| 42P-202019     | 10 pc. / 140 pc. | 20x2 - 20x1,9 |

## Type: 43P



T-piece Henco press 16mm x compression 15mm x press 16mm  
T-stuk Henco pers 16mm x koper knel 15mm x Henco pers 16mm  
Piece en T Henco sertir 16mm x machon à visser 15mm x Henco sertir 16mm  
T-stuck Henco press 16mm x Klemmverbinder 15mm x press 16mm

| Article number | Bag / Box      | Type     |
|----------------|----------------|----------|
| 43P-161516     | 2 pc. / 50 pc. | 16x15x16 |



## Henco Brass Press

Henco Brass Press Fittings

### Type: 44P



Bend 90° female connection toilet reservoir  
Aansluitbocht inbouwreservoir toilet  
Coude 90° femelle connexion réservoir toilet  
Winkel 90° IG Anschluss Reservoir-Toilette

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 44P-1604       | 10 pc. / 60 pc. | 16x1/2" |

### Type: 45P



Straight connection female toilet reservoir  
Rechte aansluiting binnendraad toiletreservoir  
Raccord droit femelle réservoir toilet  
Anschluss IG Reservoir-Toilette

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 45P-1604       | 10 pc. / 150 pc. | 16x1/2" |

### Type: 52P



Easy mounting/repair fitting  
Eenvoudige montage/reparatie fitting  
Raccord montage/réparation facile  
Einfache Montage/Reparatur Fitting

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 52P16          | 1 pc. / 40 pc. | 16x16 |
| 52P20          | 1 pc. / 30 pc. | 20x20 |
| 52P26          | 1 pc. / 30 pc. | 26x26 |
| 52P32          | 1 pc. / 20 pc. | 32x32 |

for ø40, 50 and 63: chapter 2, type 53PK



## Type: WALL BOX



Wall Box - press  
Wall Box - pers  
Wall Box - sertir  
Wall Box - Press


| Article number | Box / Big Box    | Type         |
|----------------|------------------|--------------|
| WBP-1604-BL    | 10 pc. / 300 pc. | 16x1/2" blue |
| WBP-1604-RO    | 10 pc. / 300 pc. | 16x1/2" red  |
| WBP-2004-BL    | 10 pc. / 300 pc. | 20x1/2" blue |
| WBP-2004-RO    | 10 pc. / 300 pc. | 20x1/2" red  |

Without mounting bracket 'WB-PLATE'



Instruction video

## Type: WB-PLATE



Wall Box mounting bracket  
Wall Box montage plaat  
Wall Box plaque de montage  
Wall Box Montage Bügel

| Article number | Box / Outer Box | Type        |
|----------------|-----------------|-------------|
| WBPL-X         | 10 pc. / 60 pc. | GALV. STEEL |

## Type: P-PIESTOP



Stop end press for pipe  
Eindstop voor buis Pers  
Bouchon à sertir pour tube  
Endkappe Press für Rohre

| Article number | Bag / Box        | Type |
|----------------|------------------|------|
| P-PIESTOP16    | 10 pc. / 250 pc. | 16x2 |
| P-PIESTOP20    | 10 pc. / 200 pc. | 20x2 |
| P-PIESTOP26    | 10 pc. / 120 pc. | 26x3 |
| P-PIESTOP32    | 10 pc. / 70 pc.  | 32x3 |



# Henco Brass Press

Henco Brass Press Fittings GAS

**Gas: only allowed in countries where a HENCO GAS testing + certificate is available! (see [www.henco.be](http://www.henco.be))**  
**Gas: enkel toegelaten in landen waar er een HENCO GAS keur is + een certificaat voorhanden is! (zie [www.henco.be](http://www.henco.be))**  
**Gaz: seulement permis dans des pays où le contrôle a eu lieu + certificat est disponible! (Consultez [www.henco.be](http://www.henco.be))**  
**Gas: nur zugelassen in Länder wo HENCO GAS Prüfung geschehen ist + Zertifikat vorhanden ist! (Siehe [www.henco.be](http://www.henco.be))**

Henco brass press fittings for gas in combination with standard pipes gas, see page 23



## Type: 1PG



Elbow 90°  
 Knie 90°  
 Coude 90°  
 Winkel 90°

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 1PG-1616       | 10 pc. / 150 pc. | 16x16 |
| 1PG-2020       | 10 pc. / 80 pc.  | 20x20 |
| 1PG-2626       | 5 pc. / 50 pc.   | 26x26 |
| 1PG-3232       | 5 pc. / 30 pc.   | 32x32 |


## Type: 2PG



Backplate elbow female  
 Muurplaat binnendraad  
 Culasse femelle  
 Wandscheibe IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 2PG-1604       | 10 pc. / 50 pc. | 16x1/2" |
| 2PG-2004       | 10 pc. / 50 pc. | 20x1/2" |
| 2PG-2005       | 10 pc. / 50 pc. | 20x3/4" |
| 2PG-2605       | 5 pc. / 50 pc.  | 26x3/4" |

## Type: 2PG-K



Backplate elbow female, short model  
 Muurplaat binnendraad, laag  
 Culasse femelle, modèle court  
 Wandscheibe IG, kurzes Modell

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 2PG-1604K      | 10 pc. / 50 pc. | 16x1/2" |



## Type: 5PG



Elbow 90° male adapter  
Knie 90° buitendraad  
Coude 90° mâle  
Winkel 90° AG

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 5PG-1604       | 10 pc. / 150 pc. | 16x1/2" |
| 5PG-2004       | 10 pc. / 100 pc. | 20x1/2" |
| 5PG-2005       | 10 pc. / 80 pc.  | 20x3/4" |
| 5PG-2605       | 10 pc. / 60 pc.  | 26x3/4" |

## Type: 6PG



Elbow 90° female adapter  
Knie 90° binnendraad  
Coude 90° femelle  
Winkel 90° IG

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 6PG-1604       | 10 pc. / 120 pc. | 16x1/2" |
| 6PG-2004       | 10 pc. / 120 pc. | 20x1/2" |
| 6PG-2005       | 10 pc. / 50 pc.  | 20x3/4" |
| 6PG-2605       | 5 pc. / 50 pc.   | 26x3/4" |

## Type: 9PG



T-piece Gas  
T-Stuk Gas  
Pièce T Gaz  
T-Stück Gas

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 9PG-161616     | 10 pc. / 60 pc. | 16x16x16 |
| 9PG-202020     | 10 pc. / 50 pc. | 20x20x20 |
| 9PG-262626     | 5 pc. / 30 pc.  | 26x26x26 |
| 9PG-323232*    | 1 pc. / 20 pc.  | 32x32x32 |

\*TILL EXHAUSTION OF STOCK



# Henco Brass Press

Henco Brass Press Fittings GAS

## 1 2 3 4 Type: 10PG



T-reduced centre  
T-verlopend  
Pièce en T réduit  
T-reduziert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 10PG-201620    | 10 pc. / 50 pc. | 20x16x26 |
| 10PG-262026    | 5 pc. / 30 pc.  | 26x20x26 |

## 5 6 7 8 9 Type: 11PG



T-branch and line reduced  
T-2x verlopend  
Pièce en T 2x réduit  
T-2x reduziert

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 11PG-201616*   | 10 pc. / 50 pc. | 20x16x16 |

*\*TILL EXHAUSTION OF STOCK*

## 10 11 12 Type: 13PG



T-female centre  
T-binnendraad  
Pièce en T femelle  
T-IG

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 13PG-200420    | 10 pc. / 50 pc. | 20x1/2"x20 |
| 13PG-260426    | 5 pc. / 30 pc.  | 26x1/2"x26 |



## Type: 15PG



Straight coupling  
Perssok  
Manchon  
Kupplung

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 15PG-1616      | 10 pc. / 200 pc. | 16x16 |
| 15PG-2020      | 10 pc. / 140 pc. | 20x20 |
| 15PG-2626      | 5 pc. / 80 pc.   | 26x26 |
| 15PG-3232      | 5 pc. / 50 pc.   | 32x32 |

## Type: 16PG



Reducing coupling  
Verloopstuk  
Réduction  
Kupplung-reduziert

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 16PG-2016      | 10 pc. / 150 pc. | 20x16 |
| 16PG-2620      | 5 pc. / 80 pc.   | 26x20 |
| 16PG-3226      | 5 pc. / 40 pc.   | 32x26 |

## Type: 17PG



Straight male adapter  
Puntstuk  
Raccord droit mâle  
Übergangsfitting AG

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 17PG-1604      | 10 pc. / 150 pc. | 16x1/2" |
| 17PG-2004      | 10 pc. / 150 pc. | 20x1/2" |
| 17PG-2005      | 10 pc. / 150 pc. | 20x3/4" |
| 17PG-2605      | 5 pc. / 80 pc.   | 26x3/4" |
| 17PG-2606      | 5 pc. / 80 pc.   | 26x1"   |
| 17PG-3206      | 5 pc. / 50 pc.   | 32x1"   |



# Henco Brass Press

Henco Brass Press Fittings GAS

## Type: 18PG



**Straight female adapter**  
**Schroefbus**  
**Raccord droit femelle**  
**Übergangsfitting IG**

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 18PG-1604      | 10 pc. / 150 pc. | 16x1/2" |
| 18PG-2004      | 10 pc. / 100 pc. | 20x1/2" |
| 18PG-2005      | 10 pc. / 100 pc. | 20x3/4" |
| 18PG-2605      | 5 pc. / 80 pc.   | 26x3/4" |
| 18PG-2606      | 5 pc. / 70 pc.   | 26x1"   |
| 18PG-3206      | 5 pc. / 50 pc.   | 32x1"   |

## Type: 30PG



**Press-fit adapter to copper press compression**  
**Overgangsstuk Henco pers x koperbuis knelkoppeling**  
**Manchon à sertir Henco vers tube de cuivre manchon à visser**  
**Pressfitting x Klemmverbinder für Kupferrohr**

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 30PG-1615S-2   | 2 pc. / 100 pc.  | 16x15 |
| 30PG-2022S     | 10 pc. / 100 pc. | 20x22 |
| 30PG-2622S     | 10 pc. / 80 pc.  | 26x22 |

## Type: 36PG



**Press-fit adapter to copper press (V, M & SA profile)**  
**Overgangsstuk Henco pers naar koper pers (V, M & SA profiel)**  
**Manchon à sertir Henco vers cuivre à sertir (profil M, V & SA)**  
**Pressfitting Henco zu Pressfitting für Kupferrohr (CuSi)**

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 36PG-1615P     | 10 pc. / 150 pc. | 16x15Cu |
| 36PG-2015P     | 10 pc. / 120 pc. | 20x15Cu |
| 36PG-2022P     | 10 pc. / 120 pc. | 20x22Cu |
| 36PG-2615P     | 10 pc. / 100 pc. | 26x15Cu |
| 36PG-2622P     | 10 pc. / 100 pc. | 26x22Cu |





# Henco Brass Compression

Henco Brass Compression Fittings

## Type: 1



**Straight male adapter**  
**Puntstuk**  
**Raccord droit mâle**  
**Kupplung AG**

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 1-1403C-S**    | 10 pc. / 250 pc. | 14x3/8" |
| 1-1604-S       | 10 pc. / 250 pc. | 16x1/2" |
| 1-1804-S       | 10 pc. / 150 pc. | 18x1/2" |
| 1-1805*        | 10 pc. / 150 pc. | 18x3/4" |
| 1-2004-S       | 10 pc. / 120 pc. | 20x1/2" |
| 1-2004-ZS      | 10 pc. / 120 pc. | 20x1/2" |
| 1-2005-S       | 10 pc. / 150 pc. | 20x3/4" |
| 1-2605-S       | 5 pc. / 80 pc.   | 26x3/4" |
| 1-2606-S       | 5 pc. / 80 pc.   | 26x1"   |
| 1-3206-S       | 5 pc. / 50 pc.   | 32x1"   |

*\*TILL EXHAUSTION OF STOCK*

*\*\*For fuel oil only*

## Type: 2



**Straight coupling**  
**Doorverbinder recht**  
**Manchon**  
**Kupplung doppelt**

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 2-1616-S       | 10 pc. / 200 pc. | 16x16 |
| 2-2020-S       | 10 pc. / 120 pc. | 20x20 |

## Type: 3



**Straight female adapter**  
**Schroefbus**  
**Raccord droit femelle**  
**Kupplung IG**

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 3-1604-S       | 10 pc. / 200 pc. | 16x1/2" |
| 3-1804-S       | 10 pc. / 120 pc. | 18x1/2" |
| 3-2004-S       | 10 pc. / 120 pc. | 20x1/2" |
| 3-2005-S       | 10 pc. / 120 pc. | 20x3/4" |
| 3-2605-S       | 5 pc. / 60 pc.   | 26x3/4" |
| 3-2606-S       | 5 pc. / 50 pc.   | 26x1"   |

## Type: 4



**Elbow 90°**  
**Knie 90°**  
**Coude 90° mâle**  
**Winkel 90°**

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 4-1616-S       | 10 pc. / 150 pc. | 16x16 |
| 4-2020-S       | 10 pc. / 60 pc.  | 20x20 |
| 4-2626-S       | 5 pc. / 40 pc.   | 26x26 |

# Henco Brass Compression

Henco Brass Compression Fittings



## Type: 5



Elbow 90° male adapter  
Knie 90° buitendraad  
Coude 90° mâle  
Winkel 90° AG

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 5-1804*        | 10 pc. / 150 pc. | 18x1/2" |
| 5-1604-S       | 10 pc. / 150 pc. | 16x1/2" |
| 5-2005-S       | 10 pc. / 100 pc. | 20x3/4  |
| 5-2606-S       | 5 pc. / 40 pc.   | 26x1    |

\*TILL EXHAUSTION OF STOCK

## Type: 6



Elbow 90° female adapter  
Knie 90° binnendraad  
Coude 90° femelle  
Winkel 90° IG

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 6-1604-S       | 10 pc. / 150 pc. | 16x1/2" |
| 6-1804*        | 10 pc. / 90 pc.  | 18x1/2" |
| 6-2004-S       | 10 pc. / 80 pc.  | 20x1/2" |
| 6-2005-S       | 10 pc. / 80 pc.  | 20x3/4" |

\*TILL EXHAUSTION OF STOCK

## Type: 7



Backplate elbow with branch connection  
Sanitair muurplaat binnendraad  
Culasse pour sanitaire femelle  
Sanitär Wandscheibe

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 7-1604-S       | 10 pc. / 80 pc. | 16x1/2" |

## Type: 8



T-piece  
T-stuk  
Pièce en T  
T-Stück

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 8-161616-S     | 10 pc. / 80 pc. | 16x16x16 |

## Type: 10



Nut, insert and jointing ring  
Moer, insert en klemring  
Ecrou, insert et bécône  
Mutter, Stuthülse und Klemmring

| Article number | Bag / Box        | Type   |
|----------------|------------------|--------|
| 10-1604SN*     | 10 pc. / 300 pc. | 16x1/2 |

\*TILL EXHAUSTION OF STOCK



## Henco Brass Compression

Henco Brass Compression Fittings

### Type: 13-2



Nut, insert and jointing ring to copper compression

Adapter Henco buis naar messing knelverbinding

Raccord à visser cuivre vers multicouche

Verbindungsstück Kupfer Schraubfitting auf Henco

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| 13-1415-2*     | 2 pc. / 150 pc. | 14x15 Cu |
| 13-1615A-2*    | 2 pc. / 150 pc. | 16x15 Cu |
| 13-1615HA-2    | 2 pc. / 150 pc. | 16x15 Cu |
| 13-2022HA-2    | 2 pc. / 100 pc. | 20x22 Cu |
| 13-2628H-2     | 2 pc. / 80 pc.  | 26x28 Cu |

*\*Nickel plated nut*

### Type: 13-VH



Adapter for Henco compression to copper compression

Adapter Henco buis naar messing knelverbinding

Adapteur raccord à visser cuivre vers multicouche

Verbindungsstück für Henco Schraubfitting auf Kupfer Schraubfitting

| Article number | Bag / Box      | Type     |
|----------------|----------------|----------|
| 13-V2622H-2    | 2 pc. / 50 pc. | 26x22 Cu |

### Type: 24



Compression coupling Henco x copper tube

Overgangsstuk Henco knel x koperbuis knelverbinding

Raccord droit Henco x tube de cuivre manchon à visser

Gerade Fitting Henco x Klemmverbinder für Kupferrohr

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| 24-1615-S      | 10 pc. / 200 pc. | 16x15 |
| 24-2022        | 10 pc. / 100 pc. | 20x22 |
| 24-2622*       | 5 pc. / 50 pc.   | 26x22 |

*\*TILL EXHAUSTION OF STOCK*

### Type: EK



Nickel plated eurocone (3/4"F)

Euroconus schroefkoppeling (3/4"F)

Raccord à visser eurocone (3/4"F)

Schraubfitting Eurokonus (3/4"F)

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| EK12-2         | 2 pc. / 100 pc. | Ø12x3/4" |
| EK14-2         | 2 pc. / 100 pc. | Ø14x3/4" |
| EK16-2         | 2 pc. / 100 pc. | Ø16x3/4" |
| EK17-2         | 2 pc. / 100 pc. | Ø17x3/4" |
| EK18-2         | 2 pc. / 100 pc. | Ø18x3/4" |
| EK20-2         | 2 pc. / 100 pc. | Ø20x3/4" |

# Henco Brass Compression

Henco Brass Compression Fittings



## Type: EK15



Eurocone (3/4" F) for copper tube 15mm  
Euroconus-schroefkoppeling (3/4" F) voor koperbuis 15mm  
Raccord à visser eurocone (3/4" F) pour tube de cuivre 15mm  
Schraubfitting Eurokonus (3/4") für Kupferrohr 15mm

| Article number | Box / Big Box    | Type        |
|----------------|------------------|-------------|
| EK15           | 25 pc. / 300 pc. | Ø15x3/4" EK |

## Type: SPLIT



Split olive for eurocone  
Henco Klemring voor EK  
Anneau de serrage pour raccordement eurocone  
Klemring für EK

| Article number | Bag    | Type |
|----------------|--------|------|
| SPLIT-14       | 10 pc. | Ø14  |
| SPLIT-16       | 10 pc. | Ø16  |
| SPLIT-20       | 10 pc. | Ø20  |

## Type: SPLIT-S



Henco Split ring for compression fittings (not for EK)  
Henco Klemring voor schroeffitting (Niet voor EK'S)  
Anneau de serrage pour raccords à visser (pas pour EK)  
Klemring für Schraubfitting (nicht für EK)

| Article number | Bag    | Type |
|----------------|--------|------|
| SPLIT-S16      | 10 pc. | Ø16  |
| SPLIT-S20      | 10 pc. | Ø20  |
| SPLIT-S26      | 10 pc. | Ø26  |

## Type: AB



Elbow 90° eurocone elbow (3/4" M)  
Knie 90° voor euroconus-aansluiting (3/4" M)  
Coude 90° pour raccordement eurocone (3/4" M)  
Winkel 90° für Eurokonusanschluß (3/4" M)

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| AB1420*        | 10 pc. / 100 pc. | 14x20 |

\*TILL EXHAUSTION OF STOCK

## Type: ABE



Elbow 90° eurocone (3/4" M) x 1/2" male adapter  
Knie 90° buitendraad 1/2" x euroconus-aansluiting (3/4" M)  
Coude 90° mâle 1/2" x raccordement eurocone (3/4" M)  
Winkel 90° AG 1/2 x Eurokonusanschluss (3/4" M)

| Article number | Bag / Box        | Type             |
|----------------|------------------|------------------|
| ABEK04*        | 10 pc. / 150 pc. | 1/2"x3/4" for EK |

\*TILL EXHAUSTION OF STOCK



# Henco Brass Compression

Henco Brass Compression Fittings

## Type: AT



**Eurocone equal T-piece**

**T-stuk voor euroconus-aansluiting (3/4" M)**

**Pièce en T pour raccordement eurocone (3/4" M)**

**T-Stück für Eurokonusanschluß (3/4" M)**

| Article number | Bag / Box        | Type                  |
|----------------|------------------|-----------------------|
| AT1420*        | 10 pc. / 100 pc. | 3/4"x3/4"x3/4" for EK |

*\*TILL EXHAUSTION OF STOCK*

## Type: AD



**Eurocone straight coupling (3/4" M)**

**Overgangsstuk met 2x euroconus-aansluiting (3/4" M)**

**Mamelon 2x raccordement eurocone (3/4" M)**

**Nippel für 2x Eurokonusanschluss**

| Article number | Bag / Box        | Type             |
|----------------|------------------|------------------|
| AD-EKEK        | 10 pc. / 250 pc. | 3/4"x3/4" for EK |

## Type: AN



**Straight eurocone connection (3/4" M) to 1/2" male adapter**

**Recht overgangsstuk 1/2" M met O-ring en EK-aansluiting (3/4" M)**

**Manchon droit mâle 1/2" avec joint torique et eurocone**

**Nippel AG 1/2" mit O-ring und Eurokonusanschluss (3/4" M)**

| Article number | Bag / Box        | Type             |
|----------------|------------------|------------------|
| AN1420         | 10 pc. / 250 pc. | 1/2"x3/4" for EK |

## Type: 3EK



**Double backplate elbow female, 2x eurocone connection**

**Double backplate elbow female, 2x eurocone connection**

**Culasse double, 2x raccordement eurocone**

**Wandscheibe doppelt IG, 2x Eurokonusanschluss**

| Article number | Bag / Box      | Type           |
|----------------|----------------|----------------|
| 3EK-050405     | 5 pc. / 40 pc. | 3/4"x1/2"x3/4" |

## Type: WBS



**Wall Box - compression**

**Wall Box - schroef**

**Wall Box - compression**

**Wall Box - Schraub**

| Article number | Box / Big Box    | Type         |
|----------------|------------------|--------------|
| WBS-1604-RO    | 10 pc. / 300 pc. | 16x1/2" red  |
| WBS-1604-BL    | 10 pc. / 300 pc. | 16x1/2" blue |

*Without mounting bracket WB-plate*




*Instruction video*

# Henco Brass Compression

Henco Brass Compression Fittings



## Type: WB-PLATE



Wall Box mounting bracket  
Wall Box mounting bracket  
Wall Box plaque de montage  
Wall Box Montage Bügel

| Article number | Box / Big Box   | Type        |
|----------------|-----------------|-------------|
| WBPL-X         | 10 pc. / 60 pc. | GALV. STEEL |

## Type: 2C




Wallplate horizontal 1/2"x1/2"  
Horizontale/rechtdoor muurplaat 1/2"x1/2"  
Culasse horizontale 1/2"x1/2"  
Wandscheibe horizontal 1/2"x1/2"

| Article number | Bag / Box        | Type |
|----------------|------------------|------|
| 2C-0404        | 10 pc. / 100 pc. | 1/2" |




## Henco Manifolds



|                                 | <i>Page</i> |
|---------------------------------|-------------|
| <i>Henco Full Flow Manifold</i> | <i>101</i>  |
| <i>Henco Brass Manifolds</i>    | <i>106</i>  |



## POSSIBLE COMBINATIONS




### Type: VSKEK-0502



2-group basic part with 2 eurocone connections 3/4"  
2-groeps basis deel met 2 euroconus-aansluitingen 3/4"  
Section de base à 2 groupes avec 2 raccords eurocone 3/4"  
2-gruppiges Basisprofil mit 2 Eurokonusanschlüssen 3/4"

| Article number | Bag / Box       | Type   |
|----------------|-----------------|--------|
| VSKEK-0502     | 10 pc. / 30 pc. | 2x3/4" |

### Type: VSKEK-0503



3-group basic part with 3 eurocone connections 3/4"  
3-groeps basis deel met 3 euroconus-aansluitingen 3/4"  
Section de base à 3 groupes avec 3 raccords eurocone 3/4"  
3-gruppiges Basisprofil mit 3 Eurokonusanschlüssen 3/4"

| Article number | Bag / Box       | Type   |
|----------------|-----------------|--------|
| VSKEK-0503     | 10 pc. / 30 pc. | 3x3/4" |

### Type: VSKEK-ISO



Full Flow Manifold insulation 12 outlets  
Full Flow Manifold isolatie 12 uitgangen  
Isolation du collecteur Full Flow 12 sorties  
Isolierung des Full Flow verteilers 2 ausgänge

| Article number | Bag / Box      | Type       |
|----------------|----------------|------------|
| VSKEK-ISO-12   | 1 pc. / 50 pc. | 12 outlets |

### Type: 19SK



Push fitting with eurocone connection  
Steekkoppeling met euroconus-aansluiting  
Raccord push fit avec eurocone  
Steckkupplung mit Eurokonus

| Article number | Bag / Box       | Type       |
|----------------|-----------------|------------|
| 19SK-1505*     | 10 pc. / 80 pc. | 15x3/4" EK |
| 19SK-1605      | 10 pc. / 80 pc. | 16x3/4" EK |
| 19SK-2005      | 10 pc. / 80 pc. | 20x3/4" EK |

*\*Not suited for embedding in floors and walls*



# Henco Manifolds

Henco Full Flow Manifold

## Type: 26SK



Push fitting with swivel and flat sealing  
Steekkoppeling met wartel en vlakke dichting  
Raccord push fit avec raccord ecrou etanchéité plate  
Steckkupplung mit Drehbar und flach Versiegelung

| Article number | Bag / Box       | Type   |
|----------------|-----------------|--------|
| 26SK-1605*     | 10 pc. / 80 pc. | 16x3/4 |
| 26SK-2005*     | 10 pc. / 80 pc. | 20x3/4 |

*\*TILL EXHAUSTION OF STOCK*

## Type: VVSK



Straight entry piece  
Voeding voor verdeler  
Départ collecteur  
Eingang für Verteiler

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| VVSK-20        | 10 pc. / 80 pc. | 20   |
| VVSK-26        | 10 pc. / 70 pc. | 26   |

## Type: VVSK-TM



T-piece for supply for Vision manifold  
Aanvoer T-stuk voor Vision manifold  
Départ pièce en T collecteur Vision  
T-Stück für Vorlauf für Vision Verteiler

| Article number | Bag / Box       | Type  |
|----------------|-----------------|-------|
| VVSK-T26M26    | 5 pc. / 20 pc.  | 26-26 |
| VVSK-T20M20    | 10 pc. / 30 pc. | 20-20 |

## Type: 17SKS



Straight nipple male  
Puntstuk  
Raccord droit mâle  
Übergangsfitting AG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 17SKS-2004     | 5 pc. / 150 pc. | 20x1/2" |
| 17SKS-2005     | 5 pc. / 150 pc. | 20x3/4" |
| 17SKS-2604     | 5 pc. / 100 pc. | 26x1/2" |
| 17SKS-2605     | 5 pc. / 100 pc. | 26x3/4" |

*Applicable with HENCO Vision fittings & full flow manifolds*

## Type: 18SKS



Straight nipple female  
Recht aansluitstuk binnendraad  
Raccord droit femelle  
Übergangsfitting IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 18SKS-2004     | 5 pc. / 150 pc. | 20x1/2" |
| 18SKS-2005     | 5 pc. / 100 pc. | 20x3/4" |
| 18SKS-2604     | 5 pc. / 100 pc. | 26x1/2" |
| 18SKS-2605     | 5 pc. / 80 pc.  | 26x3/4" |

*Applicable with HENCO Vision fittings & full flow manifolds*



## Type: VVSK-90



Elbow 90° for manifold  
Knie 90° voor verdeler  
Coude 90° pour collecteur  
Winkel 90° für Verteiler

| Article number | Bag / Box       | Type   |
|----------------|-----------------|--------|
| VVSK-20-90     | 10 pc. / 70 pc. | 20-90° |
| VVSK-26-90     | 10 pc. / 50 pc. | 26-90° |

## Type: VVSK-T



T-piece for manifold  
T-stuk voor verdeler  
Pièce en T pour collecteur  
T-Stück für Verteiler

| Article number | Bag / Box       | Type     |
|----------------|-----------------|----------|
| VVSK-T202020   | 10 pc. / 40 pc. | 20-20-20 |
| VVSK-T262626   | 10 pc. / 20 pc. | 26-26-26 |

## Type: VS-ENDCAP



Stop end female for manifold  
Eindstop binnendraad voor verdeler  
Bouchon femelle pour collecteur  
Endkappe IG für Verteiler

| Article number | Bag / Box        | Type |
|----------------|------------------|------|
| VS-ENDCAP      | 10 pc. / 180 pc. | F    |

## Type: 18EK05



Connection for synthetic manifold 3/8"  
Aansluiting voor kunststof verdeler 3/8"  
Raccord à visser eurocone 3/8"  
Verbindung für Verteiler kunststoff 3/8"

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 18EK05-03      | 2 pc. / 200 pc. | EKx3/8" |

## Type: VDEK-T05



T-connection piece - 2x eurocone  
T-aansluitstuk voor verdeler - 2x euroconus  
Raccord en T pour collecteur - 2x eurocone  
T-Stück für Verlauf - 2x Eurokonus

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| VDEK-T05       | 10 pc. / 50 pc. |      |



## Henco Manifolds

Henco Full Flow Manifold

1

### Type: VS-ENDCAP-M

2

3

4

5



Stop end male for manifold  
Eindstop buitendraad voor verdeler  
Bouchon mâle pour collecteur  
Endkappe AG für Verteiler

| Article number | Bag / Box        | Type |
|----------------|------------------|------|
| VS-ENDCAP-M    | 10 pc. / 150 pc. | M    |

6

### Type: ENDCAP-EK

7

8

9



Stop end eurocone for manifold  
Eindstop euroconus voor verdeler  
Bouchon eurocone pour collecteur  
Endkappe Eurokonus für Verteiler

| Article number | Bag / Box        | Type |
|----------------|------------------|------|
| ENDCAP-EK05    | 10 pc. / 200 pc. | 3/4" |

10

11

### Type: VDSK

12



Straight female adapter for manifold or manifold extension  
Doorverbinder voor montage op verdeler of verlengstuk  
Manchon pour bout de collecteur  
Ausgang für Verteiler

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| VDSK-20        | 10 pc. / 80 pc. | 20   |
| VDSK-26        | 10 pc. / 60 pc. | 26   |

### Type: SK-STOPCLIP



Reusable stop and clip for push fit connection  
Herbruikbare stop en clip passend in een steekkoppeling  
Bouchon et clip réutilisables pour connection push fit  
Stopfen und clip für Steckanschluss, wieder verwendbar

| Article number | Bag / Box        | Type |
|----------------|------------------|------|
| SK-STOPCLIP16  | 10 pc. / 120 pc. | 16   |
| SK-STOPCLIP20  | 10 pc. / 100 pc. | 20   |
| SK-STOPCLIP26  | 10 pc. / 80 pc.  | 26   |



## Type: SK-B05



Bracket for full flow manifolds  
Montagebeugel voor full flow manifolds  
Double support pour full flow manifolds  
Halter für full flow manifolds

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| SK-B05         | 1 pc. / 100 pc. | B05  |

## Type: VVPK



Straight entry piece - Press  
Voeding voor verdeler - Pers  
Arrivée pour collecteur - à sertir  
Eingang für verteiler - Press

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| VVPK-20        | 10 pc. / 80 pc. | 20   |
| VVPK-26        | 10 pc. / 70 pc. | 26   |

## Type: VVPK90-D



Bend entry piece down 90° - press  
Voeding verdeler bocht 90° toevoer onder - pers  
Départ dessous pour collecteur coude 90° - à sertir  
Eingang für Verteiler Winkel 90° nieder - presss Article number Bag / Box T

| Article number | Bag / Box       | Type        |
|----------------|-----------------|-------------|
| VVPK90-20-D    | 10 pc. / 70 pc. | 20-90° Down |
| VVPK90-26-D    | 10 pc. / 50 pc. | 26-90° Down |

## Type: VVPK90-U



Bend entry piece up 90° - press  
Voeding verdeler bocht 90° graden boven - pers  
Départ par dessus pour collecteur coude 90° - à sertir  
Eingang für Verteiler Winkel 90° oben - press

| Article number | Bag / Box       | Type      |
|----------------|-----------------|-----------|
| VVPK90-20-U    | 10 pc. / 70 pc. | 20-90° Up |
| VVPK90-26-U    | 10 pc. / 50 pc. | 26-90° Up |



## Henco Manifolds

Henco Brass Manifolds

### Type: VB-EK05



Ball valve, 2x eurocone connection  
Bolkraan, 2x euroconus aansluiting  
Vanne d'arrêt, 2x raccordement eurocone  
Kugelhahn, 2x Eurokonus

| Article number | Box / Big Box    | Type              |
|----------------|------------------|-------------------|
| VB-EK05        | 25 pc. / 200 pc. | 3/4" EK x 3/4" EK |

### Type: VB-HANDLE



Handles for VB-articles  
Handvaten voor VB-artikels  
Manche pour VB-article  
Handgriff für VB-article

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| VB-HANDLE-RED  | 1 pc. / 100 pc. | Red  |
| VB-HANDLE-BLUE | 1 pc. / 100 pc. | Blue |

### Type: VB05



Manifold 3/4" with ball valves + EK connection  
Verdeler 3/4" met bolkraan + EK-uitgangen  
Collecteur 3/4" avec vanne à sphère + EK connexion  
Verteiler 3/4" mit Kugelhahnset + EK Verbindung

| Article number | Box / Big Box  | Type                        |
|----------------|----------------|-----------------------------|
| VB050502-BLAUW | 5 pc. / 50 pc. | 3/4"x2xEK14,16,18 & 20 blue |
| VB050502-ROOD  | 5 pc. / 50 pc. | 3/4"x2xEK14,16,18 & 20 red  |
| VB050503-BLAUW | 5 pc. / 25 pc. | 3/4"x3xEK14,16,18 & 20 blue |
| VB050503-ROOD  | 5 pc. / 25 pc. | 3/4"x3xEK14,16,18 & 20 red  |
| VB050504-BLAUW | 4 pc. / 20 pc. | 3/4"x4xEK14,16,18 & 20 blue |
| VB050504-ROOD  | 4 pc. / 20 pc. | 3/4"x4xEK14,16,18 & 20 red  |

### Type: VB06



Manifold 1" with ball valve + EK connections  
Verdeler 1" met bolkraan + EK aansluitingen  
Collecteur 1" avec vanne à sphère + EK connexion  
Verteiler 1" mit Kugelhahnset + EK Verbindung

| Article number | Box / Big Box  | Type                      |
|----------------|----------------|---------------------------|
| VB060502-BLAUW | 5 pc. / 40 pc. | 1"x2xEK14,16,18 & 20 blue |
| VB060502-ROOD  | 5 pc. / 40 pc. | 1"x2xEK14,16,18 & 20 red  |
| VB060503-BLAUW | 5 pc. / 25 pc. | 1"x3xEK14,16,18 & 20 blue |
| VB060503-ROOD  | 5 pc. / 25 pc. | 1"x3xEK14,16,18 & 20 red  |
| VB060504-BLAUW | 4 pc. / 20 pc. | 1"x4xEK14,16,18 & 20 blue |
| VB060504-ROOD  | 4 pc. / 20 pc. | 1"x4xEK14,16,18 & 20 red  |

### Type: VBS



Plug M with O-ring VBS Manifold  
Blindstop M met O-ring VBS verdeler  
Bouchon M pour VBS collecteur avec O-ring  
Stopf M für Verteiler VBS mit O-Ring

| Article number | Bag / Box        | Type      |
|----------------|------------------|-----------|
| VBS-05         | 10 pc. / 250 pc. | 3/4"      |
| VBS-06         | 10 pc. / 250 pc. | 1" female |



## Type: VBS05



Manifold 3/4" with valve + EK + O-ring connection/alignment

Verdeler 3/4" met kraan + EK + O-ring aansluiting/uitlijning

Bouchon pour VBS collecteur avec O-ring

Stopf für verteiler VBS mit O-ring

| Article number | Bag / Box      | Type                         |
|----------------|----------------|------------------------------|
| VBS050502-BL   | 1 pc. / 20 pc. | 3/4"x2xEK14,16,18 & 20 blue  |
| VBS050502-RO   | 1 pc. / 20 pc. | 3/4"x2xEK14,16,18 & 20 red   |
| VBS050502-GR*  | 1 pc. / 20 pc. | 3/4"x2xEK14,16,18 & 20 green |
| VBS050503-BL   | 1 pc. / 15 pc. | 3/4"x3xEK14,16,18 & 20 blue  |
| VBS050503-RO   | 1 pc. / 15 pc. | 3/4"x3xEK14,16,18 & 20 red   |
| VBS050503-GR*  | 1 pc. / 15 pc. | 3/4"x3xEK14,16,18 & 20 green |
| VBS050504-BL   | 1 pc. / 10 pc. | 3/4"x4xEK14,16,18 & 20 blue  |
| VBS050504-RO   | 1 pc. / 10 pc. | 3/4"x4xEK14,16,18 & 20 red   |
| VBS050504-GR*  | 1 pc. / 10 pc. | 3/4"x4xEK14,16,18 & 20 green |

\*Available on demand

## Type: VBS06



Manifold 1" with valve + EK + O-ring connection/alignment

Verdeler 1" met kraan + EK + O-ring aansluiting/uitlijning

Collecteur 1" avec vanne + EK + O-ring alignement

Verteiler 1" mit Hahne + EK + O-ring Verbindung/Ausrichtung

| Article number | Bag / Box      | Type                      |
|----------------|----------------|---------------------------|
| VBS060502-RO   | 1 pc. / 20 pc. | 1"x2xEK14,16,18 & 20 red  |
| VBS060502-BL   | 1 pc. / 20 pc. | 1"x2xEK14,16,18 & 20 blue |
| VBS060503-RO   | 1 pc. / 15 pc. | 1"x3xEK14,16,18 & 20 red  |
| VBS060503-BL   | 1 pc. / 15 pc. | 1"x3xEK14,16,18 & 20 blue |
| VBS060504-RO   | 1 pc. / 10 pc. | 1"x4xEK14,16,18 & 20 red  |
| VBS060504-BL   | 1 pc. / 10 pc. | 1"x4xEK14,16,18 & 20 blue |

## Type: VBS-F



Manifold plug F for VBS manifold

Blindstop F voor VBS verdeler

Bouchon F pour VBS collecteur

Stopf F für Verteiler VBS Article number B

| Article number | Bag / Box        | Type        |
|----------------|------------------|-------------|
| VBS-05F        | 10 pc. / 250 pc. | 3/4" female |
| VBS-06F        | 10 pc. / 250 pc. | 1" female   |

## Type: 17VBS



Straight adapter VBS manifold

Recht aansluitstuk VBS verdeler

Raccord droit VBS collecteur

Übergangsfitting AG VBS Verteiler

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| 17VBS-2005     | 10 pc. / 100 pc. | 20x3/4" |
| 17VBS-2605     | 5 pc. / 80 pc.   | 26x3/4" |
| 17VBS-2606     | 5 pc. / 80 pc.   | 26x1"   |

## Type: 6VBS



Elbow 90° female iron adapter for VBS manifold

Knie 90° voor VBS verdeler

Coude 90° femelle pour collecteur VBS

Winkel 90° IG für VBS Verteiler

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 6VBS-2005      | 10 pc. / 50 pc. | 20x3/4" |
| 6VBS-2605      | 5 pc. / 50 pc.  | 26x3/4" |



# Henco Manifolds

Henco Brass Manifolds


## Type: SK-B05



Bracket for manifolds  
Montagebeugel voor verdelers  
Double support pour collecteurs  
Halter für Verteiler

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| SK-B05         | 1 pc. / 100 pc. | B05  |

## Type: V-06




Manifold 1", 1/2" female thread, 3/8" air vent hole  
Verdeler 1", 1/2" aansluitingen, 3/8" ontluuchtingsopening  
Collecteur 1", connexion 1/2" femelle, connexion 3/8" pour purgeur  
Verteiler 1", 1/2" IG, 3/8" Loch für Entlüftung

| Article number | Bag / Box      | Type             |
|----------------|----------------|------------------|
| V-060402*      | 1 pc. / 8 pc.  | 1" 2x1/2" x 3/8" |
| V-060404*      | 1 pc. / 30 pc. | 1" 4x1/2" x 3/8" |
| V-060405*      | 1 pc. / 28 pc. | 1" 5x1/2" x 3/8" |
| V-060406*      | 1 pc. / 30 pc. | 1" 6x1/2" x 3/8" |

*\*TILL EXHAUSTION OF STOCK*


## Type: V-05-Z



Manifold 3/4", 1/2" female thread  
Verdeler 3/4", 1/2" aansluitingen  
Collecteur 3/4", connexion 1/2" femelle  
Verteiler 3/4", 1/2" IG

| Article number | Bag / Box     | Type        |
|----------------|---------------|-------------|
| V-050404-Z     | 1 pc. / 6 pc. | 3/4" 4x1/2" |


## Type: VEK-06



Manifold 1" with EK connections and one 3/8" air vent hole  
Verdeler 1" met EK-aansluitingen en 3/8" ontluuchtingsopening  
Collecteur 1" avec des raccordements eurocone et un trou 3/8" pour purgeur  
Verteiler 1" mit EK-Anschlüssen und 3/8" Loch für Entlüftung

| Article number | Bag / Box      | Type             |
|----------------|----------------|------------------|
| VEK-060502     | 1 pc. / 48 pc. | 1" 2x3/4" x 3/8" |
| VEK-060503     | 1 pc. / 32 pc. | 1" 3x3/4" x 3/8" |
| VEK-060504     | 1 pc. / 20 pc. | 1" 4x3/4" x 3/8" |
| VEK-060505     | 1 pc. / 21 pc. | 1" 5x3/4" x 3/8" |
| VEK-060507     | 1 pc. / 15 pc. | 1" 7x3/4" x 3/8" |
| VEK-060508     | 1 pc. / 15 pc. | 1" 8x3/4" x 3/8" |

## Type: VEK-06-Z



Manifold 1" with eurocone connections  
Verdeler 1" met euroconus-aansluitingen  
Collecteur 1" avec des raccordements eurocone  
Verteiler 1" mit Eurokonus-Anschlüssen

| Article number | Bag / Box      | Type       |
|----------------|----------------|------------|
| VEK-060503-Z   | 1 pc. / 20 pc. | 1" 3x3/4"  |
| VEK-060504-Z   | 1 pc. / 16 pc. | 1" 4x3/4"  |
| VEK-060505-Z   | 1 pc. / 21 pc. | 1" 5x3/4"  |
| VEK-060506-Z   | 1 pc. / 20 pc. | 1" 6x3/4"  |
| VEK-060507-Z   | 1 pc. / 20 pc. | 1" 7x3/4"  |
| VEK-060508-Z   | 1 pc. / 15 pc. | 1" 8x3/4"  |
| VEK-060509-Z   | 1 pc. / 10 pc. | 1" 9x3/4"  |
| VEK-060510-Z   | 1 pc. / 10 pc. | 1" 10x3/4" |



## Type: H-0212



Insulated manifold bracket (pairs)  
Ophangbeugel dubbel met isolatie voor alle verdelers  
Support double avec isolation pour tous les collecteurs  
Verteiler-Halter mit Isolierung doppelt für alle Verteiler

| Article number | Bag / Box      | Type      |
|----------------|----------------|-----------|
| H-0212*        | 2 pc. / 50 pc. | 3/4" - 1" |

\*Sold per set of 2

## Type: H-0212-S



Insulated manifold bracket (single)  
Ophangbeugel enkel met isolatie voor alle verdelers  
Support simple avec isolation pour tous les collecteurs  
Verteiler-Halter mit Isolierung einfach für alle Verteiler

| Article number | Bag / Box        | Type      |
|----------------|------------------|-----------|
| H-0212-S       | 2 pc. / 50 pc.   | 3/4" - 1" |
| H-0212-C*      | 2 pc. / 2x25 pc. | 3/4" - 1" |

\*Sold per set of 2

## Type: VS REDUCTIE



Manifold reducer with O-ring  
Reductie met O-ring voor verdeler  
Réduction avec O-ring pour collecteur  
Reduktion für Verteiler mit O-ring

| Article number | Bag / Box        | Type      |
|----------------|------------------|-----------|
| VS-0504        | 10 pc. / 50 pc.  | 3/4"x1/2" |
| VS-0604        | 10 pc. / 250 pc. | 1"x1/2"   |
| VS-0605        | 10 pc. / 250 pc. | 1"x3/4"   |

## Type: VS BLINDSTOP



Manifold plug  
Blindstop voor verdeler  
Bouchon pour collecteur  
Stopfen für Verteiler

| Article number | Bag / Box        | Type |
|----------------|------------------|------|
| VS-05          | 10 pc. / 50 pc.  | 3/4" |
| VS-06          | 10 pc. / 200 pc. | 1"   |
| VS-07          | 10 pc. / 200 pc. | 5/4" |



## Henco Valves



|                           | <i>Page</i> |
|---------------------------|-------------|
| <i>Henco Inox Valves</i>  | <i>111</i>  |
| <i>Henco Brass Valves</i> | <i>112</i>  |



## Type: BAP-FFV (press x press) (INOX 316 L)



Inox ball valve with handle, press  
Inox bolkraan met handvat, pers  
Vanne en acier inoxydable, presse x presse  
Kugelhahn aus Edelstahl, Press x Press

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| BAP-FFV1616    | 1 pc. / 25 pc. | 16x16 |
| BAP-FFV2020    | 1 pc. / 25 pc. | 20x20 |
| BAP-FFV2626    | 1 pc. / 15 pc. | 26x26 |
| BAP-FFV3232    | 1 pc. / 15 pc. | 32x32 |

## Type: BAP-FFV (press x female thread) (INOX 316 L)



Inox ball valve with handle, press x female  
Inox bolkraan met handvat, pers x vrouwelijk  
Vanne en acier inoxydable, presse x femelle  
Kugelhahn aus Edelstahl, Press x IG

| Article number | Bag / Box      | Type        |
|----------------|----------------|-------------|
| BAP-FFV1604    | 1 pc. / 25 pc. | 16 x 1/2"   |
| BAP-FFV1805    | 1 pc. / 25 pc. | 18 x 3/4"   |
| BAP-FFV2005    | 1 pc. / 25 pc. | 20 x 3/4"   |
| BAP-FFV2605    | 1 pc. / 15 pc. | 26 x 3/4"   |
| BAP-FFV2606    | 1 pc. / 15 pc. | 26 x 1"     |
| BAP-FFV3207    | 1 pc. / 10 pc. | 32 x 1 1/4" |

## Type: BAP-FFV-Z (press x swivel) (INOX 316 L)



Inox ball valve with handle, press x swivel nut  
Inox bolkraan met handvat, pers x wartelmoer  
Vanne en acier inoxydable, presse x ecrou  
Kugelhahn aus Edelstahl, Press x Anschlussverschraubung

| Article number | Bag / Box      | Type    |
|----------------|----------------|---------|
| BAP-FFV16Z05   | 1 pc. / 25 pc. | 16x3/4" |
| BAP-FFV20Z05   | 1 pc. / 25 pc. | 20x3/4" |
| BAP-FFV26Z05   | 1 pc. / 25 pc. | 26x3/4" |
| BAP-FFV26Z06   | 1 pc. / 15 pc. | 26x1"   |
| BAP-FFV32Z06   | 1 pc. / 15 pc. | 32 x 1" |

## Type: BAP-FFV-EK (press x eurocone) (INOX 316 L)



Inox ball valve with handle, press x EK  
Inox bolkraan met handvat, pers x EK  
Vanne en acier inoxydable, presse x eurocone  
Kugelhahn aus Edelstahl, Press x Eurokonus

| Article number | Bag / Box      | Type       |
|----------------|----------------|------------|
| BAP-FFV1605EK  | 1 pc. / 25 pc. | 16x3/4" EK |
| BAP-FFV2005EK  | 1 pc. / 25 pc. | 20x3/4" EK |
| BAP-FFV2605EK  | 1 pc. / 15 pc. | 26x3/4" EK |



# Henco Valves

Henco Brass Valves

## Type: BAP-H



Ball valve with handle, 2x pressfitting  
Bolkraan met handvat, 2x perskoppeling  
Vanne d'arrêt à sertir  
Kugelhahnset mit Handgriff, 2x Pressfitting

| Article number | Box / Big Box  | Type  |
|----------------|----------------|-------|
| BAP-H1616      | 8 pc. / 80 pc. | 16x16 |
| BAP-H2020      | 8 pc. / 80 pc. | 20x20 |
| BAP-H2626      | 8 pc. / 80 pc. | 26x26 |
| BAP-H3232      | 5 pc. / 25 pc. | 32x32 |

## Type: BAP-SV



Stopvalve DN10  
Stopbolkraan DN10  
Vanne d'arrêt DN10  
Stopvalve DN10

| Article number | Bag / Box        | Type    |
|----------------|------------------|---------|
| BAP-SV1610S    | 10 pc. / 100 pc. | 16 x 10 |

## Type: VK-EK05



Ball valve, 2 x eurocone connection  
Bolkraan , 2 x euroconus aansluiting  
Vanne d'arrêt, 2 x raccordement eurocone  
Kugelhahn, 2 x Eurokonus

| Article number | Box / Big Box    | Type              |
|----------------|------------------|-------------------|
| VB-EK05        | 25 pc. / 200 pc. | 3/4" EK x 3/4" EK |

## Type: 41S



Brass Vision coupling with valve F-connection  
Messing Vision koppeling met F-aansluiting  
Connecteur Vision F  
Vision Fitting mit F-Verbindung

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| 41S-20         | 10 pc. / 60 pc. | 20   |
| 41S-26         | 10 pc. / 80 pc. | 26   |

TILL EXHAUSTION OF STOCK

## Type: 41SKS



Connection Vision coupling with valve F-connection  
Aansluitstuk Vision koppeling met F-aansluiting  
Raccord Vision connecteur Vision F  
Messing Übergang Vision Fitting mit F-Verbindung

| Article number | Bag / Box       | Type |
|----------------|-----------------|------|
| 41SKS-20       | 10 pc. / 80 pc. | 20   |
| 41SKS-26       | 10 pc. / 80 pc. | 26   |

TILL EXHAUSTION OF STOCK

## Type: BA-F41



Built-in Ball Valve Fastec DN15  
Inbouwbolkraan Fastec DN15  
Vanne à sphère Fastec DN15  
Einbau Kugelhahnset Fastec DN15

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| BA-F41         | 1 pc. / 50 pc. |      |

TILL EXHAUSTION OF STOCK



## Type: EK15



Eurocone (3/4" F) for copper tube 15mm  
Euroconus-schroefkoppeling (3/4" F) voor koperbuis 15mm  
Raccord à visser eurocone (3/4" F) pour tube de cuivre 15mm  
Schraubfitting Eurokonus (3/4") für Kupferrohr 15mm

| Article number | Box / Big Box    | Type        |
|----------------|------------------|-------------|
| EK15           | 25 pc. / 300 pc. | Ø15x3/4" EK |

## Type: RADTH-VL



Thermostatic radiator valve head  
Thermostatisch regелеlement met vaste vloeistofvoeler  
Tête thermostat.à bulbe,équipée d'un réglage de temp. limite  
Thermostatkopf mit festem flüssigkeitsfühler

| Article number | Box / Big Box    | Type  |
|----------------|------------------|-------|
| RADTH-VL*      | 10 pc. / 150 pc. | THERM |

*\*TILL EXHAUSTION OF STOCK*

## Type: RADNI



Nipple for H radiator block  
Nippel voor H-radiatorblok  
Vanne pour raccord radiateur (H&V)  
Nippel für H-Anschluss

| Article number | Bag / Box        | Type      |
|----------------|------------------|-----------|
| RADNI-0504     | 10 pc. / 500 pc. | 1/2"x3/4" |

## Type: RAD04-100V



Radiator connector with 3/4" eurocone connections, straight  
Onderblok met 3/4" euroconus-aansluitingen, recht  
Raccord radiateur, droit, eurocone  
Heizkörperanschluss 1/2" mit 3/4" Eurokonus-Anschlüssen, unten

| Article number | Bag / Box      | Type         |
|----------------|----------------|--------------|
| RAD04-100V     | 1 pc. / 10 pc. | 1/2"x3/4" EK |



## Henco Underfloor Heating



|                                            | <i>Page</i>       |
|--------------------------------------------|-------------------|
| <i><b>Underfloor Heating Systems</b></i>   | <i><b>115</b></i> |
| <i><b>Underfloor Heating Manifolds</b></i> | <i><b>122</b></i> |
| <i><b>Hencologic Wired</b></i>             | <i><b>131</b></i> |
| <i><b>Hencologic Wireless</b></i>          | <i><b>132</b></i> |



## Type: UFH-PRO



System plate without insulation  
Noppenplaat zonder isolatie  
Plaque à plot sans isolation  
Systemplatte ohne Dämmung

| Article number | Multipack            | Type              |
|----------------|----------------------|-------------------|
| UFH-PRO        | 13.44 m <sup>2</sup> | 1400x800mm - 5kPa |

*\*Pipe Ø16, centre-to-centre: multiple 50mm hor./ver.*

## Type: UFH-ISOPRO11



System plate with 11mm EPS insulation  
Noppenplaat met 11mm EPS Isolatie  
Plaque à plot avec isolation EPS de 11mm  
Systemplatte mit Dämmung Styropor 11mm

| Article number | Multipack            | Type                                        |
|----------------|----------------------|---------------------------------------------|
| UFH-ISOPRO11   | 14.56 m <sup>2</sup> | 1400x800mm - 75kPa R 0,31m <sup>2</sup> K/W |

*\*Pipe Ø16, centre-to-centre: multiple 50mm hor./ver.*

## Type: UFH-ISOPRO30




System plate with 30mm EPS insulation and 28dB acoustic improvement  
Noppenplaat met 30mm EPS isolatie, 28dB geluidsverbetering  
Plaque à plot avec isolation EPS de 30mm, isolant acoustique 28dB  
Systemplatte mit Dämmung Styropor 30mm, Trittschall verbesserung 28dB

| Article number | Multipack           | Type                                                |
|----------------|---------------------|-----------------------------------------------------|
| UFH-ISOPRO30   | 7.84 m <sup>2</sup> | 1400x800mm - 5kPa - 28dB - R 0,75m <sup>2</sup> K/W |

*\*Pipe Ø16, centre-to-centre: multiple 50mm hor./ver.*


## Type: UFH-CASTMAT



UFH castellated mat  
UFH holle noppenplaat  
UFH plaque à plot renforcée  
Systemplatte ausgef. Rohrhaltenop.

| Article number | Pallet | Type                    |
|----------------|--------|-------------------------|
| UFH-CASTMAT16  | 99 pc. | Ø16, 1050 x 750 x 17 mm |

## Type: UFH-RAS



Galvanized steel mesh  
Stalen draadmat verzinkt  
Treillis en acier galvanisé  
Trägermatte aus Eisen verzinkt

| Article number | Multipack                                       | Type                                 |
|----------------|-------------------------------------------------|--------------------------------------|
| UFH-RAS10      | 25.2 m <sup>2</sup> (10 x 2,52 m <sup>2</sup> ) | 2,52 m <sup>2</sup> - grid 100x100mm |
| UFH-RAS15      | 25.2 m <sup>2</sup> (10 x 2,52 m <sup>2</sup> ) | 2,52 m <sup>2</sup> - grid 150x150mm |
| UFH-RAS20      | 24 m <sup>2</sup> (10 x 2,4 m <sup>2</sup> )    | 2,4 m <sup>2</sup> - grid 200x200mm  |

## Type: UFH-RAS-RB3



Connection clip for steel mesh  
Verbindingsclip voor stalen draadmatten  
Clip de fixation pour treillis  
Verbinder für Trägermatte

| Article number | Bag / Box          | Type |
|----------------|--------------------|------|
| UFH-RAS-RB3    | 30 pc. / 3.000 pc. | RB   |



# Henco Underfloor Heating

Underfloor Heating Systems

## Type: UFH-RAS-BIND15



Steel strand, plasticized, to connect pipe on steel mesh  
Stalen vlechtdraad, geplastificeerd, om buis op draadmat te binden  
Fil de tressage métallique, plastifié, pour fixer tube sur treillis  
Stahldraht, plastifiziert, für Befestigung der Rohre auf Trägermatte

| Article number  | Bag      | Type   |
|-----------------|----------|--------|
| UFH-RAS-BIND15A | 250 pc.  | 160 mm |
| UFH-RAS-BIND15B | 2500 pc. | 160 mm |

## Type: UFH-RAS-CLIP



Synthetic clip for steel mesh  
Kunststofclip voor draadmat  
Attache en plastique pour treillis  
Rohrclip für Trägermatte

| Article number  | Bag / Box         | Type |
|-----------------|-------------------|------|
| UFH-RAS-CLIP16  | 200 pc. / 1000 pc | Ø16  |
| UFH-RAS-CLIP18  | 200 pc. / 1000 pc | Ø18  |
| UFH-RAS-CLIP20* | 200 pc. / 1000 pc | Ø20  |

*\*TILL EXHAUSTION OF STOCK*

## Type: UFH-TACK-KLS



Tacker sheet with EPS insulation, foil with 100 x 100 mm grid marking and overlap  
Tacker klapset met EPS isolatie voorzien van folie met raster 100 x 100 mm en overlap  
Plaque tacker en isolation EPS, film avec trame 100 x 100 mm et rabat  
Verbundplatte aus Styropordämmung mit Folie Masche 100 x 100 mm und Überschneidung

| Article number | Multipack                    | Type                                |
|----------------|------------------------------|-------------------------------------|
| UFH-TACK-KLS20 | 10 m2 (5 x 2m <sup>2</sup> ) | 1000x2000x20mm - 4kPa - 28dB R 0,44 |
| UFH-TACK-KLS25 | 10 m2 (5 x 2m <sup>2</sup> ) | 1000x2000x25mm - 4kPa - 28dB R 0,56 |
| UFH-TACK-KLS30 | 10 m2 (5 x 2m <sup>2</sup> ) | 1000x2000x30mm - 4kPa - 29dB R 0,67 |
| UFH-TACK-KLS40 | 10 m2 (5 x 2m <sup>2</sup> ) | 1000x2000x40mm - 4kPa - 30dB R 0,89 |

## Type: UFH-TACK-38K



Tacker clip, 38 mm  
Tackernagel, 38 mm  
Agrafe tacker, 38 mm  
Tackernadel, 38 mm

| Article number | Box / Big Box      | Type |
|----------------|--------------------|------|
| UFH-TACK-38K   | 300 pc. / 6000 pc. | 38mm |

*TILL EXHAUSTION OF STOCK*

## Type: UFH-TACK-40



Tacker clip, 40 mm  
Tackernagel, 40 mm  
Agrafe tacker, 40 mm  
Tackernadel, 40 mm

| Article number | Box / Big Box      | Type |
|----------------|--------------------|------|
| UFH-TACK-40*   | 300 pc. / 8400 pc. | 40mm |

*\*Pipe Ø 16 -20*

## Type: UFH-TACK-60



Tacker clip, 60 mm  
Tackernagel, 60 mm  
Agrafe tacker, 60 mm  
Tackernadel, 60 mm

| Article number | Box / Big Box      | Type |
|----------------|--------------------|------|
| UFH-TACK-60    | 300 pc. / 6000 pc. | 60mm |



## Type: UFH-SCOTCH-66



Adhesive tape  
Kleefband  
Ruban adhésif  
Klebeband

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| UFH-SCOTCH-66  | 1 pc. / 48 pc. | 66 m |

## Type: UFH-DRY-F



Secor EPS panel with milling and alu foil  
Secor EPS paneel met frezing en aluminium toplaag  
Panseau Secor en insulation PE avec fraisage et film en alu  
Secor platte aus Styropordämmung mit Fräsung und ALU folie

| Article number    | Pallet | Type                                                    |
|-------------------|--------|---------------------------------------------------------|
| UFH-DRY-1617-150F | 8.8 m2 | 1177x750x17 - 150mm - 300 kPa - 0,27m <sup>2</sup> K/W  |
| UFH-DRY-1617-200F | 9 m2   | 1177x800x 7 - 200mm - 300 kPa - 0,24m <sup>2</sup> K/W  |
| UFH-DRY-1625-100F | 9.4 m2 | 1177x800x25 - 100mm - 300 kPa - 0,53m <sup>2</sup> K/W  |
| UFH-DRY-1625-150F | 8.8 m2 | 1177x750x25 - 150mm - 300 kPa - 0,60m <sup>2</sup> K/W  |
| UFH-DRY-1625-200F | 9 m2   | 1177x 800x25 - 200mm - 300 kPa - 0,61m <sup>2</sup> K/W |
| UFH-DRY-1630-150F | 9.4 m2 | 1177x750x30 - 150mm - 300 kPa - 0,75m <sup>2</sup> K/W  |

## Type: UFH-DRY-FTAPE



SECOR Alu tape 50mmx25m  
SECOR Alu kleefband 50mmx25m  
SECOR Bande adhésive aluminium 50mmx25m  
SECOR ALU Klebeband 50mmx25m

| Article number | Bag / Box      | Type       |
|----------------|----------------|------------|
| UFH-DRY-FTAPE  | 1 pc. / 36 pc. | 25m x 50mm |

## Type: UFH-DRY-GLUEF



Secor glue  
Secor lijm  
Colle secor  
Secor Klebstoff

| Article number | Box    | Type |
|----------------|--------|------|
| UFH-DRY-GLUEF  | 15 pc. | 1 KG |

## Type: UFH-P18-GP18



Gypsum fibreboard 18mm, round milling for RENO12 system  
Gipsvezelplaat 18mm, ronde frezing voor RENO12 systeem  
Plaques en fibro-plâtre 18mm, avec une fraisage circulaire système RENO12  
Gipsfaserplatte 18mm, runde Fräsung für das RENO12 system

| Article number | Multipack | Type              |
|----------------|-----------|-------------------|
| UFH-P18-GP18   | 1 pc.     | 1000 x 600 x 18mm |



# Henco Underfloor Heating

Underfloor Heating Systems

## Type: UFH-P18-GP18V



Gypsum fibreboard 18mm, vertical milling for RENO12 system  
Gipsvezelplaat 18mm, verticale frezing voor RENO12 systeem  
Plaques en fibro-plâtre 18mm, système RENO12  
Gipsfaserplatte 18mm, vertikale Fräsung für das RENO12 system

| Article number | Multipack | Type              |
|----------------|-----------|-------------------|
| UFH-P18-GP18V  | 1 pc.     | 1000 x 600 x 18mm |

## Type: UFH-P18-GP10



Gypsum fibreboard 10mm, flat for RENO12 system  
Gipsvezelplaat 10mm, Vlak Voor Reno12 Systeem  
Plaques en fibro-plâtre 10mm, système RENO12  
Gipsfaserplatte 10mm, flach für das RENO12 system

| Article number | Multipack | Type               |
|----------------|-----------|--------------------|
| UFH-P18-GP10   | 1 pc.     | 1500 x 1000 x 10mm |

## Type: UFH-P18-WN



Mesh for RENO12 system  
Wapeningsnet voor RENO12 systeem  
Treillis d'armature pour le système reno12  
Betonstahlmatte für das RENO12 system

| Article number | Coil | Type    |
|----------------|------|---------|
| UFH-P18-WN*    | 1 m  | 1 x 50m |

*\*TILL EXHAUSTION OF STOCK*

## Type: UFH-ISODRY-25



Insulation system board for dry system  
Isolatieplaat voor droog systeem  
Panneau d'isolation pour système sec  
Systemplatte für Trockenbau

| Article number | Multipack | Type          |
|----------------|-----------|---------------|
| UFH-ISODRY-25  | 10 m2     | 1000x500x25mm |

## Type: UFH-DRY-GP100/2



Heat diffusion profile for dry system  
Stralingsprofiel voor droog systeem  
Profil de diffusion pour système sec  
Wärmeleitletelle für Trockenbau

| Article number  | Box    | Type                |
|-----------------|--------|---------------------|
| UFH-DRY-GP100/2 | 50 pc. | 997x120x0,4mm - Ø16 |

## Type: UFH-UP-M



Clip rail with adhesive strip, centres 50 mm  
U-profiel met kleefband, verlegafstand 50 mm  
Profil-U avec bande adhésif, distance de pose 50 mm  
Kunststoffclip-Schiene klebfertig für Rohr, Verlegung 50 mm

| Article number | Box     | Type                    |
|----------------|---------|-------------------------|
| UFH-UP-14M1    | 100 pc. | Ø14 - AS 25 mm- 1000 mm |
| UFH-UP-16M1    | 100 pc. | Ø16 - AS 50 mm- 1000 mm |



## Type: UFH-UP



Clip rail with adhesive strip, centres 50 mm  
U-profiel met kleefband, verlegafstand 50 mm  
Profil-U avec bande adhésif, distance de pose 50 mm  
Kunststoffclip-Schiene klebfertig für Rohr, Verlegung 50 mm

| Article number | Box / Pallet   | Type                    |
|----------------|----------------|-------------------------|
| UFH-UP-12      | 40 m / 1200 m  | Ø12 - AS 25 mm- 2000 mm |
| UFH-UP-16      | 100 m / 3000 m | Ø16 - AS 50 mm- 2500 mm |


## Type: UFH-UP-CUP



Staple for clip rail  
Clip voor U-profielen  
Agrafe pour profil-U  
Nadel für Schienen

| Article number | Box     | Type  |
|----------------|---------|-------|
| UFH-UP-CUP50   | 500 pc. | 50 mm |

## Type: UFH-FOIL



PE film, transparant, with blue grid marking 50 x 50 mm  
PE-folie, transparant, blauwe rastermarkering 50 x 50 mm  
Film en PE, transparent avec marquage 50 x 50 mm en bleu  
Polyethylen-Schutzfolie, transparent, Markierung Blau 50x50mm

| Article number | Roll              | Type                     |
|----------------|-------------------|--------------------------|
| UFH-FOIL50     | 51 m <sup>2</sup> | 50X50mm 50m <sup>2</sup> |
| UFH-FOIL90     | 90 m <sup>2</sup> | 50X50m 90m <sup>2</sup>  |

## Type: UFH-FOIL-N



Pe film, neutral  
Pe-Folie, Neutraal  
Film en pe, neutre  
Polyethylen-schutzfolie, neutral

| Article number | Roll               | Type                |
|----------------|--------------------|---------------------|
| UFH-FOIL-N     | 100 m <sup>2</sup> | 50 m x 2 m - 0,2 mm |

## Type: UFH-FOIL-ALU



PE film, reflecting ALU  
PE-folie, met PE-flap en ALU reflectie  
Film en PE avec réflexion ALU  
Polyethylen-Schutzfolie, Refltion ALU

| Article number | Roll              | Type                |
|----------------|-------------------|---------------------|
| UFH-FOIL-ALU   | 50 m <sup>2</sup> | 50 m x 1 m - 3,0 mm |

## Type: UFH-FOIL-CLIP25



Clip for Film  
Dampffolienagel  
Agrafe pour film PE  
Foliendübel

| Article number  | Bag     | Type |
|-----------------|---------|------|
| UFH-FOIL-CLIP25 | 100 pc. | 25mm |



# Henco Underfloor Heating

Underfloor Heating Systems

## Type: UFH-PLUG80



Plug, shaft length 80 mm, Ø8 mm  
Montageplug, schachtlengthte 80 mm, Ø8 mm  
Cheville de montage, longueur 80 mm, Ø8 mm  
Niederhaltedübel, Bohrer Ø 8 mm, Schaftlänge 80 mm

| Article number | Bag / Box          | Type         |
|----------------|--------------------|--------------|
| UFH-PLUG80     | 100 pc. / 1000 pc. | 80 mm, Ø8 mm |

## Type: UFH-ISOBORD-S



PE edge isolation with lapping strip and adhesive strip  
Randisolatie uit PE-schuim met flap en kleefstroken  
Isolation périphérique en PE avec rabat et bande adhésif  
Randdämmstreifen aus PE mit Abrisskante und Klebestreifen

| Article number | Roll | Type       |
|----------------|------|------------|
| UFH-ISOBORD-S  | 25 m | 150 x 8 mm |

## Type: UFH-ISOBORD-GVNL



PE edge isolation with lapping strip and adhesive strip for liquid floors  
Randisolatie voor gietvloeren uit PE-schuim met flap en kleefstroken  
Isolation périphérique en PE avec rabat et bande adhésif pour sols coulés  
Randdämmstreifen aus PE mit Abrisskante und Klebestreifen für Gussböden

| Article number   | Roll | Type          |
|------------------|------|---------------|
| UFH-ISOBORD-GVNL | 50 m | 100 mm x 8 mm |

## Type: UFH-ISOBORD-GV



PE edge isolation with lapping strip and adhesive strip for anhydrite screed  
Randiso. voor anhydriet chape uit PE-schuim met flap en kleefstroken  
Isolation périphérique en PE avec rabat et bande adhésif, pour chape anhydrite  
Randdämmstreifen aus PE mit Abrisskante und Klebestreifen, für Anhydritestrich

| Article number | Roll | Type          |
|----------------|------|---------------|
| UFH-ISOBORD-GV | 25 m | 150 mm x 8 mm |

## Type: UFH-DP200



PE expansion joint with self-adhesive rail  
Uitzettingsvoeg uit PE-schuim met zelfklevende rail  
Joint de dilatation en PE avec bande adhésive  
Dehnungsfuge aus PE mit Klebestreifen

| Article number | Pack / Box      | Type                       |
|----------------|-----------------|----------------------------|
| UFH-DP200      | 10 pc. / 50 pc. | 2000 mm x 100 mm<br>x 8 mm |



## Type: UFH-DH40



Protection sleeve for expansion joint  
Voegdoorganghuls  
Gaine de protection pour joint de dilatation  
Schutzrohre für Dehnungsfugen

| Article number | Box     | Type   |
|----------------|---------|--------|
| UFH-DH40       | 100 pc. | 400 mm |

## Type: UFH-BEND



Bend guide for pipe  
Geleidingsbocht voor buis  
Courbe pour tube  
Rohrführungsbogen

| Article number | Bag / Box        | Type         |
|----------------|------------------|--------------|
| UFH-BEND1218   | 50 pc. / 400 pc. | Ø 12 - 18 mm |
| UFH-BEND20     | 50 pc. / 100 pc. | Ø 20 mm      |

## Type: UFH-ADN10



Additive for screed (min. pipe covering 45 mm)  
Toevoegmiddel voor zandcementdekvloer (min. buisoverdekking 45 mm)  
Additif pour chape de ciment (min. épaisseur de chape au-dessus du tube 45 mm)  
Estrichzusatz (min. Rohrüberdeckung 45 mm)

| Article number | Drum | Type |
|----------------|------|------|
| UFH-ADN10      | 10 L |      |



# Henco Underfloor Heating

District Heating Manifolds

## Type: UFH-CDP



Composite manifold, adjustable with flow meter and A-pump  
Composiet verdeler, regelbaar met debietmeting en A-pomp  
Collecteur composite, réglable avec débitmètre et pompe label A  
Verteiler Composite, regelbar mit Durchflussmengenzähler und A-Pumpe

| Article number | Box   | Type             |
|----------------|-------|------------------|
| UFH-0405CDP01  | 1 pc. | 1/2" - 1 x 3/4"  |
| UFH-0405CDP02  | 1 pc. | 1/2" - 2 x 3/4"  |
| UFH-0405CDP03  | 1 pc. | 1/2" - 3 x 3/4"  |
| UFH-0405CDP04  | 1 pc. | 1/2" - 4 x 3/4"  |
| UFH-0405CDP05  | 1 pc. | 1/2" - 5 x 3/4"  |
| UFH-0405CDP06  | 1 pc. | 1/2" - 6 x 3/4"  |
| UFH-0505CDP07  | 1 pc. | 3/4" - 7 x 3/4"  |
| UFH-0505CDP08  | 1 pc. | 3/4" - 8 x 3/4"  |
| UFH-0505CDP09  | 1 pc. | 3/4" - 9 x 3/4"  |
| UFH-0505CDP10  | 1 pc. | 3/4" - 10 x 3/4" |
| UFH-0505CDP11  | 1 pc. | 3/4" - 11 x 3/4" |
| UFH-0505CDP12  | 1 pc. | 3/4" - 12 x 3/4" |
| UFH-0505CDP13  | 1 pc. | 3/4" - 13 x 3/4" |
| UFH-0505CDP14  | 1 pc. | 3/4" - 14 x 3/4" |
| UFH-0505CDP15  | 1 pc. | 3/4" - 15 x 3/4" |
| UFH-0505CDP16  | 1 pc. | 3/4" - 16 x 3/4" |

## Type: UFH-CD



Composite manifold, adjustable with flow meter  
Composiet verdeler, regelbaar met debietmeting  
Collecteur composite, réglable avec débitmètre  
Verteiler Composite, regelbar mit Durchflussmengenzähler

| Article number | Box   | Type           |
|----------------|-------|----------------|
| UFH-0605CD01   | 1 pc. | 1" - 1 x 3/4"  |
| UFH-0605CD02   | 1 pc. | 1" - 2 x 3/4"  |
| UFH-0605CD03   | 1 pc. | 1" - 3 x 3/4"  |
| UFH-0605CD04   | 1 pc. | 1" - 4 x 3/4"  |
| UFH-0605CD05   | 1 pc. | 1" - 5 x 3/4"  |
| UFH-0605CD06   | 1 pc. | 1" - 6 x 3/4"  |
| UFH-0605CD07   | 1 pc. | 1" - 7 x 3/4"  |
| UFH-0605CD08   | 1 pc. | 1" - 8 x 3/4"  |
| UFH-0605CD09   | 1 pc. | 1" - 9 x 3/4"  |
| UFH-0605CD10   | 1 pc. | 1" - 10 x 3/4" |
| UFH-0605CD11   | 1 pc. | 1" - 11 x 3/4" |
| UFH-0605CD12   | 1 pc. | 1" - 12 x 3/4" |
| UFH-0605CD13   | 1 pc. | 1" - 13 x 3/4" |
| UFH-0605CD14   | 1 pc. | 1" - 14 x 3/4" |
| UFH-0605CD15   | 1 pc. | 1" - 15 x 3/4" |
| UFH-0605CD16   | 1 pc. | 1" - 16 x 3/4" |
| UFH-0605CD17   | 1 pc. | 1" - 17 x 3/4" |
| UFH-0605CD18   | 1 pc. | 1" - 18 x 3/4" |
| UFH-0605CD19   | 1 pc. | 1" - 19 x 3/4" |
| UFH-0605CD20   | 1 pc. | 1" - 20 x 3/4" |

## Type: UFH-CP



A-pump unit for composite collector  
Pompunit composiet verdeler, met A-pomp  
Kit pompe-A pour collecteur composite  
A-Pump Unit für Composite Verteiler

| Article number | Box   | Type |
|----------------|-------|------|
| UFH-CP         | 1 pc. | 1"   |



## Type: UFH-SLT



Including cord, plug and maximum thermostat.

Steel collector with A-pump

Stalen verdeler met A-pomp en LTV inregelventiel

Stalen verdeler met A-pomp en LTV inregelventiel

Stalen verdeler met A-pomp en LTV inregelventiel

| Article number | Box   | Type             |
|----------------|-------|------------------|
| UFH-0405SLT01  | 1 pc. | 1/2" - 1 x 3/4"  |
| UFH-0405SLT02  | 1 pc. | 1/2" - 2 x 3/4"  |
| UFH-0405SLT03  | 1 pc. | 1/2" - 3 x 3/4"  |
| UFH-0405SLT04  | 1 pc. | 1/2" - 4 x 3/4"  |
| UFH-0405SLT05  | 1 pc. | 1/2" - 5 x 3/4"  |
| UFH-0405SLT06  | 1 pc. | 1/2" - 6 x 3/4"  |
| UFH-0505SLT07  | 1 pc. | 3/4" - 7 x 3/4"  |
| UFH-0505SLT08  | 1 pc. | 3/4" - 8 x 3/4"  |
| UFH-0505SLT09  | 1 pc. | 3/4" - 9 x 3/4"  |
| UFH-0505SLT10  | 1 pc. | 3/4" - 10 x 3/4" |
| UFH-0505SLT11  | 1 pc. | 3/4" - 11 x 3/4" |
| UFH-0505SLT12  | 1 pc. | 3/4" - 12 x 3/4" |
| UFH-0505SLT14  | 1 pc. | 3/4" - 14 x 3/4" |
| UFH-0505SLT15  | 1 pc. | 3/4" - 15 x 3/4" |
| UFH-0505SLT16  | 1 pc. | 3/4" - 16 x 3/4" |

## Type: UFH-SSTE



Including cord, plug and maximum thermostat.

Steel collector with pump, district heating Essent

Stalen verdeler met pomp, stadsverwarming Essent

Collecteur en acier avec pompe, chauffage urbain Essent

Verteiler Stahl mit Pump, Fernheizung Essent

| Article number     | Box   | Type             |
|--------------------|-------|------------------|
| UFH-0405SSTE02-PN6 | 1 pc. | 1/2" - 2 x 3/4"  |
| UFH-0405SSTE03-PN6 | 1 pc. | 1/2" - 3 x 3/4"  |
| UFH-0405SSTE04-PN6 | 1 pc. | 1/2" - 4 x 3/4"  |
| UFH-0405SSTE06-PN6 | 1 pc. | 1/2" - 6 x 3/4"  |
| UFH-0505SSTE07-PN6 | 1 pc. | 3/4" - 7 x 3/4"  |
| UFH-0505SSTE08-PN6 | 1 pc. | 3/4" - 8 x 3/4"  |
| UFH-0505SSTE09-PN6 | 1 pc. | 3/4" - 9 x 3/4"  |
| UFH-0505SSTE10-PN6 | 1 pc. | 3/4" - 10 x 3/4" |
| UFH-0505SSTE11-PN6 | 1 pc. | 3/4" - 11 x 3/4" |
| UFH-0505SSTE12-PN6 | 1 pc. | 3/4" - 12 x 3/4" |



# Henco Underfloor Heating

Underfloor Heating Synthetic Manifolds

## Type: UFH-MDK



Composite manifold, adjustable with flow meter, washer and air vent

Composiet verdeler, regelbaar met debietmeting, therm, vul-aftapkraan, ontlufter  
Collecteur composite, réglable avec débitmètre, thermomètre, vanne d'apport et purgeur d'air

Verteiler Composite, regelbar mit Durchflusssmengenwahl, therm, Entleerung-Entluft.

| Article number    | Box   | Type           |
|-------------------|-------|----------------|
| UFH-0605MDK02-03L | 1 pc. | 1" - 2 x 3/4"  |
| UFH-0605MDK03-03L | 1 pc. | 1" - 3 x 3/4"  |
| UFH-0605MDK04-03L | 1 pc. | 1" - 4 x 3/4"  |
| UFH-0605MDK05-03L | 1 pc. | 1" - 5 x 3/4"  |
| UFH-0605MDK06-03L | 1 pc. | 1" - 6 x 3/4"  |
| UFH-0605MDK07-03L | 1 pc. | 1" - 7 x 3/4"  |
| UFH-0605MDK08-03L | 1 pc. | 1" - 8 x 3/4"  |
| UFH-0605MDK09-03L | 1 pc. | 1" - 9 x 3/4"  |
| UFH-0605MDK10-03L | 1 pc. | 1" - 10 x 3/4" |
| UFH-0605MDK11-03L | 1 pc. | 1" - 11 x 3/4" |
| UFH-0605MDK12-03L | 1 pc. | 1" - 12 x 3/4" |

NEW  
PRODUCT

## Type: UFH-MDK-PRM



Pre-mounted composite manifold, adjustable with flow meter, washer and air vent

Voorgemonteerde composiet verdeler, regelbaar met debietmeting, therm, vul-aftapkraan, ontlufter

Collecteur composite pré-assemblé, réglable avec débitmètre, thermomètre, vanne d'apport et purgeur d'air

Vormontierter verteiler Composite, regelbar mit Durchflusssmengenwahl, therm, Entleerung-Entluft.

| Article number       | Box   | Type           |
|----------------------|-------|----------------|
| UFH-0605MDK02-03LPRM | 1 pc. | 1" - 2 x 3/4"  |
| UFH-0605MDK03-03LPRM | 1 pc. | 1" - 3 x 3/4"  |
| UFH-0605MDK04-03LPRM | 1 pc. | 1" - 4 x 3/4"  |
| UFH-0605MDK05-03LPRM | 1 pc. | 1" - 5 x 3/4"  |
| UFH-0605MDK06-03LPRM | 1 pc. | 1" - 6 x 3/4"  |
| UFH-0605MDK07-03LPRM | 1 pc. | 1" - 7 x 3/4"  |
| UFH-0605MDK08-03LPRM | 1 pc. | 1" - 8 x 3/4"  |
| UFH-0605MDK09-03LPRM | 1 pc. | 1" - 9 x 3/4"  |
| UFH-0605MDK10-03LPRM | 1 pc. | 1" - 10 x 3/4" |
| UFH-0605MDK11-03LPRM | 1 pc. | 1" - 11 x 3/4" |
| UFH-0605MDK12-03LPRM | 1 pc. | 1" - 12 x 3/4" |



## Type: UFH-MDSS



Stainless steel manifold  
Roestvrij stalen verdeler  
Collecteur en acier inoxydable  
Edelstahlverteiler

| Article number | Box   | Type       |
|----------------|-------|------------|
| UFH-0605MDSS02 | 1 pc. | 1" -2X3/4  |
| UFH-0605MDSS03 | 1 pc. | 1" -3X3/4  |
| UFH-0605MDSS04 | 1 pc. | 1" -4X3/4  |
| UFH-0605MDSS05 | 1 pc. | 1" -5X3/4  |
| UFH-0605MDSS06 | 1 pc. | 1" -6X3/4  |
| UFH-0605MDSS07 | 1 pc. | 1" -7X3/4  |
| UFH-0605MDSS08 | 1 pc. | 1" -8X3/4  |
| UFH-0605MDSS09 | 1 pc. | 1" -9X3/4  |
| UFH-0605MDSS10 | 1 pc. | 1" -10X3/4 |
| UFH-0605MDSS11 | 1 pc. | 1" -11X3/4 |
| UFH-0605MDSS12 | 1 pc. | 1" -12X3/4 |
| UFH-0605MDSS13 | 1 pc. | 1" -13X3/4 |
| UFH-0605MDSS14 | 1 pc. | 1" -14X3/4 |
| UFH-0605MDSS15 | 1 pc. | 1" -15X3/4 |

1

2

3

4

5

6

7

8

9

10

11

12



# Henco Underfloor Heating

Underfloor Heating Manifolds

## Type: UFH-MDK-CON



Composite connector for MDK Manifold  
Composiet verbinder voor MDK Verdeler  
Connecteur en composite pour collecteur MDK  
Composite connector for MDK Manifold

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| UFH-MDK-CON    | 1 pc. / 50 pc. |      |

## Type: UFH-MDK-AO



Automatic air vent in composite for MDK manifold  
Automatische ontluchter composiet voor MDK verdeler  
Purgeur automatique en composite pour collecteur MDK  
Automatische entlüftung in composiet fur MDK verteiler

| Article number | Bag   | Type |
|----------------|-------|------|
| UFH-MDK-AO     | 1 pc. | 3/8" |

## Type: UFH-CMDK



Flow meter for MDK manifold  
Debietmeter voor MDK verdeler  
Débitmètre pour collecteur MDK  
Durchflussmengenanzeiger für MDK Verteiler

| Article number | Bag   | Type        |
|----------------|-------|-------------|
| UFH-CMDK03     | 1 pc. | 0 - 3 l/min |

## Type: UFH-06-MD



Manifold brass, adjustable, with flow meters  
Verdeler messing, regelbaar, met debietmeting  
Collecteur en laiton, réglable, avec débitmètres  
Verteiler aus Messing, regelbar, mit Durchflüssenmengenanzähler

| Article number | Box   | Type       |
|----------------|-------|------------|
| UFH-060502-MD  | 1 pc. | 1" - 2X3/4 |
| UFH-060503-MD  | 1 pc. | 1 -3X3/4   |
| UFH-060504-MD  | 1 pc. | 1 -4X3/4   |
| UFH-060505-MD  | 1 pc. | 1 -5X3/4   |
| UFH-060506-MD  | 1 pc. | 1 -6X3/4   |
| UFH-060507-MD  | 1 pc. | 1 -7X3/4   |
| UFH-060508-MD  | 1 pc. | 1 -8X3/4   |
| UFH-060509-MD  | 1 pc. | 1 -9X3/4   |
| UFH-060510-MD  | 1 pc. | 1 -10X3/4  |
| UFH-060511-MD  | 1 pc. | 1 -11X3/4  |
| UFH-060512-MD  | 1 pc. | 1 -12X3/4  |

## Type: UFH-M-D



Flow meter for brass manifold  
Debietmeter voor messing verdeler  
Débitmètre pour collecteur en laiton  
Durchflussmengenanzeiger für Verteiler aus Messing

| Article number | Box   | Type      |
|----------------|-------|-----------|
| UFH-M-D        | 1 pc. | 0-6 l/min |



## Type: UFH-CMDSS



Flow meter for MDSS manifold  
Debietmeter voor MDSS verdeler  
Débitmètre pour collecteur MDSS  
Durchflussmengenanzeiger für MDSS Verteiler

| Article number | Bag   | Type        |
|----------------|-------|-------------|
| UFH-CMDSS03    | 1 pc. | 0 - 5 l/min |

## Type: UFH-PGKTA



Pump unit A label pump with consistent temperature control  
Pompgroep A-label met regeling voor constante temperatuur  
Kit pompe label A avec régulation de température constante  
Konstanttemperaturregelung mit A-Pumpe

| Article number | Box   | Type              |
|----------------|-------|-------------------|
| UFH-PGKTA      | 1 pc. | 1°F / 27°C - 42°C |

*Use the N06 nipple 1" x 1" to connect the pump unit to the underfloor heating manifold*

## Type: N



Nipple 1"x1" to connect UFH-PGKTA to manifold  
Nippel 1"x1" om UFH-PGKTA aan te sluiten op verdeler  
Nippel 1"x1" pour connecter UFH-PGKTA au collecteur  
Nippel 1 "x1" zum Anschluss von UFH-PGKTA an Verteiler

| Article number | Bag / Box        | Type  |
|----------------|------------------|-------|
| N06            | 25 pc. / 250 pc. | 1"x1" |

## Type: UFH-PGKTA-TH



Thermostatic sensor  
Thermostaat kop  
Tête thermostatique  
Thermostatkopf

| Article number | Box   | Type |
|----------------|-------|------|
| UFH-PGKTA-TH   | 1 pc. |      |

## Type: UFH-GKT



Unit with consistent temperature control without pump  
Groep met regeling voor constante temperatuur zonder pomp  
Kit avec régulation de température constante sans pompe  
Konstanttemperaturregelung ohne Pump

| Article number | Box   | Type              |
|----------------|-------|-------------------|
| UFH-GKT        | 1 pc. | 1°F / 27°C - 42°C |

## Type: UFH-BT



1°F ball valve with 1°F swivel nut, washer and thermometer  
Kogelkraan 1°F met wartelmoer 1°F, dichting en thermometer  
Vanne à sphère 1°F avec écrou 1°F, joint et thermomètre  
Kugelhahnset 1"IG mit Mutter 1"IG ,Dichtung und Thermometer

| Article number | Bag / Box      | Type                 |
|----------------|----------------|----------------------|
| UFH-BTM0606-M  | 1 pc. / 20 pc. | 1°F x 1°F / 0 - 60 ° |



# Henco Underfloor Heating

Underfloor Heating Manifolds

## Type: UFH-B



1"F ball valve with 1"F swivel nut and washer  
Kogelkraan 1"F met wartelmoer 1"F en dichting  
Vanne à sphère 1"F avec écrou 1"F et joint plat  
Kugelhahnset 1"IG mit Mutter 1"IG und Dichtung

| Article number | Bag / Box      | Type      |
|----------------|----------------|-----------|
| UFH-B0606-M    | 1 pc. / 25 pc. | 1"F x 1"F |

## Type: UFH-ESK



1"F end cap with nut, washer, ball valve and air vent 3/8"  
Eindstuk 1"F met moer, dichting, kogelkraan en ontluhtingskraan 3/8"  
Bouchon terminal 1"F avec écrou, vanne à sphère, joint et purgeur 3/8"  
Verteilerendstückset 1" IG mit Mutter und Dichtung, Enlüftung 3/8", Kugelhahnset

| Article number  | Bag / Box      | Type              |
|-----------------|----------------|-------------------|
| UFH-ESK060303-M | 1 pc. / 25 pc. | 1"F x 1/2" x 3/8" |

## Type: UFH-ESK-VN



1"F end cap with nut, washer, ball valve and air vent 3/8", nickel-plated  
Eindstuk 1"F met moer, dichting, kogelkraan en ontluhtingskraan 3/8", vernikkeld  
Bouchon terminal 1"F avec écrou, joint et purgeur 3/8", nickelé  
Verteilerendstückset 1"IG mit Mutter und Dichtung, Entlüftung 3/8", Kugelhahnset, vernikkelt Article num

| Article number    | Bag / Box      | Type              |
|-------------------|----------------|-------------------|
| UFH-ESK060303-VN* | 2 pc. / 20 pc. | 1"F x 1/2" x 3/8" |

*\*TILL EXHAUSTION OF STOCK*

## Type: UFH-AO-MZ



Automatic air vent, without check valve  
Automatische ontluhter, zonder waterslot  
Purgeur automatique, sans serrure d'eau  
Schnellentlüfter mit vertikaler Entlüftung, ohne Wasserabsperung

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| UFH-AO03-MZ    | 1 pc. / 50 pc. | 3/8" |

## Type: UFH-TM-M



Thermometer for return with EK connections  
Thermometer voor terugvoer met euroconus aansluitingen  
Retour thermomètre avec raccordement eurocone  
Thermometer zum Anschluss Rucklauf mit Eurokonus-Anschlüssen

| Article number | Bag / Box      | Type                      |
|----------------|----------------|---------------------------|
| UFH-TM050-M    | 1 pc. / 72 pc. | 3/4" - 3/4" EK / 0 - 50°C |

## Type: UFH-BS-M



End cap with washer  
Blindstop  
Bouchon  
Kappe mit Dichtung

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| UFH-BS05-M     | 1 pc. / 50 pc. | 3/4" |



## Type: UFH-C260003001



Thermostatic temperature limiter 3/4"xEK

Thermostatische temperatuurbegrenzer 3/4"xEK

Limiteur de température thermostatique 3/4"xEK

Thermostatischer Temperaturbegrenzer 3/4"xEK

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| UFH-C260003001 | 1 pc. / 50 pc. | 3/4" |

## Type: UFH-B-VN



1" F ball valve with 1" F swivel nut and washer , nickel-plated

Kogelkraan 1" F met wartelmoer 1" F en dichting, vernikkeld

Vanne à sphère 1" F avec écrou 1" F et joint, nickelé

Kugelhahnset 1" IG mit Mutter 1" IG und Dichtung, vernickelt

| Article number | Bag / Box               | Type                   |
|----------------|-------------------------|------------------------|
| UFH-B0606-VN   | 1 set (2 pc.) / 10 sets | 1" F x 1" F / 0 - 60 ° |

*\*TILL EXHAUSTION OF STOCK*

## Type: UFH-BMH-VN



Ball valve 90° with gasket, nickel plated (MDK and MDSS manifold), no thermometer

Kogelkraan 90° met dichting, vernikkeld (MDK en MDSS verdeler), geen thermometer

Vanne à sphère 90° et joint, nickelé (collecteur MDK et MDSS), sans thermomètre

Kugelhahnset 90°, vernickelt (Verteiler MDK und MDSS), ohne thermomètre

| Article number | Box / Big Box           | Type  |
|----------------|-------------------------|-------|
| UFH-BMH0606-VN | 1 set (2 pc.) / 10 sets | 1"x1" |

## Type: UFH-BMHT-VN



Ball valve 90° with gasket, nickel plated (MDK and MDSS manifold), thermometer

Kogelkraan 90° met dichting, vernikkeld (MDK en MDSS verdeler), met thermometer

Vanne à sphère 90° et joint, nickelé (collecteur MDK et MDSS), avec thermomètre

Kugelhahnset 90°, vernickelt (für Verteiler MDK und MDSS), mit thermomètre

| Article number  | Box / Big Box           | Type  |
|-----------------|-------------------------|-------|
| UFH-BMH0606T-VN | 1 set (2 pc.) / 12 sets | 1"x1" |

## Type: UFH-BM-VN



Ball valve with gasket, nickel plated (for MDK and MDSS manifold)

Kogelkraan met dichting, vernikkeld (voor MDK en MDSS verdeler)

Vanne à sphère et joint, nickelé (pour collecteur MDK et MDSS)

Kugelhahnset, vernickelt (für Verteiler MDK und MDSS)

| Article number | Box / Big Box           | Type      |
|----------------|-------------------------|-----------|
| UFH-B0605-VN*  | 1 set (2 pc.) / 15 sets | 3/4" x 1" |
| UFH-BM0606-VN  | 1 set (2 pc.) / 10 sets | 1"x1"     |

*\*TILL EXHAUSTION OF STOCK*



# Henco Underfloor Heating

Underfloor Heating Manifolds

## Type: UFH-C192071



Safety thermostat incl. wire/plug  
Maximaalthermostaat, incl. snoer/stekker  
Thermostat de sécurité, incl. fil/prise  
Maximal Thermostat incl. Snur/Stecker

| Article number | Bag   | Type |
|----------------|-------|------|
| UFH-C192071    | 1 pc. |      |

## Type: UFH-C191800



Thermometer with immersion sleeve 0/60°C  
Thermometer with immersion sleeve 0/60°C  
Thermomètre temp. 0/60°C avec bulbe  
Thermometer mit Tauchhülse 0/60°C

| Article number | Bag   | Type |
|----------------|-------|------|
| UFH-C191800    | 1 pc. |      |

## Type: UFH-C191974



Circulator Wilo Yonos Para RS 15/6-RKA KU 130mm (excl. wire/plug)  
Circulator Wilo Yonos Para RS 15/6-RKA KU 130mm (excl. snoer/stekker)  
Circulateur Wilo Yonos Para RS 15/6-RKA KU 130mm (excl. fil/prise)  
Cirkulator Wilo Yonos Para RS 15/6-RKA KU 130mm (excl. Snur/Stecker)

| Article number | Bag   | Type |
|----------------|-------|------|
| UFH-C191974    | 1 pc. | 1"   |

## Type: UFH-C191976




Circulator Wilo Yonos Para RS 25/6-RKA KU 130mm (excl. wire/plug)  
Circulator Wilo Yonos Para RS 25/6-RKA KU 130mm (excl. snoer/stekker)  
Circulateur Wilo Yonos Para RS 25/6-RKA KU 130mm (excl. fil/prise)  
Cirkulator Wilo Yonos Para RS 25/6-RKA KU 130mm (excl. Snur/Stecker)

| Article number | Bag   | Type   |
|----------------|-------|--------|
| UFH-C191976    | 1 pc. | 1 1/2" |



**Wired control unit**  
**Bekabelde zoneregeling**  
**Régulateurs de zone cablés**  
**Regelverteiler verdrahtet**





# Henco Underfloor Heating

HencoLogic Wired

**NEW\***  
PRODUCT

## Type: CU-6ZONEB-H



Base module 6 zones heating, wired  
Basisstation 6 zones verwarmen, bekabeld  
Base module 6 zones chauffer, câble  
Regelkleimleiste 6-zonen Heizen, Verdrahtet

| Article number | Box / Big Box | Type |
|----------------|---------------|------|
| CU-6ZONEB-H    | 1 pc. / 6 pc. |      |

## Type: CU-6ZONEB-HC

**NEW\***  
PRODUCT



Base module 6 zones heating/cooling, wired  
Basisstation 6 zones verwarmen/koelen, bekabeld  
Base module 6 zones chauffer/refroidir, câble  
Regelkleimleiste 6-zonen Heizen/Kuhlen, Verdrahtet

| Article number | Box / Big Box | Type |
|----------------|---------------|------|
| CU-6ZONEB-HC   | 1 pc. / 6 pc. |      |

## Type: CU-6ZONE-CON

**NEW\***  
PRODUCT



Extension module 6 zones, wired  
Uitbreidingsmodule 6 zone, bekabeld  
Module d'extension 6 zones, câble  
Erweiterungsmodul 6-zonen Heizen/Kuhlen, Verdrahtet

| Article number | Box / Big Box | Type |
|----------------|---------------|------|
| CU-6ZONE-CON   | 1 pc. / 6 pc. |      |

## Type: CU-ATHERMB-H

**NEW\***  
PRODUCT



Analog thermostat heating, wired  
Analoge thermostaat verwarmen, bekabeld  
Thermostat analogue chauffer, câble  
Analog Raumthermostat Heizen, Verdrahtet

| Article number | Box / Big Box  | Type |
|----------------|----------------|------|
| CU-ATHERMB-H   | 1 pc. / 84 pc. |      |

## Type: CU-ATHERMB-HC

**NEW\***  
PRODUCT



Analog thermostat heating/cooling, wired  
Analoge thermostaat verwarmen/koelen, bekabeld  
Thermostat analogue chauffer/refroidir, câble  
Analog Raumthermostat Heizen/Kuhlen, Verdrahtet

| Article number | Box / Big Box  | Type |
|----------------|----------------|------|
| CU-ATHERMB-HC  | 1 pc. / 84 pc. |      |



## Type: CU-DTHERMB-HC

NEW PRODUCT



Digital thermostat heating/cooling, wired  
Digitale thermostaat verwarmen/koelen, bekabeld  
Thermostat digitale chauffeur/refroidir, câble  
LCD Raumthermostat Heizen/Kuhlen, Verdrahtet

| Article number | Box / Big Box  | Type  |
|----------------|----------------|-------|
| CU-DTHERMB-HC  | 1 pc. / 84 pc. | White |

## Type: CU-DTHERMB-HC-B

NEW PRODUCT



Digital thermostat heating/cooling, wired, black  
Digitale thermostaat verwarmen/koelen, bekabeld, zwart  
Thermostat digitale chauffeur/refroidir, câble, noir  
LCD Raumthermostat Heizen/Kuhlen, Verdrahtet, Schwarz

| Article number  | Box / Big Box  | Type  |
|-----------------|----------------|-------|
| CU-DTHERMB-HC-B | 1 pc. / 84 pc. | Black |

## Type: CU-ACT-B230V

NEW PRODUCT



Actuator with cable 1m  
Actuator met vaste kabel 1m  
Electrovanne avec cable 1m  
Stellantrieb Kabel 1m

| Article number | Box / Big Box   | Type |
|----------------|-----------------|------|
| CU-ACT-B230V   | 1 pc. / 100 pc. | 230V |

## Type: UFH-ANC



Valve  
Zoneventiel  
Vanne  
Ventil

| Article number | Box   | Type                      |
|----------------|-------|---------------------------|
| UFH-ANC05      | 1 pc. | 2 x 3/4" - M30x1,5 - Kv 2 |
| UFH-ANC06      | 1 pc. | 2 x 1" - M30x1,5 - Kv 4,5 |



## Henco Underfloor Heating

HencoLogic Wireless

1

2

3

4

5

6

7

8

9

10

11


12

**Wireless control unit (Heating/cooling)**

**Draadloze zoneregeling (Verwarmen/koelen)**

**Régulateurs de zone sans fil (Chauffage/refroidissement)**

**Regelverteiler funk (Heizen/kühlen)**



230V





## Type: CU-6ZONERF-HC

NEW\*  
PRODUCT



Base module 6 zones heating/cooling, wireless  
Basisstation 6 zones verwarmen/koelen, draadloos  
Base module 6 zones chauffer/refroidir, sans fil  
Regelkleinleiste 6-zonen Heizen, Funk

| Article number | Box / Big Box | Type |
|----------------|---------------|------|
| CU-6ZONERF-HC  | 1 pc. / 6 pc. |      |

## Type: CU-10ZONERF-HC

NEW\*  
PRODUCT




Base module 10 zones heating/cooling, wireless  
Basisstation 10 zones verwarmen/koelen, draadloos  
Base module 10 zones chauffer/refroidir, sans fil  
Regelkleinleiste 10-zonen Heizen/Kuhlen, Funk

| Article number | Box / Big Box | Type |
|----------------|---------------|------|
| CU-10ZONERF-HC | 1 pc. / 6 pc. |      |

## Type: CU-ZONERF-HC

NEW\*  
PRODUCT



Extension module heating/cooling, wireless  
Uitbreidingsmodule verwarmen/koelen, draadloos  
Module d'extension chauffer/refroidir, sans fil  
Erweiterungsmodul Heizen/Kuhlen, Funk

| Article number | Box / Big Box | Type |
|----------------|---------------|------|
| CU-ZONERF-HC   | 1 pc. / 6 pc. |      |

## Type: CU-ATHERMRF-HC

NEW\*  
PRODUCT



Analog thermostat heating/cooling, wireless  
Analoge thermostaat verwarmen/koelen, draadloos  
Thermostat analogue chauffer/refroidir, sans fil  
Analog Raumthermostat Heizen/Kuhlen, Funk

| Article number | Box / Big Box  | Type |
|----------------|----------------|------|
| CU-ATHERMRF-HC | 1 pc. / 36 pc. |      |

## Type: CU-DTHERMRF-HC

NEW\*  
PRODUCT



Digital thermostat heating/cooling, wireless  
Digitale thermostaat verwarmen/koelen, draadloos  
Thermostat digitale chauffer/refroidir, sans fil  
LCD Raumthermostat Heizen/Kuhlen, Funk

| Article number | Box / Big Box  | Type  |
|----------------|----------------|-------|
| CU-DTHERMRF-HC | 1 pc. / 36 pc. | White |

## Type: CU-DTHERMRF-HC-B

NEW\*  
PRODUCT



Digital thermostat heating/cooling, wireless, black  
Digitale thermostaat verwarmen/koelen, draadloos, zwart  
Thermostat digitale chauffer/refroidir, sans fil, noir  
LCD Raumthermostat Heizen/Kuhlen, Funk, Schwarz

| Article number   | Box / Big Box  | Type  |
|------------------|----------------|-------|
| CU-DTHERMRF-HC-B | 1 pc. / 36 pc. | Black |



# Henco Underfloor Heating

HencoLogic Wireless

## 1 Type: CU-WIFI

NEW\*  
PRODUCT



RF Wifi central unit  
Centrale RF Wifi unit  
Unité centrale RF Wifi  
Zentrale RF Wifi-Einheit

| Article number | Box / Big Box  | Type |
|----------------|----------------|------|
| CU-WIFIRF      | 1 pc. / 17 pc. |      |

## 6 Type: CU-WIFIRFCABLE

NEW\*  
PRODUCT



Cable (USB B) RF WIFI central unit  
Kabel (USB B) RF WIFI-centrale  
Câble (USB B) RF WIFI central unit  
Kabel (USB B) RF WIFI zentraleinheit

| Article number | Box / Big Box   | Type |
|----------------|-----------------|------|
| CU-WIFIRFCABLE | 1 pc. / 112 pc. |      |

## 12 Type: CU-ANTRF

NEW\*  
PRODUCT



Antenne

| Article number | Box    | Type |
|----------------|--------|------|
| CU-ANTRF       | 35 pc. |      |

## Type: CU-REPRF

NEW\*  
PRODUCT



RF repeater

| Article number | Box / Big Box  | Type |
|----------------|----------------|------|
| CU-REPRF       | 1 pc. / 34 pc. |      |

## Type: CU-RADTHERMRF

NEW\*  
PRODUCT



RF thermostatic radiator head  
RF thermostatische radiator kop  
Tête de radiateur thermostatique RF  
RF Thermostatischer Heizkörperkopf

| Article number | Box / Big Box  | Type |
|----------------|----------------|------|
| CU-RADTHERMRF  | 1 pc. / 48 pc. |      |

## Type: CU-ACT-B230V

NEW\*  
PRODUCT



Actuator with cable 1m  
Actuator met vaste kabel 1m  
Electrovanne avec cable 1m  
Stellantrieb Kabel 1m

| Article number | Box / Big Box   | Type |
|----------------|-----------------|------|
| CU-ACT-B230V   | 1 pc. / 100 pc. | 230V |



# Henco Underfloor Heating Cabinets

NEW\*  
PRODUCT

## Type: UFH-CAB-I



Recessed manifold cabinet, RAL 9016

Verdelerkast voor inbouw, RAL 9016

Boîte à encastrer pour collecteurs, RAL 9016

Verteilerschrank Unterputz, RAL 9016

| Article number | Box   | Type                   |
|----------------|-------|------------------------|
| UFH-CAB-I400   | 1 pc. | 400x700-800x112-152mm  |
| UFH-CAB-I455*  | 1 pc. | 480x575-665x110-175mm  |
| UFH-CAB-I565*  | 1 pc. | 610x575-665x110-175mm  |
| UFH-CAB-I715*  | 1 pc. | 760x575-665x110-175mm  |
| UFH-CAB-I965*  | 1 pc. | 1010x575x665x110-175mm |

\*RAL9003

## Type: UFH-CAB-O

NEW\*  
PRODUCT



Surface mount manifold cabinet, RAL 9016

Verdelerkast voor opbouw, RAL 9016

Boîte à poser pour collecteurs, RAL 9016

Verteilerschrank Aufputz, RAL 9016

| Article number | Box   | Type           |
|----------------|-------|----------------|
| UFH-CAB-O385*  | 1 pc. | 385x580x120mm  |
| UFH-CAB-O400   | 1 pc. | 400x720x112mm  |
| UFH-CAB-O615*  | 1 pc. | 615x580x120mm  |
| UFH-CAB-O800   | 1 pc. | 800x720x112mm  |
| UFH-CAB-O1015* | 1 pc. | 1015x580x120mm |

\*RAL9003

## Type: UFH-CAB-OZ

NEW\*  
PRODUCT



Surface mount manifold without back, RAL 9003

Verdelerkast zonder rug voor opbouw, RAL 9003

Boîte à poser pour collecteurs sans plaque arrière, RAL 9003

Verteilerschrank Aufputz ohne Rückwand, RAL 9003

| Article number | Box   | Type           |
|----------------|-------|----------------|
| UFH-CAB-O385Z  | 1 pc. | 385x580x120mm  |
| UFH-CAB-O615Z  | 1 pc. | 615x580x120mm  |
| UFH-CAB-O1015Z | 1 pc. | 1015x580x120mm |



|                                        | <i><b>Page</b></i> |
|----------------------------------------|--------------------|
| <i><b>Bending Tools</b></i>            | <i><b>140</b></i>  |
| <i><b>Cutting Tools</b></i>            | <i><b>141</b></i>  |
| <i><b>Calibration Tools</b></i>        | <i><b>143</b></i>  |
| <i><b>Pressing Tools</b></i>           | <i><b>145</b></i>  |
| <i><b>Underfloor Heating Tools</b></i> | <i><b>158</b></i>  |



# Henco Tools

Bending Tools

## Type: SAFECUT



Cutter to open the packing paper  
Mes om verpakkingspapier te openen  
Couteau pour ouvrir le papier d'emballage  
Schneider zum Öffnen der Verpackung

| Article number | Box / Big Box  | Type    |
|----------------|----------------|---------|
| SAFECUT        | 1 pc. / 10 pc. | SAFECUT |

## Type: PS



Pipe straightener  
Buizenrichter  
Redresseur  
Rohrbegradiger

| Article number | Box / Big Box  | Type |
|----------------|----------------|------|
| PS-16          | 1 pc. / 30 pc. | Ø16  |
| PS-20          | 1 pc. / 15 pc. | Ø20  |

## Characteristics PS

- Simplifies installation and reduces labour
- Easy to use
- Less material usage and waste
- Accelerated flow for better efficiencies and reduced running costs
- Professional looking finish

## Type: BI



Internal bending spring  
Binnenbuigveer  
Ressort à plier intérieur  
Biegefeder innen

| Article number | Bag / Box       | Type          |
|----------------|-----------------|---------------|
| BI-1410        | 1 pc. / 100 pc. | 14x2 L=50 cm  |
| BI-1612        | 1 pc. / 100 pc. | 16x2 L=50 cm  |
| BI-1612L       | 1 pc. / 50 pc.  | 16x2 L=100 cm |
| BI-1814        | 1 pc. / 75 pc.  | 18x2 L=50 cm  |
| BI-2016        | 1 pc. / 75 pc.  | 20x2 L=50 cm  |
| BI-2016L       | 1 pc. / 25 pc.  | 20x2 L=100 cm |
| BI-2620        | 1 pc. / 25 pc.  | 26x3 L=100 cm |

## Type: BA



External bending spring  
Buitenbuigveer  
Ressort à plier extérieur  
Biegefeder aussen

| Article number | Bag / Box      | Type            |
|----------------|----------------|-----------------|
| BA-1288        | 1 pc. / 50 pc. | 12x1,88 L=50 cm |
| BA-1410        | 1 pc. / 50 pc. | 14x2 L=50 cm    |
| BA-1612        | 1 pc. / 50 pc. | 16x2 L=50 cm    |
| BA-1814        | 1 pc. / 50 pc. | 18x2 L=50 cm    |
| BA-2016        | 1 pc. / 50 pc. | 20x2 L=50 cm    |



## Type: BM



Bending tool  
Buigijzer  
Cintreuse  
Biegewerkzeug

| Article number | Box / Big Box  | Type    |
|----------------|----------------|---------|
| BM-16          | 1 pc. / 15 pc. | for Ø16 |
| BM-18*         | 1 pc. / NaN    | for Ø18 |
| BM-20          | 1 pc. / 6 pc.  | for Ø20 |
| BM-26          | 1 pc. / 8 pc.  | for Ø26 |

\*TILL EXHAUSTION OF STOCK

## Type: BM-F



Fast bending tool  
Snelbuig tool  
Cintreuse rapide  
Schnell Biegewerkzeug

| Article number | Box / Big Box  | Type    |
|----------------|----------------|---------|
| BM-16F         | 1 pc. / 50 pc. | for Ø16 |
| BM-20F         | 1 pc. / 40 pc. | for Ø20 |

## Type: IMPRESS



Guillotine cutter for multilayer and protection hose  
Guillotineschaar voor meerlagenbuis en mantel  
Pince guillotine pour tuyau multicouche et gaine  
Guillotinezange für Mehrschichtrohr und Mantel

| Article number | Box / Big Box  | Type          |
|----------------|----------------|---------------|
| IM1426PRESS    | 1 pc. / 36 pc. | 14 till 26 mm |

## Type: IMPRESS-N



Guillotine cutter for multilayer  
Guillotineschaar voor meerlagenbuis  
Pince guillotine pour tuyau multicouche  
Guillotinezange für Mehrschichtrohr

| Article number | Box / Big Box  | Type          |
|----------------|----------------|---------------|
| IM1426PRESS-N  | 1 pc. / 36 pc. | 14 till 26 mm |

## Type: IMEMPRESS



Replacement blade for IMPRESS  
Vervangmes voor IMPRESS  
Replacement blade for IMPRESS  
Ersatzmesser für IMPRESS

| Article number | Bag / Box       | Type        |
|----------------|-----------------|-------------|
| IMEM1426-PRESS | 1 pc. / 150 pc. | 14mm - 26mm |



# Henco Tools

Cutting Tools

## Type: RSEM-PERS



Replacement blade for art. RS1420PRESS and RS2640PRESS  
 Vervangmes voor art. RS1420PRESS en RS2640PRESS  
 Lame pour art. RS1420PRESS et RS2640PRESS  
 Ersatzmesser für Art. RS1420PRESS UND RS2640PRESS

| Article number | Box   | Type          |
|----------------|-------|---------------|
| RSEM1420-PERS  | 1 pc. | 14 till 20 mm |
| RSEM2640-PERS  | 1 pc. | 26 till 40 mm |

## Type: IM



Wheel cutter  
 Buizensnijder  
 Coupe-tube  
 Rohrschneidezange

| Article number | Box / Big Box  | Type          |
|----------------|----------------|---------------|
| IM63           | 1 pc. / 15 pc. | 14 till 63 mm |

## Type: IMEM



Replacement blade for IM  
 Vervangmes voor IM  
 Coûteau de rechange pour IM  
 Ersatzmesser für IM

| Article number | Bag / Box       | Type          |
|----------------|-----------------|---------------|
| IMEM63         | 1 pc. / 150 pc. | 14 till 63 mm |

## Type: RS



Wheel cutter  
 Buizensnijder  
 Coupe-tube  
 Rohrschneidezange

| Article number | Box   | Type          |
|----------------|-------|---------------|
| RS32*          | 1 pc. | 14 till 32 mm |

*\*TILL EXHAUSTION OF STOCK*

## Type: PH



Pipe holder for diameters 16-20-26-32  
 Griptang voor buis diameter 16-20-26-32  
 Pince de maintien diamètre 16-20-26-32  
 Rohrhalter für Diameter 16-20-26-32

| Article number | Box / Big Box  | Type           |
|----------------|----------------|----------------|
| PH-1632        | 1 pc. / 70 pc. | 16-20-26-32 mm |

## Characteristics PH

- ▶ Always sufficient grip when calibrating short pipe ends
- ▶ Prevents the pipe from turning during calibration
- ▶ Inspired by the classic nutcracker model
- ▶ Henco blue anodised aluminium
- ▶ Lightweight tool
- ▶ Suitable for pipe diameters of 16 - 20 - 26 - 32





## Type: KS-MSET1



Set with KS-K and KS-M for Ø16, 20 and 26  
 Set met KS-K en KS-M voor Ø16, 20 en 26  
 Set avec KS-K et KS-M pour Ø16, 20 et 26  
 Set mit KS-K und KS-M für Ø16, 20 und 26

| Article number | Box   | Type        |
|----------------|-------|-------------|
| KS-MSET1       | 1 pc. | Ø16,Ø20,Ø26 |

## Type: KS-MSET4



Set with KS-K and KS-M for Ø16, 20, 26 and 32  
 Set with KS-K and KS-M for Ø16, 20, 26 and 32  
 Set avec KS-K et KS-M pour Ø16, 20, 26 et 32  
 Set mit KS-K und KS-M für Ø16, 20, 26 und 32

| Article number | Box   | Type            |
|----------------|-------|-----------------|
| KS-MSET4       | 1 pc. | Ø16,Ø20,Ø26,Ø32 |

## Type: KS



Kalispeed for electric drills (max. 500 rpm, clockwise only)  
 Kalispeed voor accu-boormachine (max. 500 toeren, rechts draaien verplicht)  
 Kalispeed pour perceuses à batterie (max. 500 tournages, obligation de tourner à droite)  
 Kalispeed für Akku-Bohrmaschine (max. 500 Drehungen, rechts drehen verpflichtet)

| Article number | Box   | Type    |
|----------------|-------|---------|
| KS50           | 1 pc. | for Ø50 |
| KS63           | 1 pc. | for Ø63 |

## Type: KS-M



Kalispeed, metal, for KS-K and electric drills (max. 500 rpm, clockwise only)  
 Kalispeed, metaal, voor KS-K en accu-boormachine (max. 500 toeren, rechts draaien verplicht)  
 Kalispeed, métal, pour KS-K et perceuses à batterie (max. 500 tours, obligation de tourner à droite)  
 Kalispeed, Metall, für KS-K und Akku-Bohrmaschine (max. 500 Drehungen, rechts drehen verpflichtet)

| Article number | Box   | Type    |
|----------------|-------|---------|
| KS12M          | 1 pc. | for Ø12 |
| KS14M          | 1 pc. | for Ø14 |
| KS16M          | 1 pc. | for Ø16 |
| KS18M          | 1 pc. | for Ø18 |
| KS20M          | 1 pc. | for Ø20 |
| KS26M          | 1 pc. | for Ø26 |
| KS32M          | 1 pc. | for Ø32 |
| KS40M          | 1 pc. | for Ø40 |



## Henco Tools

Calibration Tools

### Type: KS-K



Clickhandle for KS (Kalispeed)  
Klikhandvat voor KS (Kalispeed)  
Manche clic pour KS (Kalispeed)  
Klickgriff für KS (Kalispeed)

| Article number | Box   | Type         |
|----------------|-------|--------------|
| KS-K           | 1 pc. | up to Ø63 mm |

### Type: KS-P



Kalispeed for Ø16, 20 and 26  
Kalispeed voor Ø16, 20 en 26  
Kalispeed pour Ø16, 20 et 26  
Kalispeed für Ø16, 20 und 26

| Article number | Box / Big Box   | Type               |
|----------------|-----------------|--------------------|
| KS-P162026     | 1 pc. / 288 pc. | for Ø16, 20 and 26 |

*Not for intensive use*



## Type: M-BA03



Kit: accu-persmachine + accu + lader + koffer, lineaire aandrijving 32 tot 40 kN  
 Kit: accu-persmachine + accu + lader + koffer, lineaire aandrijving 32 tot 40 kN  
 Kit: machine à sertir + batterie + chargeur + coffret, propulsion linéaire 32 jusqu'à 40 kN  
 Kit: Akku-Pressmaschine, lineare Schubkraft 32 bis 40 kN

| Article number | Box   | Type    |
|----------------|-------|---------|
| M-BA03         | 1 pc. | Battery |

## Type: M-BOXBA03



Case for M-BA03  
 Koffer voor M-BA03  
 Coffre pour M-BA03  
 Koffer für M-BOXBA03

| Article number | Box   | Type       |
|----------------|-------|------------|
| M-BOXBA03      | 1 pc. | BOX M-BA03 |

## Type: M-BAT03



Battery for M-BA03  
 Accu voor M-BA03  
 Batterie pour M-BA03  
 Akku für M-BA03

| Article number | Box   | Type    |
|----------------|-------|---------|
| M-BAT03        | 1 pc. | Battery |



## Henco Tools

Pressing Tools

### Type: M-LAD03



Charge-unit for M-BA03  
Lader voor M-BA03  
Chargeur pour M-BA03  
Akku-Ladegerät für M-BA03

| Article number | Box   | Type    |
|----------------|-------|---------|
| M-LAD03        | 1 pc. | Charger |

### Type: M-TRANS



Main adapter for M-BA03  
Adapter voor netaansluiting M-BA03  
Adaptateur raccordement au réseau M-BA03  
Netzadapter für M-BA03

| Article number | Box   | Type    |
|----------------|-------|---------|
| M-TRANS03      | 1 pc. | Adapter |

### Type: M-BHY162026



Kit : 230V hydraulic press machine with 16, 20, 26 jaws + metal case (110 volt also available), linear drive 32 to 40 kN  
Kit : Elektrisch-hydraulische persmachine + bekken 16, 20, 26 + koffer, liniaire aandrijving 32 tot 40kN  
Kit: machine à sertir électro-hydraulique + pinces 16, 20, 26 + coffret, propulsion linéaire 32 jusqu'à 40 kN  
Kit : Elektrohydraulische Pressmaschine + Pressbacken 16, 20, 26 + Koffer, lineare Schubkraft 32 bis 40 kN

| Article number | Box   | Type       |
|----------------|-------|------------|
| M-BHY162026    | 1 pc. | Wired 230V |

### Type: M-BHY



Kit : 230V hydraulic press machine + metal case (110 volt also available), linear drive 32 to 40 kN  
Kit : Elektrisch-hydraulische persmachine + koffer, liniaire aandrijving 32 tot 40kN  
Kit: machine à sertir électro-hydraulique + coffret, propulsion linéaire 32 jusqu'à 40 kN  
Kit : Elektrohydraulische Pressmaschine + Koffer, lineare Schubkraft 32 bis 40 kN

| Article number | Box   | Type       |
|----------------|-------|------------|
| M-BHY          | 1 pc. | Wired 230V |



## Type: M-BOXBHY



Metal case for M-BHY162026  
Koffer voor M-BHY162026  
Coffret en métal pour M-BHY162026  
Koffer für M-BHY162026

| Article number | Box   | Type            |
|----------------|-------|-----------------|
| M-BOXBHY       | 1 pc. | Box M-BHY162026 |

## Type: BE



Jaws (universal)  
Persbekken (universeel)  
Plnces à sertir (universel)  
Pressbacken (universal)

| Article number | Box   | Type       |
|----------------|-------|------------|
| BE14           | 1 pc. | BE/TH 14x2 |
| BE16           | 1 pc. | BE/TH 16x2 |
| BE18           | 1 pc. | BE/TH 18x2 |
| BE20           | 1 pc. | BE/TH 20x2 |
| BE26           | 1 pc. | BE/TH 26x3 |
| BE32           | 1 pc. | BE 32x3    |
| BE40           | 1 pc. | BE 40x3,5  |
| BE50           | 1 pc. | BE 50x4    |
| BE63           | 1 pc. | BE 63x4,5  |

Press tool compatibility: see [www.henco.be](http://www.henco.be)

## Type: BE-UNISSET1



Set with universal jaw mounting unit and inserts  
Set met universele moederbek en wisselbekken  
Set avec pince mère universel et pinces  
Set mit Mutterpressbacke universal und Backen

| Article number | Box   | Type          |
|----------------|-------|---------------|
| BE-UNISSET1    | 1 pc. | 16, 20 & 26mm |

Press tool compatibility: see [www.henco.be](http://www.henco.be)

## Type: BE-UNISSET2



Set with universal jaw mounting unit and BE-H inserts Ø14, 16, 18, 20, 26, and 32  
Set met universele moederbek en wisselbekken BE-H Ø14, 16, 18, 20, 26 en 32  
Set avec pince mère universel et pinces BE-H Ø14, 16, 18, 20, 26, et 32  
Set mit Mutterpressbacke universal und Backen BE-H Ø14, 16, 18, 20, 26, und 32

| Article number | Box   | Type                      |
|----------------|-------|---------------------------|
| BE-UNISSET2    | 1 pc. | 14, 16, 18, 20, 26 & 32mm |

Press tool compatibility: see [www.henco.be](http://www.henco.be)



## Henco Tools

Pressing Tools

### Type: BE-UNISETMINI3



Set with jaw be-mini3 + be-h inserts ø16,20,26,32  
 set met moederbek be-mini3 en wisselbekken be-h ø16, 20, 26 en 32  
 set avec pince mère be-mini3 + pinces be-h ø16,20,26,32  
 set mit mutterpressbacke be-mini3 + backen be-h ø16,20,26,32

| Article number | Box   | Type              |
|----------------|-------|-------------------|
| BE-UNISETMINI3 | 1 pc. | 16, 20, 26 & 32mm |

*Press tool compatibility: see [www.henco.be](http://www.henco.be)*

### Type: TOOLBOX16202632



Box with KS16 20 26 32 M, BE-UNI, BE16 20 26 32 H, BI-1612, BI-2016, BA-1612, BA-2016, RS1420PRESS, SAFECUT  
 Koffer met KS16 20 26 32 M, BE-UNI, BE16 20 26 32 H, BI-1612, BI-2016, BA-1612, BA-2016, RS1420PRESS, SAFECUT  
 Coffre avec KS16 20 26 32 M, BE-UNI, BE16 20 26 32 H, BI-1612, BI-2016, BA-1612, BA-2016, RS1420PRESS, SAFECUT  
 Koffer mit KS16 20 26 32 M, BE-UNI, BE16 20 26 32 H, BI-1612, BI-2016, BA-1612, BA-2016, RS1420PRESS, SAFECUT

| Article number  | Box   | Type              |
|-----------------|-------|-------------------|
| TOOLBOX16202632 | 1 pc. | 16, 20, 26 & 32mm |

*Press tool compatibility: see [www.henco.be](http://www.henco.be)*

### Type: TOOLBOX405063



Box with KS40M, KS50, KS63, BE40 50 63, RS63  
 Koffer met KS40M, KS50, KS63, BE40 50 63, RS63  
 Coffre avec KS40M, KS50, KS63, BE40 50 63, RS63  
 Koffer mit KS40M, KS50, KS63, BE40 50 63, RS63

| Article number | Box   | Type          |
|----------------|-------|---------------|
| TOOLBOX405063  | 1 pc. | 40, 50 & 63mm |

*Press tool compatibility: see [www.henco.be](http://www.henco.be)*

### Type: BE-UNI



Jaw mounting unit for M-BA03 and M-BHY, to be used with BE-H jaws  
 Moederbek voor M-BA03 en M-BHY en te gebruiken met BE-H bekken  
 Pince mère pour M-BA03 et M-BHY, à utiliser avec pinces BE-H  
 Mutterpressbacke für M-BA03 und M-BHY, zu verwenden mit BE-H Backen

| Article number | Bag / Big Box  | Type       |
|----------------|----------------|------------|
| BE-UNI         | 1 pc. / 12 pc. | MOTHER JAW |

*BE-UNI is designed to press Henco press fittings, the interchangeable dies with M- and V-profile make it possible to make the transition from other materials to Henco other than Henco branded fittings with compact measurements can cause complex manipulation.*



## Type: BE-H



Inserts for BE-UNI, BE-MINI2, BE-MINI3, M-BH  
Wisselbekken voor BE-UNI, BE-MINI2, BE-MINI3, M-BH  
Pincas pour BE-UNI, BE-MINI2, BE-MINI3, M-BH  
Pressbacken für BE-UNI, BE-MINI2, BE-MINI3, M-BH

| Article number | Bag          | Type         |
|----------------|--------------|--------------|
| BE14H          | 1 Set (2pc.) | BE/TH 14X2 H |
| BE16H          | 1 Set (2pc.) | BE/TH 16X2 H |
| BE18H          | 1 Set (2pc.) | BE/TH 18X2 H |
| BE20H          | 1 Set (2pc.) | BE/TH 20X2 H |
| BE26H          | 1 Set (2pc.) | BE/TH 26X3 H |
| BE32H          | 1 Set (2pc.) | BE 32X3 H    |

*Our warranty does not apply to other pipe systems with M or V profile*

## Type: BE-HC



Inserts (copper) for BE-UNI, BE-MINI2, BE-MINI3, M-BH  
Wisselbekken (koper) voor BE-UNI, BE-MINI2, BE-MINI3, M-BH  
Pincas (cuivre) pour BE-UNI, BE-MINI2, BE-MINI3, M-BH  
Pressbacken (Kupfer) für BE-UNI, BE-MINI2, BE-MINI3, M-BH

| Article number | Box          | Type           |
|----------------|--------------|----------------|
| BE12HC         | 1 Set (2pc.) | 12Cu V-profile |
| BE14HC         | 1 Set (2pc.) | 14Cu V-profile |
| BE15HC         | 1 Set (2pc.) | 15Cu V-profile |
| BE16HC         | 1 Set (2pc.) | 16Cu V-profile |
| BE18HC         | 1 Set (2pc.) | 18Cu V-profile |
| BE22HC         | 1 Set (2pc.) | 22Cu V-profile |
| BE28HC         | 1 Set (2pc.) | 28Cu V-profile |

*Our warranty does not apply to other pipe systems with M or V profile*

## Type: BE-HM



Inserts (copper) for BE-UNI, BE-MINI2, BE-MINI3, M-BH  
Wisselbekken (koper) voor BE-UNI, BE-MINI2, BE-MINI3, M-BH  
Pincas (cuivre) pour BE-UNI, BE-MINI2, BE-MINI3, M-BH  
Pressbacken (Kupfer) für BE-UNI, BE-MINI2, BE-MINI3, M-BH

| Article number | Box          | Type           |
|----------------|--------------|----------------|
| BE12HM         | 1 Set (2pc.) | 12Cu M-profile |
| BE15HM         | 1 Set (2pc.) | 15Cu M-profile |
| BE18HM         | 1 Set (2pc.) | 18Cu M-profile |
| BE22HM         | 1 Set (2pc.) | 22Cu M-profile |

*Our warranty does not apply to other pipe systems with M or V profile*

## Type: BE-BOX



Metal case for 6 compression jaws  
Stalen koffer voor 6 persbekken  
Coffret en métal pour 6 pincas à sertir  
Stahlblechkasten für 6 Pressbacken

| Article number | Box   | Type |
|----------------|-------|------|
| BE-BOX         | 1 pc. | BOX  |



## Henco Tools

Pressing Tools

### Type: M-BMINI3-F



Kit : compact rechargeable battery press machine with press monitoring + case + charge unit + battery 18V + full jaws TH16-20-26, linear drive ca. 19 kN

Kit: hydraulische accu-persmachine met persbewaking + koffer + lader + 1 accu 18V + volle bekken TH16-20-26, lineaire aandrijving ca. 19kN

Kit : machine à sertir hydraulique + boîte + chargeur + batterie 18V, pince TH16-20-26, propulsion linéaire ca.19 kN

Kit: Hydraulisches Akku-Presswerkzeug mit Pressdrucküberwachung + Koffer + Ladegerät + 1 Akku 18V + Pressbacken TH16-20-26, lineare Schubkraft ca. 19 kN

| Article number | Box   | Type    |
|----------------|-------|---------|
| M-BMINI3-F     | 1 pc. | Battery |

### Type: M-BMINI3



Hydraulic press machine with battery 18V and linear drive 19kN

Hydraulische persmachine met batterij 18V en lineaire aandrijving 19kN

Machine à sertir hydraulique avec batterie 18V et propulsion linéaire 19kN

Hydraulisches Akku-presswerkzeug mit Akku 18V und lineare Schubkraft 19kN

| Article number | Box   | Type    |
|----------------|-------|---------|
| M-BMINI3       | 1 pc. | Battery |

### Type: M-BMINI3-S



Kit : compact rechargeable battery press machine with press monitoring + case + charge unit + battery 18V, linear drive ca. 19 kN

Kit: hydraulische accu-persmachine met persbewaking + koffer + lader + 1 accu 18V, lineaire aandrijving ca. 19kN

Kit : machine à sertir hydraulique + boîte + chargeur + batterie 18V, propulsion linéaire ca.19 kN

Kit: Hydraulisches Akku-Presswerkzeug mit Pressdrucküberwachung + Koffer + Ladegerät + 1 Akku 18V, lineare Schubkraft ca. 19 kN

| Article number | Box   | Type    |
|----------------|-------|---------|
| M-BMINI3-S     | 1 pc. | Battery |



## Type: M-BATMINI3



Battery 18V for M-BMINI3  
Accu 18V voor M-BMINI3  
Batterie 18V pour M-BMINI3  
Akku 18V für M-BMINI3

| Article number   | Box   | Type                |
|------------------|-------|---------------------|
| M-BATMINI3-2.0AH | 1 pc. | 18V / 2,0 Ah Li-ion |
| M-BATMINI3-5.0AH | 1 pc. | 18V / 5,0 Ah Li-ion |

## Type: M-LADMINI3



Charge-unit for M-BMINI3 (-S and -F) + 5m cable  
Lader voor M-BMINI3 (-S and -F) + 5m kabel  
Chargeur pour M-BMINI3 (-S and -F) + 5m cable  
Akku-Ladegerät für M-BMINI3 (-S and -F) + 5m Kabel

| Article number | Box   | Type    |
|----------------|-------|---------|
| M-LADMINI3     | 1 pc. | CHARGER |

## Type: M-TRANSMINI3



Mains adapter for press machines M-BMINI3 (-S and -F) + 5m cable  
Adapter voor netaansluiting M-BMINI3 (-S and -F) + 5m kabel  
Adaptateur raccordement au réseau M-BMINI3 (-S and -F) + 5m cable  
Netzadapter für M-BMINI3 (-S and -F) + 5m Kabel

| Article number | Box   | Type    |
|----------------|-------|---------|
| M-TRANSMINI3   | 1 pc. | Adapter |

## Type: M-BOXMINI3



Metal case for M-BMINI3  
Koffer in metaal voor M-BMINI3  
Coffret en métal pour M-BMINI3  
Koffer in Metal für M-BMINI3

| Article number | Box   | Type |
|----------------|-------|------|
| M-BOXMINI3     | 1 pc. | CASE |

## Type: M-BOXMINI3-F



Metal case for M-BMINI3-F  
Koffer in metaal voor M-BMINI3-F  
Coffret en métal pour M-BMINI3-F  
Koffer in Metal für M-BMINI3-F

| Article number | Box   | Type |
|----------------|-------|------|
| M-BOXMINI3-F   | 1 pc. | CASE |



## Henco Tools

Pressing Tools

### Type: BE-MINI3



Jaw mounting unit for press machine M-BMINI3 and to be used for BE-H jaws  
Moederbek voor persmachine M-BMINI3 en te gebruiken voor BE-H bekken  
Pince mère pour machine à sertir M-BMINI3 et à utiliser pour pinces BE-H  
Mutterpressbacke für Presswerkzeug M-BMINI3, zu verwenden mit BE-H Backen

| Article number | Box   | Type       |
|----------------|-------|------------|
| BE-MINI3       | 1 pc. | MOTHER JAW |

Press pool compatibility: [www.henco.be](http://www.henco.be)

### Type: BE..-MINI3



Jaw for press machine M-BMINI3 - TH/BE profile  
Bek voor persmachine M-BMINI3 - TH/BE profiel  
Pince pour machine à sertir M-BMINI3 - Profil TH/BE  
Pressbacke für Presswerkzeuge M-BMINI3 + Profil TH/BE

| Article number | Box   | Type      |
|----------------|-------|-----------|
| BE14MINI3      | 1 pc. | BE/TH Ø14 |
| BE16MINI3      | 1 pc. | BE/TH Ø16 |
| BE20MINI3      | 1 pc. | BE/TH Ø20 |
| BE26MINI3      | 1 pc. | BE/TH Ø26 |
| BE32MINI3      | 1 pc. | BE Ø32    |

Press pool compatibility: [www.henco.be](http://www.henco.be)

### Type: BE.V-MINI3



Jaw for press machine M-BMINI3 - V-profile  
Bek voor persmachine M-BMINI3 - V-profiel  
Pince pour machine à sertir M-BMINI3 - Profil V  
Pressbacke für Presswerkzeuge M-BMINI3 - Profil V

| Article number | Box   | Type           |
|----------------|-------|----------------|
| BE15V-MINI3    | 1 pc. | V-profile 15mm |
| BE18V-MINI3    | 1 pc. | V-profile 18mm |
| BE22V-MINI3    | 1 pc. | V-profile 22mm |
| BE28V-MINI3    | 1 pc. | V-profile 28mm |

Our warranty does not apply to other pipe systems with M or V profile.

Press pool compatibility: [www.henco.be](http://www.henco.be)

### Type: BE.M-MINI3



Jaw for press machine M-BMINI3 - M-profile  
Bek voor persmachine M-BMINI3 - M-profiel  
Pince pour machine à sertir M-BMINI3 - Profil M  
Pressbacke für Presswerkzeuge M-BMINI3 - Profil M

| Article number | Box   | Type           |
|----------------|-------|----------------|
| BE12M-MINI3    | 1 pc. | M-profile 12mm |
| BE15M-MINI3    | 1 pc. | M-profile 15mm |
| BE18M-MINI3    | 1 pc. | M-profile 18mm |
| BE22M-MINI3    | 1 pc. | M-profile 22mm |
| BE28M-MINI3    | 1 pc. | M-profile 28mm |

Our warranty does not apply to other pipe systems with M or V profile.

Press pool compatibility: [www.henco.be](http://www.henco.be)



## Type: M-BATMINI2



Battery 18V / 1,5 Ah Li-ion for M-BMINI2  
Accu 18V / 1,5 Ah Li-ion voor M-BMINI2  
Batterie 18V / 1,5 Ah Li-ion pour M-BMINI2  
Akku 18V / 1,5 Ah Li-ion für M-BMINI2

| Article number | Box   | Type                |
|----------------|-------|---------------------|
| M-BATMINI2     | 1 pc. | 18V / 1,5 Ah Li-ion |

## Type: BE..-MINI



Jaw for press machine M-BMINI2(-S) and M-HP32  
Bek voor persmachine M-BMINI2(-S) en M-HP32  
Pince pour machine à sertir M-BMINI2(-S) et M-HP32  
Pressbacke für Presswerkzeuge M-BMINI2(-S) und M-HP32

| Article number | Box   | Type      |
|----------------|-------|-----------|
| BE16MINI       | 1 pc. | BE/TH Ø16 |
| BE20MINI       | 1 pc. | BE/TH Ø20 |
| BE26MINI       | 1 pc. | BE/TH Ø26 |
| BE32MINI       | 1 pc. | BE Ø32    |

*Not applicable to press machine type M-BMINI3*

## Type: BE..-MMINI



M-profile jaw (copper) for press machine M-BMINI(2)(-S) and M-HP32  
M-profiel bek (koper) voor persmachine M-BMINI(2)(-S) en M-HP32  
M-profil pince (cuivre) pour machine à sertir M-BMINI(2)(-S) et M-HP32  
M-profil Pressbacke (Kupfer) für Presswerkzeuge M-BMINI(2)(-S) und M-HP32

| Article number | Bag   | Type            |
|----------------|-------|-----------------|
| BE15MMINI      | 1 pc. | Ø15Cu M-Profile |
| BE22MMINI      | 1 pc. | Ø22Cu M-Profile |

*Not applicable to press machine type M-BMINI3*

## Type: BE-C



V-profile jaw (copper) for press machine M-BMINI2(-S) and M-HP32  
V-profiel persbek (koper) voor persmachine M-BMINI2(-S) and M-HP32  
V-profil pince (cuivre) pour machine à sertir M-BMINI2(-S) et M-HP32  
V-profil Pressbacke (Kupfer) für Presswerkzeuge M-BMINI2(-S) und M-HP32

| Article number | Bag   | Type            |
|----------------|-------|-----------------|
| BE15C          | 1 pc. | Ø15Cu V-Profile |
| BE18C          | 1 pc. | Ø18Cu V-Profile |
| BE22C          | 1 pc. | Ø22Cu V-Profile |
| BE28C          | 1 pc. | Ø28Cu V-Profile |

*Not applicable to press machine type M-BMINI3*

*Our warranty does not apply to other pipe systems with M or V profile.*

## Type: BE-MINI



Jaw mounting unit for press machine M-BMINI(2)(-S) / M-HP32 and to be used with BE-H jaws  
Bek voor persmachine M-BMINI2(-S) en M-HP-32 en te gebruiken met BE-H persbekken  
Pince mère pour machine à sertir M-BMINI(2)(-S) / M-HP32 et à utiliser avec pince BE-H  
Mutterpressbacke für Presswerkzeug M-BMINI(2)(-S) / M-HP32, zu verwenden mit BE-H Backen

| Article number | Box   | Type      |
|----------------|-------|-----------|
| BE-MINI        | 1 pc. | MOTHERJAW |

BE-MINI is designed to press Henco press fittings, the interchangeable dies with M- and V-profile make it possible to make the transition from other materials to Henco; other than Henco branded fittings with compact measurements can cause complex manipulation



## Henco Tools

Pressing Tools

### Type: BEMINI-RMS



Jaw for REMS mini press machines  
Bek voor REMS mini persmachines  
Pince pour machine à sertir mini REMS  
Pressbacke für mini REMS Presswerkzeuge

| Article number | Box   | Type      |
|----------------|-------|-----------|
| BE16MINI-RMS   | 1 pc. | BE/TH Ø16 |
| BE20MINI-RMS   | 1 pc. | BE/TH Ø20 |
| BE26MINI-RMS   | 1 pc. | BE/TH Ø26 |
| BE32MINI-RMS   | 1 pc. | BE Ø32    |

### Type: M-HP



Hydraulic manual press tool + bag  
Hydraulisch handpersmachine + draagtas  
Machine à sertir manuelle hydraulique + sac  
Hydraulisches Handpressmaschine + Tasche

| Article number | Bag   | Type   |
|----------------|-------|--------|
| M-HP32         | 1 pc. | Ø14-32 |

### Type: M-BH



Kit: manual press machine + inserts 16,20,26 + bag  
Kit: handpersmachine + bekken 16, 20, 26 + draagtas  
Kit: machine à sertir manuelle + pinces 16, 20, 26 + sac  
Kit: Handpersmaschine + Pressbacken 16, 20, 26 + Tasche

| Article number | Bag   | Type      |
|----------------|-------|-----------|
| M-BH162026     | 1 pc. | Ø16-20-26 |

*TILL EXHAUSTION OF STOCK  
Not for intensive use*

### Type: M-BM1620



Kit: manual press machine with 16, 20 jaws + bag  
Kit: handpersmachine + wisselbekken 16, 20 + draagtas  
Kit: machine à sertir manuelle + pinces 16, 20 + sac  
Kit: Handpressmaschine + Pressbacken 16, 20 + Tasche

| Article number | Bag   | Type      |
|----------------|-------|-----------|
| M-BM1620       | 1 pc. | Ø16-20 mm |

### Type: BE-M



Inserts for M-BM1620  
Wisselbekken voor M-BM1620  
Pinces pour M-BM1620  
Pressbacken für M-BM1620

| Article number | Bag   | Type       |
|----------------|-------|------------|
| BE14M          | 1 pc. | BE/TH 14X2 |
| BE16M          | 1 pc. | BE/TH 16X2 |
| BE18M          | 1 pc. | BE/TH 18X2 |
| BE20M          | 1 pc. | BE/TH 20X2 |



## Type: HNTOOLSET



Toolset for the SUPER SIZES range  
Toolset voor het SUPER SIZES gamma  
Set d'outil pour la gamme SUPER SIZES  
Toolset für das SUPER SIZES Angebot

| Article number | Box   | Type        |
|----------------|-------|-------------|
| HNTOOLSET      | 1 pc. | Super Sizes |

## Type: PRESSCHECK



Tool to control the accuracy of a pressing  
Instrument om correctheid v/e persing te controleren  
Outil pour contrôler la précision d'un sertissage  
Instrument zur Überprüfung ob die Pressung korrekt ausgeführt

| Article number | Bag / Box       | Type   |
|----------------|-----------------|--------|
| PRESSCHECK1432 | 1 pc. / 200 pc. | Ø14-32 |

## Type: DRILLY



Drilly temporary air vent plug, reusable  
Drilly voor afdrukken leidingssysteem, herbruikbaar  
Drilly pour tester le système de tubes, réutilisable  
Drilly zum abdrucken Rohresysteme, wieder verwendbar

| Article number | Box   | Type |
|----------------|-------|------|
| DRILLY14       | 1 pc. | Ø14  |
| DRILLY16       | 1 pc. | Ø16  |
| DRILLY20       | 1 pc. | Ø20  |
| DRILLY26       | 1 pc. | Ø26  |
| DRILLY32       | 1 pc. | Ø32  |

## Type: PLUG



Plug  
Afdrukplug  
Bouchon  
Stopf

| Article number | Box / Big Box    | Type              |
|----------------|------------------|-------------------|
| PLUG04-B80     | 20 pc. / 360 pc. | 1/2" - 80 mm blue |
| PLUG04-R80     | 20 pc. / 360 pc. | 1/2" - 80 mm red  |
| PLUG05-B80     | 20 pc. / 160 pc. | 3/4" - 80 mm blue |
| PLUG05-R80     | 20 pc. / 160 pc. | 3/4" - 80 mm red  |



## Henco Tools

Pressing Tools

### Type: PK-TOOL



Wrench for PK/SK fittings with threading

Sleutel voor PK/SK fittings met draad

Clé pour raccords PK/SK fitage

Schlüssel für PK/SK Fittings mit Draht

| Article number | Box / Big Box  | Type |
|----------------|----------------|------|
| PK-TOOL04      | 1 pc. / 50 pc. | 1/2" |
| PK-TOOL05      | 1 pc. / 50 pc. | 3/4" |
| PK-TOOL06      | 1 pc. / 50 pc. | 1"   |

### Characteristics PK-TOOL

- ▶ Light weight ratchet key
- ▶ Full grip around fitting profile
- ▶ Plastic body stays intact, even when applying extreme torque
- ▶ Key works as well in clock- as counterclockwise direction
- ▶ Maximum torque transition
- ▶ Size indication on handle
- ▶ Chromed handle
- ▶ Key gripping jaws in anodized aluminum
- ▶ Possibility to grip around mounted fittings due to specific closing mechanism



### Type: PK-TOOLBOX-040506



Set Wrenches for PK/SK Fittings 1/2" - 1" Threading

Set sleutels voor PK/SK fittings 1/2" tot 1" draad

Set Clés pour raccords PK/SK fitage 1/2" - 1"

Set Schlüssel für PK/SK Fittings 1/2" bis 1" Draht

| Article number    | Box   | Type |
|-------------------|-------|------|
| PK-TOOLBOX-040506 | 1 pc. | CASE |

### Type: PK-TOOLBOX



Empty plastic case for PK-TOOL04/05/06

Set sleutels voor PK/SK fittings 1/2" tot 1" draad

Coffret pour PK-TOOL04/05/06

Koffer für PK-TOOLBOX04/05/06

| Article number | Box / Big Box  | Type |
|----------------|----------------|------|
| PK-TOOLBOX     | 1 pc. / 10 pc. | CASE |



## Type: UFH-VLA



Decoiler, Standard model  
Haspel, basismodel  
Machine à dérouler, Standard  
Abwickelmaschine, Standard

| Article number | Box   | Type      |
|----------------|-------|-----------|
| UFH-VLA        | 1 pc. | 25m -600m |

*Minimum inner diameter coil: 140mm*

## Type: UFH-VLA-STR



Pipe straightener for decoiler UFH-VLA 14-26mm  
Stangenrechter voor haspel UFH-VLA 14-26mm  
Machine à produire des barres pour dérouler UFH-VLA 14-26mm  
Stangenmaschine für Wickelmaschine UFH-VLA 14-26mm

| Article number | Box   | Type    |
|----------------|-------|---------|
| UFH-VLA-STR    | 1 pc. | 14-26mm |

## Type: UFH-TACK



Tacker machine for UFH-TACK-40, UFH-TACK-60  
Tackerapparaat voor UFH-TACK-40, UFH-TACK-60  
Appareil Tacker pour UFH-TACK-40, UFH-TACK-60  
Tackergerät für UFH-TACK-40, UFH-TACK-60

| Article number | Box   | Type                             |
|----------------|-------|----------------------------------|
| UFH-TACK       | 1 pc. | for UFH-TACK-40 /<br>UFH-TACK-60 |



## Henco Tools

Underfloor Heating Tools

### Type: UFH-RAS-VLE



Braid hook  
Vlechthaak  
Crochet de tressage  
Gerät zum Flechten von Stahldraht

| Article number | Box   | Type |
|----------------|-------|------|
| UFH-RAS-VLE    | 1 pc. |      |

### Type: UFH-RAS-CUT



Cutter for steel mesh  
Kniptang voor stalen draadmatten  
Pince coupante pour treillis  
Schere für Trägermatte

| Article number | Box   | Type |
|----------------|-------|------|
| UFH-RAS-CUT    | 1 pc. |      |





## Henco Accessories

### Type: BCLIP



Clip-it clip for Henco pipes, single  
 Clip-it beugel voor Henco buizen, enkel  
 Clip-it attache de fixation pour tubes henco, simple  
 Clip-it Bügel für Henco Rohre, einfach

| Article number | Box     | Type     |
|----------------|---------|----------|
| BCLIP-16       | 100 pc. | Ø16      |
| BCLIP-1820     | 100 pc. | Ø18 - 20 |
| BCLIP-26       | 100 pc. | Ø26      |
| BCLIP-32       | 100 pc. | Ø32      |
| BCLIP-40*      | 100 pc. | Ø40      |
| BCLIP-50*      | 50 pc.  | Ø50      |

*\*TILL EXHAUSTION OF STOCK*

### Type: JCLIP



J-clip pipe clips, single  
 J-clip beugels, enkel  
 Attaches de fixation J-clip, simple  
 J-clip Haken, einfach

| Article number | Box     | Type          |
|----------------|---------|---------------|
| JCLIP-1632     | 200 pc. | Ø16-32, 70 mm |

### Type: JCLIP L



J-clip pipe clips, single, long  
 J-clip beugels, enkel, lang  
 Attaches de fixation J-clip, simple, long  
 J-clip Haken, einfach, lang

| Article number | Box     | Type          |
|----------------|---------|---------------|
| JCLIP-1632L    | 200 pc. | Ø16-32, 97 mm |

### Type: JCLIP DOUBLE



J-clip pipe clips, double  
 J-clip beugels, dubbel  
 Attaches de fixation J-clip, double  
 J-clip Haken, doppelt

| Article number | Box     | Type          |
|----------------|---------|---------------|
| JCLIP-1632D    | 200 pc. | Ø16-32, 70 mm |

### Type: JCLIP DOUBLE L



J-clip pipe clips, double long  
 J-clip beugels, dubbel lang  
 Attaches de fixation J-clip, double long  
 J-clip Haken, doppelt lang

| Article number | Box     | Type          |
|----------------|---------|---------------|
| JCLIP-1632DL   | 200 pc. | Ø16-32, 97 mm |



## Type: PIPEPLUG



Protection cap for pipe  
Beschermstopje voor buis  
Capuchon de protection pour tube  
Schutzkappe für Rohr

| Article number | Bag / Box         | Type |
|----------------|-------------------|------|
| PIPEPLUG16     | 100 pc. / 700 pc. | Ø 16 |
| PIPEPLUG20     | 100 pc. / 500 pc. | Ø 20 |
| PIPEPLUG26     | 100 pc. / 300 pc. | Ø 26 |

## Type: PLP-P-PK



Galvanised bracket for backplate elbow  
Gebogen tappuntbeugel gegalvaniseerd  
Support galvanisé pour culasse sanitaire  
Halteplatte galvanisiert

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| PLP-P-PK       | 1 pc. / 20 pc. | ELBOW |

Interaxis 153mm

## Type: PLF-P-PK



Galvanised bracket flat for backplate elbow  
Vlakke tappuntbeugel gegalvaniseerd  
Support galvanisé pour culasse sanitaire  
Halteplatte flach galvanisiert

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| PLF-P-PK       | 1 pc. / 40 pc. | FLAT |

Interaxis 120mm and 153mm

## Type: TESTPLUG



Testcap blue for Henco pipe  
Kunststof afpersplug blauw voor Henco buis  
Capuchon de teste blue pour tube  
Testkappe blau für Rohr

| Article number | Bag / Box         | Type |
|----------------|-------------------|------|
| TESTPLUG16     | 20 pc. / 4000 pc. | Ø16  |
| TESTPLUG20     | 20 pc. / 2000 pc. | Ø20  |
| TESTPLUG26     | 20 pc. / 1000 pc. | Ø26  |

## Type: TESTPLUG-RO



Testcap red for Henco pipe  
Kunststof afpersplug rood voor Henco buis  
Capuchon de teste rouge pour tube  
Testkappe roth für Rohr

| Article number | Bag / Box     | Type |
|----------------|---------------|------|
| TESTPLUG16-RO  | 20 pc. / 4000 | Ø16  |
| TESTPLUG20-RO  | 20 pc. / 2000 | Ø20  |
| TESTPLUG26-RO  | 20 pc. / 1000 | Ø26  |

NEW\*  
PRODUCT



## Henco Accessories

### Type: AK-EK



Adapter from 3/4" EK to flat sealing  
 Adapter kunststof - EK 3/4" naar vlakdichtend  
 Adapteur EK 3/4" vers joint plat  
 Adapter von EK 3/4" nach AG Flachdichtend

| Article number | Bag / Big Box     | Type |
|----------------|-------------------|------|
| AK-EK05VD      | 50 pc. / 1000 pc. |      |

### Type: BD



Montage-/hersteltape  
 Montage-/hersteltape  
 Montage-/hersteltape  
 Montage-/hersteltape

| Article number | Box    | Type              |
|----------------|--------|-------------------|
| BDR33M         | 36 pc. | 33m x 50mm / Red  |
| BDB33M         | 36 pc. | 33m x 50mm / Blue |

### Type: HFMAN



EPDM sleeve for hencoflex  
 EPDM manchette hencoflex  
 Manchon EPDM pour hencoflex  
 EPDM Hülse für Hencoflex

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| HFMAN125       | 1 pc. / 30 pc. |      |

**NEW**  
 PRODUCT



|                                                         | <i><b>Page</b></i> |
|---------------------------------------------------------|--------------------|
| <i><b>Sprinkler Standard (PE-Xc/AL/PE-Xc) Pipes</b></i> | <i><b>164</b></i>  |
| <i><b>Henco Press Sprinkler</b></i>                     | <i><b>165</b></i>  |
| <i><b>Henco Pro-Sprinkler</b></i>                       | <i><b>171</b></i>  |
| <i><b>Sprinkler Tools</b></i>                           | <i><b>175</b></i>  |



# Henco Sprinkler

SPRINKLER STANDARD (PE-Xc/AL/PE-Xc) Pipes

## Type: STRAIGHT LENGTH SPR



Henco multilayer pipe SPRINKLER (Straight length)

Henco meerlagenbuis SPRINKLER (Stang)

Henco tube multicouche SPRINKLER (Barre)

Henco Mehrschichtverbundrohr SPRINKLER (Stange)

| Article number | Cylinder / Pallet | Type   |
|----------------|-------------------|--------|
| 05-320326-SPR  | 35 m / 1680 m     | 32x3   |
| 05-403533-SPR  | 45 m / 1080 m     | 40x3,5 |
| 05-504042-SPR  | 35 m / 840 m      | 50x4   |
| 05-634554-SPR  | 20 m / 480 m      | 63x4,5 |

## Type: COIL SPR



Henco multilayer pipe SPRINKLER (Coil)

Henco meerlagenbuis SPRINKLER (rol)

Henco tube multicouche SPRINKLER (Rouleau)

Henco Mehrschichtverbundrohr SPRINKLER (Rohr)

| Article number | Coil / Pallet | Type |
|----------------|---------------|------|
| 50-320326-SPR  | 50 m / 650 m  | 32x3 |



## Type: 1PKS



Elbow 90°  
Knie 90°  
Coude 90°  
Winkel 90°

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 1PKS-3232      | 5 pc. / 30 pc. | 32x32 |
| 1PKS-4040      | 5 pc. / 20 pc. | 40x40 |
| 1PKS-5050      | 1 pc. / 8 pc.  | 50x50 |
| 1PKS-6363      | 1 pc. / 6 pc.  | 63x63 |

## Type: 5PKS (CW617)



Elbow 90° male adapter  
Knie 90° buitendraad  
Coude 90° mâle  
Winkel 90° AG

| Article number | Bag / Box      | Type      |
|----------------|----------------|-----------|
| 5PKS-3206      | 5 pc. / 20 pc. | 32x1"     |
| 5PKS-4007      | 3 pc. / 15 pc. | 40x5/4"   |
| 5PKS-5007      | 1 pc. / 10 pc. | 50x1 1/4" |
| 5PKS-5008      | 1 pc. / 8 pc.  | 50x6/4"   |
| 5PKS-6310      | 1 pc. / 4 pc.  | 63x2"     |

## Type: 5PKS-N (CW602)



Elbow 90° male adapter CW602  
Knie 90° buitendraad CW602  
Elbow 90° male adapter CW602  
Elbow 90° male adapter CW602

| Article number | Bag / Box      | Type    |
|----------------|----------------|---------|
| 5PKS-3206-N    | 5 pc. / 20 pc. | 32x1"   |
| 5PKS-4007-N    | 3 pc. / 15 pc. | 40x5/4" |
| 5PKS-5007-N    | 1 pc. / 10 pc. | 50x5/4" |
| 5PKS-5008-N    | 1 pc. / 8 pc.  | 50x6/4" |
| 5PKS-6310-N    | 1 pc. / 4 pc.  | 63x2"   |

## Type: 6PKS (CW617)



Elbow 90° female adapter  
Knie 90° binnendraad  
Coude 90° femelle  
Winkel 90° IG

| Article number | Bag / Box      | Type    |
|----------------|----------------|---------|
| 6PKS-3204      | 5 pc. / 20 pc. | 32x1/2" |
| 6PKS-3206      | 5 pc. / 20 pc. | 32x1"   |
| 6PKS-4004      | 5 pc. / 15 pc. | 40x1/2" |
| 6PKS-4007      | 5 pc. / 15 pc. | 40x5/4" |
| 6PKS-5004      | 1 pc. / 8 pc.  | 50x1/2" |
| 6PKS-5007      | 1 pc. / 8 pc.  | 50x5/4" |
| 6PKS-5008      | 1 pc. / 8 pc.  | 50x6/4" |
| 6PKS-6304      | 1 pc. / 4 pc.  | 63x1/2" |
| 6PKS-6310      | 1 pc. / 4 pc.  | 63x2"   |



# Henco Sprinkler

Henco Press SPRINKLER

## Type: 6PKS-N (CW602)



Elbow 90° female adapter  
Knie 90° binnendraad  
Elbow 90° female adapter  
Elbow 90° female adapter

| Article number | Bag / Box      | Type    |
|----------------|----------------|---------|
| 6PKS-3204-N    | 5 pc. / 20 pc. | 32x1/2" |
| 6PKS-3206-N    | 5 pc. / 20 pc. | 32x1"   |
| 6PKS-4004-N    | 5 pc. / 15 pc. | 40x1/2" |
| 6PKS-4007-N    | 5 pc. / 15 pc. | 40x5/4" |
| 6PKS-5004-N    | 1 pc. / 8 pc.  | 50x1/2" |
| 6PKS-5007-N    | 1 pc. / 8 pc.  | 50x5/4" |
| 6PKS-5008-N    | 1 pc. / 8 pc.  | 50x6/4" |
| 6PKS-6304-N    | 1 pc. / 4 pc.  | 63x1/2" |
| 6PKS-6310-N    | 1 pc. / 4 pc.  | 63x2"   |

## Type: 9PKS



T-piece  
T-stuk  
Pièce en T  
T-Stück

| Article number | Bag / Box      | Type     |
|----------------|----------------|----------|
| 9PKS-323232    | 5 pc. / 15 pc. | 32x32x32 |
| 9PKS-404040    | 5 pc. / 10 pc. | 40x40x40 |
| 9PKS-505050    | 1 pc. / 6 pc.  | 50x50x50 |
| 9PKS-636363    | 1 pc. / 3 pc.  | 63x63x63 |

## Type: 10PKS



T-reduced centre  
T-verlopend  
Pièce en T réduit  
T-reduziert

| Article number | Bag / Box      | Type     |
|----------------|----------------|----------|
| 10PKS-403240   | 5 pc. / 10 pc. | 40x32x40 |
| 10PKS-503250   | 1 pc. / 8 pc.  | 50x32x50 |
| 10PKS-504050   | 1 pc. / 6 pc.  | 50x40x50 |
| 10PKS-633263   | 1 pc. / 3 pc.  | 63x32x63 |
| 10PKS-634063   | 1 pc. / 3 pc.  | 63x40x63 |
| 10PKS-635063   | 1 pc. / 3 pc.  | 63x50x63 |

## Type: 11PKS



T-branch and line reduced  
T-2x verlopend  
Pièce en T 2x réduit  
T-2x reduziert

| Article number | Bag / Box      | Type     |
|----------------|----------------|----------|
| 11PKS-403232   | 5 pc. / 10 pc. | 40x32x32 |
| 11PKS-404032   | 5 pc. / 10 pc. | 40x40x32 |
| 11PKS-503240   | 1 pc. / 10 pc. | 50x32x40 |
| 11PKS-504040   | 1 pc. / 8 pc.  | 50x40x40 |



## Type: 12PKS



T-enlarged branch  
T-vergroot  
Pièce en T agrandi  
T-erweitert

| Article number | Bag / Box      | Type     |
|----------------|----------------|----------|
| 12PKS-324032   | 5 pc. / 15 pc. | 32x40x32 |
| 12PKS-405040   | 1 pc. / 8 pc.  | 40x50x40 |

## Type: 13PKS (CW617)



T-female centre  
T-binnendraad  
Pièce en T femelle  
T-IG

| Article number | Bag / Box      | Type       |
|----------------|----------------|------------|
| 13PKS-320432   | 5 pc. / 15 pc. | 32x1/2"x32 |
| 13PKS-320532   | 5 pc. / 15 pc. | 32x3/4"x32 |
| 13PKS-320632   | 5 pc. / 10 pc. | 32x1"x32   |
| 13PKS-320732   | 5 pc. / 10 pc. | 32x5/4"x32 |
| 13PKS-400440   | 5 pc. / 10 pc. | 40x1/2"x40 |
| 13PKS-400640   | 5 pc. / 10 pc. | 40x1"x40   |
| 13PKS-400740   | 5 pc. / 10 pc. | 40x5/4"x40 |
| 13PKS-500450   | 1 pc. / 4 pc.  | 50x1/2"x50 |
| 13PKS-500550   | 1 pc. / 4 pc.  | 50x3/4"x50 |
| 13PKS-500850   | 1 pc. / 4 pc.  | 50x6/4"x50 |
| 13PKS-630463   | 1 pc. / 2 pc.  | 63x1/2"x63 |
| 13PKS-631063   | 1 pc. / 2 pc.  | 63x2"x63   |

## Type: 13PKS-N (CW602)



T-female centre  
T-binnendraad  
Pièce en T femelle  
T-IG

| Article number | Bag / Box      | Type       |
|----------------|----------------|------------|
| 13PKS-320432-N | 5 pc. / 15 pc. | 32x1/2"x32 |
| 13PKS-320532-N | 5 pc. / 15 pc. | 32x3/4"x32 |
| 13PKS-320632-N | 5 pc. / 10 pc. | 32x1"x32   |
| 13PKS-320732-N | 5 pc. / 10 pc. | 32x5/4"x32 |
| 13PKS-400440-N | 5 pc. / 10 pc. | 40x1/2"x40 |
| 13PKS-400640-N | 5 pc. / 10 pc. | 40x1"x40   |
| 13PKS-400740-N | 5 pc. / 10 pc. | 40x5/4"x40 |
| 13PKS-500550-N | 1 pc. / 4 pc.  | 50x3/4"x50 |
| 13PKS-500850-N | 1 pc. / 4 pc.  | 50x6/4"x50 |
| 13PKS-630463-N | 1 pc. / 2 pc.  | 63x1/2"x63 |
| 13PKS-631063-N | 1 pc. / 2 pc.  | 63x2"x63   |



# Henco Sprinkler

Henco Press SPRINKLER

## Type: 14PKS (CW617)



T-male centre  
T-buitendraad  
Pièce en T mâle  
T-AG

| Article number | Bag / Box      | Type       |
|----------------|----------------|------------|
| 14PKS-320532   | 5 pc. / 15 pc. | 32x3/4"x32 |
| 14PKS-400640   | 5 pc. / 10 pc. | 40x1"x40   |
| 14PKS-400740   | 5 pc. / 10 pc. | 40x5/4"x40 |
| 14PKS-500850   | 1 pc. / 5 pc.  | 50x6/4"x50 |
| 14PKS-631063   | 1 pc. / 2 pc.  | 63x2"x63   |

## Type: 14PKS-N (CW602)



T-male centre  
T-buitendraad  
Pièce en T mâle  
T-AG

| Article number | Bag / Box      | Type       |
|----------------|----------------|------------|
| 14PKS-320532-N | 5 pc. / 15 pc. | 32x3/4"x32 |
| 14PKS-400640-N | 5 pc. / 10 pc. | 40x1"x40   |
| 14PKS-400740-N | 5 pc. / 10 pc. | 40x5/4"x40 |
| 14PKS-500850-N | 1 pc. / 5 pc.  | 50x6/4"x50 |
| 14PKS-631063-N | 1 pc. / 2 pc.  | 63x2"x63   |

## Type: 15PKS



Straight coupling  
Perssok  
Manchon  
Kupplung

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 15PKS-3232     | 5 pc. / 30 pc. | 32x32 |
| 15PKS-4040     | 5 pc. / 25 pc. | 40x40 |
| 15PKS-5050     | 1 pc. / 12 pc. | 50x50 |
| 15PKS-6363     | 1 pc. / 9 pc.  | 63x63 |

## Type: 16PKS



Reducing coupling  
Verloopstuk  
Réduction  
Kupplung-reduziert

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 16PKS-4032     | 5 pc. / 25 pc. | 40x32 |
| 16PKS-5032     | 1 pc. / 15 pc. | 50x32 |
| 16PKS-5040     | 1 pc. / 15 pc. | 50x40 |
| 16PKS-6340     | 1 pc. / 8 pc.  | 63x40 |
| 16PKS-6350     | 1 pc. / 8 pc.  | 63x50 |



## Type: 17PKS (CW617)



Straight male adapter  
Puntstuk  
Raccord droit mâle  
Übergangsfitting AG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 17PKS-3206     | 10 pc. / 40 pc. | 32x1"   |
| 17PKS-3207     | 5 pc. / 25 pc.  | 32x5/4" |
| 17PKS-4006     | 5 pc. / 25 pc.  | 40x1"   |
| 17PKS-4007     | 5 pc. / 25 pc.  | 40x5/4" |
| 17PKS-5008     | 1 pc. / 10 pc.  | 50x6/4" |
| 17PKS-6310     | 1 pc. / 6 pc.   | 63x2"   |

## Type: 17PKS-N (CW602)



Straight male adapter  
Puntstuk  
Raccord droit mâle  
Übergangsfitting AG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 17PKS-3206-N   | 10 pc. / 40 pc. | 32x1"   |
| 17PKS-3207-N   | 5 pc. / 25 pc.  | 32x5/4" |
| 17PKS-4006-N   | 5 pc. / 25 pc.  | 40x1"   |
| 17PKS-4007-N   | 5 pc. / 25 pc.  | 40x5/4" |
| 17PKS-5008-N   | 1 pc. / 10 pc.  | 50x6/4" |
| 17PKS-6310-N   | 1 pc. / 6 pc.   | 63x2"   |

## Type: 18PKS (CW617)



Straight female adapter  
Recht aansluitstuk binnendraad  
Raccord droit femelle  
Übergangsfitting IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 18PKS-3204     | 10 pc. / 40 pc. | 32x1/2" |
| 18PKS-3206     | 10 pc. / 40 pc. | 32x1"   |
| 18PKS-3207     | 5 pc. / 25 pc.  | 32x5/4" |
| 18PKS-4006     | 5 pc. / 25 pc.  | 40x1"   |
| 18PKS-4007     | 5 pc. / 25 pc.  | 40x5/4" |
| 18PKS-5008     | 1 pc. / 10 pc.  | 50x6/4" |
| 18PKS-6310     | 1 pc. / 6 pc.   | 63x2"   |

## Type: 18PKS-N (CW602)



Straight female adapter  
Recht aansluitstuk binnendraad  
Raccord droit femelle  
Übergangsfitting IG

| Article number | Bag / Box       | Type    |
|----------------|-----------------|---------|
| 18PKS-3204-N   | 10 pc. / 40 pc. | 32x1/2" |
| 18PKS-3206-N   | 10 pc. / 40 pc. | 32x1"   |
| 18PKS-3207-N   | 5 pc. / 25 pc.  | 32x5/4" |
| 18PKS-4006-N   | 5 pc. / 25 pc.  | 40x1"   |
| 18PKS-4007-N   | 5 pc. / 25 pc.  | 40x5/4" |
| 18PKS-5008-N   | 1 pc. / 10 pc.  | 50x6/4" |
| 18PKS-6310-N   | 1 pc. / 6 pc.   | 63x2"   |



# Henco Sprinkler

Henco Press SPRINKLER

## Type: 27PKS



Elbow 45°

Knie 45°

Coude 45°

Winkel 45°

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 27PKS-3232     | 5 pc. / 30 pc. | 32x32 |
| 27PKS-4040     | 5 pc. / 25 pc. | 40x40 |
| 27PKS-5050     | 1 pc. / 10 pc. | 50x50 |
| 27PKS-6363     | 1 pc. / 5 pc.  | 63x63 |

## Type: 52PS



Mounting/repair fitting

Montage/reparatie fitting Sprinkler

Raccord montage/reparation

Montage/reparatur fitting

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 52PS32         | 1 pc. / 20 pc. | 32x32 |

## Type: 53PKS



Easymounting/repair fitting

Montage/reparatie fitting Sprinkler

Raccor montage/reparation

Montage/reparatur fitting

| Article number | Bag / Box      | Type  |
|----------------|----------------|-------|
| 53PKS40        | 1 pc. / 20 pc. | 40x40 |
| 53PKS50        | 1 pc. / 9 pc.  | 50x50 |
| 53PKS63        | 1 pc. / 6 pc.  | 63x63 |

## Type: 50P



Stainless steel sprinkler connection with stainless steel cup

RVS instort sprinkler-aansluiting met RVS cup

Raccord sprinkler en acier inoxydable avec coupelle en acier inoxydable

Sprinkler-Anschluss aus Edelstahl mit Edelstahltasse

| Article number | Bag / Box      | Type    | Height |
|----------------|----------------|---------|--------|
| 50P-3206       | 1 pc. / 15 pc. | 32x1"   | 23 mm  |
| 50P-320604     | 1 pc. / 15 pc. | 32x1/2" | 23 mm  |
| 50P-320605     | 1 pc. / 15 pc. | 32x3/4" | 23 mm  |
| 50P43-320604   | 1 pc. / 15 pc. | 32x1"   | 40 mm  |



## Type: 6PKS-OP (CW617N)

NEW PRODUCT



T-female branch with pressure test plug  
T-binnendraad met afpersplug  
Pièce en T femelle avec bouchon pour essai de pression  
T-IG mit Stopfen für für Prüfdruck

| Article number | Bag / Box      | Type         |
|----------------|----------------|--------------|
| 6PKS-3206OP    | 5 pc. / 20 pc. | 32x1" + plug |

## Type: 6PKS-OP-CS (CW724N)

NEW PRODUCT



T-female branch with pressure test plug (CW724N)  
T-binnendraad met afpersplug (CW724N)  
Pièce en T femelle avec bouchon pour essai de pression (CW724N)  
T-IG mit Stopfen für für Prüfdruck (CW724N)

| Article number | Bag / Box      | Type         |
|----------------|----------------|--------------|
| 6PKS-3206OP-CS | 5 pc. / 20 pc. | 32x1" + plug |

## Type: 13PKS-OP (CW617N)

NEW PRODUCT



T-female branch with pressure test plug  
T-binnendraad met afpersplug  
Pièce en T femelle avec bouchon pour essai de pression  
T-IG mit Stopfen für für Prüfdruck

| Article number | Bag / Box      | Type            |
|----------------|----------------|-----------------|
| 13PKS-320632OP | 5 pc. / 10 pc. | 32x1"x32 + plug |

## Type: 13PKS-OP-CS (CW724N)

NEW PRODUCT



T-female branch with pressure test plug (CW724N)  
T-binnendraad met afpersplug (CW724N)  
Pièce en T femelle avec bouchon pour essai de pression (CW724N)  
T-IG mit Stopfen für für Prüfdruck (CW724N)

| Article number    | Bag / Box      | Type            |
|-------------------|----------------|-----------------|
| 13PKS-320632OP-CS | 5 pc. / 10 pc. | 32x1"x32 + plug |

## Type: 18PKS-OP (CW617N)

NEW PRODUCT



Straight female adapter with pressure test plug  
Recht aansluitstuk binnendraad met afpersplug  
Raccord droit femelle avec bouchon pour essai de pression  
Übergangsfitting IG mit Stopfen für für Prüfdruck

| Article number | Bag / Box       | Type         |
|----------------|-----------------|--------------|
| 18PKS-3206OP   | 10 pc. / 40 pc. | 32x1" + plug |

## Type: 18PKS-OP-CS (CW724N)

NEW PRODUCT



Straight female adapter with pressure test plug (CW724N)  
Recht aansluitstuk binnendraad met afpersplug (CW724N)  
Raccord droit femelle avec bouchon pour essai de pression (CW724N)  
Übergangsfitting IG mit Stopfen für für Prüfdruck (CW724N)

| Article number  | Bag / Box       | Type         |
|-----------------|-----------------|--------------|
| 18PKS-3206OP-CS | 10 pc. / 40 pc. | 32x1" + plug |




# Henco Sprinkler

Henco PRO-sprinkler

NEW  
PRODUCT

## Type: SPR-OP



Pressure test plug with O-ring

Afpersplug met O-ring

Bouchon avec joint torique pour essai de pression

Stopfen mit O-Ring für Prüfdruck

| Article number | Bag / Box     | Type |
|----------------|---------------|------|
| SPR-OP06       | 100 pc. / 800 | 1"   |

## Type: SPR-CBLOCK



Concrete sprinkler cup to embed

Instort sprinklercup in beton

Connexion sprinkler à encastrer en béton

Sprinkler-Anschluss im Beton zum Eingiessen

| Article number | Box    | Type           |
|----------------|--------|----------------|
| SPR-CBLOCK     | 18 pc. | Height = 65 mm |
| SPR-CBLOCK80   | 16 pc. | Height = 80 mm |

## Type: SPR-CBLOCK-WS



Concrete sprinkler cup to embed with insulation for wide slabs

Instort sprinklercup in beton met isolatie voor breedplaten

Connexion sprinkler à encastrer en béton avec isolation pour dalles alvéolées

Sprinkler-Anschluss im Beton zum Eingiessen mit Isolierung für Plattendekke

| Article number  | Box    | Type           |
|-----------------|--------|----------------|
| SPR-CBLOCK80-WS | 16 pc. | Height = 80 mm |

## Type: SPR-CBLOCK-TF



Concrete sprinkler cup to embed with glue fixation for tunnel formwork


Instort sprinklercup in beton met lijmfixatie voor tunnelbouw

Connexion sprinkler à encastrer en béton avec fixation à coller pour coffrage de tunnel

Concrete sprinkler cup to embed with glue fixation for tunnel formwork

| Article number | Box    | Type           |
|----------------|--------|----------------|
| SPR-CBLOCK-TF  | 18 pc. | Height = 65 mm |

## Type: SPR-ISO-WS



Insulation for concrete sprinkler cup to embed for wide slabs

Isolatie voor instort sprinklercup in beton voor breedplaten

Isolation pour connexion sprinkler à encastrer en béton pour dalles alvéolées

Isolierung für Sprinkler-Anschluss im Beton zum Eingiessen für Plattendekke

| Article number | Bag / Box      | Type |
|----------------|----------------|------|
| SPR-ISO-WS     | 9 pc. / 45 pc. | EPS  |



## Type: SPR-MAGNET



Magnet fixation  
Magneetfixatie  
Magnet fixation  
Magnet Fixierung

| Article number | Box     | Type           |
|----------------|---------|----------------|
| SPR-MAGNET26   | 720 pc. | Height = 26 mm |
| SPR-MAGNET31   | 400 pc. | Height = 31 mm |

## Type: SPR-ISO-MAGNET



Insulation for magnet  
Isolatie voor magneet  
Isolation pour magnet  
Isolierung für Magnet

| Article number   | Box     | Type |
|------------------|---------|------|
| SPR-ISO-MAGNET26 | 480 pc. | PE   |


## Type: SPR-FIX



Fixation for concrete sprinkler cup to embed  
Fixatie voor instort sprinklercup in beton  
Fixation pour connexion sprinkler à encastrer en béton  
Fixierung für Sprinkler-Anschluss im Beton zum Eingiessen

| Article number | Bag / Box    | Type           |
|----------------|--------------|----------------|
| SPR-FIXSCREW   | 60 pc. / 360 | SCREW FIXATION |
| SPR-FIXGLUE    | 60 pc. / 360 | GLUE FIXATION  |

## Type: SPR-ISO



Insulation for glue and screw fixation  
Isolatie voor lijm- en schroeffixatie  
Isolation pour fixation à coller et à visser.  
Isolierung für Fixierung zum Schrauben und Kleben

| Article number | Bag    | Type |
|----------------|--------|------|
| SPR-ISO        | 60 pc. | PE   |



# Henco Sprinkler

Henco PRO-Sprinkler

NEW\*  
PRODUCT

## Type: SPR-N0604



Reduction 1" M- 1/2" F;  
different built-in depths for SPR-CBLOCK (L) and SPR-CBLOCK-WS (H)  
Reductie 1" BuDr-1/2" BiDr;  
verschillende inbouwdieptes SPR-CBLOCK (L) en SPR-CBLOCK-WS (H)  
Réduction 1" F-1/2" M;  
différentes profondeurs d'installation SPR-CBLOCK (L) et SPR-CBLOCK-WS (H)  
Reduktion 1" IG-1/2" AG;  
unterschiedliche Einbautiefen SPR-CBLOCK (L) und SPR-CBLOCK-WS (H)

| Article number    | Box     | Built-in depth sprinkler* |
|-------------------|---------|---------------------------|
| SPR-N0604IDLXXH00 | 56 pc.  | L: --mm - H: 00mm         |
| SPR-N0604IDLXXH05 | 60 pc.  | L: --mm - H: 05mm         |
| SPR-N0604IDLXXH10 | 63 pc.  | L: --mm - H: 10mm         |
| SPR-N0604IDL00H15 | 36 pc.  | L: 00mm - H: 15mm         |
| SPR-N0604IDL05H20 | 72 pc.  | L: 05mm - H: 20mm         |
| SPR-N0604IDL10H25 | 72 pc.  | L: 10mm - H: 25mm         |
| SPR-N0604IDL15H30 | 72 pc.  | L: 15mm - H: 30mm         |
| SPR-N0604IDL20H35 | 72 pc.  | L: 20mm - H: 35mm         |
| SPR-N0604IDL25H40 | 72 pc.  | L: 25mm - H: 40mm         |
| SPR-N0604IDL30H45 | 108 pc. | L: 30mm - H: 45mm         |

\*L: built-in depth for SPR-CBLOCK  
H: built-in depth for SPR-CBLOCK-80-WS



## Type: SPR-PLUGTOOL

**NEW\***  
PRODUCT



Tool to remove pressure test plug and mount reducer  
 Tool voor verwijderen afpersplug en monteren verloopnippel  
 Outil pour retirer bouchon et monter réduction  
 Werkzeug pour entfernen Presseteststopfen und montieren Reduktion

| Article number | Bag    | Type     |
|----------------|--------|----------|
| SPR-PLUGTOOL   | 10 pc. | Plugtool |

## Type: SPR-PULLTOOL

**NEW\***  
PRODUCT



Tool to remove fixation element  
 Tool voor verwijderen fixatie element  
 Outil pour retirer élément de fixation  
 Werkzeug zum Entfernen des Fixierungselements

| Article number | Box   | Type     |
|----------------|-------|----------|
| SPR-PULLTOOL   | 1 pc. | Pulltool |

1

2

3

4

5

6

7

8


9

10

11

12

## CERTIFICATES - CERTIFICATEN - APPROBATIONS - ZERTIFIKATE





GERMANY



AUSTRIA



FRANCE



THE NETHERLANDS



POLAND



DENMARK



ITALY



RUSSIA



SLOVAKIA



ATG SYSTEM CERTIFICATE BELGIUM



NORWAY



FINLAND



HUNGARY



ENGLAND



SWEDEN



USA



ESTONIA



SPAIN



CZECH REPUBLIC



SOUTH AFRICA

# INDEX

| Article number | Page | Article number | Page | Article number | Page | Article number | Page |
|----------------|------|----------------|------|----------------|------|----------------|------|
| 1-1403C-S      | 94   | 1PKW-3232      | 38   | 2PKW-2004-N    | 38   | 3SK-160416BP   | 66   |
| 1-1604-S       | 94   | 1SK-1616       | 66   | 2PKW-2004-X    | 38   | 3SK-200420BP   | 66   |
| 1-1804-S       | 94   | 1SK-2020       | 66   | 2PKW-2005      | 38   | 4-1616-S       | 94   |
| 1-1805         | 94   | 1SK-2626       | 66   | 2PKW-2005-N    | 38   | 4-2020-S       | 94   |
| 1-2004-S       | 94   | 2-1616-S       | 94   | 2PKW-2005-X    | 38   | 4-2626-S       | 94   |
| 1-2004-ZS      | 94   | 2-2020-S       | 94   | 2PKW-2605      | 38   | 04-160212      | 8    |
| 1-2005-S       | 94   | 2C-0404        | 99   | 2PKW-2605-N    | 38   | 04-200216      | 8    |
| 1-2605-S       | 94   | 2P-1404K       | 74   | 2PKW-2605-X    | 38   | 04-260320      | 8    |
| 1-2606-S       | 94   | 2P-1604        | 74   | 2S-1604K       | 66   | 04-320326      | 8    |
| 1-3206-S       | 94   | 2P-1604K       | 74   | 2SK-1604BP     | 66   | 04-403533      | 8    |
| 1-FLEX32       | 13   | 2P-1804        | 74   | 2SK-2004BP     | 66   | 04-504042      | 8    |
| 1HNA           | 56   | 2P-2004        | 74   | 2SK-2005       | 66   | 04-634554      | 8    |
| 1HNB           | 56   | 2P-2005        | 74   | 2SK-2605       | 66   | 4P-1604        | 75   |
| 1P-1616        | 74   | 2P-2605        | 74   | 3-1604-S       | 94   | 04-R160212     | 14   |
| 1P-1818        | 74   | 2PG-1604       | 88   | 3-1804-S       | 94   | 04-R200216     | 14   |
| 1P-2020        | 74   | 2PG-1604K      | 88   | 3-2004-S       | 94   | 04-R260320     | 14   |
| 1P-2626        | 74   | 2PG-2004       | 88   | 3-2005-S       | 94   | 5-1604-S       | 95   |
| 1P-3232        | 74   | 2PG-2005       | 88   | 3-2605-S       | 94   | 5-1804         | 95   |
| 1PG-1616       | 88   | 2PG-2605       | 88   | 3-2606-S       | 94   | 5-2005-S       | 95   |
| 1PG-2020       | 88   | 2PK-1404BP     | 26   | 03-160212      | 8    | 5-2606-S       | 95   |
| 1PG-2626       | 88   | 2PK-1404-X     | 26   | 03-180214      | 8    | 05-160212      | 8    |
| 1PG-3232       | 88   | 2PK-1603       | 26   | 03-200216      | 8    | 05-160212-GAS  | 23   |
| 1PK-20JG10     | 26   | 2PK-1604BP     | 26   | 03-260320      | 8    | 05-180214      | 8    |
| 1PK-1414       | 26   | 2PK-1604KBP    | 27   | 03-320326      | 8    | 05-200216      | 8    |
| 1PK-1616       | 26   | 2PK-1604-X     | 26   | 03-403533      | 8    | 05-200216-GAS  | 23   |
| 1PK-1818       | 26   | 2PK-1804BP     | 26   | 03-504042      | 8    | 05-260320      | 8    |
| 1PK-2020       | 26   | 2PK-1804-X     | 26   | 03-634554      | 8    | 05-260320-GAS  | 23   |
| 1PK-2626       | 26   | 2PK-2004BP     | 26   | 3EK-050405     | 98   | 05-320326      | 8    |
| 1PK-3232       | 26   | 2PK-2004-X     | 26   | 3P-160416      | 74   | 05-320326-GAS  | 23   |
| 1PK-4040       | 26   | 2PK-2005       | 26   | 3P-160416VK    | 74   | 05-320326-SPR  | 24   |
| 1PK-5050       | 26   | 2PK-2005-X     | 26   | 3P-200420      | 74   | 05-320326-SPR  | 164  |
| 1PK-6363       | 26   | 2PK-2605       | 26   | 3P-200420VK    | 74   | 05-403533      | 8    |
| 1PK-7575       | 60   | 2PK-2605-X     | 26   | 3P-260426VK    | 74   | 05-403533-GAS  | 23   |
| 1PK-9090       | 60   | 2PKG-1603      | 48   | 3PK-160416BP   | 27   | 05-403533-SPR  | 24   |
| 1PKG-1616      | 48   | 2PKG-1604BP    | 48   | 3PK-160416-X   | 27   | 05-403533-SPR  | 164  |
| 1PKG-2020      | 48   | 2PKG-1604KBP   | 48   | 3PK-200420BP   | 27   | 05-504042      | 8    |
| 1PKG-2626      | 48   | 2PKG-2004BP    | 48   | 3PK-200420-X   | 27   | 05-504042-SPR  | 24   |
| 1PKG-3232      | 48   | 2PKG-2005      | 48   | 3PKW-160416    | 39   | 05-504042-SPR  | 164  |
| 1PKG-4040      | 48   | 2PKG-2605      | 48   | 3PKW-160416-N  | 40   | 05-634554      | 8    |
| 1PKS-3232      | 165  | 2PKW-1604      | 38   | 3PKW-160416-X  | 40   | 05-634554-SPR  | 24   |
| 1PKS-4040      | 165  | 2PKW-1604K     | 39   | 3PKW-200420    | 39   | 05-634554-SPR  | 164  |
| 1PKS-5050      | 165  | 2PKW-1604K-N   | 39   | 3PKW-200420-N  | 40   | 05-756063      | 8    |
| 1PKS-6363      | 165  | 2PKW-1604K-X   | 39   | 3PKW-200420-X  | 40   | 05-907076      | 8    |
| 1PKW-1616      | 38   | 2PKW-1604-N    | 38   | 03-R160212     | 14   | 5P-1603        | 75   |
| 1PKW-2020      | 38   | 2PKW-1604-X    | 38   | 03-R200216     | 14   | 5P-1603DZR     | 75   |
| 1PKW-2626      | 38   | 2PKW-2004      | 38   | 03-R260320     | 14   | 5P-1604        | 75   |

| Article number | Page | Article number | Page | Article number | Page | Article number | Page |
|----------------|------|----------------|------|----------------|------|----------------|------|
| 5P-1604DZR     | 75   | 5PKW-2004      | 40   | 6PK-5007       | 28   | 6PKW-2004-X    | 41   |
| 5P-1804        | 75   | 5PKW-2004-N    | 40   | 6PK-5007-N     | 29   | 6PKW-2005      | 40   |
| 5P-2004        | 75   | 5PKW-2005      | 40   | 6PK-5007-X     | 29   | 6PKW-2005-N    | 41   |
| 5P-2005        | 75   | 5PKW-2005-N    | 40   | 6PK-5008       | 28   | 6PKW-2005-X    | 41   |
| 5P-2605        | 75   | 5PKW-2605      | 40   | 6PK-5008-N     | 29   | 6PKW-2605      | 40   |
| 5P-3206        | 75   | 5PKW-2605-N    | 40   | 6PK-5008-X     | 29   | 6PKW-2605-N    | 41   |
| 5P-2606        | 75   | 5PKW-3206      | 40   | 6PK-6310       | 28   | 6PKW-2605-X    | 41   |
| 5PG-1604       | 89   | 5PKW-3206-N    | 40   | 6PK-6310-N     | 29   | 6PKW-3206      | 40   |
| 5PG-2004       | 89   | 05-R160212     | 14   | 6PK-6310-X     | 29   | 6PKW-3206-N    | 41   |
| 5PG-2005       | 89   | 05-R200216     | 14   | 6PK-7506       | 60   | 6PKW-3206-X    | 41   |
| 5PG-2605       | 89   | 05-R260320     | 14   | 6PK-7510       | 60   | 6SK-1604BP     | 67   |
| 5PK-1404       | 28   | 5SK-1604       | 67   | 6PK-7512       | 60   | 6SK-2004BP     | 67   |
| 5PK-1604       | 28   | 5SK-2004       | 67   | 6PK-9014       | 60   | 6SK-2005       | 67   |
| 5PK-1804       | 28   | 5SK-2005       | 67   | 6PKG-1604BP    | 49   | 6SK-2605       | 67   |
| 5PK-2004       | 28   | 5SK-2605       | 67   | 6PKG-2004BP    | 49   | 6VBS-2005      | 107  |
| 5PK-2005       | 28   | 6-1604-S       | 95   | 6PKG-2005      | 49   | 6VBS-2605      | 107  |
| 5PK-2605       | 28   | 6-1804         | 95   | 6PKG-2605      | 49   | 7-1604-S       | 95   |
| 5PK-3206       | 28   | 6-2004-S       | 95   | 6PKG-3206      | 49   | 7P-1605        | 76   |
| 5PK-4007       | 28   | 6-2005-S       | 95   | 6PKG-4007      | 49   | 7P-1605K       | 76   |
| 5PK-4007-N     | 28   | 6P-1604        | 75   | 6PKS-3204      | 165  | 7P-1605L       | 76   |
| 5PK-5007       | 28   | 6P-1804        | 75   | 6PKS-3204-N    | 166  | 8-161616-S     | 95   |
| 5PK-5007-N     | 28   | 6P-2004        | 75   | 6PKS-3206      | 165  | 8HNA-PK...     | 64   |
| 5PK-5008       | 28   | 6P-2005        | 75   | 6PKS-3206-N    | 166  | 8HNA-PK32      | 56   |
| 5PK-5008-N     | 28   | 6P-2605        | 75   | 6PKS-3206OP    | 171  | 8HNA-PK40      | 56   |
| 5PK-6310       | 28   | 6PG-1604       | 89   | 6PKS-3206OP-CS | 171  | 8HNA-PK50      | 56   |
| 5PK-6310-N     | 28   | 6PG-2004       | 89   | 6PKS-4004      | 165  | 8HNA-PK63      | 56   |
| 5PK-7510       | 60   | 6PG-2005       | 89   | 6PKS-4004-N    | 166  | 8HNA-PK75      | 56   |
| 5PK-7512       | 60   | 6PG-2605       | 89   | 6PKS-4007      | 165  | 8HNB-PK90      | 56   |
| 5PKG-1604      | 48   | 6PK-1404BP     | 28   | 6PKS-4007-N    | 166  | 8P-1604        | 76   |
| 5PKG-2004      | 48   | 6PK-1404-X     | 29   | 6PKS-5004      | 165  | 9HNA           | 56   |
| 5PKG-2005      | 48   | 6PK-1603       | 28   | 6PKS-5004-N    | 166  | 9HNB           | 56   |
| 5PKG-2605      | 48   | 6PK-1604BP     | 28   | 6PKS-5007      | 165  | 9P-161616      | 76   |
| 5PKG-3206      | 48   | 6PK-1604-X     | 29   | 6PKS-5007-N    | 166  | 9P-181818      | 76   |
| 5PKG-4007      | 48   | 6PK-1804BP     | 28   | 6PKS-5008      | 165  | 9P-202020      | 76   |
| 5PKS-3206      | 165  | 6PK-1804-X     | 29   | 6PKS-5008-N    | 166  | 9P-262626      | 76   |
| 5PKS-3206-N    | 165  | 6PK-2004BP     | 28   | 6PKS-6304      | 165  | 9PG-161616     | 89   |
| 5PKS-4007      | 165  | 6PK-2004-X     | 29   | 6PKS-6304-N    | 166  | 9PG-202020     | 89   |
| 5PKS-4007-N    | 165  | 6PK-2005       | 28   | 6PKS-6310      | 165  | 9PG-262626     | 89   |
| 5PKS-5007      | 165  | 6PK-2005-X     | 29   | 6PKS-6310-N    | 166  | 9PG-323232     | 89   |
| 5PKS-5007-N    | 165  | 6PK-2605       | 28   | 6PKW-1603      | 40   | 9PK-141414     | 29   |
| 5PKS-5008      | 165  | 6PK-2605-X     | 29   | 6PKW-1603-N    | 41   | 9PK-161616     | 29   |
| 5PKS-5008-N    | 165  | 6PK-3206       | 28   | 6PKW-1604      | 40   | 9PK-181818     | 29   |
| 5PKS-6310      | 165  | 6PK-3206-X     | 29   | 6PKW-1604-N    | 41   | 9PK-202020     | 29   |
| 5PKS-6310-N    | 165  | 6PK-4007       | 28   | 6PKW-1604-X    | 41   | 9PK-262626     | 29   |
| 5PKW-1604      | 40   | 6PK-4007-N     | 29   | 6PKW-2004      | 40   | 9PK-323232     | 29   |
| 5PKW-1604-N    | 40   | 6PK-4007-X     | 29   | 6PKW-2004-N    | 41   | 9PK-404040     | 29   |

# INDEX

| Article number | Page | Article number | Page | Article number | Page | Article number | Page |
|----------------|------|----------------|------|----------------|------|----------------|------|
| 9PK-505050     | 29   | 10PK-402640    | 30   | 11P-201616     | 76   | 11PK-904040    | 61   |
| 9PK-636363     | 29   | 10PK-403240    | 30   | 11P-202016     | 76   | 11PK-904050    | 61   |
| 9PK-757575     | 60   | 10PK-502050    | 30   | 11P-261620     | 76   | 11PK-904063    | 61   |
| 9PK-909090     | 60   | 10PK-502650    | 30   | 11P-262020     | 76   | 11PK-904075    | 61   |
| 9PKG-161616    | 49   | 10PK-503250    | 30   | 11P-262616     | 76   | 11PK-905050    | 61   |
| 9PKG-202020    | 49   | 10PK-504050    | 30   | 11P-262620     | 76   | 11PK-905063    | 61   |
| 9PKG-262626    | 49   | 10PK-632663    | 30   | 11P-322026     | 76   | 11PK-905075    | 61   |
| 9PKG-323232    | 49   | 10PK-633263    | 30   | 11P-322626     | 76   | 11PK-906363    | 61   |
| 9PKG-404040    | 49   | 10PK-634063    | 30   | 11PG-201616    | 90   | 11PK-906375    | 61   |
| 9PKS-323232    | 166  | 10PK-635063    | 30   | 11PK-161414    | 31   | 11PK-907575    | 61   |
| 9PKS-404040    | 166  | 10PK-753275    | 61   | 11PK-181616    | 31   | 11PKG-201616   | 50   |
| 9PKS-505050    | 166  | 10PK-754075    | 61   | 11PK-201616    | 31   | 11PKG-202016   | 50   |
| 9PKS-636363    | 166  | 10PK-755075    | 61   | 11PK-201818    | 31   | 11PKG-261620   | 50   |
| 9PKW-161616    | 41   | 10PK-756375    | 61   | 11PK-202016    | 31   | 11PKG-262016   | 50   |
| 9PKW-202020    | 41   | 10PK-903290    | 61   | 11PK-261616    | 31   | 11PKG-262020   | 50   |
| 9PKW-262626    | 41   | 10PK-904090    | 61   | 11PK-261620    | 31   | 11PKG-262616   | 50   |
| 9PKW-323232    | 41   | 10PK-905090    | 61   | 11PK-262016    | 31   | 11PKG-262620   | 50   |
| 9SK-161616     | 67   | 10PK-906390    | 61   | 11PK-262020    | 31   | 11PKG-322026   | 50   |
| 9SK-202020     | 67   | 10PK-907590    | 61   | 11PK-262616    | 31   | 11PKG-322626   | 50   |
| 9SK-262626     | 67   | 10PKG-201620   | 49   | 11PK-262620    | 31   | 11PKG-402032   | 50   |
| 10-1604SN      | 95   | 10PKG-261626   | 49   | 11PK-322026    | 31   | 11PKG-402632   | 50   |
| 10-160212-KB   | 7    | 10PKG-262026   | 49   | 11PK-322626    | 31   | 11PKG-403232   | 50   |
| 10P-181618     | 76   | 10PKG-321632   | 49   | 11PK-402032    | 31   | 11PKG-404026   | 50   |
| 10P-201620     | 76   | 10PKG-322032   | 49   | 11PK-402632    | 31   | 11PKG-404032   | 50   |
| 10P-261626     | 76   | 10PKG-322632   | 49   | 11PK-403232    | 31   | 11PKS-403232   | 166  |
| 10P-262026     | 76   | 10PKG-401640   | 49   | 11PK-404026    | 31   | 11PKS-404032   | 166  |
| 10P-321632     | 76   | 10PKG-402040   | 49   | 11PK-404032    | 31   | 11PKS-503240   | 166  |
| 10P-322032     | 76   | 10PKG-402640   | 49   | 11PK-502040    | 31   | 11PKS-504040   | 166  |
| 10PG-201620    | 90   | 10PKG-403240   | 49   | 11PK-502640    | 31   | 11PKW-201616   | 42   |
| 10PG-262026    | 90   | 10PKS-403240   | 166  | 11PK-503240    | 31   | 11PKW-202016   | 42   |
| 10PK-20JG1020  | 30   | 10PKS-503250   | 166  | 11PK-504040    | 31   | 11PKW-261616   | 42   |
| 10PK-161416    | 30   | 10PKS-504050   | 166  | 11PK-753232    | 61   | 11PKW-261620   | 42   |
| 10PK-181418    | 30   | 10PKS-633263   | 166  | 11PK-753240    | 61   | 11PKW-262016   | 42   |
| 10PK-181618    | 30   | 10PKS-634063   | 166  | 11PK-753250    | 61   | 11PKW-262020   | 42   |
| 10PK-201420    | 30   | 10PKS-635063   | 166  | 11PK-753263    | 61   | 11PKW-262616   | 42   |
| 10PK-201620    | 30   | 10PKW-201620   | 41   | 11PK-754040    | 61   | 11PKW-262620   | 42   |
| 10PK-201820    | 30   | 10PKW-261626   | 41   | 11PK-754050    | 61   | 11PKW-322026   | 42   |
| 10PK-261626    | 30   | 10PKW-262026   | 41   | 11PK-754063    | 61   | 11PKW-322626   | 42   |
| 10PK-261826    | 30   | 10PKW-321632   | 41   | 11PK-755050    | 61   | 11SK-201616    | 68   |
| 10PK-262026    | 30   | 10PKW-322032   | 41   | 11PK-755063    | 61   | 11SK-202016    | 68   |
| 10PK-321632    | 30   | 10PKW-322632   | 41   | 11PK-756363    | 61   | 11SK-261620    | 68   |
| 10PK-321832    | 30   | 10-R160212-KB  | 14   | 11PK-903232    | 61   | 11SK-262016    | 68   |
| 10PK-322032    | 30   | 10-R200216-KB  | 14   | 11PK-903240    | 61   | 11SK-262020    | 68   |
| 10PK-322632    | 30   | 10SK-201620    | 67   | 11PK-903250    | 61   | 11SK-262616    | 68   |
| 10PK-401640    | 30   | 10SK-261626    | 67   | 11PK-903263    | 61   | 11SK-262620    | 68   |
| 10PK-402040    | 30   | 10SK-262026    | 67   | 11PK-903275    | 61   | 12P-162016     | 77   |

| Article number | Page | Article number | Page | Article number    | Page | Article number | Page |
|----------------|------|----------------|------|-------------------|------|----------------|------|
| 12P-202620     | 77   | 13PK-200520    | 32   | 13PKG-400740      | 50   | 13PKW-320632-X | 43   |
| 12PK-161816    | 31   | 13PK-200520-X  | 32   | 13PKS-320432      | 167  | 13SK-160416BP  | 68   |
| 12PK-162016    | 31   | 13PK-260420BP  | 32   | 13PKS-320432-N    | 167  | 13SK-200420BP  | 68   |
| 12PK-202620    | 31   | 13PK-260420-X  | 32   | 13PKS-320532      | 167  | 13SK-200520    | 68   |
| 12PK-263226    | 31   | 13PK-260426BP  | 32   | 13PKS-320532-N    | 167  | 13SK-260420BP  | 68   |
| 12PK-324032    | 31   | 13PK-260426-X  | 32   | 13PKS-320632      | 167  | 13SK-260426BP  | 68   |
| 12PK-327532    | 62   | 13PK-260526    | 32   | 13PKS-320632-N    | 167  | 13SK-260526    | 68   |
| 12PK-329032    | 62   | 13PK-260526-X  | 32   | 13PKS-320632OP    | 171  | 13-V2622H-2    | 96   |
| 12PK-405040    | 31   | 13PK-320532    | 32   | 13PKS-320632OP-CS | 171  | 14P-160416     | 77   |
| 12PK-407540    | 62   | 13PK-320532-X  | 32   | 13PKS-320732      | 167  | 14P-200420     | 77   |
| 12PK-409040    | 62   | 13PK-320632    | 32   | 13PKS-320732-N    | 167  | 14P-200520     | 77   |
| 12PK-507550    | 62   | 13PK-320632-X  | 32   | 13PKS-400440      | 167  | 14P-260426     | 77   |
| 12PK-509050    | 62   | 13PK-320732    | 32   | 13PKS-400440-N    | 167  | 14PK-160416    | 33   |
| 12PK-637563    | 62   | 13PK-320732-X  | 32   | 13PKS-400640      | 167  | 14PK-180418    | 33   |
| 12PK-639063    | 62   | 13PK-400540    | 32   | 13PKS-400640-N    | 167  | 14PK-200420    | 33   |
| 12PK-759075    | 62   | 13PK-400540-N  | 32   | 13PKS-400740      | 167  | 14PK-200520    | 33   |
| 12PKG-162016   | 50   | 13PK-400540-X  | 32   | 13PKS-400740-N    | 167  | 14PK-260426    | 33   |
| 12PKG-202620   | 50   | 13PK-400640    | 32   | 13PKS-500450      | 167  | 14PK-260526    | 33   |
| 12PKG-263226   | 50   | 13PK-400640-N  | 32   | 13PKS-500550      | 167  | 14PK-260626    | 33   |
| 12PKG-324032   | 50   | 13PK-400640-X  | 32   | 13PKS-500550-N    | 167  | 14PK-320532    | 33   |
| 12PKS-324032   | 167  | 13PK-400740    | 32   | 13PKS-500850      | 167  | 14PK-400640    | 33   |
| 12PKS-405040   | 167  | 13PK-400740-N  | 32   | 13PKS-500850-N    | 167  | 14PK-400640-N  | 33   |
| 12PKW-162016   | 42   | 13PK-400740-X  | 32   | 13PKS-630463      | 167  | 14PK-400740    | 33   |
| 12PKW-202620   | 42   | 13PK-500550    | 32   | 13PKS-630463-N    | 167  | 14PK-400740-N  | 33   |
| 12PKW-263226   | 42   | 13PK-500550-N  | 32   | 13PKS-631063      | 167  | 14PK-500850    | 33   |
| 12SK-162016    | 68   | 13PK-500550-X  | 32   | 13PKS-631063-N    | 167  | 14PK-500850-N  | 33   |
| 12SK-202620    | 68   | 13PK-500850    | 32   | 13PKW-160416      | 42   | 14PK-631063    | 33   |
| 13-1415-2      | 96   | 13PK-500850-N  | 32   | 13PKW-160416-N    | 43   | 14PK-631063-N  | 33   |
| 13-1615A-2     | 96   | 13PK-500850-X  | 32   | 13PKW-160416-X    | 43   | 14PK-751075    | 62   |
| 13-1615HA-2    | 96   | 13PK-631063    | 32   | 13PKW-200420      | 42   | 14PK-751275    | 62   |
| 13-2022HA-2    | 96   | 13PK-631063-N  | 32   | 13PKW-200420-N    | 43   | 14PKG-160416   | 51   |
| 13-2628H-2     | 96   | 13PK-631063-X  | 32   | 13PKW-200420-X    | 43   | 14PKG-200420   | 51   |
| 13P-160416     | 77   | 13PK-750675    | 62   | 13PKW-200520      | 42   | 14PKG-260426   | 51   |
| 13P-200420     | 77   | 13PK-751075    | 62   | 13PKW-200520-N    | 43   | 14PKG-260626   | 51   |
| 13P-200520     | 77   | 13PK-751275    | 62   | 13PKW-200520-X    | 43   | 14PKS-320532   | 168  |
| 13P-260426     | 77   | 13PK-901490    | 62   | 13PKW-260426      | 42   | 14PKS-320532-N | 168  |
| 13P-260526     | 77   | 13PKG-160416BP | 50   | 13PKW-260426-N    | 43   | 14PKS-400640   | 168  |
| 13P-320532     | 77   | 13PKG-200420BP | 50   | 13PKW-260426-X    | 43   | 14PKS-400640-N | 168  |
| 13PG-200420    | 90   | 13PKG-200520   | 50   | 13PKW-260526      | 42   | 14PKS-400740   | 168  |
| 13PG-260426    | 90   | 13PKG-260420BP | 50   | 13PKW-260526-N    | 43   | 14PKS-400740-N | 168  |
| 13PK-160416BP  | 32   | 13PKG-260426BP | 50   | 13PKW-260526-X    | 43   | 14PKS-500850   | 168  |
| 13PK-160416-X  | 32   | 13PKG-260526   | 50   | 13PKW-320532      | 42   | 14PKS-500850-N | 168  |
| 13PK-180418BP  | 32   | 13PKG-320532   | 50   | 13PKW-320532-N    | 43   | 14PKS-631063   | 168  |
| 13PK-180418-X  | 32   | 13PKG-320632   | 50   | 13PKW-320532-X    | 43   | 14PKS-631063-N | 168  |
| 13PK-200420BP  | 32   | 13PKG-320732   | 50   | 13PKW-320632      | 42   | 14PKW-160416   | 44   |
| 13PK-200420-X  | 32   | 13PKG-400640   | 50   | 13PKW-320632-N    | 43   | 14PKW-160416-N | 44   |

# INDEX

| Article number | Page | Article number | Page | Article number | Page | Article number | Page |
|----------------|------|----------------|------|----------------|------|----------------|------|
| 14PKW-200420   | 44   | 16P-1816       | 78   | 16PKS-4032     | 168  | 17PG-3206      | 91   |
| 14PKW-200420-N | 44   | 16P-2016       | 78   | 16PKS-5032     | 168  | 17PK-1404      | 34   |
| 14PKW-200520   | 44   | 16P-2018       | 78   | 16PKS-5040     | 168  | 17PK-1604      | 34   |
| 14PKW-200520-N | 44   | 16P-2616       | 78   | 16PKS-6340     | 168  | 17PK-1804      | 34   |
| 14PKW-320532   | 44   | 16P-2620       | 78   | 16PKS-6350     | 168  | 17PK-1805      | 34   |
| 14SK-160416    | 68   | 16P-3216       | 78   | 16PKW-2016     | 45   | 17PK-2004      | 34   |
| 14SK-200420    | 68   | 16P-3220       | 78   | 16PKW-2616     | 45   | 17PK-2005      | 34   |
| 14SK-260426    | 68   | 16P-3226       | 78   | 16PKW-2620     | 45   | 17PK-2605      | 34   |
| 15P-1616       | 77   | 16PG-2016      | 91   | 16PKW-3216     | 45   | 17PK-2606      | 34   |
| 15P-1818       | 77   | 16PG-2620      | 91   | 16PKW-3220     | 45   | 17PK-3206      | 34   |
| 15P-2020       | 77   | 16PG-3226      | 91   | 16PKW-3226     | 45   | 17PK-3207      | 34   |
| 15P-2626       | 77   | 16PK-1614      | 34   | 16SK-2016      | 69   | 17PK-4006      | 34   |
| 15P-3232       | 77   | 16PK-1814      | 34   | 16SK-2616      | 69   | 17PK-4006-N    | 34   |
| 15PG-1616      | 91   | 16PK-1816      | 34   | 16SK-2620      | 69   | 17PK-4007      | 34   |
| 15PG-2020      | 91   | 16PK-2014      | 34   | 17HNA-06-X     | 57   | 17PK-4007-N    | 34   |
| 15PG-2626      | 91   | 16PK-2016      | 34   | 17HNA-07-X     | 57   | 17PK-5008      | 34   |
| 15PG-3232      | 91   | 16PK-2018      | 34   | 17HNA-08-X     | 57   | 17PK-5008-N    | 34   |
| 15PK-1414      | 33   | 16PK-2616      | 34   | 17HNA-10       | 57   | 17PK-6310      | 34   |
| 15PK-1616      | 33   | 16PK-2618      | 34   | 17HNA-10-N     | 57   | 17PK-6310-N    | 34   |
| 15PK-1818      | 33   | 16PK-2620      | 34   | 17HNA-10-X     | 57   | 17PK-7510      | 63   |
| 15PK-2020      | 33   | 16PK-3216      | 34   | 17HNA-12       | 57   | 17PK-7512      | 63   |
| 15PK-2626      | 33   | 16PK-3220      | 34   | 17HNA-12-N     | 57   | 17PKG-1604     | 52   |
| 15PK-3232      | 33   | 16PK-3226      | 34   | 17HNA-12-X     | 57   | 17PKG-2004     | 52   |
| 15PK-4040      | 33   | 16PK-4026      | 34   | 17P-1603       | 78   | 17PKG-2005     | 52   |
| 15PK-5050      | 33   | 16PK-4032      | 34   | 17P-1603DZR    | 78   | 17PKG-2605     | 52   |
| 15PK-6363      | 33   | 16PK-5032      | 34   | 17P-1604       | 78   | 17PKG-2606     | 52   |
| 15PK-7575      | 62   | 16PK-5040      | 34   | 17P-1604-CS    | 78   | 17PKG-3206     | 52   |
| 15PK-9090      | 62   | 16PK-6340      | 34   | 17P-1604DZR    | 78   | 17PKG-3207     | 52   |
| 15PKG-1616     | 51   | 16PK-6350      | 34   | 17P-1605       | 78   | 17PKG-4006     | 52   |
| 15PKG-2020     | 51   | 16PK-7532      | 63   | 17P-1804       | 78   | 17PKG-4007     | 52   |
| 15PKG-2626     | 51   | 16PK-7540      | 63   | 17P-1805       | 78   | 17PKS-3206     | 169  |
| 15PKG-3232     | 51   | 16PK-7550      | 63   | 17P-2004       | 78   | 17PKS-3206-N   | 169  |
| 15PKG-4040     | 51   | 16PK-7563      | 63   | 17P-2004-CS    | 78   | 17PKS-3207     | 169  |
| 15PKS-3232     | 168  | 16PK-9032      | 63   | 17P-2005       | 78   | 17PKS-3207-N   | 169  |
| 15PKS-4040     | 168  | 16PK-9040      | 63   | 17P-2005-CS    | 78   | 17PKS-4006     | 169  |
| 15PKS-5050     | 168  | 16PK-9050      | 63   | 17P-2605       | 78   | 17PKS-4006-N   | 169  |
| 15PKS-6363     | 168  | 16PK-9063      | 63   | 17P-2605-CS    | 78   | 17PKS-4007     | 169  |
| 15PKW-1616     | 44   | 16PK-9075      | 63   | 17P-2606       | 78   | 17PKS-4007-N   | 169  |
| 15PKW-2020     | 44   | 16PKG-2016     | 51   | 17P-2606-CS    | 78   | 17PKS-5008     | 169  |
| 15PKW-2626     | 44   | 16PKG-2616     | 51   | 17P-3206       | 78   | 17PKS-5008-N   | 169  |
| 15PKW-3232     | 44   | 16PKG-2620     | 51   | 17P-3207       | 78   | 17PKS-6310     | 169  |
| 15-R160212-KB  | 14   | 16PKG-3216     | 51   | 17PG-1604      | 91   | 17PKS-6310-N   | 169  |
| 15SK-1616      | 69   | 16PKG-3220     | 51   | 17PG-2004      | 91   | 17PKW-1604     | 45   |
| 15SK-2020      | 69   | 16PKG-3226     | 51   | 17PG-2005      | 91   | 17PKW-1604-N   | 45   |
| 15SK-2626      | 69   | 16PKG-4026     | 51   | 17PG-2605      | 91   | 17PKW-2004     | 45   |
| 16HNBA         | 56   | 16PKG-4032     | 51   | 17PG-2606      | 91   | 17PKW-2004-N   | 45   |

| Article number | Page | Article number | Page | Article number  | Page | Article number | Page |
|----------------|------|----------------|------|-----------------|------|----------------|------|
| 17PKW-2005     | 45   | 18P-3206       | 79   | 18PKG-2605      | 52   | 18SK-2605      | 69   |
| 17PKW-2005-N   | 45   | 18P-3207       | 79   | 18PKG-2606      | 52   | 18SK-2606      | 69   |
| 17PKW-2605     | 45   | 18PG-1604      | 92   | 18PKG-3206      | 52   | 18SKS-2004     | 70   |
| 17PKW-2605-N   | 45   | 18PG-2004      | 92   | 18PKG-3207      | 52   | 18SKS-2004     | 102  |
| 17PKW-2606     | 45   | 18PG-2005      | 92   | 18PKG-4006      | 52   | 18SKS-2005     | 70   |
| 17PKW-2606-N   | 45   | 18PG-2605      | 92   | 18PKG-4007      | 52   | 18SKS-2005     | 102  |
| 17PKW-3206     | 45   | 18PG-2606      | 92   | 18PKS-3204      | 169  | 18SKS-2604     | 70   |
| 17PKW-3206-N   | 45   | 18PG-3206      | 92   | 18PKS-3204-N    | 169  | 18SKS-2604     | 102  |
| 17PKW-3207     | 45   | 18PK-1404      | 35   | 18PKS-3206      | 169  | 18SKS-2605     | 70   |
| 17PKW-3207-N   | 45   | 18PK-1604      | 35   | 18PKS-3206-N    | 169  | 18SKS-2605     | 102  |
| 17SK-1603      | 69   | 18PK-1604-X    | 35   | 18PKS-3206OP    | 171  | 19P-1405       | 79   |
| 17SK-1604      | 69   | 18PK-1804      | 35   | 18PKS-3206OP-CS | 171  | 19P-1605       | 64   |
| 17SK-2004      | 69   | 18PK-1804-X    | 35   | 18PKS-3207      | 169  | 19P-1605       | 79   |
| 17SK-2005      | 69   | 18PK-1805      | 35   | 18PKS-3207-N    | 169  | 19P-1805       | 79   |
| 17SK-2605      | 69   | 18PK-1805-X    | 35   | 18PKS-4006      | 169  | 19P-2005       | 64   |
| 17SK-2606      | 69   | 18PK-2004      | 35   | 18PKS-4006-N    | 169  | 19P-2005       | 79   |
| 17SKS-2004     | 70   | 18PK-2004-X    | 35   | 18PKS-4007      | 169  | 19PK-1605      | 36   |
| 17SKS-2004     | 102  | 18PK-2005      | 35   | 18PKS-4007-N    | 169  | 19PK-1605      | 64   |
| 17SKS-2005     | 70   | 18PK-2005-X    | 35   | 18PKS-5008      | 169  | 19PK-2005      | 36   |
| 17SKS-2005     | 102  | 18PK-2605      | 35   | 18PKS-5008-N    | 169  | 19PK-2005      | 64   |
| 17SKS-2604     | 70   | 18PK-2605-X    | 35   | 18PKS-6310      | 169  | 19PKW-1605     | 47   |
| 17SKS-2604     | 102  | 18PK-2606      | 35   | 18PKS-6310-N    | 169  | 19PKW-2005     | 47   |
| 17SKS-2605     | 70   | 18PK-2606-X    | 35   | 18PKW-1604      | 46   | 19SK-1505      | 70   |
| 17SKS-2605     | 102  | 18PK-3206      | 35   | 18PKW-1604-N    | 46   | 19SK-1505      | 101  |
| 17VBS-2005     | 107  | 18PK-3206-X    | 35   | 18PKW-1604-X    | 46   | 19SK-1605      | 64   |
| 17VBS-2605     | 107  | 18PK-3207      | 35   | 18PKW-2004      | 46   | 19SK-1605      | 70   |
| 17VBS-2606     | 107  | 18PK-3207-X    | 35   | 18PKW-2004-N    | 46   | 19SK-1605      | 101  |
| 18EK05         | 103  | 18PK-4006      | 35   | 18PKW-2004-X    | 46   | 19SK-2005      | 64   |
| 18HNA-06       | 58   | 18PK-4006-N    | 36   | 18PKW-2005      | 46   | 19SK-2005      | 70   |
| 18HNA-06-N     | 58   | 18PK-4006-X    | 35   | 18PKW-2005-N    | 46   | 19SK-2005      | 101  |
| 18HNA-06-X     | 58   | 18PK-4007      | 35   | 18PKW-2005-X    | 46   | 24-1615-S      | 96   |
| 18HNA-08-X     | 58   | 18PK-4007-N    | 36   | 18PKW-2605      | 46   | 24-2022        | 96   |
| 18HNA-10       | 58   | 18PK-4007-X    | 35   | 18PKW-2605-N    | 46   | 24-2622        | 96   |
| 18HNA-10-N     | 58   | 18PK-5008      | 35   | 18PKW-2605-X    | 46   | 24P-1604       | 79   |
| 18HNA-10-X     | 58   | 18PK-5008-N    | 36   | 18PKW-2606      | 46   | 24P-2004       | 79   |
| 18HNA-12       | 58   | 18PK-5008-X    | 35   | 18PKW-2606-N    | 46   | 25-016GASMG    | 23   |
| 18HNA-12-N     | 58   | 18PK-6310      | 35   | 18PKW-2606-X    | 46   | 25-016MB       | 12   |
| 18HNA-12-X     | 58   | 18PK-6310-N    | 36   | 18PKW-3206      | 46   | 25-016MB-KB    | 13   |
| 18HNB-14       | 58   | 18PK-6310-X    | 35   | 18PKW-3206-N    | 46   | 25-016MR       | 12   |
| 18HNB-14-N     | 58   | 18PK-7506      | 63   | 18PKW-3206-X    | 46   | 25-016MR-KB    | 13   |
| 18P-1604       | 79   | 18PK-7510      | 63   | 18PKW-3207      | 46   | 25-020GASMG    | 23   |
| 18P-1804       | 79   | 18PK-7512      | 63   | 18PKW-3207-N    | 46   | 25-020MB       | 12   |
| 18P-2004       | 79   | 18PK-9014      | 63   | 18PKW-3207-X    | 46   | 25-020MBLACK   | 12   |
| 18P-2005       | 79   | 18PKG-1604     | 52   | 18SK-1604       | 69   | 25-020MR       | 12   |
| 18P-2605       | 79   | 18PKG-2004     | 52   | 18SK-2004       | 69   | 25-026GASMG    | 23   |
| 18P-2606       | 79   | 18PKG-2005     | 52   | 18SK-2005       | 69   | 25-026MB       | 12   |

# INDEX

| Article number      | Page | Article number | Page | Article number  | Page | Article number | Page |
|---------------------|------|----------------|------|-----------------|------|----------------|------|
| 25-026MR            | 12   | 25P-1604       | 79   | 27P-3232        | 81   | 35P-1615P      | 83   |
| 25-032GASMG         | 23   | 25-R16MB       | 18   | 27PK-2626       | 37   | 35P-2022P      | 83   |
| 25-032MB            | 12   | 25-R16MR       | 18   | 27PK-3232       | 37   | 36P-1612P      | 84   |
| 25-032MR            | 12   | 25-R20MB       | 18   | 27PK-4040       | 37   | 36P-1614P      | 84   |
| 25-160212-KB        | 7    | 25-R20MBLACK   | 18   | 27PK-5050       | 37   | 36P-1615P      | 84   |
| 25-200216           | 7    | 25-R20MR       | 18   | 27PK-6363       | 37   | 36P-1616P      | 84   |
| 25-200216-KB        | 7    | 25-R160212-KB  | 14   | 27PK-7575       | 63   | 36P-2015P      | 84   |
| 25-ISO4-26-BL       | 8    | 25-R200216-KB  | 14   | 27PK-9090       | 63   | 36P-2018P      | 84   |
| 25-ISO4-26-BL-BSD   | 9    | 25-R260320     | 14   | 27PKG-4040      | 52   | 36P-2022P      | 84   |
| 25-ISO4-26-RO       | 8    | 26P-16Z03      | 80   | 27PKS-3232      | 170  | 36P-2622P      | 84   |
| 25-ISO4-26-RO-BSD   | 9    | 26P-16Z04      | 80   | 27PKS-4040      | 170  | 36P-2628P      | 84   |
| 25-ISO4-32-BL       | 8    | 26P-16Z04DZR   | 80   | 27PKS-5050      | 170  | 36P-3228P      | 84   |
| 25-ISO4-32-BL-BSD   | 9    | 26P-16Z05      | 80   | 27PKS-6363      | 170  | 36PG-1615P     | 92   |
| 25-ISO4-32-RO       | 8    | 26P-20Z04      | 80   | 27PKW-2626      | 47   | 36PG-2015P     | 92   |
| 25-ISO4-32-RO-BSD   | 9    | 26P-20Z04DZR   | 80   | 27PKW-3232      | 47   | 36PG-2022P     | 92   |
| 25-ISO4-R16-BL-BSD  | 15   | 26P-20Z05      | 80   | 28P-14041604-1  | 81   | 36PG-2615P     | 92   |
| 25-ISO4-R16-RO-BSD  | 15   | 26P-20Z05DZR   | 80   | 28P-16041604-1  | 81   | 36PG-2622P     | 92   |
| 25-ISO4-R26-BL      | 15   | 26P-26Z05      | 80   | 28PF-16041604   | 81   | 37P-1412L      | 84   |
| 25-ISO4-R26-BL-BSD  | 15   | 26P-26Z05DZR   | 80   | 28PF-20042004   | 81   | 37P-1612L      | 84   |
| 25-ISO4-R26-RO      | 15   | 26P-26Z06      | 80   | 28PK-04         | 37   | 37P-1615L      | 84   |
| 25-ISO4-R26-RO-BSD  | 15   | 26P-32Z06      | 80   | 28PV-16031603-1 | 81   | 39P-160450     | 84   |
| 25-ISO9-26-BL       | 10   | 26P-32Z07      | 80   | 28PV-16041604-1 | 81   | 40P-1615S      | 84   |
| 25-ISO9-26-BL-BSD   | 10   | 26P-1604       | 80   | 29P-1612-CS     | 82   | 40P-2022S      | 84   |
| 25-ISO9-26-RO       | 10   | 26P-1605       | 80   | 29P-1615-CS     | 82   | 40P-2622S      | 84   |
| 25-ISO9-26-RO-BSD   | 10   | 26P-2004       | 80   | 29P-2018-CS     | 82   | 41P-16         | 85   |
| 25-ISO9-32-BL       | 10   | 26P-2005       | 80   | 29P-2022-CS     | 82   | 41P-20         | 85   |
| 25-ISO9-32-BL-BSD   | 10   | 26P-2605       | 80   | 29P-2622-CS     | 82   | 41P-26         | 85   |
| 25-ISO9-32-RO       | 10   | 26P-2606       | 80   | 30P-1614S       | 82   | 41S-20         | 112  |
| 25-ISO9-32-RO-BSD   | 10   | 26P-3206       | 80   | 30P-1615S-2     | 82   | 41S-26         | 112  |
| 25-ISO9-R26-BL      | 16   | 26PK-1605      | 36   | 30P-2022S       | 82   | 41SKS-20       | 112  |
| 25-ISO9-R26-BL-BSD  | 16   | 26PK-2005      | 36   | 30P-2622S       | 82   | 41SKS-26       | 112  |
| 25-ISO9-R26-RO      | 16   | 26PK-4007      | 36   | 30PG-1615S-2    | 92   | 42P-161615     | 85   |
| 25-ISO9-R26-RO-BSD  | 16   | 26PK-4008      | 36   | 30PG-2022S      | 92   | 42P-202019     | 85   |
| 25-ISO13-32-BL      | 10   | 26PK-5008      | 36   | 30PG-2622S      | 92   | 43P-161516     | 85   |
| 25-ISO13-32-BL-BSD  | 11   | 26PK-5010      | 36   | 31P-161616      | 82   | 44P-1604       | 86   |
| 25-ISO13-32-RO      | 10   | 26PK-6310      | 36   | 31P-201616      | 82   | 45P-1604       | 86   |
| 25-ISO13-32-RO-BSD  | 11   | 26PK-6312      | 36   | 31P-201620      | 82   | 50-014MB       | 12   |
| 25-ISO20-32-BL-BSD  | 11   | 26PKW-1605     | 47   | 31P-202020      | 82   | 50-014MR       | 12   |
| 25-ISO20-32-RO-BSD  | 11   | 26PKW-2005     | 47   | 33P-1605        | 64   | 50-016GASMG    | 23   |
| 25-ISO20-R26-BL     | 17   | 26SK-1605      | 70   | 33P-1605        | 83   | 50-016MB       | 12   |
| 25-ISO20-R26-BL-BSD | 17   | 26SK-1605      | 102  | 34P-1604        | 83   | 50-016MBLACK   | 12   |
| 25-ISO20-R26-RO     | 17   | 26SK-2005      | 70   | 34P-1605-CS     | 83   | 50-016MR       | 12   |
| 25-ISO20-R26-RO-BSD | 17   | 26SK-2005      | 102  | 34P-2004-CS     | 83   | 50-018MB       | 12   |
| 25-MB32             | 22   | 27HNA          | 56   | 34P-2005-CS     | 83   | 50-018MR       | 12   |
| 25-MG32             | 22   | 27HNB          | 56   | 34P-2605-CS     | 83   | 50-020GASMG    | 23   |
| 25-MR32             | 22   | 27P-2626       | 81   | 34P-3206        | 83   | 50-020MB       | 12   |

| Article number     | Page | Article number     | Page | Article number      | Page | Article number     | Page |
|--------------------|------|--------------------|------|---------------------|------|--------------------|------|
| 50-020MBLACK       | 12   | 50-ISO4-R20-BL-BSD | 15   | 50-ISO13-16-RO-BSD  | 11   | 50-R16MB           | 18   |
| 50-020MR           | 12   | 50-ISO4-R20-RO     | 15   | 50-ISO13-18-BL      | 10   | 50-R16MBLACK       | 18   |
| 50-026GASMG        | 23   | 50-ISO4-R20-RO-BSD | 15   | 50-ISO13-18-BL-BSD  | 11   | 50-R16MR           | 18   |
| 50-026MB           | 12   | 50-ISO4-R26-BL     | 15   | 50-ISO13-18-RO-BSD  | 11   | 50-R18MB           | 18   |
| 50-026MBLACK       | 12   | 50-ISO4-R26-BL-BSD | 15   | 50-ISO13-20-BL      | 10   | 50-R18MR           | 18   |
| 50-026MR           | 12   | 50-ISO4-R26-RO     | 15   | 50-ISO13-20-BL-BSD  | 11   | 50-R20MB           | 18   |
| 50-160212          | 7    | 50-ISO4-R26-RO-BSD | 15   | 50-ISO13-20-RO      | 10   | 50-R20MR           | 18   |
| 50-200216          | 7    | 50-ISO9-14-BL      | 9    | 50-ISO13-20-RO-BSD  | 11   | 50-R26MB           | 18   |
| 50-260320          | 7    | 50-ISO9-14-BL-BSD  | 10   | 50-ISO13-26-BL      | 10   | 50-R26MR           | 18   |
| 50-260320-GAS      | 23   | 50-ISO9-14-RO      | 9    | 50-ISO13-26-BL-BSD  | 11   | 50-R160212         | 14   |
| 50-320326          | 7    | 50-ISO9-14-RO-BSD  | 10   | 50-ISO13-26-RO      | 10   | 50-R200216         | 14   |
| 50-320326-GAS      | 23   | 50-ISO9-16-BL      | 9    | 50-ISO13-26-RO-BSD  | 11   | 50-R260320         | 14   |
| 50-320326-SPR      | 24   | 50-ISO9-16-BL-BSD  | 10   | 50-ISO13-R16-BL     | 16   | 52P16              | 86   |
| 50-320326-SPR      | 164  | 50-ISO9-16-RO      | 9    | 50-ISO13-R16-BL-BSD | 17   | 52P20              | 86   |
| 50-COMBI16         | 12   | 50-ISO9-16-RO-BSD  | 10   | 50-ISO13-R16-RO     | 16   | 52P26              | 86   |
| 50-COMBI16R        | 18   | 50-ISO9-18-BL      | 9    | 50-ISO13-R16-RO-BSD | 17   | 52P32              | 86   |
| 50-ISO4-16-BL      | 8    | 50-ISO9-18-BL-BSD  | 10   | 50-ISO13-R20-BL     | 16   | 52PS32             | 170  |
| 50-ISO4-16-BL-BSD  | 9    | 50-ISO9-18-RO      | 9    | 50-ISO13-R20-BL-BSD | 17   | 53PK40             | 37   |
| 50-ISO4-16-RO      | 8    | 50-ISO9-18-RO-BSD  | 10   | 50-ISO13-R20-RO     | 16   | 53PK50             | 37   |
| 50-ISO4-16-RO-BSD  | 9    | 50-ISO9-20-BL      | 10   | 50-ISO13-R20-RO-BSD | 17   | 53PK63             | 37   |
| 50-ISO4-18-BL      | 8    | 50-ISO9-20-BL-BSD  | 10   | 50-ISO13-R26-BL     | 16   | 53PKS40            | 170  |
| 50-ISO4-18-BL-BSD  | 9    | 50-ISO9-20-RO      | 9    | 50-ISO13-R26-BL-BSD | 17   | 53PKS50            | 170  |
| 50-ISO4-18-RO      | 8    | 50-ISO9-20-RO-BSD  | 10   | 50-ISO13-R26-RO     | 16   | 53PKS63            | 170  |
| 50-ISO4-18-RO-BSD  | 9    | 50-ISO9-26-BL      | 10   | 50-ISO13-R26-RO-BSD | 17   | 100-016MB          | 12   |
| 50-ISO4-20-BL      | 8    | 50-ISO9-26-BL-BSD  | 10   | 50-ISO20-R16-BL     | 17   | 100-016MBLACK      | 12   |
| 50-ISO4-20-BL-BSD  | 9    | 50-ISO9-26-RO      | 10   | 50-ISO20-R16-BL-BSD | 17   | 100-016MR          | 12   |
| 50-ISO4-20-RO      | 8    | 50-ISO9-26-RO-BSD  | 10   | 50-ISO20-R16-RO     | 17   | 100-018MB          | 12   |
| 50-ISO4-20-RO-BSD  | 9    | 50-ISO9-32-BL      | 10   | 50-ISO20-R16-RO-BSD | 17   | 100-018MR          | 12   |
| 50-ISO4-26-BL      | 8    | 50-ISO9-32-BL-BSD  | 10   | 50-ISO20-R20-BL     | 17   | 100-020MB          | 12   |
| 50-ISO4-26-BL-BSD  | 9    | 50-ISO9-32-RO      | 10   | 50-ISO20-R20-BL-BSD | 17   | 100-020MR          | 12   |
| 50-ISO4-26-RO      | 8    | 50-ISO9-32-RO-BSD  | 10   | 50-ISO20-R20-RO     | 17   | 100-121688         | 7    |
| 50-ISO4-26-RO-BSD  | 9    | 50-ISO9-R16-BL     | 16   | 50-ISO20-R20-RO-BSD | 17   | 100-140210         | 7    |
| 50-ISO4-32-BL      | 8    | 50-ISO9-R16-BL-BSD | 16   | 50-MB20             | 22   | 100-160212         | 7    |
| 50-ISO4-32-BL-BSD  | 9    | 50-ISO9-R16-RO     | 16   | 50-MB26             | 22   | 100-180214         | 7    |
| 50-ISO4-32-RO      | 8    | 50-ISO9-R16-RO-BSD | 16   | 50-MBLACK20         | 22   | 100-200216         | 7    |
| 50-ISO4-32-RO-BSD  | 9    | 50-ISO9-R20-BL     | 16   | 50-MBLACK26         | 22   | 100-F16R-WZ        | 19   |
| 50-ISO4-COMBI16R   | 18   | 50-ISO9-R20-BL-BSD | 16   | 50-MG16             | 22   | 100-F20R-WZ        | 19   |
| 50-ISO4-R16-BL     | 15   | 50-ISO9-R20-RO     | 16   | 50-MG20             | 22   | 100-ISO4-14-BL     | 8    |
| 50-ISO4-R16-BL-BSD | 15   | 50-ISO9-R20-RO-BSD | 16   | 50-MG26             | 22   | 100-ISO4-14-BL-BSD | 9    |
| 50-ISO4-R16-RO     | 15   | 50-ISO9-R26-BL     | 16   | 50-MR20             | 22   | 100-ISO4-14-RO     | 8    |
| 50-ISO4-R16-RO-BSD | 15   | 50-ISO9-R26-BL-BSD | 16   | 50-MR26             | 22   | 100-ISO4-14-RO-BSD | 9    |
| 50-ISO4-R18-BL     | 15   | 50-ISO9-R26-RO     | 16   | 50-MXC1620          | 64   | 100-ISO4-16-BL     | 8    |
| 50-ISO4-R18-BL-BSD | 15   | 50-ISO9-R26-RO-BSD | 16   | 50P43-320604        | 170  | 100-ISO4-16-BL-BSD | 9    |
| 50-ISO4-R18-RO     | 15   | 50-ISO13-16-BL     | 10   | 50P-3206            | 170  | 100-ISO4-16-RO     | 8    |
| 50-ISO4-R18-RO-BSD | 15   | 50-ISO13-16-BL-BSD | 11   | 50P-320604          | 170  | 100-ISO4-16-RO-BSD | 9    |
| 50-ISO4-R20-BL     | 15   | 50-ISO13-16-RO     | 10   | 50P-320605          | 170  | 100-ISO4-20-BL     | 8    |

# INDEX

| Article number      | Page | Article number | Page | Article number | Page | Article number  | Page |
|---------------------|------|----------------|------|----------------|------|-----------------|------|
| 100-ISO4-20-BL-BSD  | 9    | AD-EKEK        | 98   | BE14HC         | 149  | BE32H           | 149  |
| 100-ISO4-20-RO      | 8    | AK-EK05VD      | 162  | BE14M          | 154  | BE32MINI        | 153  |
| 100-ISO4-20-RO-BSD  | 9    | AN1420         | 98   | BE14MINI3      | 152  | BE32MINI3       | 152  |
| 100-ISO4-R16-BL     | 15   | AT1420         | 98   | BE15C          | 153  | BE32MINI-RMS    | 154  |
| 100-ISO4-R16-BL-BSD | 15   | BA-1288        | 140  | BE15HC         | 149  | BE40            | 147  |
| 100-ISO4-R16-RO     | 15   | BA-1410        | 140  | BE15HM         | 149  | BE50            | 147  |
| 100-ISO4-R16-RO-BSD | 15   | BA-1612        | 140  | BE15MMINI      | 153  | BE63            | 147  |
| 100-MB              | 22   | BA-1814        | 140  | BE15M-MINI3    | 152  | BE-BOX          | 149  |
| 100-MBLACK          | 22   | BA-2016        | 140  | BE15V-MINI3    | 152  | BE-MINI         | 153  |
| 100-MG16            | 22   | BA-F41         | 112  | BE16           | 147  | BE-MINI3        | 152  |
| 100-MR              | 22   | BAP-FFV16Z05   | 111  | BE16H          | 149  | BE-UNI          | 148  |
| 100-R16MB           | 18   | BAP-FFV20Z05   | 111  | BE16HC         | 149  | BE-UNISSET1     | 147  |
| 100-R16MBLACK       | 18   | BAP-FFV26Z05   | 111  | BE16M          | 154  | BE-UNISSET2     | 147  |
| 100-R16MR           | 18   | BAP-FFV26Z06   | 111  | BE16MINI       | 153  | BE-UNISSETMINI3 | 148  |
| 100-R20MB           | 18   | BAP-FFV32Z06   | 111  | BE16MINI3      | 152  | BI-1410         | 140  |
| 100-R20MR           | 18   | BAP-FFV1604    | 111  | BE16MINI-RMS   | 154  | BI-1612         | 140  |
| 100-R160212         | 14   | BAP-FFV1605EK  | 111  | BE18           | 147  | BI-1612L        | 140  |
| 100-R180214         | 14   | BAP-FFV1616    | 111  | BE18C          | 153  | BI-1814         | 140  |
| 100-R200216         | 14   | BAP-FFV1805    | 111  | BE18H          | 149  | BI-2016         | 140  |
| 120-PRT1620         | 21   | BAP-FFV2005    | 111  | BE18HC         | 149  | BI-2016L        | 140  |
| 200-121688          | 7    | BAP-FFV2005EK  | 111  | BE18HM         | 149  | BI-2620         | 140  |
| 200-140210          | 7    | BAP-FFV2020    | 111  | BE18M          | 154  | BM-16           | 141  |
| 200-160212          | 7    | BAP-FFV2605    | 111  | BE18M-MINI3    | 152  | BM-16F          | 141  |
| 200-180214          | 7    | BAP-FFV2605EK  | 111  | BE18V-MINI3    | 152  | BM-18           | 141  |
| 200-F16R-WZ         | 19   | BAP-FFV2606    | 111  | BE20           | 147  | BM-20           | 141  |
| 200-PXC1620         | 20   | BAP-FFV2626    | 111  | BE20H          | 149  | BM-20F          | 141  |
| 200-PXC1720         | 20   | BAP-FFV3207    | 111  | BE20M          | 154  | BM-26           | 141  |
| 200-PXC2020         | 20   | BAP-FFV3232    | 111  | BE20MINI       | 153  | BP04            | 27   |
| 200-R160212         | 14   | BAP-H1616      | 112  | BE20MINI3      | 152  | CU-6ZONEB-H     | 132  |
| 200-R180214         | 14   | BAP-H2020      | 112  | BE20MINI-RMS   | 154  | CU-6ZONEB-HC    | 132  |
| 240-PRT1820         | 21   | BAP-H2626      | 112  | BE22C          | 153  | CU-6ZONE-CON    | 132  |
| 240-PXC1820         | 20   | BAP-H3232      | 112  | BE22HC         | 149  | CU-6ZONERF-HC   | 135  |
| 270-PRT1620         | 21   | BAP-SV1610S    | 112  | BE22HM         | 149  | CU-10ZONERF-HC  | 135  |
| 500-160212D         | 7    | BCLIP-16       | 160  | BE22MMINI      | 153  | CU-ACT-B230V    | 133  |
| 500-F16R-WZ         | 19   | BCLIP-26       | 160  | BE22M-MINI3    | 152  | CU-ACT-B230V    | 136  |
| 500-R160212D        | 14   | BCLIP-32       | 160  | BE22V-MINI3    | 152  | CU-ANTRF        | 136  |
| 600-PRT1420         | 21   | BCLIP-40       | 160  | BE26           | 147  | CU-ATHERMB-H    | 132  |
| 600-PRT1720         | 21   | BCLIP-50       | 160  | BE26H          | 149  | CU-ATHERMB-HC   | 132  |
| 600-PRT1820         | 21   | BCLIP-1820     | 160  | BE26MINI       | 153  | CU-ATHERMRF-HC  | 135  |
| 600-PRT2020         | 21   | BDB33M         | 162  | BE26MINI3      | 152  | CU-DTHERMB-HC   | 133  |
| 600-PXC1620         | 20   | BDR33M         | 162  | BE26MINI-RMS   | 154  | CU-DTHERMRF-HC  | 135  |
| 600-PXC1720         | 20   | BE12HC         | 149  | BE28C          | 153  | CU-RADTHERMRF   | 136  |
| 600-PXC2020         | 20   | BE12HM         | 149  | BE28HC         | 149  | CU-REPRF        | 136  |
| 640-PRT1620         | 21   | BE12M-MINI3    | 152  | BE28M-MINI3    | 152  | CU-WIFIRF       | 136  |
| AB1420              | 97   | BE14           | 147  | BE28V-MINI3    | 152  | CU-WIFIRFCABLE  | 136  |
| ABEK04              | 97   | BE14H          | 149  | BE32           | 147  | CU-ZONERF-HC    | 135  |

| Article number | Page | Article number   | Page | Article number    | Page | Article number     | Page |
|----------------|------|------------------|------|-------------------|------|--------------------|------|
| DRILLY14       | 155  | KS16M            | 143  | PK-TOOL04         | 156  | SPR-CBLOCK-TF      | 172  |
| DRILLY16       | 155  | KS18M            | 143  | PK-TOOL05         | 156  | SPR-FIXGLUE        | 173  |
| DRILLY20       | 155  | KS20M            | 143  | PK-TOOL06         | 156  | SPR-FIXSCREW       | 173  |
| DRILLY26       | 155  | KS26M            | 143  | PK-TOOLBOX        | 156  | SPR-ISO            | 173  |
| DRILLY32       | 155  | KS32M            | 143  | PK-TOOLBOX-040506 | 156  | SPR-ISO-MAGNET26   | 173  |
| EK12-2         | 96   | KS40M            | 143  | PLF-P-PK          | 161  | SPR-ISO-WS         | 172  |
| EK14-2         | 96   | KS50             | 143  | PLP-P-PK          | 161  | SPR-MAGNET26       | 173  |
| EK15           | 97   | KS63             | 143  | PLUG04-B80        | 155  | SPR-MAGNET31       | 173  |
| EK15           | 113  | KS-K             | 144  | PLUG04-R80        | 155  | SPR-N0604IDL00H15  | 174  |
| EK16-2         | 96   | KS-MSET1         | 143  | PLUG05-B80        | 155  | SPR-N0604IDL05H20  | 174  |
| EK17-2         | 96   | KS-MSET4         | 143  | PLUG05-R80        | 155  | SPR-N0604IDL10H25  | 174  |
| EK18-2         | 96   | KS-P162026       | 144  | P-PIPESTOP16      | 87   | SPR-N0604IDL15H30  | 174  |
| EK20-2         | 96   | M-BA03           | 145  | P-PIPESTOP20      | 87   | SPR-N0604IDL20H35  | 174  |
| ENDCAP-EK05    | 104  | M-BAT03          | 145  | P-PIPESTOP26      | 87   | SPR-N0604IDL25H40  | 174  |
| H-0212         | 109  | M-BATMINI2       | 153  | P-PIPESTOP32      | 87   | SPR-N0604IDL30H45  | 174  |
| H-0212-C       | 109  | M-BATMINI3-2.0AH | 151  | PRESSCHECK1432    | 155  | SPR-N0604IDLXXH00  | 174  |
| H-0212-S       | 109  | M-BATMINI3-5.0AH | 151  | PS-16             | 140  | SPR-N0604IDLXXH05  | 174  |
| HFMAN125       | 162  | M-BH162026       | 154  | PS-20             | 140  | SPR-N0604IDLXXH10  | 174  |
| HNA            | 57   | M-BHY            | 146  | RAD04-100V        | 113  | SPR-OP06           | 172  |
| HNA-COMP       | 59   | M-BHY162026      | 146  | RADNI-0504        | 113  | SPR-PLUGTOOL       | 175  |
| HNA-EK05       | 59   | M-BM1620         | 154  | RADTH-VL          | 113  | SPR-PULLTOOL       | 175  |
| HNA-EK05-E     | 59   | M-BMINI3         | 150  | RS32              | 142  | TESTPLUG16         | 161  |
| HNAFL-DN50     | 59   | M-BMINI3-F       | 150  | RSEM1420-PERS     | 142  | TESTPLUG16-RO      | 161  |
| HNA-INLB       | 59   | M-BMINI3-S       | 150  | RSEM2640-PERS     | 142  | TESTPLUG20         | 161  |
| HNA-INLB-E     | 59   | M-BOXBA03        | 145  | SAFECUT           | 140  | TESTPLUG20-RO      | 161  |
| HNA-STOP       | 58   | M-BOXBHY         | 147  | SK-B05            | 72   | TESTPLUG26         | 161  |
| HNA-STOP-E     | 58   | M-BOXMINI3       | 151  | SK-B05            | 105  | TESTPLUG26-RO      | 161  |
| HNA-U          | 57   | M-BOXMINI3-F     | 151  | SK-B05            | 108  | TOOLBOX405063      | 148  |
| HNB            | 57   | M-HP32           | 154  | SK-PIPESTOP16     | 71   | TOOLBOX16202632    | 148  |
| HNB-STOP       | 58   | M-LAD03          | 146  | SK-PIPESTOP20     | 71   | UFH-0405CDP01      | 122  |
| HNB-U          | 57   | M-LADMINI3       | 151  | SK-PIPESTOP26     | 71   | UFH-0405CDP02      | 122  |
| HN-PEN         | 57   | M-TRANS03        | 146  | SK-STOPCLIP16     | 71   | UFH-0405CDP03      | 122  |
| HNTOOLSET      | 155  | M-TRANSMINI3     | 151  | SK-STOPCLIP16     | 104  | UFH-0405CDP04      | 122  |
| IM63           | 142  | N04              | 80   | SK-STOPCLIP20     | 71   | UFH-0405CDP05      | 122  |
| IM1426PRESS    | 141  | N05              | 80   | SK-STOPCLIP20     | 104  | UFH-0405CDP06      | 122  |
| IM1426PRESS-N  | 141  | N06              | 80   | SK-STOPCLIP26     | 71   | UFH-0405SLT01      | 123  |
| IMEM63         | 142  | N0404-X          | 37   | SK-STOPCLIP26     | 104  | UFH-0405SLT02      | 123  |
| IMEM1426-PRESS | 141  | N0404-X          | 47   | SPLIT-14          | 97   | UFH-0405SLT03      | 123  |
| ISO-BLOCK-S    | 13   | N0505-X          | 37   | SPLIT-16          | 97   | UFH-0405SLT04      | 123  |
| ISO-BOX        | 82   | N0505-X          | 47   | SPLIT-20          | 97   | UFH-0405SLT05      | 123  |
| JCLIP-1632     | 160  | N0606-X          | 37   | SPLIT-S16         | 97   | UFH-0405SLT06      | 123  |
| JCLIP-1632D    | 160  | N0606-X          | 47   | SPLIT-S20         | 97   | UFH-0405SSTE02-PN6 | 123  |
| JCLIP-1632DL   | 160  | PH-1632          | 142  | SPLIT-S26         | 97   | UFH-0405SSTE03-PN6 | 123  |
| JCLIP-1632L    | 160  | PIPEPLUG16       | 161  | SPR-CBLOCK        | 172  | UFH-0405SSTE04-PN6 | 123  |
| KS12M          | 143  | PIPEPLUG20       | 161  | SPR-CBLOCK80      | 172  | UFH-0405SSTE06-PN6 | 123  |
| KS14M          | 143  | PIPEPLUG26       | 161  | SPR-CBLOCK80-WS   | 172  | UFH-0505CDP07      | 122  |

# INDEX


| Article number       | Page | Article number       | Page | Article number    | Page | Article number    | Page |
|----------------------|------|----------------------|------|-------------------|------|-------------------|------|
| UFH-0505CDP08        | 122  | UFH-0605MDK03-03L    | 124  | UFH-ANC05         | 133  | UFH-DRY-GP100/2   | 118  |
| UFH-0505CDP09        | 122  | UFH-0605MDK03-03LPRM | 124  | UFH-ANC056        | 133  | UFH-ESK060303-M   | 128  |
| UFH-0505CDP10        | 122  | UFH-0605MDK04-03L    | 124  | UFH-AO03-MZ       | 128  | UFH-ESK060303-VN  | 128  |
| UFH-0505CDP11        | 122  | UFH-0605MDK04-03LPRM | 124  | UFH-B0605-VN      | 129  | UFH-FOIL50        | 119  |
| UFH-0505CDP12        | 122  | UFH-0605MDK05-03L    | 124  | UFH-B0606-M       | 128  | UFH-FOIL90        | 119  |
| UFH-0505CDP13        | 122  | UFH-0605MDK05-03LPRM | 124  | UFH-B0606-VN      | 129  | UFH-FOIL-ALU      | 119  |
| UFH-0505CDP14        | 122  | UFH-0605MDK06-03L    | 124  | UFH-BEND20        | 121  | UFH-FOIL-CLIP25   | 119  |
| UFH-0505CDP15        | 122  | UFH-0605MDK06-03LPRM | 124  | UFH-BEND1218      | 121  | UFH-FOIL-N        | 119  |
| UFH-0505CDP16        | 122  | UFH-0605MDK07-03L    | 124  | UFH-BM0606-VN     | 129  | UFH-GKT           | 127  |
| UFH-0505SLT07        | 123  | UFH-0605MDK07-03LPRM | 124  | UFH-BMH0606T-VN   | 129  | UFH-ISOBOARD-GV   | 120  |
| UFH-0505SLT08        | 123  | UFH-0605MDK08-03L    | 124  | UFH-BMH0606-VN    | 129  | UFH-ISOBOARD-GVNL | 120  |
| UFH-0505SLT09        | 123  | UFH-0605MDK08-03LPRM | 124  | UFH-BS05-M        | 128  | UFH-ISOBOARD-S    | 120  |
| UFH-0505SLT10        | 123  | UFH-0605MDK09-03L    | 124  | UFH-BTM0606-M     | 127  | UFH-ISODRY-25     | 118  |
| UFH-0505SLT11        | 123  | UFH-0605MDK09-03LPRM | 124  | UFH-C191800       | 130  | UFH-ISOPRO11      | 115  |
| UFH-0505SLT12        | 123  | UFH-0605MDK10-03L    | 124  | UFH-C191974       | 130  | UFH-ISOPRO30      | 115  |
| UFH-0505SLT14        | 123  | UFH-0605MDK10-03LPRM | 124  | UFH-C191976       | 130  | UFH-M-D           | 126  |
| UFH-0505SLT15        | 123  | UFH-0605MDK11-03L    | 124  | UFH-C192071       | 130  | UFH-MDK-AO        | 126  |
| UFH-0505SLT16        | 123  | UFH-0605MDK11-03LPRM | 124  | UFH-C260003001    | 129  | UFH-MDK-CON       | 126  |
| UFH-0505SSTE07-PN6   | 123  | UFH-0605MDK12-03L    | 124  | UFH-CAB-I400      | 138  | UFH-P18-GP10      | 118  |
| UFH-0505SSTE08-PN6   | 123  | UFH-0605MDK12-03LPRM | 124  | UFH-CAB-I455      | 138  | UFH-P18-GP18      | 117  |
| UFH-0505SSTE09-PN6   | 123  | UFH-0605MDSS02       | 125  | UFH-CAB-I565      | 138  | UFH-P18-GP18V     | 118  |
| UFH-0505SSTE10-PN6   | 123  | UFH-0605MDSS03       | 125  | UFH-CAB-I715      | 138  | UFH-P18-WN        | 118  |
| UFH-0505SSTE11-PN6   | 123  | UFH-0605MDSS04       | 125  | UFH-CAB-I965      | 138  | UFH-PGKTA         | 127  |
| UFH-0505SSTE12-PN6   | 123  | UFH-0605MDSS05       | 125  | UFH-CAB-O385      | 138  | UFH-PGKTA-TH      | 127  |
| UFH-0605CD01         | 122  | UFH-0605MDSS06       | 125  | UFH-CAB-O385Z     | 138  | UFH-PLUG80        | 120  |
| UFH-0605CD02         | 122  | UFH-0605MDSS07       | 125  | UFH-CAB-O400      | 138  | UFH-PRO           | 115  |
| UFH-0605CD03         | 122  | UFH-0605MDSS08       | 125  | UFH-CAB-O615      | 138  | UFH-RAS10         | 115  |
| UFH-0605CD04         | 122  | UFH-0605MDSS09       | 125  | UFH-CAB-O615Z     | 138  | UFH-RAS15         | 115  |
| UFH-0605CD05         | 122  | UFH-0605MDSS10       | 125  | UFH-CAB-O800      | 138  | UFH-RAS20         | 115  |
| UFH-0605CD06         | 122  | UFH-0605MDSS11       | 125  | UFH-CAB-O1015     | 138  | UFH-RAS-BIND15A   | 116  |
| UFH-0605CD07         | 122  | UFH-0605MDSS12       | 125  | UFH-CAB-O1015Z    | 138  | UFH-RAS-BIND15B   | 116  |
| UFH-0605CD08         | 122  | UFH-0605MDSS13       | 125  | UFH-CASTMAT16     | 115  | UFH-RAS-CLIP16    | 116  |
| UFH-0605CD09         | 122  | UFH-0605MDSS14       | 125  | UFH-CMDK03        | 126  | UFH-RAS-CLIP18    | 116  |
| UFH-0605CD10         | 122  | UFH-0605MDSS15       | 125  | UFH-CMDK10        | 126  | UFH-RAS-CLIP20    | 116  |
| UFH-0605CD11         | 122  | UFH-060502-MD        | 126  | UFH-CMDSS03       | 127  | UFH-RAS-CUT       | 158  |
| UFH-0605CD12         | 122  | UFH-060503-MD        | 126  | UFH-CP            | 122  | UFH-RAS-RB3       | 115  |
| UFH-0605CD13         | 122  | UFH-060504-MD        | 126  | UFH-DH40          | 121  | UFH-RAS-VLE       | 158  |
| UFH-0605CD14         | 122  | UFH-060505-MD        | 126  | UFH-DP200         | 120  | UFH-SCOTCH-66     | 117  |
| UFH-0605CD15         | 122  | UFH-060506-MD        | 126  | UFH-DRY-1617-150F | 117  | UFH-TACK          | 157  |
| UFH-0605CD16         | 122  | UFH-060507-MD        | 126  | UFH-DRY-1617-200F | 117  | UFH-TACK-38K      | 116  |
| UFH-0605CD17         | 122  | UFH-060508-MD        | 126  | UFH-DRY-1625-100F | 117  | UFH-TACK-40       | 116  |
| UFH-0605CD18         | 122  | UFH-060509-MD        | 126  | UFH-DRY-1625-150F | 117  | UFH-TACK-60       | 116  |
| UFH-0605CD19         | 122  | UFH-060510-MD        | 126  | UFH-DRY-1625-200F | 117  | UFH-TACK-KLS20    | 116  |
| UFH-0605CD20         | 122  | UFH-060511-MD        | 126  | UFH-DRY-1630-150F | 117  | UFH-TACK-KLS25    | 116  |
| UFH-0605MDK02-03L    | 124  | UFH-060512-MD        | 126  | UFH-DRY-FTAPE     | 117  | UFH-TACK-KLS30    | 116  |
| UFH-0605MDK02-03LPRM | 124  | UFH-ADN10            | 121  | UFH-DRY-GLUEF     | 117  | UFH-TACK-KLS40    | 116  |

| Article number | Page | Article number | Page | Article number | Page |
|----------------|------|----------------|------|----------------|------|
| UFH-TM050-M    | 128  | VBS060504-BL   | 107  | VVSK-26        | 102  |
| UFH-UP-12      | 119  | VBS060504-RO   | 107  | VVSK-26-90     | 103  |
| UFH-UP-14M1    | 118  | VDEK-T05       | 103  | VVSK-T20M20    | 102  |
| UFH-UP-16      | 119  | VDSK-20        | 104  | VVSK-T26M26    | 102  |
| UFH-UP-16M1    | 118  | VDSK-26        | 104  | VVSK-T202020   | 103  |
| UFH-UP-CUP50   | 119  | VEK-060502     | 108  | VVSK-T262626   | 103  |
| UFH-VLA        | 157  | VEK-060503     | 108  | WBP-1604-BL    | 87   |
| UFH-VLA-STR    | 157  | VEK-060503-Z   | 108  | WBP-1604-RO    | 87   |
| V-050404-Z     | 108  | VEK-060504     | 108  | WBP-2004-BL    | 87   |
| V-060402       | 108  | VEK-060504-Z   | 108  | WBP-2004-RO    | 87   |
| V-060404       | 108  | VEK-060505     | 108  | WBPL-X         | 87   |
| V-060405       | 108  | VEK-060505-Z   | 108  | WBPL-X         | 99   |
| V-060406       | 108  | VEK-060506-Z   | 108  | WBS-1604-BL    | 98   |
| VB050502-BLAUW | 106  | VEK-060507     | 108  | WBS-1604-RO    | 98   |
| VB050502-ROOD  | 106  | VEK-060507-Z   | 108  |                |      |
| VB050503-BLAUW | 106  | VEK-060508     | 108  |                |      |
| VB050503-ROOD  | 106  | VEK-060508-Z   | 108  |                |      |
| VB050504-BLAUW | 106  | VEK-060509-Z   | 108  |                |      |
| VB050504-ROOD  | 106  | VEK-060510-Z   | 108  |                |      |
| VB060502-BLAUW | 106  | VISION-KEY16   | 71   |                |      |
| VB060502-ROOD  | 106  | VISION-KEY20   | 71   |                |      |
| VB060503-BLAUW | 106  | VISION-KEY26   | 71   |                |      |
| VB060503-ROOD  | 106  | VISION SET 16  | 71   |                |      |
| VB060504-BLAUW | 106  | VISION SET 20  | 71   |                |      |
| VB060504-ROOD  | 106  | VISION SET 26  | 71   |                |      |
| VB-EK05        | 106  | VS-05          | 109  |                |      |
| VB-EK05        | 112  | VS-06          | 109  |                |      |
| VB-HANDLE-BLUE | 106  | VS-07          | 109  |                |      |
| VB-HANDLE-RED  | 106  | VS-0504        | 109  |                |      |
| VBS-05         | 106  | VS-0604        | 109  |                |      |
| VBS-05F        | 107  | VS-0605        | 109  |                |      |
| VBS-06         | 106  | VS-ENDCAP      | 103  |                |      |
| VBS-06F        | 107  | VS-ENDCAP-M    | 104  |                |      |
| VBS050502-BL   | 107  | VSK-1616       | 72   |                |      |
| VBS050502-GR   | 107  | VSK-161616     | 72   |                |      |
| VBS050502-RO   | 107  | VSKEK-0502     | 101  |                |      |
| VBS050503-BL   | 107  | VSKEK-0503     | 101  |                |      |
| VBS050503-GR   | 107  | VSKEK-ISO12    | 101  |                |      |
| VBS050503-RO   | 107  | VVPK-20        | 105  |                |      |
| VBS050504-BL   | 107  | VVPK-26        | 105  |                |      |
| VBS050504-GR   | 107  | VVPK90-20-D    | 105  |                |      |
| VBS050504-RO   | 107  | VVPK90-20-U    | 105  |                |      |
| VBS060502-BL   | 107  | VVPK90-26-D    | 105  |                |      |
| VBS060502-RO   | 107  | VVPK90-26-U    | 105  |                |      |
| VBS060503-BL   | 107  | VVSK-20        | 102  |                |      |
| VBS060503-RO   | 107  | VVSK-20-90     | 103  |                |      |

Handwriting practice lines consisting of multiple sets of three horizontal dotted lines for tracing and writing practice.

Handwriting practice lines consisting of 20 sets of three horizontal dotted lines on a white background.

# We care to connect



## MyHenco

The best of Henco **always at hand.**



Register now  
**for free.**