


NEW!

EUROTUBI
PRESSFITTING®
SYSTEM

STAINLESS



304



M Profile
Ø15-108



V Profile
Ø15-54

STAINLESS

For the installation of **mechanical systems** with applications other than drinking water, the European market requires today increasingly performing and specialized materials, capable of offering the **best guarantees against corrosion**, which can occur during transport, storage, assembly and above all, during operation.

With the new **Eurotubi Pressfitting STAINLESS** range, Eurotubi Europa has chosen to compete by focusing as always on **quality**, with the use of stainless steels.

FEATURES

Material:	AISI 304/316 stainless steel
O-ring:	EPDM patented polygonal LBP o-ring
Profile:	both M and V
Diameters:	M profile: Ø15 - Ø108 V profile: Ø15 - Ø54
Sleeve:	on diameters Ø15-54, orange in color
Performance:	-20°C +120°C 16 bar and 0.2 absolute vacuum
Packaging:	inexpensive and simple, for industrial applications
Marcatura:	STAINLESS Logo "E" for Eurotubi diameter "no drinking water" symbol traceability code identifier bar for big size items



Fittings are produced in **AISI 304/316 stainless steel** with pre-assembled black EPDM gasket, the LBP (Leak Before Press) function is guaranteed on the entire range. Fittings up to diameter 54 are equipped with **orange sleeve** for quick identification of any missed pressing. For technical applications with process oils and high temperatures, the FPM/FKM gasket is supplied separately.

All fittings are supplied with a **marking** string showing the fundamental information required at European level. **Packaging** is in large packs to reduce plastic waste.

MATCHING PIPES:

Stainless Steel **316L / 304L / 444** supplied by us or compliant with **DVGW G 541**, **EN 10088-2** and **EN 10312** standards.



Eurotubi offers the **Eurotubi Pressfitting STAINLESS** product as a **SYSTEM**, i.e. pipe + fitting. **Optimal results are obtained by combining STAINLESS fittings with the STAINLESS pipes we supply**, being specifically selected to obtain top performance level. **In this case the guarantee extends to the entire system.** It is however possible to use Eurotubi Pressfitting STAINLESS fittings with pipes from other manufacturers, as long as they are compatible. In this case the guarantee applies only to the fittings.

STAINLESS

APPLICATIONS

Eurotubi Pressfitting STAINLESS is suitable for various applications, especially in the industrial sector.



INDUSTRIAL



HVAC
HEATING
CLOSED CIRCUIT
COOLING



**COMPRESSED
AIR AND
VACUUM**



**SOLAR
THERMAL**



**TECHNICAL
PROCESS
FLUID**



**WASTE WATER
AND RAIN
WATER**



**INERT AND
TECHNICAL
GASES**

It is not suitable for conveying drinking water.



Eurotubi Pressfitting STAINLESS is based on the standards currently in force in Europe (EN-DIN) and the main certifications such as **DVGW, VdS, KIWA**. Dedicated insights into new geographical application areas are possible.

PRESSING TOOLS

Eurotubi Pressfitting STAINLESS systems are compatible with **various models** of electromechanical and electrohydraulic **pressing tools** available on the market, with battery or cable power supply (Novopress, Klauke, Rems, Ridgid, Rothenberger, Hilti, Vetek...) to be used in compliance with the respective technical manuals. Pressing tools must be equipped with terminals corresponding to the profile used. Both pressing tools and terminals must undergo regular inspections.

For a successful installation we recommend following the instructions contained in the **technical manual**.



BENEFITS

Maximum resistance against corrosion

Greater durability and less maintenance

Production and inspections according to DVGW, VdS, KIWA standards

Broad catalog

Possibility of producing customized items

ISO 9001-2015 quality certification

3D and BIM drawing library






EUROTUBI
PRESSFITTING®
 SYSTEM