



BASIC CONVECTOR HEATER

Specifications

- Control with On/Off switch
- White, Black and Anthracite color variants
- Electric supply : 230-240V / 50 Hz
- Easy to use and 360 degree alignment
- Stand for floor and hanging bracket for wall
- Tip-over and Overheat Sensor
- Class I



Model No	Power	Product Size	Weight	Heating Area	Price
BASIC-2000	2000W	400x800mm	4.700g	25m ²	0 €
BASIC-2500	2500W	450x900mm	6.000g	30m ²	0 €



THERMOSTATIC CONVECTOR HEATER

Specifications

- Control with adjustable thermostad
- White, Black and Anthracite color variants
- Electric supply : 230-240V / 50 Hz
- Easy to use and 360 degree alignment
- Stand for floor and hanging bracket for wall
- Tip-over and Overheat Sensor
- 1000W and 2000W power settings
- Class I



Model No	Power	Product Size	Weight	Heating Area	Price
THERMO-2000	2000W	400x800mm	4.700g	25m ²	0 €
THERMO-2500	2500W	450x900mm	6.000g	30m ²	0 €



DIGITAL CONVECTOR HEATER

Specifications

- Control with mobile application
- White, Black and Anthracite color variants
- Electric supply : 230-240V / 50 Hz
- Easy to use and 360 degree alignment
- Stand for floor and hanging bracket for wall
- Tip-over and Overheat Sensor
- Enhanced heat distribution with integrated fan technology. (optional)
- Class I

Modes : Child Lock, Economy, Comfort, Boost, Open Window, Time Date Setting (Timer)



Model No	Power	Product Size	Weight	Heating Area	Price
DIGITAL-2000	2000W	400x800mm	4.700g	25m ²	0 €
DIGITAL-2500	2500W	450x900mm	6.000g	30m ²	0 €
DIGITAL-X (Fan Booster)	2500W	450x900mm	6.200g	32m ²	0 €