CORROSION **& SLUDGE IN YOUR** HEATING **SYSTEMS?**

USE: KIT SYSTEM PREVENTION

Keep the system like new by bringing the corrosion debris into suspension and collecting them in the Easy Check a magnetic sludge remover filter.



EASYMAG MINI 3/4" Compact magnetic sludge remover filter for under boiler installation. With the exlusive Easy check system.



SQUEASY 4 IN 1 PLUS

Multi-purpose liquid product for the protection of the heating system: eliminates all noises, acts as an inhibitor and suspends scale. Ideally used with the EasyMag magnetic filter.



CODE 490100004

EasyMag mini

The new generation of magnetic sludge remover filters



3/4 3/4 MANIA ^{Batch} n. 22 - 1099 - 132 ^{ide in Ilaly} - International Patent PCT



- Reduces corrosion
- **Retains impurities** and residues of both ferrous and non-ferrous matters in the heating system water
- Extends the life della caldaia e dell'impiant
- Can be used as additive loading
- Rapid and simple installation and maintenance
- Easy to clean

www.mantaecologica.com/en

MANTA'

SquEasy 4 in 1 Plus

Restores, inhibits corrosion, reduces noises in the heating systems of any metal and acts as a cleaning agent.

ति हिंग हो अन्त Only 250 ml of chemical for 100 L of water.	
Stop corrosion: Inhibitor inside.	
Filter help: Removes deposited sludge.	Risana, inibisce la corrosione, riduce i rumori negli impianti termici di qualsiasi metallo e funge da decapante. Restores, inibilist corrosion, reduces noises in the heating systems of any metal and acts as a pickling agent. MODALITÀ D'USO (CHIMICO) 1) Desare 250 mi di Squtasy di ni Pilos egni 100 L. 2) Sostituire possibilmente dopo 2 mesi con il prodotto
Ready to use and does not need to be dilu- ted, unlike other powdered products.	MODALITA D'USO (CHIMICO) 1) Dosare 220 mi di 5 quictasy di n 1 Plus ogni 100 L. 2) Sostituire possibilimente dopo 2 mesi con il prodotto Squtasy 100 Plus 6 quictasy 700 Plus. 3) si consiglia l'utilizza insieme ai filtri defangatori EasyMag. HOWTO USE (CHEMICAL) 1) Dose 20 mi di 5 quictasy 4 in 1 Plus every 100 L. 2) Possibi replace after 2 months with product Squtasy 100 Plus or quictasy 700 Plus. 3) ti cadvisable to use it together with sludge remover filters rampe EasyMag.
	MODALITÀ D'USO (Squ'Easy) 1) Tagliare l'esqueta al l'Implanto a la fitro. 3) Collegare lo Squ'Easy al l'Implanto depressurizato e scraicato di almeno. 2: L 4) Schiacciare lo Squ'Easy fino al completo svuotamento. 5) Togliere lo Squ'Easy fino al completo svuotamento. 5) Use the opportate odopter for the heating system on filter. 3) Completo svuotamento di teres svuotamento. 5) Completo svuotamento. 5) Com
ADVANTAGES	A subject of all test 2.5 L 4 Squeeze the
Prevents scale and corrosion	
• Disperses and simplifies the collection of iro in the magnetic filter	250 ml
Reduces boiler and heating system noises	

Squeasy 4 in 1 Plus

Restores, inhibits corrosion, reduces noises in the heating systems of any metal and acts as a cleaning agent.

Use on systems no older than 6 months. Possibly, replace it after 2 months with product BP 100 Plus+ or BP 700 Plus.

Suitbale for use with the EasyMag magnetic filter.

