



HiDew S.r.l.

Headquarter : Via dell'Artigianato, 5 35026 Conselve (PD) - Italy
Phone: +39 049 9502511

Registered Office : Viale Spagna, 31/33 35020 Tribano (PD) - Italy
Phone: +39 049 9588511 Fax: +39 049 9588522

www.hidew.it info@hidew.it



HiDew S.r.l. reserves the right to change the specifications and other information contained herein without notice.
No part of this publication may be reproduced without the prior written permission of HiDew S.r.l.

HD-04EN-2025



PRODUCT OVERVIEW

DEHUMIDIFICATION
AND AIR TREATMENT



MORE THAN 200 MODELS OF A COMPLETE RANGE FOR HUMIDITY AND TEMPERATURE CONTROL



HiDew
Dehumidifiers

RO

RV

RSE

DEHUMIDIFIERS FOR RADIANT SYSTEMS

- 20 models
- Dehumidification from 16 to 100 l/day
- Air flow from 200 to 1,000 m³/h

HO

RER

REV

DEHUMIDIFIERS WITH HEAT RECOVERY FOR RADIANT SYSTEMS

- 27 models
- Dehumidification from 16 to 120 l/day
- Air flow from 200 to 1,000 m³/h
- Heat recovery efficiency >90%

RDE

RCE

RFE

HEAT RECOVERY SYSTEMS

- 10 models
- Air flow from 100 to 500 m³/h
- Heat recovery efficiency >90%

MO

AER

MULTI-ZONE ALL-AIR UNITS FOR PASSIVE HOUSES WITH HEAT RECOVERY

- 3 models
- Air flow from 400 to 800 m³/h
- Heat recovery efficiency >90%

AIR DUCTING

DEVICES FOR AIR DUCTING

- Grilles
- Plenums
- Ducts
- Silencers

DDS

DCS

DVS

DOS

DEHUMIDIFIERS FOR POOL AND SMALL ROOMS

- 36 models
- Dehumidification from 46 to 290 l/day
- Air flow from 350 to 2,000 m³/h

ID

SP

IT

ST

DEHUMIDIFIERS FOR SWIMMING POOLS AND INDUSTRY

- 80 models
- Dehumidification from 100 to 4,650 l/day
- Air flow from 900 to 35,000 m³/h

SPR

STR

DEHUMIDIFIERS FOR SWIMMING POOLS WITH HEAT RECOVERY

- 40 models
- Dehumidification from 100 to 4,650 l/day
- Air flow from 900 to 35,000 m³/h
- Heat recovery efficiency >70%

SRO

SRV

DEHUMIDIFIERS FOR SWIMMING POOLS AND SMALL ROOMS WITH HEAT RECOVERY

- 3 models
- Dehumidification from 46 to 100 l/day
- Air flow from 500 to 1,000 m³/h
- Heat recovery efficiency >70%

CCV

CCA

CCW

AIR CONDITIONERS FOR CELLARS AND LABORATORIES

- 8 models
- Cooling capacity from 1.5 to 4.7 kW
- Air flow from 250 to 900 m³/h