

Quality Creates Value
品质创造价值

北京
Beijing

上海
Shanghai

宁波
Ningbo

温州
Wenzhou

吉安
Ji An

广州
Guangzhou

江西吉安市盛泰金属制品有限公司
Sanfitec Brass Industry Co., LTD.

地址：江西省吉安市国家井冈山经济开发区君山大道162号
Add: No.162 Junshan Rd. Jinggangshan Economic
and Technological Developing Zone, Jian City,
Jiangxi Province, China
TEL: 86-796-8404480 Fax: 86-796-8404490
邮箱：info@sanfitec.com

上海盟通五金机电有限公司
F.A Industry Co. Limited

地址：上海市奉贤区金汇镇金碧路585号3幢
Add: No.585 Jinbi Road, Unit 3, Jinhui Town,
Fengxian District, Shanghai, China
TEL: 86-021-37595730 Fax: 86-021-37595731
邮箱：info@sanfitec.cn

www.sanfitec.com

AMERICAN
PRODUCT CATALOGUE



CSTB ACS SGS

ISO9001 ISO14001

公司介绍

吉安市盛泰金属制品有限公司是国内最具影响力的优质黄铜管件企业之一。公司成立于 2002 年初，占地面积 50 余亩，员工约 150 人，拥有铜棒、红冲、数控、自动、模具、以及组装车间，年产量可达数千万美金。

公司严格按照 ISO9001 与 ISO14001 流程管控，已经取得了多个国家的行业认证如 NSF、CSA、WATERMARK、CSTB 以及 ACS 等。公司产品广泛应用于供暖、饮用水、煤气等行业。客户主要遍及北美、澳洲、西欧等发达国家。近年来，公司在新兴市场增长表现也非常出色。

公司以质量为本，遵循“尊重 创新 敬业 共赢”的企业文化，秉承“客户至上，服务为本，质量第一”的经营理念，产品一直保持高质稳定，赢得了客户的青睐与口碑！江西吉安市盛泰金属制品有限公司，我们一直致力于成为您首选的黄铜管件合作伙伴！

Company Brief Introduction

Sanfitec Brass Industry Co., Ltd. is an ISO9001 and ISO14001 certificated professional high quality brass fitting manufacturer. We've founded since 2002 and have around 150 workers, among which around 20 engineers. We have brass bar, hot forging, CNC and tooling workshop and all in house, to ensure in time delivery and low cost.

Our main products are brass pex fittings, brass RH slide fittings, and brass press fittings, brass multilayer fittings, brass compression fittings and etc.. And also we make brass OEM fittings according to customer samples or drawings.

Our traditional main market is western countries such as USA, Canada, France, Germany, Italy, Spain, Australia and etc. In recent years, our business in emerging markets has increased very rapidly too. Since the very beginning of our company, we've stuck to High Quality, Service Oriented strategy, and won good reputation in our line!

Our common material is: CW614N, CW617N, CW602N, CW603N, Hpb59-1, Hpb58-3; C36000, C36500, C37000, C37700, C3604 and lead free material C46500, C69300, C87800, C87850 and etc..

Welcome to visit our factory! We will try to be your best partner of brass fittings!

目录 Catalogue

01	Pex Fittings	P1-3
02	Fast Fittings	P4-6
03	Brass Ring Compression Fittings	P7-9
04	Conical Compression Fittings	P10-12
05	Compression Fittings	P13-15
06	Flare Fittings	P16-18
07	Hose Barbs and Garden Fittings	P19-21
08	Common Fittings	P22-25
09	Factory Photos	P26

Pex Fittings





Female Sweat Adapter

1/2" PEX × 1/2" F 1/2" PEX × 3/4" F
3/4" PEX × 3/4" F



Female Coupling

3/8" × 1/2" FPT 1/2" × 1/2" FPT
1/2" × 3/4" FPT 3/4" × 3/4" FPT
3/4" × 1" FPT 5/8" × 1/2" FPT
5/8" × 3/4" FPT 1" × 1" FPT



Male Coupling

3/8" PEX × 1/2" MPT 1/2" PEX × 1/2" MPT
1/2" PEX × 3/4" MPT 3/4" PEX × 1/2" MPT
3/4" PEX × 3/4" MPT 3/4" PEX × 1" MPT
5/8" PEX × 1/2" MPT 5/8" PEX × 3/4" MPT
1" PEX × 3/4" MPT 1" PEX × 1" MPT



Male Sweat Adapter

1/2" PEX × 1/2" M 1/2" M × 3/4" PEX
3/4" M × 3/4" PEX



Plug

3/8" 1/2"
3/4" 5/8"
1"



Female Sweat Elbow

3/4" PEX × 3/4" F



Elbow

3/8" PEX 1/2" PEX
3/4" PEX 5/8" PEX
1" PEX



Reducing Elbow

3/4" × 1/2" PEX 3/4" × 1" PEX
1/2" × 3/4"



Equal Tee

3/8" PEX 1/2" PEX
3/4" PEX 5/8" PEX
1" PEX



Reducing Tee

1/2" × 1/2" × 3/4" PEX 3/4" × 1/2" × 1/2" PEX
3/4" × 1/2" × 3/4" PEX 3/4" × 3/4" × 1/2" PEX
3/4" × 3/4" × 1" PEX 1" × 1/2" × 3/4" PEX
1" × 1/2" × 1" PEX 1" × 3/4" × 1/2" PEX
1" × 3/4" × 3/4" PEX 1" × 3/4" × 1" PEX
1" × 1" × 1/2" PEX 1" × 1" × 3/4" PEX



Drop Ear Elbow

1/2" PEX × 1/2"



Adapter Elbow

1/2" × 1/2" MPT 3/8" × 3/8" MPT
1/2" × 3/8" MPT 3/4" × 3/4" MPT



Reducing Coupling

1/2" × 3/8" PEX 1/2" × 3/4" PEX
1" × 3/4" PEX



Equal Coupling

3/8" PEX 1/2" PEX
3/4" PEX 5/8" PEX
1" PEX



Reducing Coupling

3/8" × 3/8" PB 1/2" × 1/2" PB
3/4" × 3/4" PB



Ring

3/8" 1/2"
3/4" 5/8"
1"



Ring

3/8" 1/2"
3/4" 5/8"
1"

Fast Fittings



Ring

3/8"	1/2"
3/4"	1"



Equal Tee

3/8"	1/2"
3/4"	1"



Female Swivel Coupling

3/8"-1/2"F	1/2"-1/2"F
3/4"-3/4"F	1"-1"F



Female Coupling

3/8"-1/2"F	1/2"-1/2"F
3/4"-3/4"F	1"-1"F



Male Coupling

3/8"-1/2"M	1/2"-1/2"M
1/2"-3/4"M	3/4" x 3/4"M
1"-1"M	



Equal Union

3/8"	1/2"
3/4"	1"



Reducing Tee

1/2"-3/8"-3/8"	1/2"-3/8"-1/2"
1/2"-1/2"-3/8"	3/4"-3/8"-3/4"
3/4"-1/2"-1/2"	3/4"-1/2"-3/4"
3/4"-3/4"-1/2"	1"-3/4"-1"



Reducing Union

1/2"-3/8"	3/4"-1/2"
1"-3/4"	



Elbow

3/8"	1/2"
3/4"	1"



Female Elbow

3/8"-3/8"F	1/2"-1/2"F
3/4"-3/4"F	



Female Tee

3/8"-3/8"F 1/2"-1/2"F



Wallplate Female Elbow

3/8"-3/8"F 1/2"-1/2"F



Male Elbow

3/8"-3/8"M 1/2"-1/2"M
3/4"-3/4"M



Cross

1/2"-1/2"-3/8"-3/8"
3/4"-1/2"-3/8"-3/8"

Brass Ring Compression Fittings





Equal Union

1/8"	3/16"
1/4"	5/16"
3/8"	1/2"
5/8"	3/4"
7/8"	



Reducing Union

1/4"x1/8"	1/4"x3/16"
1/4"x3/8"	5/16"x1/4"
3/8"x1/2"	5/8"x3/8"
5/8"x1/2"	



Male Elbow

1/8"x1/8"M	3/16"x1/8"M
3/16"x1/4"M	1/4"x1/8"M
1/4"x1/4"M	1/4"x3/8"M
1/4"x1/2"M	5/16"x1/8"M
5/16"x1/4"M	5/16"x3/8"M
3/8"x1/8"M	3/8"x1/4"M
3/8"x3/8"M	3/8"x1/2"M
1/2"x1/4"M	1/2"x3/8"M
1/2"x1/2"M	1/2"x3/4"M
5/8"x3/8"M	5/8"x1/2"M
5/8"x3/4"M	3/4"x1/2"M
3/4"x3/4"M	7/8"x3/4"M



Equal Elbow

1/8"	3/16"
1/4"	5/16"
3/8"	7/16"
1/2"	5/8"
3/4"	7/8"



Male Coupling

1/8"x1/8"M	3/16"x1/8"M
3/16"x1/4"M	1/4"x1/8"M
1/4"x1/4"M	1/4"x3/8"M
1/4"x1/2"M	5/16"x1/8"M
5/16"x1/4"M	5/16"x3/8"M
5/16"x1/2"M	3/8"x1/8"M
3/8"x1/4"M	3/8"x3/8"M
3/8"x1/2"M	3/8"x3/4"M
1/2"x1/4"M	1/2"x3/8"M
1/2"x1/2"M	1/2"x3/4"M
5/8"x3/8"M	5/8"x1/2"M
5/8"x3/4"M	3/4"x1/2"M
7/8"x1/2"M	7/8"x3/4"M
7/8"x1"M	



Equal Tee

1/8"	3/16"
1/4"	5/16"
3/8"	7/16"
1/2"	5/8"



Male Tee

1/4"x1/4"x1/4"M
3/8"x3/8"x1/4"M
1/2"x1/2"x1/2"M
5/8"x5/8"x1/2"M



Male Tee

1/4"x1/8"MX1/4"
3/8"x1/4"MX3/8"



Male Elbow

1/4"x1/8"M	3/8"x1/4"M
------------	------------



Female Elbow

1/8"x1/8"F	3/16"x1/8"F
1/4"x1/8"F	1/4"x1/4"F
1/4"x1/2"F	5/16"x1/8"F
5/16"x1/4"F	3/8"x1/8"F
3/8"x1/2"F	3/8"x3/4"F
1/2"x3/8"F	1/2"x1/2"F
5/8"x1/2"F	5/8"x3/4"F

Conical Compression Fittings



Sleeve

1/4"	3/8"
1/2"	3/4"
5/8"	



Male Tee

1/4"M×1/8"	1/4"M×1/4"
3/8"M×1/4"	3/8"M×3/8"



Nut

1/4"	3/8"
1/2"	3/4"
5/8"	



Female Coupling

1/4"F×1/8"	1/4"F×1/4"
3/8"F×1/8"	3/8"F×1/4"
3/8"F×3/8"	1/2"F×1/4"
1/2"F×3/8"	1/2"F×1/2"
5/8"F×1/2"	



Coupling

1/4"	3/8"
1/2"	3/4"
5/8"	



Male Coupling

1/4"M×1/8"	1/4"M×1/4"
3/8"M×1/4"	3/8"M×1/8"
3/8"M×1/4"	3/8"M×3/8"
3/8"M×1/2"	1/2"M×1/4"
1/2"M×3/8"	1/2"M×1/2"
5/8"M×3/8"	5/8"M×3/4"
3/4"M×1/2"	3/4"M×3/4"



Tee

3/8"	1/4"
1/2"	3/4"
5/8"	



Elbow

3/8"	1/4"
5/8"	1/2"



Female Elbow

3/8"F×1/8"	3/8"F×1/4"
3/8"F×3/8"	3/8"F×1/2"
1/2"F×1/2"	5/8"F×1/2"
5/8"F×3/4"	



Male Elbow

1/4" M×1/8"	1/4" M×1/4"
3/8" M×1/4"	3/8" M×1/8"
3/8" M×1/4"	3/8" M×3/8"
3/8" M×1/2"	1/2" M×1/4"
1/2" M×3/8"	1/2" M×1/2"
5/8" M×3/8"	5/8" M×1/2"
5/8" M×3/4"	3/4" M×1/2"
3/4" M×3/4"	



45° Elbow Air Brake To

1/4" M×1/8"	1/4" M×1/4"
3/8" M×1/8"	3/8" M×1/4"
3/8" M×3/8"	3/8" M×1/2"
1/2" M×3/8"	1/2" M×1/2"
5/8" M×3/8"	5/8" M×1/2"
3/4" M×1/2"	



Male Tee

1/4" M×1/8"	1/4" M×1/4"
3/8" M×1/8"	3/8" M×1/4"
3/8" M×3/8"	1/2" M×3/8"
1/2" M×1/2"	

Conical Compression
Fittings

Compression Fittings





Evaporator Cooler Valve

1/4" 3/8"

1/2"



Tee

1/4" 3/8"

1/2"



Elbow

1/4"MX1/8"

1/4"MX1/4"

3/8"MX1/4"

3/8"MX3/8"

3/8"MX1/2"



Reduce Coupling

1/4"-3/8"

3/8"-1/2"

1/4"-1/2"



Evaporator Cooler Valve

3/8inOD X3/8inODX1/4inOD



Needle Valve

1/4"-1/8" M 3/8"-1/8" M

3/8"-1/4" M



Elbow

1/4"

3/8"

1/2"



Coupling

1/4"

3/8"

1/2"



Comp X Comp Needle

1/4"

1/2"



Needle Valve

1/4"X1/8" M

3/8"X1/8" M



Adapter

1/4"FX1/8"

1/4"FX1/4"

1/4"FX3/8"

1/4"FX1/2"

3/8"FX1/4"

3/8"FX3/8"

1/2"FX3/8"

1/2"FX 1/2"

5/8"FX1/2"



Adapter

1/4"FX1/8"

1/4"FX1/4"

1/4"FX3/8"

1/4"FX1/2"

3/8"FX1/4"

3/8"FX3/8"

1/2"FX3/8"

1/2"FX 1/2"

5/8"FX1/2"



Adapter

1/4"MX1/8"

1/4"MX1/4"

1/4"MX3/8"

1/4"MX1/2"

3/8"MX1/4"

3/8"MX3/8"

1/2"MX3/8"

1/2"MX 1/2"

5/8"MX1/2"



Needle Valve

1/4"

1/2"



Adapter-A-valve

3/8 in C x3/8 in C x 1/4 in C

3/8SWIVX3/8"X3/8"



Needle Valve

1/4"

1/2"



Reducing Tee

3/8"X3/8"X1/4"

Flare Fittings



HEX coupling M/M

1/4"	3/8"
1/2"	5/8"



HEX Reducing Coupling M/F

1/4"	3/8"
1/2"	5/8"



HEX Reducing Coupling M/M

1/4"x1/8M	3/8"x1/4M
3/8"x1/8M	1/2"x1/4M
3/8"x1/2M	3/8"x3/4M
1/2"x1/8M	1/2"x3/4M
5/8"x1/4M	5/8"x3/8M
5/8"x1/2M	5/8"x3/4M



NUT

1/4"	3/8"
1/2"	5/8"



HEX Reducing Coupling M/M

3/8"x1/4	1/2"x1/4
1/2"x3/8"	5/8"x3/8"
5/8"x1/2"	



NUT

1/4"	3/8"
1/2"	5/8"



HEX Reducing Coupling M/F

1/4"x1/8"F	1/4"x1/4"F
1/4"x3/8"F	1/4"x1/2"F
3/8"x1/8"F	3/8"x1/4"F
3/8"x3/8"F	3/8"x1/2"F
3/8"x3/4"F	1/2"x1/4"F
1/2"x3/8"F	1/2"x1/2"F
1/2"x3/4"F	5/8"x3/8"F
5/8"x1/2"F	5/8"x3/4"F



CAP

1/4"	3/8"
1/2"	5/8"



Flare X Mip Elbow 90°

1/8"MX1/4"	1/4"MX1/4"
1/4"MX3/8"	3/8"MX3/8"
1/2"MX3/8"	1/2"MX1/2"



Adapter 45°

1/8"MX1/4"	1/4"MX1/4"
1/4"MX3/8"	3/8"MX1/2"



Tee

1/4"	5/16"
3/8"	1/2"
5/8"	



Threaded Elbow

1/4"	3/8"
1/2"	5/8"



Male Tee

1/4"X1/4"X1/8"M	1/4"X1/4"X1/4"M
1/4"X1/4"X3/8"M	3/8"X3/8"X1/4"M
3/8"X3/8"X3/8"M	3/8"X3/8"X1/2"M
1/2"X1/2"X3/8"M	1/2"X1/2"X1/2"M
5/8"X5/8"X1/2"M	



Elbow

1/4"X1/8"F	1/4"X1/4"F
1/4"X3/8"F	3/8"X3/8"F
3/8"X1/2"F	1/2"X3/4"F
1/2"X1/2"F	1/2"X3/4"F



Coupling M/F

1/8"MX1/4"F	1/4"MX1/4"F
3/8"MX1/4"F	3/8"MX1/8"F
1/2"MX1/4"F	1/4"MX3/8"F
3/8"MX3/8"F	3/8"MX1/2"F



Swivel

1/4"	3/8"
1/2"	5/8"

Hose Bars and Garden Fittings



Barb Splicer



1/8"	3/16"
1/4"	5/16"
3/8"	1/2"
3/4"	5/8"

Barb X Mip Adapter



1/8"X1/8M	1/8"X1/4M
3/16"X1/8M	3/16"X1/4M
1/4"X1/8M	1/4"X1/4M
1/4"X3/8M	1/4"X1/2M
5/16"X1/8M	5/16"X1/4M
5/16"X3/8M	3/8"X1/8M
3/8"X1/4M	3/8"X3/8M
3/8"X1/2M	3/8"X3/4M
1/2"X1/4M	1/2"X3/8M
1/2"X1/2M	1/2"X3/4M
5/8"X3/8M	5/8"X1/2M
5/8"X3/4M	3/4"X1/2M
3/4"X3/4M	1"X3/4M
1"X1M	

Barb X Fip Adapter



1/8"X1/8F	1/8"X1/4F
3/16"X1/8F	3/16"X1/8F
1/4"X1/8F	1/4"X1/4F
1/4"X3/8F	1/4"X1/2F
5/16"X1/8F	5/16"X1/4F
5/16"X3/8F	3/8"X1/4F
3/8"X3/8F	3/8"X1/2F
3/8"X1/2F	1/2"X1/2F
1/2"X1/4F	

Elbow



1/4"X1/8M	1/4"X1/4M
1/4"X3/8M	3/8"X3/8M
3/8"X1/2M	5/8"X1/2M

Adapter 45°



1/4"X1/8M

Female 45°Sae Flare(Cwivel)



1/4"X1/4F	3/8"X1/2F
3/8"X3/8F	1/2"X1/2F
3/4"X3/4F	

Male Connector



1/4"X1/8M	1/4"X1/4M
1/4"X3/8M	3/8"X3/8M
3/8"X1/8M	5/16"X1/8M
5/16"X1/4M	1/2"X3/8M
1/2"X1/2M	5/8"X1/2MM
3/4"X3/4M	

Mach Female End



3/8"X3/4NH	1/2"X3/4NH
5/8"X3/4NH	3/4"X3/4NH

Barbs Coupling



1/4"X3/8F	5/16"X3/8F
3/8"X3/8F	

Barbs Coupling



3/8"X3/4F	1/2"X3/4F
-----------	-----------

Barbs Coupling



1/2MX3/4NH	3/4MX3/4NH
------------	------------

Barbs Coupling



1/4"X1/4F	5/16"X3/8F
1/2"X1/2F	

Barbs Coupling



3/8"X3/4NH	1/2"X3/4NH
5/8"X3/4NH	3/4"X3/4NH

Barbs Coupling



1/4"X3/4NH	3/8"X3/4NH
------------	------------

Barbs Coupling



3/8"X3/4NH	1/2"X3/4NH
5/8"X3/4NH	3/4"X3/4NH

Barbs Coupling



1/2"X3/4"NH	3/4"X3/4NH
-------------	------------

Barbs Coupling



3/4NH

Common Fittings



Elbow 90°

1/8" F	1/4" F
3/8" F	1/2" F
3/4" F	



Adapter 45°

1/8" FX 1/8" M	1/4" FX 1/4" M
3/8" FX 3/8" M	1/2" FX 1/2" M
3/4" FX 3/4" M	



Tee

1/8" F	1/4" F
3/8" F	1/2" F
3/4" F	



Cross

1/8" F	1/4" F
3/8" F	1/2" F
3/4" F	



Elbow F/M

1/8" FM	1/4" FM
3/8" FM	1/2" FM
3/4" FM	



Tee F/M/M

1/8" FM	1/4" FM
3/8" FM	1/2" FM
3/4" FM	



Tee F

1/8" F	1/4" F
3/8" F	1/2" F
3/4" F	



Elbow F/M

1/8" FM	1/4" FM
3/8" FM	1/2" FM
3/4" FM	



Elbow M

1/8" M	1/4" M
3/8" M	1/2" M



Cross F

1/8" F	1/4" F
3/8" F	1/2" F



Elbow F/M

3/8" FM	1/2" FM
3/4" FM	



F Coupling

1/8" M	1" M
3/8" M	1/2" M
3/4" M	1" M



Reducing Coupling F/M

1/8"FX1/4"M	1/8"FX3/8"M
1/8"FX1/2"M	1/8"FX3/4"M
1/4"FX3/8"M	1/4"FX1/2"M
1/4"FX3/4"M	1/4"FX1"M
3/8"FX1/2"M	3/8"FX3/4"M
3/8"FX1"M	1/2"FX3/4"M
1/2"FX1"M	3/4"FX1"M



Square Head Plug

1/8"	1/4"
3/8"	1/2"
3/4"	



Hex Nut

1/8"F	1/4"F
3/8"F	1/2"F
3/4"F	



Coupling

1/8"M	1/4"M
3/8"M	1/2"M
3/4"M	1"M
1"-1/4"M	1"-1/2"M
2"M	



Countersunk square Head Plug

1/8"M	1/4"M
3/8"M	1/2"M
3/4"M	



Countersunk Hex Head Plug

1/8"M	1/4"M
3/8"M	1/2"M
3/4"M	



Hex Plug M

1/8"M	1/4"M
3/8"M	1/2"M
3/4"M	



Square Plug M

1/8"M	1/4"M
3/8"M	1/2"M
3/4"M	



Thin Hex Nut

1/8"	1/4"
3/8"	1/2"



Hex Head Coupling M

1/8"M	1/4"M
3/8"M	1/2"M
3/4"M	



Reducing coupling F/M

1/8"FX1/8"M	1/4"FX1/4"M
1/8"FX1/4"M	3/8"FX1/8"M
3/8"FX1/4"M	3/8"FX3/8"M
1/2"FX1/4"M	3/8"FX1/2"M
1/2"FX1/2"M	3/4"FX1/2"M
3/4"FX3/4"M	



Reducing Coupling M/M

1/8"MX1/4"M	3/8"MX1/8"M
3/8"MX1/4"M	1/2"MX1/4"M
3/8"MX1/2"M	3/4"MX1/2"M



Elbow

1/4"F	3/8"F
1/2"F	3/4"F
1/2"FX3/8"F	



Adapter

3/8"MX1/4"F	1/2"MX3/8"F
3/4"MX1/2"F	



Slotted Head Plug

1/8"M	1/4"M
3/8"M	



Adapter

1/8"F	1/4"F
3/8"F	1/2"F
3/4"F	



Coupling

1/4"F	3/8"F
1/2"F	3/4"F



Coupling M/M

1/8"M-1 1/2"L	1/8"M-2"L
1/8"M-2 1/2"L	1/8"M-3"L
1/8"M-3 1/2"L	1/8"M-4"L
1/8"M-4 1/2"L	1/8"M-5"L
1/8"M-5 1/2"L	1/8"M-6"L
1/4"M-1 1/2"L	1/4"M-2"L
1/4"M-2 1/2"L	1/4"M-3"L
1/4"M-3 1/2"L	1/4"M-4"L
1/4"M-4 1/2"L	1/4"M-5"L
1/4"M-5 1/2"L	1/4"M-6"L
3/8"M-1 1/2"L	3/8"M-2"L
3/8"M-2 1/2"L	3/8"M-3"L
3/8"M-3 1/2"L	3/8"M-4"L
3/8"M-4 1/2"L	3/8"M-5"L
3/8"M-5 1/2"L	3/8"M-6"L
1/2"M-1 1/2"L	1/2"M-2"L
1/2"M-2 1/2"L	1/2"M-3"L
1/2"M-3 1/2"L	1/2"M-4"L
1/2"M-4 1/2"L	1/2M-5L
1/2M-5 1/2L	1/2"M-6"L
3/4"M-1 1/2"L	3/4"M-2"L
3/4"M-2 1/2"L	3/4"M-3"L
3/4"M-3 1/2"L	3/4"M-4"L
3/4"M-4 1/2"L	3/4"M-1 1/2"L
3/4"M-5"L	3/4"M-5 1/2"L
3/4"M-6"L	

