# ROHS FC W CA CE 1944 @ CUDUS

**EFFICIENT · PROFESSIONAL · HIGH QUALITY** 



Mobile: +86-186-7828-3606 Landline: +86-0632-5150311 E-mail: info@yowaymirror.com Address: Shandong, China Website: www.yowaymirror.com





## YOWAY

LIGHTED MIRRORS & MIRROR CABINETS

Tengzhou Yoway Electronic Technology Co., Ltd

### **ABOUT US** COMPANY PROFILE

Yoway Mirror is a pioneering leader in the industry, leveraging advanced machinery to refine precision and elevate product quality. Our cutting-edge technology ensures unparalleled accuracy, meeting rigorous standards for each mirror we produce. By harnessing the latest machinery, we reduce resource consumption, prioritizing sustainability while upholding top-notch quality.

Renowned for our expertise in crafting mirrors from various glass and mirror sheets, Yoway Mirrors embellishes premier hospitality projects globally, showcasing our steadfast commitment to excellence. Our dedication to eco-conscious manufacturing shines through our use of 100% solar-powered electricity, with solar panels adorning our production unit.

Yoway Mirrors proudly boasts **SMETA 4 Pillar certification**, affirming our commitment to ethical and responsible manufacturing. Additionally, our **SEDEX** certification quarantees ethical sourcing, fair treatment of workers, and sustainable production methods.

Our Research and Development team excels in rapid innovation, facilitating the swift creation and refinement of new SKUs. With a proven track record of success, we've developed over 1000 distinct SKUs tailored for hospitality projects and leading global bathroom brands.

Yoway Electronic Tech Co., Ltd. stands as a premier manufacturer and exporter of Bathroom Mirrors since 2010. Partnering with leading distributors, supermarkets, project contractors, and importers worldwide, our interior decoration, bathroom mirrors, and engineering projects are renowned for their innovation, high quality, and efficiency.

Located in Shandong Province, China, our manufacturing unit spans 20000 SQM of effective floor space, equipped with state-of-the-art technology and machines that undergo continuous improvement processes to ensure our products remain at the forefront of the market. Adhering to UL, cUL, CE, UKCA, RoHs, and ISO9001 certification guidelines, our manufacturing process includes multi-step verification and quality checks to identify and resolve issues early, ensuring a faster, defect-free, and efficient process.

**EFFICIENT · PROFESSIONAL · HIGH QUALITY** 















PART 1:	PRODUCT FEATURES	P01
PART 2:	MIRRORS	P09
	HORIZONTAL MIRRORS	P10
	VERTICAL MIRRORS	P17
	CLEAT MOUNTING MIRRORS	P24
	ROUND MIRRORS	P25
	OVAL MIRRORS	P31
	ACRYLIC MIRRORS	P35
	FRAMED MIRRORS	P40
	BATTERY MIRRORS	P59
	HOLLYWOOD MIRRORS	P61
	DRESSING MIRRORS	P64
	TEMPERED MIRRORS	P66
	DI AIN MIDDODS	D69

3:	MIRROR CABINETS	P69
	ALUMINUM CABINET	P70
	ACRYLIC DOOR CABINET	P76
	ALUMINUM CABINET (Lampshade)	P78
	RECESSED CABINET	P80
	HARDBOARD CABINET	P84

PART

# PART 1 PRODUCT FEATURES



Lighting has the power to significantly alter your bathroom, extending beyond its practical functionalities. It sets the mood, adding brightness, depth, and dimensionality, while also accentuating design elements. Integrating a lighting plan during the early phases of design will shape the overall ambiance of the bathroom area.



### **LED Lighting**


The concept of Correlated Colour Temperature (CCT) enables a smooth progression across the entire spectrum of temperatures, spanning from warm to natural, and finally to cool white light. This capability allows for precise emulation of outdoor lighting conditions, a quality that has been scientifically validated to benefit our health.





Integrated demister pads consist of an exceptionally thin layer affixed to the rear surface of the mirror glass. Upon activation, they delicately heat the surrounding area of the mirror to prevent the formation of condensation and ensure clear visibility.

- Eliminates the necessity for manual wiping
- Reduces condensation and moisture accumulation
- Facilitates a streamlined lifestyle for busy individuals
- Ensures a clear surface for grooming tasks such as shaving and preparation
- Maintains the mirror's pristine appearance with fewer watermarks





BACK VIEW FRONT VIEW

## Smart Knob Switch


- Dimming

- Colour change
- Demister Time/Date display
- Temperature/Humidity display







Infrared sensors are activated with a simple wave of the hand. Advanced functionalities like dimming and color control, if present, are operated by hovering the hand near the sensor, located either under or in front of the mirror.



To activate, simply swipe your hand below or in front of the infrared sensor within its 80° induction range, with a distance of 50mm for induction.










#### O PWR Button:

- Quick tap to activate light and defogger (heating element activates for 15 minutes and then automatically switches off).
- Press and hold to dim.

#### Night Light Button:

- The first quick touch activates the light at the lowest dimming setting (10%).
- The second quick touch turns off the light and returns to the previous state.



- 03 - - - 04 -



### Night Light (Three Touch Button)



#### D PWR Button:


- Quick touch: Cycles through the Correlated Colour Temperatures (CCTs) in 5 touches (ON - 4000K - 5000K - OFF).
- Press and Hold: First press and hold dims down to 10% and stops when released. Second press and hold dims up to maximum and stops when released.



A quick touch activates the button, turning it red, and simultaneously activates the heating element for 15 minutes. Another touch turns off the heating element, returning the button color to white.


#### Night Light Button:

- Upon the first quick touch, the light activates at the lowest dimming setting (10%) and warmest Correlated Colour Temperature (CCT).
- Upon the second quick touch, the light turns off and returns to the previous state.




Touch sensors are seamlessly integrated into the glass surface, illuminating when activated. Advanced lighting features can be controlled either by additional sensors or through a single multi-touch sensor.

- Seamless design- Simple control- Multi-functional





A sturdy and dependable rocker switch is employed to manage additional features.





This represents YOWAY's cutting-edge light display technology.

Utilizing an IC (Independent Control) chip, it enables multiple colors to be displayed simultaneously on a single strip light, creating a flowing rainbow effect.



ELEGANT MULTIPLE COLOR SELECTION



- 05 - - - 06 -




### Magnifying Glass

Elevate your visibility with Yoway mirrors. Our mirrors offer two magnifier options to suit your preferences: a fixed magnifier and a suction-type magnifier.

The fixed magnifier is securely affixed to the mirror, providing consistent magnification.

Alternatively, the suction-type magnifier offers versatility, allowing for easy attachment and removal from the mirror surface. Adjust the magnification level according to your needs with this option.






### Bluetooth Speaker

Yoway Bluetooth Mirrors feature high-fidelity stereo speakers that deliver rich bass and precise sound reproduction, even at higher volumes. To further enhance the sound experience, we provide two speaker positions to accommodate different preferences: rear speakers for a more immersive sound environment and side speakers for direct and focused audio.



Type2: Side speaker



BACK VIEW BACK VIEW SIDE VIEW



### USB/Type-C Charging








### Wireless Charging


Charging mobile and toothbrush capable of wireless charging





### Shaver Socket

To access the shaver socket ports and charging socket for shavers and toothbrushes, simply open the protective case.



- 07 -- 08 -

### PART 2 **LIGHTING MIRRORS**



Tailor your lighting to match your interior, style, and mood with personalized options. Streamline your daily routine with innovative features like integrated shaver sockets. Our contemporary styling complements both traditional and modern interior aesthetics.

#### Horizontal Series (MH-01)

#### Additional Features




















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
700*500 mm	24 W	1000*600 mm	32 W
800*600 mm	28 W	1200*600 mm	36 W

Other sizes can be customized















- 09 -- 10 -

#### Horizontal Series (MH-02)

#### Additional Features


















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
700*500 mm	10 W	1000*600 mm	12 W
800*600 mm	12 W	1200*600 mm	12 W

Other sizes can be customized













#### Horizontal Series (MH-03)

#### Additional Features















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
700*500 mm	10 W	1000*600 mm	12 W
800*600 mm	12 W	1200*600 mm	12 W

Other sizes can be customized















- 11 -

#### Horizontal Series (MH-04)

#### Additional Features















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
700*500 mm	10 W	1000*600 mm	12 W
800*600 mm	12 W	1200*600 mm	12 W

Other sizes can be customized











#### Horizontal Series (MH-05)

#### Additional Features















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
700*500 mm	10 W	1000*600 mm	12 W
800*600 mm	12 W	1200*600 mm	12 W

Other sizes can be customized















## **Horizontal Series** Best Sellers

Functions and dimensions can be customized





- 15 - - - 16 -

#### Vertical Series YMV-01

#### Additional Features



















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
500*700 mm	24 W	600*1000 mm	32 W
600*800 mm	28 W	600*1200 mm	36 W

Other sizes can be customized











#### Vertical Series YMV-02

#### Additional Features



















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
500*700 mm	24 W	600*1000 mm	32 W
600*800 mm	28 W	600*1200 mm	36 W

Other sizes can be customized















#### Vertical Series YMV-03

#### Additional Features


















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
500*700 mm	24 W	600*1000 mm	32 W
600*800 mm	28 W	600*1200 mm	36 W

Other sizes can be customized











#### Vertical Series YMV-04

#### Additional Features


















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
500*700 mm	24 W	600*1000 mm	32 W
600*800 mm	28 W	600*1200 mm	36 W

Other sizes can be customized















- 19 -- 20 -

#### Vertical Series YMV-05

#### Additional Features























Standard Size	WLED	Standard Size	WLED
500*700 mm	24 W	600*1000 mm	32 W
600*800 mm	28 W	600*1200 mm	36 W










### **Vertical Series** Best Sellers

Functions and dimensions can be customized




















- 21 -- 22 -

















### Cleat Mounting Mirrors (VCM-01)

#### Additional Features
























Standard Size	WLED	Standard Size	WLED	
500*700 mm	24 W	600*1000 mm	32 W	
600*800 mm	28 W	600*1200 mm	36 W	
Other sizes can be customized				







- 23 -- 24 -

#### Round Series (MR-01)

#### Additional Features



















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W

Other sizes can be customized











#### Round Series YMR-02

#### Additional Features




















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
D600 mm	15W	D800 mm	20 W
D700 mm	17 W	D900 mm	22 W

Other sizes can be customized
















#### Round Series (YMR-03)

#### Additional Features






















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W

Other sizes can be customized











#### Round Series YMR-04

#### Additional Features















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W

Other sizes can be customized











- 27 -- 28 -

#### Round Series YMR-05

#### Additional Features





















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W
Other sizes can be customized			*** * (60/120 (A) (12V) (A) (D) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A

### **Round Series** Best Sellers

Functions and dimensions can be customized













- 29 -

#### Oval Series (MO-01)

#### Additional Features



















-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
500*700 mm	16 W	600*900 mm	20 W
600*800 mm	19 W	700*1000 mm	22 W

Other sizes can be customized














#### Additional Features



























Standard Size	WLED	Standard Size	WLED
500*700 mm	19 W	600*900 mm	24 W
600*800 mm	23 W	700*1000 mm	27 W

Other sizes can be customized













- 31 -- 32 -

#### Oval Series MO-03

#### Additional Features























-- Other functions can be customized --



Standard Size	WLED	Standard Size	WLED
500*700 mm	16 W	600*900 mm	20 W
600*800 mm	19 W	700*1000 mm	22 W
Other sizes can be customized			

Other sizes can be customized











### **Oval Series** Best Sellers

Functions and dimensions can be customized














- 33 -- 34 -

### Acrylic Mirrors



Without Acrylic or With Acrylic

Note: Acrylic diffuser makes light brighter and soft



The image above depicts a comparison between an acrylic mirror and a standard mirror, showcasing the superior brightness and softer appearance of the acrylic mirror. Additionally, acrylic mirrors boast enhanced light diffusion properties compared to traditional mirrors.

### Acrylic Mirrors (YAC-01)

### Additional Features



Standard Size	WLED	Standard Size	WLED
500*700 mm	14 W	600*1000 mm	20 W
600*800 mm	16 W	600*1200 mm	24 W
	Other sizes can	ho customized	







- 35 -

### Acrylic Mirrors (YAC-02)

#### Additional Features

























Standard Size	WLED	Standard Size	WLED
500*700 mm	24 W	600*1000 mm	32 W
600*800 mm	28 W	600*1200 mm	36 W







### Acrylic Mirrors (YAC-03)

#### Additional Features






















Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W
	041	and the second and the second	







- 37 -

### Acrylic Mirrors (YAC-04)

#### Additional Features































Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W







#### Framed Mirrors (YFR-01)















#### Additional Features























Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W
	044	- l	







- 39 -- 40 -





#### Additional Features



Standard Size	WLED	Standard Size	WLED
400*800 mm	0 W	500*800 mm	0 W









#### Framed Mirrors (YFR-03)





#### Additional Features



























Standard Size	WLED	Standard Size	WLED
400*800 mm	21 W	500*800 mm	22 W

#### Other sizes can be customized







- 41 -- 42 -

#### Framed Mirrors (YFR-04)



#### Additional Features























Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W

Other sizes can be customized







#### Framed Mirrors (YFR-05)





#### Additional Features






























-- Other functions can be customized --

Standard Size	WLED	Standard Size	WLED	
D600 mm	19 W	D800 mm	26 W	
D700 mm	22 W	D900 mm	29 W	
Other sizes can be customized				







- 43 -- 44 -

#### Framed Mirrors (YFR-06)



#### Additional Features


















-- Other functions can be customized --

Standard Size	WLED	Standard Size	WLED
500*700 mm	24 W	600*1000 mm	32 W
600*800 mm	28 W	600*1200 mm	36 W

Other sizes can be customized







#### Framed Mirrors (YFR-07)





#### Additional Features

























Standard Size	WLED	Standard Size	WLED
500*700 mm	14 W	600*1000 mm	20 W
600*800 mm	16 W	600*1200 mm	24 W

Other sizes can be customized







- 45 -- 46 -

### Framed Mirrors YFR-08



#### Additional Features

























Standard Size	WLED	Standard Size	WLED
500*700 mm	24 W	600*1000 mm	32 W
600*800 mm	28 W	600*1200 mm	36 W

Other sizes can be customized







#### Framed Mirrors (YFR-09)







#### Additional Features































Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W
	4.1		







- 47 -

### Framed Mirrors YFR-10



#### Additional Features




























Standard Size	WLED	Standard Size	WLED
600*400 mm	14 W	700*500 mm	17 W
800*600 mm	20 W		

Other sizes can be customized







#### Framed Mirrors (YFR-11)









#### Additional Features





























Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W
	041	Landard Control	







- 49 -- 50 -

#### Framed Mirrors (YFR-12)



#### Additional Features





















- 51 -













-- Other functions can be customized --

Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W









#### Framed Mirrors (YFR-13)











#### Additional Features
































Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W
	046	la a acceta na ima al	







- 52 -





#### Additional Features



Standard Size	WLED	Standard Size	WLED
600*512 mm	0 W	1000*854 mm	0 W
800*683 mm	0 W	1200*1024 mm	0 W

Other sizes can be customized







#### Framed Mirrors (YFR-15)



#### Additional Features
























Standard Size	WLED	Standard Size	WLED
600*512 mm	19 W	1000*854 mm	32 W
800*683 mm	26 W	1200*1024 mm	38 W
	0.1		









- 53 -- 54 -

#### Framed Mirrors (YFR-16)



#### Additional Features
























Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W









#### Framed Mirrors (YFR-17)





#### Additional Features























Standard Size	WLED	Standard Size	WLED
500*700 mm	19 W	600*800 mm	23 W

#### Other sizes can be customized







- 55 -- 56 -

#### Framed Mirrors (YFR-18)



#### Additional Features





























-- Other functions can be customized --

Standard Size	WLED	Standard Size	WLED
400*600 mm	20 W	500*700 mm	24 W
600*800 mm	28 W		

Other sizes can be customized







#### Framed Mirrors (YFR-19)



#### Additional Features



Standard Size	WLED	Standard Size	WLED
400*600 mm	0 W	500*700 mm	0 W
600*800 mm	0 W		







- 57 -- 58 -

### Battery Mirrors (VBT-01)

#### Additional Features






















Standard Size	WLED	Standard Size	WLED
400*600 mm	12 W	500*700 mm	14 W









### Battery Mirrors (YBT-02)

#### Additional Features






























Standard Size	WLED	Standard Size	WLED
400*600 mm	12 W	500*700 mm	14 W













#### Additional Features
























Standard Size	WLED	Standard Size	WLED
600*512 mm	Each bulb is 1W	1000*854 mm	Each bulb is 1W
800*683 mm	Each bulb is 1W	1200*1024 mm	Each bulb is 1W









### Hollywood Mirrors (YLB-02) (SDD) (12V (A) (D) (12V (A) (D) (A)





#### Additional Features


























Standard Size	WLED	Standard Size	WLED
400*600 mm	Each bulb is 1W	500*700 mm	Each bulb is 1W
600*800 mm	Each bulb is 1W		
	Other cizes can	ho customized	









- 61 -- 62 -





#### Additional Features























Standard Size	WLED	Standard Size	WLED
400*600 mm	Each bulb is 1W	500*700 mm	Each bulb is 1W
600*800 mm	Each bulb is 1W		







### Dressing Mirrors YDM-01







#### Additional Features



























Standard Size	WLED	Standard Size	WLED
500*1200 mm	24 W	500*1500 mm	30 W
600*1200 mm	24 W	600*1500 mm	30 W







- 63 -- 64 -

### **Dressing Mirrors**



#### Additional Features





















-- Other functions can be customized --

Standard Size	WLED	Standard Size	WLED
500*1200 mm	34 W	500*1500 mm	40 W
600*1200 mm	36 W	600*1500 mm	42 W
Other sizes can be customized			









### **Tempered Mirrors**



Standard Glass



Tempered Glass

Mirrors made of tempered glass are safer and more durable than ordinary mirrors

### 









#### Additional Features




























Standard Size	WLED	Standard Size	WLED
700*500 mm	24 W	1000*600 mm	32 W
800*600 mm	28 W	1200*600 mm	36 W
Other sizes can be customized			



- 65 -





### Tempered Mirrors (TIM-02) (Including Including Including





#### Additional Features

































Standard Size	WLED	Standard Size	WLED
500*700 mm	24 W	600*1000 mm	32 W
600*800 mm	28 W	600*1200 mm	36 W
Other sizes can be customized			



#### Additional Features



















Standard Size	WLED	Standard Size	WLED
D600 mm	19 W	D800 mm	26 W
D700 mm	22 W	D900 mm	29 W
Other sizes can be customized			



#### **Plain Mirrors**

#### Additional Features

-- Other functions can be customized --

Other sizes can be customized



Standard Size

500\*700 mm

600\*800 mm





WLED

0 W



Standard Size

600\*1000 mm

600\*1200 mm













WLED

0 W

0 W
















# PART 3 MIRROR CABINETS



- All aluminum cabinet
- Acrylic door + aluminum body
- All aluminum (Lampshade)
- Acrylic door + recessed body
- All aluminum + recessed body
- Multilayer board cabinet




#### Single-door







#### Double-door







#### All aluminum mirror cabinet

IR sensor
Demister
Light (Warm-Natural-Cool)
Socket/USB/Type-C Charging
Extra thin and lightweight aluminum frame
Rust resistant copper-free mirror
Eco-friendly





- 69 -





-71 - -72 -





- 73 - - 74 -








#### Double-door

Front View



Side View

#### Key features:

IR sensor

Demister+Light (Warm-Natural-Cool)

Door with acrylic

Socket/USB/Type-C Charging

Extra thin and lightweight aluminum frame

Rust resistant copper-free mirror

Eco-friendly













Door with acrylic




- 75 -











Adjustable glass panel

Socket/USB/Type-C







#### Key features:

IR sensor Demister+Light (Warm-Natural-Cool) Lampshade Socket/USB/Type-C Charging Extra thin and lightweight aluminum frame Rust resistant copper-free mirror Eco-friendly




Infra-red sensor




- 78 -


- 77 -











#### Key features:

Touch sensor

Demister+Light (Warm-Natural-Cool)

Recessed acrylic door enclosure

Socket/USB/Type-C Charging

Extra thin and lightweight aluminum frame

Rust resistant copper-free mirror

Eco-friendly



Adjustable glass panel










- 79 -










#### Double-door





Adjustable glass panel




#### Key features:


Touch sensor
Demister+Light (Warm-Natural-Cool)
Recessed body
Socket/USB/Type-C Charging
Extra thin and lightweight aluminum frame
Rust resistant copper-free mirror
Eco-friendly












#### Double-door





Multilayer board

Touch sensor

#### Key features:

Touch sensor
Demister+Light (Warm-Natural-Cool)
Socket/USB/Type-C Charging
Multilayer board
Color:wood grain
Rust resistant copper-free mirror
Eco-friendly



