




DO IT  
PROPERLY


---



# PROCESSES

PRODUCT CATALOGUE

---



# **CLEAR COATS**

**PROSERIES**

# CLEAR COATS

## C898 CLEAR ULTRA HS 2:1

Fast-drying, 2K acrylic, 2:1 Ultra HS clear coat, suitable for full and spot panel repairs. Delivers excellent high gloss finish at one and a half coats. Dries in 5 min at 60°C (140°F). Use with its own UHS Hardeners H737 SLOW, H738 NORMAL.

REF. No	Size	Pcs/ Carton
8980000001	1L	6
8980000005	5L	4



## C894 CLEAR ULTRA HS 2:1

2K acrylic, 2:1 Ultra HS clear coat, suitable for full and partial repairs. Superior high gloss retention. Highly efficient application of one and a half coats. Use with UHS Hardeners H733 SLOW, H734 NORMAL and H735 FAST.

REF. No	Size	Pcs/ Carton
8940000001	1L	6
8940000005	5L	4



## C494 CLEAR ULTRA HS 2:1

2K acrylic, 2:1 Ultra HS clear coat, suitable for full and partial repairs. Excellent gloss and flow properties. Application one and a half coats. Use with UHS Hardeners H733 SLOW, H734 NORMAL and H735 FAST.

REF. No	Size	Pcs/ Carton
4940000001	1L	6
4940000005	5L	4



## C496 CLEAR HS SR 2:1

2K acrylic 2:1 HS SR clear coat, suitable for full and partial repairs. User-friendly application, excellent leveling, high gloss. Use with Hardeners for Topcoats H752 SLOW, H753 NORMAL, H754 FAST.

REF. No	Size	Pcs/ Carton
4960100001	1L	6
4960100005	5L	4
5200000000	400ml	6





## C499 CLEAR HS SR 2:1

2K acrylic 2:1 HS SR clear coat, suitable for panel and overall repairs. High build with great leveling. Use with Hardeners for Topcoats H752 SLOW, H753 NORMAL, H754 FAST.

REF. No	Size	Pcs / Carton
4990100001	1L	6
4990100005	5L	4



## C493 MATT CLEAR HS 2:1

2K acrylic, 2:1 matt clear coat with a perfect matt finish for full and partial repairs. Its excellent smooth surface is easy to handle. Use with Hardener for Topcoats H752 SLOW / H753 NORMAL.

REF. No	Size	Pcs / Carton
4930200001	1L	6



## C495 CLEAR EXPRESS 4:1 SEMI GLOSS

2K acrylic, 4:1 semi gloss clear coat with perfect finish for partial repairs. Excellent chemical and mechanical resistance. Use with Hardener for Topcoats H753 NORMAL.

REF. No	Size	Pcs / Carton
4950200001	1L	6
5200000004	400ml	6



## C495 CLEAR EXPRESS SR 4:1

Fast-drying, 2K acrylic, 4:1 SR clear coat, suitable for spot panel repairs. Perfect for high-volume body shops. Use with Hardener for Topcoats H753 NORMAL or Hardener 727 POLAR for reduced air drying times.

REF. No	Size	Pcs / Carton
4950100001	1L	6
4950100004	4L	4
4959100000	500ml + 125ml 727	6

## C492 AUTO CLEAR HS SR 3:1

High-quality 2K acrylic, 3:1 HS SR clear coat with excellent gloss properties for full and partial repairs. Use with Hardeners for Topcoats 716 SLOW, 717 NORMAL & 718 FAST.

REF. No	Size	Pcs / Carton
4920100003	3L	4



## C416 LENS TINT

Black transparent clear coat specially designed to create a black (smoked) effect for the tail lights.

REF. No	Size	Pcs / Carton
5160200000	400ml	6



## C423 LENS CLEAR

A specially designed elastic clear coat that gives a gloss look to the front or tail lens. The perfect solution for lenses that turn yellow and fade due to weather conditions.

REF. No	Size	Pcs / Carton
5230000000	400ml	6



P



# PRIMERS

PROSERIES

# PRIMERS

## P261 POLYESTER FILLING PRIMER

2K polyester-based, very high build filling primer. Filler and primer in one. Ideal for large uneven surfaces with excellent adhesion over all metal, wood and fiberglass surfaces. Paintable with all paint systems.

REF. No	Colour	Size	Pcs / Carton
2610700001	Grey	1L	6
2610700004	Grey	4L	3



## P307 4:1 HS FILLING PRIMER

2K high-build acrylic primer with superb sealing and filling properties and excellent adhesion to unsanded OEM panels. Application both as a sanding or wet-on-wet primer. 4:1 mixing ratio with Hardeners for Primers H725 SLOW/FAST or H729 NORMAL/FAST.

REF. No	Colour	Size	Pcs / Carton
3070100001	White	1L	6
3070100004	White	4L	3
3070200001	Black	1L	6
3070200004	Black	4L	3
3070700001	Grey	1L	6
3070700004	Grey	4L	3



## P333 3:1 HS FILLING PRIMER

2K high-build acrylic filling primer. 3:1 mixing ratio with Hardeners for Primers H725 SLOW/FAST or H729 NORMAL/FAST.

REF. No	Colour	Size	Pcs / Carton
3330100001	White	1L	6
3330200001	Black	1L	6
3330700001	Grey	1L	6
3330700003	Grey	3L	3



## P334 4:1 HS FILLING PRIMER

High-quality 2K acrylic filling and sealing Primer. Fast-drying multi-functional material, suitable for all types of repairs, including plastic parts and unsanded cataphoresis OEM panels. Excellent wet-on-wet application capabilities. 4:1 mixing ratio with Hardeners for Primers H725 SLOW/FAST or H729 NORMAL/FAST.

REF. No	Colour	Size	Pcs / Carton
3340100001	White	1L	6
3340100004	White	4L	3
3340200001	Black	1L	6
3340200004	Black	4L	3
3340700001	Grey	1L	6
3340700004	Grey	4L	3





## P335 5:1 HS FILLING PRIMER

2K acrylic primer with high filling power and vertical stability. Fast drying, excellent levelling and easy sanding. 5:1 mixing ratio with H725 Hardeners for Primers H725 SLOW/FAST or H729 NORMAL/FAST.

REF. No	Colour	Size	Pcs / Carton
3350100001	White	1L	6
3350100004	White	4L	3
3350200001	Black	1L	6
3350200004	Black	4L	3
3350700001	Grey	1L	6
3350700004	Grey	4L	3



## P360 2:1 HS FILLING PRIMER

High-quality 2K acrylic primer for all kinds of refinishes. Outstanding wet-on-wet application performance. Suitable for plastic and unsanded cataphoresis OEM panels. 2:1 mixing ratio with Hardeners for Primers H725 SLOW/FAST or H729 NORMAL/FAST.

REF. No	Colour	Size	Pcs / Carton
3600100004	White	4L	3
5100100001	White	400ml	6
3600200001	Black	1L	6
3600200004	Black	4L	3
5100200011	Black	400ml	6
3600700001	Grey	1L	6
3600700004	Grey	4L	3
5100700001	Grey	400ml	6
5100300001	Yellow	400ml	6
5100400001	Red	400ml	6
5100500001	Blue	400ml	6
5100600001	Green	400ml	6



## P411 4:1:1 WET ON WET PRIMER

High-performance acrylic sealing primer, specially designed for wet-on-wet application over new parts (OEM panels and plastics) before painting. 4:1 mixing ratio with Hardener for Primers H729 NORMAL.

REF. No	Colour	Size	Pcs / Carton
4111100001	White	1L	6
4111100004	White	4L	3
4111200001	Black	1L	6
4111200004	Black	4L	3
4111700001	Grey	1L	6
4111700004	Grey	4L	3



## P960 WASH PRIMER

Excellent 2K wash primer suitable primarily to be applied over aluminium, galvanised and stainless steel surfaces. 1:1 mixing ratio with H731 Activator.

REF. No	Colour	Size	Pcs/ Carton
9600300001	Light Yellow	1L	6
5100300050	Light Yellow	400ml	6



## P970 2:1 HS FILLSEALER

Excellent transparent acrylic 2K primer with multiple uses: adhesion promoter over non-sanded areas, wet-on-wet fill sealer or HS sanding primer. Also as the first layer for paints with weak covering abilities. Tintable with HB BODY 2K acrylic paint. 2:1 mixing ratio with Hardener for Primers H729 NORMAL.

REF. No	Colour	Size	Pcs/ Carton
9700000001	Transparent	1L	6



## P987 2K 1:1 EPOXY SEALER

2K Epoxy Sealer for wet-on-wet application. Universal adhesion, perfect substrate sealing, mild anti-corrosion properties. 1:1 mixing ratio with H736 EPOXY Hardener.

REF. No	Colour	Size	Pcs/ Carton
9870700001	Grey	1L	6



## P988 2K EPOXY CHASSIS COAT

Direct to Metal, high-quality epoxy primer & paint in one for the treatment of chassis. Reinforced anticorrosive protection. Excellent adhesion to all metallic substrates. High mechanical and chemical resistance. Black semi gloss finish. 4:1 mixing ratio with H732 EPOXY Hardener.

REF. No	Colour	Size	Pcs/ Carton
9880200004	Black	4L	3
9880770164	Grey RAL 7016	4L	3



## P989 4:1 EPOXY PRIMER

High-performance 2K epoxy primer with anticorrosive properties. Excellent sealing, adhesion and filling abilities. Resistant to extreme weather conditions. 4:1 mixing ratio with H732 EPOXY Hardener.

REF. No	Colour	Size	Pcs/ Carton
9890100004	White	4L	3
9890200004	Black	4L	3
9890700001	Grey	1L	6
9890700004	Grey	4L	3
9890700008	Grey	25Kg	1





## P981 1K EPOXY PRIMER

Fast drying 1K epoxy primer. Suitable as an adhesion promoter for all metal substrates. Excellent coverage. Overpainted with all paint systems.

REF. No	Colour	Size	Pcs / Carton
9810700001	Grey	1L	6
5100700070	Grey	400ml	6



## P961 ETCH PRIMER

Direct to all metals (DTM) 1K adhesion promoter & anticorrosive primer. Suitable for wet-on-wet application on brand-new panels. Overpainted with all paint systems.

REF. No	Colour	Size	Pcs / Carton
5100100020	White	400ml	6
5100200040	Black	400ml	6
9610700001	Grey	1L	6
9610700004	Grey	4L	3
5100700040	Grey	400ml	6
5100600010	Olive Green	400ml	6
5100600020	Light Green	400ml	6
5100700010	Dark Gray	400ml	6
5100900010	Olive Brown	400ml	6
5100900020	Tan	400ml	6



## P962 1K ISOLATOR

Special 1K primer for the isolation of old paintwork. Fast drying, ready for use. Overcoatable with primer. The spray gun must be cleaned with T769 GUN WASH CLEANER after use.

REF. No	Colour	Size	Pcs / Carton
9620600001	Khaki	1L	6
5200000003	Khaki	400ml	6



## P965 WASH PRIMER RFU TRANSPARENT

1K transparent wash primer. Suitable for aluminium, galvanized, stainless steel and zinc-coated surfaces. Ready for use, it can be overcoated directly with clear coat.

REF. No	Colour	Size	Pcs / Carton
9650000001	Transparent	1L	6
5100000020	Transparent	400ml	6

## P340 PLASTOFIX

Special transparent adhesion promoter primer suitable for application on all plastic parts of the car body (except PE). Ready for use, fast drying, and can be recoated with any paint system.

REF. No	Colour	Size	Pcs / Carton
3400000000	Transparent	500ml	6
3400000001	Transparent	1L	6
5100000010	Transparent	400ml	6



## P980 1K PRIMER

Fast drying 1K filling primer. Application in thin layers, over sanded areas only. Overcoatable with all paint systems.

REF. No	Colour	Size	Pcs / Carton
9801700001	Grey	1L	6
9801700004	Grey	4L	3



## P303 SPOT REPAIR PRIMER

Fast-drying primer suitable for repairing small imperfections. Its excellent levelling and easy sanding makes it the perfect product for spot repairs.

REF. No	Colour	Size	Pcs / Carton
5100100011	White	400ml	6
5100200001	Black	400ml	6
5100700002	Grey	400ml	6



## P311 ZINC WELDING PRIMER

Fast-drying, zinc-rich anticorrosive and conductive primer for MIG or spot welding of metal sheets.

REF. No	Colour	Size	Pcs / Carton
5100200060	Black	400ml	6



F

# FILLERS

# FILLERS

## F202 ZINC PLUS

Universal 2K polyester filler suitable for all metallic surfaces. Exceptional adhesion on galvanized steel. Dries quickly and can be easily sanded with P100 - P180 grit paper for a perfect pinhole-free finish.

REF. No	Colour	Size	Pcs/ Carton
2020300002	Beige	1.8kg	6



## F213 UNIPLUS

Universal 2K polyester filler suitable for all metallic surfaces. Soft and creamy with excellent filling properties. Versatile application in either thicker or thinner layers. Dries quickly and can be easily sanded with P100 - P180 grit paper.

REF. No	Colour	Size	Pcs/ Carton
2130300012	Beige	1.8kg	6



## F232 UNIVERSAL

2K universal polyester light filler with smooth spreading and excellent adhesion on all newly galvanized metal surfaces. Easy application with premium filling properties. Dries quickly and can be easily sanded with P120 - P240 grit paper.

REF. No	Colour	Size	Pcs/ Carton
2320100001	White	1L	6



## F290 MULTIFILLER

2K ultra-light polyester filler with excellent adhesion over all metallic surfaces. Spreads smoothly even in big areas. High filling properties and extremely easy sanding with P120 - P320.

REF. No	Colour	Size	Pcs/ Carton
2901300050	Beige	200ml	24
2901300000	Beige	500ml	12
2901300001	Beige	1L	6
2901300002	Beige	1.5L	3
2901300003	Beige	3L	3



## F282 FLYLITE

2K ultra-light multi-filler. Self-levelling formula with excellent high filling properties. Superior adhesion on all surfaces (bare metal, stainless steel, galvanized, aluminum). Easy sanding with P150 - P400 results in a fine finish.

REF. No	Colour	Size	Pcs/ Carton
2820600003	Light Green	3L	3





## F211 BODYSOFT

2K polyester filler suitable for metallic, wooden, and polyester surfaces. A classic gap-filling body filler that dries quickly and can be easily sanded with P100 - P240 grit paper for a perfect pinhole-free finish.

REF. No	Colour	Size	Pcs / Carton
2112300000	Beige	250g	24
2112300050	Beige	380g	24
2112300011	Beige	900g	12
2112300012	Beige	1.8kg	6
2112300003	Beige	3kg	3
2112300005	Beige	5kg	3



## F218 GLAZE FILLER

2K self-levelling, finishing polyester filler (glaze). Spreads smoothly, with excellent adhesion on all new galvanized and other metal surfaces. Easy application with premium filling properties. Dries quickly and can be easily sanded with P120 - P240 grit paper.

REF. No	Colour	Size	Pcs / Carton
2180600000	Light Green	500ml	6



## F220 BODYFINE

2K extra-fine polyester stopper/filler. Ideal for finishing deep fills. Smooth surface and perfect feather edge. Easy to sand with P150 - P400 grit paper to obtain a perfect pinhole-free finish. Also suitable for plastic bumper repairs.

REF. No	Colour	Size	Pcs / Carton
2200100050	White	250g	24
2200100001	White	1kg	12



## F222 BUMPERSOFT

2K elastic polyester filler. Excellent adhesion on bumpers and plastic parts. Exceptional mechanical resistance due to its high elasticity. Clog-free and easy to sand with P120 - P220.

REF. No	Colour	Size	Pcs / Carton
2220000050	Black	250g	24
2220200001	Black	1kg	12

## F215 FIBERLIGHT

2K light polyester filler with long glass fibres, for bridging holes and rust. Easy to apply, gives an even surface and is sanded with P100 - P120 grit paper.

REF. No	Colour	Size	Pcs/ Carton
2150000001	Transparent	1L	6



## F217 FIBERLIGHT

2K fibreglass light polyester filler for bridging and filling of cavities giving a smoother texture. Also suitable for filling over corroded surfaces. Quick-dry, extremely easy sanding with P100 - P120 grit paper.

REF. No	Colour	Size	Pcs/ Carton
2170500000	Light Green	500ml	12
2170500001	Light Green	1L	6
2170500002	Light Green	2L	3



## F250 BODYFIBER

2K fibreglass polyester filler for bridging and filling of cavities. The classic fibre filler choice. Also suitable for filling over corroded surfaces. Sanded with P80 - P120 grit paper. Resulting in a highly resistant surface.

REF. No	Colour	Size	Pcs/ Carton
2500600050	Green	250g	24
2500600040	Green	380g	24
2500600060	Green	750g	12
2500600001	Green	1.5kg	6



## F255 BODYALU

2K polyester filler with aluminium flakes. Increased thickness with resistance to vibrations and high temperatures. Easy sanding with P80 - P120 grit paper.

REF. No	Colour	Size	Pcs/ Carton
2550800050	Silver Grey	250g	24
2550800001	Silver Grey	1kg	12
2550800012	Silver Grey	1.8kg	6




## F980 1K FINE FILLER

1K fine filler, ideal for filling pinholes and finishing small uneven surfaces. Apply 2-3 light coats. Sanded easily with P600 - P1000 grit paper. Can be overcoated with all types of primers or paint systems.

REF. No	Colour	Size	Pcs/ Carton
9800600000	Green	150g	20



U



**UNDERBODY**

**PROSERIES**



# UNDERBODY

## U100 HYD STONE CHIP

Waterborne resin stone-chip coating with sound-deadening properties. Excellent adhesion and flexibility. Suitable for the external and internal parts of the car body. Can be overpainted with all paint systems.

REF. No	Colour	Size	Pcs / Carton
1000200001	Black	1L	6



## U900 CAVITY WAX

Rubber-based sound deadening/sealing coating. Suitable for application to internal or external parts of the underbody with high ageing stability. Provides scratch and stone chip protection, remains elastic and can be overpainted "wet on wet" with all paint systems.

REF. No	Colour	Size	Pcs / Carton
9000000001	Transparent	1L	6
9000900001	Brown	1L	6
5130000001	Brown	400ml	6



## U933 UNDERBODY

Underbody coating made of wax, synthetic resin and bitumen, specially formulated against salinity (moisture). It is applied only to the underbody parts. Produces a perfect pinhole-free finish, dries fast and remains elastic in temperatures of -20°C (-4°F) to +60°C (140°F). It has very good adhesion both on clean surfaces as well as on top of old coats. Cannot be painted over.

REF. No	Colour	Size	Pcs / Carton
9330200001	Black	1L	6




## U951 AUTOFLEX

Rubber-based sound deadening/sealing coating. Suitable for application to internal or external parts of the underbody with high ageing stability. Provides scratch and stone chip protection, remains elastic and can be overpainted "wet on wet" with all paint systems.

REF. No	Colour	Size	Pcs / Carton
9510100001	White	1L	6
5100100030	White	400ml	6
9510200001	Black	1L	6
5100200030	Black	400ml	6
9510700001	Grey	1L	6
5100700030	Grey	400ml	6





# HARDENERS

PROSERIES

# HARDENERS FOR PRIMERS

## H725 HARDENER FOR PRIMERS SLOW

Slow isocyanate hardener for 2K primers only. Transparent yellow colour.

REF. No	Size	Pcs/ Carton
7251000020	250ml	6
7251000001	1L	6



## H725 HARDENER FOR PRIMERS FAST

Fast isocyanate hardener for 2K primers only. Transparent yellow colour.

REF. No	Size	Pcs/ Carton
7250000030	200ml	6
7250000020	250ml	6
7250000010	333ml	6
7250000000	500ml	6
7250000001	1L	6



## H729 HARDENER FOR PRIMERS NORMAL

Normal isocyanate hardener for 2K primers only and for wet-on-wet application.

REF. No	Size	Pcs/ Carton
7290000020	250ml	6
7290000010	333ml	6
7290000000	500ml	6
7290000001	1L	6



## H729 HARDENER FOR PRIMERS FAST

Fast isocyanate hardener for 2K primers only and for wet-on-wet application.

REF. No	Size	Pcs/ Carton
7292000020	250ml	6
7292000000	500ml	6
7292000001	1L	6





## H731 ACTIVATOR

Special hardener (activator) specific for P960 Wash Primer.

REF. No	Size	Pcs/Cartron
7310000001	1L	6



## H732 EPOXY HARDENER

Epoxy hardener to be used with P989 4:1 EPOXY PRIMER and P988 2K EPOXY CHASSIS COAT.

REF. No	Size	Pcs/Cartron
7320300000	250ml	6
7320300001	1L	6
7320300004	3.75kg	4



## H736 EPOXY HARDENER

Epoxy hardener for use with P987 2K 1:1 Epoxy Sealer. Transparent yellow colour.

REF. No	Size	Pcs/Cartron
7360000001	1L	6



## HARDENER FOR POLYESTER SPRAY FILLER

Hardener for polyester spray fillers and primers.

REF. No	Size	Pcs/Cartron
7050000003	50ml	6
7050000007	750ml	1

# HARDENERS FOR TOPCOATS

## H737 HARDENER ULTRA HS SLOW

Slow isocyanate hardener for 2K ultra-high solid clear coats.

REF. No	Size	Pcs/ Carton
7370000000	500ml	6
7370000003	2.5L	4



## H738 HARDENER ULTRA HS NORMAL

Normal isocyanate hardener for 2K ultra-high solid clear coats.

REF. No	Size	Pcs/ Carton
7380000000	500ml	6
7380000003	2.5L	4



## H733 HARDENER ULTRA HS SLOW

Slow isocyanate hardener for 2K ultra-high solid clear coats.

REF. No	Size	Pcs/ Carton
7330000000	500ml	6
7330000003	2.5L	4



## H734 HARDENER ULTRA HS NORMAL

Normal isocyanate hardener for 2K ultra-high solid clear coats.

REF. No	Size	Pcs/ Carton
7340000000	500ml	6
7340000003	2.5L	4



## H735 HARDENER ULTRA HS FAST

Fast isocyanate hardener for 2K ultra-high solid clear coats.

REF. No	Size	Pcs/ Carton
7350000000	500ml	6
7350000003	2.5L	4





## H752 HARDENER FOR TOPCOATS SLOW

Slow isocyanate hardener for 2K acrylic paints and 2K clear coats.

REF. No	Size	Pcs / Carton
7520000000	500ml	6
7520000001	1L	6
7520000003	2.5L	4
7520000005	5L	4



## H753 HARDENER FOR TOPCOATS NORMAL

Normal isocyanate hardener for 2K acrylic paints and 2K clear coats.

REF. No	Size	Pcs / Carton
7530000020	250ml	6
7530000000	500ml	6
7530000001	1L	6
7530000003	2.5L	4
7530000005	5L	4



## H754 HARDENER FOR TOPCOATS FAST

Fast isocyanate hardener for 2K acrylic paints and 2K clear coats.

REF. No	Size	Pcs / Carton
7540000000	500ml	6
7540000001	1L	6
7540000003	2.5L	4
7540000005	5L	4



## 727 POLAR HARDENER

Extra fast isocyanate hardener for clear coat C495 CLEAR EXPRESS SR 4:1.

REF. No	Size	Pcs / Carton
7270000001	1L	6
7270000020	250ml	6

## 716 HARDENER FOR TOPCOATS SLOW

Slow isocyanate hardener for clear coat C492 CLEAR HS SR 3:1 and 2K Acrylic Paints at 3:1 mixing ratio.

REF. No	Size	Pcs / Carton
7160000001	1L	6



## 717 HARDENER FOR TOPCOATS NORMAL

Normal isocyanate hardener for clear coat C492 CLEAR HS SR 3:1 and 2K Acrylic Paints at 3:1 mixing ratio.

REF. No	Size	Pcs / Carton
7170000001	1L	6



## 718 HARDENER FOR TOPCOATS FAST

Fast isocyanate hardener for clear coat C492 CLEAR HS SR 3:1 and 2K Acrylic Paints at 3:1 mixing ratio.

REF. No	Size	Pcs / Carton
7180000001	1L	6





**VARIOUS**



## S115 AUTO SEAL

Rubber-based sealer for bonding metal surfaces and joint fillings. Dries fast and remains permanently elastic. Can be overcoated wet-on-wet by any type of paint system.

REF. No		Size	Pcs / Carton
1150700000	Grey	300ml CARTR.	12
1150700001	Grey	1kg	6



## A715 ACCELERATOR

Special accelerator to be used with C495 CLEAR EXPRESS SR 4:1. Reduces drying times drastically in combination with hardener 727 POLAR.

REF. No	Size	Pcs / Carton
7150000000	500ml	6



## T769 GUN WASH CLEANER

Special gun wash cleaner for use after the application of P962 ISOLATOR, in order to avoid any product remainings in the spray gun.

REF. No	Size	Pcs / Carton
7690000001	1L	6



## G511 FLAT GUIDE

Special black powder that assists in the sanding of fillers & primers. Tack free.

REF. No	Size	Pcs / Carton
5110200000	400ml	6





IB BODY  
PRO  
P340  
LASTOFIX  
ADHESION  
PROMOTER  
TRANSPARENT  
1K Air Drying System

AVING  
FE  
OLNR!


IBODY





SCAN HERE  
FOR MORE  
INFORMATION!

WWW.HBBODY.COM



**HB BODY**  
AUTOMOTIVE REFINISH

HB BODY S.A. HEADQUARTERS - INDUSTRIAL AREA SINDOS,  
THESSALONIKI - GR 570 22 - GREECE P.O. BOX 1261  
T. +30 2310 790 000, E. [exsales@hbbody.com](mailto:exsales@hbbody.com)