

product catalogue



GIVING LIFE COLOUR

We design and produce high-quality auto refinishing products since 1982.

HB BODY has been at the forefront of designing and producing top-tier auto refinishing products. Our commitment to excellence and innovation has established us as a trusted name in the industry. With a focus on quality and performance, we develop products that meet the highest standards, ensuring superior results for automotive professionals and enthusiasts alike.

TIMELINE

1982	ILIAS VASSILIADIS S.A. is founded
1986	First exports to France and the Middle East
1988	First participation in Automechanika Expo, Frankfur
1991	Logistics Center in Athens
1993	First exports to Russia
1996	First semi-automatic production line
1999	First exports to USA & Subsidiary in Bulgaria
2000	First fully automatic production line
2001	Subsidiary in the UK
2002	Renamed as HB BODY S.A.
2005	Can manufacturing factory & Logistic warehouse
2009	First Exports to Africa
2010	Can metal-printing factory
2012	Subsidiary in Spain
2018	Presence in 75 countries
2022	40 years of HB BODY Automotive Refinish

OUR VISION

Our vision is to keep serving the global market's ever-increasing needs, providing our customers with technologically advanced products at reasonable prices. Driven by a true passion for effectiveness and innovation, we are committed to offering car professionals and end users alike, all the necessary tools, allowing them to take the lead in their daily business and providing them with the highest-quality results.

OUR FACILITIES



We boast a vast expanse of facilities, spanning an impressive 130,000 square meters. Through state-of-the-art manufacturing plants, equipped with cutting-edge machinery and technology, and Research & Development labs, that serve as hubs of innovation, we develop advanced formulations and explore new technologies.

Moreover, our well-organized storage warehouses ensure prompt deliveries and meet the diverse needs of our clientele. Overall, our infrastructure underscores our dedication to delivering superior products and services, maintaining the lead in the coatings industry and beyond.







OUR PEOPLE

We make it happen together.



At HB BODY, people are always behind the wheel, driving our success and innovation. We are passionate team players who strongly believe that our achievements are a direct result of our dedicated and talented crew.

Our philosophy revolves around fostering an environment where professionals can grow and thrive. We are committed to providing continuous training and development opportunities, ensuring our team members are equipped with the latest skills and knowledge.

We understand that our success is a shared journey. Every milestone we reach and every innovation we introduce is a testament to the collective efforts of our exceptional team. As we continue to move forward, we remain dedicated to supporting our people, empowering them to grow together, and celebrating their contributions to our ongoing success.

RESEARCH & DEVELOPMENT (R&D)

We believe in the power of innovation.



Our restless R&D department is the driving force behind HB BODY Group's innovation and technological advancements.

Playing a crucial role in the development of new products, technologies, and formulations, the department holds a pivotal role in meeting the ever-evolving needs of the industry.

After all, extensive research, experimentation, and testing, is the only road to progress. We explore novel materials, refine existing ones, and develop cutting-edge techniques, to enhance product performance, durability, and environmental sustainability.

By staying at the forefront of technological advancements, the R&D department enables the group to maintain a competitive edge within the market.

ENVIRONMENTAL RESPONSIBILITY

Embracing sustainability in our operations.



Recognizing the importance of minimizing our ecological footprint, we have implemented sustainable practices across all aspects of our operations.

We recycle solvents, containers and other packaging materials and carry out regular emission measurements. Energy-efficient technologies are employed in manufacturing facilities, we use natural light daily and have already proceeded with dense tree planting in all areas of the company. Furthermore, we use FCS and PEFC-certified paper (sourced from sustainable forests) for printing and labelling as part of our "Think before you print" policy. We reduce waste, contribute positively to the environment and inspire others in the industry to embrace sustainable approaches.

CERTIFICATES & AWARDS

1	ISO 9001 QUALITY MANAGEMENT SYSTEM CERTIFICATION		SINCE 1998
2	ISO 14001 ENVIRONMENTAL MANAGE SYSTEM CERTIFICATION	EMENT	SINCE 2023
3	ISO 45001 OCCUPATIONAL HEALTH A MANAGEMENT SYSTEM CERTIFICATI		SINCE 2023
4	TRUE LEADER ICAP AWARD	2012 / 2013 / 2017 /	2019 / 2022

10 REASONS TO PARTNER WITH US

1	Family-owned and administered with high professional standards.	We maintain the same values, qualities, and foundations, that made us stand out right from the start.
2	In-depth know-how	We "know the business" inside out. After decades of successful presence in the industry, this is not a claim, it's a fact.
3	Top-notch products & services	All our products are produced in the EU, with top-notch raw materials, after applying the strictest quality tests. You will be as happy and proud using them, as we are producing them.
4	Full product list	We offer the widest range of products in Europe, with an impressive production capacity of about 270 tons daily. Numbers speak for themselves.
5	Innovation	We are at the forefront of technological advancements, constantly pushing the boundaries of coatings innovation, and introducing cutting-edge solutions that meet evolving industry needs.
6	Customization	We fully customize our products and their properties to your needs, depending on your geographical location and the local market's demands.
7	After Sales Support	We are always by your side, supporting you in every possible way, everywhere, anytime.
8	Fast & effective service	No matter how complex or demanding an order is, we deliver excellent results, fast.
9	Training	We believe that knowledge is for sharing. We regularly host training seminars, in our headquarters in Greece, Bulgaria and the UK, while we also offer online and on-site training options for those living elsewhere.
10	Long-term commitments	We think of you as cherished members of our extended family, an integral part of this ongoing journey! Together we move on, set new goals, and set off to form an even greater future.

CONTENTS

COLOR SOLUTIONS MIX SYSTEMS		F290 MULTIFILLERF218 GLAZE FILLER	
BASECOAT MIX SYSTEM		F220 BODYFINE	
BASECOAT EXCLUSIVES		F222 BUMPERSOFT	
2K ACRYLIC MIX SYSTEM		F215 FIBERLIGHT	
IK SYNTHETIC MIX SYSTEM		F217 FIBERLIGHT	
AQUA BASECOAT MIX SYSTEM	20	F250 BODYFIBER	
MIX SYSTEM TOOLS	22	F255 BODYALU	
		F980 1K FINE FILLER	
01. CLEARCOATS		BODY 610 UNIVERSAL FILLER	
UI. CLEARCOATS		BODY 611 MULTIFILLER	
		BODY 615 FIBERFILLER	
C898 CLEAR ULTRA HS 2:1		BODY 617 NANO FIBER	53
C894 CLEAR ULTRA HS 2:1		205 LP PLUS SOFT	53
C494 CLEAR ULTRA HS 2:1		209 UNILITE	53
C496 CLEAR HS SR 2:1		210 UNISOFT	54
C499 CLEAR HS SR 2:1	27	211 BODYSOFT	54
C493 MATT CLEAR HS 2:1	27	225 UNIFINE	54
C495 CLEAR EXPRESS SR 4:1	27	241 NITROSOFT W	
C495 CLEAR EXPRESS 4:1 SEMI GLOSS	27	243 NITROGLAZE	
C492 CLEAR HS SR 3:1	28	260 BODYFILLER	
BODY 691 CLEAR UHS SR 2:1	28	280 LIGHTWEIGHT FILLER	
BODY 696 AIR DRY CLEAR HS SR 2:1	28	290 ULTRA LIGHT MULTIFILLER	
BODY 697 CLEAR HS SR 2:1		290 OLIKA LIGHT MOLTIFILLER	
BODY 698 CLEAR HS SR 2:1			
BODY 699 CLEAR HS SR 2:1		05. UNDERBODY	
IK CLEAR COAT UNIVERSAL			
IN CLEAR COAT UNIVERSAL	29	U100 HYD STONE CHIP	58
		U951 AUTOFLEX	
02. PAINTS		U900 CAVITY WAX	
		U933 UNDERBODY	
BASECOAT PAINT	32		
2K ACRYLIC PAINT		BODY 650 STONE CHIP	
IK ACRYLIC PAINT		BODY 640 CAVITY WAX	
IK SPECIAL PAINT		950 STONE CHIP	
		910 UNDERBODY	
BUMPER PAINT		930 UNDERBODY	
BUMPER PAINT TEXTURE		932 UNDERBODY	61
CHASSIS COAT			
RALLY SYNTHETIC PAINT	33	06. 955 TOUGH LINER	
03. PRIMERS		955 TOUGH LINER 4-KIT BOX	64
		955 TOUGH LINER	
P261 POLYESTER FILLING PRIMER	36	955 TOUGH LINER HARDENER	
P307 4:1 HS FILLING PRIMER		955 ANTI SLIP ADDITIVE	
P333 3:1 HS FILLING PRIMER		900 ANTI SLIP ADDITIVE	
P334 4:1 HS FILLING PRIMER			
P335 5:1 HS FILLING PRIMER		07. SPRAYS	
P360 2:1 HS FILLING PRIMER			
	.5/	C495 2K CLEAR SEMI GLOSS SPRAY	68
		O TOO ZIT OLLY IIT OLOGO OF TO TE III.	
P411 4:1:1 WET ON WET PRIMER	38	CAGE OK HE CLEAD SDDAY	68
P970 2:1 HS FILLSEALER	38 38	C496 2K HS CLEAR SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER	38 38 38	P303 SPOT REPAIR PRIMER SPRAY	68
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT	38 38 38 39	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY	68 68
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER	38 38 38 39	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY	68 68
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P981 EPOXY PRIMER SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P981 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY	68 68 69 69 69 70
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P981 EPOXY PRIMER SPRAY	68 68 69 69 69 70
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P981 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY	68 68 69 69 69 70 70
P970 2:1 HS FILLSEALER		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P981 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY	68 68 69 69 69 70 70 70
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P340 PLASTOFIX P962 1K ISOLATOR P980 1K PRIMER		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P981 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P340 PLASTOFIX P962 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P961 EPOXY PRIMER SPRAY P981 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P340 PLASTOFIX P962 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 634 4:1 HS FILLING PRIMER	38 38 38 39 39 39 40 40 40 41 41 41 41 42 42	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P965 POST PRIMER SPRAY P961 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U951 AUTO FLEX SPRAY C416 LENS TINT SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P981 IK EPOXY PRIMER P980 1K SOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER	38 38 38 39 39 39 40 40 40 41 41 41 41 42 42 42	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P981 EPOXY PRIMER SPRAY P961 ESOLATOR PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U951 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P981 1K EPOXY PRIMER P981 1K SOLATOR P982 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P981 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY U900 CAVITY WAX SPRAY U951 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY	68 68 69 69 69 70 70 70 71 71 71 71
P970 2:1 HS FILLSEALER		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P981 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U951 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY	68 68 69 69 69 70 70 70 71 71 71 71 72
P970 2:1 HS FILLSEALER		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P965 EDCATOR PRIMER SPRAY P981 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U951 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY	
P970 2:1 HS FILLSEALER		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P961 ETCH PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U951 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 692 PRIMER SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P340 PLASTOFIX P982 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 634 4:1 HS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER BODY 680 1K FILLING PRIMER P880 1K PRIMER P890 1K PRIMER P890 1K PRIMER P800 3:1 HS FILLING PRIMER P992 1K ANTICORROSIVE PRIMER P992 1K ANTICORROSIVE PRIMER P903 3:1 HS FILLING PRIMER		P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P961 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U951 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 692 PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P940 PLASTOFIX P962 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 634 4:1 HS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER 980 1K PRIMER 980 1K PRIMER 992 1K ANTICORROSIVE PRIMER 300 3:1 HS FILLING PRIMER 305 4:1 HS FILLING PRIMER	38 38 38 38 39 39 39 40 40 40 41 41 41 42 42 42 42 43 43 43 43 44 44	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P965 WASH PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U951 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 692 PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY BODY PRIMER SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P340 PLASTOFIX P982 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 634 4:1 HS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER BODY 680 1K FILLING PRIMER P880 1K PRIMER P890 1K PRIMER P890 1K PRIMER P800 3:1 HS FILLING PRIMER P992 1K ANTICORROSIVE PRIMER P992 1K ANTICORROSIVE PRIMER P903 3:1 HS FILLING PRIMER	38 38 38 38 39 39 39 40 40 40 41 41 41 42 42 42 42 43 43 43 43 44 44	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P965 WASH PRIMER SPRAY P961 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY U900 CAVITY WAX SPRAY U901 AUTO FLEX SPRAY C416 LENS TINT SPRAY C413 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 692 PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY BODY PRIMER SPRAY BODY PRIMER SPRAY 930 UNDERBODY SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P940 PLASTOFIX P962 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 634 4:1 HS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER 980 1K PRIMER 980 1K PRIMER 992 1K ANTICORROSIVE PRIMER 300 3:1 HS FILLING PRIMER 305 4:1 HS FILLING PRIMER	38 38 38 38 39 39 39 40 40 40 41 41 41 42 42 42 42 43 43 43 43 44 44	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P961 EPOXY PRIMER SPRAY P981 EPOXY PRIMER SPRAY P981 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P362 ISOLATOR PRIMER SPRAY P364 SOLATOR PRIMER SPRAY P365 STONE CHIP SPRAY U900 CAVITY WAX SPRAY U900 CAVITY WAX SPRAY U951 AUTO FLEX SPRAY C416 LENS TINT SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 692 PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY BODY PRIMER SPRAY 930 UNDERBODY SPRAY 950 STONE CHIP SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P940 PLASTOFIX P962 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 634 4:1 HS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER 980 1K PRIMER 980 1K PRIMER 992 1K ANTICORROSIVE PRIMER 300 3:1 HS FILLING PRIMER 305 4:1 HS FILLING PRIMER	38 38 38 38 39 39 39 40 40 40 41 41 41 42 42 42 42 43 43 43 43 44 44	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P961 EPOXY PRIMER SPRAY P961 IEPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U901 AUTO FLEX SPRAY C416 LENS TINT SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 692 PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY BODY PRIMER SPRAY 930 UNDERBODY SPRAY 950 STONE CHIP SPRAY 950 STONE CHIP SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P340 PLASTOFIX P962 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 634 4:1 HS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER BODY 680 1K FILLING PRIMER 980 1K PRIMER 992 1K ANTICORROSIVE PRIMER 300 3:1 HS FILLING PRIMER 305 4:1 HS FILLING PRIMER 310 5:1 HS FILLING PRIMER	38 38 38 38 39 39 39 40 40 40 41 41 41 42 42 42 42 43 43 43 43 44 44	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P965 WASH PRIMER SPRAY P965 WASH PRIMER SPRAY P981 EPOXY PRIMER SPRAY P981 IZINC WELDING PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U901 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 692 PRIMER SPRAY BODY 692 PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY BODY PRIMER SPRAY 930 UNDERBODY SPRAY 950 STONE CHIP SPRAY 950 STONE CHIP SPRAY 950 STONE CHIP SPRAY 950 STONE CHIP SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P340 PLASTOFIX P962 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 634 4:1 HS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER BODY 680 1K FILLING PRIMER 980 1K PRIMER 992 1K ANTICORROSIVE PRIMER 300 3:1 HS FILLING PRIMER 305 4:1 HS FILLING PRIMER 310 5:1 HS FILLING PRIMER	38 38 38 38 39 39 39 40 40 40 41 41 41 42 42 42 42 43 43 43 43 44 44	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P961 ETCH PRIMER SPRAY P961 EPOXY PRIMER SPRAY P981 EPOXY PRIMER SPRAY P981 ZINC WELDING PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U901 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 692 PRIMER SPRAY BODY 692 PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY BODY PRIMER SPRAY 930 UNDERBODY SPRAY 950 STONE CHIP SPRAY SPRAY FILL SPRAY FILL SPRAY FILL SPRAY FILL SPRAY ILL WATERBASED CHASSIS COAT SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P340 PLASTOFIX P962 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 634 4:1 HS FILLING PRIMER BODY 636 5:1 HS FILLING PRIMER BODY 680 1K FILLING PRIMER BODY 680 1K FILLING PRIMER 992 1K ANTICORROSIVE PRIMER 300 3:1 HS FILLING PRIMER 305 4:1 HS FILLING PRIMER 310 5:1 HS FILLING PRIMER 320 ZINC FILL	38 38 38 38 39 39 39 40 40 40 41 41 41 42 42 42 42 442 442 45 43 43 44 44	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P961 ETCH PRIMER SPRAY P962 WASH PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U901 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 692 PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY BODY PRIMER SPRAY 930 UNDERBODY SPRAY 950 STONE CHIP SPRAY SPRAY FILL SPRAY FILL SPRAY FILL WATERBASED CHASSIS COAT SPRAY IRIDA CLEAR COAT SPRAY	
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P989 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P940 PLASTOFIX P962 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 634 4:1 HS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER BODY 680 1K FILLING PRIMER BODY 680 1K FILLING PRIMER BODY 680 1K FILLING PRIMER BODY 611 HS FILLING PRIMER BODY 611 HS FILLING PRIMER BODY 612 1HS FILLING PRIMER BODY 613 1HS FILLING PRIMER BODY 614 ANTICORROSIVE PRIMER BODS 1:1 HS FILLING PRIMER BODS 2:1 HS FILLING PRIMER BODS 2:1 HS FILLING PRIMER BODS 3:1 HS FILLING PRIMER	38 38 38 38 39 39 39 40 40 40 41 41 41 41 42 42 42 42 43 43 43 43 43 44 44 45	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P961 ETCH PRIMER SPRAY P962 WASH PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U901 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 692 PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY BODY PRIMER SPRAY 930 UNDERBODY SPRAY 950 STONE CHIP SPRAY SPRAY FILL SPRAY FILL WATERBASED CHASSIS COAT SPRAY IRIDA PRIMER SPRAY IRIDA PRIMER SPRAY	
P970 2:1 HS FILLSEALER	38 38 38 38 39 39 39 40 40 40 41 41 41 42 42 42 42 42 45 43 43 43 43 44 44 45 45	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P961 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U951 AUTO FLEX SPRAY C416 LENS TINT SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 650 STONE CHIP SPRAY BODY PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY BODY PRIMER SPRAY 930 UNDERBODY SPRAY 950 STONE CHIP SPRAY SPRAY FILL SPRAY FILL SPRAY FILL SPRAY FILL SPRAY ILL SPRAY FILL SPRAY IRIDA PRIMER SPRAY IRIDA PRIMER SPRAY IRIDA PAINT SPRAY IRIDA PAINT SPRAY	68 69 69 69 70 70 70 71 71 71 71 71 72 72 72 72 72 72 73 73 73 73 74 74 74 74
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P988 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P961 WASH PRIMER P965 WASH PRIMER P962 IK EPOXY PRIMER P980 1K PRIMER P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 634 4:1 HS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER BODY 650 1K PRIMER BODY 650 1K PRIMER BODY 650 1K FILLING PRIMER BODY 650 1K PRIMER BODY 650 1K PRIMER BODY 651 HS FILLING PRIMER BODY 652 HS FILLING PRIMER BODY 652 HS FILLING PRIMER BODY 651 HS FILLING PRIMER BODY 652 HS FILLING PRIMER BODY 651 HS FILLING PRIMER BODY 652 HS FILLING PRIMER BODY 653 HS FILLING PRIMER BODY	38 38 38 38 39 39 39 40 40 40 41 41 41 41 42 42 42 42 45 45 43 43 43 44 44 44 45 45 45	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P961 ETCH PRIMER SPRAY P962 WASH PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U901 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 692 PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY BODY PRIMER SPRAY 930 UNDERBODY SPRAY 950 STONE CHIP SPRAY SPRAY FILL SPRAY FILL WATERBASED CHASSIS COAT SPRAY IRIDA PRIMER SPRAY IRIDA PRIMER SPRAY	68 69 69 69 70 70 70 71 71 71 71 71 72 72 72 72 72 72 73 73 73 73 74 74 74 74
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P988 4:1 EPOXY PRIMER P960 WASH PRIMER P960 WASH PRIMER P961 ETCH PRIMER P965 WASH PRIMER RFU TRANSPARENT P981 1K EPOXY PRIMER P340 PLASTOFIX P982 1K ISOLATOR P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER BODY 636 5:1 HS FILLING PRIMER BODY 630 1K FILLING PRIMER BODY 630 1K FILLING PRIMER BODY 630 1K FILLING PRIMER BODY 611 FILLING PRIMER BODY 630 1K FILLING PRIMER BODY 630 1K FILLING PRIMER BODY 630 5:1 HS FILLING PRIMER BODY 630 1K FILLING PRIMER BODY 611 FILLING PRIMER BODY 615 FILLING PRIMER BODY 616 1K FILLING PRIMER BODY 617 HS FILLING PRIMER BODY 618 1K FILLING PRIMER BODY 619 1K FILLING PRIMER BODY 618 1K FILLING PRIMER BODY 61	38 38 38 38 39 39 39 40 40 40 41 41 41 41 42 42 42 42 45 43 43 43 44 44 45 45 45 48	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P961 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U951 AUTO FLEX SPRAY C416 LENS TINT SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 650 STONE CHIP SPRAY BODY PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY BODY PRIMER SPRAY 930 UNDERBODY SPRAY 950 STONE CHIP SPRAY SPRAY FILL SPRAY FILL SPRAY FILL SPRAY FILL SPRAY ILL SPRAY FILL SPRAY IRIDA PRIMER SPRAY IRIDA PRIMER SPRAY IRIDA PAINT SPRAY IRIDA PAINT SPRAY	68 69 69 69 70 70 70 70 71 71 71 71 71 72 72 72 72 72 72 72 73 73 73 73 74 74 74 74 75
P970 2:1 HS FILLSEALER P987 2K 1:1 EPOXY SEALER P988 2K EPOXY CHASSIS COAT P988 4:1 EPOXY PRIMER P960 WASH PRIMER P961 ETCH PRIMER P961 WASH PRIMER P965 WASH PRIMER P962 IK EPOXY PRIMER P980 1K PRIMER P980 1K PRIMER BODY 607 4:1 UHS FILLING PRIMER BODY 634 4:1 HS FILLING PRIMER BODY 635 5:1 HS FILLING PRIMER BODY 650 1K PRIMER BODY 650 1K PRIMER BODY 650 1K FILLING PRIMER BODY 650 1K PRIMER BODY 650 1K PRIMER BODY 651 HS FILLING PRIMER BODY 652 HS FILLING PRIMER BODY 652 HS FILLING PRIMER BODY 651 HS FILLING PRIMER BODY 652 HS FILLING PRIMER BODY 651 HS FILLING PRIMER BODY 652 HS FILLING PRIMER BODY 653 HS FILLING PRIMER BODY	38 38 38 38 39 39 39 40 40 40 41 41 41 41 42 42 42 42 45 43 43 43 44 44 45 45 45 48	P303 SPOT REPAIR PRIMER SPRAY P360 2K HS PRIMER SPRAY P960 WASH PRIMER SPRAY P961 ETCH PRIMER SPRAY P961 EPOXY PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P962 ISOLATOR PRIMER SPRAY P311 ZINC WELDING PRIMER SPRAY P340 PLASTOFIX SPRAY U900 CAVITY WAX SPRAY U901 AUTO FLEX SPRAY C416 LENS TINT SPRAY C423 LENS CLEAR SPRAY G511 FLAT GUIDE SPRAY BODY 650 STONE CHIP SPRAY BODY 650 STONE CHIP SPRAY BODY PRIMER SPRAY 992 ANTICORROSIVE PRIMER SPRAY BODY PRIMER SPRAY 930 UNDERBODY SPRAY 950 STONE CHIP SPRAY SPRAY FILL SPRAY FILL SPRAY FILL SPRAY FILL SPRAY FILL SPRAY FILL SPRAY IIL SPRAY FILL SPRAY IRIDA CLEAR COAT SPRAY IRIDA PAINT SPRAY UNIVERSAL CLEAR COAT SPRAY	68 69 69 69 70 70 70 71 71 71 71 72 72 72 72 72 73 73 73 74 74 74 74 75 75 75

HIGH HEAT PAINT SPRAY		12. PAINT REMOVERS	
HEAT TEXTURE PAINT SPRAY			
BRAKE CALIPER PAINT SPRAY		600 PAINT REMOVER	
SPECIAL PAINT SPRAY		700 PAINT REMOVER	103
600 PAINT REMOVER SPRAY			
700 PAINT REMOVER SPRAY		13. SEAM SEALERS	
770 ANTISIL NORMAL SPRAY		13. SEAW SEALERS	
777 BLEND IN THINNER SPRAY	77	S115 AUTO SEAL	100
08. HARDENERS		110 BODY SEAL	
OO. HARDENERO		940 SEALANT	
H725 HARDENER FOR PRIMERS SLOW	90	944 PU SEALANT	
H725 HARDENER FOR PRIMERS SLOW		999 SEAM SEALER	107
H729 HARDENER FOR PRIMERS NORMAL			
		14. ANCILLARIES	
H729 HARDENER FOR PRIMERS FAST		/	
H732 EPOXY HARDENER		SEAM SEALER BRUSH	110
H736 EPOXY HARDENER		SPRAY GUN	
H731 ACTIVATOR		PA SPRAY GUN	
H733 HARDENER ULTRA HS SLOW		PA/CV SPRAY GUN	
H734 HARDENER ULTRA HS NORMAL		TS SPRAY GUN	
H735 HARDENER ULTRA HS FAST		UBS SPRAY GUN	
H737 HARDENER ULTRA HS SLOW		SPRAY GUN NOZZLES	
H738 HARDENER ULTRA HS NORMAL		TANK SPARE PART	
BODY 625 HARDENER FOR PRIMERS		AEROSOL NOZZLE	
BODY 635 HARDENER FOR PRIMERS			
BODY 620 HARDENER		DISPERSION TUBE (60cm)	
BODY 626 HARDENER NORMAL	84	SPRAY OUT TEST CARDS	
BODY 627 HARDENER FAST	84	METAL TEST PLATES	
H752 HARDENER FOR TOPCOATS SLOW	84	FILLER DISPENSER	
H753 HARDENER FOR TOPCOATS NORMAL	85	MIXING BOARD	
H754 HARDENER FOR TOPCOATS FAST	85	SPREADERS	
710 HARDENER	85	UNDERBODY CAPS	115
727 POLAR HARDENER	85	EMPTY METAL CANS	
716 HARDENER FOR TOPCOATS SLOW	86	PLASTIC BAGS	115
717 HARDENER FOR TOPCOATS NORMAL	86	PAINTER'S OVERALL	116
718 HARDENER FOR TOPCOATS FAST	86	PAINTER'S JACKET	116
801 SPRAY FILL CONVERTER		POLISHING PADS	116
774 AQUA BASECOAT HARDENER		POLISHING PAD WAFFLE	117
HARDENER FOR POLYESTER SPRAY FILLERS & PRIMERS		SANDING PADS (15 HOLES)	117
BPO PASTE HARDENER		SANDING PAD INTERFACE	117
		STIRRING LIDS	118
		HANDLE FOR STIRRING LIDS	118
09. THINNERS		OPEN MIX	118
		MEASURING STICKS	119
T769 GUN WASH CLEANER	90	MIXING CUPS	119
740 ACRYL NORMAL THINNER	90	PAINT STRAINERS	119
741 ACRYL SLOW THINNER	90	MIXING MACHINE (16 POSITIONS)	120
742 ACRYL EXTRA SLOW THINNER	90	MIXING MACHINE (30 POSITIONS)	120
743 ACRYL FAST THINNER	91	MIXING MACHINE (96 POSITIONS)	
750 SYNT THINNER	91	HEATING CABINET	
760 BASECOAT THINNER NORMAL	91	COLOUR INDEX COLOR SOLUTIONS	
761 BASECOAT THINNER SLOW	91	COLOUR INDEX 2K ACRYLIC SYSTEM	
767 NITRO THINNER	92	SPECTROPHOTOMETER XRITE MA3	
770 ANTISIL NORMAL DEGREASER		WEIGHING SCALE TYPE PMA EVOISI-C	
771 ANTISIL FAST DEGREASER	92	HB BODY SPRAY STAND	
775 EPOXY THINNER		SPRAY FILL MACHINE PNEUMATIC	
777 BLEND IN THINNER		SPRAY FILL MACHINE MANUAL	
780 POLY THINNER		SPRAT FILL MIACHINE MANUAL	123
772 AQUA BASECOAT DEGREASER			
773 AQUA BASECOAT REDUCER		15. ABRASIVES	
773 AGOA BAGECOAT REDUCER	90		
		VELCRO DISCS (15 HOLES)	126
10. ADDITIVES		WATERPROOF SANDING SHEETS	
		SOFT-FLEX PRE-CUT	
A715 ACCELERATOR	96	NON-WOVEN ROLLS & PADS	
440 TEXTURE ADDITIVE	96	NON WOVEN ROLLO & LADO	127
466 BASECOAT BLENDING ADDITIVE	96		
800 MATTING ADDITIVE		6. MASKING PRODUCTS	
803 FLEX ADDITIVE			
804 ANTI SILICONE ADDITIVE		MASKING TAPES WATERPROOF 120°C (YELLOW)	130
776 AQUA BASECOAT BLENDING ADDITIVE		PRO MASKING TAPES 80°C	
		MASKING TAPES 80°C	130
		MASKING TAPES 60°C	131
11. POLISHING COMPOUNDS		MASKING TAPES 60°C (BROWN)	
		LIFT MASKING TAPE	
805 SUPER CUT	. 100	MOUNT TAPES (DOUBLE SIDED)	
806 POWER POLISH	. 100	FOAM MASKING TAPE	
807 SEAL POLISH	100	MASKING FILM	
808 CUT & POLISH	. 101		

802 BLEND+PREP PASTE 101





Mixing systems with thousands of shades and formulas, for accurate colour matching and precision. The perfect solution for every paint store and body shop.



Basecoat Mix System

1K solvent-based acrylic mix system made of high-quality components (resins, pigments and flakes).

(FEATURES)

Basic solid, metallic tinters, toners, pearls and Xirallic® pearls.

TOOLS

Colour matching software, spectrophotometer, hand-sprayed colour index, 96 positions mixing machine, weight balance.

(COLOUR RANGE)

Thousands of constantly updated shades and formulas.











Colour Index

Thinners & Additives

normal and slow, and additive for optimized colour application and seamless blending.





96 Positions **Mixing Machine**

Modern design, robust and low noise mixing machine. Easy assembly, stable and reliable to accommodate Basecoat and 2K Acrylic

Dimensions: H. 201 cm / W. 233 cm / D. 50 cm 18 cans of 1L / 4 shelves, 12 cans of 4L / 2 shelves



Basecoat Exclusives

Basecoat Exclusives Series is where innovation meets automotive artistry.

Our series of special effect colours is designed to transform any vehicle into a stunning masterpiece, showcasing cutting-edge technology and unmatched craftsmanship.

If you're looking for a sleek metallic gleam, a vibrant pearlescent glow, or an intriguing colour-changing effect, our meticulously formulated basecoats delivers exceptional depth and brilliance.

Explore the limitless possibilities with HB BODY's Basecoat Exclusives Series and redefine what it means to drive in style.









PURPLE HAZE COLOR SOLUTIONS BASECOAT

A unique 3-stage effect colour developed specifically for the Basecoat Exclusives series to celebrate HB BODY 40th anniversary.

Applied on HB BODY's Porsche 911 Turbo S, Purple Haze stole the show in Automechanika 2022, in Frankfurt, as stunning purple blends with deep black shadow effects, creating a breath-taking result.



REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4721500001	Purple	1L	3

SKYLINE GREYCOLOR SOLUTIONS BASECOAT

Skyline Grey is the second 3-stage colour of Basecoat Exclusives series and provides a unique effect of a sparkling grey base with vibrant and striking blue reflections.

Premiered in Automechanika 2024, Skyline Grey transformed the most iconic Mazda MX-5, which holds the Nurburgring's fastest MX-5 title, into a piece of art.









2K Acrylic Mix System

2K fast-drying acrylic mix system with scratch-resistant properties, high, durable gloss, chemical, severe weather and mechanical resistance.

(FEATURES)

Basic solid tinters and toners.

TOOLS

Colour matching software, spectrophotometer, hand-sprayed colour index, 30 positions mixing machine, weight balance.

(COLOUR RANGE)

Thousands of shades and formulas constantly updated.











Colour Box

Hardeners





30 Positions Mixing Machine

Modern design, robust and low noise mixing machine. Easy assembly, stable and reliable performance.

Dimensions: H. 179 cm / W. 125 cm / D. 50 cm 9 cans of 1L / 2 shelves, 6 cans of 4L / 2 Shelves



1K Synthetic Mix System

1K fast-drying alkyd-based mix system with high endurance and gloss.

(FEATURES)

Compact mixing system with solid colour basic tinters.

(TOOLS)

Colour matching software, hand-sprayed colour index, 16 positions mixing machine, weight balance.

(COLOUR RANGE)

Big variety of popular agricultural and industrial shades, including RAL colours.





See more in the detailed table (REF, COLOUR, SIZE, UNITS)







750 Synt Thinner

16 Positions Mixing Machine

Modern design, robust and low noise mixing machine. Easy assembly, stable and reliable

Dimensions: H. 179 cm / W. 125 cm / D. 50 cm 9 cans of 1L / 2 shelves, 6 cans of 4L / 2 Shelves





Agricultural **Colour Index**

Hand-sprayed colour cards. Contains the most popular agricultural machinery colours.



Aqua Basecoat Mix System

1K waterborne mix system with great coverage and fast drying.

(FEATURES)

Basic solid, metallic tinters, toners, pearls and Xirallic® pearls.

(TOOLS)

Colour matching software, spectrophotometer, hand-sprayed colour index, heating cabinet, weight balance.

(COLOUR RANGE)

Thousands of shades and formulas constantly updated.





See more in the detailed table (REF, COLOUR, SIZE, UNITS)







Colour Index

Colour cabinet with hand-sprayed colour decks and more than 15,000 shades, constantly updated throughout the year, hence speeding up the procedure and

Complementary **Products**

Complete range of ancillary products making up a full pack for perfect finishes





Heating Cabinet

Spacious heating cabinet for Aqua Basecoat Mix System. Optimal storage at a uniform temperature.

Dimensions: H. 229 cm / W. 138 cm / D. 40 cm



Mix System Tools

A complete set of tools, specially designed to make colour-matching a fast and accurate procedure, for increased productivity and efficiency.

Colour Wheels & Magnetic Stickers


Visual representation of the Color Solutions mix systems tinters' properties and their distribution over the colour spectrum.

A useful and practical aid to every colourist.



MASTER INDEX COLOR SOLUTIONS 2K + BASECOAT

RAL COLOUR INDEX



Weighing Scale TYPE PMA EVO1S1-C

Precision scale for weighing the colour formulas available in Color Solutions MixMaster colour matching software.







Color Solutions MixMaster

HB BODY provides a comprehensive set of in-house developed software tools aimed at facilitating the paint and body shops in their day-to-day work with increased productivity and efficiency.

Find quickly and easily the right colour shade or variant among thousands of available formulas based on the manufacturer's colour codes or HB BODY Colour Index. The program database, containing more than 150,000 formulas, is constantly updated with the latest automotive colour codes. It includes all Color Solutions Mix Systems available (Basecoat, 2K Acrylic, Aqua and 1K Synthetic). Key features include real-time formula modifications, keeping track of usage history, cost parameters feed and end-product calculations, among other useful capabilities.



Achieve high-precision colour-matching with the use of Spectro Solutions "Search & Correct" software combined with a modern spectrophotometer for fast and accurate results. 2-stage processing (identification of the colour and formula modification). Storage of past jobs is available, ensuring nothing is forgotten!

Speed up the whole refinishing procedure through the mix by weight for ancillary products via a user-friendly interface containing all HB BODY primers and clear coats with their respective hardeners and thinners.

All modules provide connectivity with a weighing scale for enhanced practicality and ease.

Discover the benefits of a fully-featured, colour management software, trusted by thousands of professional users all over the world!



01

Acryl-based products with excellent gloss and leveling that highlight the colour. Protection against weather and environmental conditions.

CATEGORY

Clear Coats





C898

CLEAR ULTRA HS 2:1

Fast-drying, 2K acrylic, 2:1 Ultra HS clear coat, suitable for full and spot panel repairs. Delivers an excellent high gloss finish at one and a half coats. Dries in 5 min. at 60°C (140°F). Use with its own UHS Hardeners H737 SLOW, and H738 NORMAL.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
8980000001	Transparent	1L	6
8980000005	Transparent	5L	4



C894

CLEAR ULTRA HS 2:1

2K acrylic, 2:1 Ultra HS clear coat, suitable for full and partial repairs. Superior high gloss retention. Highly efficient application of one and a half coats. Use with UHS Hardeners H733 SLOW, H734 NORMAL, and H735 FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
8940000001	Transparent	1L	6
8940000005	Transparent	5L	4



C494

CLEAR ULTRA HS 2:1

2K acrylic, 2:1 Ultra HS clear coat, suitable for full and partial repairs. Excellent gloss and flow properties. Application one and a half coats. Use with UHS Hardeners H733 SLOW, H734 NORMAL, and H735 FAST.

(REF. NUMBER)	COLOUR	SIZE	(UNITS/CARTON)
4940000001	Transparent	1L	6
4940000005	Transparent	5L	4



C496

CLEAR HS SR 2:1

2K acrylic 2:1 HS SR clear coat, suitable for full and partial repairs. User-friendly application, excellent levelling, high gloss. Use with Hardeners for Topcoats H752 SLOW, H753 NORMAL, and H754 FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4960100001	Transparent	1L	6
4960100005	Transparent	5L	4

C499

CLEAR HS SR 2:1

2K acrylic 2:1 HS SR clear coat, suitable for panel and general repairs. High-built with great levelling. Use with Hardeners for Topcoats H752 SLOW, H753 NORMAL, and H754 FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4990100001	Transparent	1L	6
4990100005	Transparent	5L	4



C493

MATT CLEAR HS 2:1

2K acrylic, 2:1 matt clear coat with a perfect matt finish for full and partial repairs. Excellent smooth surface, easy to handle. Use with Hardener for Topcoats H752 SLOW, and H753 NORMAL.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4930200001	Transparent	1L	6



C495

CLEAR EXPRESS SR 4:1

Fast-drying, 2K acrylic, 4:1 SR clear coat, suitable for spot panel repairs. Perfect for high-volume body shops. Use with Hardener for Topcoats H753 NORMAL or Hardener 727 POLAR for reduced air drying times.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4959100000	Transparent	500ml*	6
4950100001	Transparent	1L	6
4950100004	Transparent	4L	4

^{*}Set C495 500ml + 727 125ml

CLEAR EXPRESS SR 4:1

C495

CLEAR EXPRESS 4:1 SEMI GLOSS

2K acrylic, 4:1 semi-gloss clear coat with the perfect finish for partial repairs. Excellent chemical and mechanical resistance.

Use with Hardener for Topcoats H753 NORMAL.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4950200001	Transparent	1L	6







C492

CLEAR HS SR 3:1

High-quality 2K acrylic, 3:1 HS SR clear coat with excellent gloss properties for full and partial repairs. Use with Hardeners for Topcoats 716 SLOW, 717 NORMAL, and 718 FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4920100003	Transparent	3L	4



BODY 691

CLEAR UHS SR 2:1

High-build, 2K Ultra HS 2:1 clear coat with great levelling, high gloss, and superior coverage. Easy to apply for all types of refinishing (partial, full, and spot repair). Use with Hardeners for Topcoats H752 SLOW, H753 NORMAL, and H754 FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6911000001	Transparent	1L	6
6911000005	Transparent	5L	4



BODY 696

AIR DRY CLEAR HS SR 2:1

Air drying 2K acrylic 2:1 HS SR clear coat, suitable for spot panel, horizontal surfaces and partial automotive repairs. Fast drying and ready to polish in 50-60 min at 23°C (73°F). Does not require baking. Ideal solution for costs, energy and time savings. Use with exclusive hardeners BODY 627 HARDENER FAST or BODY 626 HARDENER NORMAL.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6960000001	Transparent	1L	6
6960000005	Transparent	5L	4



BODY 697

CLEAR HS SR 2:1

2K HS 2:1 clear coat with high gloss and fast hardening properties. Use with Hardener BODY 620 or Hardener for Topcoats H752 SLOW, H753 NORMAL, and H754 FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6970000001	Transparent	1L	6
6970000005	Transparent	5L	4

BODY 698

CLEAR HS SR 2:1

2K HS 2:1 clear coat with excellent levelling, high gloss, and longlasting protection. Fast hardening properties for spot panels and full repairs. Easy to apply due to its high viscosity formula. Use with Hardener BODY 620 or Hardener for Topcoats H752 SLOW, H753 NORMAL, and H754 FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6980000001	Transparent	1L	6
6980000005	Transparent	5L	4



BODY 699

CLEAR HS SR 2:1

2K HS 2:1 clear coat. Due to its high gloss retention, excellent levelling, and fast hardening properties, it is suitable for spot panels and full automotive repairs. Use with Hardeners for Topcoats H752 SLOW, H753 NORMAL, and H754 FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6990000000	Transparent	500ml	6
699000001	Transparent	1L	6
6990000005	Transparent	5L	4



1K CLEAR COAT UNIVERSAL

1K Clear Coat is an easy-to-use universal clear coat with excellent results and fast drying which does not require a hardener. It can be applied over all painted surfaces with any paint system.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
400000001	Transparent	1L	6



02

1K/2K paints, covering a wide range of shades and suitable for any refinishing application.

CATEGORY

Paints







1K solvent-based ready mixed paint, with solid or effect colour options. Quick drying and excellent coverage. Available in made-to-order shades.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
470xxxxxx1	Various	1L	6
470xxxxxx4	Various	3.75L/4L	3





2K ACRYLIC PAINT

Two-component, 2:1 mix ratio, quick-drying acrylic paint with scratch-resistant properties and high, durable gloss. Excellent chemical, mechanical and severe weather durability. Use with hardeners H752 SLOW, H753 NORMAL, and H754 FAST. Available in standard and made-to-order shades.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4400100001	White	1L	6
4400100004	White	4L	3
4400199107	White	20L	1



1K ACRYLIC PAINT

1K acrylic paint of high durability, with short drying times and high coverage. Easy application for automotive or general decorative use. Available upon request and minimum order quantity.

REF. NUMBER	COLOUR	SIZE	(UNITS/CARTON)
4140200001	Black Semi-gloss	1L	6
4170200001	Black Matt	1L	6



1K SPECIAL PAINT

1K paint of high durability and excellent coverage, designed for special effect automotive or general decorative applications.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4130700001	Silver	1L	6

BUMPER PAINT

Fast-drying 1K acrylic paint for restoring the OEM look of plastic bumpers and plastic parts. Easy to apply with excellent mechanical resistance due to its high elasticity.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4110200001	Black	1L	6
4110703001	Grey	1L	6



BUMPER PAINT TEXTURE

Fast-drying 1K acrylic texture paint for plastic parts and for restoring the OEM look of plastic bumpers. Highly elastic results in a finely textured surface similar to the original bumper.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4120200001	Black	1L	6



CHASSIS COAT

Fast-drying 1K alkyd-based Primer & Paint in one with excellent anticorrosion protection. Adhesion to all metals (DTM). High quality, colour retention, semi-gloss finish. Available in standard and made-to-order shades.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4100200001	Black	750ml	6
4100200003	Black	2.5L	3
4100700001	RAL 7040	750ml	6
4100700003	RAL 7040	2.5L	3





RALLY SYNTHETIC PAINT

1K synthetic, alkyd resin paint for metallic and wooden surfaces. Quick-drying with permanent gloss. Excellent coverage and high resistance to severe weather conditions. Available in standard and made-to-order shades.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4010009100	91-White Gloss	750ml	6
4010009103	91-White Gloss	2.5L	3
4010009600	96-Black Matt	750ml	6
4010009603	96-Black Matt	2.5L	3





03

Filling and sealing products for adhesion, insulation and protection of the substrate. High coverage abilities for optimal painting performance.

CATEGORY

Primers





P261

POLYESTER FILLING PRIMER

2K polyester-based, very high build filling primer. Filler and primer in one deal for large uneven surfaces with excellent adhesion over all metal, wood, and fiberglass surfaces. Paintable with all paint systems.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2610700001	Grey	1L	6
2610700004	Grev	4L	3



P307

4:1 HS FILLING PRIMER

2K high-build acrylic primer with superb sealing and filling properties and excellent adhesion to unsanded OEM panels. Application both as a sanding or wet-on-wet primer. 4:1 mixing ratio with Hardeners for Primers H725 SLOW/FAST or H729 NORMAL/FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
3070700001	Grey	1L	6
3070700004	Grey	4L	3
3070200001	Black	1L	6
3070200004	Black	4L	3
3070100001	White	1L	6
3070100004	White	4L	3



P333

3:1 HS FILLING PRIMER

2K high build acrylic filling primer. 3:1 mixing ratio with Hardeners for Primers H725 SLOW/FAST or H729 NORMAL/FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
3330700001	Grey	1L	6
3330700003	Grey	3L	3

P334 4:1 HS FILLING PRIMER

High-quality 2K acrylic filling and sealing primer. Fast-drying multi-functional material, suitable for all types of repairs, including plastic parts and unsanded cataphoresis OEM panels. Excellent wet-on-wet application capabilities. 4:1 mixing ratio with Hardeners for Primers H725 SLOW/FAST or H729 NORMAL/FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
3340700001	Grey	1L	6
3340700004	Grey	4L	3
3340200001	Black	1L	6
3340200004	Black	4L	3
3340100001	White	1L	6
3340100004	White	4L	3



P335 5:1 HS FILLING PRIMER

2K acrylic primer with high filling power and vertical stability. Fast drying, excellent levelling and easy sanding. 5:1 mixing ratio with Hardeners for Primers H725 SLOW/FAST or H729 NORMAL/FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
3350700001	Grey	1L	6
3350700004	Grey	4L	3
3350200001	Black	1L	6
3350200004	Black	4L	3
3350100001	White	1L	6
3350100004	White	4L	3



P360 2:1 HS FILLING PRIMER

High-quality 2K acrylic primer for all kinds of refinishes. Outstanding wet-on-wet application performance. Suitable for plastic and unsanded cataphoresis OEM panels. 2:1 mixing ratio with Hardeners for Primers H725 SLOW/FAST or H729 NORMAL/FAST.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
3600700001	Grey	1L	6
3600700004	Grey	4L	3
3600200001	Black	1L	6
3600200004	Black	4L	3
3600100004	White	4L	3









4:1:1 WET ON WET PRIMER

High-performance acrylic sealing primer, specially designed for wet-on-wet application over new parts (OEM panels and plastics) before painting. 4:1 mixing ratio with Hardener for Primers H729 NORMAL.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
4111700001	Grey	1L	6
4111700004	Grey	4L	3
4111200001	Black	1L	6
4111200004	Black	4L	3
4111100001	White	1L	6
4111100004	White	4L	3



P970

2:1 HS FILLSEALER

Excellent transparent acrylic 2K primer with multiple uses: adhesion promoter over non-sanded areas, wet-on-wet fill sealer or HS sanding primer. Also as the first layer for paints with weak covering abilities. Tintable with HB BODY 2K acrylic paint. 2:1 mixing ratio with Hardener for Primers H729 NORMAL.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9700000001	Transparent	1L	6



P987

2K 1:1 EPOXY SEALER

2K Epoxy Sealer for wet-on-wet application. Universal adhesion, perfect substrate sealing, and mild anti-corrosion properties.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9870700001	Grey	1L	6

P988

2K EPOXY CHASSIS COAT

High-quality, direct-to-metal, epoxy primer & paint in one for the treatment of chassis. Reinforced anticorrosive protection. Excellent adhesion to all metallic substrates. High mechanical and chemical resistance. Black semi-gloss finish. 4:1 mixing ratio with H732 Epoxy Hardener.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9880200004	Black	4L	3
9880770164	RAL 7016	4L	3



P989

4:1 EPOXY PRIMER

High-performance 2K epoxy primer with anticorrosive properties. Excellent sealing, adhesion and filling abilities. Resistant to extreme weather conditions. 4:1 mixing ratio with H732 Epoxy Hardener.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9890700001	Grey	1L	6
9890700004	Grey	4L	3
9890700008	Grev	25ka	1



P960 WASH PRIMER

Excellent 2K wash primer, suitable primarily to be applied over aluminium, galvanised, stainless steel and zinc-coated surfaces.

1:1 mixing ratio with H731 Activator.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9600300001	Light Yellow	1L	6







P961

ETCH PRIMER

Direct to all metals (DTM) 1K adhesion promoter & anticorrosive primer. Suitable for wet-on-wet application on brand-new panels. Overpainted with all paint systems.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9610700001	Grey	1L	6
9610700004	Grey	4L	3



P965

WASH PRIMER RFU TRANSPARENT

1K transparent wash primer. Suitable for aluminium, galvanized, stainless steel and zinc-coated surfaces. Ready for use, it can be overcoated directly with a clear coat.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9650000001	Transparent	1L	6



P981

1K EPOXY PRIMER

Fast-drying 1K epoxy primer. Suitable as an adhesion promoter for all metal substrates. Excellent coverage. Overpainted with all paint systems.



P340 PLASTOFIX

Special transparent adhesion promoter primer, suitable for application on all plastic parts of the car body (except PE). Ready for use, fast drying and can be recoated with any paint system.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
3400000000	Transparent	500ml	6
3400000001	Transparent	1L	6



P9621K ISOLATOR

Special 1K primer for the isolation of old paintwork. Fast drying, ready for use. Overcoatable with primer. The spray gun must be cleaned with T769 GUN WASH CLEANER after use.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9620600001	Khaki, Light Green	1L	6




P9801K PRIMER

Fast-drying 1K filling primer. Application in thin layers, over sanded areas only. Overcoatable with all paint systems.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9801700001	Grey	1L	6
9801700004	Grey	4L	3







BODY 607

4:1 UHS FILLING PRIMER

2k acrylic primer with excellent filling properties, fast drying and easy sanding. Due to its high viscosity formula, it is easy to apply in thick layers even on vertical surfaces. 4:1 mixing ratio with BODY 625 Hardener for Primers.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6070700001	Grey	800ml	6
6070700003	Grey	2.5L	3
6070200001	Black	800ml	6
6070200003	Black	2.5L	3
6070100001	White	800ml	6
6070100003	White	2.5L	3



BODY 634

4:1 HS FILLING PRIMER

2K acrylic filling primer, suitable for spot panel repairs and general automotive refinishes. Excellent adhesion to all metals, unsanded OEM panels (E-COAT) and plastic parts without adhesion promoter. It can also be applied wet-on-wet. 4:1 mixing ratio with Hardeners for Primers BODY 625 or H729 NORMAL.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6340700001	Grey	800ml	6
6340700003	Grey	2.5L	3
6340200001	Black	800ml	6
6340200003	Black	2.5L	3
6340100001	White	800ml	6
6340100003	White	2.5L	3



BODY 635

5:1 HS FILLING PRIMER

2K acrylic filling primer, suitable for spot panel repairs and general automotive refinishes. Excellent adhesion to all metals and unsanded OEM panels (E-COAT). High-filling properties. 5:1 mixing ratio with BODY 635 Hardener for Primers.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6359700001	Grey	800ml	6
6359700003	Grey	2.5L	3
6350200001	Black	800ml	6
6350200003	Black	2.5L	3
6350100001	White	800ml	6
6350100003	White	2.5L	3

BODY 6801K FILLING PRIMER

A fast-drying 1K filling primer, suitable for all kinds of paints (synthetic - single coat or basecoat). Apply in thin layers, over sanded areas only.





980 1K PRIMER

Fast-drying 1K filling primer suitable for all kinds of paints (synthetic - single coat or base coat). Apply in thin layers over sanded areas.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9800700001	Grey	1L	6
9800700004	Grey	4L	3
9800200001	Black	1L	6



992 1K ANTICORROSIVE PRIMER

High-quality, fast-drying 1K anticorrosive primer suitable for application over metallic and wooden surfaces. Excellent resistance to salinity, moisture and severe weather conditions.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9920700001	Grey	1kg	6
9920700005	Grey	5kg	3
9920700007	Grey	20L	1









300

3:1 HS FILLING PRIMER

Excellent high build 2K primer suitable for all paint systems (synthetics-single coat or base coat). 3:1 mixing ratio with Hardener for Primers H725 SLOW/FAST.





305

4:1 HS FILLING PRIMER

Excellent high build 2K primer with outstanding filling power for all types of paints (synthetics-single coat or base coat). 4:1 mixing ratio with Hardener for Primers H725 SLOW/FAST. Available upon request and minimum order quantity.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
3050700001	Grev	11	6

310 5:1 HS FILLING PRIMER

Excellent high-build 2K primer with outstanding filling properties, suitable for all paint systems. 5:1 mixing ratio with Hardener for Primers H725 SLOW/FAST. Available upon request and minimum order quantity.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
3100700001	Grey	1L	6
3100700004	Grey	4L	3
3100200004	Black	4L	3



320 ZINC FILL

Specially formulated 2K adhesion promoting and anticorrosion primer. Suitable for all metal types (aluminium, galvanized steel, stainless steel, common metal). No sanding is necessary for recoating. 4:1 mixing ratio with Hardener for Primers H729 NORMAL/FAST. Available upon request and minimum order quantity.





04

Polyester-based and nitrocellulose products, offering excellent filling, easy sanding and perfect adhesion.

category Fillers





F202 ZINC PLUS

Universal 2K polyester filler suitable for all metallic surfaces. Exceptional adhesion on galvanized steel. Dries quickly and can be easily sanded with P100 - P180 grit paper for a perfect pinhole-free finish.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2020300002	Beige	1.8kg	6



F211

BODYSOFT

2K polyester filler suitable for metallic, wooden, and polyester surfaces. A classic gap-filling body filler that dries quickly and can be easily sanded with P100 - P240 grit paper for a perfect pinhole-free finish.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2112300000	Beige	250g	24
2112300050	Beige	380g	24
2112300011	Beige	900g	12
2112300012	Beige	1.8kg	6
2112300003	Beige	3kg	3
2112300005	Beige	5kg	3



F213 UNIPLUS

Universal 2K polyester filler suitable for all metallic surfaces. Soft and creamy with excellent filling properties. Versatile application in either thicker or thinner layers. Dries quickly and can be easily sanded with P100 - P180 grit paper.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2130300012	Beige	1.8kg	6

F232 UNIVERSAL

2K universal polyester light filler with smooth spreading and excellent adhesion on all new galvanized metal surfaces. Easy application with premium filling properties. Dries quickly and can be easily sanded with P120 - P240 grit paper.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2320100001	White	1L	6



F282 FLYLITE

2K ultra-light multi-filler. Self-levelling formula with excellent highfilling properties. Superior adhesion on all surfaces (Bare metal, Stainless steel, Galvanized, Aluminum). Easy sanding with P150 - P400 results in a fine finish.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2820600003	Light Green	3L	3



F290 MULTIFILLER

2K ultra-light polyester filler with excellent adhesion over all metallic and polyester surfaces. Spreads smoothly giving a pinhole-free finish. Superb filling properties and quick drying.

Extremely easy to sand with P120 - P320.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2901300050	Beige	200ml	24
2901300001	Beige	1L	6
2901300002	Beige	1.5L	3
2901300003	Beige	3L	3







F218

GLAZE FILLER

2K self-levelling, finishing polyester filler (glaze). Spreads smoothly, with excellent adhesion on all new galvanized and other metal surfaces. Easy application with premium filling properties. Dries quickly and can be easily sanded with P120 - P240 grit paper.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2180600000	Light Green	500ml	6



F220 BODYFINE

2K extra-fine polyester

2K extra-fine polyester stopper/filler. Ideal for finishing deep fills. Smooth surface and perfect feather edge. Easy to sand with P150 - P400 grit paper to obtain a perfect pinhole-free finish. Also suitable for plastic bumper repairs.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2200100050	White	250g	24
2200100001	White	1kg	12



F222

BUMPERSOFT

2K elastic polyester filler. Excellent adhesion on bumpers and plastic parts. Exceptional mechanical resistance due to its high elasticity. Clog-free and easy to sand with P120 - P220.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2220000050	Black	250g	24
2220200001	Black	1kg	12

F215

FIBERLIGHT

2K light polyester filler with long glass fibers, for bridging holes and rust. Easy to apply, gives an even surface and is sanded with P100 - P120 grit paper.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2150000001	Transparent	1L	6



F217

FIBERLIGHT

2K fiberglass light polyester filler for bridging and filling of cavities giving a smoother texture. Also suitable for filling over corroded surfaces. Quick-dry, extremely easy sanding with P100 - P120 grit paper.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2170500000	Light Green	500ml	12
2170500001	Light Green	1L	6
2170500002	Light Green	2L	3



F250 BODYFIBER

2K fiberglass polyester filler for bridging and filling of cavities. The classic fiber filler choice. Also suitable for filling over corroded substrates. Sanded with P80 - P120 grit paper. Resulting in a highly resistant surface.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2500600050	Green	250g	24
2500600040	Green	380g	24
2500600060	Green	750g	12
2500600001	Green	1.5kg	6







F255 BODYALU

2K polyester filler with aluminium flakes. Increased thickness with resistance to vibrations and high temperatures. Easy sanding with P80 - P120.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2550800050	Silver Grey	250g	24
2550800001	Silver Grey	1kg	12
2550800012	Silver Grey	1.8kg	6



F980

1K FINE FILLER

1K fine filler, ideal for filling pinholes and finishing small uneven surfaces. Apply 2-3 light coats. Sanded easily with P600 - P1000 grit paper. It can be overcoated with all types of primers or paint systems.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9800600000	Green	150g	20



BODY 610

UNIVERSAL FILLER

2K universal polyester filler, which spreads smoothly suitable for all kinds of repairs. Suitable for application on all metal (aluminium, stainless, galvanized, zinc-coated) surfaces. Extremely easy sanding with P120-320 grit paper.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6100300002	Beige	1.8kg Gross	6



BODY 611

MULTIFILLER

2K polyester multi-filler suitable for use on all metallic surfaces. An excellent soft filler that spreads smoothly and is very easy to sand with P100-P220 grit paper, giving a pinhole-free finish.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6110300050	Beige	250g	24
6110300040	Beige	380g	24
6110300001	Beige	900g	12
6110300002	Beige	1.8kg	6
6110700001	Light Grey	900g	12
6110700005	Light Grey	4.5kg	3

BODY 615 FIBERFILLER

2K fiberglass polyester filler for bridging and filling of cavities. Also suitable for filling over corroded substrates. Resulting in a highly resistant surface. Sand with P80-P120 grit paper.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6159600001	Green	900g	12
6159600002	Green	1.8kg	6



BODY 617 NANO FIBER

2K Fiberglass polyester filler for bridging and filling holes and rust. Easier to apply compared to the classic fiber fillers. It dries quickly and is easy to sand with P80 - P120 grit paper. Provides a highly resistant surface.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6170600000	Green	500g	24
6170600001	Green	1kg	12
6170600002	Green	1.8kg	6



205 LP PLUS SOFT

Soft and smooth 2K polyester filler with high filling properties. Easy to sand even days after application using P100 - P180 grit paper.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2050300001	Beige	1kg	12
2050300012	Beige	1.8kg	6
2050300003	Beige	3kg	3
2050300005	Beige	5kg	3



209 UNILITE

2K lightweight polyester filler. Universal use on all metal surfaces including aluminium galvanized stainless and bare steel. Also wood and polyester surfaces. Easily sanded with P120 - P240 grit paper giving a perfect pinhole-free finish.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2090300000	Beige	500ml	12
2090300001	Beige	1L	6
2090400003	Beige	1.65L	3









UNISOFT

2K universal polyester filler, suitable for application on all metals (aluminium, stainless, galvanized, and bare steel). Dries quickly and is easily sanded with P120 - P240 grit paper for a non-porous surface.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2101300001	Beige	750ml	6
2101300002	Beige	1L	6
2101300003	Beige	1.5L	3



211

BODYSOFT

2K polyester filler suitable for metallic, wooden, and polyester surfaces. Soft material with very good filling properties. Quickdrying, easy sanding with P100 - P150 grit paper.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2000300050	Beige	250g	24
2110300050	Beige	380g	24
2110300001	Beige	1kg	12
2110300003	Beige	3kg	3
2110300002	Beige	2kg	6
2110300005	Beige	5kg	3

225

UNIFINE

2K fine polyester filler/stopper, suitable for application over all metal surfaces. Also for plastic bumpers (excluding PE), polyester substrates, and existing painted surfaces. Clog-free and extremely easy to sand with P150 - P400 grit paper.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2251700000	White	200ml	24
2251700002	White	750ml	6



241

NITROSOFT W

1K nitrocellulose putty, ideal for finishing small uneven surfaces. Suitable for application over polyester fillers and nitrocellulose - high build primers. Apply in multiple thin layers. Sanded dry or wet, giving a pinhole-free finish. It can be painted over with all paint systems.





243 NITROGLAZE

1K nitrocellulose self-levelling filler (glaze), spreads smoothly, ideal for finishing small uneven surfaces. Suitable for application over polyester fillers, nitrocellulose-high-build primers. Apply 3-4 light layers and sand dry or wet for a pinhole-free finish. It can be painted over with all paint systems. Available upon request and minimum order quantity.





260 BODYFILLER

2K polyester spray filler. Very high filling properties. Applied with a 2,50 - 3,00 mm spray gun nozzle. It can be diluted with polyester thinner/reducer 780 POLY THINNER. Easy sanding, giving a smooth pinhole-free finish.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2600300001	Beige	1L	6



280 LIGHTWEIGHT FILLER

2K lightweight polyester filler for metal surfaces. A fine particle filler, with excellent filling properties and fast drying. Sanded with P120 – P240 grit paper without clogging effect.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2800300003	Beige	3L	3



290 ULTRA LIGHT MULTIFILLER

2K ultra-light polyester filler with excellent adhesion over all metallic and polyester surfaces. Spreads smoothly giving a pinhole free finish. Superb filling properties and quick drying.

Extremely easy to sand with P120 - P320.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
2900700003	Grey	3L	3



05

High-quality products that protect and insulate the underbody and the closed parts of a vehicle from moisture, rust, stone chips, and abrasions.

CATEGORY

Underbody





U100

HYD STONE CHIP

Waterborne resin stone chip coating with sound-deadening properties. Excellent adhesion and flexibility. Suitable for the external and internal parts of the car body. It can be overpainted with all paint systems.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
1000200001	Black	1L	6



U951

AUTOFLEX

Rubber-based sound deadening/sealing coating. Suitable for application to internal or external parts of the underbody with high ageing stability. Provides scratch and stone chip protection, remains elastic and can be overpainted "wet-on-wet" with all paint systems.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9510200001	Black	1L	6
9510700001	Grey	1L	6
9510100001	White	1L	6



U900

CAVITY WAX

High-quality anticorrosive cavity wax oil with sound-deadening properties. It can be applied to all closed parts (doors, bonnet, running boards) and the external underbody of the vehicle. It penetrates easily and is resistant to high temperatures. Suitable for application after the paint procedure.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
900000001	Transparent	1L	6
9000900001	Brown	1L	6

U933 UNDERBODY

Underbody coating made of wax and bitumen, specially formulated against salinity (moisture). It is applied only to the underbody parts. Produces a perfect pinhole-free finish, dries fast and remains elastic in temperatures of -20°C (-4°F) to +60°C (140°F). It has very good adhesion both on clean surfaces as well as on top of old coats. It cannot be painted over.





BODY 650 STONE CHIP

Underbody material with sound deadening/sealing properties, optimum covering ability and excellent adhesion. Suitable for both the external underbody and internal parts of the car body.

It can be overpainted.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6500200001	Black	1kg	6
6500700001	Grey	1kg	6
6500010001	White	1kg	6



BODY 640CAVITY WAX

Special anticorrosive cavity wax oil with sound-deadening properties. It can be applied to all closed parts (doors, bonnet, running boards) and the external underbody of the vehicle. Easy penetration, resistant to high temperatures.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6400900001	Dark Brown	1L	6







950 STON

STONE CHIP

Synthetic rubber-based, specially formulated material with soundproof and protective properties. Provides scratch and stone chip protection to the internal and external lower parts of the car body. It can be overpainted with all paint systems.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9500200001	Black	1L	6
9500200002	Black	2kg	6
9500700001	Grey	1L	6
9500700002	Grey	2kg	6
9500100001	White	1L	6
9500100002	White	2kg	6



910

UNDERBODY

Rubber-based thixotropic material with excellent stone chip protection and sound-deadening properties. Suitable for application onto running boards, wheel arches and the vehicle underbody. Perfect adhesion dries quickly and can be painted over with all paint systems.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9100700001	Grey	1kg	6
9100700005	Grey	5kg	3

930 UNDERBODY

A bituminous thixotropic coating that provides excellent anticorrosive and stone chip protection. Perfect adhesion with permanent elasticity. Applied on the underneath parts of the car body only. It cannot be overcoated.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9300200010	Black	1L	6
9300200001	Black	1kg	6
9300200003	Black	2.5kg	3
9300200005	Black	5kg	3
9300200007	Black	20ka	1



932 UNDERBODY

Special coating made of wax and bitumen. Perfect protection from moisture and rust with permanent elasticity in temperatures from -20°C (-4°F) to +60°C (140°F). Very good adhesion to clean surfaces as well as on top of earlier bituminous coatings. For the underbody of the car only. Not overcoatable.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9320200004	Black	4L	3



2K polyurethane coatings, specially formulated for mechanical resistance, scratch, solvent and UV protection. Designed to enduce through tough conditions.

CATEGORY

955 Tough Liner



955 Tough Liner

(FEATURES)

Available in black and tintable versions. You can create any shade you want by adding a 10% HB BODY 2K acrylic topcoat or basecoat in the tintable version.

High mechanical endurance, scratch and solvent-resistant, sound-proof and anti-slip properties on applied surfaces. Various texture effects according to different ways of application as referred to TDS.

955

TOUGH LINER 4-KIT BOX

Box contains: 4x600ml 955 Black or Tintable and 4x200ml 955 HARDENER.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9554200001	Black	3.2L	1
9554100001	Tintable	3.2L	1



955 TOUGH LINER

A protective 2K polyurethane coating, that offers high mechanical endurance, scratch, solvent and UV protection. It has sound-proof and anti-slip properties. Multi-purpose applications, such as pick-up truck beds, 4x4, SUVs, off-road vehicles, trailers, motorboats, agricultural machines, floors, tools and many more. Mixing ratio 3:1 with 955 Tough Liner hardener. For maximum anti-slip effect use Anti-Slip Additive. The tintable version can be tinted to any colour by adding a 10% HB BODY 2K acrylic top coat or basecoat.



REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9550200001	Black	600ml	6
9550100001	Tintable	600ml	6

955 TOUGH LINER HARDENER

Isocyanate hardener for 955 Tough Liner protective coating.



REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9550000030	Transparent	200ml	6

955 ANTI SLIP ADDITIVE

Granular additive to 955 Tough Liner that provides reinforced anti-slip properties to the final coating.



REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9550000010	Transparent	120g	6

07

Ready-to-use products in aerosol that save time from preparation and increase workflow, in a wide variety of product types.

CATEGORY

Sprays





C495

2K CLEAR SEMI GLOSS SPRAY

High-quality, semi-gloss clear with excellent levelling. Fast hardening, suitable for all top-quality refinishes. Ensures excellent resistance to extreme weather conditions.





C496

2K HS CLEAR SPRAY

Crystal clear, high gloss coat with excellent levelling. Fast hardening, suitable for all top-quality refinishes. Ensures durable gloss and offers excellent resistance to extreme weather conditions.





P303

SPOT REPAIR PRIMER SPRAY

Fast-drying primer, suitable for repairing small imperfections. Its excellent levelling and easy sanding make it the perfect product for spot repairs.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5100700002	Grey	400ml	6
5100200001	Black	400ml	6
5100100011	White	400ml	6





CAN HERE

P360

2K HS PRIMER SPRAY

High-quality anticorrosive filling primer with ideal adhesion over unsanded OEM (E-COAT) panels. Good absorption of overspray and excellent levelling guarantee outstanding results.

REF. NUMBER	(COLOUR)	SIZE	(UNITS/CARTON)
5100700001	Grey	400ml	6
5100200011	Black	400ml	6
5100100001	White	400ml	6

P960WASH PRIMER SPRAY

Excellent anticorrosive adhesion-promoting primer for galvanized and stainless steel, aluminium and common metal.





P961 ETCH PRIMER SPRAY

Fast-drying adhesion promoting anticorrosive primer. Suitable for all metal substrates (DTM) such as galvanized, stainless steel, aluminium, and bare metal.







P965 WASH PRIMER SPRAY

Excellent transparent wash primer. Suitable for aluminium, galvanized, stainless steel and zinc-coated surfaces.





P981 EPOXY PRIMER SPRAY

Fast-drying epoxy primer with excellent coverage. Suitable for all metal substrates such as galvanized, stainless, aluminium, bare metal and OEM (E-COAT). Overcoatable with all paint systems.









P962

ISOLATOR PRIMER SPRAY

Quick drying primer that prevents from lifting and bleeding of old paint which is sensitive to strong solvents. It can be overcoated with primer/surfacer or polyester spray filler after 1 hour. No sanding is required.





P311

ZINC WELDING PRIMER SPRAY

Fast-drying high zinc filled, anticorrosive, conductive primer for MIG or spot welding of metal sheets.





P340

PLASTOFIX SPRAY

Fast-drying transparent adhesion promoter, perfect for use on all bare plastics (except PE).





U900

CAVITY WAX SPRAY

Anticorrosive, protective wax oil for exterior and interior automotive closed parts. A special long plastic tube of 60cm can be used for difficult-to-be-accessed car parts.



U951 AUTO FLEX SPRAY

A rubber-based sound deadening/sealing material. Suitable for application to the internal or external parts of the underbody. Provides scratch and stone chip protection, remains elastic and can be overpainted "wet-on-wet" with all paint systems.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5100200030	Black	400ml	6
5100700030	Grey	400ml	6
5100100030	White	400ml	6



C416 LENS TINT SPRAY

Transparent black clear coat specially designed to create a black (smoked) effect for the tail lights.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5160200000	Transparent black	400ml	6



C423 LENS CLEAR SPRAY

A specially designed elastic clear coat that gives a gloss look to the front or tail lens. The perfect solution for lenses that turn yellow and fade due to weather conditions.





G511 FLAT GUIDE SPRAY

Special black powder that assists in the sanding of fillers-primers.

Tack free.











STONE CHIP SPRAY

Fast-drying, synthetic rubber-based underbody material with sound-deadening / sealing properties, optimum covering ability, and excellent adhesion. Suitable for application to the internal or external parts of the underbody.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5100200090	Black	400ml	6
5100700090	Grey	400ml	6
5100100090	White	400ml	6



BODY 692

PRIMER SPRAY

High-quality alkyd-based anticorrosive primer, suitable for fast repair on small areas (spot repairs). It can be painted over with any HB BODY Mix System.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5100700080	Grey	400ml	6
5100200080	Black	400ml	6
5100100080	White	400ml	6



992

ANTICORROSIVE PRIMER SPRAY

High-quality, fast-drying alkyd anticorrosive primer suitable for application over metallic and wooden surfaces. Excellent resistance to moisture, salinity, mechanical, chemical and other severe environmental conditions.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5100799200	Grey	400ml	6
5100299200	Black	400ml	6
5100499200	Brown	400ml	6



BODY PRIMER

SPRAY

Fast drying, thermoplastic primer, with excellent anticorrosive properties. Easy to sand. It can be painted over with all paint systems.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5100700020	Grey	400ml	6
5100200010	Black	400ml	6
5100100010	White	400ml	6
5100400030	Red	400ml	6

930 UNDERBODY SPRAY

A bituminous thixotropic coating that provides excellent anticorrosive and stone chip protection. Perfect adhesion with permanent elasticity. Applied on the underneath parts of the car body. It cannot be overpainted.





950 STONE CHIP SPRAY

Specially formulated material with soundproof and protective properties. Based on synthetic rubber. Protects the interior and lower automotive parts, providing scratch and stone chip protection. It can be painted over.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5100200000	Black	400ml	6
5100700000	Grey	400ml	6
5100100000	White	400ml	6



SPRAY FILL SPRAY

Aerosol can, containing universal thinners and propellant gas, suitable for and compatible with 1K and 2K metallic topcoats, primers and clear coats. It can be used with a Spray Fill Converter hardener for 2K products.





SPRAY FILL WATERBASED SPRAY

Aerosol can, containing universal thinners and propellant gas, suitable for and compatible with water-based paint systems.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5180000001	Transparent	400ml*	6
*When filled			









CHASSIS COAT

SPRAY

Fast-drying 1K alkyd-based Primer & Paint in one, with excellent anticorrosion protection. Adhesion to all metals (DTM). High quality, colour retention, semi-gloss finish. Available in standard and made-to-order shades.





IRIDA

CLEAR COAT SPRAY

Fast-drying high gloss acrylic clear for automotive and general decorative use.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5010000060	Transparent	400ml	6



IRIDA

PRIMER SPRAY

Fast-drying alkyd anti-corrosive primer. Very good resistance to moisture, salinity mechanical, chemical and other severe environmental conditions.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5010079690	Grey	400ml	6







IRIDA PAINT SPRAY

Fast-drying acrylic paint with excellent coverage for automotive and general decorative use. Available in a wide variety of RAL shades. The series is complemented with a primer, texture paint and a clear coat.

(REF. NUMBER)	(COLOUR)	SIZE	(UNITS/CARTON)
5010090000	Black Semi-gloss	400ml	6
5010090001	Black Matt	400ml	6
5010090002	Black Texture	400ml	6
5010090050	RAL 9005	400ml	6

UNIVERSALCLEAR COAT SPRAY

Quick-drying high gloss acrylic clear for automotive and general decorative use.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5000000060	Transparent	400ml	6



UNIVERSAL PAINT SPRAY

Quick-drying high gloss acrylic paint with excellent coverage for automotive and general decorative use.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5000200010	Black Gloss	400ml	6
5000200000	Black Semi-glos	s 400ml	6
5000000000	Black Matt	400ml	6
5000100000	White Gloss	400ml	6
5000100010	White Matt	400ml	6



BUMPER PAINT SPRAY

Fast-drying acrylic topcoat with excellent coverage, suitable for use on all plastic surfaces, bumpers, mouldings etc. (except PE) without primer or adhesion promoter underneath.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5130200000	Black	400ml	6
5130202000	Grey	400ml	6
5130201000	Light Grey	400ml	6
5130203000	Dark Grey	400ml	6



BUMPER PAINT TEXTURE SPRAY

Fast-drying acrylic texture topcoat, suitable for use on all plastic surfaces, bumpers etc. (except PE) without primer or adhesion promoter underneath. Results in a finely textured surface similar to the original bumper.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5130200010	Black	400ml	6
5130703000	Grey	400ml	6







HIGH HEAT

PAINT SPRAY

Superior heat-resistant paint up to 600°C (1112°F), offering excellent coverage.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5120200000	Black	400ml	6
5120800000	Silver	400ml	6
5120900000	Brown Red	400ml	6



HEAT TEXTURE

PAINT SPRAY

Heat-resistant paint up to 300°C (572°F), with excellent coverage in texture form and red colour. Ideal for the engine covers.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5120400010	Red Texture	400ml	6



BRAKE CALIPER

PAINT SPRAY

Heat resistant up to 300°C (572°F), gives a high-performance finish on brake callipers. Does not crack, fade or rust. Semi-gloss finish with resistance to wheel acid and brake fluid. Dries fast and gives a durable finish.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5120400020	Red	400ml	6



SPECIAL

PAINT SPRAY

Quick drying, high gloss acrylic paint with excellent coverage for automotive and general decorative use in special metallic effect shades.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
5050100000	Silver	400ml	6
5050000000	Silver	400ml	6
5050200000	Gold	400ml	6
5050800001	Nickel	400ml	6

600 PAINT REMOVER SPRAY

Transparent coating suitable for the removal of paint, clear, primer and latex materials from any surface. Long-lasting action that does not affect the surfaces underneath the paint layers.

Compliant with EU regulations.





700 PAINT REMOVER SPRAY

Transparent coating suitable for the removal of paint, clear, primer and latex materials from any surface. Long-lasting action that does not affect the surfaces underneath the paint layers.





770 ANTISIL NORMAL SPRAY

Special degreaser for the removal of any contamination from surfaces prior to painting.





777BLEND IN THINNER SPRAY

Special thinner (reducer) in an aerosol form suitable for fading out the overspray in areas needed to be blended (spot panels).





High-quality hardeners for paints, clearcoats, primers and fillers, formulated for great results in all finishes.

CATEGORY

Hardeners





H725HARDENER FOR PRIMERS SLOW

Slow isocyanate hardener for 2K primers only.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7251000020	Transparent Yellow	250ml	6
7251000001	Transparent Yellow	1L	6



H725HARDENER FOR PRIMERS FAST

Fast isocyanate hardener for 2K primers only.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7250000030	Transparent Yellow	200ml	6
7250000020	Transparent Yellow	250ml	6
7250000010	Transparent Yellow	333ml	6
7250000000	Transparent Yellow	500ml	6
7250000001	Transparent Yellow	1L	6



H729HARDENER FOR PRIMERS NORMAL

Normal isocyanate hardener for 2K primers only and Wet-on-Wet application.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7290000020	Transparent	250ml	6
7290000010	Transparent	333ml	6
7290000000	Transparent	500ml	6
7290000001	Transparent	1L	6

H729 HARDENER FOR PRIMERS FAST

Fast isocyanate hardener for 2K primers only and Wet-on-Wet application.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7292000020	Transparent	250ml	6
7292000000	Transparent	500ml	6
7292000001	Transparent	1L	6



H732 EPOXY HARDENER

Epoxy hardener to be used with P989 4:1 Epoxy Primer and P988 2K Epoxy Chassis Coat.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7320300000	Transparent Yellow	250ml	6
7320300001	Transparent Yellow	1L	6
7320300004	Transparent Yellow	3.75kg	4



H736 EPOXY HARDENER

Epoxy hardener for use with P987 2K 1:1 Epoxy Sealer.









H731 ACTIVATOR

Special hardener (activator) specific for P960 Wash Primer.

REF. NUMBER COLOUR SIZE UNITS/CARTON
7310000001 Transparent 1L 6



H733

HARDENER ULTRA HS SLOW

Slow isocyanate hardener for 2K ultra-high solid clear coats.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7330000000	Transparent	500ml	6
7330000003	Transparent	2.5L	4



H734

HARDENER ULTRA HS NORMAL

Normal isocyanate hardener for 2K ultra-high solid clear coats.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7340000000	Transparent	500ml	6
7340000003	Transparent	2.5L	4



H735

HARDENER ULTRA HS FAST

Fast isocyanate hardener for 2K ultra high-solid clear coats.

(REF. NUMBER) (COLOUR	SIZE	UNITS/CARTON
7350000000 Transparer	nt 500ml	6
7350000003 Transparer	nt 2.5L	4

H737 HARDENER ULTRA HS SLOW

Slow isocyanate hardener for 2K ultra-high solid clear coats.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7370000000	Transparent	500ml	6
7370000003	Transparent	2.5L	4



H73

HARDENER ULTRA HS NORMAL

Normal isocyanate hardener for 2K ultra-high solid clear coats.

(REF. NUMBER)	(COLOUR)	SIZE	(UNITS/CARTON)
7380000000	Transparent	500ml	6
7380000003	Transparent	2.5L	4



BODY 625 HARDENER FOR PRIMERS

Isocyanate hardener for BODY 634 4:1 HS and BODY 607 4:1 UHS Filling Primers.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6250000030	Transparent Yellow	200ml	6
6250000001	Transparent Yellow	625ml	6



BODY 635 HARDENER FOR PRIMERS

Isocyanate hardener for BODY 635 5:1 HS Filling Primer.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6350000040	Transparent Yellow	160ml	6
6350000000	Transparent Yellow	500ml	6









HARDENER

Isocyanate hardener for clear coats BODY 697 HS SR 2:1 and BODY 698 HS SR 2:1.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6200000000	Transparent	500ml	6
6200000003	Transparent	2.5L	4



BODY 626

HARDENER NORMAL

Normal isocyanate hardener, exclusively for BODY 696 AIR DRY CLEAR HS SR 2:1.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6260000000	Transparent	500ml	6
6260000003	Transparent	2.5L	4



BODY 627

HARDENER FAST

Fast isocyanate hardener, exclusively for BODY 696 AIR DRY CLEAR HS SR 2:1.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6270000000	Transparent	500ml	6
6270000003	Transparent	2.5L	4



H752

HARDENER FOR TOPCOATS SLOW

Slow isocyanate hardener for 2K acrylic paints and 2K clear coats.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7520000000	Transparent	500ml	6
7520000001	Transparent	1L	6
7520000003	Transparent	2.5L	4
7520000005	Transparent	5L	4

H753 HARDENER FOR TOPCOATS NORMAL

Normal isocyanate hardener for 2K acrylic paints and 2K clear coats.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7530000020	Transparent	250ml	6
7530000000	Transparent	500ml	6
7530000001	Transparent	1L	6
7530000003	Transparent	2.5L	4
7530000005	Transparent	5L	4



H754 HARDENER FOR TOPCOATS FAST

Fast isocyanate hardener for 2K acrylic paints and 2K clear coats.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7540000000	Transparent	500ml	6
7540000001	Transparent	1L	6
7540000003	Transparent	2.5L	4
7540000005	Transparent	5L	4



710 HARDENER

Special hardener for curing synthetic paints (RALLY, CHASSIS COAT) at a 4:1 mixing ratio.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7100000000	Transparent	500ml	6



727 POLAR HARDENER

Extra fast isocyanate hardener for clear coat C495 Clear Express SR 4:1.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7270000020	Transparent	250ml	6
7270000001	Transparent	1L	6







HARDENER FOR TOPCOATS SLOW

Slow isocyanate hardener for clear coat C492 AUTO CLEAR HS SR 3:1 and 2K Acrylic paints at a 3:1 mixing ratio.





717

HARDENER FOR TOPCOATS NORMAL

Normal isocyanate hardener for clear coat C492 AUTO CLEAR HS SR 3:1 and 2K Acrylic paints at a 3:1 mixing ratio.





718

HARDENER FOR TOPCOATS FAST

Fast isocyanate hardener for clear coat C492 AUTO CLEAR HS SR 3:1 and 2K Acrylic paints at a 3:1 mixing ratio.





801

SPRAY FILL CONVERTER

Special hardener for 2K primers, topcoats and clear coats to be used with Spray Fill cans. The bottled mixture has an indefinite pot life.



774 AQUA BASECOAT HARDENER

Isocyanate hardener specially designed for Aqua Basecoat paint, providing excellent weathering and chemical resistance. For use on inner parts of the car where no clear coat can be applied.





HARDENER FOR POLYESTER SPRAY FILLERS AND PRIMERS

Hardener for polyester spray fillers and primers.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7050000003	Transparent	50ml	6
7050000007	Transparent	750ml	1



BPO PASTEHARDENER

BPO Paste Hardener for polyester fillers.







A diverse range of options for diluting, degreasing and equipment cleaning.

CATEGORY

Thinners





T769

GUN WASH CLEANER

Special gun wash cleaner used after the application of the P962 Isolator, to avoid any product remaining in the spray gun.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7690000001	Transparent	1L	6



740

ACRYL NORMAL THINNER

High-quality thinner (reducer) Normal with no recycled solvents, to be used for the dilution of 2K acrylic primers, 2K topcoats and basecoats.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7400000000	Transparent	500ml	6
7400000001	Transparent	1L	6
7400000005	Transparent	5L	4
7400000007	Transparent	20L	1



741

ACRYL SLOW THINNER

High-quality thinner (reducer) Slow with no recycled solvents, to be used for the dilution of 2K acrylic primers, 2K topcoats and basecoats.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7410000000	Transparent	500ml	6
7410000001	Transparent	1L	6
7410000005	Transparent	5L	4



742

ACRYL EXTRA SLOW THINNER

High-quality thinner (reducer) Extra Slow with no recycled solvents, to be used for the dilution of 2K acrylic primers, 2K topcoats and basecoats.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7420000001	Transparent	1L	6

743 ACRYL FAST THINNER

High-quality thinner (reducer) FAST with no recycled solvents, to be used for the dilution of 2K acrylic primers, 2K topcoats and basecoats.





750SYNT THINNER

Special thinner (reducer) used for the dilution of synthetic, alkydbased products. Does not contain recycled solvents.





760BASECOAT THINNER NORMAL

Special normal thinner/reducer for use with basecoat paints. Improves the flow and positioning of the effect particles and gives a smooth and soft surface.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7601000001	Transparent	1L	6
7601000005	Transparent	5L	4



761BASECOAT THINNER SLOW

Special slow thinner/reducer for use with basecoat paints. Improves the flow and positioning of the effect particles and gives a smooth and soft surface.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7611000001	Transparent	1L	6









NITRO THINNER

Thinner (reducer) suitable for nitrocellulose paints and surfacers, clear coats, and 1K filling primers. Recommended for cleaning spray guns and paint tools. Does not contain recycled solvents.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7670000001	Transparent	1L	6
7670000005	Transparent	5L	4
7670000006	Transparent	17L	1
7670000007	Transparent	20L	1



770

ANTISIL NORMAL DEGREASER

Special normal degreaser for the removal of any contamination from surfaces before painting.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
770000001	Transparent	1L	6
7700000005	Transparent	5L	4



771

ANTISIL FAST DEGREASER

Special fast degreaser for the removal of any contamination from surfaces before painting.

REF. NUMBER	COLOUR	SIZE	(UNITS/CARTON)
7710000001	Transparent	1L	6
7710000005	Transparent	5L	4



775

EPOXY THINNER

Special epoxy thinner (reducer) to be used with P981 1K Epoxy Primer, P989 4:1 Epoxy Primer and P988 2K Epoxy Chassis Coat.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7750000001	Transparent	1L	6

777 BLEND IN THINNER

Special thinner (reducer) for blending of top coats (also known as fade-out thinner).

REF. NUMBER COLOUR SIZE UNITS/CARTON
7770000001 Transparent 1L 6



780 POLY THINNER

Special thinner (reducer) suitable for the dilution of polyester spray fillers and primers (260 Bodyfiller, P261 Polyester Filling Primer). Also for cleaning any equipment used in the application of polyester materials.





772 AQUA BASECOAT DEGREASER

Special waterborne degreaser for the removal of any contamination from surfaces before painting. Also for cleaning any spraying equipment of water-based paint. Contains high-purity demineralised water and additives for proper cleaning.





773 AQUA BASECOAT REDUCER

Special reducer for Aqua Basecoat paint. Contains high-purity demineralized water and special additives for proper surface wetting and levelling.





Complementary products designed to enhance the workflow of any application.

CATEGORY

Additives







ACCELERATOR

Special accelerator to be used with C495 CLEAR EXPRESS SR 4:1. Reduces drying times drastically in combination with hardener 727 POLAR.





440

TEXTURE ADDITIVE

Special additive for 2K HS Clear Coats, designed to create a texture effect. Suitable for reproducing the structured matt finish found in certain PSA Group cars.





466

BASECOAT BLENDING ADDITIVE

Special blending additive, exclusively for solvent-borne basecoat paints fading-out process. Makes blending easy, especially with solid pale colours and hard-to-blend metals and pearls. Excellent overspray absorption and easy melting.





800

MATTING ADDITIVE

Special additive developed for reducing the gloss of 1K or 2K paints and clear coats.



803 FLEX ADDITIVE

Special additive for flexing of 2K systems (primers, paints or clear coats). A necessary element for painting elastic car parts (bumpers, spoilers etc).

REF. NUMBER COLOUR SIZE UNITS/CARTON

8030000001 Transparent 1L 6



804 ANTI SILICONE ADDITIVE

Additive for the prevention and treatment of silicon craters in 2K topcoats.

REF. NUMBER COLOUR SIZE UNITS/CARTON

8040000020 Transparent 250ml 6



776AQUA BASECOAT BLENDING ADDITIVE

Special blending additive for Aqua Basecoat paint. Suitable for either metallic or solid shades, whenever blending (fade-out) is necessary.

REF. NUMBER COLOUR SIZE UNITS/CARTON
7760000001 Transparent 1L 6



A complete series of compounds, designed to restore and revive the paint finish.

CATEGORY

Polishing Compounds





805 SUPER CUT

A high-quality, coarse polishing compound for the removal of sanding scratches from P1500 and finer. Also for eliminating car wash scratches and the reduction of the orange peel effect, giving a deep and lasting shine. Suitable for all paint finishes including new and aged cured. Application with POLISHING PAD WHITE. Silicone free.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
8050100010	White	200ml	8
8050100001	White	1kg	6



806 POWER POLISH

A high-quality, medium-fine polishing compound. 806 is the second step required in the process of polishing and compliments the 805 compound. Restores any imperfections, removes fine sanding lines and eliminates any swirls. Resulting in a permanent glossy finish. Suitable for all paint finishes including new and aged cured. Application with POLISHING PAD YELLOW. Silicone free.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
8060300010	White	200ml	8
8060300001	White	1L	6



807 SEAL POLISH

A high-performance final step sealing and polishing compound used for the removal of small surface imperfections, fine streaks and holograms. Forms a protective film with water-repellent properties. Application with POLISHING PAD WAFFLE. Silicone free.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
8070300010	Beige	200ml	8
8070300001	Beiae	1L	6

808 CUT & POLISH

A high-performance one-step polishing compound for cutting and polishing at the same time. It eliminates deep sanding marks and scratches from P1500 without burning in during high intensity, while it completes the polishing with a permanent hologram-free mirror finish. Special formula with new technology abrasives that can cut and polish all modern types of topcoats. Application with POLISHING PAD WHITE and YELLOW. Silicon-free.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
8080100010	White	200ml	8
8080100001	White	1kg	6



802 BLEND + PREP PASTE

A waterborne paste, used for lightly sanding old paintwork before painting, providing adhesion for the new coat of paint. Silicone and ammonia-free. It can be used in place of the usual wet or dry sanding paper. It is applied with a wet sponge or non-woven pad.





Paint Paint Removers

High quality coating removal products, also suitable for equipment cleaning.

600 PAINT REMOVER

Transparent coating suitable for the removal of paints, clear coats, primers, stone chip protection and latex materials from all metal and plastic surfaces. Also good for cleaning paint tools (e.g. spray guns, spatulas etc). Compliant with EU legislation.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
6000000000	Transparent	500ml	6
600000001	Transparent	1L	6



700 PAINT REMOVER

Transparent coating suitable for the removal of any coating (stone chip protection, primers, paints, clear coats) and latex materials from all metal and plastic surfaces. Also suitable for cleaning paint tools (e.g. spray guns, spatulas, etc).

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
7000000000	Transparent	500ml	6
700000001	Transparent	1L	6



Bonding purpose products, available in diverse packaging for ease of use.

Applicable to a wide variety of substrates.

CATEGORY

Seam Sealers





S115 AUTO SEAL

Rubber-based sealer for bonding metal surfaces and joint fillings. Dries fast and remains permanently elastic. It can be overcoated wet-on-wet by any type of paint system.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
1150700000	Grey	300ml CARTR.	12
1150700001	Grey	1kg	6



110 BODY SEAL

Waterborne seam sealer for high-quality bonding and sealing of the internal and external parts of the car body (UV resistant). Also suitable for wood and marine. Dries quickly and remains permanently elastic. Retains its shape, and is overcoatable with all paint systems.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
1100100000	White	300ml CARTR.	12
1100700000	Grey	300ml CARTR.	12
1100700001	Grey	1kg	6



940 SEALANT

Windscreen protective sealant with exceptional resistance against weather extremes. Also provides efficient sealing between welds in a panel assembly. Not for bonding. It never dries and cannot be painted over.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9400200000	Black	300ml CARTR.	12

944 PU SEALANT

Hybrid PU sealant with excellent mechanical endurance and UV resistance. Universal adhesion to all substrates (metal, plastic, glass, concrete, etc). Fast curing and overpaintable with all paint systems. It doesn't polymerize in the cartridge after first use.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9440100000	White	300ml CARTR.	12
9440200000	Black	300ml CARTR.	12
9440300000	Beige	300ml CARTR.	12



999 SEAM SEALER

Rubber-based seam sealer, ideal for bonding metallic surfaces and for joint filling of the car body. Suitable for the inner automobile parts that are not directly exposed to UV rays. After drying it can be overcoated by any type of paint.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
9990300000	Light Beige	300ml CARTR.	12
9990300001	Light Beige	1kg	6



A wide variety of ancillary products and tools for the painter and the paint shop.

CATEGORY

Ancillaries





SEAM SEALER

BRUSH

Hard nylon brush for application of water or solvent-based seam sealers.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200400015	-	-	12



SPRAY GUN

Conventional gravity spray guns. Reliable, versatile and adaptable to the needs of all professional painters, and also can be used with different needles and nozzles for spray fillers, primers, base coats and top coats.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200000016	-	1.4mm	1
0200000014	-	1.8mm	1
0200000015	-	2.5mm	1



PA SPRAY GUN

Fully aluminum short blow gun with flow delivery valve.

REF. NUMBER	COLOUR	SIZE	UNITS/PACKAGE
0200000037	-	-	1

PA/CV SPRAY GUN

Fully aluminum blow gun with flow delivery valve to increase the volume of air.





TS SPRAY GUN

Special gun for stone chip coatings. Fits directly to the can and it can be easily cleaned. Comes with a dispersion tube extension, for wax application.





UBS SPRAY GUN

Special gun with adjustable nozzle (for fine or rough texture) for stone chip coatings. Fits directly into the can and it can be easily cleaned.









SPRAY GUN NOZZLES

Spray gun nozzles for conventional gravity spray guns.

REF. NUMBER	COLOUR	SIZE	UNITS/PACKAGE
0200000026	-	1.4mm	1
0200000025	-	1.8mm	1
0200000031	-	2.5mm	1



TANK SPARE PART

Detachable plastic tank, designed for SPRAY GUN 1,4mm/1,8mm/2,5mm.





AEROSOL NOZZLE

Different types of buttons for aerosols, depending on the type of product and needs of end users.

(REF. NUMBER)	(COLOUR)	SIZE	UNITS/CARTON
0100500009	Black/White	-	1.000
0100500014	Red/Black	-	1.000
0100500018	White/Grey	-	1.000
0100500020	White/Black	_	1.000

DISPERSION TUBE (60cm)

Special tube extension (60 cm) for use with SPRAY U900 Cavity Wax. Emits a 360-degree fan for total coverage of internal car parts.





SPRAY OUT TEST CARDS

Black and white test cards for opacity checking of all paints, primers, aerosols etc.





METAL TEST PLATES

Excellent quality metal test plates with black lines for coverage check.

REF. NUMBER	COLOUR	SIZE	UNITS/PACKAGE
0200400076	White	-	100
0200400077	Grey	_	100







FILLER DISPENSER

Dispenser for filler (putty) and hardener. Ensures accurate proportion of product and hardener. The quantity of hardener dispensed can be adjusted to different percentages to allow for different climates. Suitable for 1,5Kg to 3Kg cartridges of filler (putty) only.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200400024	-	-	1



MIXING BOARD

Waterproof disposable paper used for mixing of polyester fillers (putties). Available in a multi-layer board of 100 sheets.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200400029	-	-	10



SPREADERS

Set of three elastic, solvent-resistant plastic spreaders suitable for polyester filler (putty) spreading. Sizes: small, medium and large (one of each in every set).

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200400041	_	_	24

UNDERBODY CAPS

Compatible with all underbody ready-for-use cans.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0100200022	Black	-	2.500
0100200023	White	-	2.500
0100200024	Grey	-	2.500



EMPTY METAL CANS

Excellent quality metal cans for re-packing primers and top coats.

REF. NUMBER	COLOUR	SIZE	UNITS	
0100101026	-	250ml	1	
0100101015	-	500ml	1	
0100101025	-	1L	1	
0100101016	-	3L	1	
0100101017	-	4L	1	



PLASTIC BAGS

A specially designed plastic bag, produced by high-density polyethylene (HDPE) with high durability. Dimensions: 58cm width x 34cm tuck from each side x 60cm height (including handles).

Available per Kg.









PAINTER'S OVERALL

Grey silky antistatic overall ideal for use in the spray booth during the paint procedures.

REF. NUMBER	COLOUR	SIZE	UNITS/PACKAGE
0200400018	-	L	1
0200400019	-	XL	1
0200400020	-	XXL	1



PAINTER'S JACKET

Grey silky antistatic jacket ideal for use in the spraybooth during paint procedures.

REF. NUMBER	COLOUR	SIZE	UNITS/PACKAGE
0200400085	-	M	1
0200400066	-	L	1
0200400067	-	XL	1
0200400068	-	XXL	1



POLISHING PADS

High-performance single-sided foam polishing pads, compatible with most machine polishers. White pad for use with 805 Super Cut, Yellow pad for 806 Power Polish compounds.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200607001	White	-	12
0200607002	Yellow	-	12

POLISHING PAD WAFFLE

Waffle type pad with uneven surface that gives excellent results in polishing especially with the use of 806 Power Polish or 807 Seal Polish compound.





SANDING PADS (15 HOLES)

15 holes universal sanding pad for 6, 9 and 15 holes velcro abrasives. Suitable for all types of dust extraction sanding machines. Available in two types: Super (normal pad) and Superior (excellent dust extraction).





SANDING PAD INTERFACE

15 holes soft back pad interface for 6, 9 and 15 holes velcro abrasives and pads. Eliminates the grinding action over body contours.









STIRRING LIDS

Compatible with all HB BODY COLOR SOLUTIONS solvent-based mix systems and primers 1L and 4L cans.

REF. NUMBER	COLOUR	SIZE	UNITS/PACKAGE
0200100038	-	1L	1
0200100039	-	4L	1

HANDLE FOR STIRRING LIDS



Handle for stirring primers - paints outside the mixing machine. Compatible with 1L and 4L stirring lids.

REF. NUMBER	COLOUR	SIZE	UNITS	
0200100009	-	-	1	

OPEN MIX



Opener and stirrer all-in-one, for easy, all-around use. Increased length (34,5cm) for stirring bigger cans. Reinforced metal bar for higher resistance. Plastic grip for comfort in handling.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0210400001	-	-	40

MEASURING STICKS

Mixing ratio measuring sticks for all products. It can be used for (2:1/4:1) and (3:1/5:1) mixing ratio.

REF. NUMBER	COLOUR	SIZE	UNITS
090000001	-	2:1 / 4:1	1
0900000005	-	3:1 / 5:1	1



MIXING CUPS

Highly resistant cups for mixing and storage of all coatings. Marked with several mixing ratio scales for complete and accurate results.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0210400005	-	385ml (Cup)	200
0210400006	-	750ml (Cup)	200
0210400007	-	1400ml (Cup)	200
0210400008	-	2300ml (Cup)	100







PAINT STRAINERS

Disposable paper strainer with nylon mesh for filtering top coats and primers. Available in 125 & 190 microns.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200400056	-	125 microns	1000
0200400009	-	190 microns	1000







MIXING MACHINE

16 POSITIONS

Modern design, robust and low noise mixing machine. Easy assembly, stable and reliable performance. Suitable to accommodate Color Solutions 1K Synthetic Mix System. (Dimensions: H. 181 cm / W. 89 cm / D. 50 cm - 4 cans of 4L / 4 shelves)





MIXING MACHINE

30 POSITIONS

Modern design, robust and low noise mixing machine. Easy assembly, stable and reliable performance. Suitable to accommodate Color Solutions 2K Acrylic Mix System. (Dimensions: H. 179 cm / W. 125 cm / D. 50 cm - 9 cans of 1L / 2 shelves, 6 cans of 4L / 2 shelves)





MIXING MACHINE

96 POSITIONS

Modern design, robust and low noise mixing machine. Easy assembly, stable and reliable performance. Comes with a user-friendly workbench for improved practicality. Suitable to accommodate Color Solutions Basecoat and 2K Acrylic Mix Systems. (Dimensions: H. 201 cm / W. 233 cm / D. 50 cm - 18 cans of 1L / 4 shelves, 12 cans of 4L / 2 shelves)



HEATING CABINET

Spacious heating cabinet for Color Solutions Aqua Basecoat Mix System. Optimal storage at a uniform temperature. (Dimensions: H. 229 cm / W. 138 cm / D. 40 cm)





COLOUR INDEXCOLOR SOLUTIONS

Colour cabinet with hand-sprayed colour decks and more than 15,000 shades, constantly updated throughout the year, hence speeding up the procedure and accuracy. Including both Basecoat and 2K Acrylic Mix Systems shades.





COLOUR INDEX 2K ACRYLIC SYSTEM

Hand-sprayed colour cards for Color Solutions 2K Acrylic Mix System. High-precision colour matching. Available in a compact plastic box for easy use and storage.









SPECTROPHOTOMETER

XRITE MA3

X-Rite manufactured spectrophotometer to use in conjunction with Spectro Solutions software, providing precise and accurate colour measurements.

REF. NUMBER COLOUR SIZE UNITS/CARTON
0900800003 - - 1



WEIGHING SCALE

TYPE PMA EVO1S1-C

Precision scale for weighing the colour formulas available in Color Solutions MixMaster colour matching software.





HB BODY SPRAY STAND

Metal display stand for products with a strong structural design which can take up various products. Suitable to accommodate up to 150 spray cans. (Dimensions: H. 178 cm / W. 48 cm / D. 30 cm - 6 shelves / 25 pcs)



SPRAY FILL MACHINE PNEUMATIC

Pneumatic spray filling machine for filling solvent or waterborne sprays.

 REF. NUMBER
 COLOUR
 SIZE
 UNITS/CARTON

 0200100014
 1



SPRAY FILL MACHINE

MANUAL

Manual spray filling machine for filling solvent or waterborne sprays.





15

A complete range of abrasive products for optimization of the sanding process and bodyshop profitability. CATEGORY

Abrasives







(15 HOLES)

Aluminium oxide high-performance special abrasive with Velcro backing. Guarantees a long life, and an excellent with high resistance to clogging. Available in 150 mm disc.

REF. NUMBER	COLOUR	(GRIT OPTIONS)	UNITS/CARTON
0200601030	-	P40	50
0200601031	-	P60	50
0200601032	-	P80	50







Superior waterproof abrasive paper for wet sanding of different materials. The backing consists of a very flexible, impregnated latex paper. This combined with full resin bonding provides a very high water resistance.

REF. NUMBER	COLOUR	GRIT OPTIONS	UNITS/CARTON
0200602041	-	P80	50
0200602042	-	P120	100
0200602043	-	P150	100

SOFT-FLEX PRE-CUT

Roll of abrasive sponge. Very flexible, easy to use. Available in 200 pre-cut sponges of (115 x 125mm).

REF. NUMBER	COLOUR	GRIT OPTIONS	UNITS/CARTON
0200700001	-	P150	1
0200700002	-	P180	1
0200700003	-	P220	1



NON-WOVEN

ROLLS & PADS

Excellent non-woven rolls and pads for scuffing metal or old paint surfaces before applying paint and primer. Suitable for steel glazing and paint opacification. It can be used for car repairing, metal, wood, stone etc.

REF. NUMBER	COLOUR	(GRIT OPTIONS)	(UNITS/CARTON)
0200608001	Maroon/Red	Very Fine/ 115mm x 10m (Roll)	5
0200608002	Grey	Ultra Fine/ 115mm x 10m (Roll)	5
0200609001	Maroon/Red	Very Fine/ 152mm x 229mm (Pad)	20
0200609002	Grey	Ultra Fine/ 152mm x 229mm (Pad)	20



16

Excellent quality masking products for the protection of car areas and parts during the refinishing process. CATEGORY

Masking Products





MASKING TAPES WATERPROOF

120°C (YELLOW)

High-temperature resistant tapes, suitable for all masking purposes. Easy to tear, residue-free removal and precise application even on uneven surfaces.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200300023	Yellow	18mm x 45m	48
0200300024	Yellow	24mm x 45m	36
0200300025	Yellow	36mm x 45m	24
0200300026	Yellow	48mm x 45m	24



PRO MASKING TAPES

80°C

Self-adhesive masking tape based on impregnated, low crepe paper. Resistant to external agents such as paint solvents. Resists to high temperatures of up to 80°C. Easily removed after use, without any adhesive residues left.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0210300001	Beige	19mm x 50yds	48
0210300002	Beige	25mm x 50yds	36
0210300003	Beige	38mm x 50yds	24
0210300004	Beige	50mm x 50yds	24
0210300005	Beige	30mm x 50yds	28



MASKING TAPES

80°C

Self-adhesive masking tape based on impregnated, low crepe paper. Resistant to external agents such as paint solvents. Resists to high temperatures up to 80°C. Easily removed after use, without any adhesive residues left.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200300001	Beige	19mm x 50yds	48
0200300002	Beige	25mm x 50yds	36
0200300003	Beige	50mm x 50yds	24

MASKING TAPES

60°C

Self-adhesive masking tape based on impregnated, low crepe paper. Resistant to external agents such as paint solvents. Resists to high temperatures up to 60°C. Easily removed after use, without any adhesive residues left.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200300005	Beige	19mm x 50yds	48
0200300006	Beige	25mm x 50yds	36
0200300007	Beige	38mm x 50yds	24
0200300008	Beige	50mm x 50yds	24



MASKING TAPES

60°C (BROWN)

Self-adhesive masking tape based on impregnated, low crepe paper. Resistant to external agents such as paint solvents. Resists to high temperatures of up to 60°C. Easily removed after use, without any adhesive residues left.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200300009	Brown	36mm x 45yds	24
0200300010	Brown	48mm x 45yds	24
0200300011	Brown	18mm x 45yds	48
0200300012	Brown	24mm x 45yds	36



LIFT MASKING TAPE

Special pre-cut tape designed for masking window trims and rubbers.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200300060	Brown	9mm x 10m	36
0200300065	Brown	14mm x 10m	36









MOUNT TAPES

(DOUBLE SIDED)

Double-sided, high-quality adhesive tape specially designed for mounting plastic profiles, emblems (badges) and name/number plates in the automotive industry.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200300028	Green	10mm x 5m	60
0200300029	Green	12mm x 5m	48
0200300030	Green	15mm x 5m	40
0200300031	Green	19mm x 5m	32

FOAM MASKING TAPE



Edge masking foam tape suitable for the protection of internal parts of the car body during painting. Ensures that the paint flows to a soft edge to aid in blending. No residue remains after the removal of tape. Available in a roll.

REF. NUMBER	COLOUR	SIZE	UNITS/CARTON
0200300050	White	13mm x 55m	1

MASKING FILM



High-performance and density masking film. Thickness 10 microns. Tear-resistant with electrostatic and corona treatment.




Explore our website to unlock the full potential of our products

and take your refinishing projects to the next level.




CATALOGUES



TDS/MSDS



PRODUCT IMAGES



Our website is an essential tool for automotive refinishing professionals, offering a wealth of valuable information about our extensive product range. It provides detailed descriptions, technical data sheets, and practical usage guidelines to ensure optimal results.





www.hbbody.com







LOCATIONS

What are you waiting for? Let's build your journey together!

HEADQUARTERS

Sindos Industrial Area

P.C.: 570 22 Thessaloniki

P: +30 2310 790000

E: hbbody@hbbody.com

THESSALONIKI

Thessaloniki Logistics Center

Sindos Industrial Area

P.C.: 570 22

Thessaloniki

P: +30 2310 790000

E: hbbodythes@hbbody.com

ATHENS

Athens Logistics Center

Diylistirion Av.

P.C.: 19300

Aspropyrgos, Athens

P: +30 210 55 90 411

E: hbbodyath@hbbody.com



UNITED KINGDOM

U.K. Premises
Unit 1-4 St Martins Industrial Park
Cabot Park, Moorend Farm Avenue,
Avon
Bristol BS11 ORS

P: +44 117 982 4949 E: sales@hbbody.co.uk

SPAIN

Spain Premises Carrer Bonrepòs i Mirambell, 26, 46200 Paiporta, Valencia

P: +34 96 111 37 42 E: info@bodycolor.es

BULGARIA

Bulgaria Premises улица "Банско шосе" 57 1390 София

P: +359 2996 2454

E: hbbodybg@hbbody.com



