

ORIGINAL

CATALOGUE

LIGHTS AND MIRRORS FOR UNIVERSAL PARTS AND COMMERCIAL VEHICLES
ORIGINAL EQUIPMENT QUALITY



UULO®



for left-right-hand traffic



for left-hand traffic



for right-hand traffic



fitting position left+right



Fitting position right



Fitting position left



Set



Approval stamp ECE+SAE



Approval stamp SAE



Approval stamp ECE



lateral fitting



lateral attachment



fitting position front



fitting position rear



for horizontal mounting



for vertical mounting



LED



with bulb



with bulb holder



without bulb holder



with cable



with plug



with indicator light



with marker light



with workplace light



for with clearance light



with daytime running light



with side marker light



with tail light



with reflector light



with reverse light



with navigation light



with park light



with rear fog light



with clearance light



with fog light



with licence plate light



with high beam



with low beam



with stop light



Automatic anti-dazzle



Heated



with antenna



Aspherical



Convex



Plan



With temperature sensor



long mirror arm



medium sized mirror arm



short mirror arm



for electric mirror adjustment



Manually adjustable



Electronically foldable



with Memory





with side marker light LED



Lane change assistant



with gasket



About us...

Unique original quality of ULO

ULO is the internationally operating trademark of the odelo-group and is known for its exclusively unique original equipment expertise and quality.

The spare parts supplied by ULO, such as head and rear lights, side mirrors and daytime running lights, which are distributed to the independent aftermarket are original parts and therefore perfect in terms of quality of material and their precision fit. Universal parts for commercial vehicles complete the product range of ULO. Visit our homepage www.ulo.de for more information about ULO spare parts.

Wholesalers, independent repair shops and exporters belong to our customers, which we supply all over the world. With more than 2,300 articles in our product range, we guarantee a fast and worldwide availability of our products.

Vehicle brands mainly in the premium segment like Audi, BMW, Mercedes-Benz, Opel, Porsche, Toyota, VW, MAN, Evobus and numerous commercial vehicles are provided by our product range.

The high and increasing demands of the automotive industry are fully achieved by ULO products. Our products conform fully with the security guidelines of automotive manufacturers because they come directly from the serial production.

The product range is constantly expanding with new and innovative products and applications. Modern production processes at the highest OE standards ensure lasting quality.

And ULO brings this quality for their customers to the independent aftermarket - ULO stands for original quality and innovative products!

Our expertise shows you the right way!



Universal Parts


Brand	Model	Page
UNIVERSAL		
	Headlight Cadface® Projected Low Beam	10
	Headlight Projected Low Beam + Positioning (With Led)	10
	Headlight Farbalux Freeform Low Beam - Front Position Light	11
	Headlight Ø55 Projected Low Beam	11
	Headlight Projected Low Beam + Positioning (With Led)	12
	Headlight Bi-Halogen Low + High Beam Light	12
	Headlight	13
	Headlight High-beam Headlight	13
	Headlight	14
	Headlight Farbalux High Beam Headlight	14
	Turn Signal Light Front Signal + Position	15
	Turn Signal Light Front Signal, Cadface	15
	Spotlight New Cadface Spot High Beam Light	16
	Spotlight Cadface® Spot High Beam Light	16
	Spotlight Cadface® Spot High Beam + Park (Positioning) Light	17
	Fog Light Cadface® Fog Light	17
	Fog Light	18
	Fog Light	18
	Fog Light New Cadface	19
	Parklight Ø55 Front Positioning Light	19
	Daytime Running Light	20
	Daytime Running Light	21
	Indicator	22
	Indicator Signal Amber	23
	Indicator	24
	Indicator Ø70 Front Signal Light	25
	Indicator Ø55 Front&Rear Signal Light	25
	Marker Light	26
	Side Marker Light Reflex Light	27
	Side Marker Light	28
	Rear Fog Light	29
	Rear Light	30
	Rear Light Signal + Position Up	31
	Rear Light Stop + Position	31
	Rear Light Stop + Position + Reflex	31
	Combination Rear Light Unistop 1®	32
	Combination Rear Light Unistop 2®	32
	Combination Rear Light Unistop 3®	33
	Combination Rear Light Unistop 4®	33
	Reverse Light Ø98 Single Rear Light	34
	Reverse Light	34
	Reflector	36
	Reflector	37

Commercial Vehicles

Brand	Model	Years of Construction	Page
FORD			
TRANSIT Bus/Box/Platform/Chassis			
		2006-2011	40
IVECO			
DAILY IV Van			
		2006-2011	40
DAILY VI Bus, Platform/Chassis, Van			
		2014-	41
DAILY IV Box Body/Estate/Dumptruck/Platform/Chassis			
		2006-2011	42
MAN			
Reflector/Side Marker Light			
			43
MERCEDES-BENZ			
T1 Bus/Box/Platform/Chassis (602)			
		1987-1996	44
V-CLASS (W447)			
		2014-	44
VITA/MIXTO VAN (W639), VITO Bus (W639)			
		2010-2014	45
O 403			
		1998-2006	45
EVOBUS TRAVEGO BUS			
		2005-	46
EVOBUS S300 BUS			
		1991-2001	46
SETRA			
Series 300			
		1991-2002	46
VW			
TRANSPORTER T4 Bus/Box/Platform/Chassis (70XA, 70XB, 70XC, 70XD, 7DB, 7DW)			
		1990-2003	47








Universal
Parts

Headlight

Cadface® Projected Low Beam



142701008 | 142701036
142701037 | 142701001



Fitting Depth [mm]: 196,3

Outer Diameter [mm]: 96

Number of mounting bores: 4 Mounting Bores

Distance [mm]: 94,8 Halogen

Bulb Type: H1

Lens Colour: Crystal clear

Clear diffusing lens

Vehicle Socket: TYPO(AMP) 282080-1

142701008 12 [V]; 55 [W]; for vehicles with headlight levelling (mechanical)

142701036 12 [V]; 55 [W]; for vehicles with headlight levelling (automatic)

142701037 24 [V]; 70 [W]; for vehicles with headlight levelling (mechanical)


142701001 24 [V]; 70 [W]; for vehicles with headlight levelling (automatic)

Headlight

Projected Low Beam + Positioning (With Led)



142701012 | 142701031



Fitting Depth [mm]: 196,3

Outer Diameter [mm]: 96

Number of mounting bores: 4

Mounting Bores Distance [mm]: 94,8

12 [V]

Halogen

Bulb Type: H1

55 [W]

Lens Colour: Crystal clear

Prismatic diffusing lens

Vehicle Socket: TYCO (AMP) 282080-1

142701012 for vehicles with headlight levelling (mechanical)

142701031 for vehicles with headlight levelling (automatic)


Universal Parts

Headlight

Farbalux Freeform Low Beam - Front Position Light



142701017

142701024 | 142701023
142701007

Fitting Depth [mm]: 182

Outer Diameter [mm]: 180

Bore Ø [mm]: 6,5

Number of mounting bores: 4

Mounting Bores Distance [mm]: 200

Halogen

Bulb Type: W5W

Bulb Type: H7

Lens Colour: Crystal clear

Clear diffusing lens

Vehicle Socket: TYCO(AMP) 282087-1

142701017 12 [V]; 55 [W]; for vehicles with headlight levelling (mechanical)

142701024 12 [V]; 55 [W]; for vehicles with headlight levelling (automatic)

142701023 24 [V]; 70 [W]; for vehicles with headlight levelling (mechanical)


142701007 24 [V]; 70 [W]; for vehicles with headlight levelling (automatic)

Headlight

Ø55 Projected Low Beam



142701022 | 142701021



Fitting Depth [mm]: 150

Outer Diameter [mm]: 141

Number of mounting bores: 4

Mounting Bores Distance [mm]: 38/112

Halogen

Bulb Type: H1

Lens Colour: Crystal clear

Clear diffusing lens

for vehicles with headlight levelling (mechanical)

Vehicle Socket: DELPHI 12059180

142701022 12 [V]; 55 [W]


142701021 24 [V]; 70 [W]

Headlight

Projected Low Beam + Positioning (With Led)



142702001 | 142702002
142702003 | 142702004



Fitting Depth [mm]: 196,3

Outer Diameter [mm]: 136,7

Number of mounting bores: 4

Mounting Bores Distance [mm]: 94,8

Adjustment Type: Manual & With Leveling Acuator

Glass Type: Without Stripe

Bulb Type: H1

Vehicle Socket: TYCO(AMP) 282080-1

142702001 *Front Low Beam, Positioning 12 V , (Military Vehicle), H1 55W LED*

142702002 *Front Low Beam, Positioning 24 V , (Military Vehicle), H1 70W LED*

142702003 *Front Low Beam, Positioning 12 V , (Military Vehicle), H1 55W LED*


142702004 *Front Low Beam, 24 V , (Uncoated), H1 70W LED*

Headlight

Bi-Halogen Low + High Beam Light



141424600 | 142702010 | 142702011
142702012 | 142702013



Fitting Depth [mm]: 177,7

Outer Diameter [mm]: 140,8

Number of mounting bores: 4

Mounting Bores Distance [mm]: 85

Adjustment Type: Manual & With Leveling Acuator

Glass Type: Without Stripe

Bulb Type: H7 70W

Vehicle Socket: DELPHI 12059180, TYCO(AMP) 282080-1

141424600 *Bi-Halogen Low + High Beam Light, 12V , LHD*

142702010 *Bi-Halogen Low + High Beam Light, 24 V , LHD*

142702011 *Bi-Halogen Low + High Beam Light, 24 V , RHD*

142702012 *Bi-Halogen Low + High Beam Light, LEVELLING ACTUATOR , 24V , LHD*


142702013 *Bi-Halogen Low + High Beam Light, LEVELLING ACTUATOR , 24V , RHD*

Headlight



141521800 | 141521900
141522000 | 141522100

Fitting Depth [mm]: 196,3
Outer Diameter [mm]: 136,7
Number of mounting bores: 4
Mounting Bores Distance [mm]: 94,8
Adjustment Type: Manual & With Leveling Acuator
Glass Type: Without Stripe
Bulb Type: H1
Vehicle Socket: TYCO(AMP) 282080-1



- | | |
|-----------|---|
| 141521800 | Headlight, Low Beam With Led, 12V, H1 55W LED |
| 141521900 | Headlight, With Led+Leveling Acuator,12V (Glass), H1 70W LED |
| 141522000 | Headlight, Low Beam With Led, 24V, H1 55W LED |
| 141522100 | Headlight, With Led+Leveling Acuator, 24V (Glass), H1 70W LED |


Headlight

High-beam Headlight



141521500 | 141521600

Fitting Depth [mm]: 170
Outer Diameter [mm]: 180
Bore Ø [mm]: 6,5
Number of mounting bores: 4
Mounting Bores Distance [mm]: 200
Adjustment Type: Manual
Glass Type: Without Stripe
Bulb Type: H1 / 70W P21W
Vehicle Socket: TYCO (AMP) 282087-1



- | | |
|-----------|------------------------------------|
| 141521500 | Headlight, High Beam With DRL, 12V |
| 141521600 | Headlight, High Beam With DRL, 24V |


Headlight



142701032 | 142701033



142701034 | 142701035



Fitting Depth [mm]: 196,3
Outer Diameter [mm]: 96
Number of mounting bores: 4
Mounting Bores Distance [mm]: 94,8
Halogen
Bulb Type: H1
Lens Colour: Crystal clear
Clear diffusing lens

142701032 12 [V]; 55 [W]; for vehicles with headlight levelling (mechanical)

142701034 12 [V]; 55 [W]; for vehicles with headlight levelling (automatic)

142701033 24 [V]; 70 [W]; for vehicles with headlight levelling (mechanical)


142701035 24 [V]; 70 [W]; for vehicles with headlight levelling (automatic)

Headlight

Farbalux High Beam Headlight



142701006 | 142701025



Fitting Depth [mm]: 182
Outer Diameter [mm]: 180
Bore Ø [mm]: 6,5
Number of mounting bores: 4
Mounting Bores Distance [mm]: 200
Halogen
Bulb Type: H1
Lens Colour: Crystal clear
Clear diffusing lens
for vehicles with headlight levelling (mechanical)
Vehicle Socket: TYCO (AMP) 282080-1

142701025 12 [V]; 55 [W]

142701006 24 [V]; 70 [W]

Turn Signal Light

Front Signal + Position



142702030 | 142702031

Quality: OEM, ORIGINAL

Plug-type ID: TYCO TE/AMP 282087-1

Width: 226.3 mm

Lamp Type: LED


Mounting Type: Fitting

Fitting Depth: 167.7 mm

Indicator Colour: Yellow

Plug Type: AMP

Lens Colour (direction indicator): Crystal clear



142702030

Signal+Position, Left, With Led, 24V

142702031

Signal+Position, Right, With Led, 24V

Turn Signal Light


Front Signal, Cadface



142702040



142702042 | 142702043



Fitting Position: both sides

Quality: OEM

Plug-type ID: TYCO TE/AMP 282762-1

Ø: 70 mm

Lamp Type: PY21W

Mounting Type: Fitting

Fitting Depth: 92.6 mm

Indicator Colour: Yellow

Plug Type: AMP

142702040

Front Signal, CADFACE, 12V, Ø70, Lens Colour (direction indicator): Crystal clear

142702042

Front Signal, CADFACE, Amber Lens, 12V, Ø70, Lens Colour (direction indicator): Yellow

142702043

Front Signal, CADFACE, Amber Lens, 24V, Ø70, Lens Colour (direction indicator): Yellow

Spotlight

New Cadface Spot High Beam Light



142701004 | 142701016
142701026 | 142701027

Fitting Depth [mm]: 116

Outer Diameter [mm]: 103

Bore Ø [mm]: 5,5

Number of mounting bores: 4

Mounting Bores Distance [mm]: 85,4

Halogen


Bulb Type: H1

Lens Colour: Crystal clear

Clear diffusing lens

for vehicles with headlight levelling (mechanical)

Vehicle Socket: TYCO (AMP) 282762-1



142701016 12 [V]; 55 [W]

142701027 24 [V]; 70 [W]

142701026 12 [V]; Bulb Type: W5W; 55 [W]

142701004 24 [V]; Bulb Type: W5W; 70 [W]

Spotlight

Cadface® Spot High Beam Light



142701011 | 142701038



142701015 | 142701039

Fitting Depth [mm]: 116

Outer Diameter [mm]: 103

Bore Ø [mm]: 5,2

Number of mounting bores: 4

Mounting Bores Distance [mm]: 85,4


Halogen

Bulb Type: H1

Lens Colour: Crystal clear

for vehicles with headlight levelling (mechanical)

Vehicle Socket: TYCO(AMP) 282080-1



142701038 12 [V]; 55 [W]

142701015 12 [V]; 55 [W]; Clear diffusing lens

142701011 24 [V]; 70 [W]

142701039 24 [V]; 70 [W]; Clear diffusing lens / Without Stripe

Spotlight

Cadface Spot High Beam + Park (Positioning) Light



142701019 | 142701020

Fitting Depth [mm]: 116

Outer Diameter [mm]: 103

Bore Ø [mm]: 5,5

Number of mounting bores: 4

Mounting Bores Distance [mm]: 85,4

Halogen

Bulb Type: H1

Bulb Type: W5W

5 [W]

Lens Colour: Crystal clear

Clear diffusing lens

for vehicles with headlight levelling (mechanical)


Vehicle Socket: TYCO(AMP) 282762-1

142701020

12 [V]; 55 [W]

142701019

24 [V]; 70 [W]



Fog Light

Cadface® Fog Light



142701002 | 142701014



142701010 | 142701040

Fitting Depth [mm]: 115,7

Outer Diameter [mm]: 103

Bore Ø [mm]: 5,2

Number of mounting bores: 4

Mounting Bores Distance [mm]: 85,4

Halogen

Bulb Type: H1

Lens Colour: Crystal clear

with housing

Vehicle Socket: TYCO(AMP) 282080-1

142701040

12 [V]; 55 [W]

142701014


12 [V]; 55 [W]; Clear diffusing lens

142701010

24 [V]; 70 [W]

142701002

24 [V]; 70 [W]; Clear diffusing lens




Fog Light



141609700 | 141609800

Fitting Depth [mm]: 133,1
Outer Diameter [mm]: 102,7
Bore Ø [mm]: 5,5
Number of mounting bores: 4
Mounting Bores Distance [mm]: 85,4
Glass Type: Without Stripe
Bulb Type: H7
Vehicle Socket: TYCO (AMP) C-282762



141609700 Front Fog Light, 12 V, H7 Bulb, H7 55W


141609800 Front Fog Light, 24 V, H7 Bulb, H7 70W

Fog Light



142702020 | 142702021

Fitting Depth [mm]: 111,5
Outer Diameter [mm]: 102,7
Bore Ø [mm]: 5,5
Number of mounting bores: 4
Mounting Bores Distance [mm]: 85,4
Glass Type: Without Stripe
Bulb Type: H1
Vehicle Socket: TYCO (AMP) 282762-1



142702020 Headlight, Cadface Fog, 12 V (For Military Vehicles), H1 55W

142702021 Headlight, Cadface Fog, 24 V (For Military Vehicles), H1 70W

Fog Light

New Cadface




142701003 | 142701028

Fitting Depth [mm]: 111,5
 Outer Diameter [mm]: 103
 Bore Ø [mm]: 5,5
 Number of mounting bores: 4
 Mounting Bores Distance [mm]: 85,4
 Halogen
 Bulb Type: H1
 Lens Colour: Crystal clear
 Clear diffusing lens
 with housing
 Vehicle Socket: TYCO (AMP) 282762-1

142701028 12 [V]; 55 [W]

142701003 24 [V]; 70 [W]



Parklight


Ø55 Front Positioning Light



142701018

Fitting Depth [mm]: 87
 Outer Diameter [mm]: 55
 Bore Ø [mm]: 5
 Number of mounting bores: 3
 Mounting Bores Distance [mm]: 61
 Bulb Technology
 Bulb Type: R5W
 Lens Colour: Crystal clear
 with housing
 with daylight running light
 Vehicle Socket: TYCO (AMP) 282762-1

142701018 24 [V]




Daytime Running Light



141373400 | 142701044

Fitting Depth [mm]: 92,6
Outer Diameter [mm]: 86,5
Number of mounting bores: 2
Mounting Bores Distance [mm]: 105
Glass Type: PC Lens
Bulb Type: P21W Long Life
Vehicle Socket: TYCO(AMP) 282762-1



141373400 DRL, Daytime Running Light, Ø70, 12 V


142701044 DRL, Daytime Running Light, Ø70, 24 V

Daytime Running Light



141398700

Fitting Depth [mm]: 95,4
Outer Diameter [mm]: 98
Number of mounting bores: 4
Mounting Bores Distance [mm]: 85,4
Glass Type: PC Lens
Bulb Type: P13 W
Vehicle Socket: FCI-PPI0001038



141398700 Daytime Running Light, 12V, Ø98

Daytime Running Light



141582900 | 141584900



141586300

Fitting Depth [mm]: 59,9

Outer Diameter [mm]: 93

Bore Ø [mm]: 7

Number of mounting bores: 4

Mounting Bores Distance [mm]: horizontal 100, vertical 50

Glass Type: PC Lens

Bulb Type: LED

Vehicle Socket: TYCO(AMP) 282080-1

141582900


Daytime Running Light , 12V, Ø90, LED

141584900

Daytime Running Light , 24V, Ø90, LED

141586300

Daytime Running Light , 12V, Ø90, LED (With Bracket)



Daytime Running Light



141588700 | 141588800



141588900 | 141589000

Fitting Depth [mm]: 59,9

Outer Diameter [mm]: 93

Bore Ø [mm]: 7

Number of mounting bores: 4

Mounting Bores Distance [mm]: horizontal 100, vertical 50

Glass Type: PC Lens

Bulb Type: LED

Vehicle Socket: TYCO(AMP) 282087-1

141588700

Daytime Running Light With Position, 12V, Ø90, LED

141588800


Daytime Running Light With Position, 24V, Ø90, LED

141588900


Daytime Running Light With Position, 12V, Ø90, LED (Bracket/With Bracket)

141589000

Daytime Running Light With Position, 24V, Ø90, LED (Bracket/With Bracket)




Indicator



143251020 | 143251030

Mounting Type: Bolted
Length [mm]: 165
Width [mm]: 73
Bore Ø [mm]: 4,2
24 [V]
Bulb Technology
Bulb Type: P21W
Indicator Colour: Yellow
Lens Colour: Yellow

143251020   
 143251030   




Indicator



1010902 | 1010903

Mounting Type: Bolted
Outer Diameter [mm]: 102
Thread Size: M6
Number of mounting bores: 2
Mounting Bores Distance [mm]: 45
Lens Colour: White
Cable Length [mm]: 300

1010902   *12 [V]; Indicator Colour: Yellow*
 1010903  *24 [V]; Indicator Colour: Yellow*




Indicator



147080900 | 147081000
147164700 | 147164800

Fitting Depth [mm]: 87
Outer Diameter [mm]: 71,8
Bore Ø [mm]: 5
Number of mounting bores: 3
Mounting Bores Distance [mm]: 61
Lens Type: Natural / Amber
Vehicle Socket: TYCO(AMP) 282762-1



147080900	Ø55, Front Signal, Natural, AYG, 12V, LED
147081000	Ø55, Front Signal, Natural, AYG, 24V, LED
147164700	Ø55, Front Signal, Amber, AYG, 12V, LED
147164800	Ø55, Front Signal, Amber, AYG, 24V, LED


Indicator

Signal Amber



141701009 | 141701019

Outer Diameter [mm]: 125
Thread Size: M5
Bulb Technology
Bulb Type: P21W
Indicator Colour: Yellow
Lens Colour: Yellow
Vehicle Socket: TYCO (AMP) 282762 - 1




141701019	12 [V]
141701009	24 [V]

Indicator



141701017 | 141701018

Outer Diameter [mm]: 125
Thread Size: M5
Bulb Technology
Bulb Type: PY21W
Indicator Colour: Yellow
Lens Colour: Crystal clear



141701017 12 [V]

141701018 24 [V]

Indicator




141701003 | 141701004



141701026 | 141701027

Mounting Type: Bolted
Outer Diameter [mm]: 98
Thread Size: M5x15
Indicator Colour: Yellow
Vehicle Socket: TYCO (AMP) 282080-1




141701003 12 [V]; Lens Colour: Red/Yellow; with housing

141701027 12 [V]; Lens Colour: Yellow

141701004 24 [V]; Lens Colour: Red/Yellow; with housing

141701026 24 [V]; Lens Colour: Yellow




Indicator

Ø70 Front Signal Light



142701005



Outer Diameter [mm]: 70

Thread Size: M5

Bulb Technology

Indicator Colour: Yellow

Vehicle Socket: TYCO(AMP) 282762-1

142701005

24 [V]; Bulb Type: PY21W; Lens Colour: Crystal clear

Indicator


Ø55 Front&Rear Signal Light



142701009 | 142701013



142701041 | 142701042



Outer Diameter [mm]: 55

Thread Size: M5

Bulb Technology

Indicator Colour: Yellow

Vehicle Socket: TYCO(AMP) 282762-1

142701041

12 [V]; Bulb Type: P21W; Lens Colour: Yellow

142701013

12 [V]; Bulb Type: PY21W; Lens Colour: Crystal clear

142701009

24 [V]; Bulb Type: PY21W; Lens Colour: Crystal clear

142701042


24 [V]; Bulb Type: P21W; Lens Colour: Yellow

Marker Light



142908080

Length [mm]: 75
Width [mm]: 25
Height [mm]: 20
Bore Ø [mm]: 4,5
Number of mounting bores: 2
Mounting Bores Distance [mm]: 48
24 [V]
with spilled cable




142908080




Lens Colour: Red; Cable Length [mm]: 5000

Marker Light



142908010

Mounting Type: Bolted
Length [mm]: 75
Width [mm]: 25
Height [mm]: 20
Bore Ø [mm]: 4,5
Number of mounting bores: 2
Mounting Bores Distance [mm]: 48
Synthetic Material Housing
Cable Length [mm]: 100
with spilled cable



142908010



24 [V]; 0,7 [W]; Lens Colour: Red

Marker Light



145613500

Mounting Type: Bolted

Length [mm]: 106

Width [mm]: 45

Height [mm]: 20,5

Bore Ø [mm]: 4,5

Number of mounting bores: 2

Mounting Bores Distance [mm]: 75

24 [V]

1 [W]



Lens Colour: White

Synthetic Material Housing

Cable Length [mm]: 200


with spilled cable

145613500



Side Marker Light

Reflex Light



141701014 | 141701015

Mounting Type: Bolted

Length [mm]: 110

Width [mm]: 41

Height [mm]: 24,2

Fitting Depth [mm]: 24,2

Bore Ø [mm]: 5

Number of mounting bores: 2

Mounting Bores Distance [mm]: 75

Lens Colour: Yellow

with housing

Cable Length [mm]: 100

with spilled cable


Vehicle Socket: TYCO (AMP) 282104-1

141701015


12 [V]

141701014


24 [V]



Side Marker Light



145615300 | 145615350
145615380 | 145615270
145615200 | 145615230



Mounting Type: Bolted

Length [mm]: 120

Width [mm]: 45

Height [mm]: 38,5

Fitting Depth [mm]: 20,5

Bore Ø [mm]: 4,5

Number of mounting bores: 2

Mounting Bores Distance [mm]: 75

Lens Colour: Yellow

24 [V]

1,5 [W]

with housing

Lens Colour: Yellow

Cable Length [mm]: 60

145615300				ECE	12 [V]; 0,75 [W]; Cable Length [mm]: 200; with spilled cable
145615350				ECE	24 [V]; 1,5 [W]; Cable Length [mm]: 60; with spilled cable and Bosch connector
145615380				ECE	24 [V]; 1,5 [W]; Cable Length [mm]: 480; with click-in-cable incl. thingy; with spilled cable
145615270				ECE	24 [V]; 1,5 [W]; Cable Length [mm]: 200; with spilled cable
145615200				ECE	24 [V]; 1,5 [W]; Cable Length [mm]: 200; with spilled cable
145615230				ECE	


Rear Fog Light



141701007 | 141701013



141701024 | 1701025



Fitting Depth [mm]: 95,4

Outer Diameter [mm]: 98

Thread Size: M5x15

Bulb Technology

Bulb Type: P21W

Lens Colour: Red

with housing

Vehicle Socket: TYCO (AMP) 282762 - 1

141701007



12 [V]

141701013



24 [V]

141701024



12 [V]

141701025




24 [V] / Reflex

Rear Fog Light



141701011 | 141701016



Fitting Depth [mm]: 98

Outer Diameter [mm]: 125

Thread Size: M5x20

Bulb Technology

Bulb Type: P21W

Lens Colour: Red

with housing

Vehicle Socket: TYCO (AMP) 282762 - 1

141701016

12 [V]

141701011

24 [V]


Technical drawing of the 1000mm x 1000mm x 100mm model, showing side and top views with dimensions.

Side View Dimensions:


- Overall width: 1000
- Overall height: 100
- Internal width: 62
- Internal height: 95.4

Top View Dimensions:

- Overall diameter: 1000
- Internal diameter: 62
- Four circular features (likely mounting holes) are positioned at 90-degree intervals.



Rear Reverse, Ø98, 24V, Bulb



Universal


Rear Light

Signal + Position Up



141701002

Fitting Depth [mm]: 62
 Outer Diameter [mm]: 98
 Thread Size: M5x15
 Indicator Colour: Yellow
 with housing
 Cable Length [mm]: 130
 Vehicle Socket: TYCO (AMP) 282087-1



141701002

Ø98, 24V


Rear Light

Stop + Position



141701005 | 141701006

Outer Diameter [mm]: 98
 Lens Colour: White / Red
 Vehicle Socket: TYCO (AMP) 282087-1



141701005

12 [V]

141701006

24 [V]


Rear Light

Stop + Position + Reflex



141701021 | 141701012

Outer Diameter [mm]: 125
 Bulb Type: P21/ 5W
 Lens Colour: Red
 Vehicle Socket: TYCO (AMP) 282729 - 1



141701021

12 [V]

141701012

24 [V]



Combination Rear Light

Unistop 1®



141701022

Length [mm]: 425
 Width [mm]: 140
 Height [mm]: 89
 Fitting Depth [mm]: 89
 Thread Size: M8
 Bulb Technology
 Bulb Type: R5W
 Bulb Type: P21W
 Indicator Colour: Yellow
 with housing
 ADR/ GGVS Checked
 Functions: Fog, Reverse, Position, Stop, Signal, Reflex



141701022

12 [V]



Combination Rear Light

Unistop 2®



141701001 | 141701023

Length [mm]: 381
 Width [mm]: 126
 Height [mm]: 101
 Fitting Depth [mm]: 101
 Thread Size: M8x20
 Bulb Technology
 Bulb Type: P21W
 Bulb Type: P21/ 5W
 Indicator Colour: Yellow
 with housing
 Functions: Fog, Reverse, Position, Stop, Signal, Reflex
 Vehicle Socket: TYCO (AMP) 282090 - 1



141701001



12 [V]

141701023



24 [V]

Combination Rear Light

Unistop 3®



141702001 | 141702002

Fitting Depth [mm]: 89

Outer Diameter [mm]: horizontal 400, vertical 128,8

Bore Ø [mm]: 8



Number of mounting bores: 2

Mounting Bores Distance [mm]: 160

Functions: Fog, Reverse, Position, Stop, Signal, Reflex

Bulb Type: PY21W, P21W / R5W

Vehicle Socket: MOLEX 33482-0849



141702001

Rear Light, Left, 12V, UNISTOP-3

141702002

Rear Light, Right, 12V, UNISTOP-3

Combination Rear Light

Unistop 4®



141707021 - 141707022

Fitting Depth [mm]: 75,1

Outer Diameter [mm]: horizontal 400, vertical 130

Bore Ø [mm]: 8


Number of mounting bores: 2

Mounting Bores Distance [mm]: 160

Functions: Fog, Reverse, Position, Stop, Signal, Reflex

Bulb Type: LED

Vehicle Socket: TE 967650-1



141707021

Rear Light, 12V, Socket-1, UNISTOP-4

141707022

Rear Light, 24V, Socket-1, UNISTOP-4

Reverse Light


Ø98 Single Rear Light



141701008



141701028



Mounting Type: Bolted

Fitting Depth [mm]: 95,4

Outer Diameter [mm]: 98

Thread Size: M5x15

Bulb Technology

Bulb Type: P21W

Lens Colour: Crystal clear

with housing

Vehicle Socket: TYCO (AMP) 282762 - 1


141701028 12 [V]

141701008 24 [V]

Reverse Light



141701010 | 141701020



Mounting Type: Bolted

Fitting Depth [mm]: 98

Outer Diameter [mm]: 125

Thread Size: M5x20

Bulb Technology

Bulb Type: P21W

Lens Colour: Crystal clear

with housing

Vehicle Socket: TYCO (AMP) 282762 - 1


141701010 24 [V]

141701020 12 [V]


Reflector



141702010



141702011



Fitting Depth [mm]: 6
Outer Diameter [mm]: 58
Bore Ø [mm]: 5
Number of mounting bores: 1
Lens Type: Red, Amber


141702010

Reflector, Reflex, Red, Ø58

141702011

Reflector, Reflex, Amber, Ø58


Reflector



144651090

Mounting Type: Glued
Length [mm]: 94
Width [mm]: 44
with adhesive film
Synthetic Material Housing
Material: PMMA (Polymethylmethacrylate)

144651090



Lens Colour: Yellow

Reflector



144742110

Length [mm]: 122**Width [mm]:** 32,5**Synthetic Material Housing****Material:** PMMA (Polymethylmethacrylate)

144742110

*Mounting Type: Glued; Lens Colour: Red; with adhesive film*

Reflector




144755030

Mounting Type: Bolted**Length [mm]:** 91**Width [mm]:** 61**Bore Ø [mm]:** 5,2**Number of mounting bores:** 2**Mounting Bores Distance [mm]:** 78,75**Synthetic Material Housing****Material:** PMMA (Polymethylmethacrylate)

144755030

*Mounting Type: Glued; Lens Colour: Red; with adhesive film*





Commercial Vehicles

FORD TRANSIT Bus/Box/Platform/Chassis 2006 - 2011

Housing, outside mirror

143058002   

Surface: Grained



IVECO DAILY IV Van 2006 - 2011


Outside Mirror | Surface: black grained mat

143061301										
143061302										
143061303										
143061304										
143061305										
143061306										
143061307										
143061308										
143061309										
143061310										
143061311										
143061312										
143061313										
143061314										
143061315										
143061316										
143061317										
143061318										
143061319										
143061320										
143061321										
143061322										
143061324										
143061326										




Cover, outside mirror

143061901     



Cover, outside mirror

143061902     



IVECO DAILY VI Bus, Platform/Chassis, Van 2014 -

Mirror Glass, outside mirror

143134201     
 143134202     

with parking assist



Cover, outside mirror

143134501    
 143134502    
 143134503    
 143134504    



Cover, outside mirror

143134505    
 143134506    



Outside Mirror | with mirror glass | Surface: grained

143134301		ECE
143134302		ECE
143134303		ECE
143134304		ECE
143134305		ECE
143134306		ECE
143134307		ECE
143134308		ECE
143134309		ECE
143134311		ECE
143134312		ECE
143134313		ECE
143134314		ECE



Indicator


143134101		ECE
143134102		ECE



IVECO DAILY IV Box Body/Estate/Dumptruck/Platform/Chassis 2006 - 2011

Sensor, exterior temperature | Light Design: Bulb Technology | Indicator colour lens: yellow | Indicator colour: yellow

143061110	
-----------	--



Mirror Glass, outside mirror

143061015		ECE
143061016		ECE
143061018		ECE

for small mirror housing
für kleines Spiegelgehäuse


Surface: grained
Oberfläche: genarbt

for small mirror housing
für kleines Spiegelgehäuse


144742130 ECE



145615360 ECE ▶ ◀ LED



MERCEDES-BENZ T1 Bus/Box/Platform/Chassis (602) 1987 - 1996

Reflex Reflector

144755010   ECE


Material: PMMA (Polymethylmethacrylate)

Mounting Type: Bolted

Fastening Type: Foot-mounted, for vertical fastening

Housing Type: Synthetic Material Housing

Lens Colour: Red



MERCEDES-BENZ V-CLASS (W447) 2014 -

Outside Mirror

143142303    SAE  Country Specific Design USA

143142304   ECE

143142305   ECE

143142307   ECE

143142308   ECE

143142309   ECE

143142310   ECE

with Peripheral Lighting

with Peripheral Lighting | with camera

with Peripheral Lighting | with camera

Heatable blind spot | (+) Perip. Lighting | (+) camera

with Peripheral Lighting | with camera



Outside Mirror

143142306   ECE

with Peripheral Lighting



Mirror Glass, outside mirror

143142201   SAE  Country Specific Design USA

143142202   SAE

143142203   ECE

143142204   ECE

Heatable blind spot mirror

Heatable blind spot mirror



Commercial Vehicles

Cover, outside mirror

143142401




143142402



MERCEDES-BENZ VITA/MIXTO VAN (W639), VITO Bus (W639) 2010 - 2014

Outside Mirror | for facelift | with mirror glass

143121005



Surface: black grained

143121310





Surface: black grained



Mirror Glass, outside mirror | for facelift

143121202



MERCEDES-BENZ O 403 1998 - 2006

Headlight | 24 [V]

142005001



142005002



EVOBUS TRAVEGO BUS 2005 -

Direction Indicator

146715150    
146715160    

Indicator Colour: Yellow

Lens Colour (direction indicator): Crystal Clear



EVOBUS S300 BUS 1991 - 2001

Bulb Holder, Rear Light Assembly

146722040    

Light Design: FF

Mounting Type: Latching Connection

Housing Type: Synthetic Material Housing

Indicator Colour: Yellow



Setra Series 300 1991 - 2002

Combination Rear Light

144498410       

lenses are sticked together with reflecting housing



VW TRANSPORTER T4 Bus/Box/Platform/Chassis (70XA, 70XB, 70XC, 70XD, 7DB, 7DW) 1990 - 2003

Lens, combination rear light

141052090



Ulo-no.	Old Ulo-no.	OEM Reference	Brand	Model	Page
141010900	1010900		Universal	Combination Rear Light	30
141010901	1010901		Universal	Combination Rear Light	30
141010902	1010902		Universal	Indicator	
141010903	1010903		Universal	Indicator	
141052090	1052-09		VW	Transporter T4 Bus/Box/Platform/Chassis (70XA,70XB,70XC,70XD, 7DB,7DW) 1990-2003 / Lens, combination rear light	47
141373400			Universal	Daytime Running Light	20
141398700			Universal	Daytime Running Light	20
141424600			Universal	Bi-Halogen Low + High Beam Light	12
141521500			Universal	Headlight & DRL High-beam Headlight	13
141521600		Ford: DC46 13005 AB, GC46 13005 CA	Universal	Headlight & DRL High-beam Headlight	13
141521800			Universal	Headlight	13
141521900			Universal	Headlight	13
141522000			Universal	Headlight	13
141522100			Universal	Headlight	13
141582900			Universal	Daytime Running Light	21
141584900		Otokar: 13M33-35530-AA MBT: A6288200656	Universal	Headlight	21
141586300			Universal	Headlight	21
141588700			Universal	Daytime Running Light With Position	21
141588800			Universal	Headlight	21
141588900			Universal	Daytime Running Light With Position	21
141589000			Universal	Daytime Running Light With Position	21
141609700		Karsan: CSB.51502.A	Universal	Front Fog Light	18
141609800		Ford: GC46 15K201 AA Otokar: 16M00-35580-AC Karsan: KR.CLX01.515P0040 MBT: A0038206556	Universal	Front Fog Light	18
141701001	1701001	Ford: 7C16 13404 AA	Universal	Combination Rear Light	32
141701002	1701002	BMC: 53RS301384 Temsas: NK253104Y Güleyüz: A01 291 0003 Akia: 16090002	Universal	Combination Rear Light	31
141701003	1701003	Otokar: 12F00-35502-AA Karsan: KR.CSX01.526P0006	Universal	Indicator	24
141701004	1701004	Otokar: 16M00-35502-AA Temsas: NK253108Y MBT: A0008260943	Universal	Indicator	24
141701005	1701005	Otokar: 12F00-35516-AA Karsan: KR.CSX01.526P0003	Universal	Stop Light	31
141701006	1701006	Otokar: 16M00-35504-AA Karsan: KR.CLX01.526P0003 Temsas: NK253106Y MBT: A0008261444	Universal	Stop Light	31
141701007	1701007	Otokar: 12F00-35506-AA	Universal	Rear Fog Light	29
141701008	1701008	Otokar: 16M00-35508-AA Karsan: KR.CLX01.526P0001 Temsas: NK253105Y	Universal	Reverse Light	34
141701009	1701009	Otokar: 16F00-35502-AA Temsas: CM253101Y Akia: 16090007	Universal	Indicator	23
141701010	1701010	Otokar: 16F00-35508-AA Temsas: CM253103Y Akia: 16090008	Universal	Reverse Light	34
141701011	1701011	Otokar: 16F00-35506-AA Temsas: CM253102Y Akia: 16090009	Universal	Rear Fog Light	29
141701012	1701012	Otokar: 16F00-35504-AA Temsas: CM253104Y Akia: 16090006	Universal	Stop Light	31

Original equipment for lights and mirrors

Ulo-no.	Old Ulo-no.	OEM Reference	Brand	Model	Page
141701013	1701013	Otokar: 12F71-35506-AA Temsa: NK253107Y MBT: A0005441904	Universal	Rear Fog Light	29
141701014	1701014	Karsan: BMB0001102 Temsa: SB253104Y Akia: 16090010	Universal	Side Marker Light	27
141701015	1701015	Temsa: TM253101Y	Universal	Side Marker Light	27
141701016	1701016		Universal	Rear Fog Light	29
141701017	1701017		Universal	Indicator	24
141701018	1701018		Universal	Indicator	24
141701019	1701019		Universal	Indicator	23
141701020	1701020		Universal	Reverse Light	34
141701021	1701021		Universal	Stop Light	31
141701022	1701022	Temsa: FE802165Y	Universal	Combination Rear Light	32
141701023	1701023		Universal	Combination Rear Light	32
141701024	1701024		Universal	Rear Fog Light	29
141701025	1701025	Otokar: 13F22-35506-AA	Universal	Rear Fog Light	29
141701026	1701026		Universal	Indicator	24
141701027	1701027		Universal	Indicator	24
141701028	1701028	Otokar: 12F00-35508-AA	Universal	Reverse Light	34
141701029	1701029	Otokar: 16M00-35508-AA Karsan: KR.CLX01.526P0001 Temsa: NK253105Y	Universal	Rear Light	30
141702001	1702001	Ford: BK31 13405 CC	Universal	Rear Light	33
141702002	1702002	Ford: BK31 13404 CC	Universal	Rear Light	33
141702010	1702010		Universal	Reflector	36
141702011	1702011		Universal	Reflector	36
141707021	1707021		Universal	Rear Light	33
141707022	1707022	BMC: 52RS500347M	Universal	Rear Light	33
142005001	2005001		MERCEDES-BENZ	O 403 1998 - 2006 / Headlight 24 [V]	45
142005002	2005002		MERCEDES-BENZ	O 403 1998 - 2006 / Headlight 24 [V]	45
142701001	2701001	Ford: 6C46 13005 AC	Universal	Headlight	10
142701002	2701002	Ford: 6C46 15K201 AC, AC46 15K201 AB	Universal	Fog Light	17
142701003	2701003	Ford: AC46 15K201 AA BMC: 58RS509341, 59RS509341, 55RS360018 Otokar: 12F00-35580-AA, 13C33-35580-AA, 16M00-35580-AA Karsan: BMB0001112 Temsa: HD253112Y Akia: 16090004	Universal	Fog Light	19
142701004	2701004	Ford: 6C46 13005 BC, 6C46 13005 BE BMC: 58RS509340, 59RS509340 Otokar: 12F00-36873-AA, 13C33-35583-AA, 16M00-35583-AA Temsa: HD253104Y	Universal	Spotlight	16
142701005	2701005	Ford: 8C46 13368 AB	Universal	Indicator	25
142701006	2701006	Ford: GC46 13005 DA, 8C46 13005 BB	Universal	Spotlight	14
142701007	2701007	Ford: GC46 13005 BA, 8C46 13005 AB BMC: 59RS200210	Universal	Headlight	11
142701008	2701008	BMC: 58RS509339 Otokar: 16F00-35510-AA, 12F00-35510-AA	Universal	Headlight	10

Ulo-no.	Old Ulo-no.	OEM Reference	Brand	Model	Page
142701009	2701009	BMC: 58RS509504, 55RS360019 Otokar: 13C33-35528-AA Karsan: BMB0001113, KR.CLX01.515P0016 Temsa: HD253103Y MBT: A0028201821 Güteryüz: A01 291 0001 Akia: 16090013	Universal	Indicator	25
142701010	2701010	Otokar: 13C22-35580-AA Temsa: TM252116Y MBT: A6138202956, A6138203256	Universal	Fog Light	17
142701011	2701011	Otokar: 13C22-35583-AA, 13C10-36873-AB Temsa: TC 299548-147Y MBT: A6138203056, A6138203456 Akia: 16090003	Universal	Spotlight	16
142701012	2701012	Karsan: P.80373	Universal	Headlight	10
142701013	2701013	Tümosan: O-725810 Otokar: 9000-26104-AA Karsan: P.80139	Universal	Indicator	25
142701014	2701014	Karsan: P.80356	Universal	Fog Light	17
142701015	2701015	Karsan: P.80355	Universal	Spotlight	16
142701016	2701016	Karsan: 20018593014	Universal	Spotlight	16
142701017	2701017	Karsan: 20018593010	Universal	Headlight	11
142701018	2701018	Karsan: KR.B1801.711P0001 Temsa: NK253103Y	Universal	Parklight	19
142701019	2701019	BMC: 55RS360444M Karsan: BMB0001114 Temsa: NK253109Y MBT: A3908200056 Güteryüz: 001 02040852	Universal	Spotlight	17
142701020	2701020	Karsan: KR.CSX01.515P0001 Temsa: TM253105Y	Universal	Spotlight	17
142701021	2701021	BMC: 55RS360443, 53RS817445M Temsa: NK253111Y Güteryüz: 001 02040850 TCV: D140-1051_R0	Universal	Headlight	11
142701022	2701022	Karsan: KR.CSX01.515P0002 Temsa: TM253108Y	Universal	Headlight	11
142701023	2701023	Akia: 16090027	Universal	Headlight	11
142701024	2701024	Ford: GC46 13005 AA	Universal	Headlight	11
142701025	2701025		Universal	Spotlight	14
142701026	2701026		Universal	Spotlight	16
142701027	2701027	Otokar: 13H00-35583-AA	Universal	Spotlight	16
142701028	2701028	Karsan: KR.CSX01.515P0004	Universal	Fog Light	19
142701031	2701031		Universal	Headlight	10
142701032	2701032		Universal	Headlight	14
142701033	2701033		Universal	Headlight	14
142701034	2701034		Universal	Headlight	14
142701035	2701035		Universal	Headlight	14
142701036	2701036		Universal	Headlight	10
142701037	2701037	Otokar: 13C33-35510-AA, 16M00-35510-AA Temsa: HD253102Y	Universal	Headlight	10
142701038	2701038		Universal	Spotlight	16
142701039	2701039	Akia: 16090028	Universal	Spotlight	16
142701040	2701040		Universal	Fog Light	17

Original equipment for lights and mirrors

Ulo-no.	Old Ulo-no.	OEM Reference	Brand	Model	Page
142701041	2701041		Universal	Indicator	25
142701042	2701042		Universal	Indicator	25
142701044	2701044	Karsan: KR.B1801.711P0006 MBT: A0038206656 Güteryüz: 001 02040830 Akia: 16090001	Universal	Daytime Running Light	20
142702001	2702001		Universal	Front Low Beam Projected Low Beam + Positioning (With Led)	12
142702002	2702002	Akia: 16090025	Universal	Front Low Beam Projected Low Beam + Positioning (With Led)	12
142702003	2702003		Universal	Front Low Beam Projected Low Beam + Positioning (With Led)	12
142702004	2702004	Akia:	Universal	Front Low Beam Projected Low Beam + Positioning (With Led)	12
142702010	2702010	Otokar: 13H11-35536-AA Güteryüz: A01 291 0002	Universal	Bi-Halogen Low + High Beam Light	12
142702011	2702011		Universal	Bi-Halogen Low + High Beam Light	12
142702012	2702012		Universal	Bi-Halogen Low + High Beam Light	12
142702013	2702013		Universal	Bi-Halogen Low + High Beam Light	12
142702020	2702020		Universal	Front Fog Light	18
142702021	2702021	Otokar: 83A82-35580-AA	Universal	Front Fog Light	18
142702030	2702030	Otokar: 13M00-36528-AA	Universal	Turn Signal Light Front Signal + Position	15
142702031	2702031	Otokar: 13M00-36530-AA	Universal	Turn Signal Light Front Signal + Position	15
142702040	2702040		Universal	Turn Signal Light Front Signal, Cadface	15
142702042	2702042		Universal	Turn Signal Light Front Signal + Position	15
142702043	2702043		Universal	Turn Signal Light Front Signal, Cadface	15
142908010	2908-01		Universal	Marker Light	26
142908080	2908-08		Universal	Marker Light	26
143058002	3058002		FORD	TRANSIT Bus/Box/Platform/Chassis 2006 - 2011 / Housing, outside mirror	40
143061015	3061015		IVECO	DAILY IV Box Body/Estate/Dumptruck/Platform/Chassis 2006 - 2011 / Mirror Glass, outside mirror	42
143061016	3061016		IVECO	DAILY IV Box Body/Estate/Dumptruck/Platform/Chassis 2006 - 2011 / Mirror Glass, outside mirror	42
143061018	3061018		IVECO	DAILY IV Box Body/Estate/Dumptruck/Platform/Chassis 2006 - 2011 / Mirror Glass, outside mirror	42
143061110	3061110		IVECO	DAILY IV Box Body/Estate/Dumptruck/Platform/Chassis 2006 - 2011 / Sensor, exterior temperature	42
143061301	3061301		IVECO	DAILY IV Van 2006 - 2011	40
143061302	3061302		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061303	3061303		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061304	3061304		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061305	3061305		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061306	3061306		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061307	3061307		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061308	3061308		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061309	3061309		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061310	3061310		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061311	3061311		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061312	3061312		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061313	3061313		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061314	3061314		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061315	3061315		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061316	3061316		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061317	3061317		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061318	3061318		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061319	3061319		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061320	3061320		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061321	3061321		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40

Ulo-no.	Old Ulo-no.	OEM Reference	Brand	Model	Page
143061322	3061322		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061324	3061324		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061326	3061326		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror Surface: black grained mat	40
143061901	3061901		IVECO	DAILY IV Van 2006 - 2011 / Cover, outside mirror	41
143061902	3061902		IVECO	DAILY IV Van 2006 - 2011 / Cover, outside mirror	41
143121005	3121005		MERCEDES-BENZ	VITA/MIXTO VAN (W639), VITO Bus (W639) 2010 - 2014 / Outside Mirror for facelift with mirror glass	45
143121202	3121202		MERCEDES-BENZ	VITA/MIXTO VAN (W639), VITO Bus (W639) 2010 - 2014 / Mirror Glass, outside mirror for facelift	45
143121310	3121310		MERCEDES-BENZ	VITA/MIXTO VAN (W639), VITO Bus (W639) 2010 - 2014 / Outside Mirror for facelift with mirror glass	45
143134101	3134101		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Indicator	42
143134102	3134102		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Indicator	42
143134201	3134201		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Mirror Glass, outside mirror	41
143134202	3134202		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Mirror Glass, outside mirror	41
143134301	3134301		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134302	3134302		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134303	3134303		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134304	3134304		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134305	3134305		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134306	3134306		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134307	3134307		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134308	3134308		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134309	3134309		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134311	3134311		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134312	3134312		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134313	3134313		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134314	3134314		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror with mirror glass Surface: grained	42
143134501	3134501		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Cover, outside mirror	41
143134502	3134502		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Cover, outside mirror	41
143134503	3134503		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Cover, outside mirror	41
143134504	3134504		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Cover, outside mirror	41
143134505	3134505		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Cover, outside mirror	41
143134506	3134506		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Cover, outside mirror	41
143142201	3142201		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Mirror Glass, outside mirror	44
143142202	3142202		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Mirror Glass, outside mirror	44
143142203	3142203		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Mirror Glass, outside mirror	44
143142204	3142204		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Mirror Glass, outside mirror	44
143142303	3142303		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142304	3142304		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142305	3142305		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142306	3142306		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142307	3142307		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142308	3142308		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142309	3142309		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142310	3142310		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44

Original equipment for lights and mirrors

Ulo-no.	Old Ulo-no.	OEM Reference	Brand	Model	Page
143142401	3142401		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Cover, outside mirror	45
143142402	3142402		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Cover, outside mirror	45
143251020	3251-02		Universal	Indicator	22
143251030	3251-03		Universal	Indicator	22
144498410	4498-41		SETRA	Series 300 1991 - 2002 / Combination Rear Light	46
144651090	4651-09		Universal	Rear Reflector	36
144742110	4742-11		Universal	Rear Reflector	37
144742130	4742-13		MAN	Reflector	43
144755010	4755-01		MERCEDES-BENZ	T1 Bus/Box/Platform/Chassis (602) 1987 - 1996 / Reflex Reflector	44
144755030	4755-03		Universal	Rear Reflector	37
145613500	5613-50		Universal	Marker Light	27
145615200	5615-20		Universal	Side Marker Light	28
145615230	5615-23		Universal	Side Marker Light	28
145615270	5615-27		Universal	Side Marker Light	28
145615300	5615-30		Universal	Side Marker Light	28
145615350	5615-35		Universal	Side Marker Light	28
145615360	5615-36		MAN	Side Marker Light	43
145615380	5615-38		Universal	Side Marker Light	28
146715150	6715-15		MERCEDES-BENZ	EVOBUS TRAVEGO BUS 2005 - / Direction Indicator	46
146715160	6715-16		MERCEDES-BENZ	EVOBUS TRAVEGO BUS 2005 - / Direction Indicator	46
146722040	6722-04		MERCEDES-BENZ	EVOBUS TRAVEGO BUS 2005 - / Bulb Holder, Rear Light Assembly	46
147080900	708090		Universal	Indicator	23
147081000	708100		Universal	Indicator	23
147164700	716470		Universal	Indicator	23
147164800	716480		Universal	Indicator	23

odelo Bulgaria EOOD
ULO Aftermarket

Industrial zone Kapsida
11 Bavaria Str.
4101 Kuklen
Bulgarien

info@ulo.de

www.ulo.de

© 2024 ULO Aftermarket

Reprint or reproduction of text and images including storing and use on optical or electronic data media subject to the consent of the editor. No liability for any errors or misprints.

ORIGINAL

ULO Aftermarket

E-Mail info@ulo.de
Web www.ulo.de

 [ulo_aftermarket](https://www.instagram.com/ulo_aftermarket)

 [ULO Aftermarket](https://www.facebook.com/ULO.Aftermarket)

 [ULO Aftermarket](https://www.linkedin.com/company/ULO-Aftermarket)



02.2024

ULO - a brand of the odelo group