

TROTON **BRAYT**®

POLISHING SYSTEM



TROTON®

T1 STRONG - POLISHING COMPOUND

- Removes 1500 grit sanding traces.
- Works with all types of polishing pads.
- Suitable for all types of coating.
- Does not contain fillers.
- Applicable also on fresh, polymerized paints.
- Easy to use.
- For machine or manual processing.

Processing: manual work, mechanical work (rotary, orbital)

Polishing pads: hard polishing foam (yellow), lambswool yellow, lambswool white, orange peel removal pad "jeans"

Cut level: ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

Gloss level: ■ ■ ■ ■ ■ ■ ■ ■ ■ ■



Unit amount	Product number
250 g	10090
1 kg	10091
100 g x 12 pcs display	10330
galon (4,5kg)	10103

T11 - POLISHING COMPOUND

- Removes P1500 grit sanding traces.
- Suitable for all types of coating.
- Applicable also on fresh, polymerized paints.
- For machine or manual processing.
- The best results are obtained with polishing wool or hard polishing foam.

Processing: manual work, mechanical work (rotary)

Polishing pads: hard polishing foam (yellow), lambswool yellow, lambswool white, orange peel removal pad "jeans"

Cut level: ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

Gloss level: ■ ■ ■ ■ ■ ■ ■ ■ ■ ■



Unit amount	Product number
150 g	10092
1 kg	10093
1 kg (bottle)	14711
3 kg	11254

T2 - ANTIHOLOGRAM & MICROSCRATCH REMOVER

- Designed to remove holograms, swirls and micro scratches on painted surface.
- Suitable also to eliminate traces after polishing.
- Guarantees the ideal colour depth and gloss.
- Creates a protective layer resistant to detergents.
- Does not contain silicone.

Processing: manual and machine work (rotary, orbital)

Polishing pads: soft polishing foam (grey), polishing foam finish (black), microfiber polishing head, microfiber finishing head, orange peel removal pad "corduroy"

Cut level: ■■■■■□□□□□□

Gloss level: ■■■■■■■■■■■■



Unit amount	Product number
250 g	11733
1 kg	11734
100g x 12 pcs display	11735

T3 - QUICK WAX & SHINE

- Wax based product designed to be used on every smooth and glossy surface (lacquered surfaces, glass surfaces and plastics)
- Offers protective and conditioning properties that refresh the painted surface enhancing the colour depth and gloss.
- Creates a protective hydrophobic film that repels water.
- Does not leave traces on plastic and rubber.
- Suitable for hand and machine work

Processing: manual and machine work

Polishing pads: polishing foam finish (black), microfiber polishing head, microfiber finishing head.

Cut level: □□□□□□□□□□

Gloss level: ■■■■■■■■■■■■



Unit amount	Product number
500 ml	12152
1 L	12153

T4 - PROTECT LIQUID

- Protective action for minimum 6 months.
- Can be used on all types of coating.
- Water based product.
- Easy to use.
- For machine or manual processing.
- Contains UV filters.

Processing: manual work, mechanical work (orbital)

Polishing pads: polishing foam finish (black), microfiber cutting pad, microfiber finishing pad

Cut level: ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

Gloss level: ■ ■ ■ ■ ■ ■ ■ ■ ■ ■



Unit amount	Product number
250 ml	300005446
500 ml	300005447
1L	300005448

R1 - REGENERATION

- Product intended to restore and refresh plastic surfaces.
- Suitable also to use on metal (chrome, brass, stainless steel, aluminium) and painted or varnished surfaces.
- Agent has a strong penetrating ability that restores lost color and luster.
- After drying creates flexible and resistant finishing coating.



Unit amount	Product number
250 ml	300007597

FINAL CLEANING

- Designed to be used on all types of paints, varnishes (including hs, 2K, nitro, synthetic) and plastics, gel coats, glass and mirrors.
- Effectively removes mold and residue of abrasive and protective compounds (wax, silicones).
- Final cleaning allows for a better evaluation of the achieved results and gloss level.
- Very easy to use (for manual application).



Unit amount	Product number
500 ml	11849

BATTERY INSPECTION LAMP

Brayt 5W battery inspection lamp is a portable lamp that perfectly recreates natural light conditions.

A modern cob led source of light with a very high colour rendering index: cri=95 that is close to sun-light and allows for perfect colour and shade matching, for example in case of car lacquers. It makes it easier to check the colour against the colour template and inspect the effects of the coating work. In the light of the 5W battery inspection lamp, it is easy to spot even the smallest defects in the coating such as stains, holograms or surface overheating.

Checking the color with the stencil - take off the lens (scattered light).

Checking the surface- with the lens attached.



Product number
300008049

HEADLIGHT RESTORATION KIT

Set of products to refresh tarnished headlight as well as regenerate damaged protective layer. Suitable for machine and hand application. Mainly dedicated to headlights made of plastics.

Set consists of:

- Brayt T11 Polishing compound 150 g
- Brayt T4 Protect liquid 50 ml
- User manual



Product number

300006686



NEW BRAYT SETS

HEADLIGHT RESTORATION KIT COMPLETE

- The set is designed for renovation of headlights.
- Protects the reflector from external factors for a period of 6 months.
- Includes UV filters.
- Can be polished by hand or by machine.

Set consists of:

- Brayt T11 Polishing compound 150 g
- AddsTROTON masking type 38 mm x 50 m
- Brayt Protect liquid T4 50 ml
- Brayt Backing plate Ø 75 mm (3"), M14 or 5/8" (screw)
- Adaptor M14 / Impact drill (reduction) or
- Adaptor 5/8" / Impact drill (reduction)
- Brayt Lambswool Ø 80 mm white
- Brayt Polishing pad 80 mm red (soft),
- Brayt Microfiber cloth 40 x 40 cm red



Product number

300008348

ALL IN ONE EXCEPTIONAL

- Easy to use set for polishing and regeneration of all types of clear coats.
- Polish with a single-step hand paste or by machine.

Set consists of:

- Brayt One Step Polishing compound 100 g
- Brayt Backing plate Ø 75 mm (3"), M14 or 5/8" (screw)
- Adaptor M14 / Impact drill (reduction) or Adaptor 5/8" / Impact drill (reduction,
- Brayt Lambswool Ø 80 mm white
- Brayt Polishing pad 80 mm red (soft),
- Brayt Microfiber cloth 40 x 40 cm red



Product number

300008347

HELP YOUR CAR FEEL YOUNG AGAIN

- Set for polishing and regeneration of all types of clear coats.
- A two-stage polishing process, especially recommended for polishing difficult - dark top coats, as well as for deeper scratches.

Set consists of:

- Brayt T1 Strong Polishing compound 100 g
- Brayt T2 Antihologram & Microscratch Remover 100 g
- Brayt Backing plate Ø 75 mm (3"), M14 (3")
- Adaptor M14 / Impact drill (reduction)
- Brayt Foam polishing pad Ø 80 mm orange / pink (hard)
- Brayt Foam polishing pad 80 mm finisz red (soft)
- Brayt Microfiber cloth 40 x 40 cm red or white



Product number

300008346

STARTER-SET

Set consists of:

- Brayt T1 Strong Polishing compound 250 g
- Brayt T2 Antihologram & Microscratch Remover 250 g
- Brayt T3 Quick Wax&Shine 500 ml
- Brayt T4 Protect liquid 250 ml
- + 2 pcs microfibre cloths free of charge!



Product number

10321

Polish as effectively as never before.

Brayt polishing foams are made of innovative foam, which reduces the surface overheating effect. Unique shape makes it easy to polish hard-to-reach places. They achieve a perfect end result together with BRAYT polishing compounds.



Yellow foam - hard

foam dedicated for polishing and use with compounds of the first and second step (from cutting to polishing). Perfectly works with Brayt compounds, ensuring excellent polishing results when removing large and medium paint defects. Recommended for use with Brayt polishing compounds: T1 Strong, One Step Premium, One Step, T11.

POLISHING

**DEEP SCRATCHES
(P1500 PAPER DEFECTS)**
WORK WITH A ROTARY MACHINE

STEP 1

T1 Strong



Hard foam
yellow



CUT LEVEL



GLOSS LEVEL



STEP 2

**T2 Antihologram
& Microscratch
Remover**



Soft foam
grey



CUT LEVEL



GLOSS LEVEL



FOR SUPER FINE FINISH

Finish foam
black



CUT LEVEL



GLOSS LEVEL





Soft foam - grey

foam dedicated for finishing, removing holograms and minor scratches. Gives surfaces a perfect finish. Recommended for use with Brayt polishing compounds: One Step Premium, One Step, T2 Antihologram&Microscratch Remover.



Finish foam - black

foam dedicated for finishing, removing micro scratches and holograms as well as applying waxes and protective coatings. Gives surfaces a perfect finish. Recommended for use with Brayt polishing products: T2 Antihologram&Microscratch Remover, T3 Quick Wax&Shine, T4 Protect Liquid.

SYSTEM

**DEEP SCRATCHES
(P1500 PAPER DEFECTS)**
*WORK WITH A ROTARY MACHINE AND
ORBITAL MACHINE (DUAL ACTION)*


1a

**DEEP SCRATCHES
(P2000 PAPER DEFECTS)**
*WORK WITH A ROTARY MACHINE AND
ORBITAL MACHINE (DUAL ACTION)*

1a


**ONE STEP
Premium**

Hard
foam
yellow




1b (aplicator change)

Soft
foam
grey




ONE STEP

Hard
foam
yellow



1b (aplicator change)

Soft
foam
grey



POLISHING FOAM HARD (YELLOW)

Polishing pad made of innovative open-cell polyurethane foam dedicated for polishing and use with first and second step polishing compounds (from cutting to polishing). Perfectly works with Brayt polishing compounds ensuring excellent results when removing large and medium paint defects.

Recommended for use with Brayt polishing compounds: T1 Strong, One Step Premium, One Step, T11.



	Product number
Ø 150 x 25 mm	300009333
Ø 80 x 25 mm	300009334

POLISHING FOAM SOFT (GREY)

Polishing pad made of innovative open-cell polyurethane foam dedicated for finishing, removing holograms and minor scratches. Gives surfaces a perfect finish.

Recommended for use with Brayt polishing compounds: One Step Premium, One Step, T2 Antihologram&Micro-scratch Remover.



	Product number
Ø 150 x 25 mm	300009335
Ø 80 x 25 mm	300009336

POLISHING FOAM FINISH (BLACK)

Polishing pad made of innovative open-cell polyurethane foam dedicated for finishing, removing micro scratches and holograms as well as applying waxes and protective coatings. Gives surfaces a perfect finish.

Recommended for use with Brayt polishing products: T2 Antihologram&Microscratch Remover, T3 Quick Wax&Shine, T4 Protect Liquid.



	Product number
Ø 150 x 25 mm	300010084
Ø 80 x 25 mm	300010085

POLISHING PAD „EXTRA CUT”

Professional polishing pad made of Australian woven wool combined with an open-cell foam. Characterized by its strong cutting force. Intended for the first stage of polishing, removing defects and refreshing hard, fully polymerized clearcoats.

For use with rotary machines.



	Product number
Ø 140 mm	300010019

PROFESSIONAL POLISHING WOOL

Professional polishing 100% natural wool pad (8 mm length of the nap) based on polyurethane foam. Designed for polishing and finishing using a rotary polisher.



	Product number
Ø 150 mm	300007652

POLISHING LAMBSWOOL „MM” WHITE

Professional polishing head made of 100% natural lambswool. Especially designed to remove defects after abrasive paper, operating dulling etc. Offers best finishing results after P1200 – P1500 abrasives. High performance, elasticity, very stable working temperature. Product can be used for automotive, furniture and composites.



		Product number
“MM” White	Ø 80 mm	300006473
“MM” White	Ø 150 mm	300005558
“MM” White	Ø 180 mm	300005557

POLISHING LAMBSWOOL „D” YELLOW

Professional polishing pad made from 100% natural lambswool. High quality applicator designed to remove defects and refresh very hard surfaces as ceramic lacquer, gel coat, industrial paints cured by UV. Product is suitable for use in automotive, furniture and composite industry.



		Product number
“D” Yellow	Ø 130 mm	300006472
“D” Yellow	Ø 150 mm	300005556
“D” Yellow	Ø 180 mm	300005555

LAMMBSWOOL POLISHING APPLICATORS

Polishing applicators made of 100% natural lambswool. Perfect for removing scratches on large surfaces. Polishing ball dedicated to polishing hard-to-reach places.

		Nº de artículo
Ball	Ø 80 mm	300006619
One sided	Ø 200 mm	300006613
Double sided	Ø 220 mm	300006614



PAINT AND GLASS CLAY BAR

Clay bar for cleaning painted coatings and glass. Perfect to remove dirt such as resin, asphalt, paint residues and other impurities difficult to clean. It doesn't scratch and doesn't make the surface matt. Suitable for all automotive and industrial lacquers.



Product number
300006617

MICROFIBER CUTTING PAD

Disc made of microfiber placed on a foam with velcro.
Recommended to use with rotary and orbital polisher.
It helps to correct micro-defects on painted surface.



	Product number
Ø 130 mm	300006609

MICROFIBER FINISHING PAD

Disc made of microfiber placed on soft foam with velcro.
Recommended for finishing using rotary polisher and orbital.
Allows for the perfect shine.



	Product number
Ø 130 mm	300006610

ORANGE PEEL REMOVAL PAD „CORDUROY”


Product designed to eliminate or reduce orange peel effect on surfaces without sanding (comparable to P3000 abrasive paper). Does not cause dulling and fogging.
For professional use only with an orbital or rotary polisher.
To be used with polishing compound.



	Product number
Ø 135 mm	300006611

ORANGE PEEL REMOVAL PAD „JEANS”


Product designed to eliminate or reduce orange peel effect on surface without sanding (comparable to P2000 abrasive paper). Does not cause dulling and fogging.
For professional use only with an orbital or rotary polisher.
To be used with polishing compound.



	Product number
Ø 135 mm	300006612

PAINT AND GLASS CLEANING PAD

Cleaning pad designed for cleaning painted surfaces and glass manually or mechanically. Successfully removes stubborn impurities such as resin, traces of insects etc.
Safe for all types of automotive and industrial paints.



	Product number
Ø 150 mm	300006618

BACKING PLATE

- **YELLOW - BLACK UNIVERSAL** - Standard backing plate intended for polishing head with flexible edge.
- **RED SOFT** - Universal backing plate with flexible and soft divider, designed for polishing surfaces with lots of overpress.
- **BACKING PLATE DRILL AND POLISHER**
- **BACKING PLATE RED** - Backing plate with flexible part for free polishing and access to hard-to-reach places. Dedicated to 80 mm BRAYT polishing pads, polishing lambswool and other applicators with Ø 75 mm.
- **BACKING PAD RED THIN** - Backing plate with a flexible, soft part for polishing surfaces with a large number of ribs. Dedicated for all kind of applicators with diameter from 150 mm.
- **BACKING PLATE YELLOW FLEXI** - Ideal for working with BRAYT Polishing - Finishing Ø 230 mm pad and other applicators with Ø 180 mm and high diameter. Thanks to its flexible construction, the applicator is easy to work with and access hard-to-reach areas.



		Product number
YELLOW-BLACK UNIVERSAL	Ø 150 mm	300005880
YELLOW-BLACK UNIVERSAL	Ø 120 mm	300005879
RED SOFT	Ø 80 mm	300007933
RED SOFT	Ø 120 mm	300005881
DRILL BANKING PLATE	Ø 50 mm	300006615
POLISHER BANKING PLATE	Ø 50 mm	300006616
PAD RED THIN	Ø 150 mm	300007932
PLATE YELLOW FLEXI	Ø 180 mm	300006474
REDUCTOR from M14 screw		300007934

MICROFIBER CLOTHS

- **RED** – recommended for manual polishing.
- **GREY** – perfect for finishing.
- **DARK GREY (yellow hem)** – ideal for window panels.
- **DARK GREY (red hem)** – for general use, suitable for polishing and removal of polishing compound residue.
- **YELLOW** – perfect for waxes.
- **WHITE** – for drying and cleaning all kinds of surfaces.



		Product number
RED	40 x 40 cm	300005575
GREY	40 x 40 cm	300005573
WHITE	40 x 60 cm	300007648
DARK GREY (RED HEM)	40 x 60 cm	300007649
YELLOW	40 x 40 cm	300007650
DARK GREY (YELLOW HEM)	40 x 40 cm	300007651

TROTON
BRAYT[®]



More about www.brayt.eu



TROTON Sp. z o.o.
Poland 78-120 Gościno, Ząbrowo 14A
tel./fax +48 94 351 23 94, +48 94 351 26 22
troton@troton.com.pl
www.troton.eu

DISTRIBUTOR STAMP :