# DYNAMIC BALANCING MACHINE





# We make balancing easier

- Manufacturing of balancing machines for various workpieces of all types and sizes.
- Equipment and tooling are offered only in accordance with specifics of your business.
- Training of personnel to working skills on the machine.
- Commissioning and adjustment works at the customer's location.

## **BALANCING MACHINE**

## 9D713 / 9D714

for light weight rotors up to 30 kg / 60 kg.



## **BALANCING MACHINE**

## 9D716

for wide range of rotors weighing up to 500 kg.



## **BALANCING MACHINE**

## 9D715 / 9D715U

for rotors weighing up to 100 kg / 300 kg.



## **BALANCING MACHINE**


## 9D718

for wide range of rotors weighing up to 3000 kg.



## **BALANCING MACHINE**

for wide range of rotors weighing up to 1500 kg.





# Manufacturing balancing machines FOR EVERY NEEDS

# **BALANCING MACHINE**

9D718U

for wide range of rotors weighing up to 5000 kg / 8000 kg.



## **Product range**

Dynamic balancing machine: Model	9D713 9D714	9D715	9D715U	9D716	9D717	9D718	9D718U
Mass Range of Balanced Rotors, kg	0,3-30 (60)	1-100	1-300	5-500	15-1500	30-3000	50-8000
The largest diameter of the balanced rotor, mm	700	850	850	1300	1800	2000	2500
The distance between the middle of the rotor bearings, mm	10-700	150-1350	150-1350	200-2000	360-3000	470-3000	470-4000
The diameter of the supporting journals of the rotor, mm	10-100	20-140	20-140	30-180	40-230	50-300	50-300
Minimum achievable residual specific imbalance, gmm / kg	0,4	0,4	0,4	0,4	0,4	0,4	0,4
Electric motor power, kW	0,75	2,2	2,2	4	7,5	15	22
The frequency of rotation of the balanced rotor, rpm	200-2000	300-1500	300-1500	300-1500	250-1200	250-1000	250-1000



Reliable and productive



No need for expensive maintenance



Fast payback time

Our machines make your business more profitable!

+380 50 492 0330 sales@vtm.group www.vtm.group



