Ultimate ADAS®

World-class wheel alignment and ADAS in one!











Fastest ADAS target placement...confirmed


Plus profitable and fast wheel alignment



PATENT PENDING

Laser-guided target placement

- ✓ Lasers paint target location all around the vehicle
- Guided procedure provides step-by-step instruction
- No strings, plumb bobs or tape measures



PATENT PENDING

Error-proofed procedure confirms placement


- Cameras and lasers confirm placement
- Returns tech to previous step when errors are detected



PATENTED

Guided placement powered by laser gimbals for maximum accuracy

- Green line and red dot provide guidance
- Around-the-vehicle coverage
- ✓ Spot-on placement with time of flight





Easy setup with no wheel damage

QuickGrip® adaptors and TD targets reference wheel position without risking wheel damage



4-camera technology improves accuracy

- ✓ Wide field of view
- ✓ Fewer camera height adjustments
- ✓ OEM approved precision



Fast, familiar technician interface simplifies procedures

Computer-controlled fine adjustments done electromechanically and automatically



PATENTED

Automated height, roll, pitch and yaw correction

Motors and actuators automate and monitor tedious adjustments



HunterNet® online resources pull it all together

- ✓ Digital printout archive
- Coverage lookup
- Other business services and accessory ordering



World-class printouts document work

- Easily understood graphics
- Confirmed OEM specs
- Speeds payment

The most popular static calibrations are covered

Forward-facing camera






- ► Placement in **4:00** or less
- ► Confirmed placement and documentation


Front-facing radar





- ▶ Placement in **3:30** or less
- ► Confirmed placement and documentation


Surround view




- ► Placement in **3:30** or less
- ► Confirmed placement and documentation

Lane watch






- ▶ Placement in **4:00** or less
- ► Confirmed placement and documentation









- ► Placement in **3:45** or less
- ► Confirmed placement and documentation

Ultimate ADAS® has thought of everything to make your ADAS calibrations as easy as alignment



PATENT PENDING

Automatic unlevel floor compensation

No floor is perfect, so we remove the guesswork.



Lasers compensate and confirm all ADAS tool placement.



No more strings and plumb bobs

Laser gimbals guide target placement.



Automated roll. pitch and yaw adjustments

Automated adjustments remove error sources.



Automated height adiustment

For alignment and ADAS.



Most precise target placement

Rail sensors align target to vehicle.



Maximize bay space

Tower maneuverable from behind or in front.



Battery backup

No need to power down when moving bay to bay.



Industry's best adaptors

- ✓ Faster setups
- ✓ No metal-to-metal contact
- No knob twisting



EXCLUSIVE

Rolling comp

QuickComp compensates all wheels and captures initial measurements in one motion



STANDARD

Recall specs in a snap

Recall OE specs and vehicle-specific alignment procedures instantly



EXCLUSIVE

Faster Caster

Saves time, increases speed and reduces battery drain from brake light draw



PATENTED

CodeLink® included

Reset computerized steering systems on a wide variety of vehicles with one simple tool



Integrated target storage

Protect and organize your target investment.



Automated system calibration check

Checks and confirms system performance before starting a vehicle calibration.



PATENT PENDING

Independent brakes


Makes placement operations easy.



Move from bay to bay

When additional space is needed, moving Ultimate ADAS® is easy.

The ultimate stand for remote targets






Rich library of targets for the most popular models

Forward-facing camera







Around-vehicle cameras




Radar plate






confirmed placement

Target verification electronics





At critical placement steps electronics verify the correct target is being used.

The documentation you need, paper and digital

Modern Motors R021673 2/1/24 3:34 PM ummerdale, CA 91345 Tel: (800) 555-4823 **Memorialize the** procedures performed Wheel Alignment ✓ Each ADAS calibration performed with confirmed process and placements used ✓ Before and after alignment VIN: JN8AT3CB8MW240706 results Forward-Facing Camera ✓ Steering angle sensor (SAS) COMPLETE reset results ✓ Digital report automatically Target(s) used archived Electronic Stability Control (ESC) VIN: 1C3CCCB5GN147435 COMPLETE Blind Spot Monitoring Right Rear Front Facing Radar COMPLETE Page 2 of 4 Repair Order: R021673 Surround Cameras Page 3 of 4

Ultimate ADAS® eclipses all alternatives

Savings available from current ADAS® flat rate guides. Exact times THE OLD WAY and savings depend on vehicle. Blind spot / Rear corner radar 12% 1.3 hours **SAVINGS** 55% Lane watch **SAVINGS** 0.6 hours Surround view 45% SAVINGS 0.5 hours Plus wheel alignment 39% **SAVINGS** 0.9 hours Forward-facing camera Ultimate ADAS also includes Hunter's world-class alignment system, powered by the **51%** award-winning WinAlign® 0.7 hours software. SAVINGS Front-facing radar

Living with your ADAS choice

FIXTURE-BASED



- Reserved open space accumulates "stuff" between calibrations
- ★ Square footage is expensive



VS

- Single purpose fixture only sees occasional use
- Damage risk to move and store





- → ROI begins on day one and continues every day
- Easy to move bay to bay as needed
- Efficient packaging keeps all components together



Take control of your connectivity and manage your most profitable equipment

- ✓ View previously serviced vehicles and recall printouts
- Set goals and see how your equipment performs day to day
- Receive daily push reports to keep your goals and performance in check
- Buy genuine Hunter® consumables



Ultimate ADAS® includes installation and training

✓ The industries largest network of 750+ local reps get you going right away





LASER LIGHT
AVOID DIRECT EYE EXPOSURE
CLASS 3R LASER PRODUCT
638nm & 520nm < 5mW CW
LRF 635nmc* 1mW
EN/IEC 60825-1 2014

