


STEERING & SUSPENSION BEV CATALOGUE.

2024

#WEENGINEER
#WEMANUFACTURE
#WEPERFORM



SCAN FOR OUR
INTERACTIVE TOOL





SIDEM STEERING & SUSPENSION PARTS.



TIE ROD ENDS

BALL JOINTS

TRACK CONTROL ARMS

STABILISER LINKS

ENGINEERED INTO THE SMALLEST DETAILS.



SILENT BLOCKS



STRUT MOUNTS



STEERING RACK GAITERS

REINFORCED PARTS

FOR BATTERY ELECTRIC VEHICLES.

Battery Electric Vehicles (BEVs) put extra stress on steering and suspension parts. Compared to combustion cars, BEVs are much heavier due to the battery pack and they accelerate much faster. Sidem's range of BEV components are reinforced to cope with this extra weight, the higher torque and vibrations for a safe and comfortable drive.

STRONGER DESIGN

Sidem BEV steering and suspension parts use ball studs made from chrome steel for strength and durability. The ball pins' diameter is important to cope with the heavy load and higher torque of BEVs. Sidem's BEV ball pins for ball joints, axial joints and stabilizer links have a larger diameter than those for cars with Internal Combustion Engines (ICE).

Moreover, BEVs focus on aerodynamics to improve efficiency and their driving range. The suspension is designed to maintain the vehicle's aerodynamic profile, by reducing body roll when cornering. Sidem's BEV stabiliser links have larger ball pin diameters, ensuring the anti-roll bar can withstand the heavy load and higher torque of battery electric vehicles.



For several Tesla models, Sidem ball pin diameters are larger than the original equipment (OE) versions for extra resistance to the higher weight and torque.

VIBRATION & NOISE REDUCTION

Finally, BEVs produce less noise and vibration than combustion engines. So, minimizing road noise and vibrations transmitted to the cabin becomes even more important. Sidem's range of silent blocks supports movement and isolates vibrations and noise for a higher driving comfort.



The Audi e-tron's track control arms are equipped with hydraulic silent blocks. The hydraulic fluid flows through rubber chambers, resulting in better absorption of even the smallest vibrations.

84%
coverage

32
car brands

1073
items

153
car models

134
personal
vehicles

19
light commercial
vehicles



**DOWNLOAD
THE SIDEM
BEV PARTS
CATALOGUE**

SAFER INSTALLATION

Sidem also offers a track control arm with a different design as a solution to the problem of weak link ball joints. The ball joint of Sidem's track control arm for the first generation Tesla models is incorporated directly into the aluminum housing, resulting in the part functioning with maximum strength. This ensures a safe installation and drive.



Incorporated ball joint in track control arm for Tesla.


" For ICE and all types of EVs, Sidem has the highest coverage in steering and suspension parts."



SIDEM DOCUMENTATION

TOOLS & TIPS

FOR MECHANICS.



INSTALLATION VIDEOS

Visit the Sidem Youtube channel and find solutions about the installation of steering and suspension parts.



MOUNTING ADVICE

Scan the QR code to download the brochure with tips for the inspection and repair of steering and suspension parts.



INTERACTIVE PRODUCT TOOL

Scan the QR code to discover the Sidem product ranges into the smallest details.




SIDEM MOVIE

On your marks, get set, go! Scan the QR code for the Sidem movie.



NEWSLETTER

Subscribe on sidem.eu to receive our digital newsletters.



SIDEM ON SPOTIFY

Sidem's car playlists on Spotify are the ultimate pit stops for your musical journey, making every road trip feel like a joyride!





FOLLOW US




STAY UP TO DATE.

Keep yourself up to date on the latest news about steering and suspension by subscribing to the Sidem newsletters on the website.



DOWNLOAD SIDEM'S MOBILE APP CATALOGUE



SIDEM STEERING & SUSPENSION.

DRIVEN BY FOCUS. LED BY EXCELLENCE.

Sidem is a family-owned company founded in 1933, the leading specialist in engineering and manufacturing of steering and suspension parts for Original Equipment Manufacturers (OEM) and the Automotive Aftermarket. The company offers the most comprehensive range in the industry with over 10,000 references for private and light commercial vehicles. Sidem has its own in-house engineering team, an IATF certified manufacturing facility and a central warehouse, all based in Europe.


SIDEM.EU

SIDEM 
Experts know why

SIDEM BEV CATALOGUE 2024

E-TRON (GEN)
E-TRON SPORTBACK (GEA)


09/2018 ->
09/2019 ->




Ref.	Sidem Ref.	description	OE-number	measures	Ref.	Sidem Ref.	description	OE-number	measures
1	37069	stabiliser link	4M0 411 317	L:170	12	37654	TCA left wobj	4M0 407 151 L	c:19.3 L:371
2	337.034	steering rack gaiter	4M0 423 831 B	D:57 d:16 L:203	13	37655	TCA right wobj	4M0 407 152 L	c:19.3 L:371
3	337.035	steering rack gaiter	4M0 423 832 B	D:80 d:16 L:219	14	837636	silentblock for TCA	4M0 407 182 A	di:12.1 do:55.2
4	37532	tie rod end left	4M0 423 811 D	c:17 th:FM16X1.5R	15	837635	silentblock for TCA	4M0 407 181	di:12.3 do:43.8
5	37533	tie rod end right	4M0 423 812 D	c:17 th:FM16X1.5R	16	37085	ball joint	4M0 407 689 C	c:20 do:49
6	37618	axial joint	4M0 423 810 C	th:MM16X1.5R L:235	17	37656	TCA left wbj	4M0 407 693 F	c:19.5 L:447
7	37650	TCA left wbj	4M0 407 505 B	c:18	18	37657	TCA right wbj	4M0 407 694 F	c:19.5 L:447
8	37651	TCA right wbj	4M0 407 506 B	c:18	19	837637	silentblock for TCA	4M0 407 183 B	di:12 do:80
9	37652	TCA left wbj	4M0 407 509 B	c:18	20	837642 KIT	silentblock kit	4M0 407 183 B S1	
10	37653	TCA right wbj	4M0 407 510 B	c:18	21	37007	mounting kit	WHT 006 542 S1	
11	837634	silentblock for TCA	4M0 407 515 A	di:10.2 do:46.3	22	370075	set TCA + stab. link + tr	4M0 407 693 F S1	

E-TRON (GEN)
E-TRON SPORTBACK (GEA)


09/2018 ->
09/2019 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	37558	TCA	4M0 505 323 G	L:295	9	837741	silentblock for TCA	Part of	di:10.2 do:40
2	37858	track rod	4M0 505 291 F	L:360	10	837749	silentblock for TCA	Part of	di:12.6 do:45
3	37859	track rod	4M0 505 292 F	L:360	11	837746	silentblock for TCA	Part of	di:14.4 do:50.5
4	37658	track rod	4M0 505 397 P	L:405	12	837727	silentblock for TCA	Part of	di:12 do:44.2
5	37659	track rod	4M0 505 398 P	L:405	13	837747	silentblock for TCA	Part of	di:12 do:42
6	37559	track rod	4M0 501 529 L	L:445	14	837748	silentblock for TCA	Part of	di:14.5 do:50
7	837745	silentblock for TCA	Part of	di:12 do:44	15	37161	stabiliser link	4M0 505 465 D	L:175
8	837743	silentblock for TCA	Part of	di:10.3 do:36.4					




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63068	stabiliser link left	9J1 411 317 B	L:450	7	863600	silentblock for TCA	Part of	di:10.2 do:48
2	63069	stabiliser link right	9J1 411 318 B	L:450	8	63550	TCA left wbj	9J1 407 151 G	c:19.8
3	63036	tie rod end left	9J1 423 811 B	c:15.5 th:FM16X1.5R	9	63551	TCA right wbj	9J1 407 152 G	c:19.8
4	63037	tie rod end right	9J1 423 812 B	c:15.5 th:FM16X1.5R	10	863603	silentblock for TCA	971 407 516	di:12.2 do:52.8
5	63017	axial joint	971 423 810	th:MM16X1.5R L:195	11	863668	silentblock for TCA left	971 407 183 D	di:25.7 do:86
6	63459	TCA wbj	9J1 407 021 B	c:18	12	863669	silentblock for TCA right	971 407 182 D	di:25.7 do:86



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63555	track rod	9J1 501 529	L:318	5	863738	silentblock for TCA	Part of	di:12.2 do:44.7
2	63554	track rod	971 505 323 B	L:314	6	63680	ball joint rear	9J1 501 341	di:12.1 do:47
3	63552	track rod	971 505 397 A	L:360	7	863739	silentblock for TCA	971 505 544	di:12.2 do:74.8
4	63553	track rod	971 505 398 A	L:360	8	63160	stabiliser link rear	971 511 467 F	L:144

Q4 E-TRON (F4B)
Q4 E-TRON SPORTBACK (F4N)


04/2021 ->
06/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63065	stabiliser link	1EA 411 315 C	L:300	6	63453	TCA right wbj	1EA 407 152 A	c:18.2
2	837408	bearing	5Q0 412 249 F	di:74 do:127 L:38.6	7	863649	silentblock for TCA	5Q0 407 183 E	di:13 do:65
3	63031	tie rod end	1EA 423 811 B	c:14.7 th:FM16X1.5R	8	863651	silentblock for TCA	1EA 407 183 D	di:15.1 do:60
4	63014	axial joint	1EA 423 810 C	th:MM16X1.5R L:412	9	63084	ball joint	1EA 407 365 A	c:18.2
5	63452	TCA left wbj	1EA 407 151 A	c:18.2					

Q4 E-TRON (F4B)
Q4 E-TRON SPORTBACK (F4N)


04/2021 ->
06/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63356	TCA	1EA 505 323 A	L:293	5	63359	track rod	1EA 505 291 A	L:312
2	63357	TCA	1EA 505 397 B	L:398	6	63450	TCA	1EA 505 311 E	L:425
3	837743	silentblock for TCA	Part of	di:10.3 do:36.4	7	63066	stabiliser link left	1EA 505 465	L:175
4	63358	track rod	1EA 501 529 B	L:256	8	63067	stabiliser link right	1EA 505 466	L:175

i3 (I01)


08/2013 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	21860	stabiliser link left	31 30 6 862 857	L:235	6	21318	axial joint	Part of	th:MM14X1.5R L:328
2	21861	stabiliser link right	31 30 6 862 858	L:235	7	21724	tie rod left	32 21 6 851 409	c:16.2
3	321.036	steering rack gaiter	32 10 6 865 380	D:52 d:14 L:187	8	21725	tie rod right	32 21 6 851 410	c:16.2
4	21832	tie rod end left	32 10 6 851 411	c:16.2 th:FM14X1.5R	9	21954	TCA left wbj	31 10 6 863 739	c:19.1
5	21833	tie rod end right	32 10 6 851 412	c:16.2 th:FM14X1.5R	10	21955	TCA right wbj	31 10 6 863 740	c:19.1

i4 (G26)


11/2021 ->



EXC.VSS STEERING



VSS STEERING



EXC. VSS EXC. STEERING



VSS STEERING



Ref.	Sidem Ref.	description	OE-number	measures	Ref.	Sidem Ref.	description	OE-number	measures
1	210060	stabiliser link left	31 30 6 893 359	L:316	12	21022	tie rod left	32 10 1 543 907	c:16.2
2	210061	stabiliser link right	31 30 6 893 360	L:316	13	21023	tie rod right	32 10 1 543 908	c:16.2
3	321.038	steering rack gaiter	32 10 6 871 895	D:60 d:13 L:193	14	8216000	silentblock for TCA	Part of	di:12.2 do:75.2
4	21040	tie rod end left	32 10 6 880 696	c:16.2 th:FM14X1.5R	15	210874	TCA left wbj	31 10 8 865 623	c:19.15 L:385
5	21041	tie rod end right	32 10 6 880 698	c:16.2 th:FM14X1.5R	16	210875	TCA right wbj	31 10 8 865 624	c:19.15
6	21319	axial joint	Part of	th:MM16X1.5R L:252	17	821692	silentblock for TCA	Part of	di:12.1 do:75.5
7	21020	tie rod left	32 10 6 880 695	c:16.2	18	210870	TCA left wbj	31 10 6 895 243	c:19.15 L:385
8	21021	tie rod right	32 10 6 880 697	c:16.2	19	210871	TCA right wbj	31 10 6 895 244	c:19.15 L:385
9	21838	tie rod end left	32 10 6 887 400	c:16.2 th:FM16X1.5R	20	8216001	silentblock for TCA	Part of	di:12.2 do:50.5
10	21839	tie rod end right	32 10 6 887 402	c:16.2 th:FM16X1.5R	21	210872	TCA left wbj	31 10 8 837 893	c:19.2 L:282
11	21411	axial joint	Part of	th:MM16X1.5R L:255	22	210873	TCA right wbj	31 10 8 837 894	c:19.2 L:282




i4 (G26)

11/2021 ->



UPPER




LOWER



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	210470	track rod	33 32 6 878 631	L:238	6	210677	track rod	33 32 6 895 256	L:448
2	210471	track rod	33 32 6 878 632	L:238	7	210279	track rod	33 30 6 868 688	L:343
3	210674	track rod	33 30 6 890 007	L:285	8	210679	track rod	33 32 6 895 251	L:415
4	210675	track rod	33 30 6 890 008	L:285	9	210164	stabiliser link left	33 50 6 895 143	L:90
5	210676	track rod	33 32 6 895 255	L:448	10	210165	stabiliser link right	33 50 6 895 144	L:95

iX (I20)


07/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	210161	stabiliser link	231 30 5 A80 6C2	L:200	9	210779	TCA right wbj	31 10 6 878 074	c:19.1
2	21044	tie rod end left	32 10 5 A2B D07	c:16.2 th:FM16X1.5R	10	8216010	silentblock for TCA	Part of	di:14.2 do:75.3
3	21045	tie rod end right	32 10 5 A2B D08	c:16.2 th:FM16X1.5R	11	210276	TCA left wbj	31 10 6 878 081	c:19.2
4	21114	axial joint	Part of	th:MM16X1.5R L:230	12	210277	TCA right wbj	31 10 6 878 082	c:19.2
5	210272	TCA left wbj	31 10 6 883 115	c:21	13	821684	silentblock for TCA	Part of	di:14.1 do:56.3
6	210273	TCA right wbj	31 10 6 883 116	c:21	14	821642	silentblock for TCA	31 10 6 771 897	di:14.3 do:43
7	821697	silentblock for TCA	Part of	di:10.3 do:39.5	15	210162	stabiliser link left	33 50 6 888 789	L:97
8	210778	TCA left wbj	31 10 6 878 073	c:19.1 L:435	16	210163	stabiliser link right	33 50 6 888 790	L:97

iX3 (G08)

09/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	21862	stabiliser link left	31 35 6 887 271	L:316	8	21727	tie rod right	32 10 6 871 892	c:16.2
2	21863	stabiliser link right	31 35 6 887 272	L:316	9	210170	TCA left wbj	31 10 6 890 905	c:19.1 L:375
3	321.038	steering rack gaiter	32 10 6 871 895	D:60 d:13 L:193	10	210171	TCA right wbj	31 10 6 890 906	c:19.1 L:375
4	21834	tie rod end left	32 10 6 871 889	c:16.2 th:FM14X1.4R	11	821692	silentblock for TCA	Part of	di:12.1 do:75.5
5	21835	tie rod end right	32 10 6 871 893	c:16.2 th:FM14X1.4R	12	210172	TCA left wbj	31 10 6 870 971	c:19.1 L:295
6	21319	axial joint	Part of	th:MM16X1.5R L:252	13	210173	TCA right wbj	31 10 6 870 972	c:19.1 L:295
7	21726	tie rod left	32 10 6 871 884	c:16.2	14	821693	silentblock for TCA	Part of	di:12.1 do:56




iX3 (G08)


09/2020 ->



UPPER




LOWER



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	210174	track rod	33 30 6 871 005	L:238	6	210677	track rod	33 32 6 895 256	L:448
2	210175	track rod	33 30 6 871 006	L:238	7	210678	track rod	33 30 6 871 879	L:343
3	210674	track rod	33 30 6 890 007	L:285	8	210270	track rod	33 30 6 871 020	L:412
4	210675	track rod	33 30 6 890 008	L:285	9	21864	stabiliser link	33 55 6 870 702	L:134
5	210676	track rod	33 32 6 895 255	L:448	10	821916	stabiliser mounting	33 55 6 788 058	di:17.5

iX1 (U11)

07/2022 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	21764	stabiliser link	31 30 6 862 864	L:320	7	210772	TCA left wbj	31 10 8 846 543	c:21
2	21042	tie rod end left	32 10 5 A1F 919	c:16.2 th:FM14X1.5R	8	210773	TCA right wbj	31 10 8 846 544	c:21
3	21043	tie rod end right	32 10 5 A1F 920	c:16.2 th:FM14X1.5R	9	8216007	silentblock for TCA	Part of	di:12.2 do:47.2
4	21113	axial joint	Part of	th:MM16X1.5R L:234	10	8216008	silentblock for TCA left	31 10 6 894 181	di:20 do:70
5	21024	tie rod left	32 10 5 A1F 916	c:16.2	11	8216009	silentblock for TCA right	31 20 6 894 182	di:20 do:70
6	21025	tie rod right	32 10 5 A1F 917	c:16.2	12	821678	silentblock for TCA	31 12 6 874 343	di:20 do:70

iX1 (U11)

07/2022 ->



1 821737



1 821737



2 210774



3 210776



2 210774



3 210776





4 21763



4 21763

Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	821737	silentblock for TCA	33 32 6 864 237	di:12.1 do:64.3	3	210776	track rod	33 32 6 894 276	L:533
2	210774	track rod	33 30 6 895 885	L:543	4	21763	stabiliser link	33 50 6 862 865	L:104


AMI (9A) 04/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53736	tie rod end left	Part of	c:12.2 th:FM12X1.25R	6	53252	TCA left wbj	98 316 264 80	c:20
2	53737	tie rod end right	Part of	c:12.2 th:FM12X1.25R	7	53253	TCA right wbj	98 320 392 80	c:20
3	53310	axial joint	Part of	th:MM14X1.5R L:216	8	53082	ball joint	98 246 263 80	c:20
4	853660	silentblock for TCA	Part of	di:12.2 do:38	9	845632	silentblock for TCA	Part of	di:12.1 do:32.5
5	853661	silentblock for TCA	Part of	di:12.2 do:56					

ë-BERLINGO (ER_, EC_)
ë-BERLINGO (K9)

06/2018 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53068	stabiliser link	98 090 457 80	L:335	10	53159	TCA right wbj	98 168 654 80 S2	c:16.7
2	853450	strut mount	98 004 797 80	di:16	11	53250	TCA left wbj	98 150 146 80 S1	c:16.7
3	853451	bearing	98 175 924 80	do:126	12	53251	TCA right wbj	98 150 143 80 S1	c:16.7
4	353.037	steering rack gaiter	16 108 175 80	D:51 d:12 L:186	13	853655	silentblock for TCA	96 760 321 80	di:14.3 do:43.4
5	53730	tie rod end left	16 108 177 80	c:14.5 th:FM14X1.5R	14	853658	silentblock for TCA	98 163 803 80	di:14.2 do:50
6	53731	tie rod end right	16 108 178 80	c:14.5 th:FM14X1.5R	15	53684	ball joint	98 310 885 80	c:16.7
7	53215	axial joint	16 488 367 80	th:MM14X1.5R L:205	16	53685	ball joint	98 310 888 80	c:16.6
8	53119	axial joint	16 112 423 80	th:MM14X1.5R L:208	17	807301	mounting axle body	5131 H1	di:14.3 do:82
9	53158	TCA left wbj	98 168 655 80 S2	c:16.7					

C-ZERO

10/2010 - 05/2020



1 71362



2 71363



4 71238



3 71117



3 71117



4 71238



7 71085



5 867607



6 871633



7 71085

Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	71362	stabiliser link left	5087 80	L:240	5	867607	silentblock for TCA	Part of	di:12 do:37
2	71363	stabiliser link right	5087 81	L:240	6	871633	silentblock for TCA	Part of	di:12.3 do:45
3	71117	axial joint	3812 G6	th:MM14x1.5R L:264	7	71085	ball joint	Part of	c:18 do:39.9
4	71238	tie rod end	3817 A6	c:13.4 th:FM12X1.25R					

E C3 III (SX)

07/2016 ->

Diagram illustrating the rear suspension assembly for the Citroën C3 III (SX). The components are numbered as follows:

- 1: 853837 Ø21 (Stabiliser mounting)
- 2: 53060 (Stabiliser link)
- 3: 53066 TYP 3 SUSP. (Stabiliser link left)
- 4: 53067 TYP 3 SUSP. (Stabiliser link right)
- 5: 853420 (Bearing)
- 6: 853448 (Strut mount)
- 7: 306.335 (Steering rack gaiter)
- 8: 53732 (Tie rod end left)
- 9: 53733 (Tie rod end right)
- 10: 53212 (Axial joint)
- 11: 53774 (TCA left wbj)
- 12: 53775 (TCA right wbj)
- 13: 853648 (Silentblock for TCA)
- 14: 853649 (Silentblock for TCA)
- 15: 53489 (Ball joint)
- 16: 53474 (TCA left wbj)
- 17: 53475 (TCA right wbj)
- 18: 53586 (Ball joint)

STANDARD SUSP. -> OPR 15665

Diagram illustrating the rear suspension assembly for the Citroën C3 III (SX) with standard suspension. The components are numbered as follows:

- 11: 53774 (TCA left wbj)
- 12: 53775 (TCA right wbj)
- 13: 853648 (Silentblock for TCA)
- 14: 853649 (Silentblock for TCA)
- 15: 53489 (Ball joint)

STANDARD SUSP. OPR 15666 ->


Diagram illustrating the rear suspension assembly for the Citroën C3 III (SX) with standard suspension. The components are numbered as follows:

- 16: 53474 (TCA left wbj)
- 17: 53475 (TCA right wbj)
- 18: 53586 (Ball joint)

Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	853837	stabiliser mounting	5094 C2	di:16.5	10	53212	axial joint	16 231 408 80	th:MM14X125R L:230
2	53060	stabiliser link	5087 59	L:336	11	53774	TCA left wbj	96 707 720 80	c:18
3	53066	stabiliser link left	5087 69	L:330	12	53775	TCA right wbj	96 707 714 80	c:18
4	53067	stabiliser link right	5087 68	L:330	13	853648	silentblock for TCA	3523 EA	di:18 do:55.3
5	853420	bearing	5035 27	di:65 do:99.5 L:20	14	853649	silentblock for TCA	3523 EE	di:18 do:55.3
6	853448	strut mount	5033 C3	di:33 do:106 L:47	15	53489	ball joint	3640 78	c:18
7	306.335	steering rack gaiter	4066 97	D:53 d:13 L:192	16	53474	TCA left wbj	3520 W8	c:18
8	53732	tie rod end left	16 231 410 80	c:12.2 th:FM14X1.5R	17	53475	TCA right wbj	3521 T0	c:18
9	53733	tie rod end right	16 231 411 80	c:12.2 th:FM14.X1.5R	18	53586	ball joint	3640 77	c:18


E C3 III (SX)

07/2016 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53876	TCA left wbj	98 032 865 80	c:18	7	53275	TCA right wbj	3521 N8	c:18
2	53877	TCA right wbj	98 032 864 80	c:18	8	853636	silentblock for TCA	3523 CE	di:14.2 do:56.5
3	853648	silentblock for TCA	3523 EA	di:18 do:55.3	9	853637	silentblock for TCA	3523 CC	di:14.2 do:56.5
4	853654	silentblock for TCA	Part of	di:18 do:55.3	10	7886	ball joint	3640 65	c:18
5	53586	ball joint	3640 77	c:18	11	807303	mounting axle body	5131 H4	di:12.2 do:72
6	53274	TCA left wbj	3520 R7	c:18					




ë-C4 III (BA_, BB_, BC_) 10/2020 ->
ë-C4 X (BD_, BE_, BF_) 09/2022 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53162	stabiliser link	98 246 525 80	L:324	7	853660	silentblock for TCA	Part of	di:12.2 do:38
2	53034	tie rod end left	16 804 464 80	c:12 th:FM14X1.5R	8	853662	silentblock for TCA	Part of	di:12.2 do:56.2
3	53035	tie rod end right	16 804 463 80	c:12 th:FM14X1.5R	9	53083	ball joint	98 246 267 80	c:20
4	53217	axial joint	16 804 462 80	th:MM14X1.5R L:288	10	853328	mounting axle body	98 256 586 80	di:12.2 do:72
5	53350	TCA left wbj	98 316 825 80	c:20	11	853329	mounting axle body	98 359 379 80	di:14.2 do:72
6	53351	TCA right wbj	98 316 827 80	c:20					

ë-JUMPER II



04/2006 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	954001	stabilizer bar	16 127 364 80	do:26.2 L:1398	11	54137	tie rod end right	16 109 763 80	c:16.6 th:FM16X1.5R
2	54061	stabiliser link	Part of	L:112	12	54011	axial joint	Part of	th:MM16X1.5R L:260
3	854801	stabiliser mounting	Part of	di:24.5	13	54178	TCA left wobj	3520 S0	c:23.6
4	854404	strut mount	16 076 912 80	di:14.2 do:86	14	54179	TCA right wobj	3521 P1	c:23.6
5	854405	strut mount	Part of	di:14.2	15	54270	TCA left wobj	3520 S1	c:23.6
6	854406	bearing	16 202 985 80	di:49.1 do:70.3 L:8.3	16	54271	TCA right wobj	3521 P2	c:23.6
7	854408 KIT	strut mount kit	Part of	di:14	17	854601	silentblock for TCA	Part of	di:18.5 do:56.8
8	854409 KIT	strut mount kit	Part of	di:14	18	854602	silentblock for TCA	Part of	di:20 do:74.2
9	354.030	steering rack gaiter	16 109 762 80	D:55 d:14 L:225	19	54086	ball joint	3640 67	c:20.5
10	54136	tie rod end left	16 109 764 80	c:16.6 th:FM16X1.5R					

ë-JUMPER II



04/2006 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54272	TCA wobj	16 127 356 80	c:23.6	5	54086	ball joint	3640 67	c:20.5
2	54273	TCA wobj	16 127 355 80	c:23.6	6	54062	stabiliser link rear axle	Part of	L:100
3	854601	silentblock for TCA	Part of	di:18.5 do:56.8	7	854900	stabiliser mounting	Part of	di:19.5
4	854602	silentblock for TCA	Part of	di:20 do:74.2	8	954002	stabilizer bar	16 080 782 80	do:26 L:1440

ë-JUMPY III (V_)



09/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54063	stabiliser link	98 090 901 80	L:355	9	854604	silentblock for TCA	98 165 579 80	di:14.3 do:70.5
2	354.031	steering rack gaiter	98 203 403 80	D:61 d:16 L:201	10	54087	ball joint	98 345 990 80 S1	c:18.6
3	54138	tie rod end left	98 203 400 80	c:14.2 th:FM14X1.5R	11	854300	mounting axle body	98 148 540 80	di:16.4 do:73
4	54139	tie rod end right	98 203 401 80	c:14.2 th:FM14X1.5R	12	854302	mounting axle body	98 148 542 80	di:16.4 do:73
5	54012	axial joint	Part of	th:MM16X1.5R L:265	13	854301	mounting axle body	98 148 541 80	di:14.4 do:73.5
6	54274	TCA left wobj	98 168 636 80	c:18.2	14	854303	mounting axle body	98 148 543 80	di:14.4 do:73.5
7	54275	TCA right wobj	98 168 635 80	c:18.2	15	54064	stabiliser link	98 056 213 80	L:80
8	854603	silentblock for TCA	98 090 826 80	di:16.1 do:58					

ë-SPACETOURER (V_)


04/2016 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54063	stabiliser link	98 090 901 80	L:355	9	854604	silentblock for TCA	98 165 579 80	di:14.3 do:70.5
2	354.031	steering rack gaiter	98 203 403 80	D:61 d:16 L:201	10	54087	ball joint	98 345 990 80 S1	c:18.6
3	54138	tie rod end left	98 203 400 80	c:14.2 th:FM14X1.5R	11	854300	mounting axle body	98 148 540 80	di:16.4 do:73
4	54139	tie rod end right	98 203 401 80	c:14.2 th:FM14X1.5R	12	854302	mounting axle body	98 148 542 80	di:16.4 do:73
5	54012	axial joint	Part of	th:MM16X1.5R L:265	13	854301	mounting axle body	98 148 541 80	di:14.4 do:73.5
6	54274	TCA left wobj	98 168 636 80	c:18.2	14	854303	mounting axle body	98 148 543 80	di:14.4 do:73.5
7	54275	TCA right wobj	98 168 635 80	c:18.2	15	54064	stabiliser link	98 056 213 80	L:80
8	854603	silentblock for TCA	98 090 826 80	di:16.1 do:58					

SIDEM
Experts know why

08/2021 ->



BORN (K11)

08/2021 ->



UPPER


LOWER



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63356	TCA	1EA 505 323 A	L:293	5	63359	track rod	1EA 505 291 A	L:312
2	63357	TCA	1EA 505 397 B	L:398	6	63450	TCA	1EA 505 311 E	L:425
3	837743	silentblock for TCA	Part of	di:10.3 do:36.4	7	63066	stabiliser link left	1EA 505 465	L:175
4	63358	track rod	1EA 501 529 B	L:256	8	63067	stabiliser link right	1EA 505 466	L:175



SPRING

10/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	5032	tie rod end	82 01 728 694	c:12.6 th:MM12X1.25R	5	5254	TCA left wbj	54 50 324 28R	c:16
2	5212	axial joint	82 01 728 697	th:MM14X1.5R L:320	6	5255	TCA right wbj	55 50 131 87R	c:16
3	805656	silentblock for TCA	54 50 324 28R*	di:12.3 do:34.8	7	805657	silentblock for TCA	Part of	di:12.3 do:38.3
4	41481	ball joint	Part of	c:16 do:34.9	8	805300	mounting axle body	55 04 547 47R	di:12.3 do:55





DS3 / DS3 CROSSBACK E-TENSE
(UR_, UC_, UJ_)



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53162	stabiliser link	98 246 525 80	L:324	7	53351	TCA right wbj	98 316 827 80	c:20
2	353.131	steering rack gaiter	16 483 223 80	D:52 d:14 L:181	8	853660	silentblock for TCA	Part of	di:12.2 do:38
3	53032	tie rod end left	16 483 226 80	c:12.1 th:FM14X1.5R	9	853662	silentblock for TCA	Part of	di:12.2 do:56.2
4	53033	tie rod end right	16 483 225 80	c:12.1 th:FM14X1.5R	10	53083	ball joint	98 246 267 80	c:20
5	53216	axial joint	16 483 222 80	th:MM14X1.5R L:293	11	853328	mounting axle body	98 256 586 80	di:12.2 do:72
6	53350	TCA left wbj	98 316 825 80	c:20	12	853329	mounting axle body	98 359 379 80	di:14.2 do:72

500 Electric (312_)


09/2009 ->



Ref.	Sidem Ref.	description	OE-number	measures	Ref.	Sidem Ref.	description	OE-number	measures
1	919007	stabilizer bar	518 57 019	do:20 L:977	12	19076	TCA left wbj	518 60 383	c:17
2	19064	stabiliser link	518 01 136	L:287	13	819661	silentblock for TCA	Part of	di:12.2 do:32.8
3	819403	strut mount	518 07 101	di:12.2 do:132.2 L:45.5	14	819660	silentblock for TCA	Part of	di:14.4 do:60.7
4	819407	strut mount	518 56 857	di:23 L:45	15	75178	TCA left wbj	K04877 743AD	c:17
5	819406	strut mount	467 46 546	di:12.3 do:90 L:44.5	16	75179	TCA right wbj	K04877 742AD	c:17
6	319.037	steering rack gaiter	773 62 509	D:55 d:11 L:205	17	875602	silentblock for TCA	Part of	di:12.1 do:34
7	19942	tie rod end left	773 67 001	c:11.3 th:FM12X1.5R	18	875603	silentblock for TCA	Part of	di:14.4 do:60.6
8	19943	tie rod end right	773 67 002	c:11.3 th:FM12x1.5R	19	75182	ball joint	Part of	c:17 do:38.7
9	19115	axial joint	Part of	th:MM14x1.5R L:255	20	R10079	mounting tool ring ø46 ø38	TOOL	di:38 do:46
10	19070	TCA left wbj	518 57 021	c:17	21	819307	mounting axle body	467 61 280	di:12.3 do:53.6
11	19071	TCA right wbj	518 57 022	c:17	22	819308	mounting axle body	517 96 664	di:12.1 do:54

500e (332_)


10/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	19064	stabiliser link	518 01 136	L:287	6	19158	TCA left wbj	521 40 446	c:17
2	303.231	steering rack gaiter	773 66 697	D:55 d:12 L:180	7	19159	TCA right wbj	521 40 445	c:17
3	19944	tie rod end left	773 66 698	c:11.7 th:FM14X1.5R	8	75182	ball joint	Part of	c:17 do:38.7
4	19945	tie rod end right	773 66 699	c:11.7 th:FM14X1.5R	9	819679	silentblock for TCA	Part of	di:14.2 do:60.8
5	819678	silentblock for TCA	Part of	di:12.2 do:32.5	10	819318	mounting axle body	521 40 469	di:12.3 do:63.4

E-DOBLO Box Body/MPV (510_, 511_)




06/2022 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	49569	stabiliser link	98 465 490 80	L:333	9	53159	TCA right wbj	98 168 654 80 S2	c:16.7
2	853450	strut mount	98 004 797 80	di:16	10	53250	TCA left wbj	98 150 146 80 S1	c:16.7
3	853451	bearing	98 175 924 80	do:126	11	53251	TCA right wbj	98 150 143 80 S1	c:16.7
4	353.037	steering rack gaiter	16 108 175 80	D:51 d:12 L:186	12	853655	silentblock for TCA	96 760 321 80	di:14.3 do:43.4
5	53730	tie rod end left	16 108 177 80	c:14.5 th:FM14X1.5R	13	853658	silentblock for TCA	98 163 803 80	di:14.2 do:50
6	53731	tie rod end right	16 108 178 80	c:14.5 th:FM14X1.5R	14	53684	ball joint	98 310 885 80	c:16.7
7	53119	axial joint	Part of	th:MM14X1.5R L:208	15	53685	ball joint	98 310 888 80	c:16.6
8	53158	TCA left wbj	98 168 655 80 S2	c:16.7	16	807301	mounting axle body	15 525 522 2	di:14.3 do:82

E-DUCATO (250_)

07/2006 ->





Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	954001	stabilizer bar	135 75 72 080	do:26.2 L:1398	11	54137	tie rod end right	13 763 450 80	c:16.6 th:FM16X1.5R
2	54061	stabiliser link	Part of	L:112	12	54011	axial joint	Part of	th:MM16X1.5R L:260
3	854801	stabiliser mounting	Part of	di:24.5	13	54178	TCA left wobj	135 22 27 080	c:23.6
4	854404	strut mount	135 07 89 080	di:14.2 do:86	14	54179	TCA right wobj	135 22 25 080	c:23.6
5	854405	strut mount	135 07 88 080	di:14.2	15	54270	TCA left wobj	135 22 28 080	c:23.6
6	854406	bearing	135 51 79 080	di:49.1 do:70.3 L:8.3	16	54271	TCA right wobj	135 22 26 080	c:23.6
7	854408 KIT	strut mount kit	137 46 66 080 S1	di:14	17	854601	silentblock for TCA	Part of	di:18.5 do:56.8
8	854409 KIT	strut mount kit	137 46 67 080 S1	di:14	18	854602	silentblock for TCA	Part of	di:20 do:74.2
9	354.030	steering rack gaiter	137 63 48 080	D:55 d:14 L:225	19	54086	ball joint	507 05 629	c:20.5
10	54136	tie rod end left	13 763 460 80	c:16.6 th:FM16X1.5R					



E-DUCATO (250_)



07/2006 ->





Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54272	TCA wobj	137 42 23 080	c:23.6	5	54086	ball joint	507 05 629	c:20.5
2	54273	TCA wobj	137 42 22 080	c:23.6	6	54062	stabiliser link rear axle	Part of	L:100
3	854601	silentblock for TCA	Part of	di:18.5 do:56.8	7	854900	stabiliser mounting	Part of	di:19.5
4	854602	silentblock for TCA	Part of	di:20 do:74.2	8	954002	stabilizer bar	139 38 71 080	do:26 L:1440

E-DUCATO (250_)

12/2020 ->





Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54061	stabiliser link	Part of	L:112	9	54273	TCA wobj	137 42 22 080	c:23.6
2	854408 KIT	strut mount kit	137 46 66 080 S1	di:14	10	854601	silentblock for TCA	Part of	di:18.5 do:56.8
3	854409 KIT	strut mount kit	137 46 67 080 S1	di:14	11	854602	silentblock for TCA	Part of	di:20 do:74.2
4	354.030	steering rack gaiter	137 63 48 080	D:55 d:14 L:225	12	54086	ball joint	507 05 629	c:20.5
5	54136	tie rod end left	13 763 460 80	c:16.6 th:FM16X1.5R	13	54062	stabiliser link rear axle	Part of	L:100
6	54137	tie rod end right	13 763 450 80	c:16.6 th:FM16X1.5R	14	954002	stabilizer bar	139 38 71 080	do:26 L:1440
7	54011	axial joint	Part of	th:MM16X1.5R L:260	15	854900	stabiliser mounting	Part of	di:19.5
8	54272	TCA wobj	137 42 23 080	c:23.6					



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54063	stabiliser link	980 90 90 180	L:355	9	854604	silentblock for TCA	Part of	di:14.3 do:70.5
2	354.031	steering rack gaiter	982 03 40 380	D:61 d:16 L:201	10	54087	ball joint	983 45 99 080 S1	c:18.6
3	54138	tie rod end left	982 03 40 080	c:14.2 th:FM14X1.5R	11	854300	mounting axle body	981 48 54 080	di:16.4 do:73
4	54139	tie rod end right	982 03 40 180	c:14.2 th:FM14X1.5R	12	854302	mounting axle body	981 48 54 280	di:16.4 do:73
5	54012	axial joint	Part of	th:MM16X1.5R L:265	13	854301	mounting axle body	981 48 54 180	di:14.4 do:73.5
6	54274	TCA left wobj	981 68 63 680	c:18.2	14	854303	mounting axle body	981 48 54 380	di:14.4 do:73.5
7	54275	TCA right wobj	981 68 63 580	c:18.2	15	54064	stabiliser link	980 56 21 380	L:80
8	854603	silentblock for TCA	Part of	di:16.1 do:58					

E-ULYSSE

03/2022 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54063	stabiliser link	980 90 90 180	L:355	9	854604	silentblock for TCA	Part of	di:14.3 do:70.5
2	354.031	steering rack gaiter	982 03 40 380	D:61 d:16 L:201	10	54087	ball joint	983 45 99 080 S1	c:18.6
3	54138	tie rod end left	982 03 40 080	c:14.2 th:FM14X1.5R	11	854300	mounting axle body	981 48 54 080	di:16.4 do:73
4	54139	tie rod end right	982 03 40 180	c:14.2 th:FM14X1.5R	12	854302	mounting axle body	981 48 54 280	di:16.4 do:73
5	54012	axial joint	Part of	th:MM16X1.5R L:265	13	854301	mounting axle body	981 48 54 180	di:14.4 do:73.5
6	54274	TCA left wobj	981 68 63 680	c:18.2	14	854303	mounting axle body	981 48 54 380	di:14.4 do:73.5
7	54275	TCA right wobj	981 68 63 580	c:18.2	15	54064	stabiliser link	980 56 21 380	L:80
8	854603	silentblock for TCA	Part of	di:16.1 do:58					

FORD MUSTANG MACH-E

MUSTANG MACH-E (CGW)

07/2020 ->



1 3060



1 3060



2 3036



4 3012



4 3012



3 3037



5 3452



7 803621



6 3453



8 803623


Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	3060	stabiliser link	2 451 509	L:318	5	3452	TCA left wbj	2 501 022	c:24
2	3036	tie rod end left	2 486 869	c:14 th:FM16X1.5R	6	3453	TCA right wbj	2 501 021	c:24
3	3037	tie rod end right	2 486 867	c:14 th:FM16X1.5R	7	803621	silentblock for TCA	Part of	di:16.2 do:42
4	3012	axial joint	2 486 871	th:MM16X1.5R L:310	8	803623	silentblock for TCA	2 216 263	di:14.3 do:78

FORD

MUSTANG MACH-E

MUSTANG MACH-E (CGW)


07/2020 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	3454	track rod	2 702 907	L:235	6	3550	track rod	2 478 245	L:442
2	3455	track rod	2 702 905	L:235	7	3551	track rod	2 478 243	L:442
3	3456	track rod	2 478 235	L:305	8	3459	TCA	2 478 212	L:415
4	3457	track rod	2 476 887	L:305	9	3062	stabiliser link rear	2 477 654	L:173
5	3458	track rod	2 478 241	L:295					

E-TRANSIT V363 (FED, FFD)
E-TRANSIT V363 (FCD, FDD)

05/2019 ->
05/2019 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	4261	stabiliser link	2 033 148	L:290	10	4217	axial joint	2 411 062	th:MM16X1.5R L:354
2	803813	stabiliser mounting	1 683 481	di:23.5	11	804615	silentblock for TCA	Part of	do:46
3	804813	stabiliser mounting	2 300 950	di:24	12	804613	silentblock for TCA	Part of	di:16.1 do:68
4	804812	stabiliser mounting	2 347 280	di:27	13	4472	TCA left wobj	2 385 105	c:16.8
5	804814	stabiliser mounting	2 478 001	di:28	14	4473	TCA right wobj	2 437 825	c:16.8
6	304.131	steering rack gaiter	2 360 796	D:59 d:16 L:209	15	4282	ball joint	1 817 752	c:18.2 do:44.5
7	4337	tie rod end	2 227 099	c:17.3 th:FM16X1.5R	16	4470	TCA left wobj	2 385 107	c:20.7
8	4218	axial joint	2 360 755	th:MM16X1.5R L:387	17	4471	TCA right wobj	2 385 106	c:20.7
9	304.045	steering rack gaiter	1 763 990	D:55 d:17 L:194	18	4285	ball joint	2 207 775	c:21.7



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	45564	stabiliser link	51320 TYF E01	L:285	4	47083	ball joint	51220 THA H11	c:17.9
2	47037	tie rod end	53540 TYF 003	c:14.3 th:FM14X1.5R	5	91063	stabiliser link	51320 TRT A01	L:325
3	47012	axial joint	53610 TYF 003	th:MM20X1.5R L:192					

IONIQ 5 (NE)


05/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	887805	stabiliser mounting	54813 GI000	di:19.5	7	87254	TCA left wbj	54500 GI100	c:20
2	881814	stabiliser mounting	54813 GI010	di:20.5	8	87255	TCA right wbj	54501 GI100	c:20
3	87764	stabiliser link	54830 GI000	L:340	9	887642	silentblock for TCA	54551 GI000	di:12.2 do:38.2
4	87765	stabiliser link	54831 GI000	L:340	10	887643	silentblock for TCA	54584 GI000	di:14.3 do:68
5	87030	tie rod end left	56820 GI000	c:13 th:FM16X1.5R	11	87080	ball joint	54530 L1000	c:20
6	87031	tie rod end right	56825 GI000	c:13 th:FM16X1.5R					

IONIQ 5 (NE)


05/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	87151	track rod	55120 GI000	L:275	7	81085	ball joint rear	55130 4D000	di:14.2 do:44
2	87250	track rod	55130 GI000	L:335	8	887718	silentblock for TCA	55218 GI000	di:14.2 do:45.2
3	87251	track rod	55131 GI000	L:335	9	87766	stabiliser link left	55530 GI000	L:110
4	87252	track rod	55270 GI000	L:315	10	87767	stabiliser link right	55531 GI000	L:110
5	887719	silentblock for TCA	55278 GI000	di:12.2 do:45.4	11	887907	stabiliser mounting	55513 GI000	di:13.5
6	87253	track rod	55250 GI000	L:464					

IONIQ (AE)

03/2016 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	887804	stabiliser mounting	54813 3S110	di:20.5	6	87414	axial joint	56540 F2000	th:MM16X1.5R L:303
2	87663	stabiliser link	54830 F2000	L:295	7	887632	silentblock for TCA	54551 3X000	di:12.2 do:40.7
3	387.130	steering rack gaiter	57740 F2000	D:53 d:17 L:166	8	887634	silentblock for TCA	54584 G2000	di:14.3 do:70.5
4	87536	tie rod end left	56820 G2000	c:12.1 th:FM16X1.5R	9	87972	TCA left wbj	54500 G2100	c:14.3
5	87537	tie rod end right	56825 G2000	c:12.1 th:FM16X1.5R	10	87973	TCA right wbj	54501 G2100	c:14.3

IONIQ (AE)

03/2016 ->








HYBRID (HEV)




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	87050	track rod	55250 G4AA0	L:328	6	887716	silentblock for TCA	55230 F2AA0	di:14.2 do:44
2	81676	track rod	55100 G2100	L:316	7	87664	stabiliser link	55530 G2000	L:72
3	81677	track rod	55101 G2100	L:316	8	887902	stabiliser mounting	55513 3N300	di:13
4	87051	TCA	55210 G4AA0	L:580	9	887900	stabiliser mounting	55513 3N200	di:14.5
5	887717	silentblock for TCA	55217 F2AA0	di:14.2 do:40.1					

KONA (OS_)

07/2017 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	887804	stabiliser mounting	54813 3S110	di:20.5	10	887641	silentblock for TCA	54584 F2AA0	di:14.3 do:70.7
2	87663	stabiliser link	54830 F2000	L:295	11	87054	TCA left wbj	54500 J9000	c:15
3	387.130	steering rack gaiter	57740 F2000	D:53 d:17 L:166	12	87055	TCA right wbj	54501 J9000	c:15
4	87538	tie rod end left	56820 F2000	c:13.5 th:FM16X1.5R	13	87482	ball joint left	54530 G4AA0	c:15
5	87539	tie rod end right	56825 F2000	c:13.5 th:FM16X1.5R	14	87483	ball joint right	54530 G4BA0	c:15
6	87414	axial joint	56540 F2000	th:MM16X1.5R L:303	15	87972	TCA left wbj	54500 G2100	c:14.3
7	87536	tie rod end left	56820 G2000	c:12.1 th:FM16X1.5R	16	87973	TCA right wbj	54501 G2100	c:14.3
8	87537	tie rod end right	56825 G2000	c:12.1 th:FM16X1.5R	17	887634	silentblock for TCA	54584 G2000	di:14.3 do:70.5
9	887632	silentblock for TCA	54551 3X000	di:12.2 do:40.7					



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	87050	track rod	55250 G4AA0	L:328	6	887717	silentblock for TCA	55217 F2AA0	di:14.2 do:40.1
2	87052	track rod	55100 G4AA0	L:316	7	887716	silentblock for TCA	55230 F2AA0	di:14.2 do:44
3	87053	track rod	55101 G4AA0	L:316	8	87664	stabiliser link	55530 G2000	L:72
4	87154	TCA	55210 K4000	L:580	9	887900	stabiliser mounting	55513 3N200	di:14.5
5	87155	TCA	55220 K4000	L:580					




eDAILY VI 03/2014 ->





Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	305.038	steering rack gaiter	4256 9565	D:66 d:16 L:195	5	20071	TCA wbj	5801564316	c:19.8
2	20633	tie rod end	4256 9563	c:15.8 th:FM16X1.5R	6	820601	silentblock for TCA	5801564276 S1	di:17 do:46
3	20613	axial joint	Part of	th:MM18X1.5R L:330	7	20080	ball joint	5801635729	c:16.8 do:44.3
4	20070	TCA wbj	5801564293	c:16.8	8	20081	ball joint	5801635728	c:19.8 do:45.3

I-PACE (X590)

02/2018 ->



LOWER
EXC. SPORTS SUSP.







Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	27162	stabiliser link	T4A 8238	L:220	8	827621	silentblock for TCA	Part of	di:14.2 do:80.1
2	327.036	steering rack gaiter	T2H 4206	D:56 d:16 L:168	9	827616	silentblock for TCA	Part of	di:14.2 do:51.2
3	27135	tie rod end	T4A 28746	c:15.3 th:FM14x1.5R	10	27274	TCA left wbj	T4A 41757	c:18
4	27019	axial joint	T4A 12527	th:MM16x1.5R L:210	11	27275	TCA right wbj	T4A 41756	c:18
5	827608	silentblock for TCA	Part of	di:10.2 do:46.6	12	R10079	mounting tool ring ø46 ø38	TOOL	di:38 do:46
6	27374	TCA left wbj	T4A 41755	c:17	13	27089	ball joint	Part of	di:14.2 do:42
7	27375	TCA right wbj	T4A 41754	c:17	14	27163	stabiliser link	T4A 2038	L:186



EV6 (CV)

07/2021 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	881814	stabiliser mounting	54813 GI010	di:20.5	6	87254	TCA left wbj	54500 CV000	c:20
2	87764	stabiliser link	56830 CV000	L:340	7	87255	TCA right wbj	54501 CV000	c:20
3	87765	stabiliser link	54831 CV000	L:340	8	887642	silentblock for TCA	54551 GI000	di:12.2 do:38.2
4	87030	tie rod end left	56820 GI000	c:13 th:FM16X1.5R	9	887643	silentblock for TCA	54584 GI000	di:14.3 do:68
5	87031	tie rod end right	56825 GI000	c:13 th:FM16X1.5R	10	87080	ball joint	54530 L1000	c:20




EV6 (CV)


07/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	87151	track rod	55120 GI000	L:275	7	81085	ball joint rear	55130 4D000	di:14.2 do:44
2	87250	track rod	55130 GI000	L:335	8	887718	silentblock for TCA	55218 GI100	di:14.2 do:45.2
3	87251	track rod	55131 GI000	L:335	9	87766	stabiliser link left	55530 GI000	L:110
4	87252	track rod	55270 GI000	L:315	10	87767	stabiliser link right	55531 GI000	L:110
5	887719	silentblock for TCA	55278 GI000	di:12.2 do:45.4	11	881900	stabiliser mounting	55513 CV000	di:14.5
6	87253	track rod	55250 GI000	L:464					




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	887804	stabiliser mounting	54813 3S110	di:20.5	6	87414	axial joint	56540 F2000	th:MM16X1.5R L:303
2	87663	stabiliser link	54830 F2000	L:295	7	887632	silentblock for TCA	54551 3X000	di:12.2 do:40.7
3	387.130	steering rack gaiter	57740 F2000	D:53 d:17 L:166	8	887634	silentblock for TCA	54584 G2000	di:14.3 do:70.5
4	87536	tie rod end left	56820 G2000	c:12.1 th:FM16X1.5R	9	87972	TCA left wbj	54500 G2100	c:14.3
5	87537	tie rod end right	56825 G2000	c:12.1 th:FM16X1.5R	10	87973	TCA right wbj	54501 G2100	c:14.3



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	87050	track rod	55250 G4AA0	L:328	6	887716	silentblock for TCA	55230 F2AA0	di:14.2 do:44
2	81676	track rod	55100 G2100	L:316	7	81678	TCA	55210 G2500	L:580
3	81677	track rod	55101 G2100	L:316	8	87664	stabiliser link	55530 G2000	L:72
4	87051	TCA	55210 G4AA0	L:580	9	887902	stabiliser mounting	55513 3N300	di:13
5	887717	silentblock for TCA	55217 F2AA0	di:14.2 do:40.1	10	887900	stabiliser mounting	55513 3N200	di:14.5

E-SOUL III (SK3)

01/2019 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	887804	stabiliser mounting	54813 3S110	di:20.5	6	87972	TCA left wbj	54500 G2100	c:14.3
2	87663	stabiliser link	54830 F2000	L:295	7	87973	TCA right wbj	54501 G2100	c:14.3
3	81434	tie rod end left	56820 J2000	c:12.5 th:FM16X1.5R	8	887632	silentblock for TCA	54551 3X000	di:12.2 do:40.7
4	81435	tie rod end right	56825 J2000	c:12.5 th:FM16X1.5R	9	887634	silentblock for TCA	54584 G2000	di:14.3 do:70.5
5	81319	axial joint	56540 K000	th:MM16X1.5R L:305					





E-SOUL III (SK3)

01/2019 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	87050	track rod	55250 G4AA0	L:328	5	887717	silentblock for TCA	55217 F2AA0	di:14.2 do:40.1
2	81676	track rod	55100 G2100	L:316	6	887716	silentblock for TCA	55230 F2AA0	di:14.2 do:44
3	81677	track rod	55101 G2100	L:316	7	87664	stabiliser link	55530 G2000	L:72
4	81678	TCA	55210 G2500	L:580	8	887902	stabiliser mounting	55513 3N300	di:13


MX-30 (DR) 05/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	77063	stabiliser link	BCKE 34 170	L:270	6	851654	silentblock for TCA	part of	di:16.2 do:51
2	51032	tie rod end	DFR5 32 280	c:13.5 th:FM14X1.5R	7	851655	silentblock for TCA	Part of	di:21 do:70
3	51010	axial joint	DFR5 32 240	th:MM14X1.5R L:265	8	51081	ball joint	Part of	c:22 do:44.1
4	51052	TCA left wbj	DN4E 34 350 B	c:22	9	R10080	mounting tool ring ø48 ø40	TOOL	di:40 do:48
5	51053	TCA right wbj	DN4E 34 300 B	c:22					

EQA (H243)


02/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	49960	stabiliser link	247 320 42 00	L:339	6	490078	TCA left wbj	247 330 87 02	c:26.3
2	349.139	steering rack gaiter	177 463 00 00	D:60 d:13 L:192	7	490079	TCA right wbj	247 330 88 02	c:26.3
3	49832	tie rod end left	247 330 85 01	c:26.3 th:FM14X1.5R	8	849693	silentblock for TCA	Part of	di:14.3 do:50.2
4	49833	tie rod end right	247 330 82 01	c:26.3 th:FM14X1.5R	9	8496000 R	silentblock for TCA	247 333 11 00	di:14.2
5	49213	axial joint	247 338 00 00	th:MM14X1.5R L:223	10	8496001 R	silentblock for TCA	247 333 12 00	di:14.2

EQA (H243)


02/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	490074	track rod	247 350 18 00	L:206	5	849741	silentblock for TCA	247 352 19 00	di:12.2 do:45.2
2	490075	track rod	247 350 17 00	L:328	6	849744	silentblock for TCA	247 352 21 00	di:12.1 do:45.1
3	849740	silentblock for TCA	247 352 17 00	di:12.2 do:45.1	7	490064	stabiliser link left	243 320 83 00	L:180
4	849742	silentblock for TCA	247 352 15 00	di:12.1 do:45.1	8	490065	stabiliser link right	253 320 84 00	L:180

EQB (X243)


10/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	49960	stabiliser link	247 320 42 00	L:339	6	490078	TCA left wbj	247 330 87 02	c:26.3
2	349.139	steering rack gaiter	177 463 00 00	D:60 d:13 L:192	7	490079	TCA right wbj	247 330 88 02	c:26.3
3	49832	tie rod end left	247 330 85 01	c:26.3 th:FM14X1.5R	8	849693	silentblock for TCA	Part of	di:14.3 do:50.2
4	49833	tie rod end right	247 330 82 01	c:26.3 th:FM14X1.5R	9	8496000 R	silentblock for TCA	247 333 11 00	di:14.2
5	49213	axial joint	247 338 00 00	th:MM14X1.5R L:223	10	8496001 R	silentblock for TCA	247 333 12 00	di:14.2

EQB (X243)


10/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	490074	track rod	247 350 18 00	L:206	5	849741	silentblock for TCA	247 352 19 00	di:12.2 do:45.2
2	490075	track rod	247 350 17 00	L:328	6	849744	silentblock for TCA	247 352 21 00	di:12.1 do:45.1
3	849740	silentblock for TCA	247 352 17 00	di:12.2 do:45.1	7	490064	stabiliser link left	243 320 83 00	L:180
4	849742	silentblock for TCA	247 352 15 00	di:12.1 do:45.1	8	490065	stabiliser link right	253 320 84 00	L:180

EQC (N293)


05/2019 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	49860	stabiliser link left	253 323 01 17	L:307	10	849671	silentblock for TCA	Part of	di:10 do:51.2
2	49861	stabiliser link right	253 323 02 17	L:307	11	49756	TCA left wbj	205 330 17 05	c:16 L:450
3	849430	strut mount	253 323 00 20	di:10	12	49757	TCA right wbj	205 330 18 05	c:16 L:450
4	349.231	steering rack gaiter	205 463 00 96	D:62 d:16 L:197	13	849672	silentblock for TCA	Part of	di:14 do:76
5	49736	tie rod end left	205 460 00 05	c:21.5 th:FM14X1.5R	14	49755	TCA wbj	205 330 67 10	c:16 L:340
6	49737	tie rod end right	205 460 01 05	c:21.5 th:FM14X1.5R	15	849682	silentblock for TCA	Part of	di:14.1 do:55.5
7	49210	axial joint	205 460 04 05	th:MM16X1.5R L:242	16	849674	silentblock for TCA	Part of	di:14.1 do:46
8	49554	TCA left wbj	205 330 55 01	c:14.7	17	8496006 KIT	silentblock kit	205 333 00 14 S2	
9	49555	TCA right wbj	205 330 56 01	c:14.7					

EQC (N293)


05/2019 ->



Ref.	Sidem Ref.	description	OE-number	measures	Ref.	Sidem Ref.	description	OE-number	measures
1	49672	TCA left	204 350 21 06	L:312	12	849707	silentblock for TCA	230 352 15 65	di:12.1 do:38.5
2	49673	TCA right	204 350 22 06	L:312	13	849710	silentblock for TCA	Part of	di:12.3 do:40.2
3	49674	TCA left	205 350 61 03	L:342	14	849705	silentblock for TCA	Part of	di:12.2 do:40.3
4	49675	TCA right	205 350 62 03	L:342	15	849326	mounting axle body	205 351 00 42	di:18.6 do:86
5	49676	TCA	205 350 63 03	L:331	16	849327	mounting axle body	293 351 01 00	di:15.1 do:91.5
6	49670	TCA left	205 350 65 03	L:265	17	849319	silentblock for TCA	222 352 08 65	di:12.2 do:51.4
7	49671	TCA right	205 350 66 03	L:265	18	49382	ball joint rear	204 352 00 27	di:14.2 do:40
8	849712	silentblock for TCA	Part of	di:12.3 do:43.5	19	R10079	mounting tool ring ø46 ø38	TOOL	di:38 do:46
9	849711	silentblock for TCA	Part of	di:12.3 do:43.5	20	49764	stabiliser link left	205 326 03 17	L:232
10	849714	silentblock for TCA	Part of	di:12.2 do:39.5	21	49765	stabiliser link right	205 326 04 17	L:232
11	849713	silentblock for TCA	Part of	di:12.3 do:39.5					

EQT (W420)


01/2023 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	5760	stabiliser link	420 320 01 00	L:275	6	5252	TCA left wbj	420 330 01 00	c:15.8
2	5930	tie rod end left	420 460 19 00	c:11.9 th:FM14X1.5R	7	5253	TCA right wbj	420 330 00 00	c:15.8
3	5931	tie rod end right	420 460 18 00	c:11.9 th:FM14X1.5R	8	805655	silentblock for TCA	Part of	di:14.2 do:58
4	5214	axial joint	Part of	th:MM14X1.5R L:221	9	5488	ball joint	Part of	c:15.8
5	805648	silentblock for TCA	Part of	di:18.5 do:55					

EQV (W447)


06/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	50466	stabiliser link	447 320 04 89	L:316	7	850610	silentblock for TCA	Part of	di:14.4 do:70.1
2	849425	strut mount	639 323 07 20	do:70.9 L:62.7	8	50270	TCA left wbj	447 330 34 00	c:16.2
3	349.231	steering rack gaiter	205 463 00 96	D:62 d:16 L:197	9	50271	TCA right wbj	447 330 35 00	c:16.2
4	50648	tie rod end left	447 460 02 48	c:14.8 th:FM16X1.5R	10	50184	ball joint	Part of	c:16.2
5	50649	tie rod end right	447 460 03 48	c:14.8 th:FM16X1.5R	11	850613	silentblock for TCA	Part of	di:25.9 do:70.7
6	50913	axial joint	447 460 00 55	th:MM16X1.5R L:250					



EQV (W447)

06/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	850710	silentblock for TCA	Part of	di:14.2 do:60.5	4	850913	stabiliser mounting	447 326 04 81	di:12
2	850711	silentblock for TCA	Part of	di:14.2 do:60.5	5	850904	stabiliser mounting	639 326 13 81	di:15
3	50363	stabiliser link	639 326 06 16	L:145					

eCITAN (W420) 09/2021 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	5760	stabiliser link	420 320 01 00	L:275	6	5252	TCA left wbj	420 330 01 00	c:15.8
2	5930	tie rod end left	420 460 19 00	c:11.9 th:FM14X1.5R	7	5253	TCA right wbj	420 330 00 00	c:15.8
3	5931	tie rod end right	420 460 18 00	c:11.9 th:FM14X1.5R	8	805655	silentblock for TCA	Part of	di:14.2 do:58
4	5214	axial joint	Part of	th:MM14X1.5R L:221	9	5488	ball joint	Part of	c:15.8
5	805648	silentblock for TCA	Part of	di:18.5 do:55					

MERCEDES SPRINTER

eSPRINTER (B907, B910)

02/2020 ->






Ref.	Sidem Ref.	description	OE-number	measures	Ref.	Sidem Ref.	description	OE-number	measures
1	850803	stabiliser mounting	906 323 35 85 S1	di:16.5	16	50025	tie rod right	907 460 63 00 S2	c:16
2	850804	stabiliser mounting	906 323 36 85 S1	di:21	17	349.035	steering rack gaiter	164 460 00 96	D:67 d:16 L:218
3	50262	stabiliser link left	906 320 17 89	L:138	18	50737	tie rod end	906 460 03 48	c:16.8 th:FM16X1.5R
4	50263	stabiliser link right	906 320 18 89	L:138	19	50116	axial joint	Part of	th:MM18X1.5R L:400
5	50560	stabiliser link left	910 320 30 00	L:286	20	50272	TCA left wobj	910 330 25 00	c:21.3
6	50561	stabiliser link right	910 320 31 00	L:286	21	50273	TCA right wobj	910 330 26 00	c:21.3
7	850400	strut mount	906 323 05 20	di:16.4 L:46	22	850614	silentblock for TCA	Part of	di:16.2 do:59
8	321.039	steering rack gaiter	907 463 00 00	D:59 d:16 L:196	23	850615	silentblock for TCA	Part of	di:16.4 do:74
9	50744	tie rod end left	910 460 61 00	c:16 th:FM16X1.5R	24	50084	ball joint	910 333 04 00	c:21.8
10	50745	tie rod end right	910 460 60 00	c:16 th:FM16X1.5R	25	50170	TCA left wbj	906 330 40 07	c:21.9
11	50117	axial joint	910 460 62 00	th:MM16X1.5R L:243	26	50171	TCA right wbj	906 330 41 07	c:21.9
12	50746	tie rod end left	907 460 62 00	c:16 th:FM16X1.5R	27	850606	silentblock for TCA	906 333 00 14	di:14.2
13	50747	tie rod end right	907 460 64 00	c:16 th:FM16X1.5R	28	850607	silentblock for TCA	906 333 01 14	di:14.2
14	50118	axial joint	907 460 63 00	th:MM16X1.5R L:322	29	50083	ball joint	Part of	c:21.9 do:45.3
15	50024	tie rod left	907 460 63 00 S1	c:16	30	R10117	mounting tool ring long ø64	TOOL	di:56 do:64

MERCEDES

VITO - V-CLASS

eVITO Tourer (W447)
eVITO Van (W447)



03/2015 ->
03/2019 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	50466	stabiliser link	447 320 04 89	L:316	11	50741	tie rod end right	447 460 01 48	c:16.8 th:FM16X1.5R
2	50462	stabiliser link left	447 320 00 89	L:365	12	50913	axial joint	447 460 00 55	th:MM16X1.5R L:250
3	50463	stabiliser link right	447 320 03 89	L:365	13	50270	TCA left wbj	447 330 34 00	c:16.2
4	50464	stabiliser link left	447 320 01 89	L:350	14	50271	TCA right wbj	447 330 35 00	c:16.2
5	50465	stabiliser link right	447 320 02 89	L:350	15	850610	silentblock for TCA	Part of	di:14.4 do:70.1
6	849425	strut mount	639 323 07 20	do:70.9 L:62.7	16	850613	silentblock for TCA	Part of	di:25.9 do:70.7
7	349.231	steering rack gaiter	205 463 00 96	D:62 d:16 L:197	17	50184	ball joint	Part of	c:16.2
8	50648	tie rod end left	447 460 02 48	c:14.8 th:FM16X1.5R	18	50178	TCA left wbj	447 330 14 07	c:16.2
9	50649	tie rod end right	447 460 03 48	c:14.8 th:FM16X1.5R	19	50179	TCA right wbj	447 330 15 07	c:16.2
10	50740	tie rod end left	447 460 00 48	c:16.8 th:FM16X1.5R	20	850612	silentblock for TCA	Part of	di:25 do:70

eVITO Tourer (W447)
eVITO Van (W447)

03/2015 ->
03/2019 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	50176	TCA left wbj	447 330 31 00	c:16.2	6	850711	silentblock for TCA	Part of	di:14.2 do:60.5
2	50177	TCA right wbj	447 330 30 00	c:16.2	7	50363	stabiliser link	639 326 06 16	L:145
3	850611	silentblock for TCA	447 333 04 00	di:14 do:50.3	8	850913	stabiliser mounting	447 326 04 81	di:12
4	50184	ball joint	Part of	c:16.2	9	850904	stabiliser mounting	639 326 13 81	di:15
5	850710	silentblock for TCA	Part of	di:14.2 do:60.5					

MG MARVEL R

02/2021 ->



1 9161



1 9161



2 9037



3 9212



3 9212



2 9037



4 23170



6 823609



5 23171




7 823610

Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	9161	stabiliser link	10276238	L:304	5	23171	TCA right wbj	10530160	c:20
2	9037	tie rod end	10305747	c:13.2 th:FM16x1.5R	6	823609	silentblock for TCA	Part of	di:14.3 do:47.6
3	9212	axial joint	10305748	th:MM16X1.5R L:315	7	823610	silentblock for TCA	10373300	di:22.2 do:69.8
4	23170	TCA left wbj	10530150	c:20					

MG MARVEL R


02/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	23172	track rod	10257212	L:245	3	23174	track rod	10257224	L:62
2	23173	track rod	10257147	L:328	4	23068	stabiliser link	10276261	L:154

MG 4

07/2022 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	23160	stabiliser link left	10994392	L:260	6	823612	silentblock for TCA	10986338	di:14.6 do:60.2
2	23161	stabiliser link right	10905316	L:260	7	23176	TCA left wbj	10892051	c:16
3	23034	tie rod end	10981935	c:13.1 th:FM16X1.5R	8	23177	TCA right wbj	10892052	c:16
4	23012	axial joint	11191109	th:MM16X1.5R L:310	9	23180	ball joint left	10782953	c:16
5	823611	silentblock for TCA	10892988	di:15.6 do:70.2	10	23181	ball joint right	10782954	c:16



MG 4


07/2022 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	23175	track rod	10894260	L:275	6	823700	silentblock for TCA	10984330	di:14.2 do:47.3
2	23178	track rod	10894265	L:333	7	823701	silentblock for TCA	10984340	di:14.2 do:45
3	23179	track rod	10881721	L:335	8	823702	silentblock for TCA	10984350	di:14.2 do:47.3
4	23270	track rod left	10938873	c:14 L:448	9	823703	silentblock for TCA	10984370	di:14.2 do:43.5
5	23271	track rod right	10938874	c:14 L:448					




ZS (EV) 03/2019 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	823802	stabiliser mounting	10227886	di:21	7	823605	silentblock for TCA	10228170	di:12.6 do:56.6
2	23060	stabiliser link	10227851	L:300	8	23072	TCA left wbj	10252196	c:18
3	23030	tie rod end left	10353668	c:12.9 th:FM14X1.5R	9	23073	TCA right wbj	10803555	c:18
4	23010	axial joint	10353671	th:MM14X1.5R L:225	10	23080	ball joint left	10727509	c:18
5	23031	tie rod end right	10353669	c:12.9 th:FM14X1.5R	11	23081	ball joint right	10727533	c:18
6	823604	silentblock for TCA	Part of	di:12.6 do:39.4					

MINI Cooper SE (F56)
MINI Cooper SE Convertible (F57)


07/2014 ->
11/2014 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	21762	stabiliser link	31 30 6 862 863	L:322	9	21658	TCA left wbj	31 12 6 850 397	c:21
2	821431	strut mount	31 30 5 A04 C10	di:14	10	21659	TCA right wbj	31 12 6 850 398	c:21
3	321.036	steering rack gaiter	32 10 6 865 380	D:52 d:14 L:187	11	821679 KIT	silentblock for TCA	Part of	di:12.3 do:49.8
4	21736	tie rod end left	32 10 6 854 734	c:16 th:FM14X1.5R	12	821676	silentblock for TCA	31 12 6 882 843	di:20 do:70
5	21737	tie rod end right	32 10 6 854 737	c:16 th:FM14X1.5R	13	821677	silentblock for TCA	31 12 6 882 844	di:20 do:70
6	21315	axial joint	Part of	th:MM14X1.5R L:190	14	821678	silentblock for TCA	31 12 6 874 343	di:20 do:70
7	21624	tie rod left	32 10 6 854 733	c:16	15	821696 KIT	silentblock kit	31 12 6 882 843 S1	
8	21625	tie rod right	32 10 6 854 736	c:16					

MINI Cooper SE (F56)
MINI Cooper SE Convertible (F57)


07/2014 ->
11/2014 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	821506	strut mount	33 50 6 862 725	di:10.8 L:48.2	4	21657	track rod	33 32 6 851 569	L:518
2	821319	mounting axle body	33 32 6 850 395	di:12 do:64.7	5	21763	stabiliser link	33 50 6 862 865	L:104
3	210078	track rod	33 32 6 884 693	L:542					

i-MiEV (HA_)


07/2009 - 05/2020



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	71362	stabiliser link left	4056A065	L:240	5	867607	silentblock for TCA	Part of	di:12 do:37
2	71363	stabiliser link right	4056A066	L:240	6	871633	silentblock for TCA	MR316074	di:12.3 do:45
3	71117	axial joint	4422A035	th:MM14x1.5R L:264	7	71085	ball joint	Part of	c:18 do:39.9
4	71238	tie rod end	MB241982	c:13.4 th:FM12X1.25R					

LEAF (ZE0)



11/2010 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	841828	stabiliser mounting	54613 3NK0A	di:20.8	10	41037	tie rod end right	D8520 1KA0A	c:11.8 th:FM12X1.25R
2	41467	stabiliser link	54618 CY00A	L:284	11	41010	axial joint	48521 3SG1A	th:MM14X1.5R L:217
3	841406	strut mount	54321 1KA0B	di:12 do:90 L:51.5	12	841633	silentblock for TCA	Part of	di:14.2 do:50.1
4	841407	strut mount	54320 1KA0B	di:12 do:90 L:51.5	13	41278	TCA left wbj	54501 1KK0A	c:18
5	841410	bearing	54325 JE21C	di:91 do:139 L:36	14	41279	TCA right wbj	54500 1KK0A	c:18
6	841430 KIT	strut mount kit	54321 1KA0B S1	di:12 do:139	15	841628	silentblock for TCA	Part of	di:12.2 do:58
7	841431 KIT	strut mount kit	54320 1KA0B S1	di:12 do:139	16	41689	ball joint	Part of	c:18 do:38.5
8	341.035	steering rack gaiter	48203 JD01A	D:50 d:14 L:168	17	R10079	mounting tool ring ø46 ø38	TOOL	di:38 do:46
9	41036	tie rod end left	D8640 1KA0A	c:11.8 th:FM12X1.25R					

LEAF (ZE1)


08/2017 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	841837	stabiliser mounting	54613 4FJ0B	di:22.8	6	41050	TCA left wbj	54501 4DA0A	c:18
2	41467	stabiliser link	54618 CY00A	L:284	7	41051	TCA right wbj	54500 4DA0A	c:18
3	41036	tie rod end left	D8640 1KA0A	c:11.8 th:FM12X1.25R	8	841633	silentblock for TCA	Part of	di:14.2 do:50.1
4	41037	tie rod end right	D8520 1KA0A	c:11.8 th:FM12X1.25R	9	841628	silentblock for TCA	Part of	di:12.2 do:58
5	41010	axial joint	48521 3SG1A	th:MM14X1.5R L:217	10	41689	ball joint	Part of	c:18 do:38.5

ASTRA-e L (O5)
ASTRA-e L Sports Tourer (O5)


10/2021 ->
10/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53068	stabiliser link	3 637 393	L:335	6	53355	TCA right wbj	98 463 292 80 S1	c:16.6
2	53730	tie rod end left	16 108 177 80	c:14.5 th:FM14X1.5R	7	853655	silentblock for TCA	3 637 432	di:14.3 do:43.4
3	53731	tie rod end right	16 108 178 80	c:14.5 th:FM14X1.5R	8	853658	silentblock for TCA	3 644 790	di:14.2 do:50
4	53218	axial joint	16 759 574 80	th:MM14X1.5R L:208	9	53084	ball joint	98 310 882 80	c:16.6
5	53354	TCA left wbj	98 463 297 80 S1	c:16.6	10	853321	mounting axle body	3 637 375	do:80

COMBO-e Box Body/MPV (K9)
COMBO-e E Tour / Life (K9)


06/2018 ->
06/2018 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53068	stabiliser link	3 637 393	L:335	9	53159	TCA right wbj	98 168 654 80 S2	c:16.7
2	853450	strut mount	98 004 797 80	di:16	10	53250	TCA left wbj	98 150 146 80 S1	c:16.7
3	353.037	steering rack gaiter	Part of	D:51 d:12 L:186	11	53251	TCA right wbj	98 150 143 80 S1	c:16.7
4	53730	tie rod end left	16 108 177 80	c:14.5 th:FM14X1.5R	12	53684	ball joint	98 310 885 80	c:16.7
5	53731	tie rod end right	16 108 178 80	c:14.5 th:FM14X1.5R	13	53685	ball joint	98 154 180 80	c:16.6
6	53215	axial joint	16 488 367 80	th:MM14X1.5R L:205	14	853655	silentblock for TCA	3 637 432	di:14.3 do:43.4
7	53119	axial joint	16 112 423 80	th:MM14X1.5R L:208	15	853658	silentblock for TCA	3 644 790	di:14.2 do:50
8	53158	TCA left wbj	98 168 655 80 S2	c:16.7	16	807301	mounting axle body	5131 H1	di:14.3 do:82

CORSA-e F (P2JO)



07/2019 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53162	stabiliser link	98 246 525 80	L:324	8	53254	TCA left wbj	98 316 835 80	c:20
2	353.131	steering rack gaiter	16 483 223 80	D:52 d:14 L:181	9	53255	TCA right wbj	98 316 214 80	c:20
3	53230	tie rod end left	16 696 485 80	c:12.1 th:FM14X1.5R	10	853660	silentblock for TCA	Part of	di:12.2 do:38
4	53231	tie rod end right	16 696 484 80	c:12.1 th:FM14X1.5R	11	853661	silentblock for TCA	Part of	di:12.2 do:56
5	53216	axial joint	Part of	th:MM14X1.5R L:293	12	53082	ball joint	98 246 263 80	c:20
6	53252	TCA left wbj	98 316 264 80	c:20	13	53083	ball joint	98 246 267 80	c:20
7	53253	TCA right wbj	98 320 392 80	c:20	14	853306	mounting axle body	98 255 514 80	di:12.2 do:71.6

MOKKA-e



06/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53162	stabiliser link	98 246 525 80	L:324	7	53351	TCA right wbj	98 316 827 80	c:20
2	353.131	steering rack gaiter	16 483 223 80	D:52 d:14 L:181	8	853660	silentblock for TCA	Part of	di:12.2 do:38
3	53032	tie rod end left	16 483 226 80	c:12.1 th:FM14X1.5R	9	853662	silentblock for TCA	Part of	di:12.2 do:56.2
4	53033	tie rod end right	16 483 225 80	c:12.1 th:FM14X1.5R	10	53083	ball joint	98 246 267 80	c:20
5	53216	axial joint	Part of	th:MM14X1.5R L:293	11	853328	mounting axle body	98 256 586 80	di:12.2 do:72
6	53350	TCA left wbj	98 316 825 80	c:20	12	853329	mounting axle body	98 359 379 80	di:14.2 do:72

MOVANO-e C (U9)



12/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	954001	stabilizer bar	16 127 365 80	do:26.2 L:1398	10	54272	TCA wobj	16 127 356 80	c:23.6
2	854801	stabiliser mounting	Part of	di:24.5	11	54273	TCA wobj	16 127 355 80	c:23.6
3	54061	stabiliser link	Part of	L:112	12	854601	silentblock for TCA	Part of	di:18.5 do:56.8
4	854408 KIT	strut mount kit	16 127 361 80	di:14	13	854602	silentblock for TCA	Part of	di:20 do:74.2
5	854409 KIT	strut mount kit	16 127 359 80	di:14	14	54086	ball joint	16 355 075 80	c:20.5
6	354.030	steering rack gaiter	16 109 762 80	D:55 d:14 L:225	15	54062	stabiliser link rear axle	Part of	L:100
7	54136	tie rod end left	16 109 764 80	c:16.6 th:FM16X1.5R	16	954002	stabilizer bar	16 807 924 80	do:26 L:1440
8	54137	tie rod end right	16 109 763 80	c:16.6 th:FM16X1.5R	17	854900	stabiliser mounting	Part of	di:19.5
9	54011	axial joint	Part of	th:MM16X1.5R L:260					

VIVARO-E C (K0)



09/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54063	stabiliser link	98 090 901 80	L:355	9	854604	silentblock for TCA	98 165 579 80	di:14.3 do:70.5
2	354.031	steering rack gaiter	98 203 403 80	D:61 d:16 L:201	10	54087	ball joint	98 345 990 80 S1	c:18.6
3	54138	tie rod end left	98 203 400 80	c:14.2 th:FM14X1.5R	11	854300	mounting axle body	98 148 540 80	di:16.4 do:73
4	54139	tie rod end right	98 203 401 80	c:14.2 th:FM14X1.5R	12	854302	mounting axle body	98 148 542 80	di:16.4 do:73
5	54012	axial joint	Part of	th:MM16X1.5R L:265	13	854301	mounting axle body	98 148 541 80	di:14.4 do:73.5
6	54274	TCA left wobj	98 168 636 80	c:18.2	14	854303	mounting axle body	98 148 543 80	di:14.4 do:73.5
7	54275	TCA right wobj	98 168 635 80	c:18.2	15	54064	stabiliser link	98 056 213 80	L:80
8	854603	silentblock for TCA	98 090 826 80	di:16.1 do:58					

ZAFIRA E-LIFE (K0)


09/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54063	stabiliser link	98 090 901 80	L:355	9	854604	silentblock for TCA	98 165 579 80	di:14.3 do:70.5
2	354.031	steering rack gaiter	98 203 403 80	D:61 d:16 L:201	10	54087	ball joint	98 345 990 80 S1	c:18.6
3	54138	tie rod end left	98 203 400 80	c:14.2 th:FM14X1.5R	11	854300	mounting axle body	98 148 540 80	di:16.4 do:73
4	54139	tie rod end right	98 203 401 80	c:14.2 th:FM14X1.5R	12	854302	mounting axle body	98 148 542 80	di:16.4 do:73
5	54012	axial joint	Part of	th:MM16X1.5R L:265	13	854301	mounting axle body	98 148 541 80	di:14.4 do:73.5
6	54274	TCA left wobj	98 168 636 80	c:18.2	14	854303	mounting axle body	98 148 543 80	di:14.4 do:73.5
7	54275	TCA right wobj	98 168 635 80	c:18.2	15	54064	stabiliser link	98 056 213 80	L:80
8	854603	silentblock for TCA	98 090 826 80	di:16.1 do:58					

e-208 II (UB_, UP_, UW_, UJ_)

06/2019 ->



ICE (INTERNAL COMBUSTION ENGINE) DRIVE TRAIN





ELECTRIC DRIVE TRAIN



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53162	stabiliser link	98 246 525 80	L:324	9	53253	TCA right wbj	98 320 392 80	c:20
2	53164	stabiliser link left	98 368 495 80	L:324	10	53254	TCA left wbj	98 316 835 80	c:20
3	53165	stabiliser link right	98 368 424 80	L:324	11	53255	TCA right wbj	98 316 214 80	c:20
4	353.131	steering rack gaiter	16 483 223 80	D:52 d:14 L:181	12	853660	silentblock for TCA	Part of	di:12.2 do:38
5	53230	tie rod end left	16 696 485 80	c:12.1 th:FM14X1.5R	13	853661	silentblock for TCA	Part of	di:12.2 do:56
6	53231	tie rod end right	16 696 484 80	c:12.1 th:FM14X1.5R	14	53082	ball joint	98 246 263 80	c:20
7	53216	axial joint	16 483 222 80	th:MM14X1.5R L:293	15	53083	ball joint	98 246 267 80	c:20
8	53252	TCA left wbj	98 316 264 80	c:20	16	853306	mounting axle body	98 255 514 80	di:12.2 do:71.6


e-308 III (FB_, FH_, FP_, F3_, FM_)
e-308 SW III (FC_, FJ_, FR_, F4_, FN_)

07/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53068	stabiliser link	98 090 457 80	L:335	6	53355	TCA right wbj	98 463 292 80 S1	c:16.6
2	53730	tie rod end left	16 108 177 80	c:14.5 th:FM14X1.5R	7	853655	silentblock for TCA	96 760 321 80	di:14.3 do:43.4
3	53731	tie rod end right	16 108 178 80	c:14.5 th:FM14X1.5R	8	853658	silentblock for TCA	98 163 803 80	di:14.2 do:50
4	53218	axial joint	16 759 574 80	th:MM14X1.5R L:208	9	53084	ball joint	98 310 882 80	c:16.6
5	53354	TCA left wbj	98 463 297 80 S1	c:16.6	10	853321	mounting axle body	98 034 811 80	do:80




e-2008 II (UD_, US_, UY_, UJ_, UR_, UC_) 08/2019 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53162	stabiliser link	98 246 525 80	L:324	7	53351	TCA right wbj	98 316 827 80	c:20
2	353.131	steering rack gaiter	16 483 223 80	D:52 d:14 L:181	8	853660	silentblock for TCA	Part of	di:12.2 do:38
3	53232	tie rod end left	16 733 144 80	c:12.1 th:FM14X1.5R	9	853662	silentblock for TCA	Part of	di:12.2 do:56.2
4	53233	tie rod end right	16 733 145 80	c:12.1 th:FM14X1.5R	10	53083	ball joint	98 246 267 80	c:20
5	53216	axial joint	16 483 222 80	th:MM14X1.5R L:293	11	853328	mounting axle body	98 256 586 80	di:12.2 do:72
6	53350	TCA left wbj	98 316 825 80	c:20	12	853329	mounting axle body	98 359 379 80	di:14.2 do:72

e-BOXER



04/2006 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	954001	stabilizer bar	16 127 364 80	do:26.2 L:1398	11	54137	tie rod end right	16 109 763 80	c:16.6 th:FM16X1.5R
2	54061	stabiliser link	Part of	L:112	12	54011	axial joint	Part of	th:MM16X1.5R L:260
3	854801	stabiliser mounting	Part of	di:24.5	13	54178	TCA left wobj	3520 S0	c:23.6
4	854404	strut mount	16 076 912 80	di:14.2 do:86	14	54179	TCA right wobj	3521 P1	c:23.6
5	854405	strut mount	Part of	di:14.2	15	54270	TCA left wobj	3520 S1	c:23.6
6	854406	bearing	16 202 985 80	di:49.1 do:70.3 L:8.3	16	54271	TCA right wobj	3521 P2	c:23.6
7	854408 KIT	strut mount kit	Part of	di:14	17	854601	silentblock for TCA	Part of	di:18.5 do:56.8
8	854409 KIT	strut mount kit	Part of	di:14	18	854602	silentblock for TCA	Part of	di:20 do:74.2
9	354.030	steering rack gaiter	16 109 762 80	D:55 d:14 L:225	19	54086	ball joint	3640 67	c:20.5
10	54136	tie rod end left	16 109 764 80	c:16.6 th:FM16X1.5R					

e-BOXER

04/2006 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54272	TCA wobj	16 127 356 80	c:23.6	5	54086	ball joint	3640 67	c:20.5
2	54273	TCA wobj	16 127 355 80	c:23.6	6	54062	stabiliser link rear axle	Part of	L:100
3	854601	silentblock for TCA	Part of	di:18.5 do:56.8	7	854900	stabiliser mounting	Part of	di:19.5
4	854602	silentblock for TCA	Part of	di:20 do:74.2	8	954002	stabilizer bar	16 080 782 80	do:26 L:1440




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54063	stabiliser link	98 090 901 80	L:355	9	854604	silentblock for TCA	98 165 579 80	di:14.3 do:70.5
2	354.031	steering rack gaiter	98 203 403 80	D:61 d:16 L:201	10	54087	ball joint	98 345 990 80 S1	c:18.6
3	54138	tie rod end left	98 203 400 80	c:14.2 th:FM14X1.5R	11	854300	mounting axle body	98 148 540 80	di:16.4 do:73
4	54139	tie rod end right	98 203 401 80	c:14.2 th:FM14X1.5R	12	854302	mounting axle body	98 148 542 80	di:16.4 do:73
5	54012	axial joint	Part of	th:MM16X1.5R L:265	13	854301	mounting axle body	98 148 541 80	di:14.4 do:73.5
6	54274	TCA left wobj	98 168 636 80	c:18.2	14	854303	mounting axle body	98 148 543 80	di:14.4 do:73.5
7	54275	TCA right wobj	98 168 635 80	c:18.2	15	54064	stabiliser link	98 056 213 80	L:80
8	854603	silentblock for TCA	98 090 826 80	di:16.1 do:58					



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	71362	stabiliser link left	5087 80	L:240	5	867607	silentblock for TCA	Part of	di:12 do:37
2	71363	stabiliser link right	5087 81	L:240	6	871633	silentblock for TCA	Part of	di:12.3 do:45
3	71117	axial joint	3812 G6	th:MM14x1.5R L:264	7	71085	ball joint	Part of	c:18 do:39.9
4	71238	tie rod end	3817 A6	c:13.4 th:FM12X1.25R					


SIDEM
Experts know why

09/2018 ->



e-RIFTER



09/2018 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53068	stabiliser link	98 090 457 80	L:335	10	53159	TCA right wbj	98 168 654 80 S2	c:16.7
2	853450	strut mount	98 004 797 80	di:16	11	53250	TCA left wbj	98 150 146 80 S1	c:16.7
3	853451	bearing	98 175 924 80	do:126	12	53251	TCA right wbj	98 150 143 80 S1	c:16.7
4	353.037	steering rack gaiter	16 108 175 80	D:51 d:12 L:186	13	853655	silentblock for TCA	96 760 321 80	di:14.3 do:43.4
5	53730	tie rod end left	16 108 177 80	c:14.5 th:FM14X1.5R	14	853658	silentblock for TCA	98 163 803 80	di:14.2 do:50
6	53731	tie rod end right	16 108 178 80	c:14.5 th:FM14X1.5R	15	53684	ball joint	98 310 885 80	c:16.7
7	53215	axial joint	16 488 367 80	th:MM14X1.5R L:205	16	53685	ball joint	98 310 888 80	c:16.6
8	53119	axial joint	16 112 423 80	th:MM14X1.5R L:208	17	807301	mounting axle body	5131 H1	di:14.3 do:82
9	53158	TCA left wbj	98 168 655 80 S2	c:16.7					

E-TRAVELLER (V_)


09/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54063	stabiliser link	98 090 901 80	L:355	9	854604	silentblock for TCA	98 165 579 80	di:14.3 do:70.5
2	354.031	steering rack gaiter	98 203 403 80	D:61 d:16 L:201	10	54087	ball joint	98 345 990 80 S1	c:18.6
3	54138	tie rod end left	98 203 400 80	c:14.2 th:FM14X1.5R	11	854300	mounting axle body	98 148 540 80	di:16.4 do:73
4	54139	tie rod end right	98 203 401 80	c:14.2 th:FM14X1.5R	12	854302	mounting axle body	98 148 542 80	di:16.4 do:73
5	54012	axial joint	Part of	th:MM16X1.5R L:265	13	854301	mounting axle body	98 148 541 80	di:14.4 do:73.5
6	54274	TCA left wob	98 168 636 80	c:18.2	14	854303	mounting axle body	98 148 543 80	di:14.4 do:73.5
7	54275	TCA right wob	98 168 635 80	c:18.2	15	54064	stabiliser link	98 056 213 80	L:80
8	854603	silentblock for TCA	98 090 826 80	di:16.1 do:58					






Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	67161	stabiliser link	32 344 015	L:277	7	67871	TCA right wbj	32 333 547	c:21
2	367.030	steering rack gaiter	32 333 942	D:55 d:13.5 L:200	8	867602	silentblock for TCA	32 283 990	di:14.4 do:45.1
3	67332	tie rod end left	32 283 512	c:12.2 th:FM14X1.5R	9	867603	silentblock for TCA	32 346 249	di:14.4 do:65.1
4	67333	tie rod end right	32 283 514	c:12.2 th:FM14X1.5R	10	67086	ball joint	Part of	c:21
5	67014	axial joint	Part of	th:MM16X1.5R L:208	11	67087	ball joint	Part of	c:21
6	67870	TCA left wbj	32 333 546	c:21					



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	867305	mounting axle body	Part of	di:14.2 do:72.2	6	67778	TCA left	32 246 372	L:580
2	67774	TCA left	32 329 030	L:393	7	67779	TCA right	32 246 373	L:580
3	67775	TCA right	32 329 031	L:393	8	867725	silentblock for TCA	32 268 170	di:12.2 do:36.3
4	67776	track rod	32 333 575	L:308	9	867722	silentblock for TCA	32 221 447	di:12.2 do:37.1
5	67777	track rod	31 681 846	L:292	10	67162	stabiliser link	32 221 272	L:145

MACAN (95B)


02/2014 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	837804	stabiliser mounting	4D0 411 327 J	di:29	13	37172	TCA left wbj	8K0 407 509 B	c:16
2	37069	stabiliser link	4G0 411 317 A	L:170	14	37173	TCA right wbj	8K0 407 510 B	c:16
3	837406	strut mount	8K0 412 377 C	di:12.5 do:114 L:53.5	15	837624	silentblock for TCA	8R0 407 515	di:10.2 do:46.2
4	337.032	steering rack gaiter	4G0 423 831	D:54 d:16 L:187	16	37274	TCA left wobj	8K0 407 151 F	c:17
5	337.033	steering rack gaiter	4G0 423 832 A	D:79 d:16 L:201	17	37275	TCA right wobj	8K0 407 152 F	c:17
6	37236	tie rod end left	4G0 423 811 A	c:14.7 th:FM16X1.5R	18	837617	silentblock for TCA	4E0 407 181 B	di:12.3 do:43.8
7	37237	tie rod end right	4G0 423 812 A	c:14.7 th:FM16X1.5R	19	837621	silentblock for TCA	8K0 407 182 B	di:12.2 do:50.3
8	37615	axial joint	4G0 423 810 A	th:MM16X1.5R L:236	20	37083	ball joint	4G0 407 689 C	c:17.4 do:42
9	37020	tie rod left	4G0 423 810 A S1	c:14.7	21	37252	TCA left wbj	9A7 407 693 03	c:16.8
10	37021	tie rod right	4G0 423 810 A S2	c:14.7	22	37253	TCA right wbj	9A7 407 694 03	c:16.8
11	37170	TCA left wbj	8K0 407 505 B	c:16	23	837627	silentblock for TCA	8K0 407 183 F	di:13 do:75.2
12	37171	TCA right wbj	8K0 407 506 B	c:16	24	837644	silentblock for TCA	8K0 407 183 F	di:13 do:75.2

MACAN (95B)


02/2014 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	37156	track rod	8K0 501 529 L	L:283	6	837309	mounting axle body	8R0 505 145 K	di:19.5 do:80
2	837731	silentblock for TCA	Part of	di:12 do:44	7	837310	mounting axle body	8R0 505 145 A	di:20 do:80
3	37152	TCA left	8K0 505 323 H	L:362	8	837506	strut mount	8K0 513 353 E	di:10.6 do:73.5 L:76.2
4	37153	TCA right	8K0 505 324 H	L:362	9	37066	stabiliser link rear axle	95B 505 465	L:60
5	837727	silentblock for TCA	Part of	di:12 do:44.2	10	863912	stabiliser mounting	95B 511 035	di:23


TAYCAN (Y1A)
TAYCAN CROSS TURISMO (Y1B)
TAYCAN SPORT TURISMO (Y1C)

05/2019 ->
05/2020 ->
08/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63068	stabiliser link left	9J1 411 317 B	L:450	7	863600	silentblock for TCA	Part of	di:10.2 do:48
2	63069	stabiliser link right	9J1 411 318 B	L:450	8	63550	TCA left wbj	PAD 407 151 A	c:19.8
3	63036	tie rod end left	9J1 423 811 B	c:15.5 th:FM16X1.5R	9	63551	TCA right wbj	PAD 407 152 A	c:19.8
4	63037	tie rod end right	9J1 423 812 B	c:15.5 th:FM16X1.5R	10	863603	silentblock for TCA	971 407 516	di:12.2 do:52.8
5	63017	axial joint	971 423 810	th:MM16X1.5R L:195	11	863668	silentblock for TCA left	971 407 183 D	di:25.7 do:86
6	63459	TCA wbj	PAD 407 021	c:18	12	863669	silentblock for TCA right	971 407 182 D	di:25.7 do:86


05/2019 ->
05/2020 ->
08/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63555	track rod	9J1 501 529	L:318	6	63680	ball joint rear	9J1 501 341	di:12.1 do:47
2	63554	track rod	971 505 323 B	L:314	7	863739	silentblock for TCA	971 505 544	di:12.2 do:74.8
3	63552	track rod	971 505 397 A	L:360	8	63160	stabiliser link rear	971 511 467 F	L:144
4	63553	track rod	971 505 398 A	L:360	9	63161	stabiliser link rear	971 511 467 E	L:144
5	863738	silentblock for TCA	Part of	di:12.2 do:44.7					



GRAND KANGOO III MPV E-TECH
KANGOO III MPV E-TECH

07/2021 ->
04/2022 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	5760	stabiliser link	54 61 870 05R	L:275	6	5252	TCA left wbj	54 50 542 69R	c:15.8
2	5930	tie rod end left	48 52 064 81R	c:11.9 th:FM14X1.5R	7	5253	TCA right wbj	54 50 427 38R	c:15.8
3	5931	tie rod end right	48 52 013 40R	c:11.9 th:FM14X1.5R	8	805655	silentblock for TCA	Part of	di:14.2 do:58
4	5214	axial joint	Part of	th:MM14X1.5R L:221	9	5488	ball joint	Part of	c:15.8
5	805648	silentblock for TCA	Part of	di:18.5 do:55					

MASTER III Z.E. (EV, HV, UV)
MASTER III Z.E. (FV)



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	805851	stabiliser mounting	54 61 312 53R	di:24.5	11	5077	TCA right wobj	82 00 688 875	c:17
2	805852	stabiliser mounting	54 61 378 23R	di:20.5	12	805641	silentblock for TCA	Part of	di:16.2 do:49
3	805853	stabiliser mounting	54 61 310 75R	di:23.5	13	805642	silentblock for TCA	Part of	di:16.2 do:70
4	5062	stabiliser link	54 61 800 04R	L:330	14	5081	ball joint	82 00 688 877	c:18
5	809428	strut mount	54 32 070 65R	di:16.5 do:162 L:95	15	5082	ball joint	40 16 023 79R	c:18
6	305.132	steering rack gaiter	48 20 376 16R	D:58 d:17 L:188	16	5066	stabiliser link	55 11 000 20R	L:166
7	5030	tie rod end left	48 52 067 30R	c:16.4 th:FM18x1.5R	17	5063	stabiliser link rear axle	55 11 000 19R	L:106
8	5031	tie rod end right	48 52 007 80R	c:16.4 th:FM18x1.5R	18	805905	stabiliser mounting	54 61 354 90R	di:21
9	5616	axial joint	48 52 123 73R	th:MM16x1.5R L:253	19	805906	stabiliser mounting	54 61 303 08R	di:21
10	5076	TCA left wobj	82 00 688 871	c:17	20	805907	stabiliser mounting	54 61 350 09R	di:29



1 5264



1 5264



2 5238



4 5216



4 5216



3 5239




5 5256

7 805658

6 5257

8 841643

Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	5264	stabiliser link	54 61 85M P0A	L:394	5	5256	TCA left wbj	54 50 15M Z0A	c:20
2	5238	tie rod end left	48 64 032 41R	c:14 th:FM14X1.5R	6	5257	TCA right wbj	54 50 05M Z0A	c:20
3	5239	tie rod end right	48 52 038 01R	c:14 th:FM14X1.5R	7	805658	silentblock for TCA	Part of	di:14.2 do:42
4	5216	axial joint	Part of	th:MM16X1.5R L:205	8	841643	silentblock for TCA	Part of	di:14.2 do:76.2




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	5350	track rod	55 11 15M Z0A	L:395	5	5353	track rod	55 1B 05M Z0A	L:465
2	5351	track rod	55 11 05M Z0A	L:395	6	41364	stabiliser link left	54 66 8JD 00A	L:300
3	5055	track rod	55 1A 05M Z0A	L:400	7	41365	stabiliser link right	54 61 8JD 00A	L:300
4	5352	track rod	55 1B 15M Z0A	L:465					

TRAFIC III E-Tech (EG_)
TRAFIC III E-Tech (FG_)

05/2014 ->



05/2014 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	806804	stabiliser mounting	Part of	di:22.5	10	6535	tie rod end right	77 01 049 283	c:12 th:FM14X1.5R
2	806805	stabiliser mounting	Part of	di:23	11	6112	axial joint	Part of	th:MM12X1R L:263
3	5661	stabiliser link	82 00 661 217	L:279	12	6270	TCA left wbj	54 50 199 56R	c:17
4	805414	strut mount	82 00 010 493	di:39 do:162 L:75.5	13	6271	TCA right wbj	54 50 060 69R	c:17
5	805415	bearing	82 00 010 518	di:16.2 do:52 L:15.2	14	805627	silentblock for TCA	Part of	di:18.1 do:54
6	805406 KIT	strut mount kit	77 01 209 577	di:16 do:162 L:76	15	805624	silentblock for TCA	Part of	di:15 do:58
7	5110	axial joint kit	77 01 473 333	D:54 th:MM14X1.5R	16	6281	ball joint	Part of	c:17
8	309.134	steering rack gaiter	77 01 473 334	D:54 d:13 L:215	17	806300	mounting axle body	Part of	di:16.2 do:53
9	6534	tie rod end left	77 01 049 282	c:12 th:FM14X1.5R					

TWINGO III Z.E. (BCM_, BCA_)

09/2014 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	5166	stabiliser link	54 61 811 79R	L:202	8	5176	TCA left wbj	54 50 573 45R	c:18
2	805439	strut mount	54 30 202 18R	di:13.2 do:62 L:36	9	5177	TCA right wbj	54 50 486 28R	c:18
3	805441	bearing	54 32 595 39R	di:62 do:106.5 L:38.5	10	805646	silentblock for TCA	Part of	di:12.1 do:55
4	305.135	steering rack gaiter	48 20 308 65R	D:52 d:12 L:173	11	805647	silentblock for TCA	Part of	di:12.2 do:55
5	5236	tie rod end left	48 52 046 28R	c:12 th:FM14X1.5R	12	5083	ball joint	Part of	c:18 do:38.4
6	5237	tie rod end right	48 52 089 10R	c:12 th:FM14X1.5R	13	5175	track rod	55 5C 352 70R	L:610
7	5910	axial joint	Part of	th:MM12X1R L:393					



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	41660	stabiliser link	55 11 071 47R	L:248	11	5154	TCA left wbj	54 50 141 20R	c:18
2	805425	strut mount	54 30 246 44R	di:13.2 do:62 L:37.2	12	5155	TCA right wbj	54 50 426 44R	c:18
3	805441	bearing	54 32 595 39R	di:62 do:106.5 L:38.5	13	5288	ball joint	40 16 047 93R	c:18 do:38.4
4	805426 KIT	strut mount kit	54 3A 023 10R	di:13 do:62 L:37	14	R10079	mounting tool ring ø46 ø38	TOOL	di:38 do:46
5	305.133	steering rack gaiter	48 20 305 86R	D:55 d:14 L:176	15	805630	silentblock for TCA	Part of	di:12.2 do:33.2
6	5234	tie rod end left	48 52 003 68R	c:11.9 th:FM14X1.5R	16	805631	silentblock for TCA	Part of	di:12.1 do:58.2
7	5235	tie rod end right	48 52 083 55R	c:11.9 th:FM14X1.5R	17	805651	silentblock for TCA	Part of	di:12.1 do:33.2
8	5618	axial joint	48 52 113 75R	th:MM16X1.5R L:232	18	5486	ball joint	Part of	c:18 do:38.3
9	5972	TCA left wbj	54 50 557 11R	c:18	19	805312	mounting axle body	55 04 523 79R	di:12.2 do:66.5
10	5973	TCA right wbj	54 50 468 17R	c:18					

MII (KF1_)
MII ELECTRIC (KE1)


10/2011 - 07/2019
01/2020 - 07/2021



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	837803	stabiliser mounting	6Q0 411 314 P	di:16	10	63378	TCA left wbj	1S0 407 151	c:15
2	57060	stabiliser link	6R0 411 315	L:270	11	63379	TCA right wbj	1S0 407 152	c:15
3	863402	strut mount	1J0 412 331 C	di:26 do:82 L:53	12	57084	ball joint left	6R0 407 365 A	c:14.9
4	863417	bearing	1J0 412 249	di:14.3 do:45.3 L:13.4	13	57085	ball joint right	6R0 407 366 A	c:14.9
5	863420 KIT	strut mount kit	1J0 412 331 C S1	di:26 do:82 L:53	14	863601	silentblock for TCA	357 407 182	di:12.1 do:33
6	302.234	steering rack gaiter	1S0 423 831 E	D:44 d:14 L:164	15	863602	silentblock for TCA	1J0 407 181	di:13 do:60
7	57132	tie rod end left	6R0 423 811	c:13.4 th:FM14x1.5R	16	863509 KIT	strut mount kit	1S0 512 335 A S1	di:16
8	57133	tie rod end right	6R0 423 812	c:13.4 th:FM14x1.5R	17	863724	mounting axle body	1S0 501 541 B	di:10 do:58
9	63614	axial joint	1S0 423 810 A	th:MM14X1.5R L:306					

E-CITIGO (NE1)


09/2019 - 09/2021




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	837803	stabiliser mounting	6Q0 411 314 P	di:16	10	63378	TCA left wbj	1S0 407 151	c:15
2	57060	stabiliser link	6R0 411 315	L:270	11	63379	TCA right wbj	1S0 407 152	c:15
3	863402	strut mount	1J0 412 331 C	di:26 do:82 L:53	12	57084	ball joint left	6R0 407 365 A	c:14.9
4	863417	bearing	1J0 412 249	di:14.3 do:45.3 L:13.4	13	57085	ball joint right	6R0 407 366 A	c:14.9
5	863420 KIT	strut mount kit	1J0 412 331 C S1	di:26 do:82 L:53	14	863601	silentblock for TCA	357 407 182	di:12.1 do:33
6	302.234	steering rack gaiter	1S0 423 831 E	D:44 d:14 L:164	15	863602	silentblock for TCA	1J0 407 181	di:13 do:60
7	57132	tie rod end left	6R0 423 811	c:13.4 th:FM14x1.5R	16	863509 KIT	strut mount kit	1S0 512 335 A S1	di:16
8	57133	tie rod end right	6R0 423 812	c:13.4 th:FM14x1.5R	17	863724	mounting axle body	1S0 501 541 B	di:10 do:58
9	63614	axial joint	1S0 423 810 A	th:MM14X1.5R L:306					

ENYAQ iV (5AC,5AZ)

10/2020 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63065	stabiliser link	1EA 411 315 C	L:300	6	63453	TCA right wbj	1EA 407 152 A	c:18.2
2	837408	bearing	5Q0 412 249 F	di:74 do:127 L:38.6	7	863649	silentblock for TCA	5Q0 407 183 E	di:13 do:65
3	63031	tie rod end	1EA 423 811 B	c:14.7 th:FM16X1.5R	8	863651	silentblock for TCA	1EA 407 183 D	di:15.1 do:60
4	63014	axial joint	1EA 423 810 C	th:MM16X1.5R L:412	9	63084	ball joint	1EA 407 365 A	c:18.2
5	63452	TCA left wbj	1EA 407 151 A	c:18.2					



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	5166	stabiliser link	453 320 00 89	L:202	8	5176	TCA left wbj	453 330 29 00	c:18
2	805439	strut mount	453 320 01 73	di:13.2 do:62 L:36	9	5177	TCA right wbj	453 330 30 00	c:18
3	805441	bearing	453 321 00 84	di:62 do:106.5 L:38.5	10	805646	silentblock for TCA	Part of	di:12.1 do:55
4	305.135	steering rack gaiter	48 20 308 65R	D:52 d:12 L:173	11	805647	silentblock for TCA	Part of	di:12.2 do:55
5	5236	tie rod end left	453 330 71 00	c:12 th:FM14X1.5R	12	5083	ball joint	Part of	c:18 do:38.4
6	5237	tie rod end right	453 330 70 00	c:12 th:FM14X1.5R	13	5175	track rod	453 350 67 00	L:610
7	5910	axial joint	Part of	th:MM12X1R L:393					



FORTWO COUPE - CABRIO electric drive (451) 01/2007 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	871816	stabiliser mounting	451 323 01 85	di:18.5	8	91013	axial joint	Part of	th:MM14X1.5R L:378
2	91066	stabiliser link	451 320 01 89	L:227	9	91174	TCA wbj	451 330 00 10	c:13.1
3	871406	strut mount	451 322 00 28	di:22 do:82.2 L:34.5	10	891615	silentblock for TCA	Part of	di:12.2 do:39.5
4	863417	bearing	450 330 00 51	di:14.3 do:45.3 L:13.4	11	91084	ball joint	Part of	c:12.9 do:36.7
5	871407 KIT	strut mount kit	451 322 00 28 S1	di:22 do:82 L:35	12	R10079	mounting tool ring ø46 ø38	TOOL	di:38 do:46
6	371.035	steering rack gaiter	451 460 00 96	D:49 d:13 L:215	13	91175	TCA	451 350 01 29	L:561
7	9930	tie rod end	451 338 01 37	c:10.7 th:FM12x1.5R					

FORTWO CONVERTIBLE electric drive (453)
FORTWO COUPE electric drive (453)




07/2014 ->
07/2015 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	5166	stabiliser link	453 320 00 89	L:202	8	5176	TCA left wbj	453 330 29 00	c:18
2	805439	strut mount	453 320 01 73	di:13.2 do:62 L:36	9	5177	TCA right wbj	453 330 30 00	c:18
3	805441	bearing	453 321 00 84	di:62 do:106.5 L:38.5	10	805646	silentblock for TCA	Part of	di:12.1 do:55
4	305.135	steering rack gaiter	48 20 308 65R	D:52 d:12 L:173	11	805647	silentblock for TCA	Part of	di:12.2 do:55
5	5236	tie rod end left	453 330 71 00	c:12 th:FM14X1.5R	12	5083	ball joint	Part of	c:18 do:38.4
6	5237	tie rod end right	453 330 70 00	c:12 th:FM14X1.5R	13	5175	track rod	453 350 67 00	L:610
7	5910	axial joint	Part of	th:MM12X1R L:393					

MODEL 3 (5YJ3)

06/2017 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	15064	stabiliser link left	1044391 00 D	L:280	8	815603	silentblock for TCA	Part of	di:10.2 do:45
2	15065	stabiliser link right	1044396 00 D	L:280	9	15075	TCA wbj	1044341 00 D	c:13.7 L:326
3	315.137	steering rack gaiter	Part of	D:55 d:14 L:195	10	815600	silentblock for TCA	Part of	di:14.2 do:46.7
4	15032	tie rod end	Part of	c:13.9 th:FM14X1.5R	11	815601	silentblock for TCA	Part of	di:14.3 do:60
5	15011	axial joint	Part of	th:MM16X1.5R L:247	12	15078	TCA left wbj	1044354 00 A	c:16.6 L:380
6	15076	TCA left wbj	1288321 00 A	c:18.1	13	15079	TCA right wbj	1044359 00 A	c:16.6 L:380
7	15077	TCA right wbj	1288326 00 A	c:18	14	815602	silentblock for TCA	Part of	di:14.3 do:70




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	815500	strut mount	Part of	di:11 L:54	7	815701	silentblock for TCA	Part of	di:12.2 do:45
2	15272	track rod	1044427 00 C	L:275	8	15274	track rod	1044431 00 G	L:219
3	815700	silentblock for TCA	Part of	di:12.2 do:43.9	9	15275	track rod	1044444 00 A	L:400
4	15273	track rod	1044423 00 G	L:255	10	815702	silentblock for TCA	Part of	di:12.2 do:44
5	15082	ball joint	Part of	di:14.2 do:47	11	15066	stabiliser link left	1044491 00 E	L:144
6	815705	silentblock for TCA	Part of	di:14.2 do:47	12	15067	stabiliser link right	1044496 00 E	L:144

TESLA

MODEL S

MODEL S (5YJS)


09/2012 - 01/2021



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	15060	stabiliser link left	6007098 00 A	L:202	10	15070	TCA left wbj	1043965 00 B	c:18
2	15061	stabiliser link right	6008915 00 A	L:202	11	15071	TCA right wbj	1043966 00 B	c:18
3	15062	stabiliser link	1030603 00 B	L:229	12	15080	ball joint	Part of	c:18
4	315.136	steering rack gaiter	Part of	D:56 d:19 L:208	13	15072 R	TCA left wbj	1041570 00 B	c:16.6 L:411
5	15030	tie rod end	6007071 00 A	c:14.1 th:FM18X1.5R	14	15073 R	TCA right wbj	1041575 00 B	c:16.6 L:411
6	15010	axial joint	Part of	th:MM16X1.5R L:298	15	15074 R	TCA wbj	1027351 00 C	c:16.6 L:348
7	315.137	steering rack gaiter	Part of	D:55 d:14 L:195	16	15000	mounting kit	2007106	th:M14X2 L:114
8	15031	tie rod end	1027841 00 B	c:13.7 th:FM14X1.5R	17	15278 R	TCA wbj	1027351 00 C S1	c:16.6 L:348
9	15011	axial joint	Part of	th:MM16X1.5R L:247	18	15082	ball joint	Part of	di:14.2 do:47

MODEL S (5YJS)


09/2012 - 01/2021




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	15173	track rod	6006840 00 B	L:225	5	15177	track rod	1021422 00 B	L:85
2	15174	track rod	1043964 00 C	L:225	6	15178	TCA	1021416 00 D	
3	15175	track rod	1027421 00 E	L:283	7	15082	ball joint	Part of	di:14.2 do:47
4	15176	track rod	1027426 00 C	L:283	8	15063	stabiliser link	6007100 00 A	L:148

MODEL X (5YJX)


09/2015 - 02/2021



UPPER



LOWER




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	15068	stabiliser link	1027391 00 B	L:270	7	15073 R	TCA right wbj	1041575 00 B	c:16.6 L:411
2	15031	tie rod end	1027841 00 B	c:13.7 th:FM14X1.5R	8	15074 R	TCA wbj	1027351 00 C	c:16.6 L:348
3	15011	axial joint	Part of	th:MM16X1.5R L:247	9	15000	mounting kit	2007106	th:M14X2 L:114
4	15170	TCA left wbj	1027322 00 D	c:18	10	15278 R	TCA wbj	1027351 00 C S1	c:16.6 L:348
5	15171	TCA right wbj	1027327 00 D	c:18	11	15082	ball joint	Part of	di:14.2 do:47
6	15072 R	TCA left wbj	1041570 00 B	c:16.6 L:411					

TESLA MODEL X

MODEL X (5YJX)


09/2015 - 02/2021









Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	15179	track rod	1021420 00 B	L:225	4	15082	ball joint	Part of	di:14.2 do:47
2	15175	track rod	1027421 00 E	L:283	5	15271	TCA	1027451 00 F	
3	15270	track rod	1027441 00 A	L:85	6	15069	stabiliser link	1027491 00 A	L:115

MODEL Y (5YJY)

03/2019 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	15064	stabiliser link left	1044391 00 D	L:280	8	815603	silentblock for TCA	Part of	di:10.2 do:45
2	15065	stabiliser link right	1044396 00 D	L:280	9	15172	TCA wbj	1188341 00 C	c:13.7 L:336
3	315.137	steering rack gaiter	Part of	D:55 d:14 L:195	10	815600	silentblock for TCA	Part of	di:14.2 do:46.7
4	15032	tie rod end	Part of	c:13.9 th:FM14X1.5R	11	815601	silentblock for TCA	Part of	di:14.3 do:60
5	15011	axial joint	Part of	th:MM16X1.5R L:247	12	15078	TCA left wbj	1044354 00 A	c:16.6 L:380
6	15076	TCA left wbj	1288321 00 A	c:18.1	13	15079	TCA right wbj	1044359 00 A	c:16.6 L:380
7	15077	TCA right wbj	1288326 00 A	c:18	14	815602	silentblock for TCA	Part of	di:14.3 do:70



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	15276	track rod	1188421 00 A	L:275	8	815704	silentblock for TCA	Part of	di:12.2 do:44.5
2	815703	silentblock for TCA	Part of	di:12.2 do:44	9	15277	track rod	1188431 00 A	L:219
3	15279	track rod	1288427 00 A	L:275	10	15275	track rod	1044444 00 A	L:400
4	815700	silentblock for TCA	Part of	di:12.2 do:43.9	11	815702	silentblock for TCA	Part of	di:12.2 do:44
5	15273	track rod	1044423 00 G	L:255	12	15066	stabiliser link left	1044491 00 E	L:144
6	15082	ball joint	Part of	di:14.2 do:47	13	15067	stabiliser link right	1044496 00 E	L:144
7	815705	silentblock for TCA	Part of	di:14.2 do:47					

PROACE CITY ELECTRIC
PROACE CITY VERSO ELECTRIC



10/2019 ->
10/2019 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53068	stabiliser link	SU001 B4383	L:335	10	53159	TCA right wbj	SU001 A9888 S1	c:16.7
2	853450	strut mount	98 004 797 80	di:16	11	853655	silentblock for TCA	Part of	di:14.3 do:43.4
3	853451	bearing	SU001 A6620	do:126	12	853658	silentblock for TCA	Part of	di:14.2 do:50
4	353.037	steering rack gaiter	SU001 A8527	D:51 d:12 L:186	13	53684	ball joint	SU001 B1566	c:16.7
5	53730	tie rod end left	SU001 B3185	c:14.5 th:FM14X1.5R	14	53250	TCA left wbj	SU001 A9610 S1	c:16.7
6	53731	tie rod end right	SU001 B3186	c:14.5 th:FM14X1.5R	15	53251	TCA right wbj	SU001 A9609 S1	c:16.7
7	53119	axial joint	SU001 A8534	th:MM14X1.5R L:208	16	53685	ball joint	98 310 888 80	c:16.6
8	53215	axial joint	16 488 367 80	th:MM14X1.5R L:205	17	807301	mounting axle body	Part of	di:14.3 do:82
9	53158	TCA left wbj	SU001 A9889 S1	c:16.7					

PROACE ELECTRIC (MDZ_,MPY_)
PROACE VERSO ELECTRIC (MPY_)

09/2020 ->
01/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54063	stabiliser link	SU001 A6492	L:355	9	854604	silentblock for TCA	SU001 A6515	di:14.3 do:70.5
2	354.031	steering rack gaiter	Part of	D:61 d:16 L:201	10	54087	ball joint	SU001 A6525	c:18.6
3	54138	tie rod end left	SU001 A7207	c:14.2 th:FM14X1.5R	11	854300	mounting axle body	SU001 A6659	di:16.4 do:73
4	54139	tie rod end right	SU001 A7208	c:14.2 th:FM14X1.5R	12	854301	mounting axle body	SU001 A6660	di:14.4 do:73.5
5	54012	axial joint	Part of	th:MM16X1.5R L:265	13	854302	mounting axle body	SU001 A6661	di:16.4 do:73
6	54274	TCA left wobj	SU001 A6517	c:18.2	14	854303	mounting axle body	SU001 A6662	di:14.4 do:73.5
7	54275	TCA right wobj	SU001 A6516	c:18.2	15	54064	stabiliser link	SU001 A6621	L:80
8	854603	silentblock for TCA	SU001 A6491	di:16.1 do:58					

ASTRA-e Mk VIII
ASTRA-e Mk VIII SPORTS TOURER



1 53068



2 53730

4 53218

4 53218

3 53731



5 53354

9 53084



7 853655



8 853658



6 53355

9 53084



10 853321





10 853321

Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53068	stabiliser link	3 637 393	L:335	6	53355	TCA right wbj	98 463 292 80 S1	c:16.6
2	53730	tie rod end left	16 108 177 80	c:14.5 th:FM14X1.5R	7	853655	silentblock for TCA	3 637 432	di:14.3 do:43.4
3	53731	tie rod end right	16 108 178 80	c:14.5 th:FM14X1.5R	8	853658	silentblock for TCA	3 644 790	di:14.2 do:50
4	53218	axial joint	16 759 574 80	th:MM14X1.5R L:208	9	53084	ball joint	98 310 882 80	c:16.6
5	53354	TCA left wbj	98 463 297 80 S1	c:16.6	10	853321	mounting axle body	3 637 375	do:80

COMBO-e Mk IV (E) (K9)
COMBO-e Mk IV (E) LIFE (K9)


06/2018 ->
06/2018 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53068	stabiliser link	3 637 393	L:335	9	53159	TCA right wbj	98 168 654 80 S2	c:16.7
2	853450	strut mount	98 004 797 80	di:16	10	53250	TCA left wbj	98 150 146 80 S1	c:16.7
3	353.037	steering rack gaiter	Part of	D:51 d:12 L:186	11	53251	TCA right wbj	98 150 143 80 S1	c:16.7
4	53730	tie rod end left	16 108 177 80	c:14.5 th:FM14X1.5R	12	53684	ball joint	98 310 885 80	c:16.7
5	53731	tie rod end right	16 108 178 80	c:14.5 th:FM14X1.5R	13	53685	ball joint	98 154 180 80	c:16.6
6	53215	axial joint	16 488 367 80	th:MM14X1.5R L:205	14	853655	silentblock for TCA	3 637 432	di:14.3 do:43.4
7	53119	axial joint	16 112 423 80	th:MM14X1.5R L:208	15	853658	silentblock for TCA	3 644 790	di:14.2 do:50
8	53158	TCA left wbj	98 168 655 80 S2	c:16.7	16	807301	mounting axle body	5131 H1	di:14.3 do:82

CORSA-e Mk V (F)

07/2019 ->



ICE (INTERNAL COMBUSTION ENGINE) DRIVE TRAIN





ELECTRIC DRIVE TRAIN



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	53162	stabiliser link	98 246 525 80	L:324	8	53254	TCA left wbj	98 316 835 80	c:20
2	353.131	steering rack gaiter	16 483 223 80	D:52 d:14 L:181	9	53255	TCA right wbj	98 316 214 80	c:20
3	53230	tie rod end left	16 696 485 80	c:12.1 th:FM14X1.5R	10	853660	silentblock for TCA	Part of	di:12.2 do:38
4	53231	tie rod end right	16 696 484 80	c:12.1 th:FM14X1.5R	11	853661	silentblock for TCA	Part of	di:12.2 do:56
5	53216	axial joint	Part of	th:MM14X1.5R L:293	12	53082	ball joint	98 246 263 80	c:20
6	53252	TCA left wbj	98 316 264 80	c:20	13	53083	ball joint	98 246 267 80	c:20
7	53253	TCA right wbj	98 320 392 80	c:20	14	853306	mounting axle body	98 255 514 80	di:12.2 do:71.6

MOVANO-e Mk III (U9)



12/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	954001	stabilizer bar	16 127 365 80	do:26.2 L:1398	10	54272	TCA wobj	16 127 356 80	c:23.6
2	854801	stabiliser mounting	Part of	di:24.5	11	54273	TCA wobj	16 127 355 80	c:23.6
3	54061	stabiliser link	Part of	L:112	12	854601	silentblock for TCA	Part of	di:18.5 do:56.8
4	854408 KIT	strut mount kit	16 127 361 80	di:14	13	854602	silentblock for TCA	Part of	di:20 do:74.2
5	854409 KIT	strut mount kit	16 127 359 80	di:14	14	54086	ball joint	16 355 075 80	c:20.5
6	354.030	steering rack gaiter	16 109 762 80	D:55 d:14 L:225	15	54062	stabiliser link rear axle	Part of	L:100
7	54136	tie rod end left	16 109 764 80	c:16.6 th:FM16X1.5R	16	954002	stabilizer bar	16 807 924 80	do:26 L:1440
8	54137	tie rod end right	16 109 763 80	c:16.6 th:FM16X1.5R	17	854900	stabiliser mounting	Part of	di:19.5
9	54011	axial joint	Part of	th:MM16X1.5R L:260					

VIVARO E LIFE (K0)

09/2020 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	54063	stabiliser link	98 090 901 80	L:355	9	854604	silentblock for TCA	98 165 579 80	di:14.3 do:70.5
2	354.031	steering rack gaiter	98 203 403 80	D:61 d:16 L:201	10	54087	ball joint	98 345 990 80 S1	c:18.6
3	54138	tie rod end left	98 203 400 80	c:14.2 th:FM14X1.5R	11	854300	mounting axle body	98 148 540 80	di:16.4 do:73
4	54139	tie rod end right	98 203 401 80	c:14.2 th:FM14X1.5R	12	854302	mounting axle body	98 148 542 80	di:16.4 do:73
5	54012	axial joint	Part of	th:MM16X1.5R L:265	13	854301	mounting axle body	98 148 541 80	di:14.4 do:73.5
6	54274	TCA left wobj	98 168 636 80	c:18.2	14	854303	mounting axle body	98 148 543 80	di:14.4 do:73.5
7	54275	TCA right wobj	98 168 635 80	c:18.2	15	54064	stabiliser link	98 056 213 80	L:80
8	854603	silentblock for TCA	98 090 826 80	di:16.1 do:58					

VOLKSWAGEN

CADDY

e-CADDY IV (SAA, SAH)
e-CADDY IV MPV (SAB, SAJ)

05/2015 - 09/2020
05/2015 ->





Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	863819	stabiliser mounting	Part of	di:20	9	63731	tie rod end right	1K0 423 812 J S1	c:13.2 th:FM16x1.5R
2	863814	stabiliser mounting	Part of	di:21	10	63710	axial joint	1K0 423 810 A	th:MM16X1.5R L:312
3	63563	stabiliser link	5Q0 411 315 A	L:335	11	63972	TCA left wbj	1K0 407 151 BG	c:15.4
4	863412	strut mount	1K0 412 331 B	di:14.2 L:49.5	12	63973	TCA right wbj	1K0 407 152 BG	c:15.4
5	863416	bearing	1K0 412 249 B	di:68.5 do:112 L:25.5	13	863631	silentblock for TCA	1K0 407 182	di:12.1 do:40
6	863413 KIT	strut mount kit	1K0 412 331 B S1	di:14 L:50	14	863642	silentblock for TCA	1K0 407 183 M	di:13.4 do:65
7	302.131	steering rack gaiter	1K0 423 831 A	D:50 d:15 L:193	15	63586	ball joint left	1K0 407 365 C	c:15.4
8	63730	tie rod end left	1K0 423 811 J S1	c:13.2 th:FM16x1.5R	16	63587	ball joint right	1K0 407 366 C	c:15.4

VOLKSWAGEN

CADDY

e-CADDY IV (SAA, SAH)
e-CADDY IV MPV (SAB, SAJ)


05/2015 - 09/2020
05/2015 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	863316	spring bush	6K9 501 541	di:12 do:45	4	863907	stabiliser mounting	2K0 511 413 D	di:18.5
2	863315	spring bush	2K0 511 171 B	di:12.2 do:42	5	863908	stabiliser mounting	2K3 511 413	di:20.5
3	63662	stabiliser link rear axle	2K0 505 465 E	L:241					

e-CRAFTER Van (SY_, SX_)


07/2018 ->



STANDARD FRONT AXLE & BEV




HEAVY DUTY FRONT AXLE + RWD



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	64060	stabiliser link left	2N0 411 317 D	L:380	8	64076	TCA left wobj	2N0 407 151 J	c:20.9 L:411
2	64061	stabiliser link right	2N0 411 318 B	L:380	9	64077	TCA right wobj	2N0 407 152 J	c:20.9 L:411
3	364.030	steering rack gaiter	2N0 423 831	D:63 d:20 L:188	10	864613	silentblock for TCA	2N0 407 182 C	di:16.2 do:70
4	64238	tie rod end left	2N0 423 811	c:16.2 th:FM20X1.5R	11	64086	ball joint	2N0 407 361 A	c:21.2
5	64239	tie rod end right	2N0 423 812	c:15.5 th:FM20X1.5R	12	64078	TCA left wobj	2N0 407 151 H	c:20.9 L:411
6	64011	axial joint	2N0 423 810	th:MM18X1.5R L:224	13	64079	TCA right wobj	2N0 407 152 H	c:20.9 L:411
7	864612	silentblock for TCA	2N0 407 183 A	di:16.2 do:50.1	14	864614	silentblock for TCA	2N0 407 182 B	di:16.2 do:70

e-CRAFTER Van (SY_, SX_)


07/2018 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	864300	spring bush	2N0 511 413	di:12.1 do:61	5	864909	stabiliser mounting	Part of	di:12.2
2	864302	spring bush	2N0 511 414 A	di:12.2 do:62	6	64063	stabiliser link	2N0 505 465 B	L:180
3	864301	spring bush	2N0 511 414	di:12.2 do:61	7	64064	stabiliser link	2N0 505 465 A	L:140
4	864910	stabiliser mounting	Part of	di:12.2	8	64062	stabiliser link	2N0 505 465	L:180

e-GOLF VII (5G1, BQ1, BE1, BE2)


12/2014 - 08/2020



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63563	stabiliser link	5Q0 411 315 A	L:335	11	63676	TCA left wbj	5Q0 407 151 J S1	c:15.4
2	837407	strut mount	5Q0 412 331 E	di:14.6 do:64.1 L:42	12	63677	TCA right wbj	5Q0 407 152 J S1	c:15.4
3	837408	bearing	5Q0 412 249 F	di:74 do:127 L:38.6	13	63586	ball joint left	1K0 407 365 C	c:15.4
4	837409 KIT	strut mount kit	5Q0 412 331 E S1	di:15 do:127	14	63587	ball joint right	1K0 407 366 C	c:15.4
5	302.131	steering rack gaiter	1K0 423 831 A	D:50 d:15 L:193	15	863650	silentblock for TCA	5Q0 407 182	di:12.1 do:40.1
6	63730	tie rod end left	1K0 423 811 J S1	c:13.2 th:FM16x1.5R	16	863649	silentblock for TCA	5Q0 407 183 E	di:13 do:65
7	63731	tie rod end right	1K0 423 812 J S1	c:13.2 th:FM16x1.5R	17	63174	TCA left wbj	5Q0 407 151 M S2	c:15.2
8	63710	axial joint	1K0 423 810 A	th:MM16X1.5R L:312	18	63175	TCA right wbj	5Q0 407 152 M S2	c:15.2
9	63734	tie rod end left	1K0 423 811 J S2	c:13.2 th:FM16X1.5R	19	63588	ball joint left	3C0 407 365 B	c:15.2
10	63735	tie rod end right	1K0 423 812 J S2	c:13.2 th:FM16X1.5R	20	63589	ball joint right	3C0 407 366 B	c:15.2

GOLF VII (5G1, BQ1, BE1, BE2)


12/2014 - 08/2020



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	837504	strut mount	5Q0 513 353 H	di:11.2 do:56.5 L:60.7	10	863733	silentblock for TCA	Part of	di:14.3 do:38.2
2	837505	strut mount	5Q0 513 353 G	di:10.2 do:65.8 L:63.3	11	63377	track rod	5Q0 501 529 F	L:282
3	863725	mounting axle body	5Q0 501 541 C	di:12.5 do:72	12	863311	mounting axle body	5Q0 505 145 F	di:18.2 do:61.5
4	863735	mounting axle body	5Q0 501 541 E	di:12.2 do:70.1	13	863312	mounting axle body	5Q0 505 145 E	di:18.6 do:53.5
5	63170	TCA left	5Q0 505 223 D	L:384	14	63276	TCA	5Q0 505 311 D	L:590
6	63171	TCA right	5Q0 505 224 D	L:384	15	863728	silentblock for TCA	Part of	di:12 do:44.3
7	863712	silentblock for TCA	1K0 505 541 B	di:12.2 do:60.2	16	863714	silentblock for TCA	1K0 505 553 A	di:12.2 do:37.4
8	63971	track rod	5Q0 505 323 C	L:305	17	63361	stabiliser link rear axle	5Q0 505 465 C	L:70
9	863732	silentblock for TCA	Part of	di:12.1 do:38.3					

ID.3 (E11)

11/2019 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63065	stabiliser link	1EA 411 315 C	L:300	6	63355	TCA right wbj	1EA 407 152 B	c:18.2
2	837408	bearing	5Q0 412 249 F	di:74 do:127 L:38.6	7	863649	silentblock for TCA	5Q0 407 183 E	di:13 do:65
3	63031	tie rod end	1EA 423 811 B	c:14.7 th:FM16X1.5R	8	863651	silentblock for TCA	1EA 407 183 D	di:15.1 do:60
4	63013	axial joint	1EA 423 810 B	th:MM16X1.5R L:390	9	63084	ball joint	1EA 407 365 A	c:18.2
5	63354	TCA left wbj	1EA 407 151 B	c:18.2					

ID.3 (E11)

11/2019 ->



UPPER


LOWER



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63356	TCA	1EA 505 323 A	L:293	5	63359	track rod	1EA 505 291 A	L:312
2	63357	TCA	1EA 505 397 B	L:398	6	63450	TCA	1EA 505 311 E	L:425
3	837743	silentblock for TCA	Part of	di:10.3 do:36.4	7	63066	stabiliser link left	1EA 505 465	L:175
4	63358	track rod	1EA 501 529 B	L:256	8	63067	stabiliser link right	1EA 505 466	L:175

ID.4 (E21)


05/2020 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63065	stabiliser link	1EA 411 315 C	L:300	6	63453	TCA right wbj	1EA 407 152 A	c:18.2
2	837408	bearing	5Q0 412 249 F	di:74 do:127 L:38.6	7	863649	silentblock for TCA	5Q0 407 183 E	di:13 do:65
3	63031	tie rod end	1EA 423 811 B	c:14.7 th:FM16X1.5R	8	863651	silentblock for TCA	1EA 407 183 D	di:15.1 do:60
4	63014	axial joint	1EA 423 810 C	th:MM16X1.5R L:412	9	63084	ball joint	1EA 407 365 A	c:18.2
5	63452	TCA left wbj	1EA 407 151 A	c:18.2					

ID.4 (E21)


05/2020 ->




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63356	TCA	1EA 505 323 A	L:293	5	63359	track rod	1EA 505 291 A	L:312
2	63357	TCA	1EA 505 397 B	L:398	6	63450	TCA	1EA 505 311 E	L:425
3	837743	silentblock for TCA	Part of	di:10.3 do:36.4	7	63066	stabiliser link left	1EA 505 465	L:175
4	63358	track rod	1EA 501 529 B	L:256	8	63067	stabiliser link right	1EA 505 466	L:175

ID.5 (E39)

12/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63065	stabiliser link	1EA 411 315 C	L:300	6	63453	TCA right wbj	1EA 407 152 A	c:18.2
2	837408	bearing	5Q0 412 249 F	di:74 do:127 L:38.6	7	863649	silentblock for TCA	5Q0 407 183 E	di:13 do:65
3	63031	tie rod end	1EA 423 811 B	c:14.7 th:FM16X1.5R	8	863651	silentblock for TCA	1EA 407 183 D	di:15.1 do:60
4	63014	axial joint	1EA 423 810 C	th:MM16X1.5R L:412	9	63084	ball joint	1EA 407 365 A	c:18.2
5	63452	TCA left wbj	1EA 407 151 A	c:18.2					




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	63356	TCA	1EA 505 323 A	L:293	5	63359	track rod	1EA 505 291 A	L:312
2	63357	TCA	1EA 505 397 B	L:398	6	63450	TCA	1EA 505 311 E	L:425
3	837743	silentblock for TCA	Part of	di:10.3 do:36.4	7	63066	stabiliser link left	1EA 505 465	L:175
4	63358	track rod	1EA 501 529 B	L:256	8	63067	stabiliser link right	1EA 505 466	L:175

VOLKSWAGEN TRANSPORTER

e-TRANSPORTER VI (SGB, SGJ, SHB, SHJ)
e-TRANSPORTER VI (SGA, SGH, SHA, SHH)

04/2015 ->





Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	863801	stabiliser mounting	7H0 411 313	di:21	11	63612	axial joint	Part of	th:MM16x1.5R L:180
2	864807	stabiliser mounting	7H5 411 313 A	di:22	12	63422	tie rod left	7H0 419 803 D	c:16.7
3	864808	stabiliser mounting	7H5 411 313 B	di:23.5	13	63423	tie rod right	7H0 419 804 D	c:16.7
4	63562	stabiliser link	7E0 411 317 A	L:260	14	863308	mounting axle body	7H0 499 035 D	di:22.1 do:70.5
5	864400	strut mount	7E0 412 331 A	di:14.5 do:153 L:44	15	64072	TCA left wobj	7E0 407 151 C	c:21.5
6	864401	bearing	7E0 412 249 B	di:73.5 do:127 L:29.2	16	64073	TCA right wobj	7E0 407 152 B	c:21.5
7	864402 KIT	strut mount kit	7E0 412 331 A S1	di:14 do:154	17	863625	silentblock for TCA	7H0 407 183	di:14.2 do:40.3
8	302.230	steering rack gaiter	7H0 422 831	D:62 d:16 L:205	18	863626	silentblock for TCA	7H0 407 182 A	di:14.1 do:60.2
9	63638	tie rod end left	7H0 422 817 D	c:16.7 th:FM16x1.5R	19	63581	ball joint	7E0 407 361 A S1	c:18.2
10	63639	tie rod end right	7H0 422 818 D	c:16.7 th:FM16x1.5R					

VOLKSWAGEN TRANSPORTER

e-TRANSPORTER VI (SGB, SGJ, SHB, SHJ)
e-TRANSPORTER VI (SGA, SGH, SHA, SHH)


04/2015 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	64074	TCA left wobj	7E8 407 151 B	c:21.5	8	864908	stabiliser mounting	7H5 511 413 C	di:26.5
2	64075	TCA right wobj	7E8 407 152 A	c:21.5	9	864903	stabiliser mounting	7H5 511 414	di:20.5
3	863625	silentblock for TCA	7H0 407 183	di:14.2 do:40.3	10	864904	stabiliser mounting	7H5 511 414	di:22.5
4	863648	silentblock for TCA	7H0 407 182	di:14.2 do:60.1	11	864905	stabiliser mounting	7H5 511 414 A	di:26.5
5	63181	ball joint	7H8 407 361 A	c:18.2	12	864703	silentblock for TCA	7H0 501 131 A	di:14.1 do:60.5
6	864906	stabiliser mounting	7H0 511 413 A	di:20.5	13	864704	silentblock for TCA	7H0 501 132 A	di:14.1 do:60.5
7	864907	stabiliser mounting	7H5 511 413 B	di:22.5	14	864705	silentblock for TCA	7H8 501 131	di:14.1 do:60.5

e-UP (121, 122, BL1, BL2, BL3, 123)


12/2014 - 08/2020



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	837803	stabiliser mounting	6Q0 411 314 P	di:16	10	63378	TCA left wbj	1S0 407 151	c:15
2	57060	stabiliser link	6R0 411 315	L:270	11	63379	TCA right wbj	1S0 407 152	c:15
3	863402	strut mount	1J0 412 331 C	di:26 do:82 L:53	12	57084	ball joint left	6R0 407 365 A	c:14.9
4	863417	bearing	1J0 412 249	di:14.3 do:45.3 L:13.4	13	57085	ball joint right	6R0 407 366 A	c:14.9
5	863420 KIT	strut mount kit	1J0 412 331 C S1	di:26 do:82 L:53	14	863601	silentblock for TCA	357 407 182	di:12.1 do:33
6	302.234	steering rack gaiter	1S0 423 831 E	D:44 d:14 L:164	15	863602	silentblock for TCA	1J0 407 181	di:13 do:60
7	57132	tie rod end left	6R0 423 811	c:13.4 th:FM14x1.5R	16	863509 KIT	strut mount kit	1S0 512 335 A S1	di:16
8	57133	tie rod end right	6R0 423 812	c:13.4 th:FM14x1.5R	17	863724	mounting axle body	1S0 501 541 B	di:10 do:58
9	63614	axial joint	1S0 423 810 A	th:MM14X1.5R L:306					

C40 (539) RECHARGE

10/2021 ->



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	67161	stabiliser link	32 221 271	L:277	7	67171	TCA right wbj	32 395 076	c:21
2	367.030	steering rack gaiter	32 333 942	D:55 d:13.5 L:200	8	867602	silentblock for TCA	32 283 990	di:14.4 do:45.1
3	67332	tie rod end left	32 283 512	c:12.2 th:FM14X1.5R	9	867603	silentblock for TCA	32 395 075	di:14.4 do:65.1
4	67333	tie rod end right	32 283 514	c:12.2 th:FM14X1.5R	10	67084	ball joint	Part of	c:21
5	67014	axial joint	Part of	th:MM16X1.5R L:208	11	67085	ball joint	Part of	c:21
6	67170	TCA left wbj	32 395 077	c:21					



1 867305



1 867305



2 67774



3 67775



4 67776



4 67776



5 67777



5 67777



6 67778



8 867725



7 67779



9 867722



9 867722




10 67162



10 67162

Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	867305	mounting axle body	Part of	di:14.2 do:72.2	6	67778	TCA left	32 246 372	L:580
2	67774	TCA left	32 329 030	L:393	7	67779	TCA right	32 246 373	L:580
3	67775	TCA right	32 329 031	L:393	8	867725	silentblock for TCA	32 268 170	di:12.2 do:36.3
4	67776	track rod	32 333 575	L:308	9	867722	silentblock for TCA	32 221 447	di:12.2 do:37.1
5	67777	track rod	31 681 846	L:292	10	67162	stabiliser link	32 221 272	L:145



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	67161	stabiliser link	32 221 271	L:277	7	67171	TCA right wbj	32 395 076	c:21
2	367.030	steering rack gaiter	32 333 942	D:55 d:13.5 L:200	8	867602	silentblock for TCA	32 283 990	di:14.4 do:45.1
3	67332	tie rod end left	32 283 512	c:12.2 th:FM14X1.5R	9	867603	silentblock for TCA	32 395 075	di:14.4 do:65.1
4	67333	tie rod end right	32 283 514	c:12.2 th:FM14X1.5R	10	67084	ball joint	Part of	c:21
5	67014	axial joint	Part of	th:MM16X1.5R L:208	11	67085	ball joint	Part of	c:21
6	67170	TCA left wbj	32 395 077	c:21					



1 867305



1 867305



2 67774



3 67775



4 67776



4 67776



5 67777



5 67777



6 67778



8 867725



7 67779



9 867722



9 867722



10 67162



10 67162

Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	867305	mounting axle body	Part of	di:14.2 do:72.2	6	67778	TCA left	32 246 372	L:580
2	67774	TCA left	32 329 030	L:393	7	67779	TCA right	32 246 373	L:580
3	67775	TCA right	32 329 031	L:393	8	867725	silentblock for TCA	32 268 170	di:12.2 do:36.3
4	67776	track rod	32 333 575	L:308	9	867722	silentblock for TCA	32 221 447	di:12.2 do:37.1
5	67777	track rod	31 681 846	L:292	10	67162	stabiliser link	32 221 272	L:145

DISCLAIMER

Any reproduction of this catalogue is prohibited without previous written permission from Sidem. The preparation of this catalogue has had our best attention. However, we cannot accept any responsibility for errors which inadvertently may have been made.

The brand names of the cars mentioned in this catalogue do not indicate the origin of the parts, but are only to indicate the destination of the parts. The numbers are for Sidem's purpose only.

(c) Copyright by Sidem nv



**DRIVEN BY FOCUS.
LED BY EXCELLENCE.**

SIDEM.EU