

**WEPP**

# **PRODUCT CATALOGUE**

---

## CONTENT



### **1** MOTOR & DRIVE SYSTEM



### **2** COOLING SYSTEM



### **3** AC SYSTEM



### **4** FUEL SYSTEM



### **5** BRAKE SYSTEM



### **6** MAINTENANCE & CARE



### **7** CAR BODY REPAIR

#### **PUBLISHER**

WEPP GmbH  
Am Auacker 1  
36137 Großenlüder-Bimbach  
Germany

phone +49 6648 628 990  
fax +49 6648 628 990 12

wepp@wepp.de  
www.wepp.de



## DEPOSIT CONTROL TECHNOLOGY


WEPP products with the DCT label contain a unique, specially developed technology, tailored to modern engines, cooling and injection systems as well as exhaust after treatment and transmissions.

This guarantees a controlled and thorough removal of harmful deposits. Effectively in all areas.

We offer various products with a profound effect from the tank to the injection system to the combustion chamber.


From the DPF to the EGR valve and turbocharger.  
From the entire engine oil and cooling circuit.

**THE RIGHT PRODUCT FOR EVERY AREA  
OF APPLICATION.**





1



## **MOTOR & DRIVE SYSTEM**





## 2010 SF ENGINE SYSTEM CLEANER



ORDER NO.  
**2010\_400**



ORDER NO.  
**2010\_SF**

Flushes and cleans the entire oil cycle and frees the engine from harmful deposits and residues which are drained off with the used oil.

### QUALIFIED FOR

All petrol and diesel engines with and without catalytic converter, turbo charger and diesel particulate filter.

### PROBLEM SOLVING

Suitable for problem solving of delayed oil change and suspicious black sludge.  
Perfect for the loss of compression in the piston rings and the rattle of hydraulic lifters.

### BENEFITS

The fresh oil can develop its full efficiency and causes a low-wear engine run.

### CHARACTERISTICS

100% Solvent-free

## 2110 ENGINE INTENSIVE CLEANER



ORDER NO.  
**2110**

State-of-the-art additive packages

### QUALIFIED FOR

Suitable for Petrol and diesel engines with and without turbocharger.  
Due to high-quality oils and oil additives, driving operation is possible.

### PROBLEM SOLVING

Effectively solves stuck piston rings and deposit on them, oil sludge and deposits from the entire oil system during driving operation.  
Reduces the contamination of new oil due to less used oil residues inside the engine.

## 2011 OIL STOP ADDITIVE



ORDER NO.  
**2011**



ORDER NO.  
**2011-300**

To protect the engine from oil loss and high oil consumption.

### QUALIFIED FOR

All commercially available semi-synthetic and fully synthetic engine oils, petrol and diesel engines with catalytic converter, diesel particulate filter and turbocharger.

### PROBLEM SOLVING

Reduces and effectively prevents friction and wear.  
Viscosity loss and noise development around the hydraulic tappets.

### BENEFITS

Seals and valve shield caps are kept supple.

## 2111 CERAMIC ENGINE PROTECTION



ORDER NO.  
**2111**

Improves engine elasticity, engine performance and cold start.

### PROBLEM SOLVING

Prevents direct metal-to-metal contact and thus increases the service life of the units even during increased load.  
Reduces wear and noise.  
Protects in case of decreasing lubrication, e.g. due to oil loss.

### BENEFITS

Finely dispersed, colloidal ceramic particles reduce friction, tolerate very high loads and are completely inert and have a very low friction coefficient.





## 2012 TRANSMISSION OIL ADDITIVE



100  
ml

ORDER NO.  
**2012**

Wear and long-term protection for extreme loads on manual and differential gears.

**QUALIFIED FOR**  
Manual and differential gears

**BENEFITS**  
Reduces differential transmission noise.  
In the lifespan of the transmission system and optimises wear protection.

## 2013 ATF-CLEANER



300  
ml

ORDER NO.  
**2013**

The latest generation of ATF cleaner

**QUALIFIED FOR**  
All automatic transmissions with and without regulated transducer lock-up clutch.  
Universally usable.

**PROBLEM SOLVING**  
Loosens or removes deposits caused by abrasion and oil ageing in automatic transmission systems.

**BENEFITS**  
Better friction values at the switching elements and provides a maximum wear protection.

## 2014 ATF-PROTECTION



300  
ml

ORDER NO.  
**2014**

Concentrate for all automatic transmissions

**QUALIFIED FOR**  
Concentrate for all automatic transmissions with and without controlled transmission lock-up clutch. Universally usable.

**BENEFITS**  
Improves the friction values at the switching elements and the function of the control valves. Supports the cleaning effect of automatic transmission fluids and achieves maximum wear and corrosion protection.

## 2015 POWER STEERING CLEANER



300  
ml

ORDER NO.  
**2015**

Universal Power Steering Cleaner of the latest generation

**QUALIFIED FOR**  
All hydraulic ATF steering gears.  
Loosens and removes deposits in pumps and steering cylinders.  
Universally usable.

**BENEFITS**  
Improves function of the control valves and provides a maximum wear protection. Keeps dirt and friction residues dispersed.



## 2016 POWER STEERING PROTECTION



100  
ml

ORDER NO.  
**2016**


Excellent for use during maintenance  
of all steering systems.

**QUALIFIED FOR**  
All steering systems

**PROBLEM SOLVING**  
Reduces foaming and oil loss.

**BENEFITS**  
Improves friction values on the hydraulic  
cylinders and the function of the control valves.  
Supports friction effects and gives maximum  
wear and corrosion protection.

2



## COOLING SYSTEM

## 2020 COOLING SYSTEM



ORDER NO.  
**2020**

Modern, highly effective, and durable protection.

### QUALIFIED FOR

All new types of high-performance crossflow cooling systems with flow activators and low cooling water balance.

### PROBLEM SOLVING

Prevents microleaks throughout the cooling system and »sweating« of gaskets.

### BENEFITS

Fully effective until the next coolant change. Compatible with all conventional coolants.

## 2021 RADIATOR SEAL



ORDER NO.  
**2021**

Preventive and professional protection after any repair or damage to the cooling system.

### PROBLEM SOLVING

Permanent sealing of leaks in the cooling system. Secures the cooling circuit against damaged gaskets and protects against seal sweating.

### BENEFITS

Compatible with all conventional coolants. No influence on the flow velocity.

## 2023 RADIATOR CLEANER



ORDER NO.  
**2023**

Complete cleaning for the entire cooling system.

### PROBLEM SOLVING

Dissolves and binds oil and greasy residues. Infiltrates mud, lime, and corrosion deposits.

### BENEFITS

Compatible with all metals, rubbers, and plastics. Increases the functional and operational safety of the cooling system. Solvent-free and contains no aggressive acids or alkalis.

## 2028 INTERCOOLER CLEANER



ORDER NO.  
**2028**

Highly effective cleaner for external cleaning of the Intercooler.

### PROBLEM SOLVING

Quickly and reliably removes external dirt like insect remains, dust and dirt. Excellent aluminium corrosion protection.

### BENEFITS

Protects also against salt water corrosion. Ensures optimum engine performance. For usage with high pressure cleaner. Water mixing ratio 1:50



3



**AC SYSTEM**





## 2024-1000 KLIMAFRESH



ORDER NO.  
**20241000**

Cleaner for air conditioning systems.

### PROBLEM SOLVING

Removes bacteria, fungi, and germs from evaporator.

Forms an optimal protective film on the evaporator's surface and ensures clean air and optimum cooling performance.

### BENEFITS

No disassembly of the air conditioner is required.

## 2025-A AIRFRESH

Ideal for used car preparation!



ORDER NO.  
**2025-A**

Air freshener for vehicle interiors and ventilation systems.

### PROBLEM SOLVING

Refreshes and frees the vehicle interior from odors caused by fungi and bacteria and refreshes.

### BENEFITS

It is not necessary to dismantle any parts of the ac system.

## 2027 / 2127 AIR CLEAN



ORDER NO.  
**2027**



ORDER NO.  
**2127**  
FRAGRANCE-FREE



Suitable for allergy sufferers!

Special active ingredient for cleaning plastic parts in ac systems.

### PROBLEM SOLVING

Provides pleasant, long-lasting, fresh fragrance in the vehicle interior.

## 7020100 / 7020060 A/C SEAL LEAK STOP



ORDER NO.  
**7020100**



ORDER NO.  
**7020060**

A concentrated additive that stops leaks around seals and O-rings.

### BENEFITS

Effective on all sealing materials.  
Compatible with all A/C refrigerants and lubricants.  
Harmless for compressor components.  
Contains a UV leak indicator.

### ACCESSORIES:

ADAPTER **WEPP 1706**



## 7021100 AC-LEAKSTOP COMPLETE



100 ml  
ORDER NO.  
**7021100**

Stops small leaks in the evaporator, condensers, seals, and hoses.

### BENEFITS

Harmless for air conditioning and air conditioning service equipment and miscible with POE, PAG and mineral air conditioning oils. Seals the leakage in 15–30 minutes.

### CHARACTERISTICS

Polymer-free  
Does not harden.

### ACCESSORIES:

ADAPTER **WEPP 1706**

## 7050001 AC-LEAK INDIKATOR



250 ml  
ORDER NO.  
**7050250**  
SUFFICIENT FOR UP  
TO 50 VEHICLES

sufficient for up  
to 200 vehicles

1000 ml  
ORDER NO.  
**7050001**

Concentrated U/V dye.

### PROBLEM SOLVING

Leaks are made visible with the help of UV light.

### BENEFITS

Effective in R134a, R12 and R1234yf systems  
Harmless for AC systems.

### CHARACTERISTICS

Compatible with PAG, PAO, ester and mineral oil.  
Sufficient for up to 200 vehicles.

### ACCESSORIES:

ADAPTER **WEPP 1707**

## 7041236 HYBRID AC-OIL



236 ml  
ORDER NO.  
**7041236**

Specially developed for use in ac systems of hybrid vehicles.

### PLEASE NOTE

The manufacturer's information regarding the specifications and oil capacity of the vehicle must be observed.


FURTHER SPECIAL  
PRODUCTS FOR  
AIR CONDITIONING SYSTEMS  
AVAILABLE ON REQUEST!

TEL +49 6648 628 990  
WWW.WEPP.DE

4



## FUEL SYSTEM





## 2030 DIESEL INTENSIVE CLEANER



ORDER NO.  
**2030**  
500  
ml

Immediate system cleaning

**QUALIFIED FOR**  
Diesel injection systems on vehicles with and without catalytic converter and diesel particulate filter.

**PROBLEM SOLVING**  
Application with running engine dissolves and removes deposits in the entire diesel injection system.  
Ensures fine atomization of the diesel fuel and prevents »engine knocking« through exact nozzle closing.

**BENEFITS**  
Improves engine performance and ensures a smoother engine running.

## 2130 DIESEL AIR INTAKE CLEANER



ORDER NO.  
**2130**  
400  
ml

Diesel Air Intake Cleaner contains new, specially selected combinations of active ingredients.

**QUALIFIED FOR**  
Intake system of diesel engines

**PROBLEM SOLVING**  
Removes deposits and residues such as oil carbon and soot.  
WEPP 2130 reduces the load on the particulate filter (DPF) and of the exhaust gas recirculation valve (EGR) as well as deposits in the intake system.

**BENEFITS**  
It cleans the intake valves, improves combustion, optimises driving characteristics and reduces the fuel consumption.

## 2230 TURBO/AGR/AIR INTAKE CLEANER



ORDER NO.  
**2230**  
400  
ml

Highly effective cleaner.

**QUALIFIED FOR**  
Universally applicable for cleaning of carbon deposits in the intake area of diesel and petrol engines, valves on direct petrol injectors and VTG turbochargers.

## 2031 THROTTLE BODY AND CARBURETOR CLEANER



ORDER NO.  
**2031**  
400  
ml

Special mixture of cleaning agents

**QUALIFIED FOR**  
For the effective cleaning of carburetor and throttle valves. Excellent for cleaning idle controllers.

**PROBLEM SOLVING**  
Removes deposits and fuel residues effectively outside, and inside of carburetor and throttle valve.



## 2032 DIESEL SYSTEM PROTECTION



ORDER NO.  
**2032**



ORDER NO.  
**2032-300**

Active system agent for modern high-pressure direct injection systems.

### QUALIFIED FOR

Specially developed for modern common rail and unit injector systems.  
Excellent effect even on older diesel vehicles.

### PROBLEM SOLVING

Causes necessary water separation in the filter.  
Effective wear protection of the high-pressure pump due to the lubricity improvers, especially with low-sulphur fuel.

### BENEFITS

Increases the cetane number and prevents engine malfunctions through reliable protection against bacteria in the fuel.

### CHARACTERISTICS

Meets the requirements of EURO 5 and EURO 6.

## 2032+ DIESEL COMPLETE CLEAN



ORDER NO.  
**2032+**  
FÜR CA. 60 LITER  
KRAFTSTOFF

WEPP 2032+ keeps the entire fuel and exhaust system clean.

### PROBLEM SOLVING

Removes mineral and metallic deposits inside the injector.  
Removes carbon-based deposits from the high-pressure pump, injectors, combustion chamber and from the injection nozzles.  
Reduces soot particles and lowers the exhaust gas values.

### BENEFITS

Increases the cetane number by more than 4 points of 60 litres diesel fuel.  
Optimizes the combustion and cold-start behaviour of the engine.  
Ensures lubrication of the high-pressure pump and injectors with low-sulphur fuel.

## 2132 DPF / TURBO CLEANER



ORDER NO.  
**2132**



ORDER NO.  
**2132-300**



ORDER NO.  
**2132-150**

OR AS SET IN A BOX 4 x 150 ML  
ORDER NO.  
**2132-150 SET**

For preventive use in vehicles with diesel particulate filters (DPF) that are frequently operated in city traffic or for short journeys.

### QUALIFIED FOR

For use in all diesel engines, including common-rail and pump-injector engines. Also available as WEPP 2132-150

### BENEFITS

Burns carbon and soot particles in and on the diesel particulate filter (DPF) at temperatures from 250 °C–300 °C. Cleans turbocharger with VTG and in the exhaust gas recirculation valve (EGR). Removes carbon residues on the injector nozzle. Carbon will be burned without regeneration up to 10x faster than with regeneration. Reduces soot emissions and improves emission values. Extends the diesel fuel storage time and cleans the whole system from the tank to the combustion chamber. Prevents residues and deposits inside the injection system and on the injection nozzles. Keeps the engine clean, burns ecologically compatible, uses less diesel fuel. Protects the whole fuel system against corrosion. Does not increase the exhaust gas temperature.

## 2232 DPF DIRECT CLEANER



ORDER NO.  
**2232**

Cleans and dissolves carbon in diesel particulate filters (DPF) without disassembly.

### BENEFITS

Due to excellent wetting properties, the cleaner penetrates deep into the honeycomb structure of the diesel particulate filter and cleans particularly thoroughly.  
Preventive use in case of unfavorable driving profile. Non-flammable and metal-free.

### ACCESSORIES:

**WEPP 39000**  
PRESSURE GUN

ORDER NO: **39000**

**WEPP 39001**  
REPLACEMENT PROBE

ORDER NO: **39001**

**WEPP 39002**  
REPLACEMENT PRESSURE CUP, 1 LITER  
ORDER NO: **39002**

## 39000 SPRAY GUN FOR WEPP 2232



ORDER NO.  
**39000**

DPF-Cleaner.  
For the application of WEPP 2232

ACCESSORIES:  
**WEPP 39001**  
REPLACEMENT PROBE ORDER NO. **39001**

**WEPP 39002**  
REPLACEMENT PRESSURE CUP, 1 LITER  
ORDER NO. **39002**

## 2033 VALVE INTENSIVE CLEANER



400  
ml

ORDER NO.  
**2033**

Valve cleaning for optimum engine  
performance.

**BENEFITS**  
Cleans inlet valve guides and removes deposits  
on inlet valves and valve seats.  
Ensures precise valve seating and restores  
even compression.

## 2034 INJECTION-CLEANER



500  
ml

ORDER NO.  
**2034**

300  
ml

ORDER NO.  
**2034-300**

For intensive cleaning of the injection  
system.

**QUALIFIED FOR**  
WEPP 2034 is suitable for all petrol injection  
systems as well as for lead-free vehicles with  
and without CAT.

**PROBLEM SOLVING**  
Selected combinations of active ingredients  
dissolve and disperse deposits and residues.

**BENEFITS**  
Improves engine performance and increases  
operational safety.  
Ensures uniform spraying pressure.  
Burns with fewer pollutants.

## 2036 INJECTION SYSTEM PROTECTION



400  
ml

ORDER NO.  
**2036**

300  
ml

ORDER NO.  
**2036-300**

Active cleaning ingredient

**QUALIFIED FOR**  
For modern lean mix and high performance for  
direct injection engines.

**BENEFITS**  
The carrier medium fuel is activated by the new  
cleaning components.  
WEPP 2036 acts directly in the injection and  
combustion area  
Excellent cleaning performance even on older  
generations of vehicles.  
Fast demulsifying in case of condensation.

**CHARACTERISTICS**  
Meets EURO 5 and 6 requirements.  
Highly hydrophobic.

## 2036+ GDI PROTECTION



ORDER NO.  
**2036+**  
SUFFICIENT FOR  
UP TO 60 LITRES  
OF FUEL.

Applicable in both GDI engines and intake port injectors.

### QUALIFIED FOR

Specially developed to clean and protect the injector nozzles of GDI systems (petrol direct injection systems) to free them from contamination responsible for increased fuel consumption, reduced performance, poor throttle response and poor cold start behaviour.

### PROBLEM SOLVING

Dissolves soiling in the combustion chamber and reduces engine knocking.

### BENEFITS

WEPP 2036+ improves the friction values between piston and cylinder as well as the exhaust gas values. The entire injection system is protected against corrosion.

### CHARACTERISTICS

Sufficient for up to 60 litres of fuel.

## 2236 LPG SYSTEM CLEANER



ORDER NO.  
**2236**  
120  
ml

Special additive, directly for the gas tank.

### QUALIFIED FOR

Applicable in partially and fully sequential, venturi injection systems in liquid or gaseous LPG injection.

### PROBLEM SOLVING

Eliminates condensation humidity, resin, and lacquer residues.  
Eliminates condensation humidity, sulphur, and ammonia.

### BENEFITS

The entire LPG system is cleaned and kept permanently efficient.  
The pressure reducer is kept clean and efficient.  
The injectors and solenoid valves of the system with gaseous or liquid LPG are optimally lubricated.

## 2536 HYBRID PETROL ADDITIVE



ORDER NO.  
**2536**  
SUFFICIENT FOR  
50 LITRES OF FUEL

Especially for state-of-the-art hybrid engines with start/stop technology.

### PROBLEM SOLVING

Removes deposits in the fuel and injection system. Reduces friction between piston and cylinder through a highly effective friction reducer.  
Reduces fuel consumption.

### BENEFITS

Can be used in conventional petrol injection engines as well as in petrol direct injection engines. Protects the system against corrosion. Stabilises the fuel against ageing and oxidation. Prevents the development of harmful acids.

### CHARACTERISTICS

Sufficient for 50 litres of fuel.

## 2038 ACTIVE SOLVENT



ORDER NO.  
**2038**  
400  
ml

### PROBLEM SOLVING

Removes caked-on solid gaskets such as cylinder and exhaust manifold gaskets. Dissolves even the most stubborn adhesive residues such as cyanoacrylate adhesives and anaerobic products. Removes cured sealants such as engine sealants.

### BENEFITS

Problem-free dissolution of oil charcoal and oil charcoal-like compounds.

## 2039-150 DIESEL FLOW



150  
ml

ORDER NO.  
**2039-150**

4x  
150 ml

150  
ml

ORDER NO.  
**2039-150 SET**

Diesel flow improver

### QUALIFIED FOR

Suitable for all diesel engines with and without diesel particulate filter.

### PROBLEM SOLVING

Reduces the development of soot.


### BENEFITS

The functional safety of the diesel fuel is increased by 8°C (e.g. cold-resistant diesel fuel down to -22°C is increased to -30°C). Improves the flowability and filterability of diesel fuel at low temperatures. Increases the willingness to ignite. Facilitates cold starts in winter.

### CHARACTERISTICS

Also available in a set of 4!

5



## BRAKE SYSTEM

## 2055 / 2057 BRAKE SYSTEM PROTECTION



Special agent for the brake system with noise damping and corrosion protection.

### PROBLEM SOLVING

Prevents or eliminates brake squeal noises in the long term.

### BENEFITS

Secures the functions of the entire braking system with an adhesion-active, pigment-containing and synthetic active ingredient. Resistant to road salt and splash water. Resistant to high and low temperatures.

## 2455 BRAKE AND SLIDER PASTE



WEPP Brake Paste 2455 is an inspection and repair active ingredient with high-tech function for the brake area.

### ACCESSORIES:

BRUSH ADAPTER **2455\_001**  
METAL FOOT **2455\_M-01**

AFTER OPENING, THE METAL CAN IS SOMEWHAT TOP-HEAVY, THEREFORE A METAL FOOT FOR THE CAN BE ORDERED.

## 255 BRAKE HI-TEC



For functional safety for the entire brake system due to an active way, pigment-containing special active ingredient.

### BENEFITS

Sound-absorbing, anti-corrosive. Functional safety up to the brake pad change.

## 2117 SAFETY CLEANER



Cleaner of the latest technology.

### BENEFITS

For quick assembly and flawless repair. Removes silicone, resin, grease, oil incrustations, dust, and corrosion protection layers. Sprays away oil, grease and dirt quickly and thoroughly.





## MAINTENANCE & CARE



D I WEPP 2036 EINSPRITZSYSTEM  
Hochleistungs-Direkt-  
spritzungssysteme für  
auch bei älteren Fahr-  
(DIN 51599). Entsprechend  
oder erschwerten Bedin-  
gungen und Eindringen in die  
RUM/Arzt anrufen. KEIN  
geeigneten Recycling- oder  
rassiger Haut führen. Enthält  
ten, Lösungsmittelnaphthalin  
Wasserstoff behandelte leich-

NL I WEPP 2036 BENZINE S  
reiniging en onderhoud van al  
spoten benzine motoren. Voldo  
door de nieuwe reinigingscomp  
kende reinigende prestaties voor  
condenswater (DIN 51599). Voork  
gin en zware bedrijfsomstandigh  
liter brandstof. Kan dodelijk zijn als  
middellijk, een ANTIGIFCENTRUM/a  
verpakking afvoeren naar een gesch  
een droge of een gebarsten huid ver  
cycloalkanen, <2% aromaten; Oplosm  
ceerd; Destillaten (aardolie), met water

GB I WEPP 2036 INJECTION SYSTEM PR  
and high-power direct fuel injection eng  
dium fuel is activated by the new cleaning  
Excellent cleaning properties, even with cl  
case of condensate water (DIN 51599). Appl  
Contents sufficient for up to 80l fuel. May be  
mediately call a POISON CENTER/doctor. Do N  
container to an appropriate recycling or dispos  
cracking. Contains: hydrocarbons, C10-C13, n-  
naphtha (petroleum), heavy, aromatic; Kerosene  
Kerosene - unspecified

F I WEPP 2036 TRAITEMENT SYSTÉMATIQUE  
pour le nettoyage et l'entretien de tous moteurs  
gours et moteurs à essence à injection directe. L'  
essence étant activé par les nouveaux composés  
que dans la chambre de combustion. Excellent  
génération. Il est fortement hydrophobique et de  
des pannes de moteur. Emploi: mettre dans le  
de fonctionnement dures. La quantité d'un pack  
en cas d'ingestion et de pénétration dans les po  
atement un CENTRE ANTIPOISON/un médecin.  
récepteur dans une installation de recyclage ou d  
provoquer dessèchement ou gerçures de la pe  
nes, cycloalcanes, <2% aromatiques; Solvant typ  
Distillats légers (pétrole), hydrotraités; Kérosène  
Kérosène - non spécifié

GR I WEPP 2036 ΣΥΣΤΗΜΑΤΙΚΗ ΕΠΕΞΕΡΓΑΣΙΑ  
πρόσθετων για τον καθαρισμό και τη συντήρη  
καυτήρες μίξης και βενζοκαυτήρες με άμεση  
ποι έφκει τη βενζίνη ενεργοποιείται από τα νέ  
έγκρισης καθώς και στο βόλαιο καύσης. Αρκετά ε  
γνώσε. Είναι εξαιρετικό υδρόφοβο και απορροφά  
51599). Απορρίπτεται βλάβος και απορροφά  
κατά τη διάρκεια βλαβών και αντίξουν συνάκ  
βενζίνης. Επιβάλλεται για το περιβάλλον. Βλαβερ  
και διαβρωτικές στις αναπνευστικές οδούς. Π  
ΔΗΛΗΤΗΡΙΑΤΕΔΝ/παρό, ΜΗΝ προκαλείτε  
παρέκλιση σε καταλληλά σημεία ανακάλυψης ή  
μηνός να προκαλέσει επρότητα δερματίτις ή  
ισοαλκάνια, κυκλοαλκάνια, <2% αρωματικά, δια  
καθορισμένο Αποσπάσματα (πυρελαιο), υδρογ

WERKSTATT PROFI PROGRAMM GmbH  
Am Auecker 1 · D-36137 Großenluder-Bimbach  
BELISSIMO GmbH · Dorfstrasse 50 · CH-4623 No  
WEPP BENELUX B.V. · NL 5555 XC Valkenburg



## 2017 LEAK DETECTION SPRAY (liquids)



ORDER NO.  
**2017**

Developed for the detection of the finest leaks.

### BENEFITS

The application creates a closed layer on the substrate.  
Leakage is transported to the surface by the coating.  
The leakage is displayed on the surface after a short time as a dark contrast to the light coating.  
The coating can then be removed with water.

### CHARACTERISTICS

Biodegradable.  
Consists exclusively of pure natural products.

## 2022 WINDSCREEN ANTIFREEZE



ORDER NO.  
**2022**

Prevents the windscreen and headlight washer system from freezing.

### QUALIFIED FOR

Suitable for fan nozzles and polycarbonate discs.

### BENEFITS

Removes dirt effortlessly in winter road traffic.  
Gives a clear view.  
No ice formation when wiping the windscreen.  
Lacquers and rubber are not attacked.

## 2026 WINDSCREEN CLEANER CONCENTRATE



ORDER NO.  
**2026**

Concentrate in a mixing ratio of 1:100.

### PROBLEM SOLVING

For removing insects and dirt from windscreens and rear windows.

## 2040 ADHESIVE SYNTHESIS 2000



ORDER NO.  
**2040**



ORDER NO.  
**2040-500**

Transparent and slightly adhesive lubricant.

### BENEFITS

Excellent lubricity properties.  
Good low and high temperature resistance with optimal penetration.

## 2041 ADHESIVE LUBRICANT



ORDER NO.  
**2041**  
400  
ml

Extremely adhesive, creep-effective, and pressure-resistant long-term adhesive lubricant.

**QUALIFIED FOR**  
Suitable for lubricating components such as hinges, joints, linkages, bell cranks.

**PROBLEM SOLVING**  
Against friction noise from door hinges, spring struts etc.  
Protects against martens and corrosion.

**BENEFITS**  
Highest lubricating activity and temperature stability. Resistant to hot and sprayed water as well as road salt. Good damping effect.

## 2042 TRANSPARENT FLOWING GREASE



ORDER NO.  
**2042**  
400  
ml

Transparent and semi-fluid grease spray with excellent lubricating effect and multi-functional application.

**QUALIFIED FOR**  
For use on all joints, hinges, separating points, spring joints, closing wedges, sliding parts, etc.

**PROBLEM SOLVING**  
Corrosion protection

**BENEFITS**  
Excellent lubricating effect.  
Good low and high temperature resistance with optimum penetration.

## 2043 SERVICING ADHESIVE OIL



ORDER NO.  
**2043**  
400  
ml

High performance maintenance oil of the latest formulation, with high penetration.

**QUALIFIED FOR**  
Maintains and lubricates e.g., lock cylinders, joints, cable pulls, bolts, hinges etc.

**BENEFITS**  
Provides optimum lubrication security at the inspection interval, especially where usual oil sprays are too thin.

## 2044 SERVICING GREASE WITH PTFE (white)



ORDER NO.  
**2044**  
400  
ml

Synthetic high-performance lubricant for all moving parts.

**QUALIFIED FOR**  
For use on all joints, hinges, separating points, spring joints, closing wedges, sliding parts, etc. Corrosion protection.

**BENEFITS**  
Ensures long-term lubrication at inspection intervals. Optimal high and low temperature properties.  
Compatible with rubber and metal. Universally applicable.

## 2045 SILICONE ANTI FRICTION GREASE SPRAY



ORDER NO.  
**2045**

Transparent silicone spray

### PROBLEM SOLVING

Against all noises in plastic against plastic parts as well as metal against rubber. Especially suitable against friction wear.

### BENEFITS

Water-repellent barrier layer with best high and low temperature resistance.

### CHARACTERISTICS

Colourless grease film

## 2246 SUPER RUST REMOVER-ACTIVE



ORDER NO.  
**2246**

Modern active ingredient for fastest dismantling with long-term effect.

### PROBLEM SOLVING

Quickly loosens corroded connections such as bolts, screws, and nuts. Infiltrates and penetrates the rust structure.

### BENEFITS

Significantly facilitates subsequent dismantling due to the long-lasting effect of the rust remover. Protects effectively against oxidation and corrosion.

### CHARACTERISTICS

Excellent creeping properties and high capillary action.

## 2047 SILICONE SPRAY



ORDER NO.  
**2047**

Universal use on the vehicle.

### PROBLEM SOLVING

Prevents rubber from freezing on metal parts.

### BENEFITS

Maintains elasticity. Reduces cracks and brittleness.

### CHARACTERISTICS

With water-repellent effect.

## 2048 RUST REMOVER MOS<sub>2</sub>



ORDER NO.  
**2048**

WEPP 2048 is an agent for temporary corrosion protection.

### QUALIFIED FOR

On cars and for the maintenance of metallic surfaces of products made of steel and iron.

### PROBLEM SOLVING

Loosens tight screw connections.

### BENEFITS

Penetrates the finest cracks. Displaces water. Applicable in any position.

### CHARACTERISTICS

High creep properties

## 2051 MAINTENANCE SPRAY



ORDER NO.  
**2051**

**400**  
ml

High-quality care and maintenance fluid with PTFE for safety lubrication.

**QUALIFIED FOR**  
For use e.g., in case of moisture on the car  
electronics, ignition and distributor.

**PROBLEM SOLVING**  
Against squealing.

**BENEFITS**  
Protects winches, fittings, hinges, and levers.

## 2053 INTERIOR SPRAY



ORDER NO.  
**2053**

**400**  
ml

Fully synthetic care spray with anti-slip  
protection against friction and noise.

**QUALIFIED FOR**  
All plastic surfaces in the vehicle

**PROBLEM SOLVING**  
Separates and protects without greasing.  
Protects against embrittlement, greying  
and UV radiation.  
Regenerates all plastic surfaces in the vehicle.

**BENEFITS**  
With antistatic effect and dust-repellent.  
Sliding active at the seat belts.  
Good lubricating effect for window guides and  
door rubbers.

**CHARACTERISTICS**  
Free from grease, oil and silicone.

## 2054 OIL SPRAY WITH PTFE



ORDER NO.  
**2054**

**400**  
ml

Synthetic lubricant with extremely high  
PTFE content for long-lasting lubrication.

**QUALIFIED FOR**  
Wide range of applications e.g., hinges, locks,  
sliding roofs and seat rails.

**BENEFITS**  
Uncoloured and leaves no stains.

## 2056 GREASE SPRAY WITH PTFE



ORDER NO.  
**2056**

**400**  
ml

Transparent and non-toxic grease  
with extremely high PTFE content.

**QUALIFIED FOR**  
Optimum lubricating effect for all heavily  
stressed parts.

**BENEFITS**  
Excellent resistance to water and road salt.



## 2059 COPPER SPRAY



ORDER NO.  
**2059**

For lubrication and assembly.

### PROBLEM SOLVING

Prevents squealing of the brakes.  
Prevents burning.

### BENEFITS

Highly loadable

### CHARACTERISTICS

Temperature resistant from -100 °C to +1100 °C.

## 2060 BRAKE CLEANER ACETONE-FREE



ORDER NO.  
**2060**



ORDER NO.  
**2063**  
CANISTER

For quick assembly and flawless repair.

### BENEFITS

Cleans and degreases.  
Sprays away oil, grease, and dirt quickly and thoroughly.  
Treated parts are absolutely clean.

### CHARACTERISTICS

Also available as 30 liter in canister.  
Acetone-free

## 2061 MULTI-COMPLEX CLEANER



ORDER NO.  
**2061**

Highly effective active foam.

### QUALIFIED FOR

For glare-free car windows.  
For all glass surfaces, plastics and upholstery

### PROBLEM SOLVING

Dissolves and removes silicone, nicotine, oil and greasy dirt.

### BENEFITS

With excellent wetting and cleaning effect.  
Reaches even hard-to-reach places and enables a convenient, economical, fast and streak-free cleaning.

## 2070 ELECTRONICS SPRAY



ORDER NO.  
**2070**

For maintenance and care of electrical contacts.

### QUALIFIED FOR

Cleans contacts, terminal and plug connections and ensures contact closure.

### BENEFITS

This ensures full current passage and provides optimum protection against oxidation for non-ferrous metals.

### CHARACTERISTICS

Neutral against electro-insulating materials, elastomers and lacquers.  
Not hygroscopic.



## 2071 ELECTRONICS CLEANER SPRAY



ORDER NO.  
**2071**

Dielectric deoxidiser

**QUALIFIED FOR**  
For all electrical and electronic equipment.

**PROBLEM SOLVING**  
Degreases and deoxidises.

**BENEFITS**  
Can be used immediately without special preparation.

## 2075 ENGINE STARTER



ORDER NO.  
**2075**

Facilitates the starting of petrol and diesel engines.

**QUALIFIED FOR**  
Petrol and diesel engines,  
**BENEFITS**  
Protects the engine and battery.

## 2076 BATTERY PROTECTION SPRAY



ORDER NO.  
**2076**

For cleaning and care

**QUALIFIED FOR**  
Terminal clamps on motor vehicles.

**PROBLEM SOLVING**  
Prevents corrosion and wear.

**BENEFITS**  
Guarantees optimum current flow and wear protection.

**CHARACTERISTICS**  
Acid-free!

## 2094 TYRE SHINE



ORDER NO.  
**2094**

Cleans, protects, and refurbishes tyres in one step.

**BENEFITS**  
Leaves an intense brilliant shine after treatment. Can also be used on plastic surfaces.



## 2095 RAPID GASKET SEALANT



200  
ml

ORDER NO.  
**2095**

200  
ml

ORDER NO.  
**2195**  
GREY

WEPP 2095 Rapid gasket sealant is a black, particularly high-quality, elastic, and easy-to-apply casing sealant.

### BENEFITS

It serves as a replacement for the most types of solid seals.

### CHARACTERISTICS

Also available in grey order no. 2195

## 2096 LEAK DETECTION SPRAY (air)



400  
ml

ORDER NO.  
**2096**

For effortless detection of leaks.

### QUALIFIED FOR

In pressurised fittings, flange connections, pipelines and welded seams.

### BENEFITS

Non-flammable. Anti-corrosive.

### CHARACTERISTICS

Non-toxic.  
Environmentally friendly.  
Skin-friendly.  
DVGW-tested.

7



## CAR BODY REPAIR

## 2077 / 2078 WINDOW ADHESIVE HM/NL



Moisture-curing, one-component, and highly modulating direct glazing sealant.

**QUALIFIED FOR**  
For the windscreen change

**BENEFITS**  
Vehicle ready to drive  
without airbag after 1 hour,  
with Airbag after 4 hours.

**CHARACTERISTICS**  
Base: Polyurethane.  
TÜV-tested.

## Also available as SET: 2177 / 2178 WINDOW ADHESIVE SET HM/NL

ORDER NO.  
**2177**

ORDER NO.  
**2178**

### THE SET INCLUDES:

- > 1 pc. Wepp 2077  
windscreen adhesive HM/NL (310 ml)  
or
- > 1 pc. WEPP 2078,
- > 1 pc. Wepp 2181 Primer (10 ml),
- > 1 pc. Wepp windscreen cleaner (20 ml),  
with
- > Cleaning cloth,
- > 2 pcs. nozzles,
- > 1 pc. Applicator

## 21290 / 21400 WINDSCREEN ADHESIVE ECONOMIC



Single-component adhesive

**QUALIFIED FOR**  
Suitable for all vehicle types.  
For direct glazing of front, rear and side  
windows into the body of motor vehicles.

**BENEFITS**  
Without primer. Quick readiness for use.

**CHARACTERISTICS**  
Isocyanate-free.  
TÜV crash tested.

## 281000 MULTI-BATTERY SQUEEZE GUN



The Multi Battery Squeeze Gun

**QUALIFIED FOR**  
Suitable for tubular bags up to 400 ml,  
as well as 290- & 310-ml cartridges.

## 2181 MULTIACTIVE PRIMER

30 ml  
ORDER NO.  
**2181**



For adhesion promotion on panes with and without ceramic screen-printing coating with excellent UV protection.

**QUALIFIED FOR**  
For activating PU-RIM and PVC coatings.

## 2083 GLASS AND PAINT CLEANER

1000 ml  
ORDER NO.  
**2083**



Highly effective and universally applicable cleaner.

**QUALIFIED FOR**  
For bonding and sealing work.

**BENEFITS**  
Does not attack the paint.  
Short exposure time.

**CHARACTERISTICS**  
Free from chlorinated hydrocarbons.

## 2089 SEAM SEALING

300 ml  
ORDER NO.  
**2089**



Isocyanate- and solvent-free sealant

**QUALIFIED FOR**  
For waterproofing on all metallic and painted substrates as well as on plastics.

**BENEFITS**  
Humidity curing.

## 2090 METAL PROTECTION SPRAY

400 ml  
ORDER NO.  
**2090**



Novel metal protection spray based on high-quality zinc-aluminium.

**BENEFITS**  
Fast drying.  
High adhesion.





## 2091 UNDERBODY PROTECTION (black matt)



ORDER NO.  
**2091**

Underbody protection

**QUALIFIED FOR**  
Sills and spoilers

**PROBLEM SOLVING**  
Protects sills and spoilers from stone chips.  
Protection against corrosion.

**BENEFITS**  
Can be overpainted without problems and  
is clean to apply.  
High stability with excellent anti-drumming  
effect.

## 2092 CAVITY PROTECTION SPRAY



ORDER NO.  
**2092**

Cavity sealant (transparent)

**PROBLEM SOLVING**  
Provides protection against rust-through  
and corrosion.

**BENEFITS**  
Infiltrates water and keeps condensation  
away from metals.  
For prevention against rust from the inside.

## 2098 BODY-WORK SPRAY GLUE



ORDER NO.  
**2098**

Film-forming adhesive with high instant  
bonding strength.

**QUALIFIED FOR**  
Specially adapted to automotive requirements.  
Bonds fabric, foam rubber, leather, cardboard,  
sky cloth, artificial leather/fabric coverings,  
vinyl, insulation mats and rubber to each other,  
as well as to painted/unpainted metal and wood.

**BENEFITS**  
High instant bonding strength.

## 2099 SUPER ADHESIVE SEALANT



ORDER NO.  
**2099**

Power adhesive

**QUALIFIED FOR**  
High-quality bonding and sealing.

**BENEFITS**  
With a wide adhesion spectrum (without primer)



## 2199 2-COMPONENT POLYURETHANE ADHESIVE



50  
ml

ORDER NO.  
**2199**

2-component polyurethane adhesive

—  
**QUALIFIED FOR**  
Bonding car body parts.

**ACCESSORIES:**  
**21991** 10-PACK MIXING TUBES

**PUBLISHER**

WEPP GmbH  
Am Auacker 1  
36137 Großenlüder-Bimbach  
Germany

phone +49 6648 628 990  
fax +49 6648 628 990 12

[wepp@wepp.de](mailto:wepp@wepp.de)  
[www.wepp.de](http://www.wepp.de)