





Granville has invested heavily in Customer service and marketing programmes to build awareness of Granville throughout the UK.

With 99% stock availability, a dedicated Sales Team, highly developed order collation, quick order turnaround and rapid deliveries we always aim to exceed our Customer's expectations.

Over 70% of the Granville range is manufactured in our own factory with significant manufacturing capacity across all our core product areas.

Our vehicle specific lubricants, all meeting the latest technical specifications, are manufactured and distributed from our modern facility located in South Yorkshire.













Continued evolution

The covid pandemic caused many businesses to revisit their supply chain, operations, stockholding and review their use of "just in time" production practices as a result of what would previously have been considered unprecedented global disruption. At Granville we reviewed our operations and supply chain and established a weakness for us was in the sourcing of bottles.

To resolve this we have invested in blow moulding equipment to be able to manufacture our own bottles as needed. This improves resilience, efficiency and is significantly more environmentally friendly as we will negate at least 100 truck journeys per year saving 1000 tonnes of CO^2 per year. The ability to manufacture bottles and fill them on a single site is a major step forward in Granville's evolutionary journey.



Contents

Granville Lubricants

Vaadal	Premium	Fnging	∩ilc	2 _ マ

Fully Synthetic Performance Oils 4 - 11

Semi Synthetic Performance Oils 11

Fully Synthetic Trade Engine Oils 12 - 14

Semi Synthetic/Mineral Trade Engine Oils 15

Commercial & Agricultural Oils 16 - 20

Autosol Classic Engine Oils 20

Manual Transmission Fluids 21 - 22

Automatic Transmission Fluids 23

Gear & Axle Oils 24

Brake & Hydraulic System Fluids 25

Two Stroke Oils 26

Ancillary Oils 26 - 27

Dispensers, Absorbents & Stands 28

Granville Chemicals

Antifreeze & Summer Coolant 30 - 31

Winter Products 32

Exhaust Products 32

Maintenance Products 33 - 35

Bodyshop, Workshop & Adhesive Sealants 36 - 37

Silicone & Gasket Sealants 38

Greases **39 - 40**

Valeting Products 41 - 43

Rust Repair & Paints 44 - 45

Premier Brands

Autosol **47 - 49**

Gunk **50 - 51**

10K Boost **52 - 53**

Liquid Wrench 54

Slick 50 **55**

Me<u>do</u> **56**

Nova Car Care 57 - 61

Rain-X 62

Ambersil 63

Vileda 63

Chemico 63

Ce-lit **64**

Hylomar 64





POWERTRON PLUS 5W/40

Helps achieve optimum engine performance. High level of detergent/ dispersant additives help achieve engine cleanliness. High resistance to oxidation for longer oil drain interval.

V	Size	Qty	Part	Barcode
	1L	6	5016	5020618050162
	5L	4	5017	5020618050179

OEM Approvals: MB Approval 229.3; VW 502.00, 505.00 Meets the requirements of: API SN/CF; ACEA A3/B4; PSA B71 2296; BMW LL-01; MB 226.5; Fiat 9.55535- M2; Porsche A40; GM LL-B-025; Renault RN0700, RN0710

Size	Qty	y Part	Barcode
1L	6	5012	5020618050124
5L	4	5013	5020618050131

POWERTRON ULTRA 5W/40

protection against wear even at extreme cleanliness. Low SAPS oil ensures longer life of exhaust treatment devices like DPF, TWC, GPF, EGR & SCR.

Helps achieve optimum performance and ensures outstanding engine temperatures. High level of engine

OEM Approvals: MB Approval 229.51; VW 502.00, 505.00, 505.01 BMW Longlife-04 Meets the requirements of: ACEA C3; GM Dexos™ 2; Porsche A40; API SN/CF; Ford M2C917-A; Fiat 9.55535-S2; MB 229.31, 226.5; Renault RN0700, RN0710





SINTRON C3 5W/30

Helps achieve optimum performance and ensures outstanding engine protection against wear even at extreme temperatures. Low SAPS oil ensures longer life of exhaust treatment devices like DPF, TWC, GPF, EGR and SCR.

١	Size	Qty	Part	Barcode
	1L	6	5000	5020618050001
	5L	4	5001	5020618050018

OEM Approvals: MB-Approval 229.51, 229.52; VW 502.00, 505.00, 505.01; BMW Longlife-04; GM Dexos™ 2 Meets the requirements of: ACEA C3; API SN

Size	Qty	/ Part	Barcode
1L	6	5008	5020618050087
5L	4	5009	5020618050094

SINTRON C4 5W/30

Recommended for modern generation petrol & diesel cars requiring ACEA C4 engine oil. Advanced formulation enhances fuel efficiency. Low SAPS oil ensures longer life of exhaust treatment devices like DPF, TWC, GPF, EGR and SCR.





OEM Approvals: Renault RN0720 Meets the requirements of: ACEA C4; MB 226.51



SINTRON LONGLIFE III 5W/30

Optimum performance with complete engine protection at extreme temperatures and under severe duty conditions. High level of engine cleanliness. Low SAPS oil ensures longer life of exhaust treatment devices like DPF, TWC, GPF, EGR and SCR.

١	Size	Qty	Part	Barcode
	1L	6	5004	5020618050049
	5L	4	5005	5020618050056

OEM Approvals: MB-Approval 229.51; VW 504.00, 507.00; BMW Longlife-04; Porsche C30 Meets the requirements of: ACEA C3; API SN

١	Size	Qty	/ Part	Barcode
	1L	6	5020	5020618050209
	5L	4	5021	5020618050216

MULTIGRADE SUPER 10W/40

Helps achieve optimum engine performance. High level of detergent/ dispersant additives help achieve engine cleanliness. High resistance to oxidation for longer oil drain interval. High viscosity index for safe lubrication.

index for safe lubrication.

OEM Approvals: MB Approval 229.1

e requirements of: ACEA A3/B4: APLSL/CF:



FS PC 0W/20

ACEA: C5; API: SP;

Fiat: 9.55535-DM1; PSA: B71 2010

Granville FS-PC 0W/20 is a specially formulated fully synthetic mid-SAPS engine oil for the performance requirements and protection requirements of the very latest Stellantis group DV5R & EB2DT engine types including the use of stop/start technology. Specially selected additives and base stocks offer excellent fuel economy whilst protecting against Low Speed Pre-Ignition engine (LSPI).



Size	Qty	Part	Barcode
11	6	1154	5020618011545
5L	4	1155	5020618011552
20L	1	1156	5020618011569
199L	1/	1157	5020618011576

NEW

REDEFINING PERFORMANCE

FSRN 0W/20

ACEA: C5; Renault: RN17 FE

Granville FS-RN 0W/20 is a high quality fully synthetic engine oil for use in petrol & diesel engines where RN17 FE is required. The blend of specially selected additives and base oils offer optimal performance and fuel efficiency whilst extending component life.

Size	Qty	Part	Barcode
1L	6	1158	5020618011583
5L	4	1159	5020618011590
20L	1	1160	5020618011606



NEW



FS-VX 0W/20 [VAG Group]

Low viscosity fully synthetic engine oil to match the oil test requirements of VW 508.00/509.00. Provides enhanced engine protection against component

Size	Qty	Part	Barcode
1L	6	1147	5020618011477
5L	4	1148	5020618011484
20 L	1	1149	5020618011491
199L	1	1153	5020618011538

VW: 508.00, 509.00; Porsche: C20

۱	Size	Qty	Part	Barcode
	1L	6	1182	5020618011828
	5L	4	1183	5020618011835
	20 L	1	1184	5020618011842
	199L	1	1185	5020618011859

FS-FE 0W/20

[Mid SAPS C5/C6]

Ultra high performance fully synthetic mid-SAPS engine oil using the very latest in additive technology to give ultimate engine protection and engine performance.

ACEA: C5/C6; API: SP/SP-RC; MB: 229.71, 229.72; Ford: M2C947-B1, M2C962-A1, M2C952-A1; ILSAC: GF-6A; Opel: 0V0401547; Chrysler: MS12145; STJLR: .51.5122, .03.5006; BMW: LL-17FE+, LL-14FE*; Fiat: 9.55535-GSX, 9.55535-DSX; Volvo: VCC RBS0-2AE

*Backwards compatible



FS-XC OW/20 [Mid SAPS C5]

A highly advanced fully synthetic engine oil formulated to give comprehensive protection and performance under even the most extreme driving conditions.

N	Size	Qty	Part	Barcode
	1L	6	1066	5020618010661
	5L	4	1067	5020618010678
	20 L	1	1068	5020618010685
	199L	1	1071	5020618010715



ACEA: C5; Volvo: VCC RBS0-2AE; STJLR: .03.5006

Size	Qty	Part	Barcode
1L	6	0772	5020618007722
5L	4	0773	5020618007739

FS-EC0 5W/20

[Mid SAPS C5]

Formulated for intelligent eco engines, including those where stop/start technology is fitted. Ideal for use in Ford Eco Boost engines where specified.

ACEA: C5; API: SN/CF; Ford: M2C948-A, M2C948-B; ILSAC: GF-5; STJLR: .03.5004



EVOLVING IS IN OUR NATURE

Granville EV range of lubricants are low viscosity fully synthetic engine oils specially formulated for use with hybrid-electric (H.E.V) plug-in hybrid vehicles. (P.H.E.V) where specified. Suitable for petrol engines, turbocharged or naturally aspirated with direct or indirect injection, and is compatible with catalytic converters. Protects against low speed pre-ignition (LSPI).

EV8 0W/8

 Size
 Oty
 Part
 Barcode

 1L
 6
 1194
 5020618011941

 5L
 4
 1195
 5020618011958

EV16 0W/16

 Size
 Oty
 Part
 Barcode

 1L
 6
 1186
 5020618011866

 5L
 4
 1187
 5020618011873

API: SPRC; ILSAC: GF-6B





FS-R 5W/30 [Low SAPS C4]

Low SAPS fully synthetic engine oil suitable for use in engines especially Renault vehicles with diesel particulate filters fitted.

Size	Qty	Part	Barcode
1L	6	0568	5020618005681
5L	4	0569	5020618005698

ACEA: C4; MB: 226.51; Renault: RN0720

Size Oty Part Barcode 1L 6 0793 5020618007937 5L 4 0794 5020618007944 20L 1 0795 5020618007951 199L 1 0799 5020618007999

FS-BX 0W/30

[Low SAPS C3]

The very latest generation fully synthetic Low SAPS low viscosity engine oil that offers excellent fuel efficiency and engine protection whilst controlling exhaust gas emissions.

ACEA: C3; **API:** SN; **MB:** 229.51; **BMW:** LL-04; **Porsche:** C30; **VW:** 504.00, 507.00, 503.00, 506.00, 506.01





FS-V 5W/30 [Longlife VW]

Fully synthetic engine oil that meets the specific requirements for VAG petrol and diesel engines.

١	Size	Qty	Part	Barcode
	1L	6	2400	5020618024002
	5L	4	2401	5020618024019

ACEA: C3; **API:** SN/CF; **VW:** 504.00, 507.00; **BMW:** LL-04; **MB:** 229.51; **Porsche:** C30

Size	Qty	Part	Barcode
1L	6	0593	5020618005933
5L	4	0594	5020618005940

FS-B 5W/30 [Low SAPS C3]

Fully synthetic low SAPS engine oil that protects and preserves exhaust after treatment devices whilst offering engine protection and fuel efficiency.





ACEA: C3; API: SN/CF; MB: 229.31, 229.51, 229.52; BMW: LL-04; VW: 502.00, 505.00, 505.01; GM: Dexos™ 2



FS-RX 5W/30 [Mid SAPS C3]

A fully synthetic mid-SAPS engine oil specially formulated to meet the very latest specifications and fuel efficiency targets required by Renault.

Siz	ze Qty	Part	Barcode
1L	6	1178	5020618011781
5L	4	1179	5020618011798
20)L 1	1180	5020618011804
19	9L 1	1181	5020618011811

ACEA: C3: Renault: RN-17

Size	Qty	Part	Barcode
1L	6	0655	5020618006558
5L	4	0656	5020618006565

FS-PD 5W/40 [Low SAPS C3]

High performance fully synthetic low SAPS engine oil that efficiently controls exhaust gases. Ideal for use in diesel engines where specified including VAG Pumpe Duse engines.

ACEA: C3; API: SN/CF; VW: 502.00, 505.00, 505.01; BMW: LL-04; MB: 229.31, 229.51; Ford: M2C917-A; Fiat: 9.55535-S2, 9.55535-H2



Fully Synthetic Performance Oils



FS-A 10W/50 [Mid SAPS C3]

A super fully synthetic engine oil formulated for high performance petrol & diesel engines, naturally aspirated and turbo charged. FS-A has a high shear strength and heat resistance, reducing friction and wear within the components.

١	Size	Qty	Part	Barcode
	1L	6	1190	5020618011903
	4L	4	1191	5020618011910
	199L	1	1193	5020618011934

ACEA: C3; API: SN; Abarth: 0101

Size	Qty	Part	Barcode
1L	6	0865	5020618008651
5L	4	0866	5020618008668
20L	1	0867	5020681008675
199L	1	0872	5020618008729

FS-FX 0W/30

[Mid SAPS C2]

A fully synthetic mid-SAPS engine oil specially formulated to meet the very latest specifications and fuel efficiency targets required by Ford for their latest Euro V & Euro VI engines. Suitable for use in certain Ford applications.

ACEA: C2; Ford: M2C950-A; STJLR: .03.5007; Fiat: 9.55535-DS1, 9.55535-GS1





FS-PX 0W/30 [Mid SAPS C2]

A fuel efficient mid SAPS engine oil formulated using specially selected base oils and advanced additives. Ideally suited for the latest Peugeot/Citroën petrol & diesel engines.

ze	Qty	Part	Barcode
	6	0892	5020618008927
_	4	0893	5020618008934
DL	1	0894	5020618008941
9L	1	0900	5020618009009
	- DL	. 6	4 0893 DL 1 0894

ACEA: C2; PSA: B71 2312

١	Size	Qty	Part	Barcode
	1L	6	1059	5020618010593
	5L	4	1060	5020618010609
	20L	1	1061	5020618010616
	199L	1	1064	5020618010647

FS-NX 0W/30

[Mid SAPS C2]

A highly advanced fully synthetic engine oil formulated to give comprehensive protection and performance as well as offering increased fuel economy and exceptional lubricant fluidity.

ACEA: C2; BMW: LL-12 FE





FS-P 5W/30 [Low SAPS C2]

A low SAPS fully synthetic oil designed to specifically meet the requirements of Peugeot/Citroën engines and engines requiring a C2 engine oil.

١	Size	Qty	Part	Barcode
Ī	1L	6	0481	5020618004813
	5L	4	0482	5020618004820

ACEA: C2; API: SN/CF; PSA: B71 2290 (<2017)

Size	Qty	Part	Barcode
1L	6	0697	5020618006978
5L	4	0698	5020618006985

FS-M 5W/30 [Low SAPS C1]

An advanced fully synthetic low SAPS engine oil formulated to reduce emissions and protect exhaust after treatment devices.



ACEA: C1; Mazda: JASO DL-1; Ford: M2C934-B: STJLR: .03.5005



FS-E 0W/20

An advanced fully synthetic engine oil formulated for fuel economy and wear protection especially on engine start up. Suitable for use in petrol and hybrid engines.

١	Size	Qty	Part	Barcode
	1L	6	0693	5020618006930
	5L	4	0694	5020618006947

API: SP/SN/SN-RC; **ILSAC:** GF-6A, GF-5; **GM:** Dexos™ 1 Gen 3, **GM:** Dexos™ 1 Gen 2*; **Chrysler:** MS6395; **GM:** 6094M, 4718M

*Backwards compatible

١	Size	Qty	Part	Barcode
	1L	12	0522	5020618005223
	5L	4	0523	5020618005230
	20L	1	0516	5020618005162
	199L	1	0521	5020618005216

FS-VC 0W/30

Superior quality fully synthetic engine oil, for use in certain Volvo petrol and diesel engines, provides excellent fuel efficiency and extended service capabilities.





API: SL/CF; ACEA: A5/B5; Volvo: VCC 95200377

Fully Synthetic Performance Oils



FS-MB 0W/40

High performance engine oil suited to Porsche, VW, Renault and Ford engines requiring ultimate protection and performance whilst offering maximum fuel efficiency.

Qty	Part	Barcode
6	1174	5020618011743
4	1175	5020618011750
1	1176	5020618011767
1	1177	5020618011774
	6 4 1	4 1175 1 1176

API: SN/CF; ACEA: A3/B4; MB: 229.5, 226.5; Porsche: A40; VW: 502.00, 505.00; RN: 0700, 0710; Ford: M2C937-A

١	Size	Qty	Part	Barcode
	1L	6	1140	5020618011408
	5L	4	1141	5020618011415
	20 L	1	1142	5020618011422
	199L	1	1145	5020618011453

FS-GX 5W/30

A high performance fully synthetic engine oil that provides protection against low speed pre-ignition (LSPI) issues especially those associated with smaller capacity turbo-charged engines.



API: SP/SP-RC/SN Plus/SN-RC; **GM:** Dexos[™] 1 Gen 3 , Dexos[™] 1 Gen 2*, 4718M, 6094M; **ILSAC:** GF-6, GF-6A; **Chrysler:** MS 6395

^{*}Backwards compatible



FS-G 5W/30 [Longlife GM]

Fuel efficient fully synthetic oil meeting primarily the requirements of General Motors and certain Mercedes Benz engines.

١	Size	Qty	Part	Barcode
	1L	6	2402	5020618024026
	5L	4	2403	5020618024033

ACEA: A3/B4; API: SL/CF; VW: 502.00, 505.00; GM: LL-A-025, LL-B-025; MB: 229.3; Opel: B-040-2095, B-040-2098; BMW: LL-01, LL-98

Size	Qty	Part	Barcode
1L	6	0508	5020618005087
ы	/1	NENG	502061800500/

FS-F 5W/30

The very latest Ford specification fully synthetic engine oil suitable for use in Ford Zetec, Dura Torq and Dura Tec engines.



Granville

FS

SW/30

RULLY SYNTHETC

In great the first of the first

ACEA: A5/B5; API: SL/CF; Ford: M2C913-D, M2C913-C, M2C913-B, M2C913-A; STJLR: .03.5003

Fully Synthetic Performance Oils



FS-ZT 5W/40

Fully synthetic, full SAPS engine oil for turbo charged, fuel injected and multivalve engines both petrol and diesel.

١	Size	Qty	Part	Barcode
	1L	6	0044	5020618000440
	5L	4	0245	5020618002451

ACEA: A3/B4; **API:** SN/CF; **VW:** 502.00/505.00; **BMW:** Longlife; **MB:** 229.3, 229.5; **Porsche:** A40; **RN:** 0700, 0710; **PSA:** B71 2296

FS MOTORSPORT 10W/60 Fully synthetic engine oil suitable for use in high

Fully synthetic engine oil suitable for use in high performance, competition and modified engines both normally aspirated and turbo charged.

ACEA: A3/B4; API: SM/CF

L	Size	Qty	Part	Barcode
	1L	6	0488	5020618004882
	5L	4	0489	5020618004899



Semi Synthetic Performance Oils

١	Size	Qty	Part	Barcode
	1L	6	0045	5020618000457
	5L	4	0043	5020618000433

PLATINUM PLUS

Formulated using the very latest additive technology that provides excellent engine protection in both petrol and diesel engines that require a semi synthetic oil.

ACEA: A3/B4; API: SN/CF; MB: 229.3; VW: 502.00, 505.00; RN: 0700, 0710



Fully Synthetic Trade Engine Oils



HYPALUBE C1 5W/30

A superior quality engine oil formulated using the very latest additives to produce a fuel efficient engine oil that protects exhaust emission after treatment devices requiring a low SAPS engine oil.

١	Size	Qty	Part	Barcode
	1L	12	0671	5020618006718
	5L	4	0672	5020618006725
	20 L	1	0676	5020618006763
	199L	1	0675	5020618006756
	20L	1	0676	5020618006763

ACEA: C1; **Ford:** M2C934-B; **Mazda:** Jaso DL-1; **STJLR:** .03.5005

Qty	Part	Barcode
12	0704	5020618007043
4	0705	5020618007050
1	0709	5020618007098
1	0708	5020618007081
	12 4 1	4 0705 1 0709

HYPALUBE C2 5W/30

Formulated using new generation additives to produce a fuel efficient engine oil that protects exhaust emission after treatment devices requiring a mid SAPS engine oil.





ACEA: C2; API: SN/CF; PSA: B71 2290 (<2017)



HYPALUBE C2/C3 5W/30

Fully synthetic low SAPS engine oil which is suitable for use in certain vehicles that have exhaust after treatment devices fitted.

١	Size	Qty	Part	Barcode
	1L	12	0825	5020618008255
	5L	4	0826	5020618008262
	20L	1	0823	5020618008231
	199L	1	0829	5020618008293

ACEA: C3/C2; API: SN/CF

Size	Qty	Part	Barcode
1L	12	0526	5020618005261
5L	4	0527	5020618005278
20 L	1	0564	5020618005643
199L	1	0529	5020618005292

HYPALUBE C3 5W/30

Suitable for use in vehicles fitted with exhaust emission after treatment devices requiring a low SAPS oil where this grade and specification of lubricant is required.





ACEA: C3; **API:** SN/CF; **MB:** 229.31, 229.51, 229.52; **BMW:** LL-04; **GM:** Dexos™ 2; **VW:** 502.00, 505.00, 505.01



HYPALUBE C4 5W/30

An advanced low viscosity engine oil formulated to meet the demands of a C4 engine lubricant that protects exhaust emission after treatment devices requiring a low SAPS oil.

Size	Qty	Part	Barcode
1L	12	0814	5020618008149
5L	4	0815	5020618008156
20L	1	0819	5020618008194
199L	1	0818	5020618008187

ACEA: C4; Renault: RN0720; MB: 226.51

Size	Qty	Part	Barcode
1L	12	1127	5020618011279
5L	4	1128	5020618011286
20 L	1	1129	5020618011293
199L	1	1132	5020618011323

HYPALUBE VL 5W/30

Fully synthetic engine oil suitable for use in VAG petrol and diesel engines requiring a 5W/30 viscosity long-life lubricant.



Granville

HYPALUBE

SULFATERIC

SWYGO

Learner of some to locate of the back of the back

Swygood of the back of

ACEA: C3; VW: 504.0, 507.00; API: SN/CF; BMW: LL-04; MB: 229.51; Porsche: C30



HYPALUBE PD 5W/40

A fuel efficient engine oil suitable for use in vehicles fitted with exhaust emission after treatment devices requiring a low SAPS engine oil.

1	Size	Qty	Part	Barcode
	1L	12	0860	5020618008606
	5L	4	0861	5020618008613
	20L	1	0859	5020618008590
	199L	1	0864	5020618008644

ACEA: C3; API: SN/CF; VW: 502.00, 505.00, 505.01; BMW: LL-04; MB: 229.31, 229.51; Ford: M2C917-A; Fiat: 9.55535-H2, 9.55535-S2

Size	Qty	Part	Barcode
1L	12	1164	5020618011644
5L	4	1165	5020618011651
20L	1	1166	5020618011668
199L	1	1168	5020618011682

HYPALUBE DX 0W/20

An advanced fully synthetic low viscosity engine oil formulated for fuel efficiency. It provides excellent wear protection under the most extreme circumstances, even at cold start up.



Page 100 Annual Page 100 Annua

© Granville

HYPALUBE

FULLY

API: SP/SN/SN-RC; **ILSAC:** GF-6A, GF-5; **GM:** Dexos[™] 1 Gen 3, Dexos[™] 1 Gen 2*, 4718M, 6094M; **Chrysler:** MS 6395

^{*}Backwards compatible



HYPALUBE FR 5W/20

A superior fully synthetic engine oil formulated to meet the performance demands of the latest intelligent eco engines requiring lubrication that is both fuel efficient and has a long service life.

I	Size	Qty	Part	Barcode
	1L	12	1169	5020618011699
	5L	4	1170	5020618011705
	20L	1	1171	5020618011712
	199L	1	1173	5020618011736

ACEA: C5; **API:** SN/CF; **Ford:** M2C948-A, M2C948-B; **ILSAC:** GF-5; **STJLR:** .03.5004

Size	Qty	Part	Barcode
1L	12	0047	5020618000471
5L	4	0198	5020618001980
20L	1	0412	5020618004127
199L	1	0017	5020618000174

HYPALUBE FD 5W/30

Suitable for Ford and other manufacturers petrol and diesel engines.



ACEA: A5/B5; **API:** SL/CF; **Ford:** M2C913-A, M2C913-B, M2C913-C, M2C913-D;

STJLR: .03.5003





HYPALUBE LL 5W/30

Fuel efficient fully synthetic oil formulated to meet the requirements of General Motors and certain Mercedes Benz engines. Suitable for both petrol & diesel engines.

Size	Qty	Part	Barcode
1L	12	1121	5020618011217
5L	4	1122	5020618011224
20L	1	1123	5020618011231
199L	1	1126	5020618011262

ACEA: A3/B4; API: SL/CF; GM: LL-A-025, LL-B-025; BMW: LL-01, LL-98; Opel: B-040-2095, B-040-2098; MB: 229.3; VW: 502.00, 505.00

Size	Qty	Part	Barcode
1L	12	0485	5020618004851
5L	4	0492	5020618004929
20L	1	0562	5020618005629
199L	1	0494	5020618004943

HYPALUBE FS 5W/40

Ideal for petrol and diesel engines including multi-valve and fuel injection.



ACEA: A3/B4; AP: SN/CF; VW: 502.00, 505.00; MB: 229.3, 229.5; BMW: LL-01, LL-98; Porsche: A40; Renault: RN0700, RN0710; PSA: B71 2296





HYPALUBE SL 5W/30

Fuel efficient engine oil suitable for petrol & diesel engines.



HYPALUBE SN 10W/40

Ideal for petrol and diesel engines including turbo, fuel injection & catalytic converters.



١	Size	Qty	Part	Barcode
	1L	12	0427	5020618004271
	5L	4	0435	5020618004356
	20L	1	0262	5020618002628
	199L	1	0426	5020618004264

ACEA: A5/B5; API: SL/CF



OILC	4.7	· ui ·	Barcoac
1L	12	0095	5020618000952
5L	4	0123	5020618001232
20L	1	0263	5020618002635
199L	1	991B	5020618099208
	1L 5L 20L	1L 12	5L 4 0123 20L 1 0263

ACEA: A3/B4; API: SN/CF; MB: 229.3; **VW:** 502.00, 505.00; Renault: RN0700, RN0710



HYPALUBE LX 10W/30

Suitable for petrol & diesel engines both turbo charged and naturally aspirated where specified.



١	Size	Qty	Part	Barcode
	1L	12	0083	5020618000839
	5L	4	0081	5020618000815
	20L	1	0091	5020618000914
	199L	1	0094	5020618000945

ACEA: A2/B2, E2; API: SL/CF; MB: 229.1; VW: 505.00: Ford: M2C909-A



HYPALUBE PLUS 15W/40

Ideal for petrol & diesel engines both turbo charged and naturally aspirated.



١	Size	Qty	Part	Barcode
	1L	12	0203	5020618002031
	5L	4	0180	5020618001805
	20L	1	0264	5020618002642
	199L	1	0126	5020618001263

ACEA: A3/B3; API: SL/CG4; Volvo: VDS-2; MB: 229.1



HYPALUBE PR 20W/50

Ideal for older naturally aspirated petrol & diesel engines.



١	Size	Qty	Part	Barcode
	1L	12	0144	5020618001447
	4.25L	4	0146	5020618001461
	20L	1	0096	5020618000969
	199L	1	0125	5020618001256

API: SE/CC



HYPALUBE SAE 30

Monograde SAE 30 non-detergent motor oil for 4-stroke petrol engines and naturally aspirated diesel engines.



Size	Qty	Part	Barcode
1L	12	1819	5020618018193
5L	4	1802	5020618018025
20L	1	1832	5020618018322
199L	1	1820	5020618018209

API: SF/CC: **SAE:** 30



HYPAFLEET E9 10W/40

A superior high performance heavy duty, low SAPS diesel engine oil that is suitable for use with exhaust after treatment systems, including DPF's and SCR / EGR / NOX reducing systems. Suitable for mixed fleet applications including Euro IV, V and VI engine types.

۱	Size	Qty	Part	Barcode
	5L	4	6429	5020618064299
	20L	1	6430	5020618064305
	199L	1	6432	5020618064329

ACEA: E9, E7, E6; API: CJ-4; MB: 228.51; MAN: 3477, 3271-1; MTU: Type 3.1/2.1; Volvo: VDS-4; Renault: RLD-3, RLD-2; JASO: DH-2; Scania: Low Ash; CAT: ECF-3, ECF-2, ECF-1-A; Cummins: 20081; IVECO: 18-809 Class NG2; Detroit Diesel: 93K218; Deutz: DQC IV-10-LA, DQC IV-18-LA; Mack: E0-0 PP, E0-N PP

Size	Qty	Part	Barcode
20L	1	6437	5020618064374
199L	1	6439	5020618064398

HYPAFLEET E9 15W/40

A high performance heavy duty diesel engine oil formulated using the latest additives to produce a mid SAPS engine oil that is suitable for vehicles equipped with DPF's and EGR / SCR systems. Suitable for mixed fleet applications including Euro IV, V and VI engines.



duce cles ems. ding nes.

ACEA: E9, E7; **API:** CK-4, CJ-4, SN; **MB:** 228.31; **Volvo:** VDS-4.5 & VDS-4; **Renault:** RLD-4; **CAT:** ECF-3; **Cummins:** 20081, 20086;

Ford: M2C 171-F1; Deutz: DQC III-10-LA; Detroit Diesel: 93K222; Mack: E0S-4.5; MTU: Type 2.1





HYPAFLEET E9 10W/30

A mid SAPS heavy duty engine oil that is suitable for vehicles equipped with DPF's and EGR / SCR systems.
This engine oil is suitable for mixed fleet applications including Euro IV, V and VI engine types.

١	Size	Qty	Part	Barcode
	20L	1	6444	5020618064442
	199L	1	6446	5020618064466

ACEA: E9, E7; API: CK-4, CJ-4, SN; MB: 228.31; MTU: Type 2.1; Scania: Low Ash; CAT: ECF-3; Cummins: 20086; Ford: WSS-M2C171-F1; Deutz: DQC III-10-LA, DQC III-18 LA; Detroit Diesel: 93K222

Size	Qty	Part	Barcode
20L	1	6423	5020618064237
1991	1	6425	5020618064251

HYPAFLEET E9 5W/30

Fuel efficient heavy duty diesel engine oil formulated using superior additives and quality base oils to produce a mid / low SAPS engine oil that is suitable for use with exhaust after treatment systems including DPF's and SCR / EGR NOX reducing systems including the use of Adblue.





ACEA: E9, E7, E6, E4; **API:** CJ-4, CK-4; **MB:** 228.51; **MAN:** 3677; **MTU:** Type 3.1; **Volvo:** VDS-4; **Renault:** RLD-3; **Scania:** LDF-4; **Mack:** E0-0 PP



HYPAFLEET E7 15W/40

A wide ranging heavy duty engine oil suitable for use in commercial, agricultural and off-highway applications. The combination of quality additives and superior base oils make this oil suitable for use in both naturally aspirated and turbo charged engines.

Size	Qty	Part	Barcode	
5L	4	6464	5020618064640	
20L	1	6465	5020618064657	
199L	1	6467	5020618064671	
20L	1	6465	502061806465	57

ACEA: E7; API: CI-4; MB: 228.3; MAN: 3275; MTU: Type 2; Volvo: VDS-3; Renault: RLD-2; CAT: ECF-2, ECF-1A; Mack: E0-N; Cummins: CES 20077, CES 20078, CES 20076; Global: DHD-1

١	Size	Qty	Part	Barcode
	20L	1	6458	5020618064589
	199L	1	6460	5020618064602

HYPAFLEET LS E7 10W/40

Long drain heavy duty diesel engine oil featuring low SAPS additive technology making it suitable for use with DPF's and EGR / SCR systems. Suitable for use in vehicles meeting Euro I to Euro VI emission requirements.



ACEA: E9, E7, E6; **API:** CK-4; **MB:** 228.51, 228.31; **MAN:** 3575, 3271-1; **Volvo:** VDS-4.5; **Renault:** RLD-4; **CAT:** ECF-3; **Cummins:** 20086, 20081;





HYPAFLEET E7 10W/40

Long drain engine oil providing excellent engine protection against heat and engine wear, even under the most severe of driving conditions. Ideal for use in modern commercial fleet diesel engines both turbo and naturally aspirated.

١	Size	Qty	Part	Barcode
	20L	1	6451	5020618064510
	199L	1	6453	5020618064534

ACEA: E7; API: CI-4; CAT: ECF-2; MB: 228.3; MAN: 3275; MTU: Type 2; Volvo: VDS-3; Renault: RXD, RLD-2; Global: DHD-1; Mack: E0-N, E0-M+; Deutz: DQC-III-05 & 10; Cummins: CES 20077, CES 20078; DAF: Extended Drain

۱	Size	Qty	Part	Barcode
	20L	1	6493	5020618064930
	199L	1	6495	5020618064954

HYPAFLEET E7 20W/50

A wide ranging heavy duty engine oil suitable for use in commercial, agricultural and off-highway applications. Suitable for use in Euro I to Euro V engines including those fitted with exhaust after treatment devices.



ACEA: E7; API: CI-4, SL; MB: 228.3; MAN: 3275; MTU: Type 2; Volvo: VDS-3; Renault: RLD-2; CAT: ECF-2; Mack: E0-N, E0-M+; Cummins: CES 20077, CES 20078; Deutz: DQC III; Detroit Diesel: 93K215







Hypafleet E5 15W/40 meets a variety of requirements of European engine manufacturers in both normally aspirated and turbo engines working under difficult conditions, with extended drain intervals up to 60,000 km/s. Suitable for use in Euro II & Euro III engine applications.

	Size	Qty	Part	Barcode
	20L	1	6479	5020618064794
S	199L	1	6481	5020618064817

ACEA: E5, E3, A3/B3; API: CH-4; MB: 228.3, 229.1; CAT: ECF-1; MAN: 3575, 3275; Volvo: VDS-2; Renault: RLD-1; Mack: E0-M+; Cummins: CES 20071, CES 20072, CES 20076, CES 20077

Size	Qty	Part	Barcode
20L	1	6486	5020618064862
199L	1	6488	5020618064886

HYPAFLEET E5 10W/40

Hypafleet E5 10W/40 meets a variety of requirements of European engine manufacturers in both normally aspirated and turbo engines working under difficult conditions, with extended drain intervals up to 60,000 km's. Suitable for use in Euro II & Euro III engine applications.

ACEA: E5, A3/B3; API: CH-4, SL; MB: 228.3, 229.1; MAN: 3275, 3575; Volvo: VDS-3; Renault: RLD-1;

Cummins: CES 20071, CES 20072, CES 20076, CES 20077; VW: 500.01, 505.00







Hypafleet 15W/40 is manufactured from specially selected additive packages and solvent refined base oils, enabling it to satisfy Scania's 20,000 km and Mercedes 45,000 km requirements. Formulated for older engines, Hypafleet 15W/40 offers outstanding engine protection and performance.

Size	Qty	Part	Barcode
20L	1	6472	5020618064725
199L	1	6474	5020618064749

ACEA: A3/B4, E2; API: CG-4, CF-4, SJ; MB: 228.1, 229.1; MAN: 271; Volvo: VDS-2; Renault Truck: RD; VW: 505.00; Cummins: CES 20076; Mack E0-L

Size	Qty	Part	Barcode
20L	1	6521	5020618065210
199L	1	6523	5020618065234

HYPAFLEET 10W

Hypafleet 10W is a mono grade engine oil manufactured from specially selected additive packages and solvent refined base oils that can be used in petrol and diesel applications requiring a monograde lubricant. It is also suitable for use where recommended, in transmission and hydraulic applications.

API: CG-4, SL; **MB:** 229.1, 228.1





HY-VIS HYDRAULIC OIL

Hy-Vis hydraulic oils are formulated for use in a wide range of agricultural, commercial and industrial applications. It offers excellent pumpability and protects against oxidation and corrosion.

Product	Size	Qty	Part	Barcode
HV 32	5L	1	0182	5020618001829
HV 32	20L	1	0723	5020618007234
HV 32	199L	1	0132	5020618001324
HV 46	20L	1	0724	5020618007241
HV 46	199L	1	0140	5020618001409
HV 68	20L	1	0725	5020618007258
HV 68	199L	1	0009	5020618000099
HV 100	20L	1	0726	5020618007265
HV 100	199L	1	179B	5020618023395

Vickers: 1.286.S3; AFNOR: NF E 48603; Sperry Vickers: 1.286-S; Denison Filterability: TP021000; DIN: 51524 Part 2 (HLP); David Brown: S1.53.101

١	Product	Size	Qty	Part	Barcode
	MHV 32	20L	1	6551	5020618065517
	MHV 32	199L	1	6553	5020618065531
	MHV 46	20L	1	6557	5020618065579
	MHV 46	199L	1	6559	5020618065593

MULTI HY-VIS HYDRAULIC OIL

Multi Hy-Vis hydraulic oils are a high viscosity fluid formulated for use in a wide range of agricultural, commercial and industrial applications where recommended. They offer excellent pumpability and protect against oxidation and corrosion.

HYPALUBE
Granville
MULTI HY-VIS 32
HYDRAULIC OIL
DN 5169 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164 Part 3, 5164 Part 3, 5164
Part 1, 5164

DIN: 51524 Parts 1 (HL), 2 (HLP) & 3 (HVLP); **ISO:** 11158 (HL, HM, HV); **AFNOR:** NF ISO 11158 (HL, HM, HV); **Vickers:** 1-286-S; **US Steel:** 126, US Steel 127



HYPAFARM SUTO 15W/30

A high quality multi-functional agricultural oil ideally suited for older applications. Can be used in petrol and diesel engines both naturally aspirated and turbo charged, as well as transmission and hydraulic applications. Suitable for use in oil immersed braking systems.

۱	Size	Qty	Part	Barcode
	20L	1	6500	5020618065005
	199L	1	6502	5020618065029

API: CF-4/SF, GL-4; Massey Ferguson: M1135, M1139; Case: MS1206; New Holland: 82009202; Ford: M2C86-A, M2C86-B, M2C134-D, M2C159-B, M2C159-C; CAT: T0-2; Allison: C4; ZF: TE-ML 03A, 05, 06A, 07D

Size	Qty	Part	Barcode
20L	1	6507	5020618065074
1991	1	6509	5020618065098

HYPAFARM SUTO 10W/30

A multi-functional agricultural oil formulated using quality additives and base oils to enable this product to be used in petrol and diesel engines, both naturally aspirated and turbo charged, as well as transmissions, final drive, hydraulic and oil immersed brake applications.





API: CG-4/SF, GL-4; MB: 227.1, 228.1; Ford: M2C159-B, M2C159-C; New Holland: 82009201; John Deere: JDM 20A; Massey Ferguson: M1135, M1139, M1144, M1145; New Holland: 82009201, 024C, 030C; Case: MS1206; CAT: T0-2; Ford: M2C86-A, M2C86-B, M2C134-D; Allison: C4; ZF: TE-ML 03A, 06A/B/C, 07B/D



HYPAFARM UTTO 10W/30

Hypafarm UTTO is specially formulated for modern multi-speed electronically actuated transmissions fitted in agricultural and off-highway equipment. Can be used for oil immersed brakes and as a hydraulic fluid where recommended.

Siz	е	Qty	Part	Barcode
20	L	1	6514	5020618065142
199)L	1	6516	5020618065166

John Deere: JDM 20A, JDM 20B, JDM 20C, JDM J27;

Ford: M2C134-A/B/C/D, M2C86-A/B/C, M2C41-B, M2C48-B, M2C53-A, M2C159-A; Allison: C4; CAT: T0-2; New Holland: 420-A, 410-B; Volvo: (Trans) 97303, WB101;

Massey Ferguson: M1110, M1127, M1129A, M1135, M1143; **Case:** MS1204, MS1205, MS1210, IMB6

Autosol Classic Engine Oils



Size Oty Part Barcode 5L 4 0392 5020618003922

ROADSTER 20W/50

A conventional multigrade engine oil designed to preserve and protect classic engines. Specially blended using high quality mineral oils and selected additives, making it ideally suited to older technology particularly 60's, 70's and 80's classic car engines.

API: SE/CC







Suitable for vintage and classic vehicle engines - also for manual gearboxes of this period.

Size	Qty	Part	Barcode
5L	4	0399	5020618003991

API: SA; SAE: 30

١	Size	Qty	Part	Barcode
	5L	4	0398	5020618003984

ROADSTER SAE 40

A traditional non-detergent motor oil specifically for use in vintage and classic vehicle engines.

API: SA; **SAE**: 40



MTF M 75W/80

Mineral gear oil formulated to meet the specific requirements of manual gear boxes.



Size	Qty	Part	Barcode
1L	6	1638	5020618016380
5L	4	1717	5020618017172
20L	1	1720	5020618017202

API: GL4; **PSA:** B71 2330; **GM:** 1940768; **Volvo:** 97308; **VW:** G 052 512, G 055 512; **MIL-**L 2105 D

MTF FS 75W/90





Developed to protect and maintain synchroniser performance.

Size)	Qty	Part	Barcode
1L		6	1577	5020618015772
5	L		1578	5020618015789
2	20L	4	1579	5020618015796

API: GL4; Ford: WSD-M2C200-B/C; GM: 1940182, 1940768, 1940764; Volvo: 97309; VAG: G50

MTF FS 75W/80



Offers superior gear shift capabilities and fuel efficiency.

Size	Qty	Part	Barcode
1L	6	1586	5020618015864

API: GL4; BMW: MTF LT-2; Honda Special: MTF/MTF II; Ford: M2C186-A; Volvo: 97308; GM: 1940768; MTF: 94

MTF FS 75W



Offers superior gear shift capabilities and fuel efficiency.

١	Size	Qty	Part	Barcode
	1L	6	1410	5020618014102

API: GL4; **BMW:** MTF LT-3; **Ford:** WSS-M2C200-D2; **VW:** G 052 178, G 060 726, G 052 171, G 055 512 & G 052 512

MT 75



Specialist mineral gear oil designed for use in Ford MT75 and MTX75 gearboxes.

Size	Qty	Part	Barcode
1L	12	1811	5020618018117

Ford: ESD-M2C186-A

NEW

MTF 94



Formulated from mineral oils to prevent premature synchroniser wear and poor gear shifting in specific manual transmissions.

Size	Qty	Part	Barcode
1L	6	1561	5020618015611

API: GL4

MTF FS 70W



Fully Synthetic manual transmission fluid with superior gear shift properties that protects transmission components.

Size	Ųty	Part	Barcode
1L	6	1407	5020618014072

API: GL-4; Castrol: BOT 303; Fiat: 9.55550-MZ7; VW: G052 798

MTF FS 75W/85



NEW
Synthetic manual transmiss

Fully Synthetic manual transmission fluid formulated to protect synchronisers in modern manual transmissions whilst offering excellent gear shift capabilities and fuel efficiency.

Size	Ųŧy	Part	Barcode
1L	6	1589	5020618015895

API: GL-4; MB: 235.1, 235.16; Fiat: 9.555550-MZ1 / MZ3; Ford: WSD-M2C200-C2; VOLV0: 97307, 97315;



ATF 1375.4

A fully synthetic premium transmission fluid specifically formulated for the needs of 6HP series ZF transmissions.

١	Size	Qty	Part	Barcode
	1L	6	1544	5020618015444
	5L	4	1545	5020618015451
	20L	1	1549	5020618015499

ATF: M-1375.4; Ford: Mercon® SP, Mercon® SP XT-6-QSP;

Jaguar: C2C 8432; VAG: G 055 005-A1, G 055 005-A2, G 055 005-A6;

ZF: S671 090 252/253/255; ZF Lifeguard: 6+;

BMW: 83220142516, 83220144137, 83222305396 (ATF2);

Land Rover: TYK 500050

Size	Qty	Part	Barcode
1L	6	1595	5020618015956
5L	4	1596	5020618015963
20L	1	1593	5020618015932

ATF LG6

A fully synthetic premium transmission fluid specifically formulated for the needs of ZF 6/8/9 speed transmissions.



ATF: M-1375.6, M-1375.8; BMW/Mini: 83 22 2 152 426; Chrysler: 68157995A; Jaguar: 02JDE26444; Land Rover: LR23288; Mazda: ATF-FZ; MB: 236.15; VAG: G 060 162 A1/A2/A6; ZF: Lifeguard 6+, 8, 9



ATF Dexron™ VI

Fully Synthetic low viscosity, high performance ATF fluid.

N	Size	Qty	Part	Barcode
	1L	6	1569	5020618015697
	5L	4	1570	5020618015703
	20L	1	1592	5020618015925

GM: Dexron[™] VI, 1940773; Ford: Mercon® LV; JASO: 1-A; Toyota: WS; Aisin Warner: AW-1; Honda: DW-1, ATF-Z1; Suzuki: 3314, 3317; Volvo 97341; Nissan: Matic S/J/K/D/402; Kia: ATF SP-IV; Hyundai: ATF SP-IV, NWS-9638, JWS: 3324; Mitsubishi: ATF SP-IV, ATF J2; Saab: 93 165 147; MB: 236.10/12/14/17/41; BMW/Mini: 83222152426; VAG: G 052 162, G 060 162, G 052 990, G 055 162

Size	Qty	Part	Barcode
1L	12	0041	5020618000419
5L	4	0175	5020618001751
20L	1	0089	5020618000891
205L	1	0129	5020618001294

ATF Dexron™ II

Mineral based formulation to meet General Motors requirements.



Granville

ATF

DEXPONE

Remembrate instance in the street of the street

GM: Dexron™ II; MB: 236.6; ZF: TE-ML-09; Ford: Mercon® M2C138-J, M2C166-H; Allison: C3

Automatic Transmission Fluids



ATF Dexron™ III

Synthetic based for a wide range of automatic transmissions.

١	Size	Qty	Part	Barcode
	1L	12	0224	5020618002246
	5L	4	0225	5020618002253
	20L	1	0090	5020618000907
	205L	1	0229	5020618002291

GM: Dexron™ II, Dexron™ III; Ford: Mercon®, M2C138-J, M2C166-H; Allison: C4; MB: 236.5 & 236.9; ZF: TE-ML-09, TE-ML-11 & TE-ML-14

١	Size	Qty	Part	Barcode
	1L	6	0004	5020618000044
	5L	4	0005	5020618000051
	20L	1	0086	5020618000860
	205L	. 1	0021	5020618000211

ATF MV

Fully synthetic ATF. The latest ATF technology designed to meet multi-vehicle requirements.



Ford: M2C924-C, M2C202-B, Mercon® V; VAG: G 055 025-A2, G 052 162, G 052 990-A2; Toyota: JWS 3309, Type T-IV; Mopar: ATF+3, ATF+4; GM: 93160393, Dexron™ III H/M, Dexron™ II D/E, 9986195; MB: 236.3/5/6/7/9; ZF: TE-ML 14B/04D/17C/16L/03D and certain power steering applications.





DCT FLUID

An advanced fully synthetic Dual Clutch transmission fluid suitable for use in certain vehicles fitted with DSG or DCT wet transmissions.

Size	Qty	Part	Barcode
1L	6	1573	5020618015734
5L	4	1574	5020618015741
205L	4	1576	5020618015765

VW: G052 182, G052 529 (2003-); PSA: 9734.S2; Ford: M2C936-A; Mitsubishi: DiaQueen SSTF-1 (2007-); MB: 236.21; BMW: DCTF-1, DCT (6 Speed), MTF LT-5; Volvo: 11-61-838, 839; Castrol: BOT 341, BOT 450, Transmax Dual; Shell: TF DCT-F3; Pentosin: FFL 2, FFL 3, FFL 4, FFL 52529; Porsche: 999.917.080.00; Renault: EDC-6, 7 speed (Getrag); Ferrari: 7 Speed (Getrag) TF DCT-3

۱	Size	Qty	Part	Barcode
	1L	12	1565	5020618015659
	5L	4	1566	5020618015666
	205L	4	1568	5020618015680

CVT FLUID

Fully Synthetic high performance fluid for belt or chain CVT systems.



Suzuki: NS-2, CVT Green 1, TC, CVTF Green 2; Honda: HMMF, HVF-2; Toyota: TC, CVTF FE; Nissan: NS-2, NS-3, NS-1, NS-2V; Mitsubishi: CVTF-J1, i-CVT F, Lineartronic CVTF/CV-30/CVTF II/SPIII; Mini: EZL 799; Hyundai: CVTF; VAG: G 052 516/180, TL 052 516/116/180; Mazda: JWS 3320, CVTF 3320; Jeep: NS-2, DEX-CVT; MB: 236.20; Hyundai/Kia: SP CVT-1; JWS: 3320; Ford: CVT23, Mercon C, CVT30, WSS-M2C928-A; Subaru: NS-2






EP 75W/85

NEW

Fully Synthetic gear oil manufactured from high quality base oils & additives providing excellent gear shift capabilities whilst protecting gearbox components.

Size Oty Part

1721



Barcode 5020618017219



API: GL-5;
MB: 235.31, 239.71, 235.62;
VW: G 052 190, G 052 518;
Fiat: 9.55550-MZ9, DA3/9;
VOLVO: 97312;
CHRYSLER: MS-9070



LS 80W/90

Specially formulated extreme pressure gear oil for optimum performance of limited slip differentials. Lubricant with exacting requirements for limited slip operations.



ĺ	Size	Qty	Part	Barcode
Ī	1L	6	1636	5020618016366
)	5L	4	1715	5020618017158

API: GL5



EP 80W/90

Suitable for use in manual gearboxes with or without synchromesh where API GL-4 oil is specified. Formulated using high quality base oils and anti-wear additives.



V	Size	Qty	Part	Barcode
	1L	12	0039	5020618000396
	5L	4	0172	5020618001720
1	20 L	1	0138	5020618001386
	205L	1	0131	5020618001317

API: GL-4 MIL-L-2105



EPEX 80W/90

Multi-grade extreme pressure gear oil formulated for use in heavy duty, high load applications. The formulation provides a gear oil with outstanding anti wear protection.



V	Size	Qty	Part	Barcode
	1L	12	0143	5020618001430
	5L	4	0173	5020618001737
1	20 L	1	0137	5020618001379
	205L	1	1486	5020618014867

API: GL5; MIL-L-2105B/C/D; MAN: 342 Type M1/M2; **ZF:** ZF-TE-ML 05A/7A, 08, 12E, 16B/C/D, 17B, 19B, 21A; **Scania:** STO 1.0: Volvo: 1273.10



EP 75W/90

Semi synthetic, heavy duty, multipurpose gear oil manufactured from high qualitiy synthetic base oils and additives to provide a lubricant suitable for today's modern gearboxes.



۱	Size	Qty	Part	Barcode
	1L	12	0011	5020618000112
	5L	4	0012	5020618000129
	20L	1	0084	5020618000846
	205L	. 1	1700	5020618017004

API: GL5 MIL-L-2105D



EP 85W/140

A multigrade mineral extreme pressure gear oil using a blend of quality base oils and extreme pressure additives.



١	Size	Qty	Part	Barcode
	1L	6	1637	5020618016373
	5L	4	1716	5020618017165
)	20L	1	1714	5020618017141

API: GL5: MIL-L-2105 B/C/D; ZF: ZF-TE-ML 05A, 7A, 08, 12E, 16B/C/D, 17B, 19B, 21A; **MAN:** 342 Type M1/M2



DOT 4 BRAKE FLUID

Synthetic brake fluid suitable for ABS braking systems.



١	Size	Qty	Part	Barcode
	500ml	12	1804	5020618018049
1	1L	12	1803	5020618018032
	5L	4	0184	5020618001843
	20L	1	1833	5020618018339
	205L	1	1746	5020618017462

FMVSS 116: DOT 3, DOT 4; ISO: 4925 Class 3/4; SAE: J1703, J1704



CHF FLUID

For power steering, central hydraulic and suspension level control units as specified on certain vehicles.



12 2594 5020618025948

ISO: 7308; MB: 345.00;

MAN: M3289, 3623/93;

CHF: 11S, 202;

VW: G 002 000A2,

TL 52146.00, G 004 000;

Ford: WSS-M2C204-A;

DIN: 51524 Part 3;

Saab: 30325 380;

Porsche: 000.043.203.33;

VAG: G 002 000;

Bentley: RH500;

Volvo: 11 61 529;

BMW/Mini: 82 11 0 148 132, 82 11 1 468 041, 83 29 0 429 576

Barcode

DOT 4 ESP BRAKE FLUID

Specially formulated for use in vehicles fitted with Electronic Stability Programme (ESP) technology.



١	Size	Qty	Part	Barcode
	1L	12	1810	5020618018100

FMVSS 116: DOT 3, DOT 4; ISO: 4925 Class 3/4/6; SAE: J1703, J1704



LHM PLUS

Advanced mineral based fluid for use in the central hydraulic system of particular Citroën models and certain other vehicles where specified.



Size	Qty	Part	Barcode
1L	12	1806	5020618018063

ISO: 7308; PSA: B71 2710; DIN: 51524 Part 3; MAN: M3289; VW: TL 52146.00; Volvo: STD 1273.36



DOT 5.1 BRAKE FLUID

An extra heavy duty synthetic brake fluid.



Size	Qty	Part	Barcode
1L	12	1816	5020618018162

FMVSS 116: DOT 3/4/5.1; ISO: 4925 Class 3/4/5.1; SAE: J1703, J1704



LDS FLUID

Specially formulated for use in Citroën cars equipped with "Hydractive 3" suspension and is also for use as a power steering fluid in certain Peugeot/Citroën systems.



١	Size	Qty	Part	Barcode
	1L	6	2593	5020618025931

PSA: S71 2710



2 STROKE

Mineral oil for 2-stroke motorcycle engines with oil injection or premix systems. May also be used in garden machinery.

Size	Qty	Part	Barcode
500ml	12	0120	5020618001201
1L	12	0118	5020618001188
5L	4	0176	5020618001768
20L	1	0271	5020618002710

API: TC; JASO: FB



MARINE 2 STROKE

A fully synthetic mid-SAPS engine oil specially formulated to meet the very latest specifications and fuel efficiency targets required by Ford for their latest Euro V & Euro VI engines. Suitable for use in certain Ford applications.

١	Size	Qty	Part	Barcode
	1L	12	1041	5020618010418

API: TC-W3



COMPETITION 2 STROKE

Fully synthetic oil for performance 2-stroke motorcycles and high performance scooters.

Size	Qty	Part	Barcode
1L	6	0603	5020618006039

JASO: FC; ISO-L-EGD



TOWN & CITY 2 STROKE

Semi synthetic 2-stroke for scooters.

\	Size	Qty	Part	Barcode
	1L	6	0602	5020618006022

JASO: FC; ISO-L-EGD

Ancillary Oils



POWER STEERING

Specifically designed to protect against pump breakdown caused by wear, foaming & oxidation. Power Steering Fluid with Conditioner Protects against wear and helps prevent squeals. Also contains leak sealer. Meets the requirements of: ATF: Dexron™ II.

Product	Size	Qty	Part	Barcode
POWER STEERING FLUID	1L	12	0231	5020618002314
PS FI UID & CONDITIONER	500ml	12	1813	5020618018131

ENGINE FLUSHING OIL Quality base oils and cleaning

additives formulated to remove carbon, sludge and varnish from inside the engine. This product is not suitable for use in new engines.

Size	Ųty	Part	Barcode
/. E/.I	/,	N1/ ₁ 5	5020618001/.5/.

0145 5020618001454

Granville

FLUSHING OIL



RUNNING IN OIL

Low detergent oil to promote bedding in of newly machined mated surfaces in rebuilt engines. SAE $30\,$



HYDRO SUSPENSION FLUID

For use in British Leyland Hydrolastic suspension units.



١	Size	Qty	Part	Barcode
	5L	4	1821	5020618018216



Size	Qty	Part	Barcode
4L	4	0100	5020618001003



CHAINSAW OIL

A superior quality anti-fling oil. Reduces wear and extends working life. SAE $30\,$



ENGINE FLUSH

Add directly to used motor oil prior to draining to help neutralise corrosive acids and remove sludge, gum and varnish deposits.



۱	Size	Qty	Part	Barcode
	1L	12	1031	5020618010319
	5L	4	0429	5020618004295
	20L	4	0448	5020618004486



 Size
 Oty
 Part
 Barcode

 500ml
 12
 0179
 5020618001799



4 STROKE LAWNMOWER OIL

Suitable for 4-stroke lawnmowers as well as horticultural equipment and garden machinery. SAE 30



JACK OIL

Hydraulic fluid for trolley and bottle jacks.



Size	Qty	Part	Barcode
1L	4	3850	5020618038504



 Size
 Oty
 Part
 Barcode

 500ml
 12
 0177
 5020618001775



MEASURING JUGS & FUNNELS

A range of quality plastic funnels and jug for lubricant use.

Product	Qty	Part	Barcode
A) 6" Anti Spill Funnel with Strainer & Flexi Spout	3	0639	5020618006398
B) Large 3 piece Funnel Set (70, 160, 250mm)	6	0637	5020618006374
C) 2L Measuring Jug with Spout & Lid	3	0635	5020618006350





ABSORB 30L

Industrial grade spillage absorbent. Lightweight, easy to handle, excellent absorption characteristics and fire retardant to BS 5476 Part 7 Class 2 1987.



MULTIZORB 20L

A specially produced granular clay for general purpose applications, the economical choice for absorbing most liquid spillages.

١	Qty	Part	Pallet Qty	Barcode
	1	0446	70	5020618004462

Qty	Part	Pallet Qty	Barcode
1	0156	70	5020618001560



Product

MERCHANDISING STANDS

Merchandising stands are available to increase sales opportunities. Please contact your Granville sales representative for details.

- 1		
	5L Display Stand	1510
	20L Dispenser Stand	1511
	1 0-0-	
		100/400

Part






LUBRICANT DISPENSERS

High quality dispensers for lubricant and grease applications



Product	Qty	Part	Barcode
A) 205L Barrel Pump	1	0169	5020618001690
B) 25L / 20L Plastic Drum Tap	1	P359	5020618023401
C) Side Lever Grease Gun	1	0634	5020618006343
D) Portable Gear Oil Pump	1	1536	5020618015369
E) 25L Drum Pump	1	1506	5020618015062







Size	Qty	Part	Barcode
1L 12		1019	5020618010197
2L	8	1020	5020618010203
5L	4	1021	5020618010210
20L 1		1022	5020618010227
200L	.1	1023	5020618010234

RAPID COOL RED ANTIFREEZE & SUMMER COOLANT

Ethylene Glycol based engine coolant concentrate, which uses Organic Acid Inhibitor Technology (OAT). Protects for up to 5 years.

BS: 6580:2010; **MB**: 325.3; **MAN**: 324 SNF; **VW**: VAG TL 774 D&F; **Ford**: WSS-M97B44-D; **Renault**: 41-01-001; **Chrysler**: MS9176; **GM**: 6277M





RAPID COOL BLUE ANTIFREEZE & SUMMER COOLANT

Monoethylene Glycol based concentrate, designed for use in aluminium engines. Suitable for use in petrol and diesel engines.

١	Size	e Oty Part B		Barcode	
	1L	12	1025	5020618010258	
	2 L	8	1026	5020618010265	
	5L	4	1027	5020618010272	
	20L	1	1028	5020618010289	
	200L	1	1029	5020618010296	

BS: 6580:2010; AFNOR: NF R15-601

Size		Qty	Part	Barcode
	1L	12	2597	5020618025979
	5L	4	2602	5020618026020
	20L	1	2600	5020618026006
	200L	1	2599	5020618025993

ZEROCOL 48 ANTIFREEZE & SUMMER COOLANT

Silicate based, designed for use in aluminium engines. Protects for up to 3 years.

BS: 6580:2010; VW: TL 774-C; MB/Smart: 325.0; MAN: 324 NF; Saab: 690 1599; BMW (Mini): N 600.69.0; Volvo: 1286083; Opel: B-040-024





SUB-ZERO UNIVERSAL RTU ANTIFREEZE & SUMMER COOLANT

Suitable for all makes and models - can be mixed with ethylene glycol based antifreezes.

Size	e Qty	Part	Barcode
1L	12	2631	5020618026310
5L	4	2632	5020618026327

BS: 6580:2010; **ASTM**: D3306, D4985; **SAE**: J 1034; **CUNA**: NC 956-16; **UNE**: 26361 - 88

	Size	Qty	Part	Barcode
	1L	12	2558	5020618025580
	5L 4		2603	5020618026037
20L 1		2560	5020618025603	
	200L	. 1	2556	5020618025566

ZEROCOL 12 ANTIFREEZE & SUMMER COOLANT

Red long life organic acid technology (OAT) antifreeze that protects for up to 5 years.

BS: 6580:2010; **VW**: VAG TL 774 D & F; **Ford**: WSS-M97B44-D; **MB**: 325.3; **Renault**: 41-01-001; **Chrysler**: MS9176; **GM**: 6277M; **MAN**: 324 SNF





SUB-ZERO ANTIFREEZE & SUMMER COOLANT

Contains corrosion inhibitors, suitable for aluminium engines.

\	Size Qty		Part	Barcode
	1L	12	222M	5020618004806
	5L	4	2601	5020618026013
	20L	1	2220	5020618026563
	200L	1	222CM	5020618018513

BS: 6580:2010; AFNOR: NF R15-601

ĺ	Size	Qty Part		Barcode
	1L	12	2631	5020618026310
	5L	4	2632	5020618026327

ZEROCOL 40 ANTIFREEZE & SUMMER COOLANT

Zerocol 40 Antifreeze is a Si-OAT ethylene glycol based long life antifreeze and coolant providing all year round protection against frost and corrosion.

BS: 6580:2010; ASTM: D3306; Cummins: CES 14603; Glycantin: G40, GG40; MAN: 324 Typ Si-OAT; MTU: MTL 5048; SAE: J1034; Scania: TB 145; VW: G12++, G13, TL 774 J, TL 774 G







SUB-ZERO -15°C SCREENWASH

Granville -15°C Screenwash Concentrate contains powerful cleaning agents to remove road grime, insect residue and tree sap.

New and improved Methanol free formulation is now fully compliant with all UK and EU laws.

١	Size	Qty	Part	Pallet Qty	Barcode
	5L	4	0662	40	5020618006626
	25L	1	0663	32	5020618006633
	200L	1	0664	4	5020618006640
	72 x 75ml sachet	1	0285	64	5020618002857



SUB-ZERO ICE SCRAPER

Easily and quickly removes ice, snow and water ensuring minimal delays on frosty mornings. No scratching of paintwork or glass.

Qty	Part	Pallet Qty	Barcode
18	2652	84	5020618026525



DE-IONISEDWATER

Conforms to BS4974 for use in lead-acid batteries, steam irons and engine cooling systems.

Size	Qty	Part	Pallet Qty	Barcode
1L	12	0540	56	5020618005407
5L	3	0541	60	5020618005414
25L	1	0542	32	5020618005421

Exhaust Products



EXHAUST REPAIR PUTTY

Economically repairs holes and cracks in exhausts, with stands temperatures up to 1000°C .

Size	Qty	Part	Pallet Qty	Barcode
250a	12	0431	96	5020618004318



Size	Qty	Part	Pallet Qty	Barcode
140g tube	12	0432	300	5020618004325
500g cart	12	0434	128	5020618004349



50g

12

PETRO PATCH PUTTY

A fast acting metal epoxy putty which repairs leaks on petrol, oil, diesel and water tanks, burst pipes and leaking radiators.



BAT-AID

Prolongs the life of good batteries and revitalises old batteries by removing harmful deposits that accumulate on battery plates.

Size	Qty	Part	Pallet Qty	Barcode
24a	12	0020	420	5020618000204



AMBERLIGHT

5020618004554

Pallet Qty Barcode

225


0455

A single coat amber lacquer for glass headlamp units, especially for continental driving.




ELECTROCONNECTOR

Do-it-yourself Electrical Repair Kit for repairing broken rear window demisters, printed circuit boards and many other low voltage electrical connections.



١	Size	Оtу	Part	Pallet Qty	Barcode
	3q	6	0375	448	5020618003755







MAINTENANCE RANGE



BRAKE & PARTS CLEANER/DISPENSER

Powerfully removes dirt, grease, brake fluid and brake lining dust from all parts of the modern braking system. It is formulated to improve brake performance and helps prevent brake squeal and clutch slip caused by contamination and glazing. Also designed to clean electric motors and CV in ints

Size	Qty	Part	Pallet Qty	Barcode
600ml	12	1083	90	5020618010838
5L	4	0969	40	5020618009696
25L	1	1035	32	5020618010357
1L dispenser	1	0581	N/A	5020618005810



CARB CLEANER

Improves efficiency and fuel economy by removing varnish and gum residues from carburettors and automatic chokes. Cleans carburettors and automatic chokes without dismantling.

Size	Qty	Part	Pallet Qty	Barcode
500ml	12	1084	108	5020618010845



SPRAY ADHESIVE

A high strength spray adhesive which is ideal for areas where good initial strength and fast development of ultimate strength is required. Effective on glass, rubber, wood, metal and most lightweight materials. Not suitable for use on polystyrene or unbacked PVC.

Size	Qty	Part	Pallet Qty	Barcode
500ml	6	1091	216	5020618010913





ELECTRICAL CONTACT CLEANER

A highly refined cleaning solvent that is safe for use on electrical contacts, switches and circuit boards without damaging plastic connectors. It has rapid cleaning properties, is fast drying and will not leave any residue. Contact Cleaner can also be used to remove dust, grease, oxide deposits, tobacco residue and other surface contaminants.

Size	Qty	Part	Pallet Qty	Barcode
500ml	6	1085	216	5020618010852



COPPER GREASE

Ensures excellent protection for metal parts against heat, seizure, rust, corrosion, water and acid. The product forms a protective coating that will not wash or burn off. Will help prevent disc brake squeal when applied directly to calipers and back of disc pad.

Size	Qty	Part	Pallet Qty	Barcode
500ml	6	1082	216	5020618010821



SPRAY GREASE & CHAIN LUBRICANT

With many uses throughout the workshop, industry and the home. It penetrates and lubricates cables, linkages, hinges, catches and is especially suited for motorcycle chains.

Size	Qty	Part	Pallet Qty	Barcode
500ml	12	1081	108	5020618010814



WHITE GREASE WITH PTFE

Formulated to repel water, resist heat and salt and protect against corrosion. Provides long lasting lubrication to all components, used on brake linkages and components, gears, springs, bearings etc.

Size	Qty	Part	Pallet Qty	Barcode
500ml	6	1080	216	5020618010807



MULTI LUBE

A powerful Penetrating Oil which frees seized and rusted parts. For jobs on the car, around the house, in industry and the workshop.

Size	Qty	Part	Pallet Qty	Barcode
500ml	12	1087	108	5020618010876



SILICONE SPRAY

A 100% active stainless polysiloxane lubricating and releasing agent designed to prevent rust, corrosion and sticking on a wide variety of materials.

Size	Qty	Part	Pallet Qty	Barcode
500ml	6	1088	216	5020618010883



BELT DRESSING

A formulated solution to increase efficiency on belt drive machinery. Belt Dressing increases torque and power of the belt by reducing instances of belt slip under heavy loads. This will increase longevity of the belt which in turn reduces cost of belt replacement. Suitable for use on flat, round, vee, leather, rubber or fabric belts. Can be used on car fan belts, automotive drive belts and belt driven machinery.

Size	Qty	Part	Pallet Qty	Barcode
E00ml	6	1080	216	5020618010890



OUICK START

A spray additive which aids engine starting even in the coldest weather conditions. For diesel, petrol, paraffin engines, garden machinery and plant equipment. Also contains an upper cylinder lubricant. Ideal for 'tired' batteries, points and plugs.

Size	Qty	Part	Pallet Qty	Barcode
400ml	6	1090	246	5020618010906



CAR AC & INTERIOR DEEP SANITISER

A single use professional formula deep clean aerosol. It eliminates bacteria, viruses, mould and fungi that can develop within the vehicle air conditioning system, air vents and vehicle interiors including carpets and upholstery. Cleans the entire system in 10 minutes leaving a pleasant citrus fragrance.

Size	Qty	Part	Pallet Qty	Barcode
150ml	6	1086	384	5020618010869



CERAMIC GREASE

A specially formulated lubricant designed with high heat conductivity. It can be used in a variety of areas where heat resistance is important, such as car brake pads and exhaust manifold studs. It can also protect against rust and corrosion, whilst providing lubrication to moving parts. It has excellent adhesion to metallic surfaces.

Size	Qty	Part	Pallet Qty	Barcode
150ml	6	1079	384	5020618010791









STONECHIP

Granville over-paintable Stone Chip coatings have anti corrosion and sound deadening properties based on rubber and resins. After drying, the coatings are overpaintable with most commonly used paint systems. Once the product has dried completely, a durable elastic film remains. These products offer good protection against various climates and gravel.

Product	Size	Qty	Part	Pallet Qty	Barcode
Black	500ml	6	0989	216	5020618009894
White	500ml	6	0991	216	5020618009917
Black	1L	12	0986	50	5020618009863
Grey	1L	12	0987	50	5020618009870



BRUSHABLE SEAM SEALER

A synthetic, rubber based sealant designed to recreate the original factory finish on overlap seams and joints.

Size	Qty	Part	Pallet Qty	Barcode
1kg	6	0978	104	5020618009788



SPRAY ON UNDERSEAL

Ensures excellent protection for metal parts against heat, seizure, rust, corrosion, water and acid. The product forms a protective coating that will not wash or burn off. Will help prevent disc brake squeal when applied directly to calipers and back of disc pad.

Size	Qty	Part	Pallet Qty	Barcode
500ml	6	1092	216	5020618010920



PU FLEX BLACK SEALER

Granville PU Flex is a one component moisture curing, high modulus polyurethane sealant and adhesive for a wide range of bonding and sealing applications. PU Flex once cured can be overpainted with all paint types.

Size	Qty	Part	Pallet Qty	Barcode
310ml	12	0980	165	5020618009801



UNDERBODY SEAL SCHUTZ

Heavy duty black flexible compound designed to give maximum protection against stonechips, dirt, salt, damp & rust.



SEAT COVERS

Provides optimum protection against dust and moisture whilst allowing the garage or bodyshop to demonstrate a high standard of care. All "We Care" seat covers are a generous fitting to accommodate large vehicles.

Size	Qty	Part	Pallet Qty	Barcode
Large (in 100's)	1	0995	160	5020618009955
Premium (in 100's)	1	0501	160	5020618005018



Granville (

OC!

Thr∈ac

(5)

REFUSE SACKS

Industrial size and strength with 25 bags per roll.




1	Size	Qty	Part	Pallet Qty	Barcode
	25 per Roll	10	0517	28	5020618005179

Size Qty Part Pallet Qty Barcode 1L 12 0222 50 5020618002222

BEARING FIT & STUDLOCK



Permanent anaerobic adhesive, fits cylindrical parts, filling gaps up to 0.15mm.



LOCK THREAD SEALANT

- Universal metal thread lock and sealant
- Prevents loosening of nuts, bolts and fastenings through vibration
- Seals threads against leaks and corrosion
- Removable with normal tools

١	Size	Qty	Part	Pallet Qty	Barcode
	10ml	12	3113	225	5020618031130
	50ml	6	3102	200	5020618031024

Qty

12

Qty

Part

0458

108

40g

Part

0233



CLEAR INSTANT GASKET

Premium quality clear RTV silicone sealant for use as a gasket sealant to replace pre-formed gaskets.

- Permanently flexible
- · Quick Curing



CLEAR & BLACK SILICONE SEALANT

Multi purpose sealant and adhesive for sealing windscreen glass, electrical connections, sealing around light units, rear light clusters and so on.

	Size	Qty	Part	Pallet Qty	Barcode
Barcode	Black 40g	12	0373	225	5020618003731
5020618002338	Clear 40g	12	0374	225	5020618003748



HIGH TEMP BLACK INSTANT GASKET

Pallet Qty Barcode

High temperature silicone up to 300°C intermittent, featuring a unique Powercan dispenser which:

- Allows control
- · Gives a profe
- Considerably of expensive

Pallet Qty Barcode



BIKE INSTANT GASKET

Premium quality clear silicone providing a virtually invisible seal/joint.

	Instant Gasket	
rolled application essional finish	Ouality RTV Silicone Replaces pre-formed Gaskets Bike	
y reduces wastage	Clear finish gives a virtually invisible joint.	ш
e silicone	Resistant to high temperatures, water, transmission fluids and antifreeze	ı
		NTS

Size	Qty	Part	Pallet Qty	Barcode
40g	12	0237	225	5020618002376





5020618004585

RTV SILICONE SEALANT

Available in 310ml cartridges in clear, black and white colours. Resistant to high temperatures from -40°C to +150°C (intermittent).

١	Size	Qty	Part	Pallet Qty	Barcode
	Clear 310ml cart	12	0235	140	5020618002352
	Black 310ml cart	12	0236	140	5020618002369
	White 310ml cart	12	0240	140	5020618002406
	Metal Gun	12	0243	N/A	5017403351030



MULTI PURPOSE GREASE

A high melting point lithium based LM2 grease with EP additives suitable for most automotive applications including wheel bearing and chassis lubrication.

Size	Qty	Part	Pallet Qty	Barcode
400g cart	36	0122	45	5020618001225
500g tin	6	0121	200	5020618001218
3kg	6	0187	28	5020618001874
12.5kg	1	0188	24	5020618001881
50kg	1	0189	6	5020618001898
			CERA	MIC



COPPER GREASE

Ensures excellent protection against heat, seizure, rust, corrosion, water and acid.

Size	Qty	Part	Pallet Qty	Barcode
20g tube	12	0151	250	5020618001515
70g tube	12	0148	185	5020618001485
500g tin	6	0149	200	5020618001492
3kg	6	0155	15	5020618001553



BRAKE GREASE

Water resistant ceramic brake grease. Non-conductible, non-melting and no copper additives. Suitable for use with ABS braking systems and aluminium brake components.

Size	Qty	Part	Pallet Oty	Barcode
70g tube	12	0840	185	5020618008408
500g tin	6	0841	200	5020618008415



SILICONE GREASE


Resistant to water, lubricating oils & solvents.

١	Size	Qty	Part	Pallet Qty	Barcode
	70a tube	12	0073	185	5020618000730



CV **GREASE**

A high quality lithium based No.2 grease with added Molybdenum Disulphide ideal for CV joints, universal joints and wheel bearings.





RED RUBBER GREASE

Ideal for use on hydraulic systems especially braking systems. Compatible with natural & synthetic rubber seals.

Size	Qty	Part	Pallet Qty	Barcode
70g tube	12	0847	185	5020618008477
500g tin	6	0846	200	5020618008460



MARINE WHITE GREASE


Ideal for use on stern tubes & boat trailer wheel bearings. With added corrosion inhibitors.



BATTERY TERMINAL GREASE

For use on battery terminals. Prevents corrosion and aids the removal of battery leads.

Size	Qty	Part	Pallet Qty	Barcode
500g tin	6	2750	200	5020618027508





LITHIUM EP3GREASE

A high quality lithium based grease with extreme pressure additives to provide exceptional lubrication. Resistant to water and provides protection against corrosion.



COMPLEX GREASE

For lubricating anti-friction and plain bearings in automotive/industrial applications to provide extended lubrication intervals and wide operating temperature range.

Protects components in wet conditions.

Size	Qty	Part	Pallet Qty	Barcode
400g cart	12	3807	108	5020618038078
12.5kg	1	3808	32	5020618038085

Size	Qty	Part	Pallet Oty	Barcode
400g cart	12	3805	108	5020618038054
12.5kg	1	3806	32	5020618038061



COMMERCIAL GREASES

Commercial and Agricultural greases designed to protect machinery when used in the most extreme circumstances. Offering extended service life and protection over standard automotive greases keeping equipment serviceable and reducing 'down time'.

Formulated using the latest technology base stocks and additives.

Product	Size	Qty	Part	Pallet Qty	Barcode
LITHIUM EPO CHASSIS GREASE	12.5kg	1	2337	32	N/A
LITHIUM EPOO SEMI FLUID GREASE	12.5kg	1	176K	32	N/A
LITHIUM EP000 AUTOLUBE GREASE	12.5kg	1	175K	32	N/A
LITHIUM L2M 5TH WHEEL GREASE	12.5kg	1	174K	32	N/A
GRAPHITE WHEEL BEARING GREASE	12.5kg	1	177K	24	N/A
PIN & BUSH GREASE CART	400g	36	2760	32	5020618027607
PIN & BUSH GREASE	12.5kg	1	2761	32	5020618027614





RESTORES AND BRINGS BACK THAT NEW-LOOK SHINE TO ALL INTERIOR AND EXTERIOR TRIM















COCKPIT SHINE

Granville Cockpit Shine is a silicone based Cockpit Shine that restores that 'new look shine' to all interior and exterior trim. Available in Lemon, Apple, Strawberry, Cherry, New Car and Vanilla fragrances leaving a pleasant aroma and an anti-static finish that reduces dust build-up.

Fragrance	Size	Qty	Part	Pallet Qty	Barcode
Matt Lemon	500ml	12	1015	108	5020618010159
Lemon	500ml	12	0888	100	502061800888
Cherry	500ml	12	0891	100	5020618008910
Apple	500ml	12	0889	100	502061800889
Vanilla	500ml	12	0885	100	5020618008859
Strawberry	500ml	12	0890	100	502061800890
New Car	500ml	12	0886	100	502061800886



WAX POLISH

Easy to use high wax content polish that leaves a long lasting shine, the blend of waxes and cleaners seal the paint surface protecting it from the elements. Suitable for use with all paint types including Metallic's.

Size	Qty	Part	Pallet Qty	Barcode
500ml bottle	6	1864	930	5020618018643

RAPID WAX

Fast and efficient waterless wash & polish that leaves the paintwork clean and protected without the need for traditional car shampoo. Rapid Wax leaves a clean & high lustre long lasting streak free finish.

Size	Qty	Part	Pallet Qty	Barcode
500ml trigger	6	1865	930	5020618018650

DETAILING WAX

Highly effective solvent free detailing spray formulated to clean and polish paintwork and other gloss surfaces leaving a steak free finish. Residue and streak free wax that cleans & polishes in one.

Size	Qty	Part	Pallet Qty	Barcode
500ml bottle	6	1866	930	5020618018667

COLOUR RESTORER

Bio-degradable formulation that effectively retores dull and faded paintwork back to it's original brightness. Removes light scratches, scuffs and swirl marks without further damaging the surface. Can also be used on Plastics, Gel coat and enamel surfaces.

Size	Qty	Part	Pallet Qty	Barcode
500ml trigger	6	1876	930	5020618018766

NEW



ODOUR REMOVER

Specially formulated to remove lingering odours from vehicle interiors. The specialist formulation combines natural enzymes, cleaners and vanilla perfumes to digest organic matter leaving surface clean with a pleasant fragrance. Can also be used in domestic and industrial applications.

١	Size	Qty	Part	Pallet Qty	Barcode
	500ml trigger	6	1870	930	5020618018704

DASHBOARD RENOVATOR

Highly effective cleaner that restores plastic dashboards to the original condition. The non sticky formulation will not attract dust and leaves a pleasant perfumed fragrance.

1	Size	Qty	Part	Pallet Qty	Barcode
	500ml trigger	6	1877	930	5020618018773

FOAM UPHOLSTERY CLEANER

Specially designed to clean and remove stains and deposits from vehicle upholstery, carpets and fabric trim with an easy to use foam application. Can also be used on fabrics, vinyl, plastic, tiles and glass.

١	Size	Qty	Part	Pallet Qty	Barcode
	500ml aero	6	1878	1296	5020618018780



INSECT REMOVER

Unique formulation of surfactants and cleaner formulated to gently remove dead flies & insects for windscreens and paintwork without affecting the vehicles paint surface. Also effective on bird lime and tree sap.

Size		Qty	Part	Pallet Qty	Barcode
500	ml trigger	6	1867	930	5020618018674

GLASS CLEANER

Specially formulated to clean Vehicle glass and mirrors without streaking or smears. It is quick drying and dust free. Also suitable for domestic and industrial use. Safe to use on spectacles and helmet visors.

Size	Qty	Part	Pallet Qty	Barcode
500ml trigger	6	1868	930	5020618018681







Easy to use water based non-sticky long lasting tyre dressing that cleans the tyre and restores it to a 'new tyre' look.

1	Size	Qty	Part	Pallet Qty	Barcode
	500ml trigger	6	1871	930	5020618018711



Unique formulation of detergents and silicones designed to clean tyres and leave a high gloss shiny finish in one easy application.

1	Size	Qty	Part	Pallet Qty	Barcode
	500ml aero	6	1875	1296	5020618018759



WHEEL CLEANER

Acid based wheel cleaner that is extremely effective in removing brake dust, oxidation and tarnishing on alloy wheels. The product is easy to use, safe on lacquered and non-lacquered alloy wheels.

Size	Qty	Part	Pallet Qty	Barcode
500ml trigger	6	1872	930	5020618018728

RUBY ALLOY WHEEL CLEANER

Colour changing wheel cleaner designed to break down and remove iron contaminants and road grime from both alloy and steel wheels. It's thicken formulation changes colour to Ruby Red signifying that cleaning is taking place.

Size	Qty	Part	Pallet Qty	Barcode
500ml trigger	6	1873	930	5020618018735

FOAM ALLOY WHEEL CLEANER

Specially designed to clean and remove brake dust and grime from alloy wheels. The active ingredients help to soften and remove brake dust and road grime. Heavily soiled wheels may require repeated applications.

Size	Qty	Part	Pallet Qty	Barcode
500ml aero	6	1874	1296	5020618018742



WASH & WAX

PRO FINISH Wash & Wax is an effective surfactant - based wash and wax that quickly and effectively removes road dirt and grime. The addition of selected carnauba waxes leave a streak free glossy wax finish. Suitable for all paintwork types.

Size	Qty	Part	Pallet Qty	Barcode
1L bottle	6	1860	480	5020618018605
5L bottle	4	1861	160	5020618018612



ORANGE SHAMPOO

Wax free car shampoo formulated with citrus oils to effectively cut through and remove road grime on vehicle paint work prior to polishing. PRO FINISH Orange Car Shampoo leaves a non waxy streak free finish.

Size	Qty	Part	Pallet Qty	Barcode
1L bottle	6	1862	480	5020618018629
5L bottle	4	1863	160	5020618018636








HEAVY DUTYRUST CURE

Water based, industrial strength rust converter with unrivalled protection against corrosion.







GALVANISED METAL PRIMER

Etch primer for use on galvanised metal surfaces prior to painting.

Size	Qty	Part	Pallet Qty	Barcode
500ml	12	0057	40	5020618000570
1L	12	0058	36	5020618000587





CYLINDER BLACK SATIN FINISH

Satin finish paint for exhaust systems, engine cases, cylinder heads etc.

1	Size	Qty	Part	Pallet Qty	Barcode
	100ml	12	0246	230	5020618002468
	250ml	12	0060	110	5020618000600



FLOOR PAINT

Commercial and Agricultural greases designed to protect machinery when used in the most extreme circumstances. Offering extended service life and protection over standard automotive greases keeping equipment serviceable and reducing 'down time'.

Formulated using the latest technology base stocks and additives.

Product	Size	Qty	Part	Pallet Qty	Barcode
Tile Red	5L	1	3000	120	5020618030003
Light Grey	5L	1	3001	120	5020618030010
Anti-Slip Additive	250g	6	3004	192	5020618030041



HAMMERED & SMOOTHFINISH PAINTS FOR METAL

Advanced, easy to use formulation – even on vertical surfaces – just apply like a conventional gloss paint. Available in a variety of colours and textures.

- Technologically advanced White Spirit formulation
- Designed to protect, decorate and rejuvenate metal surfaces
- Use for example on metal drainpipes, gates, ornaments, bicycles, garden furniture, vehicle chassis and on many types of industrial machinery
- Simple one can treatment. No undercoat, no primer, no rust
- No special thinner required just use white spirit

Product	250ml	750ml	2.5L
Smooth Black	4140	4141	4142
Smooth Silver	4153	4154	4155
Smooth White	4156	4157	4158
Smooth Blue	4143	4144	-
Smooth Dark Brown	4145	4146	-
Smooth Charcoal	4147	4148	-
Smooth Gold	4149	4150	-
Smooth Pearl Grey	4151	4152	-
Smooth Yellow	4159	4160	-
Smooth Ivory	4161	4162	-
Smooth Red	4163	4164	-
Smooth Green	4165	4166	-
Hammered Black	4120	4121	-
Hammered Brown	4122	4123	-
Hammered Copper	4124	4125	-
Hammered Dark Green	4126	4127	-
Hammered Gold	4128	4129	-
Hammered Grey	4130	4131	-
Hammered Silver Grey	4132	4133	-
Hammered Blue	4134	4135	-
Hammered Red	4136	4137	-

SMOOTH



HAMMERED







We also supply other **Premier Brands**. Simply Add To Your Granville Stock Order







Size	Qty	Part	Pallet Qty	Barcode
75ml tube	24	0400	135	5020618004004
750ml tin	6	0402	60	4004982011005



AUTOSOL LIQUID CHROME CLEANER

The Autosol Liquid Chrome Cleaner provides protection against rust and tarnish as well as producing a brilliant reflective shine.

Size	Оtу	Part	Pallet Qty	Barcode
250ml	12	0401	135	5020618004011



Size	Qty	Part	Pallet Qty	Barcode
75ml tube	24	0466	135	4004982011906
750ml tin	6	0465	60	4004982011913



AUTOSOL SENATOR

Cleaning paste for metal coated rollers. Polishes, cleans and removes rust whilst protecting against humidity and corrosion, leaving a silk matt finish. Suitable up to 250°C.

Size	Qty	Part	Pallet Qty	Barcode
750ml tin	6	310040	60	4004983100401



AUTOSOL SHINE

All purpose metal polish specifically for the janitorial, commercial and leisure market sectors.

١	Size	Qty	Part	Pallet Qty	Barcode
	50ml tube	24	0468	N/A	4004982011876
	75ml tube	24	0470	135	4004982011814
	750ml tin	6	0472	60	4004982011883



AUTOSOL DIRT LIFTER

Removes stubborn grease, mud, traffic film and insect remains. Ideal for pre-wash before applying polish.

Size	Qty	Part	Pallet Qty	Barcode
1L spray	12	2734	40	5020618027348





AUTOSOL PLASTIC CLEANER

Ideal for cleaning all types of plastic especially automotive trim both interior and exterior.



١	Size	Qty	Part	Pallet Qty	Barcode
	75ml tube	6	01061020	320	4004982010206



AUTOSOL GOLD & SILVER POLISH & CLEANER

For cleaning fine Gold & Silver.



١	Size	Qty	Part	Pallet Qty	Barcode
	75ml tube	6	01061050	320	4004982010503



AUTOSOL STAINLESS STEEL POLISH

Ideal for cleaning and polishing exhaust systems, catering surfaces, industrial machinery etc.



Size	Qty	Part	Pallet Qty	Barcode
75ml tube	6	01061734	320	4004982017342



AUTOSOL ANODIZED ALUMINIUM POLISH

For cleaning and polishing all types of anodized aluminium.



١	Size	Qty	Part	Pallet Qty	Barcode
	75ml tube	6	01061920	320	4004982019209



AUTOSOL SCRATCH REMOVER

For lacquer coatings and transparent plastics. Use on helmet visors, convertible rear windows, mobile phone displays, watch faces, windows in aircraft, boats and fine scratches on lacquered paint. Removes grime & leaves a shiny finish that protects against weather.



Size	Qty	Part	Pallet Qty	Barcode
75ml tube	6	01061300	320	4004982013009



AUTOSOL CHROME PLATED PLASTIC CLEANING POLISH

For cleaning and polishing all types of anodized aluminium.



1	Size	Qty	Part	Pallet Qty	Barcode
	75ml tube	6	01061910	320	4004982019100





AUTOSOL ALUMINIUM POLISH

For cleaning and polishing uncoated aluminium.



Size	Qty	Part	Pallet Qty	Barcode
75ml tube	6	01061824	320	4004982018240



AUTOSOL ACRYLIC POLISH

For cleaning acrylic glass. Removes surface scratches on headlamps, caravan and motorhome windows.



١	Size	Qty	Part	Pallet Qty	Barcode
	75ml tube	6	01061260	320	4004982012606



AUTOSOL LEATHER CLEANER

A deep-conditioning cream for all smooth leather in vehicles and in the home.



1	Size	Qty	Part	Pallet Qty	Barcode
	75ml tube	6	01061040	320	4004982010404



AUTOSOL BLUING REMOVER

Specially formulated to remove bluing discolouration caused by heat. Removes the burn from titanium and stainless steel on motorcycle head gaskets and car exhausts, stainless steel welds and other industrial metals – restoring to original shine.

Size	Qty	Part	Pallet Qty	Barcode
150ml	12	012903	180	4004982012903



AUTOSOL NANO PROTECTION HARD WAX

Protects the paint with high-performance nano components and modern polymers. Gives a brilliant deep gloss and extremely long-lasting protection to the paint from adverse weather conditions. Water simply runs off. Suitable for all paints.

1	Size	Qty	Part	Pallet Qty	Barcode
	250ml	6	003800	256	4004982038002



AUTOSOL ONE SHOT SCREENWASH CONCENTRATE

100:1 Concentrate.
Dissolves thoroughly and quickly all insect residues and stubborn dirt.

Size	Qty	Part	Pallet Qty	Barcode
32ml	25	005535	441	4004982055351





GUNK ENGINE DEGREASANT

A powerful and effective degreaser that can be used in a wide range of cleaning applications including automotive, industrial and agricultural.

Gunk is the world's leading brand of water soluble engine degreasant.

Brush: Chemical resistant cleaning brush with nylon bristles to clean those hard to reach places.

١	Size	Qty	Part	Pallet Qty	Barcode
	500ml aero	12	6731	108	5020618067313
	1L	12	6733	66	5020618067337
	2.5L	6	6738	42	5020618067382
	5L	4	6734	52	5020618067344
	25L	1	6735	28	5020618067351
	Brush	4	6737	N/A	5020618067375

GUNK FOAM ENGINE DEGREASANT

		degreaser th		1	Gre	CINCOLOR CONTROL CONTR	
v	Part	Pallet Oty	Rarcode		Siza	Otv	В

5020618067290



GUNK GREEN DEGREASER & CLEANER

Gunk Green is a water soluble bio-degradable degreasant. Effectively removes grime, grease and stains from various surfaces, including metal alloys and is safe for use with plastics, rubber and paintwork. Can also be used to clean concrete, tiled or plastic surfaces.

Size	Qty	Part	Pallet Qty	Barcode
1L tin	12	6863	66	5020618068631



Qt

6729

Size

500ml aero

GUNK ULTRA ENGINE DEGREASANT

108

A powerful and effective foam degreaser that can be used in a variety of applications providing the ultimate cleaning performance.

Size	Qty	Part	Pallet Qty	Barcode
500ml trigger	6	6601	155	5020618066019
5L	4	6868	40	5020618068686



GUNK CURTAIN CLEANER

Highly effective, formulated to remove heavy road grime from commercial vehicle curtain sides. The low caustic formulation offers excellent cleaning properties whilst being gentle on the material and will not leave white streaks when dry. Suitable for use with all types of vehicle wash systems.

Size	Qty		Pallet Qty	Barcode	
25L	1	6878	32	5020618068785	







GUNK **PROFESSIONAL TFR's**

Formulated to remove heavy road grime from trucks, vans and buses. Suitable for use with all types of vehicle wash systems. Available in three concentrations: Standard 100:1, Heavy Duty 200:1 and Super Heavy Duty 300:1.

١	Product	Size	Qty	Part	Pallet Qty	Barcode
	TFR Standard	5L	4	6869	40	5020618068693
	TFR Standard	25L	1	6870	32	5020618068709
	TFR Standard	205L	1	6871	4	5020618068716
	TFR HD	25L	1	6873	32	5020618068730
	TFR Super HD	251	1	6876	32	5020618068761



GUNK POWER SPRAY

Power Spray has been specially formulated for use with all types of pressure washers. Suitable for cleaning hard surfaces such as concrete, tarmac, block paving, brickwork and timber decking.

Size	Qty	Part	Pallet Qty	Barcode
5L	4	6855	40	5020618068556



GUNK DRIVEWAY CLEANER

Helps to lighten and remove unsightly oil stains from driveways, garage floors, paths and patios. Can be diluted for use on asphalt and tarmac.

Size	Qty	Part	Pallet Qty	Barcode
1L	12	6830	42	5020618068303
2L	8	6832	40	5020618068327



GUNK **EXTREME HAND CLEANSER**

Contains a blend of surfactants and natural citrus solvent. Designed to be an effective hand cleanser, yet gentle and pleasant to use. The perlite abrasive works to loosen ground-in dirt and grime effectively. This formulation does not contain light polymer bead (or polychips) for a more environmentally friendly alternative without impacting on cleaning performance.

Ideal for use around the home, garden, DIY, automotive, workshop and industrial sectors to remove: oil, grease, domestic paint, mud, polish & most other ground in dirt.

Size	Qty	Part	Pallet Qty	Barcode
500ml	12	1357	50	5020618013570
3L	6	1358	40	5020618013587
5L & Pump	4	1359	40	5020618013594
10L	1	1360	56	5020618013600
20L	1	1361	33	5020618013617
Wall Mount for 3L	1	1363	N/A	5020618013631
Pump for 3L/5L	1	1362	N/A	5020618013624
Pump for 10L/20L	1	1364	N/A	5020618013648





DIESEL STOP SMOKE

Reduces smoke emissions from diesel engines and improves fuel economy.

١	Size	Qty	Part	Pallet Qty	Barcode
	265ml	12	1441	105	5020618014416



DIESEL INJECTOR CLEANER

Maintains maximum combustion efficiency and reduces formation of injector deposits.

Size	ŲĽ	rait	railet Çty	Darcoue
265ml	12	1435	105	5020618014355



PETROL INJECTOR CLEANER

Designed to help clean carburettors and petrol injection systems.

				-
Size	Qty	Part	Pallet Qty	Barcode
265ml	12	1434	105	5020618014348



DIESEL PARTICULATE FILTER CLEANER

Ensures complete & rapid DPF regeneration. Prevents performance loss caused by clogged particulate filters, reduces particulate emissions and extends lifetime of the particulate filter.

Size	Ųty	Part	Pallet Qty	Barcode
265ml	12	1427	105	5020618014270



CATALYTIC CONVERTER CLEANER

Helps to prevent expensive replacement of the catalytic converter. Eliminates rotten egg smell, improves fuel economy and restores power & performance.

١	Size	Qty	Part	Pallet Oty	Barcode
	265ml	12	1428	105	5020618014287



HYDRAULIC VALVE LIFTER TREATMENT

For petrol and diesel engines, releases sticking valves and quietens noisy valve lifters.

Size	Qty	Part	Pallet Qty	Barcode
265ml	12	1437	105	5020618014379



HYBRID PROTECT & CLEAN

Hybrid Protect & Clean is added specifically for hybrid engine technology. It actively cleans deposits in the fuel and combustion system and on injectors. Prevents build up of new deposits.

١	Size	Оtу	Part	Pallet Qty	Barcode	
	265ml	12	1425	105	5020618014256	3



E10 FUEL **PROTECTOR**

E10 Fuel Protector is an all-in-one fuel treatment for vehicles that require ethanol corrosion protection and valve seat lubrication and protection whilst boosting the fuels octane number.

١	Size	Ųŧy	Part	Pallet Qty	barcode	
	265ml	12	1424	105	502061801424	9





EGR VALVE CLEANER

Easy to use aerosol to release sticking EGR valves and clean entire air intake system to restore power and performance. Safe for use on vehicles fitted with mass air flow sensors, turbos and diesel particulate filters. For petrol and diesel engines.

Size	Qty	Part	Pallet Qty	Barcode	١
200ml aero	6	1438	400	5020618014386	6



MASS AIR FLOW **SENSOR CLEANER**

Cleans and removes deposits within the MAF sensor to eliminate poor acceleration, loss of power and reduced fuel economy.

Size	Qty	Part	Pallet Oty	Barcode	\
200ml aero	12	1442	400	502061801442	3





ENGINE STOP LEAK

Works by expanding rubber engine oil seals.





Add directly to used motor oil prior to draining to help neutralise corrosive acids.

Size	Qty	Part	Pallet Qty	Barcode
265ml	12	1436	105	5020618014270





375ml 12

Part

1430

ENGINE OIL TREATMENT

Pallet Oty

108

Reduces engine wear and promotes cooler, smoother and quieter engine running.

Size	Qty	Part	Pallet Qty	Barcode
300ml	12	1431	108	5020618014317



STOP SMOKE **FOR OIL**

Seals the gaps between worn internal moving engine parts. Suitable for both petrol and diesel engines.

Size	Qty	Part	Pallet Qty	Barcode
300ml	12	1433	108	5020618014331





DIESEL OIL **TREATMENT**

Designed for use in diesel engines to reduce engine wear, especially at start up.

١	Size	Qty	Part	Pallet Qty	Barcode
	300ml	12	1432	108	5020618014324





STOP LEAK **POWER STEERING FLUID**

To stop and prevent leaks in power steering systems by gently conditioning seals.

Size	Qty	Part	Pallet Qty	Barcode
375ml	12	1440	108	5020618014409



The performance-proven speciality lubricants and greases from the **LiQUID WRENCH**® brand help professionals solve problems that span extraordinary to everyday. Built on decades of American heritage, **LiQUID WRENCH**® products offer industrial-strength formulas that are designed to help automotive and industrial professionals get the job done. Each product is engineered for performance and driven by the latest chemical technology, with dependability and the highest standards of safety built right in. Innovating since 1941, **LiQUID WRENCH**® focuses on creating products that solve lubrication problems that span automotive, heavy duty, MRO, agriculture, and home applications.

Formulated with

Teflon[™]

For prolonged performance





Liquid Wrench Penetrating
Oil with Teflon™ is a fastacting, anti-seize formula
that penetrates corrosion and
loosens rusted nuts, bolts
and parts. The advanced
penetrating formulation
dissolves rust and cuts through
grease easily. The added
Teflon™ reduces friction and
component wear.

Size	Ųty	Part	Barcode
400ml aero	6	6902	5020618069027



LUBRICATING OIL

Liquid Wrench Lubricating
Oil with Teflon™ is formulated
to effectively free rusted and
sticking components and
reduces squeaks.

The added Teflon™ leaves a long-lasting film that protects against wear and corrosion. Suitable for many domestic, automotive and agricultural applications.

Size	Qty	Part	Barcode
400ml aero	6	6900	5020618069003



SILICONE SPRAY

Liquid Wrench Silicone Spray waterproofs parts and creates instant non-stick surfaces. Spray on to create super slick surfaces where you need it. Penetrates where other lubricants can't. Safe on metal, most rubber, plastic, wood and vinyl surfaces.

Size	Qty	Part	Barcode
400ml aero	6	6905	5020618069058



WHITE LITHIUM GREASE

Liquid Wrench White Lithium Grease with Teflon™ is a long-lasting lubricant that will not melt or run off. The superior formulation reduces friction helping to extend component life and prevent corrosion.

Size	Qty	Part	Barcode
400ml aero	6	6904	5020618069041



CHAIN & CABLE LUBE

Liquid Wrench Chain & Cable
Lube with Teflon™ is suitable
for use on all chains and wire
cables and is '0' & 'Z' ring compatible. The anti-fling formulation has an optimized drying
time for maximum protection
extending chain & gear life
whilst preventing rust.

Size	Qty	Part	Barcode
400ml aero	6	6906	5020618069065







ENGINE TREATMENT

Gives durable protection at successive oil changes during tough stop-go driving. A unique formula for all new and old petrol & diesel engines.

Size	Qty	Part	Pallet Qty	Barcode
500ml	3	61399500	N/A	5026349014190
750ml	3	61399750	N/A	5026349014152



FUEL SYSTEM TREATMENT

Suitable for both petrol & diesel engines including turbos & catalytic converters. Cleans entire fuel system to help restore performance.



MANUAL GEARBOX TREATMENT

Protects gearbox components from wear & friction whilst in use.

Size	Qty	Part	Pallet Qty	Barcode
375ml	6	60299400	N/A	5026349013711

Size	Qty	Part	Pallet Qty	Barcode	
80ml	6	60199080	N/A	5026349013698	



SYNTHETIC ENGINE TREATMENT

Slick 50 synthetic engine treatment is a unique formula for all new or old petrol and diesel engines, including vehicles with turbo chargers and catalytic converters, that helps to extend engine life.

Size	Qty	Part	Pallet Qty	Barcode
750ml	3	62399750	N/A	5026349014220



POWER STEERING

Removes stubborn grease, mud, traffic film and insect remains. Ideal for pre-wash before applying polish.

١	Size	Qty	Part	Pallet Qty	Barcode
	500ml	6	64099500	144	5026349014336







MEDO LEAF AIR FRESHENER

Long lasting leaf shaped air freshener available in various scents.

Fragrance	Qty	Part	Barcode
Pine	12	LEA9	5026349030534
Ocean Surf	12	LEA18	5026349030510
New Car	12	LEA22	5026349030497
Vanilla	12	LEA23	5026349030503
Wildberries	12	LEA49	5026349030527
Spring Flowers	12	LEA82	5026349030558
Cherry	12	LEA108	5026349030541
Midnight	12	LEA129	5026349030565



MEDO PUMP SPRAY

Long lasting fragrance in a handy spray pump bottle. 236ml.

02013(5236)				
Fragrance	Qty	Part	Pallet Qty	Barcode
Cherry	6	PUM2	345	5026349030329
Strawberry	6	PUM7	345	5026349030350
Coconut	6	PUM10	345	5026349030312
New Car	6	PUM22	345	5026349030336



LITTLE JOE AIR FRESHENER

Fun, friendly and fruity. These colourful characters hold their fragrance for up to 45 days.



Fragrance

Blue New Car

Turquoise Tonic

Black Velvet

Orange Sorbet

Pink Strawberry Lace

Red Cherry







	pul a softs to the agy.
Ba	rcode
50	26349027046
50	26349028821
50	26349028814
50	26349027039

5026349028845

5026349027824

Vanilla 6 PUM23 345 5026349030343 GECKO AIR FRESHENER

Long lasting gecko shaped air freshener.



Fragrance	Qty	Part	Barcode
Cherry	10	GECK2	5026349030923
Grapefruit	10	GECK118	5026349030954
Sport	10	GECK16	5026349030930
Vanilla	10	GECK23	5026349030961
Green Tea	10	GECK13	5026349030947



LITTLE JOEPAPER AIR FRESHENER

Qty

6

6

6

6

6

Part

LJ22

LJ108 LJ11

LJ53

LJ14

LJ66

Fun, friendly and fruity. Colourful paper made characters to brighten your day.



Fragrance	Qty	Part	Pallet Qty	Barcode
Red Cherry	24	LJP007	960	5450188580071
Pink Flower	12	LJP003	960	5026349028609
Blue New Car	24	LJP002	960	5450188580026
Yellow Vanilla	24	LJP001	960	5450188580019
Black Velvet	24	LJP008	960	5450188580088



YELLOW DUSTER

Soft pure cotton duster for automotive and household cleaning.



PREMIUM LEATHER CHAMOIS

A quality range of hand selected chamois leather in a variety of sizes.



Part No	Material	Size	Qty	Barcode
BDUS905	Cotton	Bulk 10pk	1	5012465109056
R905	Cotton	Single	10	5012465009059
R906	Cotton	Twin	10	5012465906006



Product	Part No	Size	Qty	Barcode
Small	1.5 sq. ft	H0L150	4	5012465150003
Medium	2.0 sq. ft	H0L200	4	5012465201002
Large	3.0 sq. ft	HOL300	4	5012465782228
Extra Large	4.0 sq. ft	H0L400	4	5012465400047
Wholeskin	5.0 sq. ft	HOL500	4	5012465500044



SYNTHETIC CHAMMY

Standard and Superior quality grades of synthetic chammy cloths.



Part No	Material	Size	Qty	Barcode
A80	Synthetic	38x25cm (15x10")	10	5012465151000
A81	Synthetic	46x38cm (18x15")	10	5012465181502
SQA801	Superior Synth.	46x40cm (18x15")	10	5012465801998



COTTON **STOCKINETTE**

100% pure cotton Stockinette for polishing and cleaning.



Part No	Material	Size	Qty	Barcode
M810	100% cotton	100g	10	5012465008106
M820	100% cotton	200g	10	5012465008205
M840	100% cotton	400g	6	5012465008403
M880	100% cotton	800g	4	5012465008809
M900	100% cotton	2kg (cut lengths)	2	5012465009004





SILICONE **FLEXIBLE BLADE**

A quality silicone flexible blade for removing excess water once the vehicle has been washed.

١	Pack	Qty	Part	Barcode	
	Single	8	HFB309	5012465003095	



MICROFIBRE WASH PAD

The dual sided cleaning technology of the Microfibre Wash Pad combines the tough cleaning power of a polyester mesh to gently lift stubborn marks such as insect residue, whilst the chenille style microfibre noodles attract and lock away dirt and grime.

Pack	Qty	Part	Barcode
Single	6	UNI405	5012465004054



DEMIST PAD

Microfibre cloth demists and polishes screens and mirrors without the need for chemicals.

- Highly absorbent
- Machine washable

Pack	Qty	Part	Barcode
Single	10	UNI407	5012465004078



MICROFIBRE WASH MITT

High quality microfibre wash mitt attracts and lifts dirt whilst protecting surfaces.

Pack	Qty	Part	Barcode
Single	8	UNI406	5012465004061



CAR **SPONGES**

Wide range of car sponges for various applications.







Product	Qty	Part	Barcode
Jumbo Car Sponge	24	S105	5012465105881
Whopper Car Sponge	12	S109	5012465109001
Upholstery Sponge	12	R108	5012465108974



CAR WASH BUCKET BLACK

A generous 3 gallon heavy duty car wash bucket.

١	Pack	Qty	Part	Barcode
	Single	5	BUC127	5012465404045



CHENILLE WASH MITT ORANGE

The unique 'noodle' type finish to this wash mitt enhances cleaning performance trapping dirt away from the vehicle body.

١	Pack	Qty	Part	Barcode
	Single	6	UNI404	5012465004047



ALLOY WHEEL CLEANING BRUSH

Soft grip alloy wheel cleaning brush to remove brake dust and road dirt from wheel spokes.

Pack	Qty	Part	Barcode
Single	10	UNI218	5012465218581





Twin pack lint free 40cm x 40cm glass cleaning cloth for inside or outside use. Can be used with glass cleaning fluids.



Pack	Qty	Part	Barcode
2 pack	25	MFC118	5012465001183

MICROFIBRE BUFFING CLOTH

Super soft buffing cloth with a finger aperture allowing users to get into those hard to reach corners.



Pack	Qty	Part	Barcode
2 pack	12	MFC116	5012465001169

MICROFIBRE **DETAILING CLOTH**

General purpose soft & gentle waffle detailing cloths that lock dust, dirt and grime in, that enables this cloth to be used both inside and outside the vehicle.



F	Pack	Qty	Part	Barcode
2	2 pack	12	MFC117	5012465001176

WET 'N' DRY CLEANING CLOTH

3 pack dual sided, short & long pile, highly absorbent 40cm x 40cm cleaning cloth. Can be used both wet or dry to achieve outstanding cleaning performance, ideal for applying wax polish - machine washable.

Pack	Qty	Part	Barcode
3 pack	12	MFC112	5012465001121

MICROFIBRE CLEANING CLOTH

General cleaning and drying microfibre cloths lift dirt away safely, ideal for automotive, marine and household use.



Pack	Qty	Part	Barcode
3 pack	12	MFC121	5012465001213
6 pack	6	MFC120	5012465120853

MICROFIBRE SUPER ABSORBER DRYING CLOTH

Uses waffle weave technology which sucks up and locks in up to 7 times its weight in water as it glides effortlessly over paintwork to leave it free of unsightly water marks.

Pack	Qty	Part	Barcode
Single	12	MFC115	5012465001152

MICROFIBRE DRYING TOWEL

Absorbs 8 times its weight in water. Ideal for drying large vehicles quickly and will not damage paintwork.



Pack	Qty	Part	Barcode	١
Single	e 6	MFC11C	501246511025	0



CLEAR VIEW GLASS CLOTH

Dual sided cleaning and polishing cloth designed to remove smudges and smears and then buff glass to a brilliant shine. 38cm x 42cm.

Pack	Qty	Part	Barcode
Single	12	MFC119	5012465001190









DIAMOND GLIDE WHITE PADS

A top quality medium firm foam, ideal for compounding and polishing.






An open cell medium foam ideal for polishing and light compounding.





DIAMOND GLIDE ORANGE PADS

A quality closed cell medium foam suitable for compounding and polishing.



DIAMOND GLIDE BLACK PADS


A unique, super-soft foam that gives an excellent finish when waxing and final polishing.

A			
Part No	Dims	Pack	Case Qty
DGS746	80 x 30mm	Single	5 yel. 76mm
DGS746/2	80 x 30mm	Twin	5 30mm — 80mm →
DGS752	150 x 30mm	Single	5 velour 120mm
DGS752/2	150 x 30mm	Twin	5 30mm (
DGS782	203 x 30mm	Single	30mm velour 145mm 203mm
VEL761	95 x 30mm	Single	5 <u>velour 95mm</u> 30mm — 95mm →
VEL752	150 x 30mm	Single	30 mm velour 150mm 150mm

YELLOW PADS

WHITE PADS


A quality closed cell medium firm foam suitable for compounding and polishing.






ORANGE PADS

A quality closed cell medium foam suitable for compounding and polishing.








RED PADS

An open cell medium foam ideal for polishing and light compounding.



DIAMOND GLIDE BLUE PADS

An open cell medium foam ideal for compounding









DIAMOND GLIDE Foam Pads are uniquely designed to effectively solve problems with paint defects and give a perfect finish. The diamond shape design on these unique high quality foams work to achieve extra cutting performance, easier control, cooler running speeds, reduced friction and work immediately with no need for priming. A comprehensive range of foam pads with varying densities and compounds for all types of bodywork final waxing and buffing.

SUPER SOFT BLACK PADS

A top quality, medium-firm foam, ideal for compounding and polishing.






CUSHIONED BACKING PLATE

Part	Size	Thread	Qty	Barcode
VEL812	2 76mm	6mm	5	5012465812857
VEL82	2 115mm	14mm	5	5012465822993

SUPER WHITE PADS


A top quality, medium-firm foam, ideal for compounding and polishing.





PLASTIC BACKING PLATE

١	Part	Size	Thread	Qty	Barcode
	VEL510	115mm	14mm	5	5012465800007
	VEL514	115mm	5/8"	5	5012465005143



RUBBER BACKING PLATE

Part	Size	Thread	Qty	Barcode
VEL508	145mm	14mm	5	5012465508088
VEL509	145mm	5/8"	5	5012465509009





RAIN **REPELLENT**


Improves wet-weather visibility and safety by creating an invisible hydrophobic coating that repels rain, sleet and snow.

Size	Qty	Part	Pallet Qty	Barcode
200ml	6	80199	N/A	5026349013414
500ml trigger	6	80199500	96	5026349027572



PLASTIC WATER REPELLENT

Provides a superior waterbeading coating on various plastics. For use on motorcycles and boats.





ANTIFOG

Eliminates condensation on the inside of windscreens caused by moisture within the vehicle.

Size	Qty	Part	Pallet Qty	Barcode
200ml	6	81199	N/A	5026349013513



UPHOLSTERY REPEL GUARD

Applies a liquid repellent coating to carpets and upholstery.



1	Size	Qty	Part	Pallet Qty	Barcode
	500ml triager	6	87199	96	5026349027619



2-IN-1 GLASS CLEANER & RAIN REPELLENT

A superior glass cleaner that applies Rain-x water beading technology to enhance driving visibility.



1	Size	Qty	Part	Pallet Qty	Barcode
	500ml trigger	6	88199	96	5026349027619

ambersil



THE

AUTO GROOM UPHOLSTERY CLEANER

High performance and ever popular foaming upholstery cleaner.

	Size	Qty	Part	Pallet Qty	Barcode
	500ml aero	12	7003	108	5017419171011
FRO	OM THIS.		TO THE	IIS!	







FLUNKY CAR CLOTH

Super absorbent car cloth. Washes, dries and cleans without streaking.



١	Size	Qty	Part	Pallet Qty	Barcode	١
	46cm x 44cm	20	A167A	200	N/A	

Size	Qty	Part	Pallet Qty	Barcode
100g	12	0331	100	5060085230001

Ce-lit

CE-LIT

Cures leaky radiators and water pumps, even when used with antifreeze. Powder formulation comes in handy sachets for cars, or tubes for larger vehicles such as trucks and tractors. Not suitable for certain Rover models.



Size/Pack	Qty	Part No	Pallet Qty	Barcode
Sachet/Card	6	0244	N/A	5020618002444
Tube/Blister	24	0713	90	5020618007135
Sachet/Blister	24	N712	90	5020618007128



CE-LIT RADIATOR SEALANT

Liquid rapid sealing version of the above for repairing leaks in engine blocks and radiators as well as lubricating water pumps. (Not suitable for certain Rover models).

Product	Qty	Part No	Pallet Qty	Barcode
300ml	12	0977	126	5020618009771



CE-LIT RADIATOR FLUSH

Removes scale, rust and sludge from engine cooling systems.

Product	Qty	Part No	Pallet Qty	Barcode
300ml	12	0405	126	5020618004059

HYLOMAR®



HYLOTYTE **RED 100**

The ultimate semihardening gasket and jointing compound. Inhibits galvanic corrosion between dissimilar metals. Resistant to petrol, oil, water and anti-freeze, steam and hot water.

Size	Qty	Part	Pallet Qty	Barcode
40ml tube	12	02001	290	5036626020011



Size	Qty	Part	Pallet Qty	Barcode
40g card	12	00589	248	5036626005896
40g carton	24	00590	288	5036626005902
100g carton	12	01009	324	5036626010098

WHY CHOOSE GRANVILLE OIL?

In the pursuit of a carbon-neutral future, the UK faces the challenges of transitioning to electric vehicles, but is still very much reliant on internal combustion engines to bridge the gap. For many drivers, however, the reluctance to embrace electric vehicles is driven (excuse the pun) by concerns about range, charge point availability (and cost), and the time required to plug in and recharge.

Consequently, hybrid and traditional combustion-powered vehicles remain integral, propelling continuous advancements in engine technology to achieve higher power outputs and fuel efficiencies from smaller engines.

Modern engines, particularly those in smaller vehicles, are engineered with tighter tolerances than ever, operating at higher RPMs. In the early 1990s, just three oils covered the majority of vehicles on the road at that time, 10W-30, 10W-40, and 20W-50. Fast forward to today, where ultra-low viscosity oils are needed to meet ever more stringent emissions legislation and to assist manufacturers in achieving higher power and torque figures from smaller capacity engines. These include 0W-20, 5W-20, 5W-30 and 0W-16 even 0W-8 for some petrol and hybrid applications, not to mention the myriad of manufacturer specific oils and approvals required to service modern vehicles.


This places an increased demand on lubricating oils to provide optimal performance, as the oil must maintain a thin yet robust film strength for effective lubrication. The challenge lies in ensuring the fluid's shear stability, resisting the forces generated by the engine's movement. Traditional viscosity index improvers, with long linear chains, offered cost-effective

thickening efficiency but rapidly degraded under high shear conditions, diminishing engine protection over time. To address this challenge, Granville performance fluids utilise star-shaped polymers, significantly enhancing resistance to shear forces and ensuring sustained engine protection throughout extended drain intervals.

Illustration: Linear vs. Star Polymer

Employing industry expertise and cuttingedge technology, Granville's oils are meticulously crafted using premium base oils, Esters, and PAO (Polyalphaolefin) fluids, combined with advanced viscosity index improvers, antioxidants, and detergents. Their meticulous formulation guarantees optimum performance, engine cleanliness, and maximum fuel efficiency.

STANDARD POLYMER



Traceability to the Minute

Granville upholds the highest quality standards through its ISO-accredited quality management system. Traceability is not only maintained at the batch level, but is taken down to the minute details. Each Granville lubricant carries a batch number indicating the filling line number, batch date, and even the precise time the bottle was filled, or the box was completed. This commitment to traceability instils absolute confidence that the oil meets the manufacturer's recommendations, ensuring unparalleled precision and quality.



In an automotive landscape where mistakes can prove extremely costly, Granville is there to help protect your customer's cars and your business's reputation. Quality oil, using quality additives, and with full traceability. Can your business afford not to use a quality lubricant? Then, simply put, choose Granville!





Granville Oil & Chemicals Ltd., Goldthorpe Ind. Est. Goldthorpe, Rotherham, S63 9BL, England Telephone: +44 (0) 1709 890099 | Email: sales@granvilleoil.com

www.granvilleoil.com

CAT2024



























