

VEHICLE SAFETY RANGE

2024 / 2025

WIRED CAMERA KITS

7" WIRED REVERSING CAMERA KIT CA 9770*

7" (178mm) Digital TFT Panel Monitor

Night Vision: 10m

Audio Function

Camera Rated IP69

ECE Approved Reg 10

EMC Approved

Video Input: 2AV

9 Pin Cable (Monitor)

4 Pin Cable (Camera)









CA 9770 Kit Includes:











Power Cable & Sun Visor also included.

4.3" WIRED REVERSING CAMERA KIT CA 9742*

4.3" (109mm) Digital Monitor

No Audio

Camera Rated IP69

ECE Approved Reg 10

EMC Approved

Video Input: 2AV

9 Pin Cable (Monitor)

4 Pin Cable (Camera)





7" WIRED REAR VIEW MIRROR **CAMERA KIT**

CA 9772*

7" (178mm) TFT LCD Monitor

Night Vision: 10m

Audio Function

Camera Rated IP69

CE Approved

EMC Approved

Video Input: 2AV

9 Pin Cable (Monitor)

4 Pin Cable (Camera)

















Power Cable & Sun Visor also included.

CA 9772 Kit Includes:











Power Cable included.

^{*} All wired cameras, monitors & connecting cables are compatible and interchangeable. (Excluding CA 9820, CA, 9821, CA 9823, CA 9824)

247Lighting Vehicle Safety Range WIRED CAMERA KITS

7" AI WIRED CAMERA KIT / 2 CAMERAS CA 9820

PEDESTRIAN DETECTION

INTEGRATED ALARM BUZZER





7" (177mm) Quad Split AHD Monitor Vehicle & Human Recognition Visual Warning Highlight Outline Warning Alarm Buzzer Rear Assist Guidelines Built-in DVR Function* 4 Camera Input







CA 9820 Kit Includes:















Kit Includes: AI Monitor, AHD Camera, AHD Side Camera, Cable (20M +15M)

*(SD Card not included)

Power Cable & Sun Visor also included.

7" AI WIRED CAMERA KIT / 4 CAMERAS **CA 9822**

7" (177mm) Quad Split AHD Monitor Vehicle & Human Recognition Visual Warning Highlight Outline Warning Alarm Buzzer Rear Assist Guidelines Built-in DVR Function*



4 Camera Input



























Kit Includes: AI Monitor, AHD Camera, AHD Side Camera, Cable (20M +15M)

*(SD Card not included)

Power Cable & Sun Visor also included.

^{*} All wired cameras, monitors & connecting cables are compatible and interchangeable. (Excluding CA 9820, CA, 9821, CA 9823, CA 9824)

WIRED MONITORS

4.3" WIRED COMPACT MONITOR CA 9743*

4.3" (109mm) Digital Monitor

2 Camera Input ECE REG 10 OSD Menu Function



5" WIRED COMPACT MONITOR CA 9778*

5" (127mm) TFT LCD Monitor

2 Camera Input ECE REG 10 **EMC** Approved OSD Menu Function







7" WIRED SPLIT SCREEN MONITOR CA 9771*

7" (178mm) Split Digital HD Monitor

2 Camera Input ECE REG 10 Rated IP54 OSD Menu Function



7" WIRED QUAD SPLIT DIGITAL AHD MONITOR

CA 9821

7" (178mm) Quad Split Digital AHD Monitor

4 Camera Input ECE REG 10 Rated IP54 OSD Menu Function

Warning Alarm Buzzer

Compatible with CA 9820, CA 9822



7" WIRED DIGITAL TFT PANEL MONITOR CA 9773*

7" (178mm) Digital Monitor

2 Camera Input CE, EMC Approved OSD Menu Function



7" WIRED HD WATER RESISTANT **MONITOR**

CA 9769*

7" (178mm) Water Resistant Monitor

2 Camera Input ECE REG 10 Rated IP69K OSD Menu Function









7" WIRED TFT LCD MONITOR CA 9775*

7" (178mm) TFT LCD Monitor

2 Camera Input CE approved OSD Menu Function







^{*} All wired cameras, monitors & connecting cables are compatible and interchangeable. (Excluding CA 9820, CA, 9821, CA 9823, CA 9824)

WIRED MONITORS

9" WIRED HD MONITOR CA 9777*

9" (236mm) HD Monitor

2 Camera Input ECE REG 10 OSD Menu Function



10" WIRED QUAD SPLIT MONITOR CA 9798*

10.1" (256mm) Quad Split Digital HD Monitor

> 4 Camera Input ECE REG 10 Rated IP54 OSD Menu Function







12" WIRED SPLIT SCREEN MONITOR CA 9799*

12.2" (333mm) 3 Split Digital HD

3 Way Video ECE REG 10 Rated IP54

OSD Menu Function







WIRED CAMERAS

WIRED MINI CAMERA - FLUSH MOUNT CA 9788*

Image Sensor: CMOS 1/4" Dimensions: 18*22*22mm Night Vision: 10m No Audio Function

Rated IP69 ECE REG 10





WIRED MINI CAMERA - SURFACE MOUNT CA 9744*

Image Sensor: CMOS 1/4" Dimensions: 16*22*38mm

No Audio Rated IP69 ECE REG 10





WIRED STANDARD COLOUR CAMERA CA 9774*

Image Sensor: CMOS Dimensions: 70*45*60mm Night Vision: 10m

Rated IP69 CE Approved



WIRED DUAL LENS COLOUR CAMERA CA 9789*

Image Sensor: CMOS Dimensions: 96*60*81mm Night Vision: 10m No Audio Function Rated IP69K ECE REG 10



Copyright © 247Lighting 2024

^{*} All wired cameras, monitors & connecting cables are compatible and interchangeable. (Excluding CA 9820, CA, 9821, CA 9823, CA 9824)

WIRED CAMERAS

WIRED FIX MOUNT CAMERA CA 9785*

Image Sensor: CMOS Dimensions: 73*60*51mm Night Vision: 10m

No Audio Function

Rated IP69 CE / EMC Approved



WIRED MINI SIDE MOUNT CAMERA CA 9787*

Image Sensor: CMOS Dimensions: 50*42*70mm

Night Vision: 10m No Audio Function Rated IP69

CE / EMC Approved



WIRED SIDE MOUNT CAMERA CA 9784*

Image Sensor: CMOS Dimensions: 78*68*70mm Night Vision: 10m No Audio Function

Rated IP69

CE / EMC Approved



WIRED MINI CAMERA - SURFACE MOUNT CA 9779*

Image Sensor: CMOS

Dimensions: 58*60*104.6mm

Night Vision: 10m No Audio Function Rated IP69K ECE REG 10



WIRED DOME MOUNT CAMERA

CA 9786*

Image Sensor: CMOS

Dimensions: Ø95*63*Ø95mm

Night Vision: 10m No Audio Function CE / EMC Approved



WIRED HIGH DEFINITION CAMERA

CA 9823

Image Sensor: AHD 720P Dimensions: 76*69*77mm

Night Vision: 10m

No Audio

Rated IP69K

ECE REG 10





WIRED SHUTTER CAMERA CA 9805*

Image Sensor: CMOS Dimensions: 85*65*68mm

Night Vision: 10m No Audio Function Rated IP69K

ECE REG 10



Compatible with CA 9820, CA 9822, CA 9821

WIRED HIGH DEFINITION CAMERA CA 9824

Image Sensor: AHD 720P Dimensions: 73*38.9*52.9mm

Night Vision: 8m No Audio Function Rated IP69K

ECE REG 10





WIRED 180° WIDE ANGLE CAMERA CA 9806*

Image Sensor: CMOS Dimensions: 73*38.9*52.9mm

Night Vision: 8m Audio Function Rated IP69K ECE REG 10







Compatible with CA 9820, CA 9822, CA 9821





5" WIRELESS REVERSING CAMERA KIT

CA 9745

Screen: 5" (127mm) Digital Panel Night Vision: 8m / No Audio

IP Rated: IP54 (Monitor) / IP69 (Camera)

ECE Approved Reg 10 Video Input: 1AV Cigar Lighter (Monitor) DC Connection (Camera)









CA 9745 Kit Includes:











Power Cable & Sun Visor also included.

7" WIRELESS REVERSING CAMERA KIT* **CA 9780**

Screen: 7" (178mm) TFT LCD Monitor Night Vision: 10m / No Audio Camera Rated IP67 CE / EMC Approved Video Input: 2AV

8 Pin Cable (Monitor) DC Connector (Camera)









CA 9780 Kit Includes:











* 2 Camera Input - 1 Wireless & 1 Wired Power Cable & Sun Visor also included.

7" QUAD WIRELESS CAMERA KIT **CA 9790**

Screen: 7" DVR (177mm) HD Quad Split Monitor Night Vision: 15m / Audio Function

Camera Rated IP67 ECE Approved Reg 10

Video Input: 4AV

8 Pin Cable (Monitor)

DC Connector (Camera)



CA 9790 Kit Includes:















Power Cable & Sun Visor also included.







247Lighting Vehicle Safety Range WIRELESS MONITORS

7" WIRELESS TFT LCD MONITOR CA 9781

7" (178mm) TFT LCD Monitor

2 Camera Input CE Approved **EMC** Approved OSD Menu Function



CA 9746





7" WIRELESS QUAD MONITOR **CA 9791**

7" (178mm) HD 4 SPLIT DVR Monitor

4 Camera Input ECE Reg 10

OSD Menu Function

Compatible with

CA 9790 / CA 9797









5" WIRELESS COMPACT MONITOR

5" (127mm) Digital Monitor

1 Camera Input ECE REG 10 Rated IP54 OSD Menu Function







9" HD WIRELESS QUAD MONITOR

CA 9793

9" (236mm) Wireless Quad Split DVR Monitor

4 Camera Input ECE REG 10 OSD Menu Function

Compatible with CA 9790 / CA 9797









WIRELESS CAMERAS

RECHARGEABLE WIRELESS CAMERA

WIRELESS CAMERA CA 9747

Image Sensor: CMOS 1/3" Dimensions: 65*58*43mm Night Vision: 8m No Audio Function Rated IP69 / ECE REG 10

Compatible with CA 9745 / CA 9746





WIRELESS CAMERA CA 9782

Image Sensor: CMOS 1099 Dimensions: 95*70*65mm Night Vision: 10m No Audio Function Rated IP67 / EC Approved

Compatible with CA 9780 / CA 9781

CA 9827







WIRELESS CAMERA **CA 9797**

Image Sensor: CMOS 1058 Dimensions: 75*63*48mm Night Vision: 15m Audio Function Rated IP67 **EMC** Approved

Compatible with CA 9790 / CA 9793





Image Sensor: CMOS Dimensions: 113*77*82mm Night Vision: 15m Audio Function Rated IP69K ECE REG 10

Compatible with CA 9791 / CA 9793













4 CHANNEL DVR BOX CA 9802

Built-in high performance Hisilicon chipsets.
4CH AV Inputs with AHD 1080p / 720P / 960H / D1 / CIF optional.
4CH local recording with 1080p (1080N) resolution in real time.

Power: Professional In-Vehicle power design, 8-36V DC Wide Voltage Range.

Data Storage: Special file management system to encrypt and protect the data Proprietary technology to detect the bad track of the hard drive which can make sure the continuity of video and long service life of the hard drive.

Support: 2.5 inch HDD/SSD, maximum 2TB.





EXTENSION CABLE

20 metres **CA 9776***

5 metres **CA 9776.05***

10 metres **CA 9776.10***

15 metres **CA 9776.15***



1TB HARD DISK CA 9803

2TB HARD DISK CA 9804

Toshiba Hard Disk / Interface: SATA Rotating Speed: 5400RPM Storage Drive Buffer Size: 128MB Data Read Rate: 220MB/s (CA 9803) 156MB's (CA 9804)

HDD Heads: 2 Cert: RoHS / CE 100mm*69.85mm*7mm





MONITOR BRACKET CA 9657*

SUCTION TYPE



MONITOR BRACKET

CA 9689

ADHESIVE TYPE



AUDIO WARNING

ELECTRIC HORN BLEP 817 12V BLEP 816 24V



WARNING BUZZER - 85dB

BLEP 780 12V / BLACK **BLEP 781** 24V / RED



BACK UP REVERSING ALARM - 97dB EP 1207

97dB IP67 ECE REG 10 12-24V Tone Type: BEEP 104*41*69mm





BACK UP REVERSING ALARM - 107dB EP 1208

107dB IP67 ECE REG 10 12-24V Tone Type: BEEP 99*41*63mm



WHITE NOISE REVERSING ALARM - 97dB EP 1209

97dB IP67 ECE REG 10 12-24V Tone Type: WHITE NOISE 104*41*69mm



WHITE NOISE REVERSING ALARM - 107dB EP 1211

107dB IP67 ECE REG 10 12-24V Tone Type: WHITE NOISE 127*96*78mm



OUR RANGE INCLUDES • WARNING LIGHTS • LIGHTBARS • WORKLAMPS • TAIL / MARKER LAMPS • INTERIOR LIGHTS • INSPECTION LAMPS 247 LIGHTING RANGE WWW.247LIGHTING.NET

MIRRORS

FLAT M / HEAD **CA 200R**

Fits: 8 - 12mm Arm Reg 46 180*125mm Universal



Replacement Glass

FLAT M / HEAD **CA 202R**

Fits: 15 - 18mm Arm Reg 46 232*145mm Universal



CA 202GR Replacement Glass

CONVEX M / HEAD **CA 262R**

Fits: 10 - 24mm Arm Reg 46 240*160mm Universal



CA 262GR Replacement Glass

CONVEX M / HEAD **CA 206R**

Fits: 15 - 28 mm Arm Reg 46 375*183mm Universal



CA 206GR Replacement Glass

CONVEX M / HEAD **CA 228R**

Fits: 15 - 28mm Arm Reg 46 260*160mm Universal

CA 228GR Replacement Glass

CONVEX M / HEAD **CA 229R**

Fits: 18 - 28mm Arm Reg 46 296*215mm Universal



FLAT M / HEAD **CA 205R**

Fits: 18 - 20mm Arm Rea 46 325*175mm Universal

CA 205GR

Replacement Glass

CONVEX M / HEAD **CA 260R**

Fits: 15 - 28mm Arm Rea 46 377*189mm Universal



CA 260GR Replacement Glass

CONVEX M / HEAD **CA 2912R**

Fits: 16 - 20mm Arm Reg 46 236*180mm Universal



BLIND SPOT M / HEAD **CA 2920R**

Fits: 15 - 28mm Arm Reg 46 255*150mm Universal



BLIND SPOT CONVEX M / HEAD

CA 295R

Fits: Ø16mm Arm Reg 46 190*189mm Universal

CA 295GR Replacement Glass

CONVEX M / HEAD **CA 280R**

Fits: 15 - 32mm Arm Reg 46 425*195mm Commercial



CONVEX M / HEAD **CA 281R**

Fits: 15 - 28mm Arm Reg 46 440*220mm Commercial



CONVEX M / HEAD **CA 282R**

Fits: 10 - 18mm Arm Reg 46 250*165mm Commercial



FLAT M / HEAD **CA 283R**

Fits: 10 - 24mm Arm Reg 46 263*160mm Commercial



FLAT M / HEAD

CA 284R

Fits: 10 - 18mm Arm Reg 46 290*175mm Commercial



CONVEX M / HEAD **CA 285R**

Fits: 10 - 24mm Arm Req 46 295*215mm Commercial



CONVEX M / HEAD **CA 286R**

Fits: 18mm Arm Req 46 314*228mm Commercial



CONVEX M / HEAD **CA 287R**

Fits: 15 - 28mm Arm Req 46 375*200mm Commercial



CONVEX M / HEAD **CA 288R**

Fits: 15 - 32mm Arm Req 46 410*205mm Commercial





Unit 4, Lakelands Enterprise Centre, Ballydangan, Athlone, Co. Roscommon, N37 H5Y0, Ireland.

IRELAND: 090 9673232 UK: 0121 6474857 INTL: ++353 90 9673232

sales@247lighting.net

www.247lighting.net







