



Velyen solutions for
Heavy Duty

► WHY SHOULD I BUY VELYEN?

VALUE PROPOSALS



EUROPEAN DESIGN



MADE BY SPAIN

**MADE IN SPAIN WITH
ENGINEERING SINCE 1950
(POWERED BY ISTOBAL).**



FAMILY OWNED



**WE CARE ABOUT AFTER
SALES (SPARE PART
GUARANTEE), AFTERSALES
TEAM AT YOUR DISPOSAL.**



**ACTIVE MEMBER EGEA
ASSOCIATION.**



**EXPORT VELYEN
+40 COUNTRIES**



► **4ED0700N**



► **4ED0800**



Hydraulic 4-Post Lift 12000 Kg / 25000 Kg No compressed Air Required

TECHNICAL DATA	4ED1700	4ED0700N	4ED0760	4ED0800	ESP00033
Load capacity	8 Tn	12 Tn	16 Tn	25 Tn	30 Tn
Platform lengths	6220 mm		8000 mm		
Platform widths	710 mm		810 mm		
Width between columns	3265 mm		3500 mm		
Distance between platforms	780-1150 mm		1000 mm		
Minimum height	220 mm		240 mm		
Lifting height	1660 mm		1540 mm		
Lifting time	65"		90"		
Overall length	7150 mm		9576 mm		
Overall width	3735 mm		4269 mm		
Motor	3 Phase 230/400 V 50/60 Hz. 3 KW		3 Phase 230/400 V 50 Hz. 5.5 KW		

· 4 Columns Lift Up to 8Tns 4ED1700

· 4 Columns Lift Up to 16Tns 4ED0760



► **5251600**

**Oleoneumatic 10/7Tn
jacking beam for
4ED0700N**

· Op. Total LED lighting ref. 4301700

► **5252000**

**Oleoneumatic 10/7Tn
jacking beam for
4ED0800**

· Op. Total LED lightin ref. 4301800

· Op. platform extension 1,2m for 4ED0800 ref. 4303100





Product Features

- Innovative design of columns without longitudinal welds
- Electro-hydraulic lifting system operated over a special double piston cylinder
- Patented platform locking system operated automatically by electromagnets
- In addition to safety locking system, also incorporates a “slack cable” safety lock whereby the lock will activate in the event of a cable snap/breakage
- Hydraulic cylinder with control valve of lowering speed
- Safety valve against overpressure of the hydraulic system
- Motor equipped with thermal overload detector against overheating
- Pushbuttons at 24V., type “dead man”, separated UP & DOWN buttons and ON/OFF switch lockable by a padlock
- Smooth platforms
- Upper height limit switch
- Automatic release of safety wedges by pushing DOWN button
- International patent on safety and lifting system
- No compressed air required to operate locks

These vehicle lifts are manufactured 100% in Spain, with a superb quality, and supplied to more than 40 countries. Year after year orders continue to come in for this lift.

Why?

- Because it's electro-hydraulic in operation (with cables, pulleys & pins)
- Because there are no noisy spindles or gearboxes to go wrong!!!!
- Because it's fitted with a patented safety system meaning no air supply required.
- Because it's manufactured 100% in Spain
- Because it's very reliable.
- Because it's very competitively priced.

Velyen 4-post CV lifts. A total success.







MAX.
25000
kg.

ers
cia

www.valenc



















Loading test 4ED0800 in VELYEN, Valencia






Anti-slip strips




Manufacturing the 4ED0800 in VELYEN, Valencia



Manufacturing the 4ED0800 in VELYEN, Valencia




Manufacturing the 4ED0800 in VELYEN, Valencia





Scissor-Lifts for Heavy Duty



► **4EE0809**

► **4EE0813**

► **4EE0825**



	4EE0809	4EE0813	4EE0825
Max. load	9000 Kg	13000 Kg	25000 Kg
Max. height	1950 mm	1950 mm	2120 mm
Min. height	400 mm	400 mm	420 mm
Width	1550 mm	1550 mm	1700 mm
Motor	3 phase 5,5 kw - 230-400 V	3 phase 5,5 kw - 230-400 V	3 phase 5,5 kw - 230-400 V
Platform length	6.000 mm	7.000 mm	9.000 mm
Platform width	900	900	750
Lifting time	100'	100'	100'
Lowering time	90'	90'	90'
Max. preasure	130 bar	130 bar	130 bar



Hydraulic Rolling Jack

6.000 Kg - Ref:5251800



SPAIN

Parque Industrial Ciudad de Carlet
C/ Camino del Carrasqueral, Nº 6
46240 Carlet - Valencia (SPAIN)
T(+34)962543073·F(+34)962543074
EMAIL comercial-sat@velyen.com

MÉXICO

Boulevard Córdoba - Fortín Km 335
94540 Córdoba - Veracruz (México)
T (+52) 2717165599
EMAIL director@velyen.com.mx

UK

1, Southgate Industrial Park, Green Ln
Heywood OL10 1ND
T +44 (0)1706 563007
EMAIL export.b@velyen.com
WEB www.velyen.co.uk