

PASSENGER CAR



BORN FROM A RACING SPIRIT
PURE PASSION FOR PERFORMANCE
FRENCH LUBRICANT MANUFACTURER SINCE 1919

Products made in France

FRANCE

VX PREMIUM


 HOMOLOGATION & ACKNOWLEDGEMENT
 
 SPECIFICATION



REF 3102

2L

GALAXIE A SAE 0W-40

PAO

HOMOLOGATIONS
Renault RN17RSA

SPECIFICATIONS
ACEA C3 ; Renault RN0710/RN0700



REF 3101

2L

GALAXIE RS SAE 0W-40

PAO

SPECIFICATIONS
ACEA A3/B4 ; API SN
Ford WSS-M2C937-A
MB 229.5 ; Porsche A40



REF 3098

208L

GALAXIE SAE 5W-30

PAO/ESTERS

SPECIFICATIONS
ACEA A3/B4
API SN (Engine test)



REF 3126

208L

GALAXIE GT02 SAE 10W-60

ORGANIC FORMULA

SPECIFICATIONS
ACEA A3 / B4
API SN

YACCO RACING



REF 3099

208L

GALAXIE SAE 5W-40

PAO/ESTERS

SPECIFICATIONS
ACEA A3/B4
API SN



REF 3124

2L

GALAXIE GTS SAE 5W-40

100% SYNTHETIC

HOMOLOGATIONS
Porsche C40
SPECIFICATIONS
ACEA C3 ; API SN ; BMW Longlife-04
MB 229.31/229.51/229.52 ; VW 511.00



REF 3105

208L

GALAXIE GT SAE 5W-50

PAO/ESTERS

SPECIFICATIONS
API SN/CF ; ACEA A3/B4
MB 229.3 ; VW 502.00 / VW 505.00



REF 3097

2L

GALAXIE S SAE 10W-50

PAO

SPECIFICATIONS
ACEA C3
API SN ; Abarth 0101



REF 3100

208L

GALAXIE GT SAE 10W-60

PAO/ESTERS

SPECIFICATIONS
ACEA A3 / B4
API SN/CF



REF 3051

208L

GALAXIE SAE 15W-50

PAO/ESTERS

SPECIFICATIONS
ACEA A3 / B4
API SN / CF

LUBE THE OEM SERIES

REF 3067



LUBE W SAE 0W-20

100% SYNTHETIC - PAO

DPF PROTECTION

FUEL ECONOMY

HOMOLOGATIONS

VW 508.00 / VW 509.00
Porsche C20

SPECIFICATIONS

ACEA C5
API SN PLUS
VW TL 525 77

1L 2L 5L 20L 60L 208L 1000L

REF 3078



LUBE W SAE 0W-30

100% SYNTHETIC - PAO

DPF PROTECTION

LONG LIFE

HOMOLOGATIONS


VW 504.00/VW 507.00
Porsche C30

SPECIFICATIONS

ACEA C3
BMW LL-04
MB 229.52

1L 2L 5L 208L 1000L

REF 3055



LUBE DE SAE 5W-30

100% SYNTHETIC

DPF PROTECTION

LONG LIFE

HOMOLOGATIONS

VW 504.00 / VW 507.00
MB-approval 229.52
Porsche C30
BMW Longlife-04

SPECIFICATIONS

ACEA C3
API SP
MB 229.51/229.31

1L 2L 4L 5L 20L 60L 208L 1000L

REF 3077



LUBE BM-17FE SAE 0W-20

100% SYNTHETIC - PAO

DPF PROTECTION

FUEL ECONOMY

HOMOLOGATIONS

BMW Longlife-17 FE+

SPECIFICATIONS

ACEA C6 & C5
API SP-RC ; API SN PLUS
API SN-RC ; ILSAC GF-6A
MB 229.71 ; MB 229.72
Opel/Vauxhall OV0401547
GM Dexos D™ / Dexos2 Gen2/
GMW 18006
JLR 03.5006

1L 2L 60L 208L 1000L

REF 3066



LUBE BM-12 SAE 0W-30

100% SYNTHETIC - PAO

DPF PROTECTION

FUEL ECONOMY

HOMOLOGATIONS

BMW Longlife 12 FE

1L 2L 208L 1000L

REF 3072



LUBE M SAE 0W-20

100% SYNTHETIC - PAO

DPF PROTECTION

FUEL ECONOMY

HOMOLOGATIONS

MB-Approval 229.71
Jaguar Land Rover
ST JLR.51.5122
acknowledgement

SPECIFICATIONS

ACEA C5
API SN

1L 2L 208L 1000L

REF 3046



LUBE V SAE 0W-20

100% SYNTHETIC

DPF PROTECTION

FUEL ECONOMY

HOMOLOGATIONS

Volvo VCC RBS0-2AE

SPECIFICATIONS

ACEA C5
API SN

1L 2L 208L 1000L

THE OEM SERIES LUBE

REF 3079



LUBE DI SAE 0W-20

100% SYNTHETIC

DPF PROTECTION

FUEL ECONOMY

HOMOLOGATIONS

Opel Vauxhall OV0401547
ST JLR.03.5006 Jaguar Land
Rover acknowledgement
(pending)

SPECIFICATIONS

ACEA C6 & C5 ; API SP-RC
SN PLUS ; SN-RC ;
ILSAC GF-6A
MB 229.72/229.71
Volvo VCC RBS0-2AE
Fiat 9.55535-DSX/GSX
Chrysler MS-12145
Ford WSS-M2C947-B1/
M2C962-A1

1L 2L 5L 20L 60L 208L 1000L

REF 3080



LUBE FE SAE 0W-8

100% SYNTHETIC

EXTRA FUEL ECONOMY

HYBRID

SPECIFICATIONS

API SP ; ILSAC GF-6B
JASO GLV-1

2L

REF 3064



LUBE FE SAE 0W-16

100% SYNTHETIC

EXTRA FUEL ECONOMY

HYBRID

HOMOLOGATIONS

API SP-RC ; SN PLUS RC
ILSAC GF-6B



1L

REF 3059



LUBE HY SAE 0W-20

100% SYNTHETIC

FUEL ECONOMY

HYBRID

HOMOLOGATIONS

API SP-RC ; SN PLUS RC
ILSAC GF-6A

SPECIFICATIONS

GM Dexos1™ Gen 2
(exceeds GM 4718M,
GM 6094M, Chrysler MS 6395)



1L 2L 4L 5L 60L 208L

REF 4027



LUBE GDI SAE 5W-20

100% SYNTHETIC

FUEL ECONOMY

HOMOLOGATIONS

API SP-RC
SN PLUS
API SN-RC (Resource
Conserving)
ILSAC GF-6A

SPECIFICATIONS

GM Dexos 1™ Gen 2
Chrysler MS 6395
Ford WSS-M2C946-A
GM 6094M



1L 4L 5L 60L 208L

REF 3069



LUBE GDI SAE 5W-30

100% SYNTHETIC

FUEL ECONOMY

HOMOLOGATIONS

API SP-RC ; SN PLUS RC
ILSAC GF-6A

SPECIFICATIONS

GM Dexos 1™ Gen 2
Chrysler MS 6395
Ford M2C946-A/B1



1L 2L 4L 5L 60L 208L 1000L

REF 3082



LUBE GDI SAE 10W-30

SYNTHETIC TECHNOLOGY

FUEL ECONOMY

HOMOLOGATIONS

API SP-RC ; SN PLUS RC
ILSAC GF-6A

SPECIFICATIONS

GM Dexos 1™ Gen 2
Chrysler MS 6395



1L 4L 5L 208L

LUBE THE OEM SERIES

REF 3074



LUBE F SAE 0W-20

100% SYNTHETIC

DPF PROTECTION

FUEL ECONOMY

HOMOLOGATIONS

Ford WSS-M2C952-A1
acknowledgement ;
ST JLR.03.5006 Jaguar Land
Rover acknowledgement

SPECIFICATIONS

ACEA C6, C5
API SP
Dexos D™

1L
2L
208L
1000L

REF 3063



LUBE F SAE 0W-30

100% SYNTHETIC

DPF PROTECTION

FUEL ECONOMY

HOMOLOGATIONS

WSS-M2C950-A Ford
acknowledgement ;
ST JLR.03.5007 Jaguar Land
Rover acknowledgement

SPECIFICATIONS

ACEA C2

1L
2L
5L
20L
60L
208L
1000L

REF 3043



LUBE F SAE 5W-20

100% SYNTHETIC

DPF PROTECTION

FUEL ECONOMY

HOMOLOGATIONS

API SP ; API SN PLUS
WSS-M2C948-B Ford
acknowledgement ;
ST JLR.03.5004 Jaguar Land
Rover acknowledgement

SPECIFICATIONS

ACEA C5
Ford WSS-M2C925-A/B



1L
2L
5L
20L
60L
208L
1000L

REF 3049



LUBE F SAE 5W-30

100% SYNTHETIC

FUEL ECONOMY

HOMOLOGATIONS

WSS-M2C913-D Ford
acknowledgement

SPECIFICATIONS

ACEA A5 / B5
API SL/CF
Ford WSS-M2C913-C/913-
B/913-A
ST JLR.03.5003 Jaguar Land
Rover acknowledgement

1L
2L
4L
5L
20L
60L
208L
1000L

REF 3048



LUBE J SAE 5W-30

100% SYNTHETIC

DPF PROTECTION

FUEL ECONOMY

SPECIFICATIONS

ACEA C1
Ford WSS-M2C934-B
Exceeds Ford WSS M2C934 A
requirements
Jaguar Land Rover
ST JLR.03.5005
acknowledgement

1L
2L
208L
1000L

REF 3075



LUBE P SAE 0W-20

100% SYNTHETIC

DPF PROTECTION

FUEL ECONOMY

HOMOLOGATIONS

PSA B71 2010 (Pending)

SPECIFICATIONS

ACEA C5
PSA B71 2010

1L
4L
60L
208L

REF 3061



LUBE P SAE 0W-30

100% SYNTHETIC - PAO

DPF PROTECTION

FUEL ECONOMY

HOMOLOGATIONS

PSA B71 2312

SPECIFICATIONS

ACEA C2

1L
2L
5L
20L
60L
208L
1000L

THE OEM SERIES LUBE

REF 3070



LUBE P+ SAE 5W-30

100% SYNTHETIC

DPF PROTECTION

FUEL ECONOMY

SPECIFICATIONS

ACEA C2
PSA B71 2290

REF 3076



LUBE RN-17FE SAE 0W-20

100% SYNTHETIC

DPF PROTECTION

FUEL ECONOMY

HOMOLOGATIONS

Renault RN17 FE

SPECIFICATIONS

ACEA C5

REF 3073



LUBE RN-17 SAE 5W-30

100% SYNTHETIC

DPF PROTECTION

HOMOLOGATIONS

Renault RN17 (backward
compatible RN0710/RN0700)

SPECIFICATIONS

ACEA C3 ; MB 256.52

REF 3057



LUBE R SAE 5W-30

100% SYNTHETIC

DPF PROTECTION

HOMOLOGATIONS

Renault RN0720
MB-Approval 226.51

SPECIFICATIONS

ACEA C4
ACEA C3 PERFORMANCE

REF 3081



LUBE FR+ SAE 5W-30

100% SYNTHETIC

DPF PROTECTION

HOMOLOGATIONS

RN17 ; PSA 71 2290

SPECIFICATIONS

API SP ; ACEA C2, C3
MB 229.31/51/52 MB 226.52
Renault RN0710 / 0700
BMW LL-04

REF 3054



LUBE FR SAE 5W-40

100% SYNTHETIC

SPECIFICATIONS

Renault RN0710 / 0700
Peugeot / Citroën Automobiles
PSA B71 2296
ACEA A3 / B4
API SN / CF
GM-LL-B-025
MB 229.3/226.5
Porsche A40
VW 502.00 / VW 505.00

1L 2L 5L 20L 60L 208L 1000L

1L 2L 5L 208L 1000L

1L 2L 5L 20L 60L 208L 1000L

1L 2L 5L 60L 208L 1000L

1L 4L 5L 60L 208L 1000L

1L 2L 4L 5L 60L 208L 1000L

VX PREMIUM

REF 3020



VX 1500 SAE 0W-30

100% SYNTHETIC

FUEL ECONOMY

HOMOLOGATIONS
Volvo VCC 95200377

SPECIFICATIONS
ACEA A5/B5
API SL/CF

REF 3062



VX 1000 LL SAE 0W-40

100% SYNTHETIC - PAO

LONG LIFE

HOMOLOGATIONS
MB-Approval 229.5
API SN

SPECIFICATIONS
ACEA A3 / B4
API CF
BMW Longlife-01
Ford WSS-M2C937-A
Renault RN0710 / RN0700
VW 502.00 / VW 505.00
Porsche A40



REF 3023



VX 1000 LL SAE 5W-40

100% SYNTHETIC

LONG LIFE

HOMOLOGATIONS
API SN

SPECIFICATIONS
ACEA A3 / B4
API CF
BMW Longlife-01
Fiat 9.55535 H2 / M2 / N2 / Z2
GM-LL-B-025
PSA B71 2296
Renault RN0710 / 0700
MB-Approval 229.5
Porsche A40
VW 502.00 / VW 505.00



REF 3025



VX 1000 FAP SAE 5W-40

100% SYNTHETIC

DPF PROTECTION

HOMOLOGATIONS
Porsche A40
VW 505.00 / VW 505.01
API SN

SPECIFICATIONS
ACEA C3 ; API CF
Fiat 9.55535-S2
Ford WSS-M2C917-A
GM Dexos2™
BMW Longlife-04
MB-Approval 229.31/226.5
MB 229.51 ; VW 502.00
Renault RN0710 / 0700



REF 3071



VX 1000 LE SAE 5W-30

100% SYNTHETIC

DPF PROTECTION

HOMOLOGATIONS
API SN
BMW Longlife-04
MB approval 229.52
VW 505.00 / VW 505.01

SPECIFICATIONS
ACEA C3,C2
GM Dexos2™
Exceeds Fiat 9.55535 S1 & S3
MB 229.51
MB 229.31
Opel/Vauxhall OV0401547



REF 4084



VX 1000 LL III SAE 5W-30

100% SYNTHETIC

DPF PROTECTION

SPECIFICATIONS
ACEA C3
API SP / CF
BMW LL-04
MB 229.52/229.51/229.31
PORSCHE C30
VW 504.00 / 507.00

REF 3031



VX 500 SAE 10W-40

SYNTHETIC
TECHNOLOGY

SPECIFICATIONS
ACEA A3 / B4
API SN / CF
PSA B71 2300
Renault RN0710/0700
MB 229.3
VW 502.00 / VW 505.00

1L
2L
208L

1L
2L
5L
60L
208L
1000L

1L
2L
4L
5L
208L
1000L

1L
2L
4L
5L
20L
60L
208L
1000L

1L
2L
4L
5L
20L
60L
208L
1000L

1L
5L
20L
60L
208L
1000L

1L
2L
4L
5L
20L
60L
208L
1000L



REF 4025



VX 600 SAE 10W-30

SYNTHETIC BLEND

SPECIFICATIONS

ACEA A3 / B3
API SL / CF

REF 4024

VX 600 SAE 5W-30

SYNTHETIC BLEND

SPECIFICATIONS

ACEA A3 / B3
API SL / CF

REF 3029



VX 600 SAE 5W-40

SYNTHETIC

SPECIFICATIONS

ACEA A3 / B4
API SN / CF
BMW Longlife-01
GM LL-B-025
Fiat 9.55535-M2
MB 229.3
Porsche A40
VW 502.00/VW 505.00

REF 3033



VX 300 SAE 10W-40

SEMI-SYNTHETIC

SPECIFICATIONS

ACEA A3 / B4
API SL / CF
MB 229.1
VW 501.01 / VW 505.00

REF 3032



VX 300 SAE 15W-50

SEMI-SYNTHETIC

SPECIFICATIONS

ACEA A3 / B3
API SL / CF

REF 3039



VX 100 SAE 10W-30

MINERAL

SPECIFICATIONS

ACEA A3 / B4
API SL / CF

REF 3037



VX 100 SAE 15W-40

MINERAL

MIXED FLEET

SPECIFICATIONS

ACEA A3 / B4 / E7
API SL / CF / CH-4
MB 228.3 / 229.1
Man M 3275
Volvo VDS-3 ;
Renault Truck RLD-2 ;
Caterpillar ECF-1a ;
Deutz DQC-III ;
MTU type 2.0 ;
Mack EO-N ;
Cummins CES 20077

REF 3038



VX 100 SAE 20W-50

MINERAL

MIXED FLEET

SPECIFICATIONS

ACEA A3 / B3
ACEA E7
API SL / CF
API CI-4
MB 228.3 / 229.1
Man M 3275
Volvo VDS-3
Renault Truck RLD-2
Mack EO-M Plus
Cummins CES 20077/20076
Caterpillar ECF 2 / ECF 1a

TRANSMISSIONS : GEARBOX & AXLE

REF 3409



BVX LS 1000 75W-140

SYNTHETIC ESTER/PAO

SPECIFICATIONS

API GL-5 / GL-4
LS (Limited-Slip differential)
SCANIA STO 1:0
ZF TE-ML 05B / 12B
Fiat 9.55550-DA5

REF 3402



BVX 1000 75W-90

SYNTHETIC PAO

HOMOLOGATIONS

MAN 341 Typ Z2 / MAN 342 Typ S1
MB-Approval 235.8 ; SAE J2360
Volvo 97312; ZF TE-ML
02B/05A/12L/12N/16F/17B/19C/21A

SPECIFICATIONS

API GL-5 ; GL-4 ; MT-1
MIL-L-2105D/MIL-PRF-2105E
ArvinMeritor 076-N ; Detroit Diesel DFS93K219.01
Ford M2C-200C ; Mack GO-J
Man 342 typ M3 (< Typ S1)
ZF-TE-ML07A/12B/16B ; VW 501.50
Scania STO 2:0A FS / STO 1:1G & STO 1:0
confirmed by Scania ; Fiat 9.55550-DA6/-DA7

REF 3404



BVX 600 75W-90

SYNTHETIC

SPECIFICATIONS

API GL-5 & API GL-4
ZF TE-ML 07A & 17B

REF 3405



BVX 500X 75W-80

SYNTHETIC

SPECIFICATIONS

API GL-4 ; BMW MTF LT-2/ MTF LT-3
GM 1940182 / 1940764 / 1940768
Fiat 9.55550-MZ9/-MZ10/-MZ12
Honda MTF/MTF-II/MTF-III
Nissan MT-XZ ; Nissan MT-XZ TL/JR Type
MB235.10 ; MTF 94 ; PSA B71 2330
Volvo 97308 / 97309
VW G 009 317 / VW G 060 726
Renault Tranself NFJ/NFP/TRJ/TRZ

REF 3406



BVX R500 75W-80

SYNTHETIC TECHNOLOGY

SPECIFICATIONS

API GL-4+
Groupe Renault (Dacia, Nissan, Renault) : Jxx,
TL4 & NDx gearbox
Groupe P.S.A. (Peugeot, Citroën, DS Automobiles)

REF 3421



BVX FE 75W

FUEL ECONOMY

SPECIFICATIONS

API GL-5 / API GL-4
VW 052 178 / VW 052512 / VW 052726
VW 052 527 / VW 070 726 / VW 060 726
Fiat 9.55550-MZ6/-DA11
Ford WSS-M2C200-D2
Nissan LV MT1 75W
BMW 83 22 2 409 710/ 83 22 0 397 244
/ 83 22 0 306 816
BMW DTF1 (83 22 2 409 710)

REF 3408



BVX LS 200 80W-90

MINERAL

HOMOLOGATIONS

ZF TE-ML 05C, 12C, 21C

SPECIFICATIONS

API GL-5 ; LS (Limited-Slip differential)

REF 3414



BVX C100 80W-90

MINERAL

SPECIFICATIONS

API GL-5 ; MAN 342 Type M-2 (Oil change
intervals of up to 160,000km)
ZF TE-ML 05A, 07A, 12E, 16B/C/D, 17B,
19B, 21A

REF 3415



BVX C100 85W-140

MINERAL

SPECIFICATIONS

API GL-5
SCANIA STO 1:0
MIL-L-2105D

REF 3422



BVX M100 80W-85

MINERAL

SPECIFICATIONS

API GL-4
MIL-L-2105 ; AGMA 9005-E02 ; DIN 51517-3
ZF TE-ML 02A / 02B / 04F / 06L / 08 / 17A

REF 3423



BVX M100 SAE 90

MINERAL

SPECIFICATIONS

API GL-4
MIL-L-2105

ATF FLUIDS & POWER STEERING

REF 3537



ATF CVT

SYNTHETIC

SPECIFICATIONS

VW G 052 180/052 516 (Audi/Seat/Skoda/VW) ; Subaru high torque CVTF, e-CVT, Lineartronic CV-30/CVTF-II ; Toyota CVT FE/TC ; Suzuki CVT Fluid Green 1/ Green 2, CVTF 3320 ; Renault CVT, Nissan NS-1/NS-2/NS-3 ; Mitsubishi Dia Queen CVTF J1/ CVTF J4, Diamond ATF SP III ; Mercedes MB 236.20 ; Mazda CVTF 3320 ; Lifan CVT ; Hyundai/ Kia SP CVT-1 ; Honda CVTF/ HCF-2/ HMMF ; GM CVT/DEX-CVT ; Ford WSS M2C928-A/WSS M2C933-A/ Mercon C ; FCA CVTF+4 (Dodge/Fiat/ Jeep) ; Daihatsu Ammix CVTF-DC/ CVTF DFE ; Bmw/Mini EZL 799A ; Compatible with Esso EZL-799, Elf Matic CVT, Mobil CVTF 3320.

REF 3538



ATF DCT

SYNTHETIC

SPECIFICATIONS

VW G 052 182 / G 052 529 / G 055 529 (Groupe VAG) ; Volvo 1161838/1161839 ; Ford M2C936-A ; Porsche oil n°999.917.080.00 / 999.917.080.01 ; MB 236.21 / 236.22 / 236.24 / 236.25 / 239.21 (Mercedes) ; ATF DCT-F3 (Ferrari) ; Dia-queen SSTF-1 (Mitsubishi) ; PSA 9734.S2 ; Renault DC4 (BOT 450), DW5 & DW6 (Pentosin FFL-5) ; BMW 83 22 2 148 578 (DCTF-1) / 83 22 2 148 579 / 83 22 0 440 214 / 83 22 2 147 477 / 83 22 2 167 666 (MTF-LT-5) ; API GL-4 (SAE 75W) ; Compatible with Pentosin FFL-3 / FFL-4 / FFL-5 / FFL-7 and Castrol BOT 341/ BOT 342A/ BOT 450.

REF 3539



ATF X FE

SYNTHETIC

FUEL ECONOMY

SPECIFICATIONS

Aisin Warner AW-1 ; BMW/Mini/Chrysler / Fiat 9.55550-AV2/AV5 ; Ford WSS-M2C938A ; GM Dexron VI ; Honda ; Hyundai ; Toyota WS/FZ ; Volkswagen ; Audi ; ZF lifeguard 6/8/9 (For other possible uses, check technical data sheet)

REF 4093



ATF DxVI MV

SYNTHETIC

FUEL ECONOMY

SPECIFICATIONS

Dexron VI, Ford Mercon LV, Aisin Warner AW-1, BMW/MINI 83 22 0 142 516, BMW/MINI 83 22 2 152 426, BMW 83 22 2 289 720 ATF3+, BMW 83 22 2 305 396, BMW 83 22 2 305 397, BMW 83 22 2 355 599, BMW/Mini 83 22 2413 477 ATF7, Fiat 9.55550-AV5, Honda ATF 3.1, Honda ATF DW-1, Hyundai/KIA SP-IV, IV ; SPH IV, SP-IV-RR, Isuzu ATF WSI, JASO 1A-LV, JWS 3324 (Aisin Warner), Land Rover TYK 500050, Mazda ATF FZ, MB 236.12, MB 236.14, Mitsubishi Dia Queen ATF-MA1, Mitsubishi Dia Queen ATF-PA, Nissan AT-Matic -S, Nissan Matic -W, Toyota WS, VW G 055 005, VW G 055 162, VW G 055 540, VW G 060 162, ZF Lifeguard 6/8/9 (For other possible uses, check technical data sheet)

REF 4094



ATF Z8&9HP

SYNTHETIC

FUEL ECONOMY

SPECIFICATIONS

Dexron VI, Ford Mercon LV, ZF Lifeguard 6/8/9, Aisin Warner AW-1, BMW/MINI 83 22 0 142 516, BMW/ MINI 83 22 2 152 426, BMW 83 22 2 289 720 ATF3+, BMW 83 22 2 305 396, BMW 83 22 2 305 397, BMW 83 22 2 355 599, BMW/Mini 83 22 2413 477 ATF7, Fiat 9.55550-AV5, Honda ATF 3.1, Honda ATF DW-1, Hyundai/KIA SP-IV, IV ; SPH IV, SP-IV-RR, Isuzu ATF WSI, JASO 1A-LV, JWS 3324 (Aisin Warner), Land Rover TYK 500050, Mazda ATF FZ, MB 236.12, MB 236.14, Mitsubishi Dia Queen ATF-MA1, Mitsubishi Dia Queen ATF-PA, Nissan AT-Matic -S, Nissan Matic -W, Toyota WS, Toyota/Lexus/Scion Type WS (JWS 3324), Toyota/Lexus/Scion FZ, VW G 055 005, VW G 055 162, VW G 055 540, VW G 060 162, (For other possible uses, check technical data sheet)

REF 3533



ATF D

MINERAL

SPECIFICATIONS

GM Dexron II D ; MB 236.7 ; Caterpillar TO-2 Ford M2C 166H ; Ford Mercon ; Allison C-3 Voith H55.6335 ; MAN 339 type Z1 & V1 ; ZF TE-ML 04D/11A/14A/17C

REF 3534



ATF III

MINERAL

SPECIFICATIONS

GM Dexron III ; Allison C4 ; Caterpillar TO-2 ; Ford ESP-M2C166-H/ESP-M2C138-CJ/Mercon ; MB 236.2

REF 3536



ATF X

SYNTHETIC

SPECIFICATIONS

See data sheet ; Allison C3/C4 ; ATF A suffix A ; Chrysler ; Mitsubishi Diaqueen SP/SP-II ; Nissan ; Ford M2C163A/166H/195A/202B/922A1/924A ; GM Dexron IID/IIIG/IIIH ; MAN 339 type V-1/V-2/Z-1/Z-2 ; MB236.1/2/5/6/7/8/9/10/11/81/91 ; Fiat 9.55550-AG1/AG2/AV1/AV3/AV4 ; Ford Mercon / Mercon V PSA AL-4 ; Volvo 97340/97341 ; ZF TE-ML 03D/04D/05L/09/11A/11B/14A/14B/16L/17C/20A/20B

REF 3540



ATF DCT MV

SYNTHETIC

SPECIFICATIONS

VW G 052 182/G 052 529/G 055 529 (Audi, Seat, Skoda, Volkswagen) ; Volvo 1161838/1161839 ; Renault DC4 (BOT 450) ; PSA 9734.S2 ; Porsche oil n° 999.917.080.00 ; Ford M2C936-A ; TF DCT-F3 (Ferrari) ; Dia-queen SSTF-1 (Mitsubishi) ; BMW 83 22 2 148 578 (DCTF-1) ; BMW 83 22 2 167 666 (MTF-LT-5) ; BMW 6 speed DCT Suitable for use when Pentosin FFL-8 and Castrol BOT 341/ BOT 450OEM fluids are specified.

REF 6241



YACCO DA

SYNTHETIC

SPECIFICATIONS

VW TL 52146-T3 (G 004 000/G 002 000) ; Volvo STD 1273.36/1161529 ; PSA S71 2710 (LDS) ; MB 345.0 ; Porsche 000 043 203 33 ; MAN M 3289 ; Opel GM 1940715/1940766 ; Ford M2C204-A ; Fendt X 902.011.622 ; Chrysler/Dodge/Jeep MS-11655B BMW 81 22 9 407 758 / 82 11 1 468 041 / 83 29 0 429 576 ; DIN 51524-T3 ; ISO 7308 ; ZF TE-ML 02K





ONLINE LUBE ADVISOR

The screenshot shows the YACCO Online Lube Advisor website. The header features the YACCO logo and navigation links: Our history, Our products, Recommendation, News, Shop, and Contact. A language selector (En) and a Sign in button are in the top right. The main heading is "Lubricant recommendation". Below this, there are two search sections. The "Search filters" section on the left has a dropdown menu labeled "Choose a range *". The "Quick search" section on the right has a text input field labeled "Brand / Car model" and a yellow "Search" button. A magnifying glass is positioned over the "Quick search" section, specifically highlighting the "Brand / Car model" input field. Below the search sections, there are social media icons for Facebook, Twitter, YouTube, and Instagram. Further down, there are links for Our history, Our products, News, and Contact. At the bottom, there is a "GARANTIE V.O. YACCO" logo, the YACCO logo, the text "L'huile des records du monde", and links for "Legal notices - Privacy policy" and "Site réalisé par Digital Dealer Factory".

YACCO S.A.S.

yacco.com - Tél : +33 (0)1 55 47 57 00 - Fax : +33 (0)1 55 47 57 11
230 avenue des petit près - 76320 Saint Pierre les Elbeuf,
FRANCE

Follow us on our social networks



European
Automobile
Manufacturers
Association

