

Product Catalogue



Optimate High Performance
Battery Chargers

EASY



CONNECT



CHARGE



MAINTAIN

Optimate 2 Duo 12V2A



12V **AGM** **GEL** **STD** **EFB**
6 - 96Ah

12.8V **LFP** **LiFe** LiFePO4
2 - 24Ah

<p>AUTOMATICALLY ADAPTS TO Pb OR LFP BATTERY</p> <p>DUO = $\begin{matrix} \text{Standard} \\ 12V \\ \text{Pb} \end{matrix} + \begin{matrix} \text{Lithium} \\ 12.8V \\ \text{LFP} \end{matrix}$</p>	<p>SAFE TO LEAVE CONNECTED Full electronic protection</p> <p>SAFE</p>	<p>MAINTAINS BATTERY at full charge and good health</p> <p>24-7</p>
---	--	--


Optimate 2 Duo 12V2A x2 DUAL BANK



Optimate 2 Duo 12V2A x4 QUAD BANK



Optimate 5 start/stop 12V4A



12V **STD** **AGM** **GEL** **EFB** **DEEP CYCLE** | 12Ah ↔ 160Ah

<p>TESTS BATTERY State of Health</p> <p>S.O.H</p>	<p>SAFE TO LEAVE CONNECTED Full electronic protection</p> <p>SAFE</p>	<p>MAINTAINS BATTERY at full charge and good health</p> <p>24-7</p>
--	--	--

Optimate **12V** DC → DUO **12V 2A**



x2



AGM **GEL** **STD** **EFB** **12V** **6Ah+**

LFP **LiFe** LiFePO₄ **12.8V** **2Ah+**

PROTECTS SOURCE BATTERY from total discharge



Pb or LFP automatic adaption

DUO = Standard **12V** + Lithium **12.8V**
Pb LFP

BMS RE-ACTIVATES BATTERY from sleep or deep discharge protection mode



MAINTAINS TARGET BATTERY at full charge and good health

24-7

Optimate **Duo** solar

OptiMate Solar Duo 20W 12V CAR KIT

12V **AGM** **GEL** **STD**

12.8V **LFP** **LiFe** LiFePO₄



OBDII CONNECT



OptiMate Solar Duo 40W

12V **AGM** **GEL** **STD**

12.8V **LFP** **LiFe** LiFePO₄

SAFE TO LEAVE CONNECTED
Full electronic protection



SMART 24-7 CARE
DAY: Charge & maintain
NIGHT: monitor charge level

24-7



OptiMate Solar 80W

12V **AGM** **GEL** **STD**



MORE



Optimate 5

6V 4A / 12V 3A



6V
12V

DEEP CYCLE SLI STD GEL AGM

6V 3Ah ↔ 6V 160Ah
12V 3Ah ↔ 12V 120Ah

<p>TESTS BATTERY State of Health</p>	<p>SAFE TO LEAVE CONNECTED Full electronic protection</p>	<p>MAINTAINS BATTERY at full charge and good health</p>
---	--	--

Optimate 6

select 12V 6A



12V

STD AGM EFB GEL

12V 3Ah ↔ 12V 144Ah

<p>LOW VOLTAGE SAVE from as low as 0.5V</p>	<p>SAFE TO LEAVE CONNECTED Full electronic protection</p>	<p>TEMPERATURE COMPENSATION Voltage is adjusted higher when colder, or lower when hotter.</p>
<p>AUTOMATICALLY ADJUSTS CURRENT to match battery size and condition</p>	<p>TESTS BATTERY State Of Health</p>	<p>MAINTAINS BATTERY at full charge and good health</p>

Optimate LFP lithium 4s 6A



12.8V LFP LiFePO4 LiFe



LOW VOLTAGE SAVE from as low as 0.5V



POWER RESET rapidly re-energizes battery



AUTOMATICALLY ADJUSTS CURRENT to match battery size and condition



ECU PROGRAMMING / TROUBLESHOOTING SUPPORT



TESTS BATTERY State Of Health



SAFE! Won't charge a damaged battery



PROTECTS YOUR BATTERY against discharge by vehicle



Optimate LFP Select lithium



12.8V 16V LFP LiFePO4 LiFe



LOW VOLTAGE SAVE from as low as 0.5V



POWER RESET rapidly re-energizes battery



AUTOMATICALLY ADJUSTS CURRENT to match battery size and condition



TESTS BATTERY State Of Health



SAFE! Won't charge a damaged battery



PROTECTS YOUR BATTERY against discharge by vehicle



SAFELY RESET, SAVE, CHARGE, TEST & MAINTAIN YOUR EXPENSIVE LITHIUM BATTERY

BEST



Optimate 7

select 12V 10A




<p>LOW VOLTAGE SAVE from as low as 0.5V</p>	<p>SAFE TO LEAVE CONNECTED Full electronic protection</p>	<p>TEMPERATURE COMPENSATION Voltage is adjusted higher when colder, or lower when hotter.</p>
<p>AUTOMATICALLY ADJUSTS CURRENT to match battery size and condition</p>	<p>TESTS BATTERY State Of Health</p>	<p>MAINTAINS BATTERY at full charge and good health</p>

Optimate 7

12V 10A / 24V 5A



<p>LOW VOLTAGE SAVE from as low as 0.5V</p>	<p>SAFE TO LEAVE CONNECTED Full electronic protection</p>	<p>TEMPERATURE COMPENSATION Voltage is adjusted higher when colder, or lower when hotter.</p>
<p>AUTOMATICALLY ADJUSTS CURRENT to match battery size and condition</p>	<p>TESTS BATTERY State Of Health</p>	<p>MAINTAINS BATTERY at full charge and good health</p>



TRUSTED BY



HONDA



DUCATI



GASGAS



TRIUMPH



TecMate International

Distributed by

www.tecmate.com

www.optimize1.com



More information:

Johan Basteyns

General Manager

jbasteyns@tecmate-int.com

Phone: +32 (0)16 80 54 49

Mobile: +32 (0)476 91 87 01

Bart Huys

Sales Manager

barthuys@tecmate-int.com

Phone: +32 (0)16 80 54 46

Mobile: +32 (0)470 10 39 69

Hans De Cremer

Account Manager

hansdecremer@tecmate-int.com

Phone: +32 (0)16 80 54 41

Mobile: +32 (0)496 29 62 49

