
CHAMALEON

#PROFESSIONALSOLUTIONS

AEROSOLS





2K CLEAR COAT PREMIUM

art. 11012

3 200 ml

art. 11013

⋽ 500 ml

6 pcs

- Perfectly suitable for spot repair and fast painting of car body elements
- Is mixed with hardener inside the can
- Provides a scratch-proof coating with an excellent gloss
- Protects against rust, weathering influences and UV-rays
- Fast drying





1K WASH PRIMER



art. 26022

art. 26023

∃ 400 ml

6 6 pcs

- Excellent adhesion to blank grounded metal
- Weldable
- Fast drying
- Active rust protection pigments guarantee best possible rust protection

1K EPOXY PRIMER

art. 26032

3 400 ml

6 pcs

- Excellent adhesion and corrosion protection for steel, galvanized steel, aluminium and fiberglass
- Wet-on-wet application possible
- Fast drying
- · Good flow
- · Simple, time-saving application
- Good insulation against moisture





2K PRIMER FILLER PREMIUM


art. 14012

3 200 ml

♠ 6 pcs

- Used on steel, galvanized steel and aluminum surfaces
- · Protects against rust
- · Mixing with hardener inside the can
- · Good adhesive properties
- · Easy wet and dry sanding
- Resistant to solvents

2K EPOXY PRIMER



art. 14013

∃ 200 ml

- Excellent adhesion and corrosion protection for steel, galvanized steel and aluminium
- Good insulation against moisture
- Very good flow, wet-on-wet application possible
- Fast drying time
- Easy to sand wet or dry
- · Solvent resistant
- Once dry, can be overcoated with polyester products
- Can be overpainted with water- and solvent based paints and 1K and 2K topcoats





EXPRESS FILL-PRIMER



art. 26043

3 500 ml

♠ 6 pcs

- Fast drvina
- Excellent corrosion protection
- Very good filling properties
- Overcoatable with all common water- and solvent-based 1 K and 2K topcoat systems
- Suitable for spot repairs or as high-build filler



PRIMER

art. 26004

art. 26002

O art. 26003

+ art. 26005

3 500 ml

6 pcs

Used for quality spot

NEW

ARTICLE

repair
Guarantees high-grade adhesion to metals and plastics

• Easy to apply

Fast drying

Easy treatment

· Professional result



PRODUCT

UV PRIMER

CHAMALEON


UV

PRIMER



૩ 400 ml

6 pcs



Perfectly suitable for partial car coatings and spot repairs

 Can be sanded after only 3 minutes irradiation by a UV-A 400 W LED-Light, a mercury vapour lamp or 4-5 minutes exposure to direct sunlight

 Very good adhesion on steel, iron, aluminum and galvanized substrates

 Offers direct adhesion on the following plastic substrates: PU, ABS, PVC, PC and PS

 Ready to use – requires no activation or mixing

· Very easy to sand



PLASTIC FILLING PRIMER



∃ 400 ml

♠ 6 pcs

- Fast-drying plastic primer
- Excellent filling properties
- For use on PP-EPDM, ABS, PC, ABS-PC, PMMA, PA, PUR, PVC, GRP plastics
- Recoatable with 1K and 2K topcoats.





PLASTIC PRIMER

art. 26014

₫ 400 ml



SUITABLE FOR DIY

- High quality, fast drying plastic primer for treated and untreated surfaces of several types of plastic
- Very good adhesion to all plastic parts such as bumpers, tuning parts and mirror caps
- Re-sprayable with all lacquer systems
- Fast drying



THICK LAYER FILLER



- art. 26040
- art. 26041
- art. 26042
 - **₫** 400 ml
 - **6** pcs
- Used for leveling out superficial scratches and minor irregularities in sanded surfaces
- Excellent filling properties and coverage
- Wet-on-wet application possible
- Good adhesion to all metal surfaces
- Very smooth flow
- High coverage





RUST CONVERTER PRIMER 2 IN 1

art. 26060

400 ml



SUITABLE FOR DIY

- Rust is neutralised and chemically converted
- · Combats corrosion
- Suitable for the effective treatment and prevention of rust
- Offers long-term protection against corrosion and acts as a primer in one operation



MULTI-FILL PRIMER





∃ 400 ml

- For all metal surfaces and conventional plastics
- Filler and primer at the same time
- Short drying time
- Very good corrosion protection
- Excellent adhesion
- Recoat with water-and solventbased paints as well as 1K and 2K topcoats



ISOLATOR PRIMER







art. 26723



6 pcs

- Quick drying
- Good adherence
- Easy to apply
- Improves adhesion for the top-coat
- Prevents old paint layers that are sensitive to solvents from reacting with a new paint

Warning! DO NOT DEGREASE the surface after applying the Isolator primer, as this is a 1 K, solvable product, the primer can be removed with a degreaser



ALUMINUM PRIMER





art. 26724

400 ml

n 6 pcs

- Fast-drying primer
- Excellent filling properties
- For use on aluminum and iron surfaces, galvanized sheet, copper and brass
- Recogtable with 1K and 2K topcoats.





SPRAY PUTTY



400 ml

♠ 6 pcs

- · High quality, fast drying filler for filling small irregularities in wooden metal and aluminium treated and untreated surfaces
- · Corrosion preventive
- · High coverage
- Fast drying



ENGINE PAINT



art. 26603



E 400 ml

伶 6 pcs

- Special heat-resistant silicone-based paint for the decoration and protection of engines
- · Very good adhesion
- Protects against moisture and dirt
- Also suitable for all other surfaces exposed to heat.



ZINC SPRAY UP TO 600 °C

art. 26711

킠 400 ml

6 pcs

- Cathodic corrosion protection for all blank metals
- Resistant against all forms of corrosion
- Heat resistant up to 600 °C
- Ideal for all outdoor metal constructions which are at a high risk from rust and corrosion



HEAT RESISTANT PAINT 650 °C

art. 26601

art. 26602

3 400 ml

♠ 6 pcs

SUITABLE FOR DIY

- High quality lacquer for treated and untreated surfaces which are subjected to very high temperatures
- Resistant to petrol, chemicals and weather influences
- · Excellent adhesion
- Temperature resistant up to 650 °C
- · High coverage and fast drying





ZINC-ALU SPRAY UP TO 300 °C

art. 26722

∃ 400 ml

6 pcs

- Coatable with air-drying acrylic, nitro-combi and synthetic lacquers
- Good flow
- · Rust-protection
- Heat-resistant up to 300 °C
- Resistant to temperature changes



PAINT FOR PLASTIC AND BUMPER

art. 26314

art. 26334

∃ 400 ml

6 pcs

- High quality, fast drying plastic paint for treated and untreated surfaces of different plastic types
- Applied directly to the plastic without previous priming
- Scratch resistance and shock proof
- · Lasting colour and lasting gloss
- Excellent coverage



STRUCTURE PAINT

NEW ARTICLES

- art. 26340
- 🔸 🦱 art. 26343
- **3** 500 ml
- + 🌑 art. 26344
 - **૩** 400 ml
- **6** pcs

- Structural reproduction of damaged plastics and plastic parts
- · Simple, time-saving application
- · Should be overcoated
- Suitable for exterior plastic car parts e.g. door frames, mirrors, tuning parts and bumpers as well as interiors e.g. dashboard, centre console, door panels and boot lining



UNDERBODY PROTECTION PREMIUM

- art. 38015
- art. 38025
- art. 38035
- **3** 500 ml
- 6 pcs
- (SUITABLE FOR DIY)

- Premium quality
- Excellent coverage
- Extra strong structure, underbody coating surface
- Over sprayable with all lacquer systems
- Very good adhesion
- Resistant to weak acids, bases and salt





UNDERBODY PROTECTION

- art. 37014
- **art. 37024**
- **art. 37034**
- **3** 500 ml
- **6** pcs

SUITABLE FOR DIY

- Used for the protection of body sills, doors, wheel housing and other car body elements
- Protects against vibrations, sand, gravel, moister and salt
- Forms an elastic coating
- Easy to apply
- · Contains anti-corrosive additives
- Possesses sound-insulating qualities



BITUMEN

- art. 37100
- **3** 500 ml
- **6** pcs

- High quality protective material for the underside of vehicles
- Remains flexible
- Excellent adhesion
- Resistant to weak acids, bases and weather influences
- Excellent corrosion prevention
- Sound-absorbing



PAINT FOR FABRICS & CARPETS



- art. 26802
- art. 26812
- **3** 400 ml
- **6** pcs

SUITABLE FOR DIY

- · High-quality acrylic coat
- · Simple spray application
- Easy restoration of worn out spots on textile car mats, carpets and convertible roofs
- · Hides stains and worn out spots



BRAKE CALIPER PAINT



- art. 26611
- art. 26612
- **3** 400 ml
- **6** 6 pcs

(SUITABLE FOR DIY)

- High-grade acrylic quality
- Quick-drying
- Durable gloss Weather-resistant
- Hard surface, good elasticity
- Excellent adhesion
- Temperature-resistant: up to 80°C
- Very good coverage





LEATHER PAINT



- **art. 26801**
- art. 26808
- + art. 26809
 - **૩** 400 ml
 - **6** pcs
 - SUITABLE FOR DIY

- For real- and artificial leather (Vinyl)
- · Abrasion-resistant and elastic
- Excellent adhesion
- Fast drying
- Easy and safe application



BASIC AEROSOLS



- art. 26104 wheelpaint
- art. 26204
- art. 26205 🛱 6 pcs
- (art. 26206
- art. 26214
- art. 26406 clear coat matt
- @ art. 26404 clear coat
- art. 26414

- Used for quality spot repair

 3 500 ml
 Constant to a high
 - Guarantees highgrade adhesion to metals and plastics
 - · Easy to apply
 - Fast drying
 - Easy treatment
 - Professional result

PROFESSIONAL AEROSOLS



CONTROL GUIDE COAT

art. 26051

3 500 ml

6 pcs

- High quality black control lacquer as aid for sanding
- Easy to use
- Fast drying



TRANSPARENT PAINT FOR GLASS & PLASTIC



art. 26350

art. 26351

૩ 400 ml

6 pcs

SUITABLE FOR DIY

- High-grade synthetic quality
- Transparent; the structure of the ground remains visible after coating
- Weather-resistant
- Durable gloss
- Very good colour retention (lightproof, non-yellowing)
- Scratch-, shock- and impactresistant





SPOT BLENDER

art. 26504

3 400 ml

6 6 pcs

- High quality mixture of solvents to level the transition at spot repairs
- Results in a smooth transition between the old and the new lacquer
- · Instantly visible result
- · Directed jet spray







૩ 200 ml

- Headlight restoration of professional level
- Very high resistance to chemicals
- Excellent UV protection
- Seals and protects the plastic surface against weathering and yellowing
- Extremely abrasion- and scratch-resistant





CONTACT **ADHESIVE SPRAY**



art. 26803

3 500 ml

♠ 6 pcs

SUITABLE FOR DIY

CHAMALEON

HOHLRAUM

- Transparent contact adhesive based on synthetic rubber
- · Suitable for vertical and horizontal bonding of various surfaces
- Can be used in car refinishing, household repairs, furniture restoration and applied arts
- Easy and quick to apply
- The spray rate can be controlled with an adjustable valve
- Jet spray ca. 10 cm wide



SILICONE REMOVER

art. 26070

1 500 ml

6 pcs

SUITABLE FOR DIY

- Simple comfortable application
- · Thorough removal of silicone, grease, oil, wax, dirt, tar, adhesive residues etc.
- · Mild, non-aggressive solvent
- · Improves adhesion of subsequent coatings
- Extremely time savina
- Desalination function



HOLLOW SECTION WAX art. 26740

500 ml

們 6 pcs

- · Long term protection
- Easy to use due to extended spray nozzle
- Excellent adhesion
- Good coverage
- · Resistant to brine, weak acids and bases



PAINT REMOVER

art. 26730

400 ml

M 6 pcs

- · Highly effective spray for removing old paint layers
- · Removes even the hardest paint layers
- Easy to apply
- · Sticks to vertical surfaces due to gel like consistency
- · Works on e.g. wood, stone, metal, bricks, glass, concrete and asphalt

PROFESSIONAL AEROSOLS



AIR CONDITION CLEANER



art. 49743

3 500 ml

12 pcs

- Effective cleaning foam
- Optimizes the functioning of the air-conditioning
- Subtle scent
- Prevents malfunction



COCKPIT CLEAN & PROTECT



art. 49753

art. 49754

3 500 ml

6 pcs

- Silicone-free
- Excellent cleansing properties
- · Lasting silky gloss
- Antistatic
- Dirt repellent



AIR CON REFRESHER







૩ 150 ml

12 pcs

- Quickly and effectively eliminates unpleasant odours in the ventilation and air-conditioning system of the vehicle
- Can be used without removal of air filters or disassembly of the air conditioning system
- Leaves a fresh lavender or lemon scent



LEATHER CLEANER & CONDITIONER





3 500 ml

- Conditions and cleans leather and artificial leather
- · Reduces the adhesion of dirt
- User-friendly
- · Contains vaseline
- · Doesn't contain silicone





PRE-FILL STANDARD

art. 25001

275 ml

6 pcs

- The spray contains a combination of compressed gas (175 ml) and solvents (100 ml) for subsequent filling
- Can be filled with up to 100 ml of almost any solvent-based product (paint, primer, clear coat) using special equipment
- Ideal for spot repairs or car body paint
- Excellent spraying



PRE-FILL PREMIUM

PRODUCT

art. 25005

prefilled 300 ml +fillable with 100 ml

(f) 6 pcs



Pre-fill premium is a pre-filled can with propellant gases and solvent (300 ml) that can be filled with 1K solvent-based basecoats (100 ml) using special equipment

- · Ideal for spot repair or refinishing parts
- Simple, time-saving application
- Excellent atomisation
- Light blending
- Professional adjustable nozzle



PRE-FILL 2K TO 1K CONVERTER





∃ 300 ml

們 6 pcs

The converter converts 2K acrylic topcoat or HS topcoat into a 1K physically drying coat

- · High coverage
- Simple, time-saving application
- Excellent atomization
- Light blending



CHROME EFFECT



art. 26725

art. 26726

3 400 ml

- Metallic enamel paint based on special resins and nonleafing piaments
- · Gives extra-gloss for surfaces and objects that require a chrome-like finish
- · Fast drying, good coverage and good adhesion
- Reflecting effect
- Free from pigments made of heavy metals
- Resistant to UV



CHAMÄLEON GMBH

RUDOLF-DIESEL-STRAßE 8A 69115 HEIDELBERG, GERMANY

TEL.: +49-(0)6221/520440 **FAX:** +49-(0)6221/520449

E-MAIL: INFO@CHAMAELEON-PRODUKTION.DE

CHAMAELEON-PRODUKTION.DE



🚹 ChamaeleonGmbH 🔟 Chamaeleon_gmbh 🔃 Chamäleon GmbH







