


THE NOMAD SPIRIT





We are all nomads at heart, driven by the desire to travel, to enjoy new experiences, discover new places or the sense of freedom provided by an evening on the beach or the silence of the mountains.


And you are not alone, because at SNOVIT we feel exactly the same, which is why we have spent more than 35 years providing high quality accessories enabling you to enjoy your nomad spirit, including our new roof bars/racks, which are easy to mount and perfect for transporting everything you need.




CONTENTS

PASSENGER CARS


Standard roof
(Top)




Roof with anchorage points
(Fix point)




Roof with railing
(Rail)



Roof with integrated railing
(Flush rail)



Roof with anchorage points
(Specially designed for vans)



CITY RANGE

CITY TOP



CITY POINT



CITY RAIL



CITY FLUSH



CITY CARGO



TRAVELER RANGE

TRAVELER TOP



TRAVELER POINT



TRAVELER RAIL



TRAVELER FLUSH




TRAVELER CARGO



COMMERCIAL VEHICLES EXPERT RANGE

Roof with anchorage points
Roof with rain gutter rail



EXPERT BAR



EXPERT BAR PLUS



EXPERT RACK



ROOF BOXES NOMAD RANGE

NOMAD 320



NOMAD 400



NOMAD 480





CITY

The perfect range for nomads who occasionally use roof racks and are looking for a durable, quality product at an affordable price.





CITY TOP

MEASUREMENTS (CM.)	110	120	130	140
REF.	312071	312072	312073	312074




Classic luggage rack for vehicles with a standard roof, manufactured with galvanized steel tubes and a highly resistant polymer covering.

Easy to mount thanks to the new compression tensor bar system.

Includes feet manufactured in highly UV resistant polyamide with a tilting system* which perfectly adapts to most vehicles.

Durable and affordable system specially recommended for shorter journeys and occasional loads.

MAXIMUM LOAD	80 Kgs.
CROSS SECTION	30x20 mm.
BAR THICKNESS	1,5 mm.
ADAPTOR (depending on the vehicle)	TOP (Ref. 310001 to 310399)
LOCK	Optional (Ref. 390003)
USE	Normal roofs



* Tilting feet for perfect mounting.



CITY POINT

MEASUREMENTS (CM.)	110	120	130	140
REF.	311011	311012	311013	311014




Classic luggage rack for vehicles with a fix point system, manufactured with galvanized steel tubes and a highly resistant polymer covering.

Includes feet manufactured from 2mm thick steel and finished with polyester paint and highly UV resistant polyamide covering.

Durable and affordable system specially recommended for shorter journeys and occasional loads.

MAXIMUM LOAD	50 Kgs.
CROSS SECTION	30x20 mm.
BAR THICKNESS	1,5 mm.
ADAPTOR (depending on the vehicle)	POINT (Ref. 310401 to 310799)
LOCK	Optional (Ref. 390001)
USE	Roofs with anchorage points





CITY RAIL

MEASUREMENTS (CM.) | 110 | 120
REF. | 313001 | 313002




Classic luggage rack for vehicles with a railing system, manufactured with galvanized steel tubes and a hard-wearing polymer covering.

Durable and affordable system specially recommended for shorter journeys and occasional loads.



MAXIMUM LOAD	50 Kgs.
CROSS SECTION	30x20 mm.
BAR THICKNESS	1,5 mm.
ADAPTOR	Does not require adaptor
LOCK	Not available
USE	Roofs with railing





CITY FLUSH

MEASUREMENTS (CM.) | **110** | **130**
REF. | 315011 | 315012




Classic luggage rack for vehicles with integrated railing (Flush Rail), manufactured with 1.5mm thick galvanized steel rounded tubes and a high resistance polymer covering.

Includes feet manufactured from highly UV resistant polyamide with a fixation system which does not require an adaptor.



MAXIMUM LOAD	50 Kgs.
CROSS SECTION	40x20 mm.
BAR THICKNESS	1,5 mm.
ADAPTOR	Does not require adaptor
LOCK	Included
USE	Roofs with integrated railing





CITY CARGO

MEASUREMENTS (CM.) | 110 | 120

COMPLETE SPECIAL KIT
BAR + ADAPTOR

Long lasting and affordable system with square cross-section galvanized steel bars with a high resistance PVC covering to guarantee durability.

Includes feet manufactured from 2mm thick steel and finished with polyester paint and highly UV resistant polyamide protective covering plus adaptors.

Recommended for small vans thanks to its combination of high quality at an affordable price.

CITROEN: C15 / Berlingo I / Berlingo II / Nemo / Jumpy I

DACIA: Dokker / Dokker Van

FIAT: Doblo I / Fiorino III / Scudo I

FORD: Connect I / Connect II /

MERCEDES: Citan

NISSAN: Kubistar / NV200


OPEL: Combo B

PEUGEOT: Bipper / Expert I / Partner I / Partner II

RENAULT: Express / Kangoo I / Kangoo II

VOLKSWAGEN: Caddy III / Caddy IV / Caddy Maxi IV

MAXIMUM LOAD	50 Kgs.
CROSS SECTION	30x20 mm.
BAR THICKNESS	1,5 mm.
ADAPTOR	Included (specially designed for vans)
LOCK	Optional (Ref. 390001)
USE	Roofs with anchorage points





TRAVELER

The perfect range for the most demanding nomads. Premium quality bars for guaranteed resistance and durability.





TRAVELER TOP

MEASUREMENTS (CM.)	110	120	130	140
REF.	312081	312082	312083	312084



* Tilting feet for perfect mounting.

Luggage racks for vehicles with a standard roof, with an aerodynamic profile manufactured from anodized aluminium which guarantee high resistance and durability.


Easy to mount thanks to the new integrated tension bar system.

Includes feet manufactured from highly UV resistant polyamide with a tilting system* to adapt perfectly to the specific vehicle.

Equipped with an upper groove allowing the insertion of attachment accessories.

Premium quality racks specially recommended for intensive use.

MAXIMUM LOAD	80 Kgs.
CROSS SECTION	55x30 mm.
BAR THICKNESS	1,5 mm.
ADAPTOR (depending on the vehicle)	TOP (Ref. 310001 to 310399)
LOCK	Included
USE	Standard roofs





TRAVELER POINT

MEASUREMENTS (CM.)	110	120	130
REF.	312021	312022	312023




Classic luggage racks for vehicles with a fix point system, with an anodized aluminium aerodynamic profile which guarantees high resistance and durability.

Includes feet manufactured in high UV resistance polyamide.

Equipped with an upper groove allowing the insertion of attachment accessories.

Premium quality racks specially recommended for intensive use.

MAXIMUM LOAD	80 Kgs.
CROSS SECTION	55x30 mm.
BAR THICKNESS	1,5 mm.
ADAPTOR (depending on the vehicle)	POINT (Ref. 310401 to 310799)
LOCK	Included
USE	Roofs with anchorage points





TRAVELER RAIL

MEASUREMENTS (CM.) | 110 | 130
REF. | 313081 | 313083




Luggage racks for vehicles with railing, manufactured with an anodized aluminium aerodynamic profile which guarantee high resistance and durability.

Includes feet manufactured from highly UV resistant polyamide with an attachment system which does not require an adaptor.

Equipped with an upper groove allowing the insertion of attachment accessories.

Premium quality racks specially recommended for intensive use.

MAXIMUM LOAD	75 Kgs.
CROSS SECTION	55x30 mm.
BAR THICKNESS	1,5 mm.
ADAPTOR	Does not require adaptor
LOCK	Included
USE	Roofs with railing





TRAVELER FLUSH

MEASUREMENTS (CM.) | 110 | 130
REF. | 315021 | 315022




Luggage rack for vehicles with integrated railing (Flush rail), with an aerodynamic profile manufactured from 1.5mm thick anodized aluminium which guarantees resistance and durability.

Includes feet manufactured from highly UV resistant polyamide with an attachment system which does not require an adaptor.

Rack with an upper groove allowing the insertion of attachment accessories.

Premium quality racks specially recommended for intensive use.

MAXIMUM LOAD	80 Kgs.
CROSS SECTION	60x30 mm.
BAR THICKNESS	1,5 mm.
ADAPTOR	Does not require adaptor
LOCK	Included
USE	Roofs with integrated railing





TRAVELER CARGO

MEASUREMENTS (CM.) | 110 | 120 | 130

COMPLETE SPECIAL KIT
BAR + ADAPTOR



Anodized aluminum bars with a 1.5 mm thickness and reinforced structure that guarantees maximum strength and durability.

With longitudinal slot that allows the insertion of fastening accessories, making it easier to transport any items.

Top-quality bars with long-lasting durability, especially recommended for heavy-duty use.

CITROEN: C15 / Berlingo I / Berlingo II / Nemo / Jumpy I

DACIA: Dokker / Dokker Van

FIAT: Doblo I / Fiorino III / Scudo I

FORD: Connect I / Connect II /

MERCEDES: Citan

NISSAN: Kubistar / NV200

OPEL: Combo B


PEUGEOT: Bipper / Expert I / Partner I / Partner II

RENAULT: Express / Kangoo I / Kangoo II

VOLKSWAGEN: Caddy III / Caddy IV / Caddy Maxi IV



MAXIMUM LOAD	50 Kgs.
CROSS SECTION	30x20 mm.
BAR THICKNESS	1,5 mm.
ADAPTOR	Included (specially designed for vans)
LOCK	Included
USE	Roofs with anchorage points





EXPERT

The range designed for professional use. Manufactured using high resistance materials which guarantee its durability in the most extreme conditions.





EXPERT BAR

MEASUREMENTS (CM.)	110	125	135	145	155	165	175	185
REF.	322102 (2)	322202 (2) 322203 (3)	322302 (2) 322303 (3)	322402 (2) 322403 (3)	322502 (2) 322503 (3)	322602 (2) 322603 (3) 322604 (4)	322702 (2) 322703 (3) 322704 (4)	322803 (3)

(2): 2 BARS
(3): 3 BARS
(4): 4 BARS




Luggage rack manufactured from 1.5 mm thick galvanized Steel with high resistance polymer covering.

35 mm surface area with ribbed covering to improve load surface and grip for the transported elements.

Highly resistant and affordably priced system specially recommended for intensive use.

MAXIMUM LOAD	200 Kgs.
CROSS SECTION	35x35 mm.
BAR THICKNESS	1,5 mm.
ADAPTOR	BLOCK (Ref. 321001 to 321999) Anchorage points FEET (Ref. 320001 to 320999) Rain gutter
LOCK	Not available
USE	Roofs with anchorage points and rain gutter rails





EXPERT BAR PLUS

MEASUREMENTS (CM.)	110	125	135	145	155	165	175	185
REF.	322902 (2)	322922 (2) 322923 (3)	322932 (2) 322933 (3)	322942 (2) 322943 (3)	322952 (2) 322953 (3)	322962 (2) 322963 (3) 322964 (4)	322972 (2) 322973 (3) 322974 (4)	322982 (3)

(2): 2 BARS
(3): 3 BARS
(4): 4 BARS




2 mm thick anodized aluminium rack with a reinforced structure to guarantee maximum resistance and durability.

Equipped with two lengthwise grooves to allow the insertion of attachment accessories to facilitate the transport of all types of load.

High quality long-lasting racks specially recommended for intensive use in extreme conditions.

MAXIMUM LOAD	200 Kgs.
CROSS SECTION	35x35 mm.
BAR THICKNESS	2 mm.
ADAPTOR	BLOCK (Ref. 321001 to 321999) Anchorage points FEET (Ref. 320001 to 320999) Rain gutter
LOCK	Not available
USE	Roofs with anchorage points and rain gutter rails





EXPERT RACK

MEASUREMENTS DEPENDING
ON THE VEHICLE




Professional luggage rack manufactured using 2 mm cross section galvanized steel.

With lateral safety guard rails to prevent movement and help secure the baggage, which can be dismantled to facilitate loading.

Equipped with an aerodynamic spoiler to reduce air friction and noise while driving.

MAXIMUM LOAD	200 Kgs.
CROSS SECTION	20x20 mm.
BAR THICKNESS	2 mm.
ADAPTOR	BLOCK (Ref. 321001 to 321999) Anchorage points FEET (Ref. 320001 to 320999) Rain gutter
LOCK	Not available
USE	Roofs with anchorage points and rain gutter rails





NOMAD


Affordable, durable, and designed to make you look twice. Roof boxes made for those who seek quality and value efficient design. Whether for a weekend getaway or an epic journey.





NOMAD 320

CAPACITY | 320 L
REF. | 330001



Auto-lock opening
Quick closure with manual release



Odor-
proof



Does not
retain moisture



Carbon fiber
textured finish



Front safety
lock



Aluminium
closure system

The NOMAD 320 is the perfect compact-sized roof box for small cars or light trips. It combines versatility and style with a carbon fiber texture finish that enhances its design.

Its aerodynamic profile is designed to reduce fuel consumption, allowing you to travel more miles with less expense. Additionally, its auto-lock opening system makes access easy, while the side opening with a metal lock ensures the protection of your luggage.




CAPACITY (Volume)	320 L
CAPACITY (Weight)	55 Kg
MEASUREMENT	1330 x 778 x 345 mm.
MAXIMUM BAR WIDTH	80 mm.
MATERIAL	Polypropylene



NOMAD 400

CAPACITY | 400 L
REF. | 330002



Auto-lock opening
Quick closure with manual release



Odor-proof



Does not retain moisture



Carbon fiber
textured finish



Front safety
lock



Aluminium
closure system

The NOMAD 400 is a roof box designed for medium-sized vehicles, ideal for trips that require additional space. Its carbon fiber texture finish sets it apart from other models on the market, combining elegant design with functionality. It is resistant to moisture and odor retention, ensuring that the contents remain in optimal condition.

Its aerodynamic design helps reduce fuel consumption. Additionally, it features an auto-lock opening system for ease of use, along with a side opening equipped with a metal security lock to ensure the protection of your luggage.




CAPACITY (Volume)	400 L
CAPACITY (Weight)	75 Kg
MEASUREMENT	1690 x 790 x 375 mm.
MAXIMUM BAR WIDTH	80 mm.
MATERIAL	Polypropylene



NOMAD 480

CAPACITY | 480 L
REF. | 330003



Auto-lock opening
Quick closure with manual release



Odor-
proof



Does not
retain moisture



Carbon fiber
textured finish



Front safety
lock



Aluminium
closure system



The NOMAD 480 is the largest roof box in the series, specifically designed for medium and large vehicles, offering an ideal solution for trips that require transporting a considerable amount of luggage. Its carbon fiber texture finish not only gives it an elegant appearance but also sets it apart from other models on the market. It is built to be resistant to moisture and odor retention, keeping the contents in perfect condition throughout the journey.

An optimized aerodynamic design reduces fuel consumption, even when fully loaded. This model includes an auto-lock opening system for easy handling and features a side opening with a metal lock that ensures the security of your luggage at all times.

CAPACITY (Volume)	480 L
CAPACITY (Weight)	75 Kg
MEASUREMENT	2005 x 790 x 380 mm.
MAXIMUM BAR WIDTH	80 mm.
MATERIAL	Polypropylene







COMERCIAL JOPE S.L | Polígono Industrial de Egüés, Calle Z, nº 25 | 31486 EGÜÉS | NAVARRA | SPAIN
Tel. (+34) **948 331 313** | e-mail: info@snovit.eu | www.snovit.eu

