



Focusing on Enhanced Performance

Lubricants | Greases



ADVANCED
GERMAN
TECHNOLOGY

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018



**SUPERIOR
PERFORMANCE**
*UNE PERFORMANCE
SUPÉRIEURE*



**OUTSTANDING
PROTECTION**
*PROTECTION
EXCEPTIONNELLE*

POWER IN EVERY DROP



BRIEF PROFILE

Kenzol Multi Industries FZC is a leading lubricant and grease manufacturing company under license from its headquarters in France, and has been established as part of a group of companies with over two decades of trading experience in the lube oil industry. We operate under the core values of quality, reliability, innovation, and performance, with a customer-centric approach. In addition to our own products, we can also provide customized lubricant solutions to our customers based on their specific needs. Our state-of-the-art manufacturing facility is equipped with the best facilities, machinery, and technology that enables us to deliver lubricants with the highest standards in performance and efficiency, and further helps us in exceeding our customer's expectations. Our highly qualified and experienced engineers have developed high quality and cost effective successful formulations, and continue to innovate to meet the evolving demands of the automotive, marine, industrial, and specialty sectors.



MISSION

We dedicate ourselves to supplying high quality lubricant solutions that provide enhanced performance through constant innovation and continuous improvement.



STORAGE CAPACITY

Our storage terminal has a base oil and additives storage capacity of over 10,000 MT to ensure stability during volatile times of sudden price fluctuations. This helps us in supporting our distributors and consumers in the best way possible.



VISION

Kenzol will lead the way to the future of energy with a firm commitment to quality, innovation and environment friendly practices.



PRODUCTION CAPACITY

We have a state-of-the-art filling machinery and blending system with a total combined capacity of blending and filling upto 80,000 MT per annum. Our advanced lines of small-pack machinery and bulk filling machineries are capable of providing an output of over 200MT per day. The highest standards of production and manufacturing are implemented, with special emphasis also on the occupational health and safety systems for our employees.



MAJOR PRODUCTS

- GASOLINE ENGINE OILS
- DIESEL ENGINE OILS
- GEAR OILS
- HYDRAULIC OILS
- TRANSMISSION FLUIDS
- BRAKE FLUIDS
- MARINE ENGINE OILS
- SPECIALTY OILS
- GREASES
- BASE OILS
- ADDITIVES & POLYMERS





WORLDWIDE PRESENCE





MANUFACTURING SETUP





FULLY SYNTHETIC ENGINE OILS

Ultimate Performance & Unmatched Engine Protection

KENZOL SYN-X is an ultra-modern fully synthetic and low frictional engine oil engineered for all types of modern engines. It is recommended as an all season oil in high-performance gasoline and direct injection diesel engines including turbo charged and high forced sport car engines. It is also flexible on multi-fuel usage -Petrol / CNG / Ethanol / LPG and capable of long oil drain intervals.

SAE Grades : 5W20, 5W30, 5W40, 10W30, 10W40 **API Grades :** SN **Packaging :** 1, 4, 5, 20 LTR



SEMI-SYNTHETIC GASOLINE ENGINE OILS

Superior Engine Protection & Performance

KENZOL ULTRA is a new generation semi-synthetic multi-grade automotive oil based on a revolutionary concept that meets / exceeds today's major engines performance requirements. Our high-quality base stock is blended with technologically advanced additives which gives an exceptional performance and outstanding protection to the engine in the most severe operating conditions. This also results in excellent resistance to oxidation, wear, and corrosion.

SAE Grades : 10W40, 15W40, 20W50 **API Grades :** SM/CF **Packaging :** 1, 4, 5, 20 LTR





MONO-GRADE GASOLINE ENGINE OILS

High Performance Engine oil

KENZOL DUCA is a premium quality mono-grade engine oil, formulated with high-quality refined base oils and performance additives to meet the lubricating requirements of gasoline and diesel engines operating under moderate to heavy load conditions. It can be used for naturally aspirated or turbo charged vehicles.

SAE Grades : 30, 40, 50 **API Grades :** SF/CD **Packaging :** 1, 4, 5, 20 LTR



MUTI-GRADE GASOLINE ENGINE OILS

High Performance Engine oil

KENZOL POWER is a high-performance multi-grade engine oil for gasoline and diesel engines. It is blended with highly refined mineral base stocks and modern additive technology to meet and exceed the lubrication requirements of naturally-aspirated and turbo charged engines.

SAE Grades : 15W40, 20W50 **API Grades :** SL/CF / **Packaging :** 1, 4, 5, 20 LTR



2-STROKE ENGINE OILS

Pre Mix Racing Formula

KENZOL 2T OIL is a premium quality 2-stroke engine oil formulated for high-performance motorcycles with engines equipped with oil injection system or in gasoline oil mixtures as per manufacturers recommended ratio (typically around 2%). It is suitable for use with unleaded gasoline also. KENZOL 2T oil is blended using high-quality mineral base oils with a combination of latest low ash additive technology and synthetic components resulting in maximum performance.



4-STROKE ENGINE OILS

Ultimate Performance For Extreme Riding

KENZOL X-TREME 4T OIL is formulated with high viscosity index base oils and enriched with the latest additive technology, specially developed for new generation 4-Stroke gasoline engines in high-performance motorcycles of all leading manufacturers. X-TREME 4T guarantees the best performance in lubrication and oxidation stability under any condition.



SEMI-SYNTHETIC DIESEL ENGINE OILS

Superior Engine Protection & Performance

KENZOL TURBO-X1 is a semi-synthetic engine oil engineered for modern high performance diesel engines. TURBO X1 is enriched with an advanced additive technology to provide maximum protection against sludge and ash deposits. It meets and exceeds API's CF, CH-4 and CI-4 standards for on-road and off-road applications. TURBO X1 is specially formulated to suit modern common rail turbo direct injection (CRDI) diesel engine in SUV's and commercial utility pickup trucks. It is suitable for all turbo-charged engines operating under severe conditions in all climates. TURBO X1 has an exceptional thermal stability at high temperatures and provides outstanding lubrication at all temperature levels.

SAE Grades : 10W40, 15W40, 20W50 **API Grades :** CJ-4/SM **Packaging :** 1, 4, 5, 20 LTR)



MONO-GRADE DIESEL ENGINE OILS

High Performance Engine oil

KENZOL TURBO-HD is a heavy duty mono-grade diesel engine oil designed for heavy-duty on-road and off-road turbo-charged or naturally-aspirated diesel engines operating under high load conditions. It is formulated with high viscosity index base stock and superior quality additives. TURBO HD is suitable for many heavy-duty engines and it meets all the current industry standard requirements of major engine makers recommending mono grade SAE-50 and API grades up to CF.

SAE Grades : 40, 50 **API Grades :** CF/SF **Packaging :** 1, 4, 5, 20 LTR



MUTI-GRADE DIESEL ENGINE OILS

High Performance Engine oil

KENZOL TURBO X2 is a premium commercial multi-purpose diesel engine oil blended with high-quality mineral base stocks and the latest additive technology to meet the lubrication requirements of high-performance engines running on gasoline, diesel, and LPG, operating under severe conditions. It has exceptional thermal stability at high temperatures and outstanding lubrication at all temperatures.

SAE Grades : 15W40, 20W50 **API Grades :** CI-4/SL **Packaging :** 1, 4, 5, 20 LTR





GEAR OILS

KENZOL Gear Oils are produced with high quality base oils blended with EP, antioxidant, anticorrosion, and anti-wear additives and are designed for the utilization of differential, gear box and hypoid gears under heavy duty conditions. It meets and exceeds the requirements of cars, vans and various commercial vehicle manufacturers.

SAE Grades : 85 W 90 **API Grades :** GL-5 **Packaging :** 1, 4, 5, 20 LTR



HYDRAULIC OILS

KENZOL HYDREX are high quality anti-wear type, antirust oils blended to operate under wide temperature variations and viscosity range encountered in modern hydraulic systems. These oils are made from high viscosity index paraffinic base oils fortified with anti-wear, anti-rust, anti-oxidant & stress-stabilizers, making them perfect for lubrication of all high pressure high speed equipments, piston/gear-type hydraulic pumps & construction equipment under the most severe conditions.

ISO Grades: 22, 32, 46, 68 **Packaging :** 1, 4, 5, 20 LTR



AUTOMATIC TRANSMISSION FLUIDS (ATF)

KENZOL TRANSMAX ATF's are designed for use in all passenger cars and commercial vehicles equipped with automatic transmission and hydraulic system where Type-A is recommended. It provides excellent oxidation and friction stability, anti-wear properties, and low-temperature fluidity desired for most automatic transmissions requiring Type-A fluid.

TYPE A, DEXRON II, DEXRON III Packaging :1, 4, 5, 20 LTR



BRAKE FLUIDS

KENZOL Brake Fluids are high quality synthetic brake and clutch fluids conforming to their required specifications, and are based on polyglycol type fluids which is a general standard used in worldwide automotive brake equipments. Fluidity is specially designed for the Anti-Lock Braking System (ABS). Provides excellent corrosion protection and is compatible with different rubber seals.



DOT-3, DOT-4 Packaging :250ML, 500ML, 208L




Packaging : 1, 4, 5, 20, 208 LTR

MARINE ENGINE OILS

Marine Oils are a premium quality mineral-based mono-grade engine oils, that offer prolonged oil change intervals in high-speed marine and power generation four-stroke turbo charged engines. They contain a properly selected package of detergent and dispersant additives as well as anti-oxidizing, anti-corrosion, anti-rust and anti-wear attributes.





ANTI-FREEZE COOLANTS

KENCOOL COOLANTS are a high quality, heavy duty fully formulated ethylene glycol engine coolant and are offered both in concentrate and premixed ready to use form. They are suitable for heavy applications without supplemental coolant additives during the initial fill. All climate all year round performance.

SAE Grades : 33%, 60%, 100%. **Packaging :** 1, 4, 5, 20 LTR)



SPECIALTY OILS

In addition to Coolants, we also have the ability to blend and supply Cutting Oils, Spindle Oils, Compressor Oils, Railroad Engine Oils, Turbine Oils, Thermic Oils and Industrial Oils of all grades and types in various packaging sizes as per the requirement. We can also supply Rock Drill Oils for mining operations.




GREASE



KENZOL GREASES are long-life, multi-purpose, lithium soap based greases blended with mineral oils and extreme pressure additives, resistant to wear, corrosion, oxidation and water wash-out. They are recommended for gear boxes, heavily loaded anti-friction and plain bearings on industrial and automotive equipments.

We can also supply specialized greases such as Mining HD Grease, Synthetic Grease, MOLY Lithium Grease, Complex Grease and Open Gear Greases for their relevant applications as per the client requirement

NLGI 1 - 5 Packaging : 0.5, 1, 3, 5, 15, 18, 180 KG





BASE OILS, ADDITIVES & POLYMERS

At Kenzol, we can supply the finest quality of highly refined base oils of Groups 1, 2 & 3 from the finest refineries. We can supply bulk quantities of SN 150, SN 500, N 150, N 500 as well as 4 cst, 6cst and 8 cst products. Moreover, we also supply a wide range of additive components, polymers and additive packages to manufacture the best quality lubricants and ensure all round protection of your engines. Our additives include Anti-foam agents, Antiwear agents, TBN booster, Dispersants, Pour Point Depressants, Hydraulic Oil additive, Gear Oil additive, ATF additive, Anti oxidants and complete additive packages, making us a one-stop shop for all your lubricant supply and finished product requirements.





QUALITY CONTROL

Our state-of-the-art oil analysis lab and team of qualified experts allows us to consistently innovative and deliver custom formulated products to each of our customers.

Kenzol Multi Industries FZC is an ISO 9001:2015 certified company. Our state-of-the-art oil analysis lab and team of qualified experts allows us to consistently innovative and deliver custom formulated products to each of our customers. Our lab performs all the necessary tests as per the ASTM standards for all incoming and outgoing materials. We retain retention samples for all our clients to ensure consistency in our product quality. We are also in the process of obtaining API approvals for our products which would be available in the near future.





CERTIFICATIONS

	<i>Certificate</i>
Client name and address: KENZOL MULTI INDUSTRIES FZC PLOT NO. PTC-19, PO BOX NO. 5388A, HAMRIYAH FREE ZONE SHARJAH-UAE	
Standard ISO 9001:2015	
Quality Management System	
Scope MANUFACTURING OF LUBRICANTS IMPORT, EXPORT AND TRADING OF PETROLEUM PRODUCTS, PETROCHEMICALS AND ADDITIVES BASE OIL, POLYMERS AND PACKAGING MATERIALS.	
Initial issue date: 23 May 2019 Issue date of this certificate: 21 May 2022 Validity of this certificate: 21 May 2025 Renewal/extension date: 20/26 May 2025 Certificate No: CMC0200002	
Abu Dhabi Bureau of Certification & Inspection (BCCI) is accredited by the United Kingdom Accreditation Service (UKAS) for the certification of Management Systems. To verify the validity of this certificate please visit www.bccicert.com or email us at info@bccicert.com Office: 110, Street 16, Sector 16, P.O. Box 1232, Jebel Ali, Dubai, UAE The validity of this certificate is based on the compliance of activities assessment.	

	<i>Certificate</i>
Client name and address: KENZOL MULTI INDUSTRIES FZC PLOT NO. PTC-19, PO BOX NO. 5388A, HAMRIYAH FREE ZONE SHARJAH-UAE	
Standard ISO 14001:2015	
Environmental Management System	
Scope MANUFACTURING OF LUBRICANTS IMPORT, EXPORT AND TRADING OF PETROLEUM PRODUCTS, PETROCHEMICALS AND ADDITIVES BASE OIL, POLYMERS AND PACKAGING MATERIALS.	
Initial issue date: 23 May 2019 Issue date of this certificate: 21 May 2022 Validity of this certificate: 21 May 2025 Renewal/extension date: 20/26 May 2025 Certificate No: CMC0200002	
Abu Dhabi Bureau of Certification & Inspection (BCCI) is accredited by the United Kingdom Accreditation Service (UKAS) for the certification of Environment. To verify the validity of this certificate please visit www.bccicert.com or email us at info@bccicert.com Office: 110, Street 16, Sector 16, P.O. Box 1232, Jebel Ali, Dubai, UAE The validity of this certificate is based on the compliance of activities assessment.	

	<i>Certificate</i>
Client name and address: KENZOL MULTI INDUSTRIES FZC PLOT NO. PTC-19, PO BOX NO. 5388A, HAMRIYAH FREE ZONE SHARJAH-UAE	
Standard ISO 45001:2018	
Occupational Health & Safety Management System	
Scope MANUFACTURING OF LUBRICANTS IMPORT, EXPORT AND TRADING OF PETROLEUM PRODUCTS, PETROCHEMICALS AND ADDITIVES BASE OIL, POLYMERS AND PACKAGING MATERIALS.	
Initial issue date: 23 May 2019 Issue date of this certificate: 21 May 2022 Validity of this certificate: 21 May 2025 Renewal/extension date: 20/26 May 2025 Certificate No: CMC0200002	
Abu Dhabi Bureau of Certification & Inspection (BCCI) is accredited by the United Kingdom Accreditation Service (UKAS) for the certification of Health and Safety. To verify the validity of this certificate please visit www.bccicert.com or email us at info@bccicert.com Office: 110, Street 16, Sector 16, P.O. Box 1232, Jebel Ali, Dubai, UAE The validity of this certificate is based on the compliance of activities assessment.	



TM

API & OEM APPROVALS



License No. 278


SCHEDULE A - LICENSE AGREEMENT

The details referred to in this document under the Agreement between API and KENZOL, SA S.A. (KENZOL) are as follows:
 may be used for up to 100,000 hours of use.

APPROVALS SUMMARY
 Licenses are authorized to operate on the following products:

BRAND NAME	API CATEGORY	API SERVICE	CLASSIFICATION
KENZOL TURBO-001	TURBO	SE-CC	TURBO
KENZOL TURBO-002	TURBO	CG-4	CG-4
KENZOL TURBO-003	TURBO	CG-4	CG-4
KENZOL POWER	POWER	DL	DL
KENZOL POWER	POWER	SL	SL
KENZOL ETR-00A	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00B	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00C	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00D	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00E	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00F	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00G	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00H	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00I	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00J	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00K	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00L	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00M	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL ETR-00N	ETRA	SP	Reciprocating Compressor, Reciprocating Compressor
KENZOL TURBO-07N	TURBO	CG-4	CG-4

Engine Oil Licensing and Certification System
 www.api.com
 For complete list of manufacturers, visit the API website at: www.api.com/eng-oil-licensing/




Volvo Truck Technology

STD 417-0002 approval


Company name: KENZOL, SA S.A. INDUSTRIES PSC
 Plant code: PAVS, 100-011 JMW 100-011-014
 Oil service: LSA VLSA
 Vehicle grade: LSA
 Volvo VCS approval: Yes
 Volvo VCS approval: Yes
 Volvo VCS approval: Yes

Approval date: May 8, 2023 Approval #: 417-0002-01002

Validity: Approval remains valid until the approval date.
 For approval extension, a complete and updated approval form must be submitted at the expiry date, electronically.

Approval: 

Disclaimer: This approval is solely based on information submitted by the applicant and no further other tests or tests to Volvo Trucks. Volvo Trucks is not responsible for ensuring that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



SAE® - SAE® is a Service to Automotives and Industry in the Lubricants sector
 SAE® is a Service to Automotives and Industry in the Lubricants sector

ELOMS LETTER OF CONFORMANCE

Confirmation of valid registration until 31/12/2023

Kenzo SA S.A. certifies that KENZOL, SA S.A. is registered until 31/12/2023 as "The Company", with address of **MAHARAJAN PASE ZONE PHASE 2, P.O. BOX 78, 9000 SIKHARAJ, SA** has paid the annual fee for the ELOMS Letter of Conformance program for the actual registration period ending at 31/12/2023.

By accepting the Letter of Conformance, regarding the Company information on the website and payment of the fee, the Company is entitled to claim ACEA specifications.

The company name is listed in the SAE® List of Participants in the ELOMS which will be made available by SAE® to any interested party and is contained on the SAE® website www.sae.org/elo.


Participation in the European Engine Lubricant Quality Management System (EELQMS) entails a commitment to develop and manufacture three engine lubricants for which compliance with ACEA Oil Specifications will be claimed, or to meet such engine lubricant production is demanded by the market. In accordance with the guidelines, described in the API® Code of Practice, as well as a commitment to ensure an independent audit of this development and manufacturing process.

The commitments referred to apply to the brands in the following list, owned or managed by The Company that makes ACEA claims: **Shell®**

SAE® assumes no responsibility for the implementation by the Company of its obligations, as defined in the Letter of Conformance, or for any damage that a breach thereof may cause to third parties.

SAE® can't be held responsible for any claims resulting from regulatory and non-regulatory of the entity. SAE® also declares any responsibility with regard to the internal audit procedures, which belongs to the domain of the relevant supplier.

Michael Sloyer
 SAE® Administrator



www.sae.org/elo



Focusing on Enhanced Performance
Lubricants | Greases

CONTACT US

KENZOL MULTI INDUSTRIES FZC.

T: +9716 5269115

E: INFO@KENZOLLUBES.COM

W: WWW.KENZOLLUBES.COM

CORPORATE OFFICE:

KOMCO FRANCE, 37,
RUE HENRY ALPY,
93140 BONDY, FRANCE

UAE OFFICE:

PLOT# PTC-19, PETROCHEMICALS ZONE,
HAMRIYAH FREE ZONE PHASE – 2,
P. O. BOX 53880, SHARJAH, U.A.E.



SCAN HERE TO CONNECT



American
Petroleum
Institute



ADVANCED
GERMAN
TECHNOLOGY