



MADE IN EU

MANUFACTURER
OF RATCHET STRAPS
AND WEBBING SLINGS

**EACH DAY
WE PRODUCE**

**14 DAYS
LEAD TIME**

**MORE THAN
2500
COMPLETE
PRODUCTS**

**WE EXPORT
TO 12 EUROPEAN
COUNTRIES**



HILLS



HILLS: MANUFACTURER OF CARGO SECUREMENT INCLUDING RATCHET STRAPS AND WEBBING SLINGS

MANUFACTURING
FACILITIES
ARE LOCATED
IN RACIBÓRZ
SOUTH OF POLAND



**14 DAYS
LEAD TIME**

IN HEART OF EUROPE

By maintaining optimal inventory levels we are able to fulfill majority of the orders within 14 days. Modern machines and efficient production helps us keep the lead time as quick as possible.



A FEW FACTS ABOUT OUR FACTORY



Top products from European Union made according to EU standards



High tech machines ensure the highest production quality



Modern manufacturing facilities with an area of over 5,000 square meters



In order to maintain quality, we perform regular tests in modern laboratory



Possibility to overprint logo or company name on ratchet strap or webbing sling belt



Most orders completed within 14 days



WE PRODUCE CARGO SECUREMENT FOR THE LARGEST TRANSPORT AND DISTRIBUTION COMPANIES.

We have gained the trust of not only Polish but also international customers. Each year, the share of exports in our sales increases.

Nothing stands in the way to start cooperation with Your company. Let's make a deal now!




THE ASSORTMENT CONSISTS OF SEVERAL HUNDRED ITEMS

OUR PRODUCTS ARE AVAILABLE IN LOTS OF VARIATIONS AND DIFFERENT CONFIGURATIONS DEPENDING ON CUSTOMERS NEEDS

PERMANENT AND LEGIBLE LABELING OF EACH PRODUCT

1 Stitching around the tag

2 The foil securing the tag



3 Legible label containing information about the product

Before first use read carefully tags which contains relevant information about usage.

HILLS ON THE BIGGEST EXHIBITIONS

We visit as exhibitor major industry fairs and take the opportunity to present our product portfolio.

automechanika
FRANKFURT

COMMERCIAL VEHICLE SHOW
NEC BIRMINGHAM

INTERNATIONALE EISENWARENMESSE KÖLN

ELMIA LASTBIL

REGULAR CHECKS FOR YOUR AND OTHERS SAFETY

For your and others personal safety, please remember to make an inspection before every single use. Never use straps or webbings knotted, stained, cut or frayed.



PRODUCT ACCORDING TO EU AND UK STANDARDS

Our products have been used on European roads for many years and have undergone lots of inspections by the road transport inspectors.

QUARANTEE OF SAFETY. PRODUCTS APPROVED BY TUV

For the last years our products been regularly tested by prominent institutions. Which is why, with pleasure we can offer You trusted and safety product. More information find on label.



IT ALL STARTS WITH HIGH TENACITY POLYESTER YARN

THE PRODUCTION OF RATCHET STRAPS
IS A MULTI-STAGE PROCESS AND THE VAST
MAJORITY OF THESE PROCESSES TAKE PLACE
IN OUR FACTORY.



1 WEAVING



Each day we weave more than 45 000
meters of webbings for ratchet straps
and lifting slings.

2 DYEING



Thanks to the investment in an automatic
continuous dyeing line we are able to dye
more than 40 000 meters of webbings
each day.

3 HOOKS PRODUCTION

Ability to produce double-J hooks
in our factory.



4 RATCHETS (ONGOING DUE 2023)

This expected and costly investment will
allow us to produce the ratchet buckle
for our products as early as 2023.




5 SEWING

CNC sewing units allow us to produce
up to 4000 complete ratchet straps
and 1000 webbing slings per day.




CREATE YOUR OWN PRODUCT

In our portfolio you will find standard products, but as a manufacturer, we give you the opportunity to configure your own product.



1 CHOOSE LASHING CAPACITY



3/4 TON
LC: 350 daN
WIDTH: 25 cm

1 TON
LC: 500 daN
WIDTH: 25 cm

2 TONS
LC: 1000 daN
WIDTH: 35 cm

3 TONS
LC: 1500 daN
WIDTH: 35 cm

4 TONS
LC: 2000 daN
WIDTH: 50 cm

5 TONS
LC: 2500 daN
WIDTH: 50 cm


2 CHOOSE WEBBING COLOR



ORANGE RED YELLOW BLUE GREEN BLACK PURPLE

Some colors have become the industry standard, but we have the ability to produce webbings in a different color.

There are different lashing capacities to choose from, for different applications. You should always think about cargo type you need to secure. Heavy loads require the most durable webbings.



3 CHOOSE LENGTH

We have the ability to manufacture webbing in any length.



4 CHOOSE HOOK TYPE



Code: H5TDH



Code: HT1604280H

Code: H9073H

Code: H90274H

Code: H000247

Code: HEBEH505TH

Code: HEBEH012H

Code: TSH5000H

Code: H9072H

Code: JL9117H

Code: H9030H

Code: H9025H

Code: H158L900H

The most popular hook is Double-J hook, however we understand that different cargo or different industry create specific needs. Which is why we offer a wide range of hooks.

5 SEND YOUR LOGO

As one of the few companies on the market we are giving you an opportunity to put your company logo on the blue label.



PRODUCT CATEGORY:

RATCHET STRAPS



HILLS

UP TO: 1 TON

LC=500 daN



LC=1000 daN



Large selection of hooks



We are able to make direct supply lengths you need



Maximum elongation



The highest quality synthetic material from our production



Production according to EN 12195-2



We can manufacture only color you like

STANDARD PRODUCT HOOKS:



DIFFERENT TYPES:



Code: H90274H




Code: H000247

0,7 TON
RUBBER HANDLE

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
0,7t2mR	2m	0,3m	1,7m
0,7t4mR	4m	0,3m	3,7m
0,7t6mR	6m	0,3m	5,7m
0,7t8mR	8m	0,3m	7,7m
0,7t10mR	10m	0,3m	9,7m
0,7t12mR	12m	0,3m	11,7m
0,7t14mR	14m	0,3m	13,7m




LC: 375 daN - SHF: 50 daN
LC: 750 daN - STF: 100 daN
- elongation: to 6% - belt width: 25 mm


STD
TYPE RUBBER HANDLE
0,7 TON
SMALL RATCHET

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
0,7t2mS	2m	0,3m	1,7m
0,7t4mS	4m	0,3m	3,7m
0,7t6mS	6m	0,3m	5,7m
0,7t8mS	8m	0,3m	7,7m
0,7t10mS	10m	0,3m	9,7m
0,7t12mS	12m	0,3m	11,7m
0,7t14mS	14m	0,3m	13,7m




LC: 375 daN - SHF: 50 daN
LC: 750 daN - STF: 100 daN
- elongation: to 6% - belt width: 25 mm


STD
TYPE SMALL RATCHET
1 TON
SMALL RATCHET

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
1t2mS	2m	0,3m	1,7m
1t4mS	4m	0,3m	3,7m
1t6mS	6m	0,3m	5,7m
1t8mS	8m	0,3m	7,7m
1t10mS	10m	0,3m	9,7m
1t12mS	12m	0,3m	11,7m
1t14mS	14m	0,3m	13,7m




LC: 375 daN - SHF: 50 daN
LC: 750 daN - STF: 100 daN
- elongation: to 6% - belt width: 25 mm


STD
TYPE SMALL RATCHET
1 TON
SMALL RATCHET
FOR BELTING

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
1t2mSB	2m
1t4mSB	4m
1t6mSB	6m
1t8mSB	8m
1t10mSB	10m
1t12mSB	12m
1t14mSB	14m




500 daN - LC: 500 daN - SHF: 50 daN
1000 daN - LC: 1000 daN - STF: 100 daN
- elongation: to 6% - belt width: 25 mm


STD
TYPE SMALL RATCHET
1 TON
STANDARD
FOR BELTING

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
1t2mB	2m
1t4mB	4m
1t6mB	6m
1t8mB	8m
1t10mB	10m
1t12mB	12m
1t14mB	14m




500 daN - LC: 500 daN - SHF: 50 daN
1000 daN - LC: 1000 daN - STF: 125 daN
- elongation: to 6% - belt width: 25 mm


STD
TYPE
1 TON
STANDARD

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
1t2m	2m	0,3m	1,7m
1t4m	4m	0,3m	3,7m
1t6m	6m	0,3m	5,7m
1t8m	8m	0,3m	7,7m
1t10m	10m	0,7m	9,7m
1t12m	12m	0,3m	11,7m
1t14m	14m	0,3m	13,7m



500 daN - LC: 500 daN - SHF: 50 daN
1000 daN - LC: 1000 daN - STF: 125 daN
- elongation: to 6% - belt width: 25 mm


STD
TYPE


HILS

2 TONSLC=1000 daN LC=2000 daN 

Large selection of hooks



We are able to make almost every length you need



Maximum elongation



The highest quality synthetic material from our production



Production according to EN 12195-2



We can manufacture any color you like

STANDARD PRODUCT HOOKS:



DIFFERENT TYPES:



Code: H90274H



Code: H000247



Code: HEBEH505TH



Code: H9025H

HILS

3 TONSLC=1500 daN LC=3000 daN 

Large selection of hooks



We are able to make almost every length you need



Maximum elongation



The highest quality synthetic material from our production



Production according to EN 12195-2



We can manufacture any color you like

STANDARD PRODUCT HOOKS:



DIFFERENT TYPES:



Code: H000247



Code: HEBEH505TH




Code: H9025H

2 TONS STANDARD

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
2t2m	2m	0,4m	1,6m
2t4m	4m	0,4m	3,6m
2t6m	6m	0,4m	5,6m
2t8m	8m	0,4m	7,6m
2t10m	10m	0,4m	9,6m
2t12m	12m	0,4m	11,6m
2t14m	14m	0,4m	13,6m




1000 daN LC  SHF: 50 daN
2000 daN LC  STP: 100 daN
- elongation: to 6% - belt width: 35 mm

**STD**
TYPE**2 TONS STANDARD FOR BELTING**

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
2t2mB	2m
2t4mB	4m
2t6mB	6m
2t8mB	8m
2t10mB	10m
2t12mB	12m
2t14mB	14m




1000 daN LC  SHF: 50 daN
2000 daN LC  STP: 100 daN
- elongation: to 6% - belt width: 35 mm

**STD**
TYPE**3 TONS STANDARD**

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
3t2m	2m	0,4m	1,6m
3t4m	4m	0,4m	3,6m
3t6m	6m	0,4m	5,6m
3t8m	8m	0,4m	7,6m
3t10m	10m	0,4m	9,6m
3t12m	12m	0,4m	11,6m
3t14m	14m	0,4m	13,6m




1500 daN LC  SHF: 50 daN
3000 daN LC  STP: 150 daN
- elongation: to 6% - belt width: 35 mm

**STD**
TYPE**3 TONS STANDARD FOR BELTING**

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
3t2mB	2m
3t4mB	4m
3t6mB	6m
3t8mB	8m
3t10mB	10m
3t12mB	12m
3t14mB	14m



1500 daN LC  SHF: 50 daN
3000 daN LC  STP: 150 daN
- elongation: to 6% - belt width: 35 mm

**STD**
TYPE

HILS

4 TONS

LC=2000 daN

LC=4000 daN

Large selection
of hooks.We are able to make
almost every length
you need.Maximum
elongationThe highest quality
synthetic material from
our production.Production according
to EN 12195-2We can manufacture
any color you like.

STANDARD PRODUCT HOOKS:



DIFFERENT TYPES:

Code:
HT1604280HCode:
HEBEH505THCode:
H9025HCode:
H000247Code:
H9030H

HILS

5 TONS

LC=2500 daN

LC=5000 daN

Large selection
of hooks.We are able to make
almost every length
you need.Maximum
elongationThe highest quality
synthetic material from
our production.Production according
to EN 12195-2We can manufacture
any color you like.

STANDARD PRODUCT HOOKS:




DIFFERENT TYPES:

Code:
HT1604280HCode:
HEBEH505THCode:
H9025HCode:
H000247Code:
H9030H**4 TONS
STANDARD**

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
4t2m	2m	0,5m	1,5m
4t4m	4m	0,5m	3,5m
4t6m	6m	0,5m	5,5m
4t8m	8m	0,5m	7,5m
4t10m	10m	0,5m	9,5m
4t12m	12m	0,5m	11,5m
4t14m	14m	0,5m	13,5m



LG


LC: 2000 daN LC: 4000 daN SHF: 50 daN
STF: 400 daN

- elongation: to 6% - belt width: 50 mm

**STD**
TYPE**4 TONS
STANDARD
FOR BELTING**

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
4t2mB	2m
4t4mB	4m
4t6mB	6m
4t8mB	8m
4t10mB	10m
4t12mB	12m
4t14mB	14m



LG


LC: 2000 daN LC: 4000 daN SHF: 50 daN
STF: 400 daN

- elongation: to 6% - belt width: 50 mm

**STD**
TYPE**5 TONS
STANDARD**

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
5t2m	2m	0,5m	1,5m
5t4m	4m	0,5m	3,5m
5t6m	6m	0,5m	5,5m
5t8m	8m	0,5m	7,5m
5t10m	10m	0,5m	9,5m
5t12m	12m	0,5m	11,5m
5t14m	14m	0,5m	13,5m



LG


LC: 2500 daN LC: 5000 daN SHF: 50 daN
STF: 440 daN

- elongation: to 6% - belt width: 50 mm

**STD**
TYPE**5 TONS
STANDARD
FOR BELTING**

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
5t2mB	2m
5t4mB	4m
5t6mB	6m
5t8mB	8m
5t10mB	10m
5t12mB	12m
5t14mB	14m



LG

LC: 2500 daN LC: 5000 daN SHF: 50 daN
STF: 440 daN

- elongation: to 6% - belt width: 50 mm

**STD**
TYPE



This STD type ratchet provides opportunities to fasten transported goods in very safety and confident way. This is the most popular product on the most of european markets.


STD TYPE RATCHET

THE MOST POPULAR PRODUCT IN EUROPEAN COUNTRIES



ERGO TYPE RATCHET

RECOMMENDED BY THE BIGGEST TRANSPORT COMPANIES IN EUROPE



Compare to STD ratchet ERGO type ratchet is more efficient. Longer handle gives more power. More ratchet teeth ensure much more effortless belt tension. Obviously the best conditions in this issue provide ERGO 2 ratchet. 45 cm long well made ratchet is the longest and the top product in our offer.





HILS

5 TONS ERGO

LC=2500 daN

LC=5000 daN



Large selection of hooks.



We are able to order almost every length you need.



Maximum elongation.



The highest quality synthetic material from our production.



Production according to EN 12195-2.



We can manufacture any color you like.

STANDARD PRODUCT HOOKS:



DIFFERENT TYPES:



Code: HT1604280H

Code: HEBEH505TH

Code: H9025H


Code: H000247

Code: H9030H

5 TONS ERGONOMIC

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
5t2mE	2m	0,5m	1,5m
5t4mE	4m	0,5m	3,5m
5t6mE	6m	0,5m	5,5m
5t8mE	8m	0,5m	7,5m
5t10mE	10m	0,5m	9,5m
5t12mE	12m	0,5m	11,5m
5t14mE	14m	0,5m	13,5m




ERGO
TYPE

5 TONS ERGONOMIC FOR BELTING

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
4t2mEB	2m
4t4mEB	4m
4t6mEB	6m
4t8mEB	8m
4t10mEB	10m
4t12mEB	12m
4t14mEB	14m




ERGO
TYPE

5 TONS ERGONOMIC 2

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
4t2mE2	2m	0,5m	1,5m
4t4mE2	4m	0,5m	3,5m
4t6mE2	6m	0,5m	5,5m
4t8mE2	8m	0,5m	7,5m
4t10mE2	10m	0,5m	9,5m
4t12mE2	12m	0,5m	11,5m
4t14mE2	14m	0,5m	13,5m



ERGO2
TYPE

PRODUCT CATEGORY:

CAR TRANSPORT RATCHET STRAPS



HILS

FLATBED TYPE STRAPS



Large selection of hooks.



We are able to make direct delivery straight to you.



Maximum elongation.



The highest quality synthetic material from our production.



Production according to EN 12195-2.



We can manufacture only color you like.

STANDART PRODUCT HOOKS:



DIFFERENT TYPES:



Code: HT1604280H

Code: HEBEH505TH

Code: H9025H


Code: H000247

Code: H9030H

3 TONS STABILIZATING CUBES

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
3t3mRH	3m




- LC: 1500 daN - LC: 3000 daN - SHF: 50 daN - STF: 150 daN
- elongation: to 6% - belt width: 35mm

3 TONS RUBBER SLEEVE STABILIZER

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
3t3mFQ	3m	0,5m	2,5m




- LC: 1500 daN - LC: 3000 daN - SHF: 50 daN - STF: 150 daN
- elongation: to 6% - belt width: 35 mm

3 TONS CROSS BELT

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
3t3mFS	3m	0,5m	2,5m




- LC: 1500 daN - LC: 3000 daN - SHF: 50 daN - STF: 150 daN
- elongation: to 6% - belt width: 35 mm

4 TONS STABILIZATING CUBES

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
4t3mFL	3m	0,5m	2,5m




- LC: 1500 daN - LC: 4000 daN - SHF: 50 daN - STF: 150 daN
- elongation: to 6% - belt width: 35 mm

4 TONS RUBBER SLEEVE STABILIZER

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
4t3mFQ	3m	0,5m	2,5m




- LC: 2000 daN - LC: 4000 daN - SHF: 50 daN - STF: 400 daN
- elongation: to 6% - belt width: 50 mm

4 TONS CROSS BELT

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
4t3mFS	3m	0,5m	2,5m



- LC: 2000 daN - LC: 4000 daN - SHF: 50 daN - STF: 400 daN
- elongation: to 6% - belt width: 50 mm

FLATBED
TYPE STABILIZATING CUBES

FLATBED
TYPE RUBBER SLEEVE

FLATBED
TYPE CROSS BELT

FLATBED
TYPE STABILIZATING CUBES

FLATBED
TYPE RUBBER SLEEVE


FLATBED
TYPE CROSS BELT



4 TONS STABILIZING CUBES

STANDARD LENGTH IN OFFER:

SHORT NAME	LGL	LGF
4t3mFL	3m	0,5m 2,5m



- LC: 1500 daN
- LC: 3000 daN
- SHF: 50 daN
- STF: 400 daN
- elongation: to 6%
- belt width: 50 mm




FLATBED
TYPE RATCHET WITH HOOK



4 TONS RUBBER SLEEVE STABILIZER

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
5t3mFQ	3m	0,5m	2,5m



- LC: 2500 daN
- LC: 5000 daN
- SHF: 50 daN
- STF: 440daN
- elongation: do 6%
- belt width: 50 mm




FLATBED
TYPE RATCHET WITH HOOK

5 TONS STABILIZING CUBES

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
5t3mFQ	3m	0,5m	2,5m



- LC: 2500 daN
- LC: 5000 daN
- SHF: 50 daN
- STF: 440daN
- elongation: do 6%
- belt width: 50 mm




FLATBED
TYPE STABILIZATING CUBES

5 TONS RUBBER SLEEVE STABILIZER

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
5t3mFS	3m	0,5m	2,5m



- LC: 2500 daN
- LC: 5000 daN
- SHF: 50 daN
- STF: 440 daN
- elongation: do 6%
- belt width: 50 mm




FLATBED
TYPE RUBBER SLEEVE

5 TONS CROSS BELT

STANDARD LENGTH IN OFFER:

SHORT NAME	LG	LGL	LGF
5t3mFC	3m	0,5m	2,5m




- LC: 2500 daN
- LC: 5000 daN
- SHF: 50 daN
- STF: 440 daN
- elongation: do 6%
- belt width: 50 mm



FLATBED
TYPE CROSS BELT

HIGH QUALITY STRAPS COMPONENTS

RUBBER SLEEVE
STALIZER



STABILIZATING
CUBES



CROSSING
BELT „D“ TYPE



CROSSING
BELT „TRIANGLE“



CROSSING
BELT „NON-IRON“



PRODUCT CATEGORY:

WEBBING SLINGS



HILLS

FLAT SLINGS

FROM 1 UP TO 4 TONS



We are able to make almost every length you need



The highest quality synthetic material from our production



Production according to EN 1492-1



Safety factor




Two layers of webbing

1 TON

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
1t2mW	2m
1t4mW	4m
1t6mW	6m
1t8mW	8m
1t10mW	10m
1t12mW	12m
1t14mW	14m




1000	800	2000	1400	1000

 kg

2 TONS

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
2t2mW	2m
2t4mW	4m
2t6mW	6m
2t8mW	8m
2t10mW	10m
2t12mW	12m
2t14mW	14m




2000	1600	4000	2800	2000

 kg

3 TONS

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
3t2mW	2m
3t4mW	4m
3t6mW	6m
3t8mW	8m
3t10mW	10m
3t12mW	12m
3t14mW	14m




3000	2400	6000	4200	3000

 kg

4 TONS

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
4t2mW	2m
4t4mW	4m
4t6mW	6m
4t8mW	8m
4t10mW	10m
4t12mW	12m
4t14mW	14m



4000	2400	6000	4200	4000

 kg

HILLS

FLAT ENDLESS SLINGS

FROM 1 UP TO 4 TONS



We are able to make almost every length you need



The highest quality synthetic material from our production



Production according to EN 1492-1



Safety factor

1 TON ENDLESS

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
4t2mW	2m
4t4mW	4m
4t6mW	6m
4t8mW	8m
4t10mW	10m
4t12mW	12m
4t14mW	14m



1000	800	2000	1400	1000

 kg

2 TONS ENDLESS

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
4t2mW	2m
4t4mW	4m
4t6mW	6m
4t8mW	8m
4t10mW	10m
4t12mW	12m
4t14mW	14m



2000	1600	4000	2800	2000

 kg

3 TONS
ENDLESS

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
3t2mWE	2m
3t4mWE	4m
3t6mWE	6m
3t8mWE	8m
3t10mWE	10m
3t12mWE	12m
3t14mWE	14m



3000	2400	6000	4200	3000

kg




FLAT
ENDLESS TYPE

4 TONS
ENDLESS

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
4t2mWE	2m
4t4mWE	4m
4t6mWE	6m
4t8mWE	8m
4t10mWE	10m
4t12mWE	12m
4t14mWE	14m



4000	2400	6000	4200	4000

kg



FLAT
ENDLESS TYPE



HLS

DISPOSABLE SLINGS

FROM 450 UP TO 2700 kg



We are able to make
slings every length
you need.



The highest quality
synthetic material from
our production.




Production according
to EN 1492-1



Safety factor

Single-use slings are used for one-time lifting of goods, after they must be destroyed at the end of the logistic chain. They are used wherever there is no need for multiple use of a standard sling.



FLAT
ENDLESS TYPE DISPOSABLE



These slings are characterized by a lower safety factor of 5:1, which makes them more affordable option and come in white color as standard.

AVAILABLE TYPES

STANDARD WIDTH [L]:

L	WEIGHT
60mm	2700kg
50mm	2250kg
50mm	1800kg
35mm	1350kg
35mm	900kg
25mm	750kg
25mm	600kg
25mm	450kg



PRODUCT CATEGORY:

TOW STRAPS



HILLS

TOW STRAPS

FROM 2 UP TO 4 TONS

pes
100%The highest quality
synthetic material from
our production


DIN6033

Production according
to DIN 35633

2 TONS

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
2t4mTW	4m
2t5mTW	5m
2t6mTW	6m



- LC: $\frac{2000}{daN}$ - elongation: more than 6%
- webbing width: 35 mm




TOWING
TYPE

3 TONS

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
2t4mTW	4m
2t5mTW	5m
2t6mTW	6m



- LC: $\frac{3000}{daN}$ - elongation: more than 6%
- webbing width: 35 mm




TOWING
TYPE

4 TONS

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
2t4mTW	4m
2t5mTW	5m
2t6mTW	6m



- LC: $\frac{4000}{daN}$ - elongation: more than 6%
- belt width: 35 mm



TOWING
TYPE

STANDARD PRODUCT HOOKS:



DIFFERENT TYPES:

Code:
HT1604280HCode:
TSH5000HCode:
H9072H

HILLS

RECOVERY STRAPS

OFF-ROAD STRAPS

pes
100%The highest quality
synthetic material from
our production

4x4

Not for public roads.
Only off roads

This very popular strap is using for getting the car out of the mud, ditch or other unprediction situation. Often using with tree or next car. Must have in every off-road trip!




RECOVERY
TYPE

2 TONS

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
2t2mORR	2m
2t4mORR	4m
2t6mORR	6m
2t8mORR	8m
2t10mORR	10m
2t12mORR	12m
2t14mORR	14m



2000	1600	4000	2800	2000	kg



PRODUCT CATEGORY:

OTHER PRODUCTS



HLLS

STRAPS SLEEVES

WEBBING PROTECTORS



We are able to make almost every length you need




Maximum elongation



The highest quality synthetic material from our production



We can manufacture any color you like



HLLS

CAM BUCKLE

STRAPS



We are able to make almost every length you need



Maximum elongation



The highest quality synthetic material from our production




We can manufacture any color you like

60 mm

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
60WP30	30cm
60WP50	50cm
60WP100	100cm



90 mm

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
90WP30	30cm
90WP50	50cm
90WP100	100cm



120 mm

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
120WP30	30cm
120WP50	50cm
120WP100	100cm



PROTECTORS
TYPE

PROTECTORS
TYPE


PROTECTORS
TYPE



250kg

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
250CB1	2m
250CB2	4m
250CB4	6m
250CB6	8m
250CB8	10m
250CB10	12m
250CB12	14m



- elongation max: 6% - belt width: 25 mm




CAM BUCKLE
TYPE

650kg

STANDARD LENGTH IN OFFER:

SHORT NAME	LG
250CB1	2m
250CB2	4m
250CB4	6m
250CB6	8m
250CB8	10m
250CB10	12m
250CB12	14m



- elongation max: 6% - belt width: 25 mm



CAM BUCKLE
TYPE





+ 48 32 412 0 401



hills@hillscargo.pl

WWW.HILLSCARGO.PL

Hills Spółka z o. o.
ul. 1 Maja 5; 47-400 Radbórz.
NIP: 639 200 9452