





S I N C E 1 9 8 0

CATALOGO GENERALE  
GENERAL CATALOGUE

24

# INDICE - INDEX

		<b>DOCUMENTAZIONE</b> <i>DOCUMENTATION</i>	<b>6 - 8</b>
		<b>AEROGRAFI</b> <i>SPRAY GUNS</i>	<b>9 - 18</b>
		<b>PISTOLE DI GONFIAGGIO</b> <i>INFLATING GUNS</i>	<b>19 - 34</b>
		<b>PISTOLE DI SOFFIAGGIO</b> <i>BLOWING GUNS</i>	<b>35 - 44</b>
		<b>PISTOLE DI LAVAGGIO</b> <i>WASHING GUNS</i>	<b>45 - 50</b>
		<b>PISTOLE PER TRATTAMENTI</b> <i>TREATMENT GUNS</i>	<b>51 - 56</b>
		<b>KIT</b> <i>KIT</i>	<b>57 - 58</b>
		<b>TRATTAMENTO ARIA</b> <i>AIR TREATMENT</i>	<b>59 - 64</b>
		<b>RACCORDERIA</b> <i>FITTINGS</i>	<b>65 - 85</b>

	<b>RUBINETTI RAPIDI A SFERA ED INNESTI</b> <b>QUICK BALL COUPLERS AND CONNECTIONS</b>	87 - 136
	<b>VALVOLE A SFERA - RUBINETTI A CORSOIO E DI LINEA</b> <b>BALL VALVES - SLIDE VALVES - LINE TAPS</b>	137 - 139
	<b>RACCORDI STAMPATI IN OTTONE</b> <b>BRASS MOULDED FITTINGS</b>	141 - 144
	<b>RACCORDI A CALZAMENTO</b> <b>PUSH-IN FITTINGS</b>	145 - 147
	<b>RACCORDI AUTOMATICI</b> <b>QUICK-CONNECT FITTINGS</b>	149 - 157
	<b>RACCORDI CON OGIVA</b> <b>BRASS OGIVE FITTINGS</b>	159 - 162
	<b>VALVOLE DI SICUREZZA - DI RITEGNO - E PRESSOSTATI</b> <b>CHECK VALVES - SAFETY VALVES - AND PRESSURE SWITCHES</b>	163 - 166
	<b>SPIRALI E TUBI</b> <b>RUBBER AND SPIRAL HOSES</b>	167 - 170
	<b>RIPARTITORI</b> <b>MANIFOLDS</b>	171 - 173
	<b>SU VOSTRA RICHIESTA</b> <b>UPON YOUR REQUEST</b>	175 - 177

# STORIA

Il 24/10/1978 venne costituita la società denominata Officina Meccanica Ghiotto, oggi conosciuta come O.M.G. GHOTTO S.R.L..

I fondatori, i coniugi Ghiotto Cav. Giuseppe e Lovato Maria Assunta, già ampiamente integrati nel settore dell'aria compressa, decisero di mettersi in proprio e cambiare le loro vite, passando dall'essere soci lavoratori, a essere titolari a pieno titolo della loro azienda.

Nel 1980 l'operatività concreta dell'azienda ebbe inizio, questo nel primo fabbricato costruito dai coniugi Ghiotto con sede a Brendola, dove attualmente si sviluppa l'intera società.

La produzione iniziale era composta dai prodotti standard, già collaudati e ben conosciuti. In breve tempo grazie alle grandi capacità imprenditoriali e a una risposta molto favorevole da parte del mercato, la giovane società fu in grado di progettare, sviluppare e costruire nuovi articoli. Tra questi una linea completa di pistole per l'aria compressa marcate MADE IN ITALY, che diedero ancor più vigore all'impresa, e un notevole risalto sul mercato internazionale.

Ad oggi la Famiglia Ghiotto continua a dirigere l'azienda, a occuparsi con i propri collaboratori dei vari settori che compongono un'azienda moderna che oggi produce circa 3000 articoli.

# HISTORY

On 24/10/1978, was established a company called Officina Meccanica Ghiotto, today known as O.M.G. GHOTTO S.R.L..

The founders, Mr. Ghiotto Cav. Giuseppe and Mrs. Lovato Maria Assunta, who were already well integrated in the compressed air sector, decided to set up on their own and change their lives, going from being working partners to being full owners of their company.

In 1980, the company's concrete operations began, this in the first building built by the Ghiotto's in Brendola, where the entire company is currently based.

Initial production consisted mainly of standard products, already tried, tested and well known. In a short time, thanks to great entrepreneurial skills and a very favourable response from the market, the young company was able to design, develop and build new products.

These included a complete line of compressed air guns branded MADE IN ITALY, which gave the company even more vigour, and considerable exposure on the international market.

To this day, the Ghiotto's Family continues to run the company, working with their collaborators in the various sectors that make up a modern company that today produces around 3000 articles.

# CONDIZIONI GENERALI DI VENDITA

## INDICAZIONI TECNICHE

Con il conferimento dell'ordine si intendono accettate tutte le condizioni di vendita. Il presente catalogo e il listino prezzi in vigore, annullano e sostituiscono i precedenti. Senza preavviso, inoltre, potranno essere apportate modifiche, sia al listino prezzi che al catalogo in oggetto per quanto riguarda necessità tecniche, produttive o di aumento delle lavorazioni e/o delle materie prime.

## SPEDIZIONI e RECLAMI

La merce viaggia a rischio e pericolo del Committente. Al momento del ricevimento della merce è necessario che venga effettuata la verifica delle quantità e dello stato degli imballaggi. Non si accettano reclami relativi a imballi, spedizione, fatturazione, ecc., se non fatti entro 8 giorni dalla consegna della merce.

## GARANZIA

I nostri prodotti sono coperti da 1 anno di garanzia. La O.M.G. Ghiotto S.r.l. resta a disposizione per ogni eventuale chiarimento in merito. Si riserva di valutare, con la massima serietà e collaborazione, eventuali difetti, per accertarne la natura ed entità. Si declina ogni responsabilità per danni causati a persone, cose o altro, dovuti all'uso improprio e non corretto dei prodotti.

## CONSEGNA

I tempi di consegna non sono impegnativi, eventuali ritardi su parziale o totale consegna dell'ordine, non possono dar luogo a nessuna rivalsa nei confronti di O.M.G., salvo diversi accordi scritti e regolarmente accettati. Si ricorda, inoltre, che la data di consegna è solo indicativa.

## PAGAMENTO

Non vengono riconosciuti i pagamenti se non fatti contro nostra R.B. o rimesse direttamente alla nostra Sede alle condizioni concordate. In caso di pagamenti effettuati oltre la scadenza pattuita, si procederà all'addebitamento degli interessi moratori al tasso corrente bancario. Le merci risultano di proprietà O.M.G. fino al totale pagamento della fattura da parte del compratore.

## FORO COMPETENTE

In caso di controversia è riconosciuta solo la competenza del Tribunale di Vicenza.

- Questo catalogo è di proprietà esclusiva della ditta O.M.G. Ghiotto S.R.L. con sede in Brendola (VI). Senza il consenso della stessa ditta non può essere copiato né riprodotto, anche parzialmente, sotto pena delle sanzioni di legge in materia.

# GENERAL TERMS AND CONDITIONS OF SALE

## TECHNICAL INFORMATION

*By placing an order, all conditions of sale are considered accepted. This catalogue and the current price list supersede and replace the previous ones. Furthermore, changes may be made to both the price list and the catalogue without prior notice, with regard to technical or production requirements or increases in processing and/or raw materials.*

## SHIPMENTS and COMPLAINTS

*The goods travel at the risk and peril of the Customer. Upon receipt of the goods, the quantity and condition of the packaging must be checked. Claims relating to packaging, shipping, invoicing, etc., shall not be accepted unless made within 8 days of delivery of the goods.*

## WARRANTY

*Our products are covered by a 1-year warranty. O.M.G. Ghiotto S.r.l. remains at your disposal for any clarification you may require. O.M.G. Ghiotto S.r.l. reserves the right to check, with the maximum seriousness and cooperation, any defects in order to ascertain their nature and entity. It declines all responsibility for damage caused to persons, things or other, due to improper and incorrect use of the products.*

## DELIVERY

*Delivery times are not binding; any delays on partial or total delivery of the order cannot give rise to any recourse against O.M.G., unless otherwise agreed in writing and duly accepted. We also remind you that the delivery date is only indicative.*

## PAYMENT

*Payments shall not be recognised unless made against our bank receipt or remitted directly to our Head Office on the agreed terms. In the event of payments made after the agreed due date, default interest shall be charged at the current bank rate. The goods shall remain the property of O.M.G. until full payment of the invoice by the purchaser.*

## PLACE OF JURISDICTION











*In the event of a dispute, only the Court of Vicenza shall have jurisdiction.*

*- This catalogue is the exclusive property of the company O.M.G. Ghiotto S.R.L. based in Brendola (VI). It may not be copied or reproduced, even partially, without the consent of the same company, under penalty of the relevant legal sanctions.*


# TIPI DI ATTACCHI - TYPES OF COUPLING

PER TUTTE LE PISTOLE, RIDUTTORI E ALTRO, SPECIFICARE SEMPRE L'ATTACCO DESIDERATO UTILIZZANDO LA TABELLA QUI SOTTO.

FOR ALL GUNS, REDUCERS AND OTHERS, ALWAYS SPECIFY THE DESIRED ATTACHMENT USING THE TABLE BELOW.

 <p><b>PROFILO ITALIA</b> <i>ITALY PROFILE</i></p>	 <p><b>PROFILO GERMANIA</b> <i>GERMANY PROFILE</i></p>	 <p><b>PROFILO USA</b> <i>USA PROFILE</i></p>
 <p><b>PROFILO SVIZZERA</b> <i>SWISS PROFILE</i></p>	 <p><b>PROFILO NITTO</b> <i>NITTO PROFILE</i></p>	 <p><b>PROFILO MIGNON</b> <i>MIGNON PROFILE</i></p>
 <p><b>1/4 BSPP FEMMINA</b> <i>1/4 BSPP FEMALE</i></p>	 <p><b>1/4 NPT MASCHIO</b> <i>1/4 NPT MALE</i></p>	 <p><b>RESCA Ø 8</b> <i>BARBED FITTING Ø8</i></p>
 <p><b>1/4 BSPP MASCHIO</b> <i>1/4 BSPP MALE</i></p>	 <p><b>ATTACCO CON DADO FRESATO PER BAIONETTA</b> <i>FITTING WITH MILLED NUT FOR BAYONET</i></p>	 <p><b>GIREVOLE FILETTO BSPP MASCHIO O FEMMINA</b> <i>REVOLVING BSPP MALE OR FEMALE THREAD</i></p>

# AEROGRAFI



# SPRAY GUNS



# SERIE MASTER - MASTER SERIES

ART.


## MASTER 2800



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1,2	M2800 00 001
1,5	M2800 00 002
1,8	M2800 00 003
2	M2800 00 004
2,5	M2800 00 005

PISTOLA DI VERNICIATURA  
PROFESSIONALE IN ALLUMINIO  
CON SERBATOIO KG 1 IN SCATOLA  
TRATTAMENTO BRILLANTATO  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

PROFESSIONAL ALUMINUM  
SPRAY GUN WITH BAYONET  
LOCK TANK KG 1 IN BOX  
POLISHED TREATMENT  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



ART.


## PROFI MASTER 2800



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1,2	PM280 00 001
1,5	PM280 00 002
1,8	PM280 00 003
2	PM280 00 004
2,5	PM280 00 005

PISTOLA DI VERNICIATURA  
PROFESSIONALE IN ALLUMINIO  
CON SERBATOIO KG 1 IN SCATOLA  
TRATTAMENTO SABBIAZIATA CROMATA  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

PROFESSIONAL ALUMINUM  
SPRAY GUN WITH BAYONET  
LOCK TANK KG 1 IN BOX  
SANDBLADED CHROME TREATMENT  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



ART.


## 2900



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1	29000 00 001
1,2	29000 00 002
1,5	29000 00 003
1,8	29000 00 004
2	29000 00 005
2,5	29000 00 006
3	29000 00 007

PISTOLA DI VERNICIATURA  
IN ALLUMINIO CON SERBATOIO  
CHIUSURA AUTOCLAVE KG 1  
TRATTAMENTO BRILLANTATO  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

ALUMINUM SPRAY GUN  
WITH CLOSURE TYPE  
AUTOCLAVES TANK KG 1  
POLISHED TREATMENT  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



# SERIE MASTER - MASTER SERIES

ART.

## MASTER 2900



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1	M2900 00 001
1,2	M2900 00 002
1,5	M2900 00 003
1,8	M2900 00 004
2	M2900 00 005
2,5	M2900 00 006
3	M2900 00 007

**PISTOLA DI VERNICIATURA  
IN ALLUMINIO CON SERBATOIO  
CHIUSURA AUTOCLAVE KG 1  
IN SCATOLA  
TRATTAMENTO SABBIATA CROMATA**  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

**ALUMINUM SPRAY GUN WITH  
CLOSURE TYPE AUTOCLAVES  
TANK KG 1 IN BOX  
SANDBLASTED CHROME TREATMENT**  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



ART.


## MASTER 3000



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1,2	M3000 00 001
1,5	M3000 00 002
1,8	M3000 00 003
2	M3000 00 004
2,5	M3000 00 005

**PISTOLA DI VERNICIATURA  
PROFESSIONALE IN ALLUMINIO  
CON SERBATOIO CHIUSURA  
AUTOCLAVE KG 1 IN SCATOLA  
TRATTAMENTO BRILLANTATO**  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

**PROFESSIONAL ALUMINIUM  
SPRAY GUN WITH CLOSURE  
TYPE AUTOCLAVES KG 1  
IN BOX POLISHED TREATMENT**  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



ART.


## PROFI MASTER 3000



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1,2	PM300 00 001
1,5	PM300 00 002
1,8	PM300 00 003
2	PM300 00 004
2,5	PM300 00 005

**PISTOLA DI VERNICIATURA  
PROFESSIONALE IN ALLUMINIO  
CON SERBATOIO CHIUSURA  
AUTOCLAVE KG 1 IN SCATOLA  
TRATTAMENTO SABBIATA CROMATA**  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

**PROFESSIONAL ALUMINIUM  
SPRAY GUN WITH CLOSURE  
TYPE AUTOCLAVES KG 1 IN BOX  
SANDBLASTED CHROME TREATMENT**  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



# SERIE MASTER - MASTER SERIES

ART.


## MASTER 3100



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1,2	M3100 00 001
1,5	M3100 00 002
1,8	M3100 00 003
2	M3100 00 004
2,5	M3100 00 005

PISTOLA DI VERNICIATURA  
PROFESSIONALE IN ALLUMINIO  
CON SERBATOIO SUPERIORE  
IN NYLON KG 0,5 IN SCATOLA  
TRATTAMENTO BRILLANTATO  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

PROFESSIONAL ALUMINIUM  
SPRAY GUN WITH NYLON UPPER  
TANK KG 0,5 IN BOX  
POLISHED TREATMENT  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



ART.


## PROFI MASTER 3100



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1,2	PM310 00 001
1,5	PM310 00 002
1,8	PM310 00 003
2	PM310 00 004
2,5	PM310 00 005

PISTOLA DI VERNICIATURA  
PROFESSIONALE IN ALLUMINIO  
CON SERBATOIO SUPERIORE  
IN NYLON KG 0,5 IN SCATOLA  
TRATTAMENTO SABBIAZIATA CROMATA  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

PROFESSIONAL ALUMINIUM  
SPRAY GUN WITH NYLON UPPER  
TANK KG 0,5 IN BOX  
SANDBLASTED CHROME TREATMENT  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



ART.


## 3500



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1,8	35000 18 001
2	35000 20 002

PISTOLA DI VERNICIATURA  
IN ALLUMINIO PER VERNICI  
AD ALTA DENSITÀ (all'acqua)  
SERBATOIO SUPERIORE KG 0,6  
IN SCATOLA  
TRATTAMENTO SABBIAZIATA CROMATA  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

ALUMINUM SPRAY GUN FOR  
HIGH DENSITY PAINT (water)  
KG 0,6 UPPER TANK, IN BOX  
SANDBLASTED CHROME TREATMENT  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



# SERIE BASE - STANDARD SERIES

**ART.**

**61**

**0,5  
Kg**


**1  
Kg**



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE	CODICE CODE
	0,5 Kg	1 Kg
1	61000 05 001	61000 10 001
1,2	61000 05 002	61000 10 002
1,5	61000 05 003	61000 10 003
1,8	61000 05 004	61000 10 004
2	61000 05 005	61000 10 005
2,5	61000 05 006	61000 10 006
3	61000 05 007	61000 10 007

**PISTOLA DI VERNICIATURA  
IN ALLUMINIO CON SERBATOIO  
SUPERIORE IN ALLUMINIO  
TRATTAMENTO BRILLANTATO**  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

**ALUMINIUM SPRAY GUN WITH  
ALUMINIUM UPPER TANK  
POLISHED TREATMENT**  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



**ART.**

**61SV**

**0,5  
Kg**


**1  
Kg**



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE	CODICE CODE
	0,5 Kg	1 Kg
1	61SV0 05 001	61SV0 10 001
1,2	61SV0 05 002	61SV0 10 002
1,5	61SV0 05 003	61SV0 10 003
1,8	61SV0 05 004	61SV0 10 004
2	61SV0 05 005	61SV0 10 005
2,5	61SV0 05 006	61SV0 10 006
3	61SV0 05 007	61SV0 10 007

**PISTOLA DI VERNICIATURA  
IN ALLUMINIO CON SERBATOIO  
SUPERIORE IN ALLUMINIO  
TRATTAMENTO SABBIAZIO VERNICIATO**  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

**ALUMINIUM SPRAY GUN WITH  
ALUMINIUM UPPER TANK  
SANDBLASTED PAINT TREATMENT**  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



**ART.**


**61A**



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1	61A00 05 001
1,2	61A00 05 002
1,5	61A00 05 003
1,8	61A00 05 004
2	61A00 05 005
2,5	61A00 05 006
3	61A00 05 007

**PISTOLA DI VERNICIATURA  
IN ALLUMINIO CON SERBATOIO  
SUPERIORE IN NYLON KG 0,5  
TRATTAMENTO BRILLANTATO**  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

**ALUMINIUM SPRAY GUN WITH  
NYLON UPPER TANK KG 0,5  
POLISHED TREATMENT**  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



# SERIE BASE - STANDARD SERIES


**ART.  
61ASV**



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1	61ASV 05 001
1,2	61ASV 05 002
1,5	61ASV 05 003
1,8	61ASV 05 004
2	61ASV 05 005
2,5	61ASV 05 006
3	61ASV 05 007

**PISTOLA DI VERNICIATURA  
IN ALLUMINIO CON SERBATOIO  
SUPERIORE IN NYLON KG 0,5  
TRATTAMENTO SABBBIATO VERNICIATO**  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

**ALUMINUM SPRAY GUN WITH  
NYLON UPPER TANK KG 0,5  
SANDBLASTED PAINT TREATMENT**  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min




**ART.  
62**



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1	62000 10 001
1,2	62000 10 002
1,5	62000 10 003
1,8	62000 10 004
2	62000 10 005
2,5	62000 10 006
3	62000 10 007

**PISTOLA DI VERNICIATURA  
IN ALLUMINIO CON SERBATOIO  
INFERIORE KG 1  
TRATTAMENTO BRILLANTATO**  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

**ALUMINUM SPRAY GUN WITH  
LOWER TANK KG 1  
POLISHED TREATMENT**  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min




**ART.  
62SV**



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1	62SV0 10 001
1,2	62SV0 10 002
1,5	62SV0 10 003
1,8	62SV0 10 004
2	62SV0 10 005
2,5	62SV0 10 006
3	62SV0 10 007

**PISTOLA DI VERNICIATURA  
IN ALLUMINIO CON SERBATOIO  
INFERIORE KG 1  
TRATTAMENTO SABBBIATO VERNICIATO**  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

**ALUMINUM SPRAY GUN WITH  
LOWER TANK KG 1  
SANDBLASTED PAINT TREATMENT**  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



# SERIE BASE - STANDARD SIRIES


**ART.  
62A**



Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1	62A00 10 001
1,2	62A00 10 002
1,5	62A00 10 003
1,8	62A00 10 004
2	62A00 10 005
2,5	62A00 10 006
3	62A00 10 007

**PISTOLA DI VERNICIATURA  
IN ALLUMINIO CON SERBATOIO  
INFERIORE KG 1  
E COPERCHIO IN ALLUMINIO  
TRATTAMENTO BRILLANTATO**  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

**ALUMINIUM SPRAY GUN  
WITH LOWER TANK KG 1  
ALL ALUMINIUM  
POLISHED TREATMENT**  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



**ART.  
62F**




1/4 BSPP  
Femmina  
Female

Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1	62F00 00 001
1,2	62F00 00 002
1,5	62F00 00 003
1,8	62F00 00 004
2	62F00 00 005
2,5	62F00 00 006
3	62F00 00 007

**PISTOLA DI VERNICIATURA  
IN ALLUMINIO  
TRATTAMENTO BRILLANTATO**  
Attacco aspirazione: 1/4 BSPP F  
Pressione max d'esercizio: 4-8 bar  
Consumo d'aria: 140/240 Nl/min

**ALUMINIUM SPRAY GUN  
POLISHED TREATMENT**  
Suction connection: 1/4 BSPP F  
Max working pressure: 4-8 bar  
Air consumption : 140/240 Nl/min



# RICAMBI E ACCESSORI - SPARE PARTS AND ACCESSORIES

**ART.  
2700**



RICAMBIO PER PISTOLA  
DI VERNICIATURA PROFESSIONALE  
ART. MASTER / PROFI MASTER 2800  
3000 - 3100 - ART. 3500  
Composto da: testina completa -  
ugello - spillo

Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1,2	27000 00 001
1,5	27000 00 002
1,8	27000 00 003
2	27000 00 004
2,5	27000 00 005

SPARE PARTS FOR  
PROFESSIONAL SPRAY GUN  
ART. MASTER / PROFI MASTER 2800  
3000 - 3100 - ART. 3500  
Composed by: complete head-  
nozzle - pin

**ART.  
153**



CODICE CODE
15300 00 001

FILTRO PER PISTOLA  
DI VERNICIATURA CON  
SERBATOIO INFERIORE

FILTER FOR SPRAY GUN  
LOWER TANK

**ART.  
6162**



RICAMBIO PER PISTOLA  
DI VERNICIATURA  
ART. 61/61A/62/62A/2900  
Composta da: testina -  
ugello - spillo

Ø UGELLI DISPONIBILI Ø NOZZLES AVAILABLE	CODICE CODE
1	61620 00 001
1,2	61620 00 002
1,5	61620 00 003
1,8	61620 00 004
2	61620 00 005
2,5	61620 00 006
3	61620 00 007

SPARE PARTS FOR  
SPRAY GUN  
ART. 61/61A/62/62A/2900  
Composed by:  
head - nozzle - pin

**ART.  
153A**



CODICE CODE
153A0 00 001

FILTRO PER PISTOLA  
DI VERNICIATURA CON  
SERBATOIO SUPERIORE

FILTER FOR SPRAY GUN  
UPPER TANK

**ART.  
57SR**



CODICE CODE
57SR0 00 001

SERBATOIO DI RICAMBIO  
IN ALLUMINIO CHIUSURA  
A BAIONETTA KG 1  
PER ART. 57 - 58 - 66 - 65 - 62  
57SV - 58SV - 66SV - 65SV - 62SV  
62A - MASTER 2800  
PROFI MASTER 2800

ALUMINIUM TANK SPARE PART  
WITH BAYONET CLOSURE KG 1  
FOR ART. 57 - 58 - 66 - 65 - 62  
57SV - 58SV - 66SV - 65SV - 62SV  
62A - MASTER 2800  
PROFI MASTER 2800

**ART.  
57R**



CODICE CODE
57R00 00 001

GUARNIZIONE DI RICAMBIO  
PER SERBATOIO 57SR  
PER ART. 57 - 58 - 62 - 62A  
62SV - 65 - 65SV - 57SV - 58SV  
MASTER 2800  
PROFI MASTER 2800

SPARE GASKET FOR TANK  
FOR ART. 57 - 58 - 62 - 62A  
62SV - 65 - 65SV - 57SV - 58SV  
MASTER 2800 -  
PROFI MASTER 2800

**ART.  
3000SA**



CODICE CODE
3000S A0 001

SERBATOIO DI RICAMBIO  
IN ALLUMINIO CHIUSURA  
AUTOCLAVE KG 1  
PER ART. 2900 - MASTER 2900  
MASTER 3000  
PROFI MASTER 3000

ALUMINIUM TANK  
SPARE PART WITH CLOSURE  
TYPE AUTOCLAVES KG 1  
FOR ART. 2900 - MASTER 2900  
MASTER 3000  
PROFI MASTER 3000

**ART.  
3000R**



CODICE CODE
3000R 00 001

GUARNIZIONE DI RICAMBIO  
PER SERBATOIO 3000SA  
PER ART. 2900 - MASTER 2900  
MASTER 3000  
PROFI MASTER 3000

SPARE GASKET FOR TANK  
FOR ART. 2900 - MASTER 2900  
MASTER 3000  
PROFI MASTER 3000



MADE IN ITALY

# RICAMBI E ACCESSORI - SPARE PARTS AND ACCESSORIES

**ART.  
61SR**



CODICE CODE
61SR0 00 001

SERBATOIO SUPERIORE  
DI RICAMBIO  
IN ALLUMINIO KG 0,5  
PER ART. 61 - 61SV  
Filetto 1/4 BSPP M

ALUMINUM UPPER TANK  
SPARE PART KG 0,5  
FOR ART. 61 - 61SV  
Thread 1/4 BSPP M

**ART.  
61ASR**



CODICE CODE
61ASR 00 001

SERBATOIO SUPERIORE  
DI RICAMBIO  
IN ALLUMINIO KG 1  
PER ART. 61 - 61SV  
Filetto 1/4 BSPP M

ALUMINUM UPPER TANK  
SPARE PART KG 1  
FOR ART. 61 - 61SV  
Thread 1/4 BSPP M

**ART.  
61BSR**



CODICE CODE
61BSR 00 001

SERBATOIO SUPERIORE  
DI RICAMBIO  
IN NYLON KG 0,5  
PER ART. 61A - 61ASV  
MASTER 3100  
PROFI MASTER 3100  
Filetto 1/4 BSPP M

NYLON UPPER TANK  
SPARE PART KG 0,5  
FOR ART. 61A - 61ASV  
MASTER 3100  
PROFI MASTER 3100  
Thread 1/4 BSPP M

# PISTOLE DI GONFIAGGIO



***INFLATING  
GUNS***

# SERIE PROFESSIONALE - PROFESSIONAL SERIES

ART. OMOLOGATA MISE D.M. n.487 DEL 12.07.2022


**183**



CODICE - CODE
18300 00 001

PISTOLA PER GONFIAGGIO PNEUMATICI PROFESSIONALE, IN ALLUMINIO, OMOLOGATA MISE - D.M. n.487 DEL 12.07.2022 CON MANOMETRO Ø 80 TRATTAMENTO BRILLANTATO Pressione manometro max: 0 - 12 bar Lunghezza tubo: 1000 mm IN SCATOLA, CON CERTIFICATO DI COLLAUDO

TYRE INFLATING GUN PROFESSIONAL, ALUMINIUM, HOMOLOGATED-D.M. n.487 OF 12.07.2022 WITH Ø 80 PRESSURE GAUGE POLISHED TREATMENT Maximum pressure: 0 - 12 bar Tube length: 1000 mm BOXED, WITH TEST CERTIFICATE



ART.


**63**



CODICE - CODE
63000 00 001

PISTOLA DI GONFIAGGIO PROFESSIONALE IN ALLUMINIO CON MANOMETRO Ø 80 E TESTINA IN OTTONE ART.56OT TRATTAMENTO BRILLANTATO Pressione manometro max: 0-12 bar Lunghezza tubo: 750 mm

PROFESSIONAL ALUMINIUM INFLATING GUN WITH Ø 80 GAUGE AND BRASS HEAD ART.56OT POLISHED TREATMENT Max pressure gauge: 0-12 bar Length hose: 750 mm



ART.


**63W**



CODICE - CODE
63W00 00 001

PISTOLA DI GONFIAGGIO PROFESSIONALE IN ALLUMINIO CON MANOMETRO "WIKA" Ø 80 E TESTINA IN OTTONE ART.56OT TRATTAMENTO BRILLANTATO Pressione manometro max: 0-12 bar Lunghezza tubo: 750 mm

PROFESSIONAL ALUMINIUM INFLATING GUN WITH Ø 80 GAUGE "WIKA" AND BRASS HEAD ART.56OT POLISHED TREATMENT Max pressure gauge: 0-12 bar Length hose: 750 mm



ART.


**64**



CODICE - CODE
64000 00 001

PISTOLA DI GONFIAGGIO PROFESSIONALE IN ALLUMINIO CON MANOMETRO Ø 63 E TESTINA IN OTTONE ART.56OT TRATTAMENTO BRILLANTATO Pressione manometro max: 0-12 bar Lunghezza tubo: 750 mm

PROFESSIONAL ALUMINIUM INFLATING GUN WITH Ø 63 GAUGE AND BRASS HEAD ART.56OT POLISHED TREATMENT Max pressure gauge: 0-12 bar Length hose: 750 mm



# SERIE PROFESSIONALE - PROFESSIONAL SERIES

**ART.**

**64W**




CODICE - CODE

64W00 00 001

PISTOLA DI GONFIAGGIO  
PROFESSIONALE  
IN ALLUMINIO CON  
MANOMETRO "WIKA" Ø 63  
E TESTINA IN OTTONE ART.56OT  
TRATTAMENTO BRILLANTATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 750 mm

PROFESSIONAL ALUMINIUM  
INFLATING GUN  
WITH Ø 63 GAUGE "WIKA"  
AND BRASS HEAD ART.56OT  
POLISHED TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 750 mm



**ART.**

**63SV**




CODICE - CODE

63SV0 00 001

PISTOLA DI GONFIAGGIO  
PROFESSIONALE  
IN ALLUMINIO  
CON MANOMETRO Ø 80  
E TESTINA IN OTTONE ART.56OT  
TRATTAMENTO SABBIAZO VERNICIATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 750 mm

PROFESSIONAL ALUMINIUM  
INFLATING GUN  
WITH Ø 80 GAUGE  
AND BRASS HEAD ART.56OT  
SANDBLASTED PAINT TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 750 mm



**ART.**

**63WSV**




CODICE - CODE

63WSV 00 001

PISTOLA DI GONFIAGGIO  
PROFESSIONALE  
IN ALLUMINIO  
CON MANOMETRO "WIKA" Ø 80  
E TESTINA IN OTTONE ART.56OT  
TRATTAMENTO SABBIAZO VERNICIATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 750 mm

PROFESSIONAL ALUMINIUM  
INFLATING GUN  
WITH Ø 80 GAUGE "WIKA"  
AND BRASS HEAD ART.56OT  
SANDBLASTED PAINT TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 750 mm



**ART.**

**64SV**




CODICE - CODE

64SV0 00 001

PISTOLA DI GONFIAGGIO  
PROFESSIONALE  
IN ALLUMINIO  
CON MANOMETRO Ø 63  
E TESTINA IN OTTONE ART.56OT  
TRATTAMENTO SABBIAZO VERNICIATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 750 mm

PROFESSIONAL ALUMINIUM  
INFLATING GUN  
WITH Ø 63 GAUGE  
AND BRASS HEAD ART.56OT  
SANDBLASTED PAINT TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 750 mm



# SERIE PROFESSIONALE - PROFESSIONAL SERIES

ART.

**64WSV**




CODICE - CODE

64WSV 00 001

PISTOLA DI GONFIAGGIO  
PROFESSIONALE  
IN ALLUMINIO  
CON MANOMETRO "WIKA" Ø 63  
E TESTINA IN OTTONE ART.560T  
TRATTAMENTO SABBIAUTO VERNICIATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 750 mm

PROFESSIONAL ALUMINIUM  
INFLATING GUN  
WITH Ø 63 GAUGE "WIKA"  
AND BRASS HEAD ART.560T  
SANDBLASTED PAINT TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 750 mm



ART.

**63VG**




CODICE - CODE

63VG0 00 001

PISTOLA DI GONFIAGGIO  
PROFESSIONALE  
IN ALLUMINIO  
CON MANOMETRO Ø 80  
E VALVOLA PER RUOTE GEMELLATE  
TRATTAMENTO BRILLANTATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 750 m

PROFESSIONAL ALUMINIUM  
INFLATING GUN  
WITH Ø 80 GAUGE  
AND CHUCK FOR TWIN TYRES  
POLISHED TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 750 mm



ART.

**63WVG**




CODICE - CODE

63WVG 00 001

PISTOLA DI GONFIAGGIO  
PROFESSIONALE  
IN ALLUMINIO  
CON MANOMETRO "WIKA" Ø 80  
E VALVOLA PER RUOTE GEMELLATE  
TRATTAMENTO BRILLANTATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 750 mm

PROFESSIONAL ALUMINIUM  
INFLATING GUN  
WITH Ø 80 GAUGE "WIKA"  
AND CHUCK FOR TWIN TYRES  
POLISHED TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 750 mm



ART.

**64VG**




CODICE - CODE

64VG0 00 001

PISTOLA DI GONFIAGGIO  
PROFESSIONALE  
IN ALLUMINIO  
CON MANOMETRO Ø 63  
E VALVOLA PER RUOTE GEMELLATE  
TRATTAMENTO BRILLANTATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 750 mm

PROFESSIONAL ALUMINIUM  
INFLATING GUN  
WITH Ø 63 GAUGE  
AND CHUCK FOR TWIN TYRES  
POLISHED TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 750 mm



# SERIE PROFESSIONALE - PROFESSIONAL SERIES

ART.

**64WVG**




CODICE - CODE

64WVG 00 001

PISTOLA DI GONFIAGGIO  
PROFESSIONALE  
IN ALLUMINIO  
CON MANOMETRO "WIKA" Ø 63  
E VALVOLA PER RUOTE GEMELLATE  
TRATTAMENTO BRILLANTATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 750 mm

PROFESSIONAL ALUMINIUM  
INFLATING GUN  
WITH Ø 63 GAUGE "WIKA"  
AND CHUCK FOR TWIN TYRES  
POLISHED TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 750 mm



# SERIE BASE - STANDARD SERIES

ART. OMOLOGATA MISE D.M. n.31 DEL 22.01.2024

**273**




CODICE - CODE

27300 00 001



PISTOLA PER GONFIAGGIO PNEUMATICI  
IN ALLUMINIO,  
OMOLOGATA MISE - D.M. n.31  
DEL 22.01.2024 CON MANOMETRO Ø 63  
TRATTAMENTO SABBIATO VERNICIATO  
Pressione manometro max: 0 - 10 bar  
Lunghezza tubo: 300 mm  
CON CERTIFICATO DI COLLAUDO, SU RICHIESTA

TYRE INFLATING GUN ,  
ALUMINIUM, HOMOLOGATED -  
D.N. n.31 OF 22.01.2024  
WITH Ø 63 PRESSURE GAUGE  
SANDBLASTED PAINT TREATMENT  
Maximum pressure: 0 - 10 bar  
Tube length: 300 mm  
WITH TEST CERTIFICATE, ON REQUEST



ART.

**53**




CODICE - CODE

53000 00 001

PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO Ø 63  
E TESTINA IN ZAMA ART.56ZM  
TRATTAMENTO BRILLANTATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 300 mm

ALUMINIUM INFLATING GUN  
WITH Ø 63 GAUGE  
AND ZAMA HEAD ART.56ZM  
POLISHED TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 300 mm



ART.

**53OT**




CODICE - CODE

53OT0 00 001

PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO Ø 63  
E TESTINA IN OTTONE ART.56OT  
TRATTAMENTO BRILLANTATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 300 mm

ALUMINIUM INFLATING GUN  
WITH Ø 63 GAUGE  
AND BRASS HEAD ART.56OT  
POLISHED TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 300 mm



ART.

**53W**




CODICE - CODE

53W00 00 001

PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO "WIKA" Ø 63  
E TESTINA IN ZAMA ART.56ZM  
TRATTAMENTO BRILLANTATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 300 mm

ALUMINIUM INFLATING GUN  
WITH Ø 63 GAUGE "WIKA"  
AND ZAMA HEAD ART.56ZM  
POLISHED TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 300 mm



# SERIE BASE - STANDARD SERIES

ART.

**53WOT**




CODICE - CODE

53WOT 00 001

PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO "WIKA" Ø 63  
E TESTINA IN OTTONE ART.56OT  
TRATTAMENTO BRILLANTATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 300 mm

ALUMINIUM INFLATING GUN  
WITH Ø 63 GAUGE "WIKA"  
AND BRASS HEAD ART.56OT  
POLISHED TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 300 mm



ART.

**53SV**




CODICE - CODE

53SV 00 001

PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO Ø 63  
E TESTINA IN ZAMA ART.56ZM  
TRATTAMENTO SABBIAZO VERNICIATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 300 mm

ALUMINIUM INFLATING GUN  
WITH Ø 63 GAUGE  
AND ZAMA HEAD ART.56ZM  
SANDBLASTED PAINT TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 300 mm



ART.

**53OTSV**




CODICE - CODE

53OTS V0 001

PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO Ø 63  
E TESTINA IN OTTONE ART.56OT  
TRATTAMENTO SABBIAZO VERNICIATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 300 mm

ALUMINIUM INFLATING GUN  
WITH Ø 63 GAUGE  
AND BRASS HEAD ART.56OT  
SANDBLASTED PAINT TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 300 mm



ART.

**53WSV**




CODICE - CODE

53WSV 00 001

PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO "WIKA" Ø 63  
E TESTINA IN ZAMA ART.56ZM  
TRATTAMENTO SABBIAZO VERNICIATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 300 mm

ALUMINIUM INFLATING GUN  
WITH Ø 63 GAUGE "WIKA"  
AND ZAMA HEAD ART.56ZM  
SANDBLASTED PAINT TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 300 mm



# SERIE BASE - STANDARD SERIES

ART.

**53WOTSV**




CODICE - CODE

53WOT SV 001

PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO "WIKA" Ø 63  
E TESTINA IN OTTONE ART.56OT  
TRATTAMENTO SABBIAZIO VERNICIATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 300 mm

ALUMINIUM INFLATING GUN  
WITH Ø 63 GAUGE "WIKA"  
AND BRASS HEAD ART.56OT  
SANDBLASTED PAINT TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 300 mm



ART.

**53VG**




CODICE - CODE

53VG0 00 001

PISTOLA DI GONFIAGGIO  
IN ALLUMINIO Ø 63  
E VALVOLA PER RUOTE GEMELLATE  
TRATTAMENTO BRILLANTATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 750 mm

ALUMINIUM INFLATING GUN  
WITH Ø 63 GAUGE  
AND CHUCK FOR TWIN TYRES  
POLISHED TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 750 mm



ART.

**53WVG**




CODICE - CODE

53WVG 00 001

PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO "WIKA" Ø 63  
E VALVOLA PER RUOTE GEMELLATE  
TRATTAMENTO BRILLANTATO  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 750 mm

ALUMINIUM INFLATING GUN  
WITH Ø 63 GAUGE "WIKA"  
AND CHUCK FOR TWIN TYRES  
POLISHED TREATMENT  
Max pressure gauge: 0-12 bar  
Length hose: 750 mm



ART.

**53DG**




CODICE - CODE

53DG0 00 001

PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO DIGITALE Ø 63  
E TESTINA IN OTTONE ART.56OT  
IN SCATOLA  
TRATTAMENTO SABBIAZIO VERNICIATO  
Pressione manometro max: 0-12 bar  
Unità di misura: BAR, PSI, KgCm<sup>2</sup>, Kpa  
Lunghezza tubo: 300 mm

ALUMINIUM INFLATING GUN  
WITH Ø 63 DIGITAL GAUGE  
AND BRASS HEAD ART.56OT  
IN BOX  
SANDBLASTED PAINT TREATMENT  
Max pressure gauge: 0-12 bar  
Unit of measure: BAR, PSI, KgCm<sup>2</sup>, Kpa  
Length hose: 300 mm



# SERIE BASE - STANDARD SERIES

ART.

## 52-9 HOBBY


CODICE - CODE

529H0 00 001



**PISTOLA DI GONFIAGGIO CON KIT 3 PEZZI  
TRATTAMENTO BRILLANTATO**  
Lunghezza tubo : 300 mm  
**COMPLETO DI ATTACCO FILETTATO PER:**  
1 - Pallone; 2 - Bici; 3 - Canotto

**INFLATING GUN WITH KIT 3 PIECES  
POLISHED TREATMENT**  
Length hose : 300 mm  
**WITH THREAD FOR :**  
1 - Ball; 2 - Bike; 3 - Rubber Boats



ART.

## 52-9 HOBBY PLUS


CODICE - CODE

529HP 00 001



**PISTOLA DI GONFIAGGIO CON KIT 5 PEZZI  
TRATTAMENTO BRILLANTATO**  
Lunghezza tubo : 300 mm  
**COMPLETO DI ATTACCO FILETTATO PER:**  
1 - Pallone; 2 - Bici; 3 - Canotto  
4 - Beccuccio; 5 - Canna lunga

**INFLATING GUN WITH KIT 5 PIECES  
POLISHED TREATMENT**  
Length hose : 300 mm  
**WITH THREAD FOR :**  
1 - Ball; 2 - Bike; 3 - Rubber Boats  
4 - nozzle; 5 - Long nozzle



ART.

## 53-9 HOBBY PLUS


CODICE - CODE

539HP 00 001



**PISTOLA DI GONFIAGGIO CON KIT 5 PEZZI  
TRATTAMENTO BRILLANTATO**  
1 - Tubo lungo 300 mm completo di attacco  
1/4 BSPP e testina di connessione per filetti Ø M9  
2 - Tubo lungo 300 mm completo di attacco  
1/4 BSPP e connettore filettato per:  
3 - Pallone; 4 - Bici; 5 - Canotto

**INFLATING GUN WITH KIT 5 PIECES  
POLISHED TREATMENT**  
1 - Long complete hose 300mm with 1/4 BSPP  
and connection head for Ø M9 threads.  
2 - Long complete hose 300mm with 1/4 BSPP  
and connection threaded for :  
3 - Ball; 4 - Bike; 5 - Rubber Boats



ART.

## 53G


CODICE - CODE

53G00 00 001



**PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO Ø 63  
CON TUBO IN ALLUMINIO  
E TESTINA ART.560T**

**ALUMINIUM INFLATING GUN  
WITH GAUGE Ø 63  
WITH ALUMINIUM HOSE  
AND INFLATING HEAD ART.560T**



# SERIE BASE - STANDARD SERIES


**ART.  
53TA**

CODICE - CODE  
53TA0 00 001



PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO Ø 63  
CON TUBO IN ALLUMINIO 105 mm

ALUMINIUM INFLATING GUN  
WITH PRESSURE GAUGE Ø 63  
WITH ALUMINIUM HOSE 105 mm



**ART.  
53AE**



CODICE - CODE  
53AE0 00 001



PISTOLA DI GONFIAGGIO  
IN ALLUMINIO  
CON MANOMETRO Ø 63  
CON UGELLO IN NBR PER ALBERI  
ESPANDIBILI PNEUMATICI

ALUMINIUM INFLATING GUN  
WITH PRESSURE GAUGE Ø 63  
WITH NBR NOZZLE FOR PNEUMATIC  
EXPANDING SHAFTS



**ART.  
50AE**




CODICE - CODE  
50AE0 00 001



PISTOLA DI GONFIAGGIO  
IN ALLUMINIO SENZA MANOMETRO  
CON UGELLO IN NBR PER ALBERI  
ESPANDIBILI PNEUMATICI

ALUMINIUM INFLATING GUN  
WITHOUT PRESSURE GAUGE AND  
WITH NBR NOZZLE FOR PNEUMATIC  
EXPANDING SHAFTS



# PROVA PRESSIONE - PRESSURE GAUGE

**ART.**


**54**

CODICE - CODE  
54000 00 001



**MANOMETRO PROVA PRESSIONE**  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 300 mm

**GAUGE FOR PRESSURE TEST**  
Max pressure gauge: 0-12 bar  
Length hose: 300 mm



**ART.**


**54ZM**

CODICE - CODE  
54ZM0 00 001



**MANOMETRO PROVA PRESSIONE CON TESTINA GONFIAGGIO IN ZAMA**  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 300 mm

**GAUGE FOR PRESSURE TEST WITH ZAMA INFLATING HEAD**  
Max pressure gauge: 0-12 bar  
Length hose: 300 mm



**ART.**


**54OT**

CODICE - CODE  
54OT0 00 001



**MANOMETRO PROVA PRESSIONE CON TESTINA GONFIAGGIO IN OTTONE**  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 300 mm

**GAUGE FOR PRESSURE TEST WITH BRASS INFLATING HEAD**  
Max pressure gauge: 0-12 bar  
Length hose: 300 mm



**ART.**


**54SC**

CODICE - CODE  
54SC0 00 001



**MANOMETRO PROVA PRESSIONE CON PULSANTE SCARICO ARIA**  
Pressione manometro max: 0-12 bar  
Lunghezza tubo: 300 mm

**GAUGE FOR PRESSURE TEST WITH AIR DISCHARGE BUTTON**  
Max pressure gauge: 0-12 bar  
Length hose: 300 mm



# PROVA PRESSIONE - PRESSURE GAUGE


ART.  
**54BPS**

CODICE - CODE  
54BPS 00 001



MANOMETRO PROVA PRESSIONE Ø63  
CON PULSANTE DI  
SCARICO ARIA  
PRESSIONE MANOMETRO:  
0 - 1,6 BAR  
0 - 1 BAR  
LUNGHEZZA TUBO: 300 mm

GAUGE FOR PRESSURE TEST Ø63  
WITH BUTTON FOR AIR  
DISCHARGE  
MAX PRESSURE GAUGE:  
0 - 1,6 BAR  
0 - 1 BAR  
LENGTH HOSE : 300 mm




ART.  
**54BP**

CODICE - CODE  
54BP0 00 001



MANOMETRO PROVA PRESSIONE Ø63  
PRESSIONE MANOMETRO:  
0 - 1,6 BAR  
0 - 1 BAR  
LUNGHEZZA TUBO: 300 mm

GAUGE FOR PRESSURE TEST Ø63  
MAX PRESSURE GAUGE:  
0 - 1,6 BAR  
0 - 1 BAR  
LENGTH HOSE : 300 mm



# RICAMBI E ACCESSORI - SPARE PARTS AND ACCESSORIES

**ART.**

**56ZM**

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6	56ZM0 00 001



TESTINA GONFIAGGIO  
IN ZAMA

ZAMA INFLATING HEAD

**ART.**

**56OT**

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6	56OT0 00 001
7	56OT0 00 002
8	56OT0 00 003



TESTINA GONFIAGGIO  
IN OTTONE

BRASS INFLATING HEAD

**ART.**

**56OTF**

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	56OTF 00 001
BSPP 1/4 F	56OTF 00 002



TESTINA GONFIAGGIO  
IN OTTONE FILETTO FEMMINA

BRASS INFLATING HEAD  
FEMALE THREAD

**ART.**

**151**

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6	15100 00 001



TESTINA PER PROVA  
PRESSIONE PER ART. 54

HEAD FOR PRESSURE TEST  
FOR ART. 54

**ART.**

**56RI-A**

CODICE - CODE
56RIA 00 001



GUARNIZIONE DI RICAMBIO  
PER TESTINA GONFIAGGIO  
IN ZAMA

SPARE GASKET FOR ZAMA  
HEAD INFLATION

**ART.**

**56RI-B**

CODICE - CODE
56RIB 00 001



GUARNIZIONE DI RICAMBIO  
PER TESTINA GONFIAGGIO  
IN OTTONE

SPARE GASKET FOR BRASS HEAD  
INFLATION

**ART.**

**152-9**

CODICE - CODE
15290 00 001

KIT TESTINE PER  
PALLONE, CANOTTO  
E BICICLETTA

INFLATING HEAD KIT FOR  
BALL, RUBBER BOAT AND  
BIKE



**ART.**

**154-9**

CODICE - CODE
15490 00 001



TESTINA GONFIAGGIO  
PER BICI

INFLATING HEAD  
FOR BIKE

# RICAMBI E ACCESSORI - SPARE PARTS AND ACCESSORIES

**ART.**

**155 - 9**

CODICE - CODE

15590 00 001

TESTINA GONFIAGGIO  
PER PALLONE

INFLATING HEAD  
FOR BALL



**ART.**

**157 - 9**

CODICE - CODE

15790 00 001

TESTINA GONFIAGGIO  
PER CANOTTO

INFLATING HEAD  
FOR RUBBER BOAT



**ART.**

**158**

CODICE - CODE

15800 00 001

GUARNIZIONE DI RICAMBIO  
PER ART. 154-9

SPARE GASKET  
FOR ART. 154-9



**ART.**

**53DZ**



LUNGHEZZA TUBO LENGTH HOSE	CODICE CODE
300 mm	53DZ0 00 001
500 mm	53DZ0 00 002
750 mm	53DZ0 00 003
1000 mm	53DZ0 00 004
1500 mm	53DZ0 00 005
2000 mm	53DZ0 00 006

TUBO COMPLETO RICAMBIO  
PER PISTOLA DI GONFIAGGIO  
CON TESTINA IN ZAMA

COMPLETE REPLACEMENT  
HOSE FOR INFLATING GUN  
WITH ZAMAK HEAD

**ART.**

**53DOT**



LUNGHEZZA TUBO LENGTH HOSE	CODICE CODE
300 mm	53DOT 00 001
500 mm	53DOT 00 002
750 mm	53DOT 00 003
1000 mm	53DOT 00 004
1500 mm	53DOT 00 005
2000 mm	53DOT 00 006

TUBO COMPLETO RICAMBIO  
PER PISTOLA DI GONFIAGGIO  
CON TESTINA IN OTTONE

COMPLETE REPLACEMENT  
HOSE FOR INFLATING GUN  
WITH BRASS HEAD

**ART.**

**53DZ - OR**



TUBO COMPLETO RICAMBIO  
PER PISTOLA DI GONFIAGGIO  
CON TESTINA IN ZAMA  
DELLA SERIE HOBBY  
E HOBBY PLUS  
Lunghezza tubo: 300 mm

COMPLETE REPLACEMENT HOSE FOR  
INFLATION GUN WITH ZAMAK HEAD  
FROM THE HOBBY SERIES AND  
HOBBY PLUS SERIES

Tube  
length: 300mm

**ART.**

**53F - 9**

CODICE - CODE

53F90 00 001

TUBO DI RICAMBIO PER  
ART. 152-9; 154-9;  
155-9; 157-9  
Lunghezza tubo: 300 mm

SPARE HOSE FOR  
ART. 152-9; 154-9;  
155-9; 157-9  
Length hose: 300 mm



**ART.**

**300F**



VALVOLA GONFIAGGIO  
RUOTE GEMELLATE

INFLATING VALVE FOR  
TWIN TYRES

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	300F0 00 001

# RICAMBI E ACCESSORI - SPARE PARTS AND ACCESSORIES

**ART.  
300MF**

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	300MF 00 001



VALVOLA GONFIAGGIO  
RUOTE GEMELLATE  
CON MANICO

INFLATING VALVE FOR  
TWIN TYRES  
WITH HANDLE

**ART.  
300R**

Ø RESCA Ø FITTING	CODICE CODE
6	300R0 00 001
8	300R0 00 002



VALVOLA GONFIAGGIO  
RUOTE GEMELLATE  
ATTACCO PORTAGOMMA

INFLATING VALVE FOR  
TWIN TYRES  
WITH HOSE CONNECTION

**ART.  
310F**

CODICE - CODE
310F0 00 001



VALVOLA GONFIAGGIO  
RUOTE GEMELLATE  
CON AGGANCIO PER  
ART. 56ZM E ART. 56OT

INFLATING VALVE FOR  
TWIN TYRES  
WITH COUPLING  
FOR ART. 56ZM AND ART. 56OT

**ART.  
53B**

Ø DISPONIBILI Ø AVAILABLE	FILETTO THREAD	CODICE CODE
63	BSPT 1/4 M	53B00 00 001



MANOMETRO PER PISTOLA  
GONFIAGGIO ATTACCO  
RADIALE 1/4 BSPT M  
0-12 bar  
0-175 psi

GAUGE FOR INFLATING GUN  
RADIAL CONNECTION 1/4 BSPT M  
0 - 12 bar  
0 - 175 psi

**ART.  
53BP**

Ø DISPONIBILI Ø AVAILABLE	FILETTO THREAD	CODICE CODE
63	BSPT 1/4 M	53BP0 00 001
80	BSPT 1/4 M	53BP0 00 002



MANOMETRO PER PISTOLA  
GONFIAGGIO ATTACCO  
POSTERIORE  
0-12 bar  
0-175 psi

GAUGE FOR INFLATING GUN  
BACK CONNECTION  
0 - 12 bar  
0 - 175 psi

**ART.  
73RD**

Ø DISPONIBILI Ø AVAILABLE	FILETTO THREAD	CODICE CODE
63	BSPT 1/4 M	73RD0 00 001



MANOMETRO OMologATO CE  
DOPPIA SCALA PER PISTOLA  
GONFIAGGIO ATTACCO RADIALE  
0-10 bar  
0-145 psi

GAUGE APPROVED  
EC DOUBLE SCALE  
FOR INFLATING GUN  
RADIAL CONNECTION  
0 - 10 bar  
0 - 145 psi

**ART.  
54R**

Ø DISPONIBILI Ø AVAILABLE	Ø RESCA Ø FITTING	CODICE CODE
63	7	54R00 00 001



MANOMETRO  
PER PROVA PRESSIONE  
ATTACCO RADIALE  
CON RESCA Ø 7  
0-12 bar  
0-175 psi

GAUGE FOR PRESSURE TEST  
RADIAL CONNECTION  
WITH FITTING Ø 7  
0 - 12 bar  
0 - 175 psi

**ART.  
73R**

Ø DISPONIBILI Ø AVAILABLE	FILETTO THREAD	CODICE CODE
63	BSPT 1/4 M	73R00 00 001



MANOMETRO OMologATO CE  
PER PISTOLA GONFIAGGIO  
ATTACCO RADIALE  
0 - 10 bar

GAUGE APPROVED EC  
FOR INFLATING GUN  
RADIAL CONNECTION  
0 - 10 bar

# RICAMBI E ACCESSORI - SPARE PARTS AND ACCESSORIES

**ART.**

**83R**

Ø DISPONIBILI Ø AVAILABLE	FILETTO THREAD	CODICE CODE
80	BSPT 1/4 M	83R00 00 001



MANOMETRO OMologato CE  
DOPPIA SCALA  
PER PISTOLA GONFIAGGIO  
ATTACCO POSTERIORE  
0 -12 bar  
0 -175 psi

GAUGE APPROVED  
EC DOUBLE SCALE  
FOR INFLATING GUN  
BACK CONNECTION  
0 - 10 bar  
0 - 145 psi

**ART.**

**53BDG**

Ø DISPONIBILI Ø AVAILABLE	FILETTO THREAD	CODICE CODE
63	BSPT 1/4 M	53BDG 00 001



MANOMETRO DIGITALE  
PER PISTOLA GONFIAGGIO  
ATTACCO RADIALE 1/4 BSPT M  
COMPLETO DI PROTEZIONE BLU  
0 -12 bar  
0 -175 psi

DIGITAL GAUGE FOR INFLATING  
GUN RADIAL CONNECTION 1/4 BSPT M  
BLUE PROTECTION INCLUSIVE  
0 - 12 bar  
0 - 175 psi

**ART.**

**53C2**

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
63	53C20 00 001
80	53C20 00 002



PROTEZIONE PER MANOMETRO  
ATTACCO POSTERIORE

PROTECTION FOR GAUGE  
BACK CONNECTION

**ART.**

**53C**

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
63	53C00 00 001



PROTEZIONE PER MANOMETRO  
ATTACCO RADIALE

PROTECTION FOR GAUGE  
RADIAL CONNECTION

# PISTOLE DI SOFFIAGGIO



## BLOWING GUNS

# SERIE IN ALLUMINIO - ALUMINUM SERIES

**ART.**

**50**




CODICE - CODE

50000 00 001

PISTOLA DI SOFFIAGGIO  
IN ALLUMINIO  
TRATTAMENTO BRILLANTATO  
Consumo aria a 6 bar: 180 Nl/min

ALUMINIUM BLOWING GUN  
POLISHED TREATMENT  
Air consumption at 6 bar: 180 Nl/min



**ART.**

**50SV**




CODICE - CODE

50SV0 00 001

PISTOLA DI SOFFIAGGIO  
IN ALLUMINIO  
TRATTAMENTO SABBIAZIO VERNICIATO  
Consumo aria a 6 bar: 180 Nl/min

ALUMINIUM BLOWING GUN  
SANDBLASTED PAINT TREATMENT  
Air consumption at 6 bar: 180 Nl/min



**ART.**

**50V**




CODICE - CODE

50V00 00 001

PISTOLA DI SOFFIAGGIO VENTURI  
IN ALLUMINIO  
TRATTAMENTO BRILLANTATO  
Consumo aria a 6 bar: 180 Nl/min

ALUMINIUM VENTURI  
BLOWING GUN  
POLISHED TREATMENT  
Air consumption at 6 bar: 180 Nl/min



**ART.**

**50VSV**




CODICE - CODE

50VSV 00 001

PISTOLA DI SOFFIAGGIO VENTURI  
IN ALLUMINIO  
TRATTAMENTO SABBIAZIO VERNICIATO  
Consumo aria a 6 bar: 180 Nl/min

ALUMINIUM VENTURI  
BLOWING GUN  
SANDBLASTED PAINT TREATMENT  
Air consumption at 6 bar: 180 Nl/min



# SERIE IN ALLUMINIO - ALUMINUM SERIES

ART.

**51 - 100**


PISTOLA DI SOFFIAGGIO  
CANNA LUNGA  
IN ALLUMINIO  
TRATTAMENTO BRILLANTATO  
Consumo aria a 6 bar: 180 Nl/min

**51 - 190**

ALUMINIUM BLOWING GUN  
WITH LONG BARREL  
POLISHED TREATMENT  
Air consumption at 6 bar: 180 Nl/min

**51 - 350**

**51 - 500**



ART.

**51 - 100**

CODICE - CODE

51000 10 001

CANNA LUNGA 100 mm

LONG BARREL 100 mm



ART.

**51 - 190**

CODICE - CODE

51000 19 001

CANNA LUNGA 190 mm

LONG BARREL 190 mm



ART.

**51 - 350**

CODICE - CODE

51000 35 001

CANNA LUNGA 350 mm

LONG BARREL 350 mm



ART.

**51 - 500**

CODICE - CODE

51000 50 001

CANNA LUNGA 500 mm

LONG BARREL 500 mm



MADE IN ITALY

# SERIE IN ALLUMINIO - ALUMINUM SERIES

ART.

**51SV - 100**


PISTOLA DI SOFFIAGGIO  
CANNA LUNGA  
IN ALLUMINIO  
TRATTAMENTO SABBIAZIO E VERNICIATO  
Consumo aria a 6 bar: 180 l/min

**51SV - 190**

**51SV - 350**

**51SV - 500**

ALUMINIUM BLOWING GUN  
WITH LONG BARREL  
SANDBLASTED PAINT TREATMENT  
Air consumption at 6 bar: 180 Nl/min



ART.

**51SV - 100**

CODICE - CODE  
51SV0 10 001

CANNA LUNGA 100 mm

LONG BARREL 100 mm



ART.

**51SV - 190**

CODICE - CODE  
51SV0 19 001

CANNA LUNGA 190 mm

LONG BARREL 190 mm



ART.

**51SV - 350**

CODICE - CODE  
51SV0 35 001

CANNA LUNGA 350 mm

LONG BARREL 350 mm



ART.

**51SV - 500**

CODICE - CODE  
51SV0 50 001

CANNA LUNGA 500 mm

LONG BARREL 500 mm




# SERIE IN ALLUMINIO - ALUMINUM SERIES

**ART.**

**68**


CODICE - CODE

68000 00 001



**PISTOLA DI SOFFIAGGIO  
ANTINFORTUNISTICA  
IN ALLUMINIO  
TRATTAMENTO BRILLANTATO**  
Consumo aria a 6 bar: 180 Nl/min

**ALUMINIUM SAFETY  
BLOWING GUN  
POLISHED TREATMENT**  
Air consumption at 6 bar: 180 Nl/min



**ART.**

**68SV**


CODICE - CODE

68SV0 00 001



**PISTOLA DI SOFFIAGGIO  
ANTINFORTUNISTICA  
IN ALLUMINIO  
TRATTAMENTO SABBIAZO VERNICIATO**  
Consumo aria a 6 bar: 180 Nl/min

**ALUMINIUM SAFETY  
BLOWING GUN  
SANDBLASTED PAINT TREATMENT**  
Air consumption at 6 bar: 180 Nl/min



**ART.**

**51A**


CODICE - CODE

51A00 00 001



**PISTOLA DI SOFFIAGGIO  
PER STAMPI  
IN ALLUMINIO  
TRATTAMENTO BRILLANTATO**  
Consumo aria a 6 bar: 180 Nl/min  
Lunghezza canna: 190 mm

**ALUMINIUM BLOWING GUN  
WITH BENT NOZZLE  
POLISHED TREATMENT**  
Air consumption at 6 bar: 180 Nl/min  
Length nozzle: 190 mm



**ART.**

**51ASV**


CODICE - CODE

51ASV 00 001



**PISTOLA DI SOFFIAGGIO  
PER STAMPI  
IN ALLUMINIO  
TRATTAMENTO SABBIAZO VERNICIATO**  
Consumo aria a 6 bar: 180 Nl/min  
Lunghezza canna: 190 mm

**ALUMINIUM BLOWING GUN  
WITH BENT NOZZLE  
SANDBLASTED PAINT TREATMENT**  
Air consumption at 6 bar: 180 Nl/min  
Length nozzle: 190 mm



# SERIE IN NYLON - NYLON SERIES

ART.


**50B - 100**

PISTOLA DI SOFFIAGGIO PROFESSIONALE  
DI COLORE NERO  
CON REGOLAZIONE ARIA PROGRESSIVA  
Consumo aria a 6 bar: 260 Nl/min

**50B - 350**

**50B - 500**

PROFESSIONAL BLOWING GUN PROVIDED  
WITH LEVER FOR THE  
ADJUSTMENT OF THE AIR FLOW  
AVAILABLE IN BLACK  
Air consumption at 6 bar: 260 Nl/min



ART.

**50B - 100**

CODICE - CODE

50B00 10 001

CANNA LUNGA 100 mm

LONG BARREL 100 mm



ART.

**50B - 350**

CODICE - CODE

50B00 35 001

CANNA LUNGA 350 mm

LONG BARREL 350 mm



ART.


**50B - 500**

CODICE - CODE

50B00 50 001

CANNA LUNGA 500 mm

LONG BARREL 500 mm



# SERIE IN NYLON - NYLON SERIES

ART.


**50BG - 100**

PISTOLA DI SOFFIAGGIO PROFESSIONALE  
DI COLORE GIALLO  
CON REGOLAZIONE ARIA PROGRESSIVA  
Consumo aria a 6 bar: 260 Nl/min

**50BG - 350**

**50BG - 500**

PROFESSIONAL BLOWING GUN PROVIDED  
WITH LEVER FOR THE  
ADJUSTMENT OF THE AIR FLOW  
AVAILABLE IN YELLOW  
Air consumption at 6 bar: 260 Nl/min



ART.

**50BG - 100**

CODICE - CODE  
50BG0 10 001

CANNA LUNGA 100 mm

LONG BARREL 100 mm



ART.

**50BG - 350**

CODICE - CODE  
50BG0 35 001

CANNA LUNGA 350 mm

LONG BARREL 350 mm




ART.

**50BG - 500**

CODICE - CODE  
50BG0 50 001

CANNA LUNGA 500 mm

LONG BARREL 500 mm



# SERIE IN NYLON - NYLON SERIES

ART.


**50BGR - 100**

PISTOLA DI SOFFIAGGIO PROFESSIONALE  
DI COLORE ROSSO  
CON REGOLAZIONE ARIA PROGRESSIVA  
Consumo aria a 6 bar: 260 Nl/min

**50BGR - 350**

**50BGR - 500**

PROFESSIONAL BLOWING GUN PROVIDED  
WITH LEVER FOR THE  
ADJUSTMENT OF THE AIR FLOW  
AVAILABLE IN RED  
Air consumption at 6 bar: 260 Nl/min



ART.

**50BGR - 100**

CODICE - CODE

50BGR 10 001

CANNA LUNGA 100 mm

LONG BARREL 100 mm



ART.

**50BGR - 350**

CODICE - CODE

50BGR 35 001

CANNA LUNGA 350 mm

LONG BARREL 350 mm



ART.

**50BGR - 500**

CODICE - CODE

50BGR 50 001

CANNA LUNGA 500 mm

LONG BARREL 500 mm



# SERIE IN NYLON - NYLON SERIES

ART.

**50BS**


CODICE - CODE

50BS0 00 001



PISTOLA DI SOFFIAGGIO PROFESSIONALE  
CON REGOLAZIONE ARIA PROGRESSIVA  
CON SPIRALE 4 METRI IN POLIURETANO  
Consumo aria a 6 bar: 260 Nl/min  
Lunghezza canna: 100 mm

PROFESSIONAL BLOWING GUN PROVIDED  
WITH LEVER FOR THE  
ADJUSTMENT OF THE AIR FLOW  
WITH 4 METERS POLYURETHANE SPIRAL HOSE  
Air consumption at 6 bar: 260 Nl/min  
Length nozzle: 100 mm



\*SPECIFICARE TIPO DI INNESTO - VEDI PAG. 8  
\*SPECIFY TYPE OF COUPLING - SEE PAGE 8



ART.

**50B TRUCK**

CODICE - CODE

50BT0 00 001

PISTOLA DI SOFFIAGGIO PROFESSIONALE  
CON REGOLAZIONE ARIA PROGRESSIVA  
ASSEMBLATA CON SPIRALE DA 4 METRI IN POLIURETANO

-KIT COMPLETO PER TRUCK

Consumo aria a 6 bar: 260 Nl/min  
Lunghezza canna: 100 mm



PROFESSIONAL BLOWING GUN PROVIDED  
WITH LEVER FOR THE  
ADJUSTMENT OF THE AIR FLOW  
ASSEMBLED BY 4 METERS POLYURETHANE SPIRAL HOSE

-FULL KIT FOR TRUCKS

Air consumption at 6 bar: 260 Nl/min  
Length nozzle: 100 mm



# RICAMBI E ACCESSORI - SPARE PARTS AND ACCESSORIES

**ART.**

**50R**

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	50R00 00 001



BECCUCCIO DI RICAMBIO  
PER PISTOLA DI SOFFIAGGIO  
PER ART. 50 - 50SV

REPLACEMENT NOZZLE  
FOR BLOW GUN  
THREAD FOR ART. 50 - 50SV

**ART.**

**50VR**

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	50VR0 00 001



BECCUCCIO DI RICAMBIO  
PER PISTOLA VENTURI  
PER ART. 50V - 50VSV

REPLACEMENT NOZZLE  
FOR VENTURI GUN  
THREAD FOR ART. 50V - 50VSV

**ART.**

**51R**

LUNGHEZZA CANNA LENGTH NOZZLE	CODICE CODE
100 mm	51R00 10 001
190 mm	51R00 19 002
350 mm	51R00 35 003
500 mm	51R00 50 004



CANNA LUNGA DI RICAMBIO  
PER ART. 51

REPLACEMENT LONG BARREL  
FOR ART. 51

**ART.**

**68R**

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	68R00 00 001



BECCUCCIO DI RICAMBIO  
PER PISTOLA  
ANTINFORTUNISTICA  
PER ART. 68 - 68SV

REPLACEMENT NOZZLE  
FOR SAFETY GUN  
FOR ART. 68 - 68SV

**ART.**

**50BR**

CODICE - CODE
50BR0 00 001



BECCUCCIO SILENZIATORE DI RICAMBIO  
PER ART. 50B - 50BG - 50BGR  
50BS - 50B TRUCK

REPLACEMENT SILENCER NOZZLE  
FOR ART. 50B - 50BG - 50BGR  
50BS - 50B TRUCK

# PISTOLE DI LAVAGGIO



**WASHING  
GUNS**

# SERIE BASE - STANDARD SERIES

**ART.**

**55**


CODICE - CODE

55000 00 001



PISTOLA DI LAVAGGIO  
IN ALLUMINIO CON SERBATOIO  
IN ACCIAIO KG 1  
TRATTAMENTO BRILLANTATO  
Consumo d'aria: 200/250 Nl/min  
6/8 bar

ALUMINIUM WASHING GUN  
WITH STEEL TANK KG 1  
POLISHED TREATMENT  
Air consumption : 200/250 Nl/min  
6/8 bar



**ART.**

**55SV**


CODICE - CODE

55SV0 00 001



PISTOLA DI LAVAGGIO  
IN ALLUMINIO CON SERBATOIO  
IN ACCIAIO KG 1  
TRATTAMENTO SABBIAZIO VERNICIATO  
Consumo d'aria: 200/250 Nl/min  
6/8 bar

ALUMINIUM WASHING GUN  
WITH STEEL TANK KG 1  
SANDBLASTED PAINT TREATMENT  
Air consumption : 200/250 Nl/min  
6/8 bar



**ART.**

**57**


CODICE - CODE

57000 00 001



PISTOLA DI LAVAGGIO  
IN ALLUMINIO CON SERBATOIO  
IN ALLUMINIO KG 1  
TRATTAMENTO BRILLANTATO  
Consumo d'aria: 200/250 Nl/min  
6/8 bar

ALUMINIUM WASHING GUN  
WITH ALUMINIUM TANK KG 1  
POLISHED TREATMENT  
Air consumption : 200/250 Nl/min  
6/8 bar



**ART.**

**57SV**


CODICE - CODE

57SV0 00 001



PISTOLA DI LAVAGGIO  
IN ALLUMINIO CON SERBATOIO  
IN ALLUMINIO KG 1  
TRATTAMENTO SABBIAZIO VERNICIATO  
Consumo d'aria: 200/250 Nl/min  
6/8 bar

ALUMINIUM WASHING GUN  
WITH ALUMINIUM TANK KG 1  
SANDBLASTED PAINT TREATMENT  
Air consumption : 200/250 Nl/min  
6/8 bar



# SERIE BASE - STANDARD SERIES

ART.


**58**

CODICE - CODE  
58000 00 001



PISTOLA DI LAVAGGIO  
IN ALLUMINIO CON SERBATOIO  
KG 1 E COPERCHIO  
TUTTO IN ALLUMINIO  
TRATTAMENTO BRILLANTATO  
Consumo d'aria: 200/250 Nl/min  
6/8 bar

ALUMINIUM WASHING GUN  
WITH TANK KG 1 AND  
LID ALL IN ALUMINUM  
POLISHED TREATMENT  
Air consumption : 200/250 Nl/min  
6/8 bar



ART.


**58SV**

CODICE - CODE  
58SV0 00 001



PISTOLA DI LAVAGGIO  
IN ALLUMINIO CON SERBATOIO  
KG 1 E COPERCHIO TUTTO  
IN ALLUMINIO  
TRATTAMENTO SABBIAZO VERNICIATO  
Consumo d'aria: 200/250 Nl/min  
6/8 bar

ALUMINIUM WASHING GUN  
WITH TANK KG 1 AND LID  
ALL IN ALUMINUM  
SANDBLASTED PAINT TREATMENT  
Air consumption : 200/250 Nl/min  
6/8 bar



# SERIE ARIA ACQUA - AIR WATER SERIES

**ART.**

**92B**


CODICE - CODE

92B00 00 001



PISTOLA ARIA-ACQUA  
IN ALLUMINIO CON SERBATOIO  
PER LO SHAMPOO KG 1  
TRATTAMENTO BRILLANTATO  
Consumo d'aria: 200/250 Nl/min  
6/8 bar

ALUMINIUM AIR-WATER GUN  
WITH TANK FOR SHAMPOO KG 1  
POLISHED TREATMENT  
Air consumption : 200/250 Nl/min  
6/8 bar



**ART.**

**92BSV**


CODICE - CODE

92BSV 00 001



PISTOLA ARIA-ACQUA  
IN ALLUMINIO CON SERBATOIO  
PER LO SHAMPOO KG 1  
TRATTAMENTO SABBIAZO VERNICIATO  
Consumo d'aria: 200/250 Nl/min  
6/8 bar

ALUMINIUM AIR-WATER GUN  
WITH TANK FOR  
SHAMPOO KG 1  
SANDBLASTED PAINT TREATMENT  
Air consumption : 200/250 Nl/min  
6/8 bar



**ART.**

**92A**


CODICE - CODE

92A00 00 001



PISTOLA ARIA-ACQUA  
IN ALLUMINIO  
CON ATTACCO GARDEN  
TRATTAMENTO BRILLANTATO  
Consumo d'aria: 200/250 Nl/min  
6/8 bar

ALUMINIUM AIR-WATER GUN  
WITH GARDEN CONNECTION  
POLISHED TREATMENT  
Air consumption : 200/250 Nl/min  
6/8 bar



**ART.**

**92ASV**


CODICE - CODE

92ASV 00 001



PISTOLA ARIA-ACQUA  
IN ALLUMINIO  
CON ATTACCO GARDEN  
TRATTAMENTO SABBIAZO VERNICIATO  
Consumo d'aria: 200/250 Nl/min  
6/8 bar

ALUMINIUM AIR-WATER GUN  
WITH GARDEN CONNECTION  
SANDBLASTED PAINT TREATMENT  
Air consumption : 200/250 Nl/min  
6/8 bar



# SERIE ARIA ACQUA - AIR WATER SERIES

ART.

**92**


CODICE - CODE

92000 00 001



PISTOLA ARIA-ACQUA  
IN ALLUMINIO  
CON RESCA Ø 12  
TRATTAMENTO BRILLANTATO  
Consumo d'aria: 200/250 Nl/min  
6/8 bar

ALUMINIUM AIR-WATER GUN  
WITH BARBED FITTING Ø 12  
POLISHED TREATMENT  
Air consumption : 200/250 Nl/min  
6/8 bar



ART.

**92SV**


CODICE - CODE

92SV0 00 001



PISTOLA ARIA-ACQUA  
IN ALLUMINIO  
CON RESCA Ø 12  
TRATTAMENTO SABBIAZO VERNICIATO  
Consumo d'aria: 200/250 Nl/min  
6/8 bar

ALUMINIUM AIR-WATER GUN  
WITH BARBED FITTING Ø 12  
SANDBLASTED PAINT TREATMENT  
Air consumption : 200/250 Nl/min  
6/8 bar



# RICAMBI E ACCESSORI - SPARE PARTS AND ACCESSORIES

**ART.**

**57SR**



CODICE  
CODE

57SR0 00 001

SERBATOIO DI RICAMBIO  
IN ALLUMINIO CHIUSURA A  
BAIONETTA KG 1  
PER ART. 57 - 58 - 66 - 65 - 62 -  
57SV - 58SV - 66SV - 65SV - 62SV -  
62A - MASTER 2800 -  
PROFI MASTER 2800

ALUMINIUM REPLACEMENT TANK  
WITH BAYONET CLOSURE KG 1  
FOR ART. 57 - 58 - 66 - 65 - 62 -  
57SV - 58SV - 66SV - 65SV - 62SV  
62A - MASTER 2800 -  
PROFI MASTER 2800

**ART.**

**57R**



CODICE  
CODE

57R00 00 001

GUARNIZIONE RICAMBIO  
PER SERBATOIO  
PER ART. 57 - 58 - 66 - 65 - 62 -  
57SV - 58SV - 66SV - 65SV - 62SV -  
62A - MASTER 2800 -  
PROFI MASTER 2800

SPARE GASKET FOR TANK  
FOR ART. 57 - 58 - 66 - 65 - 62 -  
57SV - 58SV - 66SV - 65SV - 62SV  
62A - MASTER 2800 -  
PROFI MASTER 2800

**ART.**

**55SR**



CODICE  
CODE

55SR0 00 001

SERBATOIO DI RICAMBIO  
PER PISTOLA LAVAGGIO  
E PISTOLA ARIA ACQUA  
IN ACCIAIO VERNICIATO KG 1  
PER ART. 55 - 92B - 55SV - 92BSV

REPLACEMENT TANK FOR  
WASHING GUN AND WATER GUN  
PAINTED STEEL KG 1  
FOR ART. 55 - 92B - 55SV - 92BSV

**ART.**

**55R**



CODICE  
CODE

55R00 00 001

BECCUCCIO DI RICAMBIO  
PER PISTOLA DI LAVAGGIO  
PER ART. 55 - 57 - 58  
55SV - 57SV - 58SV

REPLACEMENT NOZZLE  
FOR WASHING GUN  
FOR ART. 55 - 57 - 58  
55SV - 57SV - 58SV

# PISTOLE PER TRATTAMENTI



*TREATMENT  
GUNS*

# SERIE ANTIROMBO - SOUND DEADENING SERIES

ART.


**66**



CODICE CODE
66000 00 001

PISTOLA ANTIROMBO  
IN ALLUMINIO **CON UGELLO FISSO**  
CON SERBATOIO KG 1  
TRATTAMENTO BRILLANTATO  
Consumo d'aria: 200/250 Nl/min 6/8 bar

ALUMINIUM SOUND-DEADENING  
TREATMENT GUN **WITH FIXED NOZZLE**  
WITH TANK KG 1  
POLISHED TREATMENT  
Air consumption : 200/250 Nl/min 6/8 bar



ART.


**66SV**



CODICE CODE
66SV0 00 001

PISTOLA ANTIROMBO  
IN ALLUMINIO **CON UGELLO FISSO**  
CON SERBATOIO KG 1  
TRATTAMENTO SABBIAZIO VERNICIATO  
Consumo d'aria: 200/250 Nl/min 6/8 bar

ALUMINIUM SOUND-DEADENING  
TREATMENT GUN **WITH FIXED NOZZLE**  
WITH TANK KG 1  
SANDBLASTED PAINT TREATMENT  
Air consumption : 200/250 Nl/min 6/8 bar



ART.


**67**



CODICE CODE
67000 00 001

PISTOLA ANTIROMBO  
IN ALLUMINIO **CON UGELLO FISSO**  
SENZA SERBATOIO  
TRATTAMENTO BRILLANTATO  
Consumo d'aria: 200/250 Nl/min 6/8 bar

ALUMINIUM SOUND-DEADENING  
TREATMENT GUN **WITH FIXED NOZZLE**  
WITHOUT TANK  
POLISHED TREATMENT  
Air consumption : 200/250 Nl/min 6/8 bar



ART.


**67SV**



CODICE CODE
67SV0 00 001

PISTOLA ANTIROMBO  
IN ALLUMINIO **CON UGELLO FISSO**  
SENZA SERBATOIO  
TRATTAMENTO SABBIAZIO VERNICIATO  
Consumo d'aria: 200/250 Nl/min 6/8 bar

ALUMINIUM SOUND-DEADENING  
TREATMENT GUN **WITH FIXED NOZZLE**  
WITHOUT TANK  
SANDBLASTED PAINT TREATMENT  
Air consumption : 200/250 Nl/min 6/8 bar



# SERIE ANTIROMBO - SOUND DEADENING SERIES

ART.


**66A**



CODICE CODE
66A00 00 001

PISTOLA ANTIROMBO  
IN ALLUMINIO  
**CON UGELLO REGOLABILE**  
CON SERBATOIO KG 1  
TRATTAMENTO BRILLANTATO  
Consumo d'aria: 200/250 Nl/min 6/8 bar

ALUMINIUM SOUND-DEADENING  
TREATMENT GUN  
**WITH ADJUSTABLE NOZZLE**  
WITH TANK KG 1  
POLISHED TREATMENT  
Air consumption : 200/250 Nl/min 6/8 bar



ART.


**66ASV**



CODICE CODE
66ASV 00 001

PISTOLA ANTIROMBO  
IN ALLUMINIO  
**CON UGELLO REGOLABILE**  
CON SERBATOIO KG 1  
TRATTAMENTO SABBIAZIO VERNICIATO  
Consumo d'aria: 200/250 Nl/min 6/8 bar

ALUMINIUM SOUND-DEADENING  
TREATMENT GUN  
**WITH ADJUSTABLE NOZZLE**  
WITH TANK KG 1  
SANDBLASTED PAINT TREATMENT  
Air consumption : 200/250 Nl/min 6/8 bar



ART.


**67A**



CODICE CODE
67A00 00 001

PISTOLA ANTIROMBO  
IN ALLUMINIO  
**CON UGELLO REGOLABILE**  
SENZA SERBATOIO  
TRATTAMENTO BRILLANTATO  
Consumo d'aria: 200/250 Nl/min 6/8 bar

ALUMINIUM SOUND-DEADENING  
TREATMENT GUN  
**WITH ADJUSTABLE NOZZLE**  
WITHOUT TANK  
POLISHED TREATMENT  
Air consumption : 200/250 Nl/min 6/8 bar



ART.


**67ASV**



CODICE CODE
67ASV 00 001

PISTOLA ANTIROMBO  
IN ALLUMINIO  
**CON UGELLO REGOLABILE**  
SENZA SERBATOIO  
TRATTAMENTO SABBIAZIO VERNICIATO  
Consumo d'aria: 200/250 Nl/min 6/8 bar

ALUMINIUM SOUND-DEADENING  
TREATMENT GUN  
**WITH ADJUSTABLE NOZZLE**  
WITHOUT TANK  
SANDBLASTED PAINT TREATMENT  
Air consumption : 200/250 Nl/min 6/8 bar



# SERIE ANTIROMBO - SOUND DEADENING SERIES

**ART.**


**67T**



<b>CODICE</b>	<b>CODE</b>
67T00 00 001	

**PISTOLA ANTIROMBO  
IN ALLUMINIO  
CON TUBO FLESSIBILE  
TRATTAMENTO BRILLANTATO**  
Consumo d'aria: 200/250 Nl/min 6/8 bar

**ALUMINIUM SOUND-DEADENING  
TREATMENT GUN  
WITH FLEXIBLE HOSE  
POLISHED TREATMENT**  
Air consumption : 200/250 Nl/min 6/8 bar



**ART.**


**67TSV**



<b>CODICE</b>	<b>CODE</b>
67TSV 00 001	

**PISTOLA ANTIROMBO  
IN ALLUMINIO  
CON TUBO FLESSIBILE  
TRATTAMENTO SABBIATO VERNICIATO**  
Consumo d'aria: 200/250 Nl/min 6/8 bar

**ALUMINIUM SOUND-DEADENING  
TREATMENT GUN  
WITH FLEXIBLE HOSE  
SANDBLASTED PAINT TREATMENT**  
Air consumption : 200/250 Nl/min 6/8 bar



**ART.**


**67TB**



<b>CODICE</b>	<b>CODE</b>
67TB0 00 001	

**PISTOLA ANTIROMBO  
IN ALLUMINIO  
CON TUBO FLESSIBILE + UGELLO  
TRATTAMENTO BRILLANTATO**  
Consumo d'aria: 200/250 Nl/min 6/8 bar

**ALUMINIUM SOUND-DEADENING  
TREATMENT GUN  
WITH FLEXIBLE HOSE  
AND FIXED JET NOZZLE  
POLISHED TREATMENT**  
Air consumption : 200/250 Nl/min 6/8 bar



**ART.**


**67TBSV**



<b>CODICE</b>	<b>CODE</b>
67TBS V0 001	

**PISTOLA ANTIROMBO  
IN ALLUMINIO  
CON TUBO FLESSIBILE + UGELLO  
TRATTAMENTO SABBIATO VERNICIATO**  
Consumo d'aria: 200/250 Nl/min 6/8 bar

**ALUMINIUM SOUND-DEADENING  
TREATMENT GUN  
WITH FLEXIBLE HOSE  
AND FIXED JET NOZZLE  
SANDBLASTED PAINT TREATMENT**  
Air consumption : 200/250 Nl/min 6/8 bar



# SERIE SABBIATURA - SANDBLASTING SERIES

ART.


**65**



CODICE CODE
65000 00 001

PISTOLA PER SABBIATURA  
IN ALLUMINIO  
CON SERBATOIO KG 1  
TRATTAMENTO BRILLANTATO  
Consumo d'aria: 200/250 Nl/min 6/8 bar

ALUMINIUM SANDBLASTING GUN  
WITH TANK KG 1  
POLISHED TREATMENT  
Air consumption : 200/250 Nl/min 6/8 bar



ART.


**65SV**



CODICE CODE
65SV0 00 001

PISTOLA PER SABBIATURA  
IN ALLUMINIO  
CON SERBATOIO KG 1  
TRATTAMENTO SABBIATO VERNICIATO  
Consumo d'aria: 200/250 Nl/min 6/8 bar

ALUMINIUM SANDBLASTING GUN  
WITH TANK KG 1  
SANDBLASTED PAINT TREATMENT  
Air consumption : 200/250 Nl/min 6/8 bar



ART.


**65A**



CODICE CODE
65A00 00 001

PISTOLA PER SABBIATURA  
IN ALLUMINIO  
CON TUBO DI PESCAZZIO 1 METRO  
TRATTAMENTO BRILLANTATO  
Consumo d'aria: 200/250 Nl/min 6/8 bar

ALUMINIUM SANDBLASTING GUN  
WITH HOSE 1 METER  
POLISHED TREATMENT  
Air consumption : 200/250 Nl/min 6/8 bar



ART.


**65ASV**



CODICE CODE
65ASV 00 001

PISTOLA PER SABBIATURA  
IN ALLUMINIO  
CON TUBO DI PESCAZZIO 1 METRO  
TRATTAMENTO SABBIATO VERNICIATO  
Consumo d'aria: 200/250 Nl/min 6/8 bar

ALUMINIUM SANDBLASTING GUN  
WITH HOSE 1 METER  
SANDBLASTED PAINT TREATMENT  
Air consumption : 200/250 Nl/min 6/8 bar



# SERIE SCHIUMA POLIURETANO - POLYURETHANE FOAM SERIES

ART.

**91P**


CODICE  
CODE

91P00 00 001



PISTOLA IN ALLUMINIO PER  
SCHIUMA POLIURETANO  
TRATTAMENTO BRILLANTATO

ALUMINIUM GUN  
FOR POLYURETHANE FOAM  
POLISHED TREATMENT



## RICAMBI E ACCESSORI - SPARE PARTS AND ACCESSORIES

ART.

**57R**

CODICE  
CODE

57R00 00 001



GUARNIZIONE DI RICAMBIO  
PER SERBATOIO  
PER ART. 57 - 58 - 62 - 62A -  
62SV - 65 - 65SV - 57SV - 58SV -  
MASTER 2800 -  
PROFI MASTER 2800

SPARE GASKET FOR TANK  
FOR ART. 57 - 58 - 62 - 62A -  
62SV - 65 - 65SV - 57SV - 58SV -  
MASTER 2800 -  
PROFI MASTER 2800

ART.

**57SR**

CODICE  
CODE

57SR0 00 001



SERBATOIO DI RICAMBIO  
IN ALLUMINIO CHIUSURA A  
BAIONETTA KG 1  
PER ART. 57 - 58 - 66 - 65 - 62 -  
57SV - 58SV - 66SV - 65SV - 62SV -  
62A - MASTER 2800 -  
PROFI MASTER 2800

ALUMINIUM REPLACEMENT TANK  
WITH BAYONET CLOSURE KG 1  
FOR ART. 57 - 58 - 66 - 65 - 62 -  
57SV - 58SV - 66SV - 65SV - 62SV -  
62A - MASTER 2800 -  
PROFI MASTER 2800

ART.

**65R**

CODICE  
CODE

65R00 00 001



UGELLO DI RICAMBIO  
PER PISTOLE PER SABBIATURA  
ART. 65

SPARE NOZZLE FOR  
SANDBLASTING GUNS  
ART. 65

ART.

**67R**

CODICE  
CODE

67R00 00 001



UGELLO FISSO DI RICAMBIO  
PER PISTOLE ANTIROMBO  
ART. 66 - 67 - 66SV - 67SV

SPARE **FIXED NOZZLE**  
FOR SOUND-DEADENING TREATMENT GUNS  
ART. 66 - 67 - 66SV - 67SV

ART.

**66AR**

CODICE  
CODE

66AR0 00 001



UGELLO REGOLABILE  
DI RICAMBIO  
PER PISTOLE ANTIROMBO  
ART. 66A - 67A - 66ASV - 67ASV

SPARE **ADJUSTABLE NOZZLE**  
FOR SOUND-DEADENING TREATMENT GUNS  
ART. 66A - 67A - 66ASV - 67ASV

ART.

**67TR**

CODICE  
CODE


67TR0 00 001



TUBO FLESSIBILE DI RICAMBIO  
PER PISTOLE ANTIROMBO  
ART. 67T - 67TSV - 67TB - 67TBSV

SPARE FLEXIBLE HOSE  
FOR SOUND-DEADENING TREATMENT GUNS  
ART. 67T - 67TSV - 67TB - 67TBSV

# KIT



# KIT

# KIT

**ART.  
70I**

**CONFEZIONE KIT IN SCATOLA:**

- 1 AEROGRAFO INFERIORE KG 1  
(ART. 62)
- 1 PISTOLA DI GONFIAGGIO  
(ART. 53)
- 1 PISTOLA DI LAVAGGIO  
(ART. 55)
- 1 PISTOLA DI SOFFIAGGIO  
(ART. 50)
- 1 SPIRALE RACCORDATA  
BAIONETTA-BAIONETTA


CODICE CODE
70I00 00 001



**BOX CONTENTS:**

- 1 SPRAY GUN W/ LOWER TANK KG 1  
(ART. 62)
- 1 INFLATING GUN  
(ART. 53)
- 1 WASHING GUN  
(ART. 55)
- 1 BLOWING GUN  
(ART. 50)
- 1 CONNECTED SPIRAL  
BAYONET-BAYONET

\*SPECIFICARE TIPO DI INNESTO - VEDI PAG. 8  
\*SPECIFY TYPE OF COUPLING - SEE PAGE 8



**ART.  
70S**

**CONFEZIONE KIT IN SCATOLA:**

- 1 AEROGRAFO SUPERIORE KG 0,5  
(ART. 61)
- 1 PISTOLA DI GONFIAGGIO  
(ART. 53)
- 1 PISTOLA DI LAVAGGIO  
(ART. 55)
- 1 PISTOLA DI SOFFIAGGIO  
(ART. 50)
- 1 SPIRALE RACCORDATA  
BAIONETTA-BAIONETTA


CODICE CODE
70S00 00 001




**BOX CONTENTS:**

- 1 SPRAY GUN W/ UPPER TANK KG 0,5  
(ART. 61)
- 1 INFLATING GUN  
(ART. 53)
- 1 WASHING GUN  
(ART. 55)
- 1 BLOWING GUN  
(ART. 50)
- 1 CONNECTED SPIRAL  
BAYONET-BAYONET

\*SPECIFICARE TIPO DI INNESTO - VEDI PAG. 8  
\*SPECIFY TYPE OF COUPLING - SEE PAGE 8



# TRATTAMENTO ARIA



## AIR TREATMENT

# RIDUTTORI DI PRESSIONE - PRESSURE REDUCER

PORTATA ARIA / AIR FLOW:

1700 Nl/min


PRESSIONE MASSIMA / MAX PRESSURE: 12 bar

**ART.  
600R**



FORI HOLES	CODICE CODE
3	600R0 03 001
4	600R0 04 002

RIDUTTORE DI PRESSIONE 1/4  
PRESSURE REDUCER 1/4



**ART.  
605R 1/4**



CODICE CODE
605R0 14 001

RIDUTTORE DI PRESSIONE  
CON MANOMETRO Ø 40  
E RUBINETTO CORSOIO

PRESSURE REDUCER  
WITH PRESSURE GAUGE Ø 40  
AND HAND SLIDE VALVE

**ART.  
601R 1/4**



CODICE CODE
601R0 14 001

RIDUTTORE DI PRESSIONE  
CON MANOMETRO Ø 40  
E RUBINETTO DI LINEA

PRESSURE REDUCER  
WITH PRESSURE GAUGE Ø 40  
AND LINE VALVE

**ART.  
602R 1/4**



CODICE CODE
602R0 14 001

RIDUTTORE DI PRESSIONE  
CON MANOMETRO Ø 40  
E RUBINETTO RAPIDO  
UNIVERSALE

PRESSURE REDUCER  
WITH PRESSURE GAUGE Ø 40  
AND UNIVERSAL QUICK COUPLER

**ART.  
607R 1/4**



CODICE CODE
607R0 14 001

RIDUTTORE DI PRESSIONE  
CON MANOMETRO Ø 40  
E INNESTO PROFILO TEDESCO IN ENTRATA  
RUBINETTO RAPIDO UNIVERSALE IN USCITA

PRESSURE REDUCER  
WITH PRESSURE GAUGE Ø 40  
AND QUICK GERMAN INPUT CONNECTION  
UNIVERSAL QUICK OUTLET COUPLER

# RIDUTTORI DI PRESSIONE - PRESSURE REDUCER

**PORTATA ARIA / AIR FLOW:** 1800 Nl/min

**PRESSIONE MASSIMA / MAX PRESSURE:** 12 bar

**ART.**

**620R 3/8**

**ART.**

**620R 1/2**



FILETTO THREAD	Ø PRESSURE GAUGE	CODICE CODE
BSPP 3/8 M	40 mm	620R0 38 001
BSPP 1/2 M	50 mm	620R0 12 002

RIDUTTORE DI PRESSIONE  
CON MANOMETRO E  
RUBINETTO DI LINEA

PRESSURE REDUCER  
WITH PRESSURE GAUGE  
AND LINE VALVES

**ART.**

**610R 3/8**

**ART.**

**610R 1/2**



FILETTO THREAD	Ø PRESSURE GAUGE	CODICE CODE
BSPP 3/8 M	40 mm	610R0 38 001
BSPP 1/2 M	50 mm	610R0 12 002

RIDUTTORE DI PRESSIONE  
CON MANOMETRO E  
RUBINETTO CORSOIO

PRESSURE REDUCER  
WITH PRESSURE GAUGE  
AND HAND SLIDE VALVES

**ART.**

**630R 3/8**

**ART.**

**630R 1/2**



FILETTO THREAD	Ø PRESSURE GAUGE	CODICE CODE
BSPP 3/8 M	40 mm	630R0 38 001
BSPP 1/2 M	50 mm	630R0 12 002

RIDUTTORE DI PRESSIONE  
CON MANOMETRO E  
RUBINETTO RAPIDO  
UNIVERSALE

PRESSURE REDUCER  
WITH PRESSURE GAUGE  
AND UNIVERSAL  
QUICK COUPLERS

**ART.**

**603**

CODICE - CODE

60300 00 001



SQUADRA FISSAGGIO A PARETE  
PER ART. 600R - 601R - 602R - 605R

WALL BRACKET  
FOR ART. 600R - 601R - 602R - 605R

**ART.**

**604**

CODICE - CODE

60400 00 001



DADO BLOCCAGGIO PASSAPARETE  
PER ART. 600R - 601R - 602R - 605R

LOCKNUT  
FOR ART. 600R - 601R - 602R - 605R

**ART.**


**606**



FILETTO THREAD	Ø PRESSURE GAUGE	CODICE CODE
BSPT 1/8 M	40 mm	60600 00 001
BSPT 1/8 M	50 mm	60600 00 002


MANOMETRO PER  
RIDUTTORE  
0-12 BAR

GAUGE FOR  
PRESSURE REDUCER  
0-12 BAR



CON LA SQUADRA DI FISSAGGIO E IL  
DADO PASSAPARETE E' POSSIBILE  
FISSARE I RIDUTTORI DI PRESSIONE  
A PARETE.

WITH THE WALL BRACKET AND THE  
BULKHEAD NUT IT IS POSSIBLE TO FIX  
THE PRESSURE REDUCERS TO THE  
WALL.



**GRUPPI MODULARI: FILTRO/REGOLATORE/LUBRIFICATORE PER ARIA COMPRESA**  
**MODULAR GROUPS: FILTER/REGULATOR/LUBRICATOR/FOR COMPRESSED AIR**

**PRESSIONE MASSIMA DI INGRESSO 18 bar - MAXIMUM INLET PRESSURE 18 bar**

- ART.**  
**720FM 1/4**  
**ART.**  
**725FM 3/8**  
**ART.**  
**730FM 1/2**  
**ART.**  
**735FM 3/4**  
**ART.**  
**740FM 1"**



FILTRO SEPARATORE  
DI CONDENSA  
TAZZA IN METALLO

FILTER FOR CONDENSATE  
SEPARATION  
METAL CUP

FILETTO THREAD	CODICE CODE
BSPP 1/4	72000 14 001
BSPP 3/8	72500 38 002
BSPP 1/2	73000 12 003
BSPP 3/4	73500 34 004
BSPP 1"	74000 10 005

GRADO DI FILTRAZIONE 20 µm  
DEGREE OF FILTRATION 20 µm

- ART.**  
**721R 1/4**  
**ART.**  
**726R 3/8**  
**ART.**  
**731R 1/2**  
**ART.**  
**736R 3/4**  
**ART.**  
**741R 1"**



REGOLATORE DI PRESSIONE  
CON MANOMETRO

PRESSURE REGULATOR  
WITH GAUGE

FILETTO THREAD	CODICE CODE
BSPP 1/4	72100 14 001
BSPP 3/8	72600 38 002
BSPP 1/2	73100 12 003
BSPP 3/4	73600 34 004
BSPP 1"	74100 10 005

- ART.**  
**722LM 1/4**  
**ART.**  
**727LM 3/8**  
**ART.**  
**732LM 1/2**  
**ART.**  
**737LM 3/4**  
**ART.**  
**742LM 1"**



LUBRIFICATORE A  
MICRONEBBIA  
TAZZA IN METALLO

OIL-MIST LUBRICATOR  
METAL CUP

FILETTO THREAD	CODICE CODE
BSPP 1/4	72200 14 001
BSPP 3/8	72700 38 002
BSPP 1/2	73200 12 003
BSPP 3/4	73700 34 004
BSPP 1"	74200 10 005

**GRUPPI MODULARI: FILTRO/REGOLATORE/LUBRIFICATORE PER ARIA COMPRESA**  
**MODULAR GROUPS: FILTER/REGULATOR/LUBRICATOR/FOR COMPRESSED AIR**

**PRESSIONE MASSIMA DI INGRESSO 18 bar - MAXIMUM INLET PRESSURE 18 bar**

**ART.**

**723FRM 1/4**

**ART.**

**728FRM 3/8**

**ART.**

**733FRM 1/2**

**ART.**

**738FRM 3/4**

**ART.**

**743FRM 1"**



FILETTO THREAD	CODICE CODE
BSPP 1/4	72300 14 001
BSPP 3/8	72800 38 002
BSPP 1/2	73300 12 003
BSPP 3/4	73800 34 004
BSPP 1"	74300 10 005

**GRADO DI FILTRAZIONE 20 µm**  
**DEGREE OF FILTRATION 20 µm**

**FILTRO REGOLATORE DI PRESSIONE  
CON MANOMETRO E TAZZA IN METALLO**

**FILTER – PRESSURE REGULATOR  
WITH GAUGE AND METAL CUP**

**ART.**

**724FR+LM 1/4**

**ART.**

**729FR+LM 3/8**

**ART.**

**734FR+LM 1/2**

**ART.**

**739FR+LM 3/4**

**ART.**

**744FR+LM 1"**



FILETTO THREAD	CODICE CODE
BSPP 1/4	72400 14 001
BSPP 3/8	72900 38 002
BSPP 1/2	73400 12 003
BSPP 3/4	73900 34 004
BSPP 1"	74400 10 005

**GRADO DI FILTRAZIONE 20 µm**  
**DEGREE OF FILTRATION 20 µm**

**GRUPPO COMPLETO A DUE ELEMENTI:  
FILTRO REGOLATORE + LUBRIFICATORE  
CON MANOMETRO E TAZZE IN METALLO**

**COMPLETE GROUP OF TWO ELEMENTS:  
FILTER REGULATOR + LUBRICATOR  
WITH GAUGE AND METAL CUPS**

**ART.**

**745F+R+LM 1/4**

**ART.**

**746F+R+LM 3/8**

**ART.**

**747F+R+LM 1/2**

**ART.**

**748F+R+LM 3/4**

**ART.**

**749F+R+LM 1"**




FILETTO THREAD	CODICE CODE
BSPP 1/4	74500 14 001
BSPP 3/8	74600 38 002
BSPP 1/2	74700 12 003
BSPP 3/4	74800 34 004
BSPP 1"	74900 10 005

**GRADO DI FILTRAZIONE 20 µm**  
**DEGREE OF FILTRATION 20 µm**

**GRUPPO COMPLETO A TRE ELEMENTI:  
FILTRO + REGOLATORE +LUBRIFICATORE  
CON MANOMETRO E TAZZE IN METALLO**

**COMPLETE GROUP THREE ELEMENTS:  
FILTER + REGULATOR + LUBRICATOR  
WITH GAUGE AND METAL CUPS**

# RACCORDERIA



# FITTINGS

# TAPPI - PLUGS

**ART.  
58T**



FILETTO THREAD	CODICE CODE
BSPP 1/8 M	58T00 18 001
BSPP 1/4 M	58T00 14 002
BSPP 3/8 M	58T00 38 003
BSPP 1/2 M	58T00 12 004
BSPP 3/4 M	58T00 34 005
BSPP 1" M	58T00 10 006

TAPPO IN OTTONE NICHELATO  
FILETTO MASCHIO CILINDRICO

PLUG IN NICKEL-PLATED BRASS  
CYLINDRICAL MALE THREAD

**ART.  
58TCE**



FILETTO THREAD	CODICE CODE
BSPT 1/4 M	58TCE 14 001

TAPPO IN OTTONE NICHELATO  
FILETTO MASCHIO CONICO

PLUG IN NICKEL-PLATED BRASS  
CONICAL MALE THREAD

**ART.  
58TF**



TAPPO IN OTTONE NICHELATO  
FILETTO FEMMINA

PLUG IN NICKEL-PLATED BRASS  
FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	58TF0 18 001
BSPP 1/4 F	58TF0 14 002
BSPP 3/8 F	58TF0 38 003
BSPP 1/2 F	58TF0 12 004
BSPP 3/4 F	58TF0 34 005
BSPP 1" F	58TF0 10 006

**ART.  
58TG**



TAPPO IN OTTONE NICHELATO  
FILETTO MASCHIO CILINDRICO  
TENUTA CON OR  
CHIAVE ESAGONALE INTERNA

PLUG IN NICKEL-PLATED BRASS  
CYLINDRICAL MALE THREAD  
SEAL WITH OR  
INTERNAL HEX KEY

FILETTO THREAD	CODICE CODE
BSPP 1/8 M	58TG0 18 001
BSPP 1/4 M	58TG0 14 002
BSPP 3/8 M	58TG0 38 003
BSPP 1/2 M	58TG0 12 004
BSPP 3/4 M	58TG0 34 005
BSPP 1" M	58TG0 10 006

**ART.  
58TC**



TAPPO IN OTTONE NICHELATO FILETTO  
MASCHIO CONICO  
CON CHIAVE  
ESAGONALE INTERNA

PLUG IN NICKEL-PLATED BRASS  
CONICAL MALE THREAD  
INTERNAL HEX KEY

FILETTO THREAD	CODICE CODE
BSPT 1/8 M	58TC0 18 001
BSPT 1/4 M	58TC0 14 002
BSPT 3/8 M	58TC0 38 003
BSPT 1/2 M	58TC0 12 004
BSPT 3/4 M	58TC0 34 005
BSPT 1" M	58TC0 10 006

**ART.  
58TM**



TAPPO IN OTTONE NICHELATO  
A SCOMPARRA CILINDRICO  
CON CHIAVE ESAGONALE INTERNA

PLUG IN NICKEL-PLATED BRASS  
RETRACTABLE  
INTERNAL HEX KEY

FILETTO THREAD	CODICE CODE
BSPP 1/8 M	58TM0 18 001
BSPP 1/4 M	58TM0 14 002
BSPP 3/8 M	58TM0 38 003
BSPP 1/2 M	58TM0 12 004
BSPP 3/4 M	58TM0 34 005

# RIDUZIONI - REDUCTIONS

**ART.  
58RC**



FILETTI THREADS	CODICE CODE	FILETTI THREADS	CODICE CODE
BSPT 1/4 M x BSPP 1/8 F	58RC0 14 001	BSPT 3/4 M x BSPP 3/8 F	58RC0 34 008
BSPT 3/8 M x BSPP 1/8 F	58RC0 38 002	BSPT 3/4 M x BSPP 1/2 F	58RC0 34 009
BSPT 3/8 M x BSPP 1/4 F	58RC0 38 003	BSPT 1" M x BSPP 1/4 F	58RC0 10 010
BSPT 1/2 M x BSPP 1/8 F	58RC0 12 004	BSPT 1" M x BSPP 3/8 F	58RC0 10 011
BSPT 1/2 M x BSPP 1/4 F	58RC0 12 005	BSPT 1" M x BSPP 1/2 F	58RC0 10 012
BSPT 1/2 M x BSPP 3/8 F	58RC0 12 006	BSPT 1" M x BSPP 3/4 F	58RC0 10 013
BSPT 3/4 M x BSPP 1/4 F	58RC0 34 007		

RIDUZIONE IN OTTONE NICHELATO  
FILETTO MASCHIO CONICO

REDUCTION IN NICKEL-PLATED BRASS  
CONICAL MALE THREAD

**ART.  
58RFC**



FILETTI THREADS	CODICE CODE	FILETTI THREADS	CODICE CODE
BSPP 1/8 M x M5 F	58RFC 18 001	BSPP 1/2 M x BSPP 3/8 F	58RFC 12 008
BSPP 1/8 M x M6 F	58RFC 18 002	BSPP 3/4 M x BSPP 1/4 F	58RFC 34 009
BSPP 1/4 M x BSPP 1/8 F	58RFC 14 003	BSPP 3/4 M x BSPP 3/8 F	58RFC 34 010
BSPP 3/8 M x BSPP 1/8 F	58RFC 38 004	BSPP 3/4 M x BSPP 1/2 F	58RFC 34 011
BSPP 3/8 M x BSPP 1/4 F	58RFC 38 005	BSPP 1" M x BSPP 1/2 F	58RFC 10 012
BSPP 1/2 M x BSPP 1/8 F	58RFC 12 006	BSPP 1" M x BSPP 3/4 F	58RFC 10 013
BSPP 1/2 M x BSPP 1/4 F	58RFC 12 007		

RIDUZIONE IN OTTONE NICHELATO  
FILETTO MASCHIO CILINDRICO

REDUCTION IN NICKEL-PLATED  
BRASS  
CYLINDRICAL MALE THREAD

**ART.  
58R**



FILETTI THREADS	CODICE CODE	FILETTI THREADS	CODICE CODE
M5 M x BSPP 1/8 F	58R00 M5 001	BSPP 1/8 M x BSPP 1/4 F	58R00 18 012
M6 M x BSPP 1/8 F	58R00 M6 002	BSPP 1/8 M x BSPP 3/8 F	58R00 18 013
BSPP 1/4 M x NPT 1/4 F	58R00 14 003	BSPP 1/8 M x BSPP 1/2 F	58R00 18 014
BSPP 1/4 M x NPT 3/8 F	58R00 14 004	BSPP 1/4 M x BSPP 3/8 F	58R00 14 015
BSPP 3/8 M x NPT 3/8 F	58R00 38 005	BSPP 1/4 M x BSPP 1/2 F	58R00 14 016
BSPP 1/8 M x BSPP 1/8 F	58R00 18 006	BSPP 3/8 M x BSPP 1/2 F	58R00 38 017
BSPP 1/4 M x BSPP 1/4 F	58R00 14 007	BSPP 3/8 M x BSPP 3/4 F	58R00 38 018
BSPP 3/8 M x BSPP 3/8 F	58R00 38 008	BSPP 1/2 M x BSPP 3/4 F	58R00 12 019
BSPP 1/2 M x BSPP 1/2 F	58R00 12 009	BSPP 1/2 M x BSPP 1" F	58R00 12 020
BSPP 3/4 M x BSPP 3/4 F	58R00 34 010	BSPP 3/4 M x BSPP 1" F	58R00 34 021
BSPP 1" M x BSPP 1" F	58R00 10 011		

RIDUZIONE IN OTTONE NICHELATO  
FILETTO MASCHIO CILINDRICO  
PARALLELA E RIDOTTA

REDUCTION IN NICKEL-PLATED BRASS  
CYLINDRICAL MALE THREAD  
PARALLEL AND REDUCED

**ART.  
58FMC**



FILETTI THREADS	CODICE CODE	FILETTI THREADS	CODICE CODE
BSPT 1/8 M x BSPP 1/8 F	58FMC 18 001	BSPT 3/8 M x BSPP 1/2 F	58FMC 38 008
BSPT 1/8 M x BSPP 1/4 F	58FMC 18 002	BSPT 1/2 M x BSPP 1/2 F	58FMC 12 009
BSPT 1/8 M x BSPP 3/8 F	58FMC 18 003	BSPT 1/2 M x BSPP 3/4 F	58FMC 12 010
BSPT 1/4 M x BSPP 1/4 F	58FMC 14 004	BSPT 3/4 M x BSPP 3/4 F	58FMC 34 011
BSPT 1/4 M x BSPP 3/8 F	58FMC 14 005	BSPT 3/4 M x BSPP 1" F	58FMC 34 012
BSPT 1/4 M x BSPP 1/2 F	58FMC 14 006	BSPT 1" M x BSPP 1" F	58FMC 10 013
BSPT 3/8 M x BSPP 3/8 F	58FMC 38 007		

RIDUZIONE IN OTTONE NICHELATO  
FILETTO MASCHIO CONICO  
PARALLELA E RIDOTTA

REDUCTION IN NICKEL-PLATED BRASS  
CONICAL MALE THREAD  
PARALLEL AND REDUCED

# RIDUZIONI - REDUCTIONS

**ART.  
58RR**



RIDUZIONE IN OTTONE NICHELATO  
CILINDRICA A SCOMPARSA PASSANTE

REDUCTION IN NICKEL-PLATED BRASS  
CYLINDRICAL  
WITH RETRACTABLE PASSING THROUGH

FILETTO THREAD	CODICE CODE
BSPP 1/4 M x BSPP 1/8 F	58RR0 14 001
BSPP 3/8 M x BSPP 1/4 F	58RR0 38 002
BSPP 1/2 M x BSPP 3/8 F	58RR0 12 003
BSPP 3/4 M x BSPP 1/2 F	58RR0 34 004
BSPP 1" M x BSPP 3/4 F	58RR0 10 005

**ART.  
58TPL**



A

RACCORDO IN OTTONE NICHELATO  
PASSAPARETE  
FEMMINA PASSANTE

FITTING IN NICKEL-PLATED BRASS  
FEED-THROUGH  
FEMALE THREAD

FILETTO THREAD	A Max	CODICE CODE
M16x1,5 x BSPP 1/8 F	10	58TPL 16 001
M20x1,5 x BSPP 1/4 F	15	58TPL 20 002
M26x1,5 x BSPP 3/8 F	15	58TPL 26 003
M28x1,5 x BSPP 1/2 F	20	58TPL 28 004

**ART.  
58RFC + OR**



RIDUZIONE IN OTTONE NICHELATO  
CON OR  
FILETTO MASCHIO CILINDRICO

REDUCTION IN NICKEL-PLATED BRASS  
WITH OR  
CYLINDRICAL MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/2 M x BSPP 1/4 F	58RFC OR 001

**ART.  
58RP**



PROLUNGA  
IN OTTONE NICHELATO  
MASCHIO - FEMMINA

EXTENSION  
NICKEL-PLATED BRASS  
MALE- FEMALE

FILETTI THREADS	H	CODICE CODE
BSPP 1/8 M x BSPP 1/8 F	16	58RP0 16 001
BSPP 1/8 M x BSPP 1/8 F	27	58RP0 27 002
BSPP 1/8 M x BSPP 1/8 F	36	58RP0 36 003
BSPP 1/8 M x BSPP 1/8 F	45	58RP0 45 004
BSPP 1/4 M x BSPP 1/4 F	27	58RP0 27 005
BSPP 1/4 M x BSPP 1/4 F	43	58RP0 43 006

# NIPPLI - NIPPLES

ART.

**58N**



FILETTO - THREAD	CODICE - CODE	FILETTO THREAD	CODICE CODE
M5 M x BSPP 1/8 M	58N00 M5 001	BSPP 1/8 M x BSPP 1/2 M	58N00 18 010
BSPP 1/8 M x BSPP 1/8 M	58N00 18 002	BSPP 1/4 M x BSPP 3/8 M	58N00 14 011
BSPP 1/4 M x BSPP 1/4 M	58N00 14 003	BSPP 1/4 M x BSPP 1/2 M	58N00 14 012
BSPP 3/8 M x BSPP 3/8 M	58N00 38 004	BSPP 3/8 M x BSPP 1/2 M	58N00 38 013
BSPP 1/2 M x BSPP 1/2 M	58N00 12 005	BSPP 3/8 M x BSPP 3/4 M	58N00 38 014
BSPP 3/4 M x BSPP 3/4 M	58N00 34 006	BSPP 1/2 M x BSPP 3/4 M	58N00 12 015
BSPP 1" M x BSPP 1" M	58N00 10 007	BSPP 1/2 M x BSPP 1" M	58N00 12 016
BSPP 1/8 M x BSPP 1/4 M	58N00 18 008	BSPP 3/4 M x BSPP 1" M	58N00 34 017
BSPP 1/8 M x BSPP 3/8 M	58N00 18 009		

NIPPLO IN OTTONE NICHELATO  
FILETTI CILINDRICI PARALLELI  
E RIDOTTI

NIPPLE IN NICKEL-PLATED  
BRASS PARALLEL  
AND REDUCED CYLINDRICAL THREAD

ART.

**58NC**



FILETTO - THREAD	CODICE - CODE	FILETTO THREAD	CODICE CODE
BSPT 1/8 M x BSPT 1/8 M	58NC0 18 001	BSPT 1/8 M x BSPT 1/2 M	58NC0 18 009
BSPT 1/4 M x BSPT 1/4 M	58NC0 14 002	BSPT 1/4 M x BSPT 3/8 M	58NC0 14 010
BSPT 3/8 M x BSPT 3/8 M	58NC0 38 003	BSPT 1/4 M x BSPT 1/2 M	58NC0 14 011
BSPT 1/2 M x BSPT 1/2 M	58NC0 12 004	BSPT 3/8 M x BSPT 1/2 M	58NC0 38 012
BSPT 3/4 M x BSPT 3/4 M	58NC0 34 005	BSPT 3/8 M x BSPT 3/4 M	58NC0 38 013
BSPT 1" M x BSPT 1" M	58NC0 10 006	BSPT 1/2 M x BSPT 3/4 M	58NC0 12 014
BSPT 1/8 M x BSPT 1/4 M	58NC0 18 007	BSPT 1/2 M x BSPT 1" M	58NC0 12 015
BSPT 1/8 M x BSPT 3/8 M	58NC0 18 008	BSPT 3/4 M x BSPT 1" M	58NC0 34 016

NIPPLO IN OTTONE NICHELATO  
FILETTI CONICI PARALLELI  
E RIDOTTI

NIPPLE IN NICKEL-PLATED BRASS  
PARALLEL AND REDUCED CONICAL  
THREADS

ART.

**58NCO**



NIPPLO CONICO ORIENTABILE

CONICAL ORIENTABLE NIPPLE

FILETTO THREAD	CODICE CODE
BSPT 1/8 M	58NCO 18 001
BSPT 1/4 M	58NCO 14 002
BSPT 3/8 M	58NCO 38 003
BSPT 1/2 M	58NCO 12 004
BSPT 3/4 M	58NCO 34 005
BSPT 1" M	58NCO 10 006

# MANICOTTI - SLEEVES

ART.

**58M**



FILETTO - THREAD	CODICE - CODE	FILETTO THREAD	CODICE - CODE
BSPP 1/8 F x BSPP 1/8 F	58M00 18 001	BSPP 1/8 F x BSPP 1/2 F	58M00 18 009
BSPP 1/4 F x BSPP 1/4 F	58M00 14 002	BSPP 1/4 F x BSPP 3/8 F	58M00 14 010
BSPP 3/8 F x BSPP 3/8 F	58M00 38 003	BSPP 1/4 F x BSPP 1/2 F	58M00 14 011
BSPP 1/2 F x BSPP 1/2 F	58M00 12 004	BSPP 3/8 F x BSPP 1/2 F	58M00 38 012
BSPP 3/4 F x BSPP 3/4 F	58M00 34 005	BSPP 3/8 F x BSPP 3/4 F	58M00 38 013
BSPP 1" F x BSPP 1" F	58M00 10 006	BSPP 1/2 F x BSPP 3/4 F	58M00 12 014
BSPP 1/8 F x BSPP 1/4 F	58M00 18 007	BSPP 1/2 F x BSPP 1" F	58M00 12 015
BSPP 1/8 F x BSPP 3/8 F	58M00 18 008	BSPP 3/4 F x BSPP 1" F	58M00 34 016

MANICOTTO IN OTTONE NICHELATO  
FILETTI FEMMINA PASSANTI E RIDOTTI

SLEEVE IN NICKEL-PLATED BRASS  
WITH REDUCED AND PASS-THROUGH  
FEMALE THREADS

ART.

**58MP**



MANICOTTO PASSANTE  
IN OTTONE NICHELATO  
FILETTI FEMMINA

PASS-THROUGH SLEEVE  
IN NICKEL PLATED BRASS  
FEMALE THREAD

FILETTO THREAD	CODICE CODE
M5 F x M5 F	58MP0 M5 001
M6 F x M6 F	58MP0 M6 002
BSPP 1/8 F x BSPP 1/8 F	58MP0 18 003
BSPP 1/4 F x BSPP 1/4 F	58MP0 14 004
BSPP 3/8 F x BSPP 3/8 F	58MP0 38 005
BSPP 1/2 F x BSPP 1/2 F	58MP0 12 006
BSPP 3/4 F x BSPP 3/4 F	58MP0 34 007
BSPP 1" F x BSPP 1" F	58MP0 10 008

ART.

**58MR**



MANICOTTO RIDOTTO  
IN OTTONE NICHELATO  
FILETTI FEMMINA

REDUCED SLEEVE  
IN NICKEL PLATED BRASS  
FEMALE THREAD

FILETTO THREAD	CODICE CODE
M5 F x BSPP 1/8 F	58MR0 M5 001
M6 F x BSPP 1/8 F	58MR0 M6 002
BSPP 1/8 F x BSPP 1/4 F	58MR0 18 003
BSPP 1/8 F x BSPP 3/8 F	58MR0 18 004
BSPP 1/8 F x BSPP 1/2 F	58MR0 18 005
BSPP 1/4 F x BSPP 3/8 F	58MR0 14 006
BSPP 1/4 F x BSPP 1/2 F	58MR0 14 007
BSPP 3/8 F x BSPP 1/2 F	58MR0 38 008
BSPP 3/8 F x BSPP 3/4 F	58MR0 38 009
BSPP 1/2 F x BSPP 3/4 F	58MR0 12 010
BSPP 1/2 F x BSPP 1" F	58MR0 12 011
BSPP 3/4 F x BSPP 1" F	58MR0 34 012

# ATTACCHI VARI - VARIOUS FITTINGS

ART.

**19**



ATTACCO BAIONETTA  
FILETTO MASCHIO

BAYONET CONNECTION  
WITH MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 M	19000 18 001
BSPP 1/4 M	19000 14 002
BSPP 3/8 M	19000 38 003

ART.

**20**



ATTACCO BAIONETTA  
FILETTO FEMMINA

BAYONET CONNECTION  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	20000 18 001
BSPP 1/4 F	20000 14 002
BSPP 3/8 F	20000 38 003

ART.

**20A**



ATTACCO BAIONETTA PER  
TUBO  
GOMMA E POLIURETANO

BAYONET FITTING FOR  
RUBBER  
AND POLYURETHANE HOSE

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6x10	20A00 06 001	8x14	20A00 08 008
6x12	20A00 06 002	8x15	20A00 08 009
6x13	20A00 06 003	8x17	20A00 08 010
6x14	20A00 06 004	8x19	20A00 08 011
7x16	20A00 07 005	10x15	20A00 10 012
8x12	20A00 08 006	10x17	20A00 10 013
8x13	20A00 08 007	10x19	20A00 10 014

ART.

**21A**



ATTACCO BAIONETTA  
PORTAGOMMA CON RESCA

BAYONET COUPLING HOSE  
CONNECTOR WITH BARBED  
FITTING

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
5,2	21A00 05 001	10	21A00 10 006
6	21A00 06 002	11	21A00 11 007
7	21A00 07 003	12	21A00 12 008
8	21A00 08 004	14	21A00 14 009
9	21A00 09 005		

ART.

**22A**



RACCORDO CON DADO FRESATO  
FILETTO MASCHIO  
TENUTA CON OR

FITTING WITH MILLED NUT  
MALE THREAD  
WITH OR

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	22A00 14 001

# ATTACCHI VARI - VARIOUS FITTINGS

ART.  
**22**



RACCORDO CON DADO FRESATO  
PER BAIONETTA  
FILETTO MASCHIO CILINDRICO

FILETTO THREAD	CODICE CODE
BSPP 1/8 M x BSPP 1/4	22000 18 001
BSPP 1/4 M x BSPP 1/4	22000 14 002
BSPP 3/8 M x BSPP 1/4	22000 38 003
BSPP 1/2 M x BSPP 1/4	22000 12 004

FITTING WITH MILLED NUT  
FOR BAYONET CONNECTION  
CYLINDRICAL MALE THREAD

ART.  
**22CR**



RACCORDO CON DADO FRESATO  
PER BAIONETTA  
FILETTO MASCHIO CONICO



FITTING WITH MILLED NUT  
FOR BAYONET CONNECTION  
CONICAL MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 F x BSPP 1/4	22B00 18 001
BSPP 1/4 F x BSPP 1/4	22B00 14 002
BSPP 3/8 F x BSPP 1/4	22B00 38 003

ART.  
**22B**



RACCORDO CON DADO FRESATO  
PER BAIONETTA  
FILETTO FEMMINA

FITTING WITH MILLED NUT  
FOR BAYONET CONNECTION  
FEMALE THREAD

ART.  
**22D**



RACCORDO DI GIUNZIONE  
CON DADI FRESCATI  
PER BAIONETTA

FITTING OF JUNCTION  
WITH MILLED NUTS  
FOR BAYONET CONNECTION

FILETTO THREAD	CODICE CODE
BSPP 1/4 x BSPP 1/4	22D00 14 001

ART.  
**22E**



RACCORDO GIUNZIONE A "T"  
CON DADI FRESCATI  
PER BAIONETTA

"T" CONNECTION WITH MILLED NUTS  
FOR BAYONET CONNECTION

FILETTO THREAD	CODICE CODE
BSPP 1/4 x BSPP 1/4 x BSPP 1/4	22E00 14 001

ART.  
**22C**



RACCORDO GIUNZIONE A CROCE  
CON DADI FRESCATI PER BAIONETTA  
E FILETTO MASCHIO CONICO

CROSS CONNECTION WITH MILLED NUTS  
FOR BAYONET CONNECTION  
AND CONICAL MALE THREAD

FILETTO THREAD	FILETTO A THREAD A	CODICE CODE
BSPP 1/4 x BSPP 1/4 x BSPP 1/4	BSPT 1/4 M	22C00 14 001
BSPP 1/4 x BSPP 1/4 x BSPP 1/4	BSPT 3/8 M	22C00 38 002

ART.  
**22F**



DADO FRESCO

MILLED NUT

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	22F00 14 001
M14x1,25 F	22F00 0M 002
BSPP 3/8 F	22F00 38 003

# ATTACCHI VARI - VARIOUS FITTINGS

ART.

**21**



RACCORDO PORTAGOMMA  
CON FILETTO MASCHIO CILINDRICO

FITTING FOR RUBBER HOSE  
AND CYLINDRICAL MALE THREAD

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/8 M	6	21000 18 001
BSPP 1/8 M	7	21000 18 002
BSPP 1/8 M	8	21000 18 003
BSPP 1/8 M	9	21000 18 004
BSPP 1/8 M	10	21000 18 005

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/4 M	6	21000 14 001
BSPP 1/4 M	7	21000 14 002
BSPP 1/4 M	8	21000 14 003
BSPP 1/4 M	9	21000 14 004
BSPP 1/4 M	10	21000 14 005
BSPP 1/4 M	11	21000 14 006
BSPP 1/4 M	12	21000 14 007
BSPP 1/4 M	14	21000 14 008

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 3/8 M	6	21000 38 001
BSPP 3/8 M	7	21000 38 002
BSPP 3/8 M	8	21000 38 003
BSPP 3/8 M	9	21000 38 004
BSPP 3/8 M	10	21000 38 005
BSPP 3/8 M	11	21000 38 006
BSPP 3/8 M	12	21000 38 007
BSPP 3/8 M	14	21000 38 008
BSPP 3/8 M	16	21000 38 009
BSPP 3/8 M	17	21000 38 010

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/2 M	8	21000 12 001
BSPP 1/2 M	9	21000 12 002
BSPP 1/2 M	10	21000 12 003
BSPP 1/2 M	11	21000 12 004
BSPP 1/2 M	12	21000 12 005
BSPP 1/2 M	14	21000 12 006
BSPP 1/2 M	16	21000 12 007
BSPP 1/2 M	17	21000 12 008
BSPP 1/2 M	18	21000 12 009
BSPP 1/2 M	19	21000 12 010
BSPP 1/2 M	20	21000 12 011
BSPP 1/2 M	21	21000 12 012
BSPP 1/2 M	22	21000 12 013

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 3/4 M	16	21000 34 001
BSPP 3/4 M	17	21000 34 002
BSPP 3/4 M	18	21000 34 003
BSPP 3/4 M	20	21000 34 004
BSPP 3/4 M	25	21000 34 005

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1" M	25	21000 10 001
BSPP 1" M	30	21000 10 002

# ATTACCHI VARI - VARIOUS FITTINGS

ART.  
21F



RACCORDO PORTAGOMMA  
CON FILETTO FEMMINA CILINDRICO

FITTING FOR RUBBER HOSE  
AND CYLINDRICAL FEMALE THREAD

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/8 F	6	21F00 18 001
BSPP 1/8 F	7	21F00 18 002
BSPP 1/8 F	8	21F00 18 003
BSPP 1/8 F	9	21F00 18 004
BSPP 1/8 F	10	21F00 18 005

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/4 F	6	21F00 14 001
BSPP 1/4 F	7	21F00 14 002
BSPP 1/4 F	8	21F00 14 003
BSPP 1/4 F	9	21F00 14 004
BSPP 1/4 F	10	21F00 14 005
BSPP 1/4 F	11	21F00 14 006
BSPP 1/4 F	12	21F00 14 007

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 3/8 F	6	21F00 38 001
BSPP 3/8 F	7	21F00 38 002
BSPP 3/8 F	8	21F00 38 003
BSPP 3/8 F	9	21F00 38 004
BSPP 3/8 F	10	21F00 38 005
BSPP 3/8 F	11	21F00 38 006
BSPP 3/8 F	12	21F00 38 007
BSPP 3/8 F	14	21F00 38 008
BSPP 3/8 F	16	21F00 38 009
BSPP 3/8 F	17	21F00 38 010
BSPP 3/8 F	19	21F00 38 011

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/2 F	8	21F00 12 001
BSPP 1/2 F	10	21F00 12 002
BSPP 1/2 F	12	21F00 12 003
BSPP 1/2 F	14	21F00 12 004
BSPP 1/2 F	16	21F00 12 005
BSPP 1/2 F	17	21F00 12 006
BSPP 1/2 F	18	21F00 12 007
BSPP 1/2 F	20	21F00 12 008
BSPP 1/2 F	21	21F00 12 009
BSPP 1/2 F	22	21F00 12 010

# ATTACCHI VARI - VARIOUS FITTINGS

ART.

**21P**



RACCORDO PORTAGOMMA CON **PUNTA**  
CON FILETTO MASCHIO CILINDRICO

FITTING FOR RUBBER HOSE WITH **TIP** AND  
CYLINDRICAL MALE THREAD

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/8 M	6	21P00 18 001
BSPP 1/8 M	7	21P00 18 002
BSPP 1/8 M	8	21P00 18 003
BSPP 1/8 M	9	21P00 18 004
BSPP 1/8 M	10	21P00 18 005

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/4 M	6	21P00 14 001
BSPP 1/4 M	7	21P00 14 002
BSPP 1/4 M	8	21P00 14 003
BSPP 1/4 M	9	21P00 14 004
BSPP 1/4 M	10	21P00 14 005
BSPP 1/4 M	11	21P00 14 006
BSPP 1/4 M	12	21P00 14 007
BSPP 1/4 M	14	21P00 14 008

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 3/8 M	6	21P00 38 001
BSPP 3/8 M	7	21P00 38 002
BSPP 3/8 M	8	21P00 38 003
BSPP 3/8 M	9	21P00 38 004
BSPP 3/8 M	10	21P00 38 005
BSPP 3/8 M	11	21P00 38 006
BSPP 3/8 M	12	21P00 38 007
BSPP 3/8 M	14	21P00 38 008
BSPP 3/8 M	16	21P00 38 009
BSPP 3/8 M	17	21P00 38 010

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/2 M	8	21P00 12 001
BSPP 1/2 M	9	21P00 12 002
BSPP 1/2 M	10	21P00 12 003
BSPP 1/2 M	11	21P00 12 004
BSPP 1/2 M	12	21P00 12 005
BSPP 1/2 M	14	21P00 12 006
BSPP 1/2 M	16	21P00 12 007
BSPP 1/2 M	17	21P00 12 008
BSPP 1/2 M	18	21P00 12 009
BSPP 1/2 M	19	21P00 12 010
BSPP 1/2 M	20	21P00 12 011
BSPP 1/2 M	21	21P00 12 012
BSPP 1/2 M	22	21P00 12 013

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 3/4 M	16	21P00 34 001
BSPP 3/4 M	17	21P00 34 002
BSPP 3/4 M	18	21P00 34 003
BSPP 3/4 M	20	21P00 34 004
BSPP 3/4 M	25	21P00 34 005

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1" M	25	21P00 10 001
BSPP 1" M	30	21P00 10 002

# ATTACCHI VARI - VARIOUS FITTINGS

ART.

**21FP**



RACCORDO PORTAGOMMA CON **PUNTA**  
CON FILETTO FEMMINA CILINDRICO

FITTING FOR RUBBER HOSE WITH **TIP**  
AND CYLINDRICAL FEMALE THREAD

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/8 F	6	21FP0 18 001
BSPP 1/8 F	7	21FP0 18 002
BSPP 1/8 F	8	21FP0 18 003
BSPP 1/8 F	9	21FP0 18 004
BSPP 1/8 F	10	21FP0 18 005

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/4 F	6	21FP0 14 001
BSPP 1/4 F	7	21FP0 14 002
BSPP 1/4 F	8	21FP0 14 003
BSPP 1/4 F	9	21FP0 14 004
BSPP 1/4 F	10	21FP0 14 005
BSPP 1/4 F	11	21FP0 14 006
BSPP 1/4 F	12	21FP0 14 007

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 3/8 F	6	21FP0 38 001
BSPP 3/8 F	7	21FP0 38 002
BSPP 3/8 F	8	21FP0 38 003
BSPP 3/8 F	9	21FP0 38 004
BSPP 3/8 F	10	21FP0 38 005
BSPP 3/8 F	11	21FP0 38 006
BSPP 3/8 F	12	21FP0 38 007
BSPP 3/8 F	14	21FP0 38 008
BSPP 3/8 F	16	21FP0 38 009
BSPP 3/8 F	17	21FP0 38 010

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/2 F	8	21FP0 12 001
BSPP 1/2 F	10	21FP0 12 002
BSPP 1/2 F	12	21FP0 12 003
BSPP 1/2 F	14	21FP0 12 004
BSPP 1/2 F	16	21FP0 12 005
BSPP 1/2 F	17	21FP0 12 006
BSPP 1/2 F	18	21FP0 12 007
BSPP 1/2 F	20	21FP0 12 008
BSPP 1/2 F	21	21FP0 12 009
BSPP 1/2 F	22	21FP0 12 010

# ATTACCHI VARI - VARIOUS FITTINGS

**ART.  
160**



DOPPIA RESCA

DOUBLE BARBED FITTING

Ø	CODICE - CODE	Ø	CODICE - CODE
6	16000 06 001	11	16000 11 006
7	16000 07 002	12	16000 12 007
8	16000 08 003	13	16000 13 008
9	16000 09 004	14	16000 14 009
10	16000 10 005		

**ART.  
27C**



FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/4 F	6	27C00 14 001	BSPP 3/8 F	8	27C00 38 005
BSPP 1/4 F	7	27C00 14 002	BSPP 3/8 F	9	27C00 38 006
BSPP 1/4 F	7,4	27C00 14 003	BSPP 3/8 F	10	27C00 38 007
BSPP 1/4 F	8	27C00 14 004	BSPP 3/8 F	11	27C00 38 008
			BSPP 3/8 F	12	27C00 38 009

RACCORDO CON RESCA POSIZIONABILE  
TENUTA MECCANICA  
FILETTO FEMMINA

FITTING WITH REVOLVING BARBED  
CONNECTION MECHANICAL SEAL  
FEMALE THREAD



# ATTACCHI VARI - VARIOUS FITTINGS

ART.

**25F**



FILETTO - THREAD	PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE	FILETTO - THREAD	PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE
BSPP 1/4 M	4x6	25F00 14 001	BSPP 3/8 M	6x8	25F00 38 001
BSPP 1/4 M	6x8	25F00 14 002	BSPP 3/8 M	8x10	25F00 38 002
BSPP 1/4 M	8x10	25F00 14 003	BSPP 3/8 M	10x12	25F00 38 003
BSPP 1/4 M	10x12	25F00 14 004	BSPP 3/8 M	6,5x10	25F00 38 004
BSPP 1/4 M	5x8	25F00 14 005	BSPP 3/8 M	8x12	25F00 38 005
BSPP 1/4 M	6,5x10	25F00 14 006			
BSPP 1/4 M	8x12	25F00 14 007			

RACCORDO  
CON FILETTO MASCHIO CILINDRICO  
PER TUBO SPIRALE E POLIURETANO

FITTING  
WITH CYLINDRICAL MALE THREAD  
FOR SPIRAL AND POLYURETHANE HOSE

ART.

**25M**



FILETTO - THREAD	PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE	FILETTO - THREAD	PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE
BSPP 1/4 F	4x6	25M00 14 001	BSPP 3/8 F	8x10	25M00 38 001
BSPP 1/4 F	6x8	25M00 14 002	BSPP 3/8 F	10x12	25M00 38 002
BSPP 1/4 F	8x10	25M00 14 003	BSPP 3/8 F	6,5x10	25M00 38 003
BSPP 1/4 F	10x12	25M00 14 004	BSPP 3/8 F	8x12	25M00 38 004
BSPP 1/4 F	5x8	25M00 14 005			
BSPP 1/4 F	6,5x10	25M00 14 006			
BSPP 1/4 F	8x12	25M00 14 007			

RACCORDO CON FILETTO FEMMINA  
PER TUBO SPIRALE E POLIURETANO

FITTING WITH FEMALE THREAD  
FOR SPIRAL AND POLYURETHANE HOSE

ART.

**25G**



RACCORDO ATTACCO BAIONETTA  
PER TUBO SPIRALE

BAYONET CONNECTION  
FOR SPIRAL HOSE

PA6 Ø	CODICE - CODE
4x6	25G00 00 001
6x8	25G00 00 002
8x10	25G00 00 003
10x12	25G00 00 004

ART.

**25I**



RACCORDO GIREVOLE  
ATTACCO BAIONETTA  
PER TUBO SPIRALE

BAYONET REVOLVING  
CONNECTION  
FOR SPIRAL HOSE

PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE
4x6	25I00 00 001
6x8	25I00 00 002
8x10	25I00 00 003
10x12	25I00 00 004
5x8	25I00 00 005
6,5x10	25I00 00 006
8x12	25I00 00 007

# ATTACCHI VARI - VARIOUS FITTINGS

**ART.  
25H**



FILETTO - THREAD	PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE	FILETTO - THREAD	PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE
BSPP 1/4 M	4x6	25H00 14 001	BSPP 3/8 M	6x8	25H00 38 001
BSPP 1/4 M	6x8	25H00 14 002	BSPP 3/8 M	8x10	25H00 38 002
BSPP 1/4 M	8x10	25H00 14 003	BSPP 3/8 M	10x12	25H00 38 003
BSPP 1/4 M	10x12	25H00 14 004	BSPP 3/8 M	5x8	25H00 38 004
BSPP 1/4 M	5x8	25H00 14 005	BSPP 3/8 M	6,5x10	25H00 38 005
BSPP 1/4 M	6,5x10	25H00 14 006	BSPP 3/8 M	8x12	25H00 38 006
BSPP 1/4 M	8x12	25H00 14 007			

RACCORDO GIREVOLE  
CON FILETTO MASCHIO CILINDRICO  
PER TUBO SPIRALE E POLIURETANO

REVOLVING CONNECTION  
WITH CYLINDRICAL MALE THREAD  
FOR SPIRAL  
AND POLYURETHANE HOSE

**ART.  
25HF**




FILETTO - THREAD	PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE	FILETTO - THREAD	PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE
BSPP 1/4 F	4x6	25HF0 14 001	BSPP 3/8 F	6x8	25HF0 38 001
BSPP 1/4 F	6x8	25HF0 14 002	BSPP 3/8 F	8x10	25HF0 38 002
BSPP 1/4 F	8x10	25HF0 14 003	BSPP 3/8 F	10x12	25HF0 38 003
BSPP 1/4 F	10x12	25HF0 14 004	BSPP 3/8 F	5x8	25HF0 38 004
BSPP 1/4 F	5x8	25HF0 14 005	BSPP 3/8 F	6,5x10	25HF0 38 005
BSPP 1/4 F	6,5x10	25HF0 14 006	BSPP 3/8 F	8x12	25HF0 38 006
BSPP 1/4 F	8x12	25HF0 14 007			

RACCORDO GIREVOLE  
CON FILETTO FEMMINA  
PER TUBO SPIRALE E POLIURETANO

REVOLVING CONNECTION  
WITH FEMALE THREAD  
FOR SPIRAL  
AND POLYURETHANE HOSE

# ATTACCHI VARI - VARIOUS FITTINGS

**ART.  
25HS**




RACCORDO GIREVOLE  
CON FILETTO MASCHIO-MASCHIO  
CILINDRICO

REVOLVING FITTING  
WITH CYLINDRICAL MALE-MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 M x BSPP 1/4 M	25HS0 14 001
BSPP 3/8 M x BSPP 3/8 M	25HS0 38 002
BSPP 1/2 M x BSPP 1/2 M	25HS0 12 003

**ART.  
25HT**




RACCORDO GIREVOLE  
CON FILETTO FEMMINA-MASCHIO  
CILINDRICO

REVOLVING FITTING WITH  
CYLINDRICAL FEMALE-MALE  
THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 M x BSPP 1/4 F	25HT0 14 001
BSPP 3/8 M x BSPP 3/8 F	25HT0 38 002
BSPP 1/2 M x BSPP 1/2 F	25HT0 12 003

**ART.  
25HC**




RACCORDO GIREVOLE  
CON FILETTO MASCHIO CILINDRICO  
PER TUBO SPIRALE E POLIURETANO  
TENUTA CON OR

REVOLVING FITTING  
WITH MALE THREAD  
FOR SPIRAL  
AND POLYURETHANE HOSE  
SEAL WITH OR

FILETTO - THREAD	PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE
BSPP 1/4 M	4x6	25HC0 14 001
BSPP 1/4 M	6x8	25HC0 14 002
BSPP 1/4 M	8x10	25HC0 14 003
BSPP 1/4 M	10x12	25HC0 14 004
BSPP 1/4 M	5x8	25HC0 14 005
BSPP 1/4 M	6,5x10	25HC0 14 006
BSPP 1/4 M	8x12	25HC0 14 007

**ART.  
25HN**




RACCORDO GIREVOLE  
CON FILETTO MASCHIO CILINDRICO  
PER TUBO GOMMA E POLIURETANO  
TENUTA CON OR

REVOLVING FITTING WITH MALE  
CYLINDRICAL THREAD FOR RUBBER  
AND POLYURETHANE HOSE  
SEAL WITH OR

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/4 M	6x10	25HN0 14 001
BSPP 1/4 M	6x12	25HN0 14 002
BSPP 1/4 M	6x13	25HN0 14 003
BSPP 1/4 M	6x14	25HN0 14 004
BSPP 1/4 M	8x12	25HN0 14 005
BSPP 1/4 M	8x13	25HN0 14 006
BSPP 1/4 M	8x15	25HN0 14 007
BSPP 1/4 M	8x17	25HN0 14 008

**ART.  
20CG**




RACCORDO GIREVOLE  
CON FILETTO FEMMINA  
PER TUBO GOMMA E POLIURETANO

REVOLVING FITTING  
WITH FEMALE THREAD  
FOR RUBBER AND POLYURETHANE HOSE

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/4 F	6x10	20CG0 14 001
BSPP 1/4 F	6x12	20CG0 14 002
BSPP 1/4 F	6x13	20CG0 14 003
BSPP 1/4 F	6x14	20CG0 14 004
BSPP 1/4 F	8x12	20CG0 14 005
BSPP 1/4 F	8x13	20CG0 14 006
BSPP 1/4 F	8x15	20CG0 14 007
BSPP 1/4 F	8x17	20CG0 14 008

# ATTACCHI VARI - VARIOUS FITTINGS

**ART.  
20DG**




RACCORDO GIREVOLE  
CON FILETTO MASCHIO CILINDRICO  
PER TUBO GOMMA E POLIURETANO

REVOLVING FITTING  
WITH CYLINDRICAL MALE THREAD  
FOR RUBBER AND POLYURETHANE HOSE

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/4 M	6x10	20DG0 14 001
BSPP 1/4 M	6x12	20DG0 14 002
BSPP 1/4 M	6x13	20DG0 14 003
BSPP 1/4 M	6x14	20DG0 14 004
BSPP 1/4 M	8x12	20DG0 14 005
BSPP 1/4 M	8x13	20DG0 14 006
BSPP 1/4 M	8x15	20DG0 14 007
BSPP 1/4 M	8x17	20DG0 14 008

**ART.  
25HG**




RACCORDO GIREVOLE  
CON FILETTO FEMMINA  
PER TUBO GOMMA E POLIURETANO

REVOLVING FITTING  
WITH FEMALE THREAD  
FOR RUBBER AND POLYURETHANE HOSE

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/4 F	6	25HG0 14 001
BSPP 1/4 F	7	25HG0 14 002
BSPP 1/4 F	8	25HG0 14 003
BSPP 1/4 F	10	25HG0 14 004

**ART.  
25HM**




RACCORDO GIREVOLE  
CON FILETTO FEMMINA  
PER TUBO NYLON E POLIURETANO

REVOLVING FITTING  
WITH FEMALE THREAD  
FOR NYLON AND POLYURETHANE HOSE

FILETTO - THREAD	PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE
BSPP 1/4 F	4x6	25HM0 14 001
BSPP 1/4 F	6x8	25HM0 14 002
BSPP 1/4 F	8x10	25HM0 14 003
BSPP 1/4 F	5x8	25HM0 14 004
BSPP 1/4 F	6,5x10	25HM0 14 005

**ART.  
25HE**



RACCORDO GIREVOLE  
CON FILETTO MASCHIO CILINDRICO  
PER TUBO GOMMA E POLIURETANO

REVOLVING FITTING  
WITH MALE CYLINDRICAL THREAD  
FOR RUBBER AND POLYURETHANE HOSE

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/4 M	6	25HE0 14 001
BSPP 1/4 M	7	25HE0 14 002
BSPP 1/4 M	8	25HE0 14 003
BSPP 1/4 M	10	25HE0 14 004
BSPP 3/8 M	8	25HE0 38 005
BSPP 3/8 M	9	25HE0 38 006
BSPP 3/8 M	10	25HE0 38 007
BSPP 3/8 M	12	25HE0 38 008

**ART.  
25HR**




RACCORDO GIREVOLE  
CON FILETTO MASCHIO CILINDRICO  
PER TUBO GOMMA E POLIURETANO  
TENUTA CON OR

REVOLVING FITTING  
WITH MALE CYLINDRICAL THREAD  
FOR RUBBER AND POLYURETHANE HOSE  
SEAL WITH OR

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/4 M	6	25HR0 14 001
BSPP 1/4 M	7	25HR0 14 002
BSPP 1/4 M	8	25HR0 14 003
BSPP 1/4 M	10	25HR0 14 004

# ATTACCHI VARI - VARIOUS FITTINGS

**ART.  
25HD**



RACCORDO GIREVOLE  
CON FILETTO MASCHIO CILINDRICO  
PER TUBO NYLON E POLIURETANO  
TENUTA CON OR

REVOLVING FITTING  
WITH MALE CYLINDRICAL THREAD  
FOR NYLON  
AND POLYURETHANE HOSE  
SEAL WITH OR

FILETTO - THREAD	PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE
BSPP 1/4 M	4x6	25HD0 14 001
BSPP 1/4 M	6x8	25HD0 14 002
BSPP 1/4 M	8x10	25HD0 14 003
BSPP 1/4 M	5x8	25HD0 14 004
BSPP 1/4 M	6,5x10	25HD0 14 005


**ART.  
25HL**



RACCORDO GIREVOLE  
CON FILETTO MASCHIO CILINDRICO  
PER TUBO NYLON E POLIURETANO

REVOLVING FITTING  
WITH MALE CYLINDRICAL THREAD  
FOR NYLON  
AND POLYURETHANE HOSE

FILETTO - THREAD	PA6 Ø PA11 Ø PA12 Ø	CODICE - CODE
BSPP 1/4 M	4x6	25HL0 14 001
BSPP 1/4 M	6x8	25HL0 14 002
BSPP 1/4 M	8x10	25HL0 14 003
BSPP 1/4 M	5x8	25HL0 14 004
BSPP 1/4 M	6,5x10	25HL0 14 005



# SCARICHI CONDENSA - CONDENSATE DRAINS

ART.

**26**



RUBINETTO SCARICO CONDENSA  
FILETTO MASCHIO

CONDENSATE DRAIN TAP  
MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 M	26000 18 001
BSPP 1/4 M	26000 14 002
BSPP 3/8 M	26000 38 003
BSPP 1/2 M	26000 12 004
BSPT 1/4 M	26000 14 005
NPT 1/4 M	26000 14 006

ART.

**26A**



RUBINETTO SCARICO CONDENSA  
FILETTO MASCHIO

CONDENSATE DRAIN TAP  
MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 M	26A00 18 001
BSPP 1/4 M	26A00 14 002
BSPP 3/8 M	26A00 38 003
BSPP 1/2 M	26A00 12 004
BSPT 1/4 M	26A00 14 005
NPT 1/4 M	26A00 14 006

ART.

**26B**



RUBINETTO SCARICO CONDENSA  
FILETTO MASCHIO  
TENUTA MECCANICA

CONDENSATE DRAIN TAP  
MALE THREAD  
MECHANICAL SEAL

FILETTO THREAD	CODICE CODE
BSPP 1/8 M	26B00 18 001
BSPP 1/4 M	26B00 14 002
BSPP 3/8 M	26B00 38 003
BSPP 1/2 M	26B00 12 004
BSPT 1/4 M	26B00 14 005
NPT 1/4 M	26B00 14 006

ART.

**26D**



RUBINETTO SCARICO CONDENSA  
FILETTO MASCHIO  
TENUTA ESTERNA CON OR

CONDENSATE DRAIN TAP  
MALE THREAD  
EXTERNAL SEAL WITH OR

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	26D00 14 001
BSPP 3/8 M	26D00 38 002
BSPP 1/2 M	26D00 12 003

# RICAMBI E ACCESSORI - SPARE PARTS AND ACCESSORIES

**ART.  
20R**




CODICE CODE
20R00 00 001

GOMMINO DI RICAMBIO  
PER ATTACCO BAIONETTA

SPARE GASKET FOR BAYONET  
CONNECTION

**ART.  
26C**



RONDELLE  
IN ALLUMINIO  
ALUMINIUM WASHERS

PER FILETTO FOR THREAD	CODICE CODE
BSPP 1/8	26C00 18 001
BSPP 1/4	26C00 14 002
BSPP 3/8	26C00 38 003
BSPP 1/2	26C00 12 004
BSPP 3/4	26C00 34 005
BSPP 1"	26C00 10 006

**ART.  
27B**



CONTRO DADO

COUNTER NUT

FILETTO - THREAD	CODICE - CODE
M10x1 F	27B0M 10 001
M12x1 F	27B0M 12 002
M14x1 F	27B0M 14 003
BSPP 1/8 F	27B00 18 004
BSPP 1/4 F	27B00 14 005
BSPP 3/8 F	27B00 38 006
BSPP 1/2 F	27B00 12 007

**ART.  
20M**



FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/4 F	10	20M00 14 001	BSPP 1/2 F	19	20M00 12 001
BSPP 1/4 F	12	20M00 14 002	BSPP 1/2 F	20	20M00 12 002
BSPP 1/4 F	13	20M00 14 003	BSPP 1/2 F	21	20M00 12 003
BSPP 1/4 F	14	20M00 14 004	BSPP 1/2 F	22	20M00 12 004
BSPP 1/4 F	15	20M00 14 005	BSPP 1/2 F	23	20M00 12 005
BSPP 1/4 F	16	20M00 14 006	BSPP 1/2 F	24	20M00 12 006
BSPP 1/4 F	17	20M00 14 007	BSPP 1/2 F	25	20M00 12 007
BSPP 1/4 F	19	20M00 14 008			

MASCHERINA DI RICAMBIO  
PER ATTACCHI TUBO RETINATO  
IN GOMMA O POLIURETANO

REPLACEMENT SLEEVE  
FOR RUBBER OR POLYURETHANE NETTED  
HOSE CONNECTIONS

**ART.  
25PM**



PORTE MOLLA DI RICAMBIO  
PER ATTACCHI TUBO NYLON  
SPIRALI RILSAN E POLIURETANO

REPLACEMENT SPRING HOLDER  
FOR NYLON HOSE CONNECTIONS  
RILSAN SPIRALS AND POLYURETHANE

Ø	CODICE - CODE
6	25PM0 06 001
8	25PM0 08 002
10	25PM0 10 003
12	25PM0 12 004
15	25PM0 15 005

**ART.  
25MP**



MOLLA PER PORTA MOLLA  
DI RICAMBIO PER ATTACCHI  
TUBO NYLON  
SPIRALI RILSAN E POLIURETANO

SPRING FOR HOLDER SPRING  
REPLACEMENT FOR CONNECTIONS  
NYLON HOSE RILSAN SPIRALS  
AND POLYURETHANE

Ø	CODICE - CODE
6	25MP0 06 001
8	25MP0 08 002
10	25MP0 10 003
12	25MP0 12 004
15	25MP0 15 005



# RUBINETTI RAPIDI A SFERA ED INNESTI



**QUICK BALL  
COUPLERS AND  
CONNECTIONS**





# SERIE UNIVERSALE

# UNIVERSAL SERIES

# SERIE UNIVERSALE STANDARD - UNIVERSAL STANDARD SERIES

## PROFILI COMPATIBILI - COMPATIBLE PROFILES



PORTATA ARIA / AIR FLOW: 2000 NL/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.  
200**



FILETTO THREAD	CODICE CODE
BSPP 1/8 M	20000 18 R01
BSPP 1/4 M	20000 14 R02
BSPP 3/8 M	20000 38 R03
BSPP 1/2 M	20000 12 R04

RUBINETTO RAPIDO A SFERA  
UNIVERSALE ATTACCO FILETTO  
MASCHIO CILINDRICO  
UNIVERSAL QUICK BALL COUPLER  
WITH MALE THREAD

**ART.  
200C**



FILETTO THREAD	CODICE CODE
BSPT 1/4 M	200C0 14 R01
BSPT 3/8 M	200C0 38 R02
BSPT 1/2 M	200C0 12 R03

RUBINETTO RAPIDO A SFERA  
UNIVERSALE  
ATTACCO FILETTO MASCHIO  
CONICO

UNIVERSAL QUICK BALL COUPLER  
WITH CONICAL MALE THREAD

**ART.  
210**



RUBINETTO RAPIDO A SFERA  
UNIVERSALE  
ATTACCO FILETTO FEMMINA  
UNIVERSAL QUICK BALL COUPLER  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	21000 18 R01
BSPP 1/4 F	21000 14 R02
BSPP 3/8 F	21000 38 R03
BSPP 1/2 F	21000 12 R04

**ART.  
220**



RUBINETTO RAPIDO  
A SFERA UNIVERSALE  
ATTACCO PORTAGOMMA

UNIVERSAL QUICK  
BALL COUPLER  
FOR RUBBER HOSE

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6x10	22000 06 R01	8x13	22000 08 R08
6x12	22000 06 R02	8x15	22000 08 R09
6x13	22000 06 R03	8x17	22000 08 R10
6x14	22000 06 R04	10x15	22000 10 R11
6x16	22000 06 R05	10x17	22000 10 R12
7x16	22000 07 R06	10x19	22000 10 R13
8x12	22000 08 R07		

**ART.  
230**



RUBINETTO RAPIDO  
A SFERA UNIVERSALE  
ATTACCO TUBO SPIRALE

UNIVERSAL QUICK  
BALL COUPLER  
FOR SPIRAL HOSE

PA6 Ø	CODICE - CODE	PA11 Ø PA12 Ø	CODICE - CODE
4x6	23000 06 R01	5x8	23000 08 R05
6x8	23000 08 R02	6,5x10	23000 10 R06
8x10	23000 10 R03	8x12	23000 12 R07
10x12	23000 12 R04		

**ART.  
240**



RUBINETTO RAPIDO  
A SFERA UNIVERSALE  
ATTACCO PORTAGOMMA

UNIVERSAL QUICK  
BALL COUPLER  
FOR RUBBER HOSE

Ø	CODICE - CODE	Ø	CODICE - CODE
6	24000 06 R01	10	24000 10 R06
7	24000 07 R02	11	24000 11 R07
7,4	24000 07 R03	12	24000 12 R08
8	24000 08 R04	13	24000 13 R09
9	24000 09 R05	14	24000 14 R10

# SERIE UNIVERSALE STANDARD - UNIVERSAL STANDARD SERIES

## PROFILI COMPATIBILI - COMPATIBLE PROFILES



PORTATA ARIA / AIR FLOW: 2000 NL/min  
 PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
 TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.  
200Y**



**NEW!**

DEVIAZIONE A "Y"  
 CON DUE RUBINETTI RAPIDI  
 A SFERA UNIVERSALI  
 ATTACCO FILETTO MASCHIO CONICO

"Y" FITTING  
 WITH TWO UNIVERSAL  
 QUICK BALL COUPLERS  
 AND CONICAL MALE THREAD

FILETTO THREAD	CODICE CODE
BSPT 1/4 M	200Y0 14 R01
BSPT 3/8 M	200Y0 38 R02
BSPT 1/2 M	200Y0 12 R03

**ART.  
210Y**



**NEW!**

DEVIAZIONE A "Y" CON DUE  
 RUBINETTI RAPIDI  
 A SFERA UNIVERSALI  
 ATTACCO FILETTO FEMMINA

"Y" FITTING  
 WITH TWO UNIVERSAL  
 QUICK BALL COUPLERS  
 AND FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	210Y0 14 R01
BSPP 3/8 F	210Y0 38 R02
BSPP 1/2 F	210Y0 12 R03

# SERIE ZAMA - ZAMA SERIES

PROFILI COMPATIBILI - COMPATIBLE PROFILES



PORTATA ARIA / AIR FLOW: 2000 NL/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.  
200Z**



FILETTO THREAD	CODICE CODE
BSPP 1/8 M	200Z0 18 R01
BSPP 1/4 M	200Z0 14 R02
BSPP 3/8 M	200Z0 38 R03
BSPP 1/2 M	200Z0 12 R04

RUBINETTO RAPIDO A SFERA  
UNIVERSALE ATTACCO FILETTO  
MASCHIO CILINDRICO  
GHIERA IN ZAMA

UNIVERSAL QUICK BALL COUPLER  
WITH CYLINDRICAL MALE THREAD  
ZAMA RING

**ART.  
200ZC**



FILETTO THREAD	CODICE CODE
BSPT 1/4 M	200ZC 14 R01
BSPT 3/8 M	200ZC 38 R02
BSPT 1/2 M	200ZC 12 R03

RUBINETTO RAPIDO A SFERA  
UNIVERSALE ATTACCO FILETTO  
MASCHIO CONICO  
GHIERA IN ZAMA

UNIVERSAL QUICK BALL COUPLER  
WITH CONICAL MALE THREAD  
ZAMA RING

**ART.  
210Z**



RUBINETTO RAPIDO  
A SFERA UNIVERSALE  
ATTACCO FILETTO FEMMINA  
GHIERA IN ZAMA

UNIVERSAL QUICK BALL COUPLER  
WITH FEMALE THREAD  
ZAMA RING

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	210Z0 18 R01
BSPP 1/4 F	210Z0 14 R02
BSPP 3/8 F	210Z0 38 R03
BSPP 1/2 F	210Z0 12 R04

**ART.  
220Z**



RUBINETTO RAPIDO  
A SFERA UNIVERSALE  
ATTACCO PORTAGOMMA  
GHIERA IN ZAMA

UNIVERSAL QUICK  
BALL COUPLER  
FOR RUBBER HOSE  
ZAMA RING

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6x10	220Z0 06 R01	8x13	220Z0 08 R07
6x12	220Z0 06 R02	8x15	220Z0 08 R08
6x13	220Z0 06 R03	8x17	220Z0 08 R09
6x14	220Z0 06 R04	10x15	220Z0 10 R10
7x16	220Z0 07 R05	10x17	220Z0 10 R11
8x12	220Z0 08 R06	10x19	220Z0 10 R12

**ART.  
230Z**



RUBINETTO RAPIDO  
A SFERA UNIVERSALE  
ATTACCO TUBO SPIRALE  
GHIERA IN ZAMA

UNIVERSAL QUICK  
BALL COUPLER  
FOR SPIRAL HOSE  
ZAMA RING

PA6 Ø	CODICE - CODE	PA11 Ø PA12 Ø	CODICE - CODE
4x6	230Z0 06 R01	5x8	230Z0 08 R05
6x8	230Z0 08 R02	6,5x10	230Z0 10 R06
8x10	230Z0 10 R03	8x12	230Z0 12 R07
10x12	230Z0 12 R04		

**ART.  
240Z**



RUBINETTO RAPIDO  
A SFERA UNIVERSALE  
ATTACCO PORTAGOMMA  
GHIERA IN ZAMA

UNIVERSAL QUICK  
BALL COUPLER  
FOR RUBBER HOSE  
ZAMA RING

Ø	CODICE - CODE	Ø	CODICE - CODE
6	240Z0 06 R01	10	240Z0 10 R06
7	240Z0 07 R02	11	240Z0 11 R07
7,4	240Z0 07 R03	12	240Z0 12 R08
8	240Z0 08 R04	13	240Z0 13 R09
9	240Z0 09 R05	14	240Z0 14 R10

# SERIE NYLON - NYLON SERIES

## PROFILI COMPATIBILI - COMPATIBLE PROFILES



PORTATA ARIA / AIR FLOW: 2000 NL/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

## ART. 200P



FILETTO THREAD	CODICE CODE
BSPP 1/8 M	200P0 18 R01
BSPP 1/4 M	200P0 14 R02
BSPP 3/8 M	200P0 38 R03
BSPP 1/2 M	200P0 12 R04

RUBINETTO RAPIDO A SFERA  
UNIVERSALE ATTACCO FILETTO  
MASCHIO CILINDRICO  
GHIERA IN NYLON

UNIVERSAL QUICK BALL COUPLER  
WITH CYLINDRICAL MALE THREAD  
NYLON RING

## ART. 200PC



FILETTO THREAD	CODICE CODE
BSPT 1/4 M	200PC 14 R01
BSPT 3/8 M	200PC 38 R02
BSPT 1/2 M	200PC 12 R03

RUBINETTO RAPIDO A SFERA  
UNIVERSALE ATTACCO FILETTO  
MASCHIO CONICO  
GHIERA IN NYLON

UNIVERSAL QUICK BALL COUPLER  
WITH CONICAL MALE THREAD  
NYLON RING

## ART. 210P



RUBINETTO RAPIDO  
A SFERA UNIVERSALE  
ATTACCO FILETTO FEMMINA  
GHIERA IN NYLON

UNIVERSAL QUICK BALL COUPLER  
WITH FEMALE THREAD  
NYLON RING

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	210P0 18 R01
BSPP 1/4 F	210P0 14 R02
BSPP 3/8 F	210P0 38 R03
BSPP 1/2 F	210P0 12 R04

## ART. 220P



RUBINETTO RAPIDO  
A SFERA UNIVERSALE  
ATTACCO PORTAGOMMA  
GHIERA IN NYLON

UNIVERSAL QUICK  
BALL COUPLER  
FOR RUBBER HOSE  
NYLON RING

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6x10	220P0 06 R01	8x13	220P0 08 R07
6x12	220P0 06 R02	8x15	220P0 08 R08
6x13	220P0 06 R03	8x17	220P0 08 R09
6x14	220P0 06 R04	10x15	220P0 10 R10
7x16	220P0 07 R05	10x17	220P0 10 R11
8x12	220P0 08 R06	10x19	220P0 10 R12

## ART. 230P



RUBINETTO RAPIDO  
A SFERA UNIVERSALE  
ATTACCO TUBO SPIRALE  
GHIERA IN NYLON

UNIVERSAL QUICK  
BALL COUPLER  
FOR SPIRAL HOSE  
NYLON RING

PA6 Ø	CODICE - CODE	PA11 Ø PA12 Ø	CODICE - CODE
4x6	230P0 06 R01	5x8	230P0 08 R05
6x8	230P0 08 R02	6,5x10	230P0 10 R06
8x10	230P0 10 R03	8x12	230P0 12 R07
10x12	230P0 12 R04		

## ART. 240P




RUBINETTO RAPIDO  
A SFERA UNIVERSALE  
ATTACCO PORTAGOMMA  
GHIERA IN NYLON

UNIVERSAL QUICK  
BALL COUPLER  
FOR RUBBER HOSE  
NYLON RING

Ø	CODICE - CODE	Ø	CODICE - CODE
6	240P0 06 R01	10	240P0 10 R06
7	240P0 07 R02	11	240P0 11 R07
7,4	240P0 07 R03	12	240P0 12 R08
8	240P0 08 R04	13	240P0 13 R09
9	240P0 09 R05	14	240P0 14 R10

# SERIE CON SICUREZZA - SAFETY SERIES

## ART. 400 - 401 - 402 - 403 - 404



# SERIE CON SICUREZZA - SAFETY SERIES

## PROFILI COMPATIBILI - COMPATIBLE PROFILES




PORTATA ARIA / AIR FLOW: 2000 Nl/min

PRESSIONE MASSIMA / MAX PRESSURE: 12bar

TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.**

**400**



RUBINETTO RAPIDO UNIVERSALE  
CON SICUREZZA  
ATTACCO FILETTO FEMMINA

UNIVERSAL QUICK COUPLER  
WITH SAFETY FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	40000 14 R01
BSPP 3/8 F	40000 38 R02
BSPP 1/2 F	40000 12 R03

**ART.**

**401**



RUBINETTO RAPIDO UNIVERSALE  
CON SICUREZZA  
ATTACCO FILETTO MASCHIO

UNIVERSAL QUICK COUPLER  
WITH SAFETY MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	40100 14 R01
BSPP 3/8 M	40100 38 R02
BSPP 1/2 M	40100 12 R03

**ART.**

**402**



RUBINETTO RAPIDO UNIVERSALE  
CON SICUREZZA  
ATTACCO PORTAGOMMA

UNIVERSAL QUICK COUPLER  
WITH SAFETY  
FOR RUBBER HOSE

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6x14	40200 06 R01
8x17	40200 08 R02
10x19	40200 10 R03

**ART.**

**403**



RUBINETTO RAPIDO UNIVERSALE  
CON SICUREZZA  
ATTACCO PER TUBO SPIRALE

UNIVERSAL QUICK COUPLER  
WITH SAFETY  
FOR SPIRAL HOSE

PA6 Ø	CODICE - CODE	PA11 Ø PA12 Ø	CODICE - CODE
4x6	40300 06 R01	5x8	40300 08 R05
6x8	40300 08 R02	6,5x10	40300 10 R06
8x10	40300 10 R03	8x12	40300 12 R07
10x12	40300 12 R04		

**ART.**

**404**



RUBINETTO RAPIDO UNIVERSALE  
CON SICUREZZA  
ATTACCO PORTAGOMMA

UNIVERSAL QUICK COUPLER  
WITH SAFETY  
FOR RUBBER HOSE


Ø	CODICE - CODE	Ø	CODICE - CODE
6	40400 06 R01	10	40400 10 R05
7	40400 07 R02	11	40400 11 R06
8	40400 08 R03	12	40400 12 R07
9	40400 09 R04	14	40400 14 R08



MADE IN ITALY

# SERIE OTTONE - BRASS SERIES

## PROFILI COMPATIBILI - COMPATIBLE PROFILES



PORTATA ARIA / AIR FLOW: 2000 NL/min

PRESSIONE MASSIMA / MAX PRESSURE: 12bar

TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.  
200OT**



FILETTO THREAD	CODICE CODE
BSPP 1/4 M	200OT 14 R01
BSPP 3/8 M	200OT 38 R02
BSPP 1/2 M	200OT 12 R03

RUBINETTO RAPIDO  
A SFERA UNIVERSALE IN OTTONE  
ATTACCO FILETTO MASCHIO  
CILINDRICO  
  
BRASS UNIVERSAL  
QUICK BALL COUPLER  
WITH CYLINDRICAL MALE THREAD

**ART.  
200OTC**



FILETTO THREAD	CODICE CODE
BSPT 1/4 M	200OT C4 R01
BSPT 3/8 M	200OT C8 R02
BSPT 1/2 M	200OT C2 R03

RUBINETTO RAPIDO  
A SFERA UNIVERSALE  
IN OTTONE ATTACCO  
FILETTO MASCHIO CONICO  
  
BRASS UNIVERSAL  
QUICK BALL COUPLER  
WITH CONICAL MALE THREAD

**ART.  
210OT**



RUBINETTO RAPIDO  
A SFERA UNIVERSALE IN OTTONE  
ATTACCO FILETTO FEMMINA

BRASS UNIVERSAL  
QUICK BALL COUPLER  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	210OT 14 R01
BSPP 3/8 F	210OT 38 R02
BSPP 1/2 F	210OT 12 R03

**ART.  
240OT**



RUBINETTO RAPIDO A SFERA  
UNIVERSALE IN OTTONE  
ATTACCO PORTAGOMMA

BRASS UNIVERSAL  
QUICK BALL COUPLER  
FOR RUBBER HOSE

Ø	CODICE - CODE	Ø	CODICE - CODE
6	240OT 06 R01	10	240OT 10 R06
7	240OT 07 R02	11	240OT 11 R07
7,4	240OT 07 R03	12	240OT 12 R08
8	240OT 08 R04	13	240OT 13 R09
9	240OT 09 R05	14	240OT 14 R10

**ART.  
200YOT**



DEVIAZIONE A "Y"  
CON DUE RUBINETTI RAPIDI  
A SFERA UNIVERSALI  
ATTACCO FILETTO MASCHIO CONICO

"Y" FITTING  
WITH TWO UNIVERSAL QUICK BALL  
COUPLERS AND CONICAL MALE THREAD

FILETTO THREAD	CODICE CODE
BSPT 1/4 M	200YO T4 R01
BSPT 3/8 M	200YO T8 R02
BSPT 1/2 M	200YO T2 R03

**ART.  
210YOT**




DEVIAZIONE A "Y"  
CON DUE RUBINETTI RAPIDI  
A SFERA UNIVERSALI  
ATTACCO FILETTO FEMMINA

"Y" FITTING  
WITH TWO UNIVERSAL QUICK BALL  
COUPLERS AND FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	210YO T4 R01
BSPP 3/8 F	210YO T8 R02
BSPP 1/2 F	210YO T2 R03

# SERIE OTTONE - BRASS SERIES



INNESTI CON PROFILO TEDESCO  
SPECIFICI PER LA SERIE "OT"

COUPLINGS WITH GERMAN PROFILE  
SPECIFIC FOR THE "OT" SERIES

## ART. 120OT



INNESTO RAPIDO  
IN OTTONE  
FILETTO MASCHIO  
TIPO TEDESCO

"GERMAN" BRASS CONNECTION  
WITH MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	120OT 14 R01
BSPP 3/8 M	120OT 38 R02
BSPP 1/2 M	120OT 12 R03

## ART. 120AOT



INNESTO RAPIDO  
IN OTTONE  
FILETTO MASCHIO  
TENUTA CON OR  
TIPO TEDESCO

"GERMAN" BRASS CONNECTION  
WITH MALE THREAD  
WITH OR

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	120AO T4 R01
BSPP 3/8 M	120AO T8 R02
BSPP 1/2 M	120AO T2 R03

## ART. 121OT



INNESTO RAPIDO  
IN OTTONE  
FILETTO FEMMINA  
TIPO TEDESCO

"GERMAN" BRASS CONNECTION  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	121OT 14 R01
BSPP 3/8 F	121OT 38 R02
BSPP 1/2 F	121OT 12 R03

## ART. 125OT




INNESTO RAPIDO  
IN OTTONE  
ATTACCO PORTAGOMMA  
TIPO TEDESCO

"GERMAN" BRASS CONNECTION  
FOR RUBBER HOSE

Ø	CODICE - CODE	Ø	CODICE - CODE
6	125OT 06 R01	10	125OT 10 R06
7	125OT 07 R02	11	125OT 11 R07
7,4	125OT 07 R03	12	125OT 12 R08
8	125OT 08 R04	13	125OT 13 R09
9	125OT 09 R05	14	125OT 14 R10






# SERIE ITALIA

# ITALY SERIES

# SERIE ITALIA - ITALY SERIES



PORTATA ARIA / AIR FLOW: 2000 Nl/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.  
45**



FILETTO THREAD	CODICE CODE
BSPP 1/8 M	45000 18 R01
BSPP 1/4 M	45000 14 R02
BSPP 3/8 M	45000 38 R03
BSPP 1/2 M	45000 12 R04

RUBINETTO RAPIDO A SFERA  
ATTACCO FILETTO MASCHIO  
CILINDRICO

QUICK BALL COUPLER  
WITH CYLINDRICAL MALE THREAD

**ART.  
45C**



FILETTO THREAD	CODICE CODE
BSPT 1/4 M	45C00 14 R01
BSPT 3/8 M	45C00 38 R02
BSPT 1/2 M	45C00 12 R03

RUBINETTO RAPIDO A SFERA  
ATTACCO FILETTO MASCHIO  
CONICO

QUICK BALL COUPLER  
WITH CONICAL MALE THREAD

**ART.  
47**



RUBINETTO RAPIDO  
A SFERA  
ATTACCO FILETTO FEMMINA

QUICK BALL COUPLER  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	47000 18 R01
BSPP 1/4 F	47000 14 R02
BSPP 3/8 F	47000 38 R03
BSPP 1/2 F	47000 12 R04

**ART.  
46**



RUBINETTO RAPIDO  
A SFERA  
ATTACCO PORTAGOMMA

QUICK BALL COUPLER  
FOR RUBBER HOSE

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6x10	46000 06 R01	8x13	46000 08 R07
6x12	46000 06 R02	8x15	46000 08 R08
6x13	46000 06 R03	8x17	46000 08 R09
6x14	46000 06 R04	10x15	46000 10 R10
7x16	46000 07 R05	10x17	46000 10 R11
8x12	46000 08 R06	10x19	46000 10 R12

**ART.  
48**



RUBINETTO RAPIDO  
A SFERA  
ATTACCO TUBO SPIRALE

QUICK BALL COUPLER  
FOR SPIRAL HOSE

PA6 Ø	CODICE - CODE	PA11 Ø PA12 Ø	CODICE - CODE
4x6	48000 06 R01	5x8	48000 08 R05
6x8	48000 08 R02	6,5x10	48000 10 R06
8x10	48000 10 R03	8x12	48000 12 R07
10x12	48000 12 R04		

**ART.  
44**




RUBINETTO RAPIDO  
A SFERA  
ATTACCO PORTAGOMMA

QUICK BALL COUPLER  
FOR RUBBER HOSE

Ø	CODICE - CODE	Ø	CODICE - CODE
6	44000 06 R01	10	44000 10 R06
7	44000 07 R02	11	44000 11 R07
7,4	44000 07 R03	12	44000 12 R08
8	44000 08 R04	13	44000 13 R09
9	44000 09 R05	14	44000 14 R10

# SERIE ITALIA - ITALY SERIES



PORTATA ARIA / AIR FLOW: 2000 Nl/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

## ART. 23B



INNESTO  
ATTACCO  
FILETTO MASCHIO

CONNECTION  
MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 M	23B00 18 R01
BSPP 1/4 M	23B00 14 R02
BSPP 3/8 M	23B00 38 R03
BSPP 1/2 M	23B00 12 R04

## ART. 23C



INNESTO  
ATTACCO  
FILETTO FEMMINA

CONNECTION  
FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	23C00 18 R01
BSPP 1/4 F	23C00 14 R02
BSPP 3/8 F	23C00 38 R03
BSPP 1/2 F	23C00 12 R04

## ART. 23



INNESTO  
ATTACCO  
PORTAGOMMA

CONNECTION  
FOR RUBBER HOSE

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6x10	23001 06 R01	8x13	23001 08 R08
6x12	23001 06 R02	8x15	23001 08 R09
6x13	23001 06 R03	8x17	23001 08 R10
6x14	23001 06 R04	10x15	23001 10 R11
6x16	23001 06 R05	10x17	23001 10 R12
7x16	23001 07 R06	10x19	23001 10 R13
8x12	23001 08 R07		

## ART. 25E



INNESTO  
ATTACCO  
TUBO SPIRALE

CONNECTION  
FOR SPIRAL HOSE

PA6 Ø	CODICE - CODE	PA11 Ø PA12 Ø	CODICE - CODE
4x6	25E00 06 R01	5x8	25E00 08 R05
6x8	25E00 08 R02	6,5x10	25E00 10 R06
8x10	25E00 10 R03	8x12	25E00 12 R07
10x12	25E00 12 R04		

## ART. 23E




INNESTO  
ATTACCO  
PORTAGOMMA

CONNECTION  
FOR RUBBER HOSE

Ø	CODICE - CODE	Ø	CODICE - CODE
6	23E00 06 R01	10	23E00 10 R06
7	23E00 07 R02	11	23E00 11 R07
7,4	23E00 07 R03	12	23E00 12 R08
8	23E00 08 R04	13	23E00 13 R09
9	23E00 09 R05	14	23E00 14 R10

# SERIE ITALIA - ITALY SERIES



PORTATA ARIA / AIR FLOW: 2000 Nl/min  
 PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
 TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.  
23I**



FILETTO THREAD	CODICE CODE
BSPP 1/4	23I00 14 R01

INNESTO  
CON DADO FRESATO  
CONNECTION  
WITH MILLED NUT

**ART.  
23D**



CODICE CODE
23D00 00 R01

INNESTO  
ATTACCO A BAIONETTA  
BAYONET CONNECTION

**ART.  
20R**



GOMMINO DI RICAMBIO  
SPARE GASKET

CODICE CODE
20R00 00 R01

**ART.  
23BC**



INNESTO  
ATTACCO  
FILETTO MASCHIO CONICO

CONNECTION  
CONICAL MALE THREAD

FILETTO THREAD	CODICE CODE
BSPT 1/4 M	23BC0 14 R01
BSPT 3/8 M	23BC0 38 R02
BSPT 1/2 M	23BC0 12 R03

**ART.  
23F**



INNESTO  
ATTACCO  
FILETTO MASCHIO  
TENUTA CON OR

MALE CONNECTION  
SEAL WITH OR

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	23F00 14 R01

**ART.  
23BT**



INNESTO  
ATTACCO  
FILETTO MASCHIO  
CARBONITRURATO

CONNECTION  
MALE THREAD  
CARBONITRIDED

FILETTO THREAD	CODICE CODE
BSPP 1/8 M	23BT0 18 R01
BSPP 1/4 M	23BT0 14 R02
BSPP 3/8 M	23BT0 38 R03
BSPP 1/2 M	23BT0 12 R04

**ART.  
23CT**



INNESTO  
ATTACCO  
FILETTO FEMMINA  
CARBONITRURATO

CONNECTION  
FEMALE THREAD  
CARBONITRIDED

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	23CT0 18 R01
BSPP 1/4 F	23CT0 14 R02
BSPP 3/8 F	23CT0 38 R03
BSPP 1/2 F	23CT0 12 R04




**SERIE GERMANIA**

**GERMANY SERIES**



# SERIE GERMANIA - GERMANY SERIES



PORTATA ARIA / AIR FLOW: 2000 NL/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

## ART. **120**



INNESTO  
ATTACCO  
FILETTO MASCHIO

CONNECTION  
MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 M	12000 18 R01
BSPP 1/4 M	12000 14 R02
BSPP 3/8 M	12000 38 R03
BSPP 1/2 M	12000 12 R04

## ART. **121**



INNESTO  
ATTACCO  
FILETTO FEMMINA

CONNECTION  
FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	12100 18 R01
BSPP 1/4 F	12100 14 R02
BSPP 3/8 F	12100 38 R03
BSPP 1/2 F	12100 12 R04

## ART. **129**



INNESTO  
ATTACCO  
PORTAGOMMA

CONNECTION  
FOR RUBBER HOSE

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6x10	12900 06 R01	8x13	12900 08 R07
6x12	12900 06 R02	8x15	12900 08 R08
6x13	12900 06 R03	8x17	12900 08 R09
6x14	12900 06 R04	10x15	12900 10 R10
7x16	12900 07 R05	10x17	12900 10 R11
8x12	12900 08 R06	10x19	12900 10 R12

## ART. **126**



INNESTO  
ATTACCO TUBO SPIRALE

CONNECTION  
FOR SPIRAL HOSE

PA6 Ø	CODICE - CODE	PA11 Ø PA12 Ø	CODICE - CODE
4x6	12600 06 R01	5x8	12600 08 R05
6x8	12600 08 R02	6,5x10	12600 10 R06
8x10	12600 10 R03	8x12	12600 12 R07
10x12	12600 12 R04		

## ART. **125**



INNESTO  
ATTACCO PORTAGOMMA


CONNECTION  
FOR RUBBER HOSE

Ø	CODICE - CODE	Ø	CODICE - CODE
6	12500 06 R01	10	12500 10 R06
7	12500 07 R02	11	12500 11 R07
7,4	12500 07 R03	12	12500 12 R08
8	12500 08 R04	13	12500 13 R09
9	12500 09 R05	14	12500 14 R10



MADE IN ITALY

# SERIE GERMANIA - GERMANY SERIES



**PORTATA ARIA / AIR FLOW:** 2000 Nl/min  
**PRESSIONE MASSIMA / MAX PRESSURE:** 12bar  
**TEMPERATURA / TEMPERATURE:** -18 °C ÷ +80 °C

## ART. 23A



INNESTO CON  
DADO FRESATO

CONNECTION WITH  
MILLED NUT

FILETTO THREAD	CODICE CODE
BSPP 1/4	23A00 14 R01

## ART. 129A



INNESTO  
ATTACCO A BAIONETTA

BAYONET CONNECTION

CODICE CODE
129A0 00 R01

## ART. 20R



GOMMINO DI RICAMBIO  
SPARE GASKET

CODICE CODE
20R00 00 001

## ART. 120A



INNESTO  
ATTACCO  
FILETTO MASCHIO  
TENUTA CON OR

CONNECTION MALE THREAD  
SEAL WITH OR

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	120A0 14 R01

## ART. 120C



INNESTO ATTACCO  
FILETTO MASCHIO  
CONICO

CONNECTION MALE  
CONICAL THREAD

FILETTO THREAD	CODICE CODE
BSPT 1/4 M	120C0 14 R01
BSPT 3/8 M	120C0 38 R02
BSPT 1/2 M	120C0 12 R03

## ART. 121S



INNESTO IN OTTONE  
FILETTO FEMMINA  
CON FUNZIONE ANTI - FRUSTA

BRASS CONNECTION  
WITH FEMALE THREAD  
WITH SHOCKPROOF FUNCTION

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	121S0 14 R01

## ART. 120T



INNESTO  
ATTACCO  
FILETTO MASCHIO  
CARBONITRURATO

CONNECTION  
MALE THREAD  
CARBONITRIDED

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	120T0 14 R01
BSPP 3/8 F	120T0 38 R02
BSPP 1/2 F	120T0 12 R03


## ART. 121T



INNESTO  
ATTACCO  
FILETTO FEMMINA  
CARBONITRURATO


CONNECTION  
FEMALE THREAD  
CARBONITRIDED

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	121T0 14 R01
BSPP 3/8 F	121T0 38 R02
BSPP 1/2 F	121T0 12 R03





# SERIE USA - USA SERIES



**PORTATA ARIA / AIR FLOW:** 2000 Nl/min  
**PRESSIONE MASSIMA / MAX PRESSURE:** 12bar  
**TEMPERATURA / TEMPERATURE:** -18 °C ÷ +80 °C

## ART. 140



INNESTO  
ATTACCO  
FILETTO MASCHIO

CONNECTION  
MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	14000 14 R01
BSPP 3/8 M	14000 38 R02
BSPP 1/2 M	14000 12 R03

## ART. 141



INNESTO  
ATTACCO  
FILETTO FEMMINA

CONNECTION  
FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	14100 14 R01
BSPP 3/8 F	14100 38 R02
BSPP 1/2 F	14100 12 R03

## ART. 149



INNESTO  
ATTACCO PORTAGOMMA

CONNECTION  
FOR RUBBER HOSE

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6x10	14900 06 R01	8x15	14900 08 R07
6x12	14900 06 R02	8x17	14900 08 R08
6x13	14900 06 R03	10x15	14900 10 R09
6x14	14900 06 R04	10x17	14900 10 R10
8x12	14900 08 R05	10x19	14900 10 R11
8x13	14900 08 R06		

## ART. 146



INNESTO  
ATTACCO SPIRALE

CONNECTION  
FOR SPIRAL HOSE

PA6 Ø	CODICE - CODE	PA11 Ø PA12 Ø	CODICE - CODE
4x6	14600 06 R01	5x8	14600 08 R05
6x8	14600 08 R02	6,5x10	14600 10 R06
8x10	14600 10 R03	8x12	14600 12 R07
10x12	14600 12 R04		

## ART. 145




INNESTO  
ATTACCO PORTAGOMMA

CONNECTION  
FOR RUBBER HOSE

Ø	CODICE - CODE	Ø	CODICE - CODE
6	14500 06 R01	10	14500 10 R06
7	14500 07 R02	11	14500 11 R07
7,4	14500 07 R03	12	14500 12 R08
8	14500 08 R04	13	14500 13 R09
9	14500 09 R05	14	14500 14 R10

MADE IN ITALY






**SERIE+ORION**

**ORION+SERIES**



# SERIE SVIZZERA - SWISS SERIES



PORTATA ARIA / AIR FLOW: 2000NI/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.  
130**

INNESTO  
ATTACCO  
FILETTO MASCHIO



CONNECTION  
MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	13000 14 R01
BSPP 3/8 M	13000 38 R02
BSPP 1/2 M	13000 12 R03

**ART.  
131**

INNESTO  
ATTACCO  
FILETTO FEMMINA



CONNECTION  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	13100 14 R01
BSPP 3/8 F	13100 38 R02
BSPP 1/2 F	13100 12 R03

**ART.  
139**



INNESTO  
ATTACCO PORTAGOMMA

CONNECTION  
FOR RUBBER HOSE

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
6x10	13900 06 R01	8x15	13900 08 R07
6x12	13900 06 R02	8x17	13900 08 R08
6x13	13900 06 R03	10x15	13900 10 R09
6x14	13900 06 R04	10x17	13900 10 R10
8x12	13900 08 R05	10x19	13900 10 R11
8x13	13900 08 R06		

**ART.  
136**



INNESTO  
ATTACCO TUBO SPIRALE

CONNECTION  
FOR SPIRAL HOSE

PA6 Ø	CODICE - CODE	PA11 Ø PA12 Ø	CODICE - CODE
4x6	13600 06 R01	5x8	13600 08 R05
6x8	13600 08 R02	6,5x10	13600 10 R06
8x10	13600 10 R03	8x12	13600 12 R07
10x12	13600 12 R04		

**ART.  
135**



INNESTO  
ATTACCO PORTAGOMMA

CONNECTION  
FOR RUBBER HOSE

Ø	CODICE - CODE	Ø	CODICE - CODE
6	13500 06 R01	10	13500 10 R06
7	13500 07 R02	11	13500 11 R07
7,4	13500 07 R03	12	13500 12 R08
8	13500 08 R04	13	13500 13 R09
9	13500 09 R05	14	13500 14 R10





# SERIE NITTO


# NITTO • SERIES



MADE IN ITALY



# SERIE NITTO - NITTO SERIES



PORTATA ARIA / AIR FLOW: 2000 Nl/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.  
170**

RUBINETTO RAPIDO  
A SFERA  
ATTACCO FILETTO MASCHIO  
CILINDRICO



QUICK BALL COUPLER  
WITH CYLINDRICAL MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	17000 14 R01
BSPP 3/8 M	17000 38 R02
BSPP 1/2 M	17000 12 R03

**ART.  
171**

RUBINETTO RAPIDO  
A SFERA  
ATTACCO FILETTO FEMMINA



QUICK BALL COUPLER  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	17100 14 R01
BSPP 3/8 F	17100 38 R02
BSPP 1/2 F	17100 12 R03

**ART.  
172**


RUBINETTO RAPIDO  
A SFERA  
ATTACCO PORTAGOMMA



QUICK BALL COUPLER  
FOR RUBBER HOSE

Ø	CODICE - CODE
7,4	17200 07 R01
8	17200 08 R02
10	17200 10 R03
12	17200 12 R04

# SERIE NITTO - NITTO SERIES



PORTATA ARIA / AIR FLOW: 2000 NL/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.  
173**



INNESTO  
ATTACCO  
FILETTO MASCHIO

CONNECTION  
MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 M	17300 14 R01
BSPP 3/8 M	17300 38 R02
BSPP 1/2 M	17300 12 R03

**ART.  
174**



INNESTO  
ATTACCO  
FILETTO FEMMINA

CONNECTION  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/4 F	17400 14 R01
BSPP 3/8 F	17400 38 R02
BSPP 1/2 F	17400 12 R03

**ART.  
175**



INNESTO  
ATTACCO PORTAGOMMA

CONNECTION  
FOR RUBBER HOSE

Ø	CODICE - CODE
7,4	17500 07 R01
8	17500 08 R02
10	17500 10 R03
12	17500 12 R04

**ART.  
173C**



INNESTO  
ATTACCO  
FILETTO MASCHIO CONICO

CONNECTION  
MALE CONICAL THREAD

FILETTO THREAD	CODICE CODE
BSPT 1/4 M	173C0 14 R01
BSPT 3/8 M	173C0 38 R02
BSPT 1/2 M	173C0 12 R03






**SERIE MIGNON**

**MIGNON SERIES**

# SERIE MIGNON - MIGNON SERIES



PORTATA ARIA / AIR FLOW: 1100 Nl/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.**

**117**



RUBINETTO RAPIDO "MIGNON"  
A SFERA  
ATTACCO FILETTO MASCHIO

"MIGNON" QUICK BALL COUPLER  
WITH MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 M	11700 18 R01
BSPP 1/4 M	11700 14 R02
BSPP 3/8 M	11700 38 R03

**ART.**

**118**



RUBINETTO RAPIDO "MIGNON"  
A SFERA  
ATTACCO FILETTO FEMMINA

"MIGNON" QUICK BALL COUPLER  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	11800 18 R01
BSPP 1/4 F	11800 14 R02
BSPP 3/8 F	11800 38 R03

**ART.**

**111**



RUBINETTO RAPIDO "MIGNON"  
A SFERA  
PER TUBO SPIRALE

"MIGNON" QUICK BALL COUPLER  
FOR SPIRAL HOSE

PA6 Ø	CODICE - CODE
4x6	11100 06 R01
6x8	11100 08 R02
8x10	11100 10 R03

**ART.**

**110**



RUBINETTO RAPIDO "MIGNON"  
A SFERA  
PER TUBO SPIRALE

"MIGNON" QUICK BALL COUPLER  
FOR SPIRAL HOSE

PA6 Ø	CODICE - CODE
4x6	11000 06 R01
6x8	11000 08 R02
8x10	11000 10 R03

**ART.**

**119**




RUBINETTO RAPIDO "MIGNON"  
A SFERA  
ATTACCO PORTAGOMMA

"MIGNON" QUICK BALL COUPLER  
FOR RUBBER HOSE

Ø	CODICE - CODE
6	11900 06 R01
8	11900 08 R02

# SERIE MIGNON - MIGNON SERIES



PORTATA ARIA / AIR FLOW: 1100 Nl/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.  
112**



INNESTO "MIGNON"  
ATTACCO FILETTO MASCHIO

"MIGNON" CONNECTION  
WITH MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 M	11200 18 R01
BSPP 1/4 M	11200 14 R02
BSPP 3/8 M	11200 38 R03

**ART.  
113**



INNESTO "MIGNON"  
ATTACCO FILETTO FEMMINA

"MIGNON" CONNECTION  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	11300 18 R01
BSPP 1/4 F	11300 14 R02
BSPP 3/8 F	11300 38 R03

**ART.  
115**



INNESTO "MIGNON"  
ATTACCO TUBO SPIRALE

"MIGNON" CONNECTION  
FOR SPIRAL HOSE

PA6 Ø	CODICE - CODE
4x6	11500 06 R01
6x8	11500 08 R02
8x10	11500 10 R03

**ART.  
116**



INNESTO "MIGNON"  
ATTACCO TUBO SPIRALE

"MIGNON" CONNECTION  
FOR SPIRAL HOSE

PA6 Ø	CODICE - CODE
4x6	11600 06 R01
6x8	11600 08 R02
8x10	11600 10 R03

**ART.  
114**




INNESTO "MIGNON"  
ATTACCO PORTAGOMMA

"MIGNON" CONNECTION  
FOR RUBBER HOSE


Ø	CODICE - CODE
6	11400 06 R01
8	11400 08 R02

# SERIE MIGNON - MIGNON SERIES



**PORTATA ARIA / AIR FLOW:** 1100 Nl/min  
**PRESSIONE MASSIMA / MAX PRESSURE:** 12bar  
**TEMPERATURA / TEMPERATURE:** -18 °C ÷ +80 °C

## ART. 109C




FILETTO - THREAD	Ø	A Max	CODICE - CODE
M12x1	6	8	109C0 12 R01
M14x1	8	8	109C0 14 R02

RUBINETTO RAPIDO "MIGNON"  
 A SFERA  
 IN OTTONE NICHELATO  
 ATTACCO PASSAPARETE PORTAGOMMA

"MIGNON" QUICK BALL COUPLER  
 IN NICKEL-PLATED BRASS  
 FOR FEED-THROUGH AND  
 RUBBER HOSE

## ART. 109CB




FILETTO - THREAD	Ø	A Max	CODICE - CODE
M12x1	6	8	109CB 12 R01
M14x1	8	8	109CB 14 R02

RUBINETTO RAPIDO "MIGNON"  
 A SFERA  
 IN OTTONE NICHELATO CON GHIERA  
 IN ALLUMINIO "ERGAL" ANODIZZATO BLU  
 ATTACCO PASSAPARETE PORTAGOMMA

"MIGNON" QUICK BALL COUPLER  
 IN NICKEL-PLATED BRASS  
 WITH ALUMINIUM "ERGAL" BLUE RING NUT  
 FOR FEED-THROUGH AND RUBBER HOSE

## ART. 109CR




FILETTO - THREAD	Ø	A Max	CODICE - CODE
M12x1	6	8	109CR 12 R01
M14x1	8	8	109CR 14 R02

RUBINETTO RAPIDO "MIGNON"  
 A SFERA  
 IN OTTONE NICHELATO CON GHIERA  
 IN ALLUMINIO "ERGAL" ANODIZZATO ROSSO  
 ATTACCO PASSAPARETE PORTAGOMMA

"MIGNON" QUICK BALL COUPLER  
 IN NICKEL-PLATED BRASS  
 WITH ALUMINIUM "ERGAL" RED RING NUT  
 FOR FEED-THROUGH AND RUBBER HOSE

## ART. 117P




RUBINETTO RAPIDO "MIGNON"  
 A SFERA IN OTTONE NICHELATO  
 ATTACCO PASSAPARETE

"MIGNON" QUICK BALL COUPLER  
 IN NICKEL-PLATED BRASS  
 FEED-THROUGH

FILETTO - THREAD	A Max	CODICE - CODE
BSPP 1/8	6	117P0 18 R01
BSPP 1/4	8	117P0 14 R02
BSPP 3/8	9	117P0 38 R03
M12x1	8	117P0 12 R04
M14x1	8	117P0 14 R05

## ART. 117PB




RUBINETTO RAPIDO "MIGNON"  
 A SFERA IN OTTONE NICHELATO  
 ATTACCO PASSAPARETE  
 CON GHIERA IN ALLUMINIO "ERGAL"  
 ANODIZZATO BLU

"MIGNON" QUICK BALL COUPLER  
 IN NICKEL-PLATED BRASS  
 WITH ALUMINIUM "ERGAL" BLUE RING NUT  
 FOR FEED-THROUGH


FILETTO - THREAD	A Max	CODICE - CODE
BSPP 1/8	6	117PB 18 R01
BSPP 1/4	8	117PB 14 R02
BSPP 3/8	9	117PB 38 R03
M12x1	8	117PB 12 R04
M14x1	8	117PB 14 R05

# SERIE MIGNON - *MIGNON SERIES*



**PORTATA ARIA / AIR FLOW:** 1100 Nl/min  
**PRESSIONE MASSIMA / MAX PRESSURE:** 12bar  
**TEMPERATURA / TEMPERATURE:** -18 °C ÷ +80 °C

**ART.  
117PR**



RUBINETTO RAPIDO "MIGNON"  
A SFERA IN OTTONE NICHELATO  
ATTACCO PASSAPARETE  
CON GHIERA IN ALLUMINIO "ERGAL"  
ANODIZZATO ROSSO

"MIGNON" QUICK BALL COUPLER  
IN NICKEL-PLATED BRASS  
WITH ALUMINUM "ERGAL" RED RING NUT  
FOR FEED-THROUGH

FILETTO - THREAD	A Max	CODICE - CODE
BSPP 1/8	6	117PR 18 R01
BSPP 1/4	8	117PR 14 R02
BSPP 3/8	9	117PR 38 R03
M12x1	8	117PR 12 R04
M14x1	8	117PR 14 R05

**ART.  
117Y**



**NEW!**

DEVIAZIONE A "Y"  
CON RUBINETTI RAPIDI "MIGNON"  
A SFERA  
ATTACCO FILETTO MASCHIO CONICO

"Y" FITTING  
WITH "MIGNON" QUICK BALL COUPLERS  
AND CONICAL MALE THREAD

FILETTO THREAD	CODICE CODE
BSPT 1/8 M	117Y0 18 R01
BSPT 1/4 M	117Y0 14 R02

**ART.  
118Y**




**NEW!**

DEVIAZIONE A "Y"  
CON RUBINETTI RAPIDI "MIGNON"  
A SFERA  
ATTACCO FILETTO FEMMINA

"Y" FITTING  
WITH "MIGNON" QUICK BALL COUPLERS  
AND FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 1/8 F	118Y0 18 R01
BSPP 1/4 F	118Y0 14 R02






# SERIE MIGNON PER CAMION



## MIGNON SERIES FOR TRUCKS

# SERIE MIGNON - MIGNON SERIES



PORTATA ARIA / AIR FLOW: 1100 Nl/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

## ART. 109B

RUBINETTO RAPIDO "MIGNON"  
FILETTO FEMMINA "STRALIS"



"MIGNON" QUICK BALL COUPLER  
WITH "STRALIS" FEMALE THREAD

FILETTO THREAD	CODICE CODE
M16x1,5 F	109B0 0M R01

## ART. 117F

RACCORDO "STRALIS"  
CON FILETTO FEMMINA  
IN OTTONE NICHELATO



"STRALIS" FITTING  
WITH FEMALE THREAD  
NICKEL-PLATED BRASS

FILETTI THREADS	CODICE CODE
BSPP 1/8 F x M16x1,5 F	117F0 18 R01
BSPP 1/4 F x M16x1,5 F	117F0 14 R02

## ART. 117M

RACCORDO "STRALIS"  
CON FILETTO MASCHIO  
IN OTTONE NICHELATO




"STRALIS" FITTING  
WITH MALE THREAD  
NICKEL-PLATED BRASS

FILETTI THREADS	CODICE CODE
BSPP 1/4 M x M16x1,5 F	117M0 14 R01

## ART. 117B

RACCORDO GIREVOLE "STRALIS"




"STRALIS" REVOLVING FITTING

FILETTO - THREAD	PA6 Ø	CODICE - CODE
M16x1,5 F	4x6	117B0 06 R01
M16x1,5 F	6x8	117B0 08 R02

## ART. 117D


A	B	C	D	E	F	
FILETTO - THREAD	FILETTO - THREAD	FILETTO - THREAD	FILETTO - THREAD	Max	PA6 Ø	CODICE - CODE
M16x1,5 F x BSPP 1/8 F	BSPP 1/8 F x 8V 1-2	BSPP 1/8 M	BSPP 1/8 F x M10x1	8	4x6	117D0 06 R01
M16x1,5 F x BSPP 1/8 F	BSPP 1/8 F x 8V 1-2	BSPP 1/8 M	BSPP 1/8 F x M12x1	8	6x8	117D0 08 R02



KIT RUBINETTO RAPIDO MIGNON  
A SFERA COMBINABILE TIPO:  
"STRALIS", "SCANIA" (CON VALVOLA)  
E PASSAPARETE

KIT QUICK COUPLER UNIT TYPE:  
"STRALIS", "SCANIA" (WITH VALVE)  
AND FEED-THROUGH

# SERIE MIGNON - MIGNON SERIES



PORTATA ARIA / AIR FLOW: 1100 Nl/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

## ART. 109A

RUBINETTO RAPIDO "MIGNON"  
FILETTO FEMMINA "SCANIA"  
CON VALVOLA



FILETTO THREAD	CODICE CODE
8V 1-2	109A0 8V R01

"MIGNON" QUICK BALL COUPLER  
WITH VALVE "SCANIA" FEMALE THREAD

## ART. 117C


RACCORDO  
CON VALVOLA "SCANIA"  
FILETTO FEMMINA



FITTING WITH "SCANIA" VALVE  
FEMALE THREAD

FILETTI THREADS	CODICE CODE
BSPP 1/8 F x 8V 1-2	117C0 18 R01

## ART. 117E




FILETTO - THREAD	A Max	PA6 Ø	CODICE - CODE
BSPP 1/8 F x M10x1	8	4x6	117E0 06 R01
BSPP 1/8 F x M12x1	8	6x8	117E0 08 R02
BSPP 1/4 F x M10x1	8	4x6	117E0 06 R03
BSPP 1/4 F x M12x1	8	6x8	117E0 08 R04

RACCORDO PASSAPARETE

FEED-THROUGH FITTING

## ART. 109



FILETTO THREAD	A Max	PA6 Ø	CODICE - CODE
M10x1	8	4x6	10900 06 R01
M12x1	8	6x8	10900 08 R02

RUBINETTO RAPIDO  
"MIGNON"  
PASSAPARETE

"MIGNON" QUICK COUPLER  
FEED-THROUGH

## ART. 50B TRUCK



-PISTOLA DI SOFFIAGGIO PROFESSIONALE  
CON REGOLAZIONE ARIA PROGRESSIVA  
ASSEMBLATA CON SPIRALE DA 4 METRI  
IN POLIURETANO

-KIT COMPLETO PER TRUCK

Consumo aria a 6 bar: 260 l/min  
Lunghezza canna: 100 mm

CODICE CODE
50BT0 00 001

-PROFESSIONAL BLOWING GUN PROVIDED  
WITH LEVER FOR THE ADJUSTMENT  
OF THE AIR FLOW  
ASSEMBLED BY 4 METERS  
POLYURETHANE SPIRAL HOSE

-FULL KIT FOR TRUCKS

Air consumption at 6 bar: 260 l/min  
Length nozzle: 100 mm



MADE IN ITALY

MADE IN ITALY






# EURO SERIE

# EURO SERIES

# EURO SERIES



**ART.  
450**

**PORTATA ARIA / AIR FLOW:** 3500 Nl/min  
**PRESSIONE MASSIMA / MAX PRESSURE:** 12bar  
**TEMPERATURA / TEMPERATURE:** -18 °C ÷ +80 °C



RUBINETTO RAPIDO  
A SFERA  
ATTACCO FILETTO MASCHIO CONICO  
PROFILO "EURO SERIE"

"EURO SERIES"  
QUICK BALL COUPLER  
WITH CONICAL MALE THREAD

FILETTO THREAD	CODICE CODE
BSPT 3/8 M	4500E 38 R01
BSPT 1/2 M	4500E 12 R02
BSPT 3/4 M	4500E 34 R03

**ART.  
452**



RUBINETTO RAPIDO  
A SFERA  
ATTACCO FILETTO FEMMINA  
PROFILO "EURO SERIE"

"EURO SERIES"  
QUICK BALL COUPLER  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 3/8 F	4520E 38 R01
BSPP 1/2 F	4520E 12 R02

**ART.  
454**



RUBINETTO RAPIDO  
A SFERA  
ATTACCO PORTAGOMMA  
PROFILO "EURO SERIE"

"EURO SERIES"  
QUICK BALL COUPLER  
FOR RUBBER HOSE

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
10x19	4540E 10 R01
10x21	4540E 10 R02
10x23	4540E 10 R03
13x19	4540E 13 R04
13x21	4540E 13 R05
13x23	4540E 13 R06

**ART.  
456**



PA6 Ø	CODICE - CODE	PA11 Ø PA12 Ø	CODICE - CODE
10x12	4560E 12 R01	12,5x15	4560E 15 R02

RUBINETTO RAPIDO  
A SFERA  
ATTACCO TUBO A SPIRALE  
PROFILO "EURO SERIE"

"EURO SERIES"  
QUICK BALL COUPLER  
FOR SPIRAL HOSE


**ART.  
458**



RUBINETTO RAPIDO  
A SFERA  
ATTACCO PORTAGOMMA  
PROFILO "EURO SERIE"

"EURO SERIES"  
QUICK BALL COUPLER  
FOR RUBBER HOSE

Ø	CODICE - CODE
9	4580E 09 R01
10	4580E 10 R02
13	4580E 13 R03



**PORTATA ARIA / AIR FLOW:** 3500NL/min  
**PRESSIONE MASSIMA / MAX PRESSURE:** 12bar  
**TEMPERATURA / TEMPERATURE:** -18 °C ÷ +80 °C

## ART. 451



INNESTO RAPIDO  
IN ACCIAIO CARBONITRURATO  
FILETTO MASCHIO CONICO  
PROFILO "EURO SERIE"

"EURO SERIES"  
CARBONITRIDED STEEL CONNECTION  
WITH MALE CONICAL THREAD

FILETTO THREAD	CODICE CODE
BSPT 3/8 M	4510E 38 R01
BSPT 1/2 M	4510E 12 R02
BSPT 3/4 M	4510E 34 R03

## ART. 453



INNESTO RAPIDO  
IN ACCIAIO CARBONITRURATO  
FILETTO FEMMINA  
PROFILO "EURO SERIE"

"EURO SERIES"  
CARBONITRIDED STEEL CONNECTION  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 3/8 F	4530E 38 R01
BSPP 1/2 F	4530E 12 R02

## ART. 455



INNESTO RAPIDO  
IN ACCIAIO CARBONITRURATO  
ATTACCO PORTAGOMMA  
PROFILO "EURO SERIE"

"EURO SERIES"  
CARBONITRIDED STEEL CONNECTION  
FOR RUBBER HOSE

Ø	CODICE - CODE
10x19	4550E 10 R01
10x21	4550E 10 R02
10x23	4550E 10 R03
13x19	4550E 13 R04
13x21	4550E 13 R05
13x23	4550E 13 R06

## ART. 457



PA6 Ø	CODICE - CODE	PA11 Ø PA12 Ø	CODICE - CODE
10x12	4570E 12 R01	12,5x15	4570E 15 R02

INNESTO RAPIDO  
IN ACCIAIO CARBONITRURATO  
ATTACCO TUBO SPIRALE  
PROFILO "EURO SERIE"

"EURO SERIES"  
CARBONITRIDED STEEL  
CONNECTION  
FOR SPIRAL HOSE

## ART. 459




INNESTO RAPIDO  
IN ACCIAIO CARBONITRURATO  
ATTACCO PORTAGOMMA  
PROFILO "EURO SERIE"

"EURO SERIES"  
CARBONITRIDED STEEL CONNECTION  
FOR RUBBER HOSE

Ø	CODICE - CODE
9	4590E 09 R01
10	4590E 10 R02
13	4590E 13 R03






# SERIE GIGANTE

# GIANT SERIES

# SERIE GIGANTE - GIANT SERIES



PORTATA ARIA / AIR FLOW: 2500 Nl/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.**

**37**



RUBINETTO RAPIDO "GIGANTE"  
ATTACCO FILETTO MASCHIO

"Giant" QUICK BALL COUPLER  
WITH MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 3/8 M	37000 38 R01
BSPP 1/2 M	37000 12 R02

**ART.**

**36**



RUBINETTO RAPIDO "GIGANTE"  
ATTACCO FILETTO FEMMINA

"Giant" QUICK BALL COUPLER  
WITH FEMALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 3/8 F	36000 38 R01
BSPP 1/2 F	36000 12 R02

**ART.**

**38**



RUBINETTO RAPIDO "GIGANTE" "Giant" QUICK BALL COUPLER  
ATTACCO PORTAGOMMA FOR RUBBER HOSE

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
10x19	38000 10 R01	13x20	38000 13 R07
10x20	38000 10 R02	13x21	38000 13 R08
10x21	38000 10 R03	13x22	38000 13 R09
10x22	38000 10 R04	13x23	38000 13 R10
10x23	38000 10 R05	13x24	38000 13 R11
13x19	38000 13 R06	13x25	38000 13 R12

**ART.**

**35B**



RACCORDO "GIGANTE"  
ATTACCO PORTAGOMMA  
FILETTO MASCHIO

"Giant" FITTING  
FOR RUBBER HOSE  
WITH MALE THREAD

FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
BSPP 3/8 M	10x19	35B00 38 R01	BSPP 1/2 M	10x19	35B00 12 R13
BSPP 3/8 M	10x20	35B00 38 R02	BSPP 1/2 M	10x20	35B00 12 R14
BSPP 3/8 M	10x21	35B00 38 R03	BSPP 1/2 M	10x21	35B00 12 R15
BSPP 3/8 M	10x22	35B00 38 R04	BSPP 1/2 M	10x22	35B00 12 R16
BSPP 3/8 M	10x23	35B00 38 R05	BSPP 1/2 M	10x23	35B00 12 R17
BSPP 3/8 M	13x19	35B00 38 R06	BSPP 1/2 M	13x19	35B00 12 R18
BSPP 3/8 M	13x20	35B00 38 R07	BSPP 1/2 M	13x20	35B00 12 R19
BSPP 3/8 M	13x21	35B00 38 R08	BSPP 1/2 M	13x21	35B00 12 R20
BSPP 3/8 M	13x22	35B00 38 R09	BSPP 1/2 M	13x22	35B00 12 R21
BSPP 3/8 M	13x23	35B00 38 R10	BSPP 1/2 M	13x23	35B00 12 R22
BSPP 3/8 M	13x24	35B00 38 R11	BSPP 1/2 M	13x24	35B00 12 R23
BSPP 3/8 M	13x25	35B00 38 R12	BSPP 1/2 M	13x25	35B00 12 R24

**ART.**

**39**




INNESTO "GIGANTE" ATTACCO  
FILETTO MASCHIO

"Giant" CONNECTION  
WITH MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 3/8 M	39000 38 R01
BSPP 1/2 M	39000 12 R02

# SERIE GIGANTE - GIANT SERIES



PORTATA ARIA / AIR FLOW: 2500 Nl/min  
PRESSIONE MASSIMA / MAX PRESSURE: 12bar  
TEMPERATURA / TEMPERATURE: -18 °C ÷ +80 °C

**ART.**

**40**



INNESTO "GIGANTE"  
ATTACCO PORTAGOMMA

"Giant" CONNECTION  
FOR RUBBER HOSE

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
10x19	40000 10 R01	13x20	40000 13 R07
10x20	40000 10 R02	13x21	40000 13 R08
10x21	40000 10 R03	13x22	40000 13 R09
10x22	40000 10 R04	13x23	40000 13 R10
10x23	40000 10 R05	13x24	40000 13 R11
13x19	40000 13 R06	13x25	40000 13 R12

**ART.**

**35A**




RACCORDO A BAIONETTA  
"GIGANTE" ATTACCO  
PORTAGOMMA

"Giant" BAYONET  
CONNECTION  
FOR RUBBER HOSE

Ø DISPONIBILI Ø AVAILABLE	CODICE CODE	Ø DISPONIBILI Ø AVAILABLE	CODICE CODE
10x19	35A00 10 R01	13x20	35A00 13 R07
10x20	35A00 10 R02	13x21	35A00 13 R08
10x21	35A00 10 R03	13x22	35A00 13 R09
10x22	35A00 10 R04	13x23	35A00 13 R10
10x23	35A00 10 R05	13x24	35A00 13 R11
13x19	35A00 13 R06	13x25	35A00 13 R12

**ART.**

**35BG**



RACCORDO "GIGANTE"  
GIREVOLE ATTACCO  
PORTAGOMMA  
FILETTO MASCHIO

"Giant" REVOLVING FITTING  
MALE THREAD  
FOR RUBBER HOSE

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/2 M	10x19	35BG0 12 R01
BSPP 1/2 M	10x20	35BG0 12 R02
BSPP 1/2 M	10x21	35BG0 12 R03
BSPP 1/2 M	10x22	35BG0 12 R04
BSPP 1/2 M	10x23	35BG0 12 R05
BSPP 1/2 M	13x19	35BG0 12 R06
BSPP 1/2 M	13x20	35BG0 12 R07
BSPP 1/2 M	13x21	35BG0 12 R08
BSPP 1/2 M	13x23	35BG0 12 R09
BSPP 1/2 M	13x24	35BG0 12 R10
BSPP 1/2 M	13x25	35BG0 12 R11

**ART.**

**35**



RACCORDO  
CON DADO "GIGANTE"  
ATTACCO FILETTO MASCHIO

FITTING  
WITH "Giant" NUT  
MALE THREAD

FILETTO THREAD	CODICE CODE
BSPP 3/8 M	35000 38 R01
BSPP 1/2 M	35000 12 R02

# SERIE GIGANTE - GIANT SERIES

ART.

**35G**



RACCORDO GIUNZIONE  
CON 2 DADI GIGANTI

FITTING WITH 2 GIANT NUTS

FILETTO THREAD	CODICE CODE
BSPP 1/2 M	35G00 12 R01

ART.

**35D**



DADO FRESATO GIGANTE

GIANT MILLED NUT

FILETTO THREAD	CODICE CODE
BSPP 1/2 F	35D00 12 R01

ART.

**35GR**




GUARNIZIONE RICAMBIO  
PER ART. 35A

SPARE GASKET  
FOR ART. 35A

CODICE CODE
35GR0 00 001

# **VALVOLE A SFERA RUBINETTI A CORSOIO RUBINETTI DI LINEA**



**BALL VALVES  
HAND SLIDE VALVES  
LINE VALVES**

# VALVOLE A SFERA - BALL VALVES

**ART.**

**29**



VALVOLA A SFERA  
FILETTO FEMMINA-FEMMINA

BALL VALVE  
FEMALE-FEMALE THREAD

FILETTI THREADS	CODICE CODE
BSPP 1/8 F x BSPP 1/8 F	29000 18 001
BSPP 1/4 F x BSPP 1/4 F	29000 14 002
BSPP 3/8 F x BSPP 3/8 F	29000 38 003
BSPP 1/2 F x BSPP 1/2 F	29000 12 004
BSPP 3/4 F x BSPP 3/4 F	29000 34 005

**ART.**

**29A**



VALVOLA A SFERA  
FILETTO MASCHIO-FEMMINA

BALL VALVE  
MALE-FEMALE THREAD

FILETTI THREADS	CODICE CODE
BSPP 1/8 M x BSPP 1/8 F	29A00 18 001
BSPP 1/4 M x BSPP 1/4 F	29A00 14 002
BSPP 3/8 M x BSPP 3/8 F	29A00 38 003
BSPP 1/2 M x BSPP 1/2 F	29A00 12 004
BSPP 3/4 M x BSPP 3/4 F	29A00 34 005

# RUBINETTI A CORSOIO - HAND SLIDE VALVES

**ART.**

**75**



RUBINETTO A CORSOIO  
ENTRATA FILETTO MASCHIO  
USCITA DADO FRESEATO PER BAIONETTA

HAND SLIDE VALVE  
WITH MALE THREAD INPUT  
AND OUTPUT WITH BAYONET  
MILLED NUT

FILETTO - THREAD	CODICE - CODE
BSPP 1/8 M	75000 18 001
BSPP 1/4 M	75000 14 002
BSPP 3/8 M	75000 38 003
BSPP 1/2 M	75000 12 004

**ART.**

**75B**



RUBINETTO A CORSOIO  
ENTRATA ATTACCO PORTAGOMMA  
USCITA ATTACCO BAIONETTA

HAND SLIDE VALVE  
INPUT CONNECTION FOR RUBBER HOSE  
AND OUTPUT BAYONET CONNECTION

Ø	CODICE - CODE
6x12	75B00 06 001
6x14	75B00 06 002
8x17	75B00 08 003
10x19	75B00 10 004

**ART.**

**20R**

GOMMINO DI RICAMBIO  
SPARE GASKET

CODICE CODE
20R00 00 001

**ART.**

**75D**



RUBINETTO A CORSOIO  
ENTRATA ATTACCO TUBO SPIRALE  
USCITA ATTACCO BAIONETTA

HAND SLIDE VALVE  
INPUT CONNECTION FOR SPIRAL HOSE  
AND OUTPUT BAYONET CONNECTION

PA6 Ø	CODICE - CODE
4x6	75D00 06 001
6x8	75D00 08 002
8x10	75D00 10 003
10x12	75D00 12 004

**ART.**

**20R**

GOMMINO DI RICAMBIO  
SPARE GASKET

CODICE CODE
20R00 00 001

# RUBINETTI DI LINEA - LINE VALVES

ART.

**30**



RUBINETTO DI LINEA  
IN OTTONE NICHELATO  
CON CHIAVETTA  
FILETTO MASCHIO CILINDRICO

LINE TAP  
IN NICKEL-PLATED BRASS  
WITH T-HANDLE KNOB  
AND CYLINDRICAL MALE THREAD

FILETTO - THREAD	CODICE - CODE
BSPP 1/8 M	30000 18 001
BSPP 1/4 M	30000 14 002
BSPP 3/8 M	30000 38 003
BSPP 1/2 M	30000 12 004

ART.

**30A**



RUBINETTO DI LINEA  
IN OTTONE NICHELATO  
CON VOLANTINO  
FILETTO MASCHIO CILINDRICO

LINE TAP  
IN NICKEL-PLATED BRASS  
WITH LOB KNOB  
AND CYLINDRICAL MALE THREAD

FILETTO - THREAD	CODICE - CODE
BSPP 1/8 M	30A00 18 001
BSPP 1/4 M	30A00 14 002
BSPP 3/8 M	30A00 38 003
BSPP 1/2 M	30A00 12 004

ART.

**30B**



RUBINETTO DI LINEA  
IN OTTONE NICHELATO  
CON CHIAVETTA  
FILETTO FEMMINA-FEMMINA

LINE TAP  
IN NICKEL-PLATED BRASS  
WITH T-HANDLE KNOB  
FEMALE-FEMALE THREAD

FILETTI THREADS	CODICE CODE
BSPP 1/8 F x BSPP 1/8 F	30B00 18 001
BSPP 1/4 F x BSPP 1/4 F	30B00 14 002

ART.

**30Z**



RUBINETTO DI LINEA  
IN ZAMA NICHELATO  
CON CHIAVETTA  
FILETTO MASCHIO CONICO

LINE TAP  
WITH T-HANDLE KNOB  
AND CONICAL MALE THREAD  
NICKEL-PLATED ZAMAK


FILETTO - THREAD	CODICE - CODE
BSPT 1/4 M	30Z00 14 001



MADE IN ITALY



# RACCORDI STAMPATI IN OTTONE



*BRASS MOULDED  
FITTINGS*



# RACCORDI a T - T FITTINGS

**ART.**

**1T**



RACCORDO STAMPATO A "T"  
IN OTTONE NICHELATO  
2 FEMMINE - 1 MASCHIO CONICO

MOULDED "T" FITTING  
OF NICKEL PLATED BRASS  
2 FEMALES - 1 CONICAL MALE

FILETTI THREADS	CODICE CODE
BSPT 1/8 M x BSPP 1/8 F	1T000 18 001
BSPT 1/4 M x BSPP 1/4 F	1T000 14 002
BSPT 3/8 M x BSPP 3/8 F	1T000 38 003
BSPT 1/2 M x BSPP 1/2 F	1T000 12 004
BSPT 3/4 M x BSPP 3/4 F	1T000 34 005
BSPT 1" M x BSPP 1" F	1T000 10 006

**ART.**

**2T**



RACCORDO STAMPATO A "T"  
IN OTTONE NICHELATO  
1 MASCHIO CONICO - 2 FEMMINE

MOULDED "T" FITTING  
OF NICKEL PLATED BRASS  
1 CONICAL MALE - 2 FEMALES

FILETTI THREADS	CODICE CODE
BSPT 1/8 M x BSPP 1/8 F	2T000 18 001
BSPT 1/4 M x BSPP 1/4 F	2T000 14 002
BSPT 3/8 M x BSPP 3/8 F	2T000 38 003
BSPT 1/2 M x BSPP 1/2 F	2T000 12 004
BSPT 3/4 M x BSPP 3/4 F	2T000 34 005
BSPT 1" M x BSPP 1" F	2T000 10 006

**ART.**

**3T**



RACCORDO STAMPATO A "T"  
IN OTTONE NICHELATO  
3 FEMMINE

MOULDED "T" FITTING  
OF NICKEL PLATED BRASS  
3 FEMALES

FILETTI THREADS	CODICE CODE
BSPP 1/8 F	3T000 18 001
BSPP 1/4 F	3T000 14 002
BSPP 3/8 F	3T000 38 003
BSPP 1/2 F	3T000 12 004
BSPP 3/4 F	3T000 34 005
BSPP 1" F	3T000 10 006

**ART.**

**4T**



RACCORDO STAMPATO A "T"  
IN OTTONE NICHELATO  
2 MASCHI CONICI - 1 FEMMINA

MOULDED "T" FITTING  
OF NICKEL PLATED BRASS  
2 CONICAL MALES - 1 FEMALE

FILETTI THREADS	CODICE CODE
BSPT 1/8 M x BSPP 1/8 F	4T000 18 001
BSPT 1/4 M x BSPP 1/4 F	4T000 14 002
BSPT 3/8 M x BSPP 3/8 F	4T000 38 003
BSPT 1/2 M x BSPP 1/2 F	4T000 12 004
BSPT 3/4 M x BSPP 3/4 F	4T000 34 005
BSPT 1" M x BSPP 1" F	4T000 10 006

**ART.**

**5T**



RACCORDO STAMPATO A "T"  
IN OTTONE NICHELATO  
2 MASCHI CONICI - 1 FEMMINA

MOULDED "T" FITTING  
OF NICKEL PLATED BRASS  
2 CONICAL MALES - 1 FEMALE

FILETTI THREADS	CODICE CODE
BSPT 1/8 M x BSPP 1/8 F	5T000 18 001
BSPT 1/4 M x BSPP 1/4 F	5T000 14 002
BSPT 3/8 M x BSPP 3/8 F	5T000 38 003
BSPT 1/2 M x BSPP 1/2 F	5T000 12 004
BSPT 3/4 M x BSPP 3/4 F	5T000 34 005
BSPT 1" M x BSPP 1" F	5T000 10 006

**ART.**

**6T**



RACCORDO STAMPATO A "T"  
IN OTTONE NICHELATO  
CON 3 MASCHI CONICI

MOULDED "T" FITTING  
OF NICKEL-PLATED BRASS  
WITH 3 CONICAL MALES

FILETTI THREADS	CODICE CODE
BSPT 1/8 M	6T000 18 001
BSPT 1/4 M	6T000 14 002
BSPT 3/8 M	6T000 38 003
BSPT 1/2 M	6T000 12 004
BSPT 3/4 M	6T000 34 005
BSPT 1" M	6T000 10 006

# RACCORDI a + - + FITTINGS

**ART.**

**1C**



RACCORDO STAMPATO A "+"  
IN OTTONE NICHELATO  
3 FEMMINE - 1 MASCHIO CONICO

MOULDED "+" FITTING  
OF NICKEL PLATED BRASS  
3 FEMALES - 1 CONICAL MALE

FILETTI THREADS	CODICE CODE
BSPT 1/8 M x BSPP 1/8 F	1C000 18 001
BSPT 1/4 M x BSPP 1/4 F	1C000 14 002
BSPT 3/8 M x BSPP 3/8 F	1C000 38 003
BSPT 1/2 M x BSPP 1/2 F	1C000 12 004

**ART.**

**2C**



RACCORDO STAMPATO A "+"  
IN OTTONE NICHELATO  
4 FEMMINE

MOULDED "+" FITTING  
OF NICKEL PLATED BRASS  
4 FEMALES

FILETTI THREADS	CODICE CODE
BSPP 1/8 F	2C000 18 001
BSPP 1/4 F	2C000 14 002
BSPP 3/8 F	2C000 38 003
BSPP 1/2 F	2C000 12 004

# RACCODRI a Y - Y FITTINGS

**ART.**

**27**



DEVIAZIONE STAMPATA A "Y"  
IN OTTONE NICHELATO  
1 MASCHIO CONICO - 2 FEMMINE

"Y" FITTING  
OF NICKEL PLATED BRASS  
1 CONICAL MALE - 2 FEMALES

FILETTI THREADS	CODICE CODE
BSPT 1/8 M x BSPP 1/8 F	27000 18 001
BSPT 1/4 M x BSPP 1/4 F	27000 14 002
BSPT 3/8 M x BSPP 3/8 F	27000 38 003
BSPT 1/2 M x BSPP 1/2 F	27000 12 004

**ART.**

**27A**



DEVIAZIONE STAMPATA A "Y"  
IN OTTONE NICHELATO  
3 FEMMINE

"Y" FITTING  
OF NICKEL PLATED BRASS  
3 FEMALES

FILETTI THREADS	CODICE CODE
BSPP 1/8 F	27A00 18 001
BSPP 1/4 F	27A00 14 002
BSPP 3/8 F	27A00 38 003
BSPP 1/2 F	27A00 12 004

# RACCORDI A CALZAMENTO



*PUSH - IN FITTINGS*

# RACCORDI Dritti - Straight fittings

**ART.  
500**



FILETTO - THREAD	PA6 Ø	CODICE - CODE	FILETTO - THREAD	PA6 Ø	CODICE - CODE
BSPT 1/8 M	4x6	50000 18 001	BSPT 3/8 M	4x6	50000 38 008
BSPT 1/8 M	6x8	50000 18 002	BSPT 3/8 M	6x8	50000 38 009
BSPT 1/8 M	8x10	50000 18 003	BSPT 3/8 M	8x10	50000 38 010
BSPT 1/4 M	4x6	50000 14 004	BSPT 3/8 M	10x12	50000 38 011
BSPT 1/4 M	6x8	50000 14 005	BSPT 1/2 M	8x10	50000 12 012
BSPT 1/4 M	8x10	50000 14 006	BSPT 1/2 M	10x12	50000 12 013
BSPT 1/4 M	10x12	50000 14 007	BSPT 1/2 M	12,5x15	50000 12 014

RACCORDO DRTTO  
IN OTTONE NICHELATO  
FILETTO MASCHIO CONICO

*STRAIGHT FITTING  
OF NICKEL-PLATED BRASS  
CONICAL MALE THREAD*

**ART.  
501**



FILETTO - THREAD	PA6 Ø	CODICE - CODE	FILETTO - THREAD	PA6 Ø	CODICE - CODE
BSPP 1/8 F	4x6	50100 18 001	BSPP 1/4 F	8x10	50100 14 006
BSPP 1/8 F	6x8	50100 18 002	BSPP 3/8 F	6x8	50100 38 007
BSPP 1/8 F	8x10	50100 18 003	BSPP 3/8 F	8x10	50100 38 008
BSPP 1/4 F	4x6	50100 14 004	BSPP 3/8 F	10x12	50100 38 009
BSPP 1/4 F	6x8	50100 14 005			

RACCORDO DRTTO  
IN OTTONE NICHELATO  
FILETTO FEMMINA

*STRAIGHT FITTING  
OF NICKEL-PLATED BRASS  
FEMALE THREAD*

**ART.  
502**



RACCORDO INTERMEDIO  
IN OTTONE NICHELATO

*INTERMEDIATE FITTING  
OF NICKEL-PLATED BRASS*

PA6 Ø	CODICE - CODE
4x6	50200 06 001
6x8	50200 08 002
8x10	50200 10 003
10x12	50200 12 004
12,5x15	50200 15 005

# RACCORDI A L “GOMITI” - Elbow fittings

**ART.  
504**



RACCORDO STAMPATO A “L”  
IN OTTONE NICHELATO  
FILETTO FEMMINA

*MOULDED “L” FITTING  
OF NICKEL-PLATED BRASS  
FEMALE THREAD*

FILETTO - THREAD	PA6 Ø	CODICE - CODE
BSPP 1/8 F	4x6	50400 18 001
BSPP 1/8 F	6x8	50400 18 002
BSPP 1/4 F	6x8	50400 14 004
BSPP 1/4 F	8x10	50400 14 005

**ART.  
505**



FILETTO - THREAD	PA6 Ø	CODICE - CODE	FILETTO - THREAD	PA6 Ø	CODICE - CODE
BSPT 1/8 M	4x6	50500 18 001	BSPT 3/8 M	6x8	50500 38 007
BSPT 1/8 M	6x8	50500 18 002	BSPT 3/8 M	8x10	50500 38 008
BSPT 1/4 M	4x6	50500 14 003	BSPT 3/8 M	10x12	50500 38 009
BSPT 1/4 M	6x8	50500 14 004	BSPT 1/2 M	8x10	50500 12 010
BSPT 1/4 M	8x10	50500 14 005	BSPT 1/2 M	10x12	50500 12 011
BSPT 1/4 M	10x12	50500 14 006	BSPT 1/2 M	12,5x15	50500 12 012

RACCORDO STAMPATO A “L”  
IN OTTONE NICHELATO  
FILETTO MASCHIO CONICO

*MOULDED “L” FITTING  
OF NICKEL-PLATED BRASS  
CONICAL MALE THREAD*

# RACCORDI A T - T FITTINGS

**ART.**

**503**



RACCORDO STAMPATO A "T"  
IN OTTONE NICHELATO  
FILETTO MASCHIO CENTRALE CONICO

MOULDED "T" FITTING  
OF NICKEL-PLATED BRASS  
CENTRAL CONICAL MALE THREAD

FILETTO - THREAD	PA6 Ø	CODICE - CODE
BSPT 1/8 M	4x6	50300 18 001
BSPT 1/8 M	6x8	50300 18 002
BSPT 1/4 M	4x6	50300 14 003
BSPT 1/4 M	6x8	50300 14 004
BSPT 1/4 M	8x10	50300 14 005

**ART.**

**506**



RACCORDO STAMPATO  
A "T" INTERMEDI  
IN OTTONE NICHELATO

MOULDED INTERMEDIATE 'T' FITTING  
OF NICKEL-PLATED BRASS

PA6 Ø	CODICE - CODE
4x6	50600 06 001
6x8	50600 08 002
8x10	50600 10 003

**ART.**

**508**



RACCORDO STAMPATO A "T"  
IN OTTONE NICHELATO  
FILETTO MASCHIO LATERALE CONICO

MOULDED "T" FITTING  
OF NICKEL-PLATED BRASS  
LATERAL CONICAL MALE THREAD

FILETTO - THREAD	PA6 Ø	CODICE - CODE
BSPT 1/8 M	4x6	50800 18 001
BSPT 1/8 M	6x8	50800 18 002
BSPT 1/4 M	4x6	50800 14 003
BSPT 1/4 M	6x8	50800 14 004
BSPT 1/4 M	8x10	50800 14 005

## DADO - NUT

**ART.**

**509**




DADO PER RACCORDO A CALZAMENTO  
IN OTTONE NICHELATO

NUT FOR PUSH-IN FITTINGS  
NICKEL-PLATED BRASS

FILETTO - THREAD	PA6 Ø	CODICE - CODE
M 10X1 F	4x6	50900 06 001
M 12X1 F	6x8	50900 08 002
M 14X1 F	8x10	50900 10 003
M 16X1 F	10x12	50900 12 004
M 20X1 F	12,5x15	50900 15 005



# RACCORDI AUTOMATICI



**QUICK-CONNECT  
FITTINGS**

# SERIE IN OTTONE - BRASS SERIES

PRESSIONE MASSIMA DI ESERCIZIO: 12 bar - 175 psi

MAX PRESSURE: 12 bar - 175 psi

**ART.  
520**




RACCORDO DIRITTO  
MASCHIO CONICO TEFLONATO  
IN OTTONE NICHELATO

STRAIGHT FITTING  
MALE CONICAL TEFILON-COATED  
OF NICKEL-PLATED BRASS

FILETTO - THREAD	$\varnothing$	CODICE - CODE	FILETTO - THREAD	$\varnothing$	CODICE - CODE
BSPT 1/8 M	4	52000 18 001	BSPT 3/8 M	8	52000 38 009
BSPT 1/8 M	6	52000 18 002	BSPT 3/8 M	10	52000 38 010
BSPT 1/8 M	8	52000 18 003	BSPT 3/8 M	12	52000 38 011
BSPT 1/4 M	4	52000 14 004	BSPT 3/8 M	14	52000 38 012
BSPT 1/4 M	6	52000 14 005	BSPT 1/2 M	10	52000 12 013
BSPT 1/4 M	8	52000 14 006	BSPT 1/2 M	12	52000 12 014
BSPT 1/4 M	10	52000 14 007	BSPT 1/2 M	14	52000 12 015
BSPT 1/4 M	12	52000 14 008			

**ART.  
521**




RACCORDO A "L" GIREVOLE  
MASCHIO CONICO TEFLONATO  
IN OTTONE NICHELATO

REVOLVING "L"FITTING  
TEFLON-COATED CONICAL MALE  
OF NICKEL-PLATED BRASS

FILETTO - THREAD	$\varnothing$	CODICE - CODE	FILETTO - THREAD	$\varnothing$	CODICE - CODE
BSPT 1/8 M	4	52100 18 001	BSPT 3/8 M	8	52100 38 009
BSPT 1/8 M	6	52100 18 002	BSPT 3/8 M	10	52100 38 010
BSPT 1/8 M	8	52100 18 003	BSPT 3/8 M	12	52100 38 011
BSPT 1/4 M	4	52100 14 004	BSPT 3/8 M	14	52100 38 012
BSPT 1/4 M	6	52100 14 005	BSPT 1/2 M	10	52100 12 013
BSPT 1/4 M	8	52100 14 006	BSPT 1/2 M	12	52100 12 014
BSPT 1/4 M	10	52100 14 007	BSPT 1/2 M	14	52100 12 015
BSPT 1/4 M	12	52100 14 008			

**ART.  
522**




RACCORDO A "T" LATERALE GIREVOLE  
MASCHIO CONICO TEFLONATO  
IN OTTONE NICHELATO

LATERAL REVOLVING 'T' FITTING  
TEFLON-COATED CONICAL MALE  
OF NICKEL-PLATED BRASS

FILETTO - THREAD	$\varnothing$	CODICE - CODE	FILETTO - THREAD	$\varnothing$	CODICE - CODE
BSPT 1/8 M	4	52200 18 001	BSPT 1/4 M	10	52200 14 006
BSPT 1/8 M	6	52200 18 002	BSPT 3/8 M	8	52200 38 007
BSPT 1/8 M	8	52200 18 003	BSPT 3/8 M	10	52200 38 008
BSPT 1/4 M	6	52200 14 004	BSPT 3/8 M	12	52200 38 009
BSPT 1/4 M	8	52200 14 005			

**ART.  
523**



RACCORDO A "T"  
IN OTTONE NICHELATO  
AL CENTRO GIREVOLE  
CONICO TEFLONATO

CENTRE REVOLVING "T" FITTING  
TEFLON-COATED CONICAL MALE  
OF NICKEL-PLATED BRASS

FILETTO - THREAD	$\varnothing$	CODICE - CODE	FILETTO - THREAD	$\varnothing$	CODICE - CODE
BSPT 1/8 M	4	52300 18 001	BSPT 1/4 M	10	52300 14 006
BSPT 1/8 M	6	52300 18 002	BSPT 3/8 M	8	52300 38 007
BSPT 1/8 M	8	52300 18 003	BSPT 3/8 M	10	52300 38 008
BSPT 1/4 M	6	52300 14 004	BSPT 3/8 M	12	52300 38 009
BSPT 1/4 M	8	52300 14 005			

**ART.  
524**

RACCORDO DRITTO INTERMEDI O  
IN OTTONE NICHELATO

STRAIGHT INTERMEDIATE FITTING  
OF NICKEL-PLATED BRASS

$\varnothing$	CODICE - CODE
4	52400 04 001
6	52400 06 002
8	52400 08 003
10	52400 10 004
12	52400 12 005
14	52400 14 006



# SERIE IN OTTONE - BRASS SERIES

PRESSIONE MASSIMA DI ESERCIZIO: 12 bar - 175 psi

MAX PRESSURE: 12 bar - 175 psi

ART.

**525**



RACCORDO A "L" INTERMEDI  
IN OTTONE NICHELATO

INTERMEDIATE "L" FITTING  
OF NICKEL-PLATED BRASS

Ø	CODICE - CODE
4	52500 04 001
6	52500 06 002
8	52500 08 003
10	52500 10 004
12	52500 12 005
14	52500 14 006

ART.

**526**



RACCORDO A "T" INTERMEDI  
IN OTTONE NICHELATO

INTERMEDIATE "T" FITTING  
OF NICKEL-PLATED BRASS

Ø	CODICE - CODE
4	52600 04 001
6	52600 06 002
8	52600 08 003
10	52600 10 004
12	52600 12 005
14	52600 14 006

ART.

**527**



RACCORDO DIRETTO  
INTERMEDI RIDOTTO  
IN OTTONE NICHELATO

STRAIGHT FITTING  
REDUCED INTERMEDIATE  
OF NICKEL-PLATED BRASS

A	B	
Ø	Ø	CODICE - CODE
4	6	52700 04 001
6	8	52700 06 002
8	10	52700 08 003

ART.

**528**



PROLUNGA GIUNZIONE

EXTENSION JOINT

Ø	CODICE - CODE
4	52800 04 001
6	52800 06 002
8	52800 08 003
10	52800 10 004
12	52800 12 005
14	52800 14 006

ART.

**529**



TAPPO MASCHIO

MALE PLUG

Ø	CODICE - CODE
4	52900 04 001
6	52900 06 002
8	52900 08 003
10	52900 10 004
12	52900 12 005
14	52900 14 006

# SERIE IN OTTONE - BRASS SERIES

PRESSIONE MASSIMA DI ESERCIZIO: 12 bar - 175 psi

MAX PRESSURE: 12 bar - 175 psi

**ART.**

**530**



RACCORDO DRITTO  
MASCHIO CILINDRICO  
FILETTO GAS E METRICO

STRAIGHT FITTING  
CYLINDRICAL MALE  
GAS AND METRIC THREAD

FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
M5 M	4	53000 M5 001	BSPP 1/4 M	12	53000 14 010
BSPP 1/8 M	4	53000 18 002	BSPP 3/8 M	8	53000 38 011
BSPP 1/8 M	6	53000 18 003	BSPP 3/8 M	10	53000 38 012
BSPP 1/8 M	8	53000 18 004	BSPP 3/8 M	12	53000 38 013
BSPP 1/8 M	10	53000 18 005	BSPP 3/8 M	14	53000 38 014
BSPP 1/4 M	4	53000 14 006	BSPP 1/2 M	08	53000 12 015
BSPP 1/4 M	6	53000 14 007	BSPP 1/2 M	10	53000 12 016
BSPP 1/4 M	8	53000 14 008	BSPP 1/2 M	12	53000 12 017
BSPP 1/4 M	10	53000 14 009	BSPP 1/2 M	14	53000 12 018

**ART.**

**531**



RACCORDO DRITTO  
TONDO CILINDRICO  
FILETTO METRICO

STRAIGHT FITTING  
CYLINDRICAL ROUND  
METRIC THREAD

FILETTO - THREAD	Ø	CODICE - CODE
M5 M	4	53100 M5 001
M5 M	6	53100 M5 002
M6 M	4	53100 M6 003

**ART.**

**532**



RACCORDO DRITTO  
FEMMINA CILINDRICO  
FILETTO GAS E METRICO

STRAIGHT FITTING  
FEMALE CYLINDRICAL  
GAS AND METRIC THREAD

FILETTO - THREAD	Ø	CODICE - CODE
M5 F	4	53200 M5 001
BSPP 1/8 F	4	53200 18 002
BSPP 1/8 F	6	53200 18 003
BSPP 1/8 F	8	53200 18 004
BSPP 1/4 F	4	53200 14 005
BSPP 1/4 F	6	53200 14 006
BSPP 1/4 F	8	53200 14 007

**ART.**

**533**



FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
M5 M	4	53300 M5 001	BSPP 1/4 M	10	53300 14 008
M5 M	6	53300 M5 002	BSPP 1/4 M	12	53300 14 009
BSPP 1/8 M	4	53300 18 003	BSPP 3/8 M	8	53300 38 010
BSPP 1/8 M	6	53300 18 004	BSPP 3/8 M	10	53300 38 011
BSPP 1/8 M	8	53300 18 005	BSPP 3/8 M	12	53300 38 012
BSPP 1/4 M	6	53300 14 006	BSPP 1/2 M	10	53300 12 013
BSPP 1/4 M	8	53300 14 007	BSPP 1/2 M	12	53300 12 014

RACCORDO A "T" MASCHIO  
CILINDRICO AL CENTRO GIREVOLE  
FILETTO GAS E METRICO

MALE "T" FITTING  
CYLINDRICAL REVOLVING CENTRE  
GAS AND METRIC THREAD

**ART.**

**534**



RACCORDO A "L"  
MASCHIO CILINDRICO GIREVOLE  
FILETTO GAS E METRICO

"L" FITTING  
REVOLVING CYLINDRICAL MALE  
GAS AND METRIC THREAD

FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
M5 M	4	53400 M5 001	BSPP 1/4 M	12	53400 14 010
M5 M	6	53400 M5 002	BSPP 3/8 M	8	53400 38 011
BSPP 1/8 M	4	53400 18 003	BSPP 3/8 M	10	53400 38 012
BSPP 1/8 M	6	53400 18 004	BSPP 3/8 M	12	53400 38 013
BSPP 1/8 M	8	53400 18 005	BSPP 3/8 M	14	53400 38 014
BSPP 1/4 M	4	53400 14 006	BSPP 1/2 M	10	53400 12 015
BSPP 1/4 M	6	53400 14 007	BSPP 1/2 M	12	53400 12 016
BSPP 1/4 M	8	53400 14 008	BSPP 1/2 M	14	53400 12 017
BSPP 1/4 M	10	53400 14 009			

# SERIE IN OTTONE - BRASS SERIES

**PRESSIONE MASSIMA DI ESERCIZIO: 12 bar - 175 psi**

**MAX PRESSURE: 12 bar - 175 psi**

**ART.  
535**



FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
M5 M	4	53500 M5 001	BSPP 1/4 M	8	53500 14 006
BSPP 1/8 M	4	53500 18 002	BSPP 1/4 M	10	53500 14 007
BSPP 1/8 M	6	53500 18 003	BSPP 3/8 M	8	53500 38 008
BSPP 1/8 M	8	53500 18 004	BSPP 3/8 M	10	53500 38 009
BSPP 1/4 M	6	53500 14 005	BSPP 3/8 M	12	53500 38 010

RACCORDO A "T" MASCHIO  
CILINDRICO LATERALE GIREVOLI  
FILETTO GAS E METRICO

MALE "T" FITTING  
LATERAL CYLINDRICAL REVOLVING  
GAS AND METRIC THREAD

**ART.  
536**



RACCORDO PASSAPARETE

FEED-THROUGH FITTING

FILETTO - THREAD	Ø	A Max	CODICE - CODE
M 11	4	8	53600 04 001
M 14	6	8	53600 06 002
M 16	8	10	53600 08 003
M 18	10	12	53600 10 004
M 22	12	17	53600 12 005
M 24	14	18	53600 14 006

**ART.  
537**



FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
M5 M	4	53700 M5 001	BSPP 1/4 M	10	53700 14 008
M5 M	6	53700 M5 002	BSPP 1/4 M	12	53700 14 009
BSPP 1/8 M	4	53700 18 003	BSPP 3/8 M	8	53700 38 010
BSPP 1/8 M	6	53700 18 004	BSPP 3/8 M	10	53700 38 011
BSPP 1/8 M	8	53700 18 005	BSPP 3/8 M	12	53700 38 012
BSPP 1/4 M	6	53700 14 006	BSPP 3/8 M	14	53700 38 013
BSPP 1/4 M	8	53700 14 007	BSPP 1/2 M	12	53700 12 014

RACCORDO ADATTATORE  
MASCHIO CILINDRICO

ADAPTER FITTING  
CYLINDRICAL MALE

**ART.  
538**



Ø B

RACCORDO A "Y"  
INNESTABILE

FITTING "Y" PLUGGABLE

A	B	CODICE - CODE
Ø	Ø	CODICE - CODE
6	6	53800 06 001
8	8	53800 08 002
10	8	53800 10 003
10	10	53800 10 004

Ø A

**ART.  
539**



Ø B

RACCORDO ADATTATORE  
RIDUZIONE - MAGGIORIZZAZIONE

ADAPTER FITTING  
REDUCTION - INCREASE

Ø A

A	B	CODICE - CODE	A	B	CODICE - CODE
Ø	Ø	CODICE - CODE	Ø	Ø	CODICE - CODE
4	6	53900 04 001	8	6	53900 08 007
4	8	53900 04 002	8	10	53900 08 008
6	4	53900 06 003	8	12	53900 08 009
6	8	53900 06 004	8	14	53900 08 010
6	10	53900 06 005	10	12	53900 10 011
6	12	53900 06 006	10	14	53900 10 012



# SERIE IN POLIMERO - POLYMER SERIES

PRESSIONE MASSIMA DI ESERCIZIO: 10 bar - 145 psi

MAX PRESSURE: 10 bar - 145 psi

**ART.**

**805**



FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/8 M	6	80500 18 001	BSPP 1/4 M	8	80500 14 004
BSPP 1/8 M	8	80500 18 002	BSPP 3/8 M	10	80500 38 005
BSPP 1/4 M	6	80500 14 003	BSPP 3/8 M	12	80500 38 006

RACCORDO A "L"  
MASCHIO CILINDRICO  
GIREVOLE LUNGO  
FILETTO GAS E METRICO

"L" FITTING CYLINDRICAL MALE  
LONG REVOLVING  
GAS AND METRIC THREAD

**ART.**

**806**



FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/8 M	4	80600 18 001	BSPP 1/4 M	8	80600 14 005
BSPP 1/8 M	6	80600 18 002	BSPP 1/4 M	10	80600 14 006
BSPP 1/8 M	8	80600 18 003	BSPP 3/8 M	10	80600 38 007
BSPP 1/4 M	6	80600 14 004	BSPP 1/2 M	12	80600 12 008

RACCORDO A "T" MASCHIO  
CILINDRICO LATERALE GIREVOLE  
FILETTO GAS E METRICO

MALE "T" FITTING  
LATERAL CYLINDRICAL REVOLVING  
GAS AND METRIC THREAD

**ART.**

**807**

Ø A



RACCORDO A "T"  
INTERMEDIO

INTERMEDIATE "T"  
FITTING

A	B	CODICE - CODE	A	B	CODICE - CODE
Ø	Ø		Ø	Ø	
4	4	80700 04 001	10	10	80700 10 009
6	4	80700 06 002	12	8	80700 12 010
6	6	80700 06 003	12	10	80700 12 011
8	4	80700 08 004	12	12	80700 12 012
8	6	80700 08 005	14	14	80700 14 013
8	8	80700 08 006	15	15	80700 15 014
10	6	80700 10 007	16	16	80700 16 015
10	8	80700 10 008			

**ART.**

**808**

Ø B



Ø A

DIRITTO INTERMEDIO

STRAIGHT INTERMEDIATE FITTING

A	B	CODICE - CODE	A	B	CODICE - CODE
Ø	Ø		Ø	Ø	
4	4	80800 04 001	10	10	80800 10 009
6	4	80800 06 002	12	8	80800 12 010
6	6	80800 06 003	12	10	80800 12 011
8	4	80800 08 004	12	12	80800 12 012
8	6	80800 08 005	14	14	80800 14 013
8	8	80800 08 006	15	15	80800 15 014
10	6	80800 10 007	16	16	80800 16 015
10	8	80800 10 008			

**ART.**

**809**



RACCORDO A "L" INTERMEDIO

"L" INTERMEDIATE FITTING

Ø	CODICE - CODE	Ø	CODICE - CODE
4	80900 04 001	12	80900 12 005
6	80900 06 002	14	80900 14 006
8	80900 08 003	15	80900 15 007
10	80900 10 004	16	80900 16 008

# SERIE IN POLIMERO - POLYMER SERIES

PRESSEIONE MASSIMA DI ESERCIZIO: 10 bar - 145 psi

MAX PRESSURE: 10 bar - 145 psi

**ART.  
810**



A	B	CODICE - CODE	A	B	CODICE - CODE
Ø	Ø		Ø	Ø	
4	4	81000 04 001	10	8	81000 10 006
6	4	81000 06 002	10	10	81000 10 007
6	6	81000 06 003	12	10	81000 12 008
8	6	81000 08 004	12	12	81000 12 009
8	8	81000 08 005			

RACCORDO A "Y" INNESTABILE

PLUGGABLE "Y" FITTING

**ART.  
811**

RACCORDO A "Y"  
MASCHIO CILINDRICO GIREVOLE



"Y" FITTING  
REVOLVING CYLINDRICAL MALE

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/8 M	4	81100 18 001
BSPP 1/8 M	6	81100 18 002
BSPP 1/8 M	8	81100 18 003
BSPP 1/4 M	6	81100 14 004
BSPP 1/4 M	8	81100 14 005
BSPP 1/4 M	10	81100 14 006
BSPP 3/8 M	10	81100 38 007
BSPP 3/8 M	12	81100 38 008

**ART.  
812**

RACCORDO A "Y"  
PARI CON CODOLO



"Y" FITTING  
PARALLEL WITH TANG

Ø	CODICE - CODE
4	81200 04 001
6	81200 06 002
8	81200 08 003
10	81200 10 004
12	81200 12 005

**ART.  
813**

RACCORDO A "+" INTERMEDIO



INTERMEDIATE "+" FITTING

Ø	CODICE - CODE
4	81300 04 001
6	81300 06 002
8	81300 08 003
10	81300 10 004
12	81300 12 005

**ART.  
814**

RACCORDO A "L"  
INTERMEDIO CON CODOLO



"L" INTERMEDIATE FITTING  
WITH TANG

Ø	CODICE - CODE
4	81400 04 001
6	81400 06 002
8	81400 08 003
10	81400 10 004
12	81400 12 005

# SERIE IN POLIMERO - POLYMER SERIES

PRESSIONE MASSIMA DI ESERCIZIO: 10 bar - 145 psi

MAX PRESSURE: 10 bar - 145 psi

**ART.**

**815**

Ø B



RACCORDO ADATTATORE  
RIDUZIONE - MAGGIORAZIONE


ADAPTER FITTING  
REDUCTION - INCREASE

A	B	CODICE - CODE
Ø	Ø	CODICE - CODE
6	4	81500 06 001
8	4	81500 08 002
8	6	81500 08 003
10	6	81500 10 004
10	8	81500 10 005
12	8	81500 12 006
12	10	81500 12 007

**ART.**

**816**

A



RACCORDO PASSAPARETE

FEED-THROUGH FITTING

FILETTO - THREAD	Ø	A Max	CODICE - CODE
M12x1	4	9,5	81600 04 001
M14x1	6	7,5	81600 06 002
M16x1	8	6,5	81600 08 003
M20x1	10	11,5	81600 10 004
M22x1	12	12,5	81600 12 005

**ART.**

**817**

A



RACCORDO A "L"  
PASSAPARETE

FEED-THROUGH "L" FITTING

FILETTO - THREAD	Ø	A Max	CODICE - CODE
M12x1	4	6	81700 04 001
M14x1	6	7	81700 06 002
M16x1	8	7,5	81700 08 003
M20x1	10	9,5	81700 10 004

**ART.**

**818**

A



RACCORDO PASSAPARETE  
FEMMINA

FEMALE FEED-THROUGH  
FITTING

FILETTO - THREAD	Ø	A Max	CODICE - CODE
BSPP 1/8 F	4	5	81800 18 001
BSPP 1/8 F	6	7	81800 18 002
BSPP 1/4 F	6	7	81800 14 003
BSPP 1/4 F	8	9	81800 14 004
BSPP 3/8 F	10	9	81800 38 005
BSPP 1/2 F	12	9	81800 12 006

**ART.**

**819**




TAPPO MASCHIO

MALE PLUG

Ø	CODICE - CODE
4	81900 04 001
6	81900 06 002
8	81900 08 003
10	81900 10 004
12	81900 12 005



# RACCORDI CON OGIVA



## OGIVE FITTINGS

# RACCORDI CON OGIVA - OGIVE FITTINGS

ART.

**99**



RACCORDO CON OGIVA DIRTTO  
MASCHIO CONICO  
IN OTTONE NICHELATO

STRAIGHT OGIVE FITTING  
CONICAL MALE  
OF NICKEL-PLATED BRASS

FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
BSPT 1/8 M	4	99000 18 001	BSPT 3/8 M	12	99000 38 009
BSPT 1/8 M	6	99000 18 002	BSPT 1/2 M	10	99000 12 010
BSPT 1/8 M	8	99000 18 003	BSPT 1/2 M	12	99000 12 011
BSPT 1/4 M	6	99000 14 004	BSPT 1/2 M	14	99000 12 012
BSPT 1/4 M	8	99000 14 005	BSPT 1/2 M	15	99000 12 013
BSPT 1/4 M	10	99000 14 006	BSPT 1/2 M	16	99000 12 014
BSPT 3/8 M	8	99000 38 007	BSPT 1/2 M	18	99000 12 015
BSPT 3/8 M	10	99000 38 008			

ART.

**100**



FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/8 M	4	10000 18 001	BSPP 1/4 M	10	10000 14 006
BSPP 1/8 M	6	10000 18 002	BSPP 3/8 M	8	10000 38 007
BSPP 1/8 M	8	10000 18 003	BSPP 3/8 M	10	10000 38 008
BSPP 1/4 M	6	10000 14 004	BSPP 1/2 M	10	10000 12 009
BSPP 1/4 M	8	10000 14 005	BSPP 1/2 M	14	10000 12 010

RACCORDO CON OGIVA DIRTTO  
MASCHIO CILINDRICO  
IN OTTONE NICHELATO

STRAIGHT OGIVE FITTING  
CYLINDRICAL MALE  
OF NICKEL-PLATED BRASS

ART.

**101**



RACCORDO CON OGIVA A "L"  
MASCHIO CONICO  
IN OTTONE NICHELATO

OGIVE "L" FITTING  
CONICAL MALE  
OF NICKEL-PLATED BRASS

FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/8 M	4	10100 18 001	BSPP 3/8 M	12	10100 38 009
BSPP 1/8 M	6	10100 18 002	BSPP 3/8 M	14	10100 38 010
BSPP 1/8 M	8	10100 18 003	BSPP 1/2 M	10	10100 12 011
BSPP 1/4 M	6	10100 14 004	BSPP 1/2 M	12	10100 12 012
BSPP 1/4 M	8	10100 14 005	BSPP 1/2 M	14	10100 12 013
BSPP 1/4 M	10	10100 14 006	BSPP 1/2 M	15	10100 12 014
BSPP 3/8 M	8	10100 38 007	BSPP 1/2 M	16	10100 12 015
BSPP 3/8 M	10	10100 38 008	BSPP 1/2 M	18	10100 12 016

ART.

**103**



RACCORDO CON OGIVA A "L"  
FEMMINA CILINDRICO  
IN OTTONE NICHELATO

OGIVE "L" FITTING  
FEMALE CYLINDRICAL  
OF NICKEL-PLATED BRASS

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/8 F	4	10300 18 001
BSPP 1/8 F	6	10300 18 002
BSPP 1/8 F	8	10300 18 003
BSPP 1/4 F	6	10300 14 004
BSPT 1/4 F	8	10300 14 005

ART.

**104**



RACCORDO CON OGIVA A "L"  
INTERMEDI  
IN OTTONE NICHELATO

CONNECTION WITH "L" OGIVE  
INTERMEDIATE  
OF NICKEL-PLATED BRASS

Ø	CODICE - CODE	Ø	CODICE - CODE
4	10400 04 001	14	10400 14 006
6	10400 06 002	15	10400 15 007
8	10400 08 003	16	10400 16 008
10	10400 10 004	18	10400 18 009
12	10400 12 005		

# RACCORDI CON OGIVA - OGIVE FITTINGS

**ART.**

**105**



RACCORDO CON OGIVA A "T"  
MASCHIO CONICO AL CENTRO  
IN OTTONE NICHELATO

OGIVE "T" FITTING  
MALE CONICAL CENTRE  
OF NICKEL-PLATED BRASS

FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
BSPT 1/8 M	4	10500 18 001	BSPT 3/8 M	10	10500 38 008
BSPT 1/8 M	6	10500 18 002	BSPT 3/8 M	12	10500 38 009
BSPT 1/8 M	8	10500 18 003	BSPT 1/2 M	12	10500 12 010
BSPT 1/4 M	6	10500 14 004	BSPT 1/2 M	14	10500 12 011
BSPT 1/4 M	8	10500 14 005	BSPT 1/2 M	15	10500 12 012
BSPT 1/4 M	10	10500 14 006	BSPT 1/2 M	16	10500 12 013
BSPT 3/8 M	8	10500 38 007	BSPT 1/2 M	18	10500 12 014

**ART.**

**106**



RACCORDO CON OGIVA A "T"  
MASCHIO CONICO LATERALE

OGIVE "T" FITTING  
LATERAL CONICAL MALE  
OF NICKEL-PLATED BRASS

FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
BSPT 1/8 M	4	10600 18 001	BSPT 3/8 M	10	10600 38 008
BSPT 1/8 M	6	10600 18 002	BSPT 3/8 M	12	10600 38 009
BSPT 1/8 M	8	10600 18 003	BSPT 1/2 M	12	10600 12 010
BSPT 1/4 M	6	10600 14 004	BSPT 1/2 M	14	10600 12 011
BSPT 1/4 M	8	10600 14 005	BSPT 1/2 M	15	10600 12 012
BSPT 1/4 M	10	10600 14 006	BSPT 1/2 M	16	10600 12 013
BSPT 3/8 M	8	10600 38 007	BSPT 1/2 M	18	10600 12 014

**ART.**

**107**



RACCORDO CON OGIVA A "T"  
INTERMEDIOS  
IN OTTONE NICHELATO

OGIVE "T" FITTING  
INTERMEDIATE  
OF NICKEL-PLATED BRASS

Ø	CODICE - CODE	Ø	CODICE - CODE
4	10700 04 001	14	10700 14 006
6	10700 06 002	15	10700 15 007
8	10700 08 003	16	10700 16 008
10	10700 10 004	18	10700 18 009
12	10700 12 005		

**ART.**

**102**



RACCORDO CON OGIVA DIRTTO  
FEMMINA CILINDRICO  
IN OTTONE NICHELATO

STRAIGHT OGIVE FITTING  
CYLINDRICAL FEMALE  
OF NICKEL-PLATED BRASS

FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
BSPP 1/8 F	4	10200 18 001	BSPP 3/8 F	10	10200 38 008
BSPP 1/8 F	6	10200 18 002	BSPP 3/8 F	12	10200 38 009
BSPP 1/8 F	8	10200 18 003	BSPP 1/2 F	12	10200 12 010
BSPP 1/4 F	6	10200 14 004	BSPP 1/2 F	14	10200 12 011
BSPP 1/4 F	8	10200 14 005	BSPP 1/2 F	15	10200 12 012
BSPP 1/4 F	10	10200 14 006	BSPP 1/2 F	16	10200 12 013
BSPP 3/8 F	8	10200 38 007	BSPP 1/2 F	18	10200 12 014

**ART.**

**108**



RACCORDO CON OGIVA DIRTTO  
INTERMEDIOS  
IN OTTONE NICHELATO

STRAIGHT OGIVE FITTING  
INTERMEDIATE  
OF NICKEL-PLATED BRASS

Ø	CODICE - CODE	Ø	CODICE - CODE
4	10800 04 001	14	10800 14 006
6	10800 06 002	15	10800 15 007
8	10800 08 003	16	10800 16 008
10	10800 10 004	18	10800 18 009
12	10800 12 005		

# RACCORDI CON OGIVA - OGIVE FITTINGS

**ART.  
108A**



RACCORDO CON OGIVA  
PASSAPARETE  
IN OTTONE NICHELATO

FITTING WITH OGIVE  
FEED-THROUGH  
OF NICKEL-PLATED BRASS

Ø	A Max	CODICE - CODE
6	15,5	108A0 06 001
8	16,5	108A0 08 002
10	15,5	108A0 10 003
12	16	108A0 12 004
14	18	108A0 14 005
15	18	108A0 15 006

**ART.  
108B**



OGIVA IN OTTONE

BRASS OGIVE

Ø	CODICE - CODE	Ø	CODICE - CODE
4	108B0 04 003	14	108B0 14 008
6	108B0 06 004	15	108B0 15 009
8	108B0 08 005	16	108B0 16 010
10	108B0 10 006	18	108B0 18 011
12	108B0 12 007		

**ART.  
108C**



FILETTO - THREAD	Ø	CODICE - CODE	FILETTO - THREAD	Ø	CODICE - CODE
M8x1	4	108C0 04 001	M22x1,5	14	108C0 14 006
M10x1	6	108C0 06 002	M22x1,5	15	108C0 15 007
M12x1	8	108C0 08 003	M24x1,5	16	108C0 16 008
M16x1,5	10	108C0 10 004	M26x1,5	18	108C0 18 009
M18x1,5	12	108C0 12 005			

DADO IN OTTONE NICHELATO

NICKEL-PLATED BRASS NUT

**ART.  
108D**




BOCCOLA DI SUPPORTO IN OTTONE

BRASS SUPPORT BUSHING

Ø	CODICE - CODE	Ø	CODICE - CODE
2	108D0 02 001	12	108D0 12 008
2,5	108D0 02 502	12,5	108D0 12 509
4	108D0 04 003	14	108D0 14 010
6	108D0 06 004	15	108D0 15 011
8	108D0 08 005	16	108D0 16 012
9	108D0 09 006	18	108D0 18 013
10	108D0 10 007		

# VALVOLE DI RITEGNO VALVOLE DI SICUREZZA PRESSOSTATI




**CHECK VALVES  
SAFETY VALVES  
PRESSURE  
SWITCHES**

# VALVOLE DI RITEGNO - NON RETARD VALVE

**ART.**

**27V**




VALVOLA DI RITEGNO  
SVASATA ESTERNO  
ATTACCO FEMMINA

NON RETARD VALVE  
FEMALE CONNECTION

A	B	CODICE - CODE
FILETTO THREAD	FILETTO THREAD	CODICE - CODE
BSPP 3/8 F	BSPP 3/8 M	27V00 38 001
BSPP 1/2 F	BSPP 3/8 M	27V00 12 002
BSPP 1/2 F	BSPP 1/2 M	27V00 12 003
BSPP 3/4 F	BSPP 3/4 M	27V00 34 004
BSPP 1" F	BSPP 1" M	27V00 10 005

**ART.**

**27VM**



VALVOLA DI RITEGNO  
SVASATA ESTERNO  
ATTACCO MASCHIO

NON RETARD VALVE  
MALE CONNECTION

A	B	CODICE - CODE
FILETTO THREAD	FILETTO THREAD	CODICE - CODE
BSPP 3/8 M	BSPP 3/8 M	27VM0 38 001
BSPP 1/2 M	BSPP 3/8 M	27VM0 12 002
BSPP 1/2 M	BSPP 1/2 M	27VM0 12 003
BSPP 3/4 M	BSPP 1/2 M	27VM0 34 004
BSPP 1" M	BSPP 3/4 M	27VM0 10 005

**ART.**

**27VD**



VALVOLA DI RITEGNO  
DADO E OGIVA  
ATTACCO FEMMINA

NON RETARD VALVE  
NUT AND OGIVE  
FEMALE CONNECTION

A	B	CODICE - CODE
FILETTO THREAD	$\emptyset$	CODICE - CODE
BSPP 1/2 F	10	27VD0 12 001
BSPP 1/2 F	14	27VD0 12 002

**ART.**

**27VDM**



VALVOLA DI RITEGNO  
DADO E OGIVA  
ATTACCO MASCHIO

NON RETARD VALVE  
NUT AND OGIVE  
MALE CONNECTION

A	B	CODICE - CODE
FILETTO THREAD	$\emptyset$	CODICE - CODE
BSPP 1/2 M	10	27VDM 12 001
BSPP 3/4 M	14	27VDM 12 002

**ART.**

**27VR**



PASTIGLIA PER VALVOLE DI RITEGNO

PAD FOR NON RETARD VALVE

$\emptyset$	CODICE CODE
15,6 x 10 NBR	27VR0 15 601
15,6 x 10 VITON	27VR0 15 602
16,9 x 10,5 NBR	27VR0 16 903
16,9 x 10,5 VITON	27VR0 16 904
23 x 12,5 VITON	27VR0 23 005
29 x 15,5 VITON	27VR0 29 006

# VALVOLE DI SICUREZZA - SAFETY VALVE

**ART.**

**27S**



VALVOLA DI SICUREZZA  
NON OMOLOGATA  
**(PER TARATURE DIVERSE FARE RICHIESTA)**

CALIBRATE SAFETY VALVE  
NOT APPROVED  
**(MAKE REQUEST FOR DIFFERENT CALIBRATIONS)**

FILETTO THREAD	CODICE SOLO PER 12 bar CODE ONLY FOR 12 bar
BSPP 1/4 M	27S00 14 001
BSPP 3/8 M	27S00 38 002
BSPP 1/2 M	27S00 12 003

**ART.**

**27SCE**



VALVOLA DI SICUREZZA  
OMOLOGATA SECONDO LA  
DIRETTIVA 2014/68/EU  
**(PER TARATURE DIVERSE FARE RICHIESTA)**

CALIBRATE SAFETY VALVE  
APPROVED ACCORDING TO THE  
DIRECTIVE 2014/68/UE  
**(MAKE REQUEST FOR DIFFERENT CALIBRATIONS)**

FILETTO THREAD	CODICE SOLO PER 12 bar CODE ONLY FOR 12 bar
BSPP 1/4 M	27SCE 14 001
BSPP 3/8 M	27SCE 38 002
BSPP 1/2 M	27SCE 12 003
BSPP 3/4 M	27SCE 34 004

**ART.**

**27S/A**



VALVOLA DI SICUREZZA  
NON OMOLOGATA  
**(PER TARATURE DIVERSE FARE RICHIESTA)**

CALIBRATE SAFETY VALVE  
NOT APPROVED  
**(MAKE REQUEST FOR DIFFERENT CALIBRATIONS)**

FILETTO THREAD	CODICE SOLO PER 12 bar CODE ONLY FOR 12 bar
BSPP 1/4 M	27SA0 14 001
BSPP 3/8 M	27SA0 38 002
BSPP 1/2 M	27SA0 12 003

## NIPPLI PER COMPRESSORI - NIPPLES FOR COMPRESSORS

**ART.**

**28**



BOCCHETTONE PER TUBO RAME

FLARE NUT FOR COPPER HOSE

FILETTO - THREAD	Ø	CODICE - CODE
BSPP 3/8 F	8	28000 38 001
BSPP 3/8 F	10	28000 38 002
BSPP 3/8 F	12	28000 38 003
BSPP 1/2 F	12	28000 12 004
BSPP 1/2 F	14	28000 12 005
BSPP 1/2 F	16	28000 12 006
BSPP 3/4 F	16	28000 34 007
BSPP 3/4 F	18	28000 34 008
BSPP 3/4 F	20	28000 34 009

**ART.**

**28A**



NIPPLIO CILINDRICO PER FISSAGGIO  
TUBO RAME

CYLINDRICAL NIPPLE FOR FIXING  
COPPER HOSE

FILETTO - THREAD	CODICE - CODE
BSPP 3/8 M	28A00 38 001
BSPP 1/2 M	28A00 12 002
BSPP 3/4 M	28A00 34 003

# PRESSOSTATI - PRESSURE SWITCHES

**ART.**

**300**



PRESSOSTATO MONOFASE

SINGLEPHASE PRESSURE SWITCH

VIE WAYS	FILETTO THREAD	PRESSIONE MAX MAX PRESSURE	AMP. MAX AMP. MAX	CODICE CODE
4	BSPP 1/4 F	12 BAR	20	30014 04 012

**ART.**

**310**



PRESSOSTATO TRIFASE

THREEPHASE PRESSURE SWITCH

VIE WAYS	FILETTO THREAD	PRESSIONE MAX MAX PRESSURE	AMP. MAX AMP. MAX	CODICE CODE
4	BSPP 1/4 F	12 BAR	20	31014 04 012

**ART.**

**320**



TELEPRESSOSTATO TRIFASE 1/4  
CON SALVAMOTORE INCORPORATO

THREEPHASE PRESSURE SWITCH  
WITH INTEGRATED OVERLOAD  
PROTECTION

VIE WAYS	FILETTO THREAD	PRESSIONE MAX MAX PRESSURE	AMP. MAX AMP. MAX	CODICE CODE
4	BSPP 1/4 F	12 BAR	2/4	32014 04 040
4	BSPP 1/4 F	12 BAR	4/6,3	32014 04 063
4	BSPP 1/4 F	12 BAR	6,3/10	32014 04 010
4	BSPP 1/4 F	12 BAR	10/16	32014 04 016
4	BSPP 1/4 F	12 BAR	13/18	32014 04 018
4	BSPP 1/4 F	12 BAR	17/23	32014 04 023

# TUBI E SPIRALI



**RUBBER  
AND  
SPIRAL HOSES**

# SPIRALI - SPIRALS

**ART.**

**00**



SPIRALE "RPL"  
BAIONETTA-BAIONETTA RACCORDATA

BAYONET-BAYONET  
"RPL" SPIRAL HOSE

METRI	CODICE - CODE
4	00000 04 001
7,5	00000 07 502
10	00000 10 003
15	00000 15 004

**ART.**

**25RI**




METRI	PA6 Ø	CODICE - CODE	METRI	PA6 Ø	CODICE - CODE
4	6x8	25RI0 06 001	10	8x10	25RI0 08 006
4	8x10	25RI0 08 002	15	6x8	25RI0 06 007
7,5	6x8	25RI0 06 003	15	8x10	25RI0 08 008
7,5	8x10	25RI0 08 004	30	6x8	25RI0 06 009
10	6x8	25RI0 06 005	30	8x10	25RI0 08 010

SPIRALE "RPL" RACCORDATA  
RUBINETTO RAPIDO  
UNIVERSALE E INNESTO\*

"RPL" SPIRAL HOSE  
WITH UNIVERSAL QUICK  
COUPLER AND CONNECTION\*

\*SPECIFICARE TIPO DI INNESTO - VEDI PAG. 8  
\*SPECIFY TYPE OF COUPLING - SEE PAGE 8



**ART.**

**25S**



SPIRALE "RPL"

"RPL" SPIRAL HOSE

METRI	PA6 Ø	CODICE - CODE
30	4x6	25S00 04 001
30	6x8	25S00 06 002
30	8x10	25S00 08 003
30	10x12	25S00 10 004

**ART.**

**25SR**



SPIRALE "RILSAN"

"RILSAN" SPIRAL HOSE

METRI	PA6 Ø	CODICE - CODE
30	4x6	25SR0 04 001
30	6x8	25SR0 06 002
30	8x10	25SR0 08 003
30	10x12	25SR0 10 004

# ROTOLI - ROLLS

**ART.**

**6B**



ROTOLI TUBO GOMMA

RUBBER HOSE ROLLS

METRI	Ø	CODICE - CODE
100	6x12	6B000 06 001
100	6x14	6B000 06 002
100	8x17	6B000 08 003

**ART.**

**6C**



ROTOLI TUBO NYLON "PA6"

NYLON HOSE "PA6" ROLLS

METRI	PA6 Ø	CODICE - CODE
100	4x6	6C000 04 001
100	6x8	6C000 06 002
100	8x10	6C000 08 003
100	10x12	6C000 10 004

**ART.**

**6D**



ROTOLI TUBO "RILSAN" "PA12"  
Disponibili nei colori:  
NERO - NEUTRO - AZZURRO - BLU -  
GIALLO - ROSSO

"RILSAN" HOSE "PA12" ROLLS  
Available in:  
BLACK - NEUTRAL - LIGHT BLUE  
BLUE - YELLOW - RED

METRI	PA6 Ø PA11 - PA12 Ø	CODICE - CODE
100	4x6	6D000 04 001
100	6x8	6D000 06 002
100	8x10	6D000 08 003
100	10x12	6D000 10 004
50	2,5x4	6D000 02 505
50	12,5x15	6D000 12 506

# SPIRALI IN POLIUREANO - POLYURETHANE SPIRALS

**ART.  
25PU**



SPIRALE POLIURETANO

POLYURETHANE SPIRAL HOSE

METRI	PA11 - PA12 Ø	CODICE - CODE
30	4x6	25PU0 04 001
40	58	25PU0 05 002
40	6,510	25PU0 06 503
40	8x12	25PU0 08 004

**ART.  
26PU**




METRI	PA11 - PA12 Ø	CODICE - CODE	METRI	PA11 - PA12 Ø	CODICE - CODE
4	4x6	26PU0 04 001	12	4x6	26PU0 04 009
4	5x8	26PU0 05 002	12	5x8	26PU0 05 010
5	6,5x10	26PU0 06 503	12	6,5x10	26PU0 06 511
5	8x12	26PU0 08 004	12	8x12	26PU0 08 012
8	4x6	26PU0 04 005	17	4x6	26PU0 04 013
8	5x8	26PU0 05 006	17	5x8	26PU0 05 014
8	6,5x10	26PU0 06 507	17	6,5x10	26PU0 06 515
8	8x12	26PU0 08 008	17	8x12	26PU0 08 016

SPIRALE POLIURETANO RACCORDATA CON RUBINETTO RAPIDO UNIVERSALE E INNESTO\*

POLYURETHANE SPIRAL HOSE WITH UNIVERSAL QUICK COUPLER AND CONNECTION\*

\*SPECIFICARE TIPO DI INNESTO - VEDI PAG. 8  
\*SPECIFY TYPE OF COUPLING - SEE PAGE 8



**ART.  
27PU**




SPIRALE POLIURETANO

METRI	PA11 - PA12 Ø	CODICE - CODE	METRI	PA11 - PA12 Ø	CODICE - CODE
4	4x6	27PU0 04 001	12	4x6	27PU0 04 009
4	5x8	27PU0 05 002	12	5x8	27PU0 05 010
5	6,5x10	27PU0 06 503	12	6,5x10	27PU0 06 511
5	8x12	27PU0 08 004	12	8x12	27PU0 08 012
8	4x6	27PU0 04 005	17	4x6	27PU0 04 013
8	5x8	27PU0 05 006	17	5x8	27PU0 05 014
8	6,5x10	27PU0 06 507	17	6,5x10	27PU0 06 515
8	8x12	27PU0 08 008	17	8x12	27PU0 08 016

POLYURETHANE SPIRAL HOSE

# RIPARTITORI




# MANIFOLDS

# RIPARTITORI - MANIFOLDS

**ART.  
350**



**RIPARTITORI IN ALLUMINIO  
ALUMINIUM MANIFOLDS**




A''	B	C	D	E	CODICE - CODE
G 1/8	17	25	16	4,5	35001 18 001
G 1/4	21	30	18	4,25	35001 14 002
G 3/8	30	40	20	5,25	35001 38 003
G 1/2	37	50	30	6,5	35001 12 004

**ART.  
360**



**RIPARTITORE USCITE MULTIPLE DA 1 LATO  
MANIFOLDS 1 SIDE OUTPUT**

**ART.  
360 2/2**




**2 ENTRATE 2 USCITE / 2 INLETS 2 OUTLETS**

A''	B''	D	E	F	G	H	L	M	K	CODICE - CODE
G1/8	M5	15	15	45	22,5	3,5	20	15	4,25	36022 18 001
G1/4	G1/8	15	30	60	30	4,5	30	20	5,25	36022 14 002
G3/8	G1/8	18	30	66	33	4,5	40	20	5,25	36022 38 003
G3/8	G1/4	18	36	72	36	6	40	20	6,5	36022 38 004
G1/2	G1/4	22	36	80	40	6	40	28	6,5	36022 12 005
G1/2	G3/8	25	40	90	45	6	40	28	6,5	36022 12 006
G1/2	G1/2	30	40	100	50	6	40	28	6,5	36022 12 007

**ART. 360 2/3**

**2 ENTRATE 3 USCITE / 2 INLETS 3 OUTLETS**




A''	B''	D	E	F	G	H	L	M	K	CODICE - CODE
G1/8	M5	15	15	60	22,5	3,5	20	15	4,25	36023 18 001
G1/4	G1/8	15	30	90	30	4,5	30	20	5,25	36023 14 002

A''	B''	D	E	F	G	H	L	M	K	CODICE - CODE
G3/8	G1/8	18	30	96	33	4,5	30	20	5,25	36023 38 001
G3/8	G1/4	18	36	108	36	6	30	20	6,5	36023 38 002
G1/2	G1/4	22	36	116	40	6	40	28	6,5	36023 12 003
G1/2	G3/8	25	40	130	45	6	40	28	6,5	36023 12 004
G1/2	G1/2	30	40	140	50	6	40	28	6,5	36023 12 005


# RIPARTITORI - MANIFOLDS

## ART. 360 2/4

2 ENTRATE 4 USCITE / 2 INLETS 4 OUTLETS




A''	B''	D	E	F	G	H	L	M	K	CODICE - CODE
G1/8	M5	15	15	75	22,5	3,5	20	15	4,25	36024 18 001
G1/4	G1/8	15	30	120	30	4,5	30	20	5,25	36024 14 002




A''	B''	D	E	F	G	H	L	M	K	CODICE - CODE
G3/8	G1/8	18	30	126	33	4,5	30	20	5,25	36024 38 001
G3/8	G1/4	18	36	144	36	6	30	20	6,5	36024 38 002
G1/2	G1/4	22	36	152	40	6	40	28	6,5	36024 12 003
G1/2	G3/8	25	40	170	45	6	40	28	6,5	36024 12 004
G1/2	G1/2	30	40	180	50	6	40	28	6,5	36024 12 005

## ART. 360 2/5

2 ENTRATE 5 USCITE / 2 INLETS 5 OUTLETS




A''	B''	D	E	F	G	H	L	M	K	CODICE - CODE
G1/8	M5	15	15	90	22,5	3,5	20	15	4,25	36025 18 001
G1/4	G1/8	15	30	150	30	4,5	30	20	5,25	36025 14 002




A''	B''	D	E	F	G	H	L	M	K	CODICE - CODE
G3/8	G1/8	18	30	156	33	4,5	30	20	5,25	36025 38 001
G3/8	G1/4	18	36	180	36	6	30	20	6,5	36025 38 002
G1/2	G1/4	22	36	188	40	6	40	28	6,5	36025 12 003
G1/2	G3/8	25	40	210	45	6	40	28	6,5	36025 12 004
G1/2	G1/2	30	40	220	50	6	40	28	6,5	36025 12 005

## ART. 360 2/6

2 ENTRATE 6 USCITE / 2 INLETS 6 OUTLETS




A''	B''	D	E	F	G	H	L	M	K	CODICE - CODE
G1/8	M5	15	15	105	22,5	3,5	20	15	4,25	36026 18 001
G1/4	G1/8	15	30	180	30	4,5	30	20	5,25	36026 14 002



A''	B''	D	E	F	G	H	L	M	K	CODICE - CODE
G3/8	G1/8	18	30	186	33	4,5	30	20	5,25	36026 38 001
G3/8	G1/4	18	36	216	36	6	30	20	6,5	36026 38 002
G1/2	G1/4	22	36	224	40	6	40	28	6,5	36026 12 003
G1/2	G3/8	25	40	250	45	6	40	28	6,5	36026 12 004
G1/2	G1/2	30	40	260	50	6	40	28	6,5	36026 12 005






# SU VOSTRA RICHIESTA






***UPON YOUR  
REQUEST***

## ESEMPI - EXAMPLES




CODICE: 790000996?




CODICE: 790000997?



CODICE: 790000998?



## CODICE: 1C SPECIALE + PROLUNGA?



 LE NOSTRE PRINCIPALI **POSSIBILITA' DI LAVORAZIONI**  
PER SODDISFARE LE VOSTRE ESIGENZE SONO:

- FORI LONGITUDINALI E TRASVERSALI
- LAPPATURE
- BARENATURE
- ALESAGGI
- FILETTATURE INTERNE ED ESTERNE CON MASCHI, FILIERE, UTENSILI A PETTINARE, UTENSILI A FRESCARE
- POLIGONATURE
- BROCCHE
- PRE-ASSEMBLAGGI E ASSEMBLAGGI CON SIGILLANTI E ORGANI DI TENUTA

POSSIBILITA' DI LAVORAZIONI DA BARRA SU OTTONE E SUE LEGHE, FERRO E MATERIALI FERROSI, ALLUMINIO E SUE LEGHE.

POSSIBILITA' DI LAVORAZIONI DA FORGIATI O PRESSOFUSIONI SU OTTONE E ALLUMINIO.



OUR MAIN PROCESSING **POSSIBILITIES** TO SATISFY YOUR NEEDS ARE:

- LONGITUDINAL AND TRANSVERSAL HOLES
- LAPPING
- BORINGS
- BORES
- INTERNAL AND EXTERNAL THREADS WITH TAPS, DIES, COMBINING TOOLS, MILLING TOOLS
- POLYGONATURES
- BROACHES
- PRE-ASSEMBLY AND ASSEMBLING WITH SEALANTS AND SEAL

POSSIBILITY OF BAR FACILITIES ON BRASS AND ITS ALLOYS, IRON AND FERROUS MATERIALS, ALUMINUM AND ITS ALLOYS.

POSSIBILITY OF FORGED OR DIE-CASTING ON BRASS AND ALUMINIUM.

# **NOTE - NOTES**



# NOTE - NOTES







**O.M.G. GHIOTTO S.R.L.** Cap. sociale Euro 160.000,00 i.v.-  
Via A. Pacinotti, 18 36040 BRENDOLA (VI) ITALIA  
Codi. Fisc. e P. IVA: IT 00646680249 – REA: VI-143938  
REG.IMP.VICENZA 00646680249 NUMERO MECC. VI 033295  
Tel: +39 0444 400671  
PEC: [omgghiottosrl@pec.it](mailto:omgghiottosrl@pec.it) EMAIL: [info@omgonline.it](mailto:info@omgonline.it)  
WEB SITE: [www.omgonline.it](http://www.omgonline.it)

