


# ELECTRIC OIL DRUM PUMP

DEP-1403-20V



## Specification

- Delivery volume with AC/DC 20V Adapter
    - Motor oil (5W30): Approx. 16LPM (20°C) / 4.2GPM (68°F)
    - Water: Approx. 27LPM (7.1GPM)
  - Applicable liquids: Motor oil, hydraulic oil, lubricants, diesel, DEF(AdBlue), non-potable water, kerosene, antifreeze, windshield washer fluid, mild detergents, agricultural chemicals
- ✓ Note: Use higher than 10°C (50°F) for motor oil, hydraulic oil, lubricants (Max. 100cSt)

### 4 Swivel Connection

- Great for removing twists



### 5 Drum Bung Adapter

- Improved grip of drum bung adapter
  - 60mm (2.4") wide grip makes it easy to tighten and loosen
- Length is adjustable by 15mm (0.6") to accommodate slightly different drum heights



※ 2" NPT to 2" buttress adapter (2.5x5)  
Optional part



### 6 Hose

- Guaranteed oil, fuel and cold weather resistance with high flexibility
- ISO 22241-2 certified
- Standard length: Approx. 2m (6.6ft)





### 7 Suction Pipe

- Standard Pipe
  - Length: 850~865mm (33.5"~ 34")
  - Applicable on 55gallon drum
- Telescopic Pipe
  - Length: 850~1245mm (33.5"~ 49")
  - Applicable on 55gallon drum and IBC Totes
- Suction end Outer Dia.: 55mm (2.0")



Telescopic type



## 1 Power Source



- **AC/DC Adapter**
  - Plug into any standard wall outlet
  - AC cable: Approx. 1m (3.3ft)
  - DC cable: Approx. 4m (13.1ft)



- **Rechargeable Battery**
  - Fully charged battery can discharge about 500 liters (132 gallons) of oil
  - 1000 liters (264 gallons) of water
  - Delivery volume
    - Motor oil (5W30): Approx. 10LPM (20°C) / 2.6GPM (68°F)
    - Water: Approx. 22LPM (5.8GPM)
  - Includes battery charger
  - Approx. three hours to full charge



- **DC Cable + Clips**
  - Plug into any 12V automotive battery
  - Length: Approx. 4m (13.1ft)

## 2 Nozzle Holster



## 3 Nozzle

- Stainless steel spout nozzle
- Plastic spout nozzle



Stainless spout - OD 18mm (3/4")



Plastic spout - OD 25mm (1")

## 8 Filter

- Filter-equipped intake end protects the motor from damage due to alien matters

