

王者风范

The King Style



US COBRA GROUP LLC : Brand authorizing
:Investment contact

+86 13922269231 +86 20-62676073-8070
+86 20-62676073-8070 +86 20-62676083-8070:Tel
+86 20-62676053:Fax
lxnm-001@lchid.net:E-mail
<http://www.cobrachina.com>:Website
<http://www.usacobra.com>:Website
<http://www.cobra-group.cn>:Website

品牌授权：美国眼镜蛇集团有限公司
招商联系方式：+86 13922269231
+86 20-62676073-8070
电话：+86 20-62676073-8070
+86 20-62676083-8070
传真：+86 20-62676053
邮箱：lxnm-001@lchid.net
网址：<http://www.cobrachina.com>
网址：<http://www.usacobra.com>
网址：<http://www.cobra-group.cn>

服务商联系方式：



打造全球第一车灯品牌
CREATE THE GLOBAL FIRST BRAND OF CAR LIGHT

品牌手册
PRODUCT CATALOGUE

眼镜蛇
COBRA USA



The King Style

王者风范

Brand introduction 品牌介绍



COBRA (眼镜蛇) 品牌源于美国著名品牌; 60年代初,Cobra是世上第一辆被世界称为超级跑车的车型, 有英国AC Cobra版本和美国Shelby Cobra获得了美国当地一系列汽车比赛冠军.1973年步入户外高尔夫杆行业制造,成为行业领军产品; 2002年研制车灯系。2005年联诚国际集团(香港)有限公司全资引进COBRA (眼镜蛇) 品牌; 并于2006年海外品牌推广, 2008年导入欧美汽车制造厂, 工程车厂领域。COBRA (眼镜蛇) 品牌车灯产品, 技术全球领先, 性能超凡, 品牌美誉全球, 已进入全球十佳汽车电子品牌, 欧美众多知名汽车制造厂、工程车机械厂等原厂配套。2017年, 联诚股东正式筹资单独成立眼镜蛇集团公司, 全面在亚太及全球打造COBRA (眼镜蛇) 车灯、服装、自行车、等十几类产品; 眼镜蛇 (COBRA) 集团车灯事业部将引领您成为世界先进车灯缔造、改装、服务商, 共同将COBRA (品牌) 打造成全世界的汽车爱好者最信赖的车灯品牌!

COBRA brand derives from famous brand of USA; in early 60s, Cobra is known as the first supercar model in the world, it has versions of British AC Cobra and USA Shelby Cobra.

And USA Shelby Cobra locally won a series of car racing champions in the United States. In 1973, it entered the manufacturing industry of outdoor golf rod, and became the leading products of this industry; In 2002, it started to research and develop car light series products. In 2005, Liancheng International Group (HK) Co., LTD. wholly introduced Cobra brand; and popularized its overseas brand in 2006, guided into the field of the automotive manufacturing plants and engineering car factories of Europe and America in 2008.

COBRA brand car lighting products, with leading technology over the world, superior performance, and worldwide brand reputation, has entered the global TOP 10 automotive electronic brands, providing supporting services for many well-known car manufacture plants and car engineering machinery factories of Europe and America. In 2017, Liancheng shareholders officially financing to set up a separate Cobra Group company, comprehensively create COBRA car light, clothing, bicycles and dozens of products in the Asia Pacific and the world;

Cobra Group car light business division will guide you to become the most advanced lights creation, modification, and service providers in the world, jointly create COBRA brand into the most trusted car lights brand of car enthusiasts in the world!

Contents/目录

» 01

品牌文化
Brand Cultural

» 03

LED前大灯系列
LED Headlight Series

» 19

LED前大灯配件/HID倒车灯
LED Headlight Parts/HID Backup Light

» 21

HID 摩托车灯
HID Motorcycle Light

» 23

HID 氙气灯系列
HID Xenon Lamp Series

» 25

HID 蜗牛喇叭
HID Fanfare Horn

» 26

LED 工作灯系列
HID Working Light Series

» 33

LED 牧马人大灯
LED Jeep Headlight

» 43

越野长条灯系列
Off Road Light Bar Series

» 45

LED 水晶插泡
LED Bulb Series

» 51

品牌形象
Brand Image

LUXURY GOLD LED Headlight A2 Series

LED土豪金前大灯A2款

王者风范
THE KING STYLE

车型适装率最高
使用寿命最长
全球首款主动散热LED前大灯
唯一覆盖全球LED车灯品牌

采用高质量材料

1. 采用德国技术LONOWO高亮光源, 寿命长达30000小时
2. 灯体采用一体成型航空铝, 无断痕, 散热强
3. 首创近光/远光30W/60W设计, 亮度高达3200/6000LM
4. 专利型可调光卡座设计, 通装率高, 光型完美
5. 超薄灯头设计, 光型号, 聚光强
6. 灯体表面采用阳极氧化, 耐温高, 外观优美, 不变色
7. 专利型可换色温管设计, 实现黄光, 白光, 蓝光光色
8. 行业首创全新土豪金外观, 高贵大气

Using high quality material

1. Using German Imported "LONOWO" LED chip, over 30000hrs life span.
2. The light body using Molding In One Aviation Aluminum, without broken, fast heat dissipation.
3. Initiate 30W/60W low/high design, luminance up to 3200LM/6000LM.
4. Adjustable adapter patent design, high installation rates, perfect light pattern.
5. Ultra-thin lamp post, good light type, strong focus.
6. The light body surface using anodizing, high temperature resistant, beautiful appearance, no discoloration.
7. Changeable color temperature tube patent design, provide yellow, white, blue beam colors.
8. Industry pioneered whole new golden appearance, noble and atmospheric.



全国联保 符合车检标准
平安保险公司承保产品

全国联保 符合车检标准
平安保险公司承保产品



无极性



智能CANBUS解码



可更换色温管



调光卡座



航空铝材料
坚固耐用



双滚珠式散热风扇

LED前大灯详情介绍

功能强大, 拥有多项专利

1. 0.1秒速启, 变光无盲点无时差
2. 独家太阳花式散热孔设计, 低风阻、散热好, 超低温工作, 实现零光衰
3. 超强CANBUS解码, 匹配原车电路设计, 适用于不同档次车系安装
4. 通过5级EMC抗干扰技术, 有效解决高频干扰
5. 无极性电源输入设计, 通装负控制车系
6. 全球首款通过日本车检LED前大灯
7. 拥有产品发明专利、外观专利、实用新型专利

Powerful functions, with multiple patents

1. 0.1second speed trigger, non-blind area, error free.
2. exclusive fancy ventilation design, low wind resistance, good heat dissipation, ultra-low temperature work, luminous flux zero fading.
3. Super CANBUS decoder, matching the original car circuit design, suitable for different class cars installed.
4. Passed 5Grade EMC anti-interference techniques, solve the high frequency interference effectively.
5. Non-polarity power input design, universal for negative control cars.
6. The global world first LED headlight passed the Japan car inspection.
7. With product invention patent, appearance patent, utility new model patent.

通过认证

1. 全球首款通过欧规认证
2. 通过CE, ROHS, E-MARK, CCC, DOT, TS-16949 质量管理体系等国际认证

Certificates

1. The global world first LED headlight passed European standard authentication.
2. Awarded CE, ROHS, E-mark, CCC, DOT, TS-16949 Certificates etc



实用新型专利: ZL 2015 2 0505744.9
外观设计专利: ZL 2015 3 0150792.6



王者归来

唯一覆盖全球LED车灯品牌

The only LED auto lamp brand which is covering all the world

车球首款主动散热LED前大灯

first LED headlight of cooling Actively

车型适装率最高 使用寿命最长

the installation rate is highest, life-span is longest

通过TS16949质量体系的车厂配套车灯工厂

通过欧洲合法进口EMARK认证产品

拥有多项专利，市场保障的产品

平安保险公司承保产品

执行全国联保产品

Awarded TS16949

Awarded E-mark

Has a number of patents, market-guaranteed products

Ping An Insurance Company underwriting products

In any part of China could enjoy maintenance and upgrading services



无极性



智能CANBUS解码



可更换色温管



调光卡座



航空铝材料
坚固耐用



双滚珠式散热风扇

1. 中国名牌，完美设计，认证齐全
China famous brand perfect design certification complete

A. 获Emark欧盟认证合法安装认证E9
By Emark Eu Certification Of Legal Installation
Certification E9

B. 光型亮度符合日本改装高规格车检标准
Light-type brightness in line with Japan's high standard car
modified standard

C. 获中国AEA照明联盟10大创新奖
By the China AEA Lighting Alliance 10 Innovation Award

D. 获中国各媒体十佳品牌
Access to China's top 10 brands of the media

E. 拥有3C认证/TS16949车厂配套质量体系认证
With 3C certification / TS16949 depot supporting quality system
certification

F. 拥有平安保险质量承保的产品
Have Ping An insurance quality underwriting products

G. 适宜全世界车主合法选择安装
Ping An Insurance has the quality of underwriting products

2. 性价比高，回报率率高
Cost-effective, high rate of return

A. 采用自行设计的LONOWO灯珠，寿命30000小时以上
Using self-designed lonowo lamp beads, long life of 30,000 hours

B. 高效节能亮度为：3000/5000LM，用电为HID的1/3，卤素灯的1/10
Efficient energy saving, brightness of 3000 / 5000LM, electricity
for the HID of the IAI, xenon lamp 1/10

C. 散热快，启动快，2年内无光衰(采用双滚珠式风扇)
Fast heat fast start, no light failure within 2 years (using
Japanese double ball fan)

D. 总成/电瓶/原车线路等部件的使用寿命2倍以上提升
Lifting assembly / battery / car lines and other parts of the life of
more than 2 times

3. 功能强大，安全和谐
Powerful, safe and harmonious

A. 具短路等电路保护功能，任何状态不使用不损坏原车部件
With short circuit / short circuit protection, any state does not
use does not damage the original car parts

B. 具可变光功能/适应雨雪等不同天气的地区选用
With variable light function / to adapt to different areas such as
rain and fog weather selection

王者归来
USA眼镜蛇



LED前大灯

全国联保 符合车检标准
平安保险公司承保产品

金盾卫士 品质保证
零故障 零投诉 零退货

LED前大灯





无极性



智能CANBUS解码



可更换色温管



调光卡座



航空铝体材料
坚固耐用



双滚珠式散热风扇



王者荣耀 LED前大灯

全国联保 符合车检标准 平安保险公司承保产品

COBRA

王者荣耀

更亮 更远 更聚光
Super bright Super decoding more concentrating

36W 4500LM高亮

内置超强CANBUS解码

专利型五色色温可选

一体化结构设计, 超强散热

灯体温度不超65度, 接近零光衰

无损安装, 适装率高达99%

德国定制LONOWO高亮双线性光源

军工级材质, 车厂配套标准

全国联保, 符合车检标准

平安保险公司承保产品

通过TS16949质量管理体系

ISO9001欧规E-MARK认证

36W 4500LM

Built-in super CANBUS decoding

Patented 5 color temperature for choosing

one piece with no break, Thermal conductivity, the effect is much better

the temperature of the light is under 65°C, almost no light wane

Lossless installation, fitting rate achieved 99%

Introduced LONOWO light source technology from Germany


Using Military grade material as depot supporting standards

In any part of China could enjoy maintenance and upgrading services, Ensure driving standard


Ping An Insurance Company underwriting products

Awarded TS16949

Awarded ISO9001 & E-MARK



近光
Low Beam



远光
High Beam

通过TS16949质量体系的
车厂配套车灯工厂

通过欧洲合法进口EMARK
认证产品

拥有多项专利, 市场保障
的产品

平安保险公司承保产品

执行全国联保产品

Awarded TS16949

Awarded E-mark

Has a number of patents, market-guaranteed
products

Ping An Insurance Company underwriting
products

In any part of China could enjoy maintenance and
upgrading services

幻影魔王

— LED前大灯 —

七彩变光手机APP智能控制



高亮度



德国定制lonowo
双线圈灯珠



调光卡座



航空铝材料
坚固耐用



双线圈式散热风扇



近光



远光



产品特性：

德国定制LONOWO高亮光源

单只36W高亮设计，亮度高达4500LM

RGB七彩变光智能设计，多色循环爆闪

单色可调、爆闪警示功能

双光智能化设计，一灯多用

平安保险公司承保产品

采用双线圈型聚光光源，光型完美

超长寿命，长达30000小时以上

拥有发明、实用新型、外观专利

符合车检标准

Product Features:

Introduced LONOWO light source technology from Germany

36W with 4500LM

RGB dim function, Multicolor cycle burst flash

Monochrome adjustable, Burst flash warning function

Intelligent Hi/Lo design, multi-functional

Ping An Insurance Company underwriting products

Using double-line spotting light source, perfect light

30000 hours for life-span

Own invention, utility model, appearance patent

Ensure driving standard

手机APP蓝牙智能控制：



实拍效果图

产品特性：

一体化结构设计，导热快，散热好

内置驱动，安装简便

德国定制LONOWO高亮光源

单只36W高亮设计，亮度高达4500LM

双线型聚光光源设计，光型完美

符合车检标准

精雕细琢，超级聚光

超薄灯头设计，光照盲区

迷你底座设计，体型小，透装率高达99%

拥有发明、实用新型、外观专利

Product Features:

one piece with no break. Thermal conductivity, the effect is much better

with driver, easy installation

Introduced LONOWO light source technology from Germany

36W with 4500LM

Using double-line spotting light source, perfect light



Ensure driving standard

Uncompromising attention, strong light

the ultra-thin light, no blind area

The ultra-small base, the installation rate achieved 99%

Own invention, utility model, appearance patent



黑旋风 Black Whirlwind LED前大灯



迷你款
一体化结构设计
行业型体最小
适装率高达99%



无极性



德国进口七彩
变光灯珠



调光卡座



航空铝体材料
坚固耐用



双滚珠式散热风扇



COBRA®

THE KING STYLE

THE KING STYLE

王者风范



LED Headlight Series
LED前大灯系列

美人鱼LED

全球首款紫铜带
中国AEA车灯联盟
唯一覆盖全球
四年超长质保

散热LED前大灯
十大创新专利技术
LED车灯品牌
LED前大灯



Built-in error free decoding



ETI Chip



Copper Strip Heat
Dissipation Effect
Is Better



Five Colors Can
Be Interchangeable



Double Drive
Design Better
Decoding



No Solar Power
Input, Both Positive
And Negative Can
Be Bright

多项专利

专利色温罩，专利号：ZL 2015 2 0329137.1
可钢化卡座，专利号：ZL 2015 2 0762911.8
紫铜散热带，专利号：ZL 2015 2 0502378.5

安装简便

拥有近20多款专用固定卡座
拥有近20多款专用防尘罩
适应性强，满足全球99%的车辆安装

Easy to install

A. with 20 models special fixed adaptors
B. with 20 models special dust-proof cover
C. Highly adaptability to meet 99% global
vehicles installati



性价比高

使用自行研发的lonowo灯珠，寿命长达30000小时
高效节能，高亮度，远近光3900/6000LM，两年内无光衰
散热快，有效保护了总成电瓶与其他车部件的使用寿命

功能强大，安全可靠

具短路/断路保护功能，改后任何状态不损坏
原车部件
具可变光功能，保证雨，雾天气恶劣环境下
的行车安全
自带canbus解码功能，解决一切原车故障干扰
具可调光型功能，解决原车总成设计缺陷，
保证夜间行驶无盲区，安全可靠
TS16949生产组装工艺，质量为标准，防水等
级：IP68，并适应-40~105℃
环境温度下，正常使用

Cost Effective

A. Using self-developed lonowo light chip, life span is up to 30,000 hours
B. High efficiency, high brightness, high and low beam 3900 / 6000LM, without Light wane
in two years
C. Heat quickly and effectively protect the battery assembly and other parts of the life
of the car

Powerful function, safe and reliable

A. With short-circuit protection, will not damage the original car parts after change any state
B. With variable light function, to ensure the traffic safety of rain and fog weather conditions
C. Built-in CANBUS decoding function
D. To solve all the original car defect interference
E. With dimmable function, to solve the shortage of original car assembly design, to ensure
drive without blind spots at night, safe and reliable
F. TS16949 of production assembly, quality standards, waterproof grade: Ip68, and to
adapt to -40 ~ 105 °C temperature environment, use normally




世界品牌，完美设计、认证齐全

荣获E-mark认证
光型亮度符合日本车检标准，无盲区
获中国AEA照明联盟十大创新奖
拥有CE认证
工厂通过TS16949，车灯符合原厂配套标准，国人最佳选择
拥有平安保险公司的质保，保护，防止车主一切损失的可能
适用于全世界车主合法交换原车部件


World brand, perfect design, completed certification.

A. Gain CE ROHS EMARK
B. Light-type brightness matches Japan's vehicle inspection standards, no blind spots
C. Won China AEA Lighting Alliance Ten Innovation Award
D. Get CE certificate
E. Our factory got TS16949, the lights match original standards, is the best choice for people
F. With the warranty and protection of Ping An Insurance Company, to prevent the owners get
possible losses
G. Adopt to the legitimate owners of the world exchange of the original car parts





产品包装规格/Packing specification



摩托车灯系列 Motorcycle Light Series



产品详情



B3 Series Motorcycles Headlight H4

Adopt to high-quality material

1. Light body with a shape of aviation aluminum, without score break, heat radiation
2. Germany imported LONOWO highlighted light source, high luminance long life span
3. Adopt to vacuum plating of light body surface, high temperature, beautiful appearance, not easy to be oxidated
4. With three full-piercing steel hook with H4 adapter, highly installed base

Powerful function, with a lot of patents:

1. Three sides high-power design of 45W, 4500LM of perfect light type, high brightness
2. Patent-type color temperature tube can be designed to turn into yellow, white, blue light color
3. Non-polarized design, built-in CANBUS decoding function highly installed base
4. Passed test of 5 level EMC anti-jamming
5. With product invention patent, appearance patent, and utility model patent

Gain Certifications
Get CE ROHS E-MARK etc. international certifications.

21www.coobra.com

B3摩托车灯 H4

一、采用高质量材料

1. 灯体采用一体形航空铝材，无断痕，散热强
2. 正品德国技术LONOWO光源，亮度高，寿命长
3. 灯体表面采用真空电镀，耐高温，外观优美，不易氧化
4. 配全不锈钢三爪卡座与H4卡座，通装率高

二、功能强大，拥有多项专利

1. 三面大功率45W发光设计，4500LM光型完美，亮度高
2. 专利型可换色温管设计，实现黄光，白光，蓝光光色
3. 无极性输入设计，内置CANBUS解码功能，适装率高装率高
4. 通过5级EMC抗干扰技术
5. 拥有产品发明专利、外观专利、实用新型专利

三、通过认证

通过CE ROHS E-MARK TS-16949质量管理体系等国际认证

Input Power: 35W

HID Chip: HID

Input Voltage: 9-32V

Life-span: > 50000hrs

Luminous Flux: 4000LM

IP Grade: IP68



B款摩托车灯 H6

一、采用高质量材料

1. 灯体采用一体形航空铝材，无断痕，散热强
2. 采用美国CREE-XT-E，高亮度 寿命长 耐温性能好 5W 每颗大功率高亮度LED灯珠，亮度高，寿命长
3. 灯体表面采用真空电镀，耐高温，外观优美，不易氧化
4. 配全不锈钢三爪卡座，通装率高

二、功能强大，拥有多项专利

1. 一体化结构设计，安装简便
2. 日本进口高速风扇，散热好，温度低，光衰小
3. 专利型可换色温管设计，实现黄光，白光，蓝光光色
4. 无极性输入设计，内置CANBUS解码功能，适装率高
5. 通过5级EMC抗干扰技术
6. 拥有产品发明专利、外观专利、实用新型专利

三、通过认证

通过CE ROHS E-MARK TS-16949质量管理体系等国际认证



3HID摩托车灯套件 H6 通爪

一、采用高质量材料：

1. 采用高亮HID灯泡，亮度高，性能稳
2. 采进日本电子技术25W/35W专用安定器，节能，省电
3. 安定器密封硅胶采用绝缘阻燃灰胶，安全可靠
4. 配全通爪不透卡座，适装率高
5. 采用短路、断路、过压、欠压保护功能



智能HID摩托车灯

1. 摩托车电池使用寿命提升5-10倍（寿命长达三年以上）
2. 前大灯使用寿命提升6-10倍（可达灯泡理论寿命）
3. 摩托车启动后的大灯照明，不再出现油门大时大灯随亮，油门小时大灯随暗的情况，保持灯泡最佳亮度。避免因照明不够造成的交通事故
4. 摩托车改装HID氙气灯不再因电量问题而受限制，可任意选用联诚国际的12W, 25W, 35W, 55W, HID氙气灯
5. 节能环保效果高达2-3倍（为消费者减少了加油开支约30%，及摩托车耗油排污量）
6. 有效保障摩托车其他电子装置的寿命，如：启动器、防盗器、等


HID Xenon Lamp Series HID氙气灯系列



全球适装率最高 解码功能最强
全球最省电最亮 使用寿命最长

HID全功能解码大灯升级版套件

- 1、适应安装：实装车型为同类套件的4倍，仓库面积、库存量减少四倍，仓储成本降低四倍。
- 2、解码功能：是同类套件的2倍，可解决99%以上的高端canbus报警故障。
- 3、寿命：安定器灯泡为同类套件的三倍。
- 4、亮度：为同类套件产品的1.5倍。
- 5、质保：三年质保期，售后成本直接让你节约一半。
- 6、单价：执行统一零售价，让消费者开心、经销商舒心、代理商放心的多赢机制。



H3 5020套件



产品参数

Input Power:35W
Input Voltage:9-16V
Life-span:>3000hrs
Luminous Flux:3500LM
IP Grade:IP67
Color Temperature:3000K/
4000K/6000K/8000K/10000K

安装效果图



H1\H7\H11\9005\9006\9012套件



产品参数

Input Power:35W
Input Voltage:9-16V
Life-span:>3000hrs
Luminous Flux:3500LM
IP Grade:IP67
Color Temperature:3000K/
4000K/6000K/8000K/10000K

安装效果图



D2H套件



产品参数

Input Power:35W
Input Voltage:9-16V
Life-span:>3000hrs
Luminous Flux:3500LM
IP Grade:IP67
Color Temperature:3000K/
4000K/6000K/8000K/10000K

安装效果图




H4\9004\9007\H13单光灯套件



产品参数

Input Power:35W
Input Voltage:9-16V
Life-span:>3000hrs
Luminous Flux:3500LM
IP Grade:IP67
Color Temperature:3000K/
4000K/6000K/8000K/10000K

安装效果图



双脉冲双光灯套件



产品参数

Input Power:35W
Input Voltage:9-16V
Life-span:>3000hrs
Luminous Flux:3500LM
IP Grade:IP67
Color Temperature:3000K/
4000K/6000K/8000K/10000K

安装效果图





眼镜蛇蜗牛喇叭 COBRA Snail Horn



原厂音质标准

雷克萨斯配套产品

全面符合声音传导的科学原理，独特的共鸣共振箱结构
钛纤维结构设计

复合材质，低功耗的消耗，声音就会变的更大，传的更远，也更
省电外表新颖，使用寿命长，一般电喇叭的声音“Di,Di”，它的
发音是“Bar,Bar”

Full compliance with sound scientific principles,
unique resonance box structure

Composite material, low power consumption, the
sound will become larger, travel farther, more energy
saving Novel appearance, long service life, general electric
horn sound is “Di, Di”, it is pronounced “Bar, Bar”



产品参数



Full compliance with sound scientific principles,
unique resonance box structure
Composite material, low power
consumption, the sound will become larger, travel
farther, more energy saving
Novel appearance, long service life, general electric
horn sound is “Di, Di”, it is pronounced “Bar, Bar”


Rated Voltage: DC12V

Current: 4A x 2

Volume: 113dB

Frequency: 500Hz(Hi)/400Hz(Lo)

LED Working Light Series LED工作灯系列



LED Working Light Series LED工作灯系列

充电时间最短 使用工作时间最长
使用功能最强大 驾车旅行必备品



采用美国进口10W, CREE T6灯芯。

采用铝型材和车铝材料, 具有报警, 吸磁割刀、击锤功能。

采用并联电池2节: 3.7V 2600mAh, 可头灯发光、侧面发光、侧面闪光。

1. Uses U.S Made 10W LED Chip

2. Uses aluminum section and automotive aluminum featuring alarm magnet, cutting knife, hammer.

3. Uses 2 batteries in parallel connection: 3.7V 2600mAh available in front light, side light and side flash light.

Item NO	LDWL-005B	充电时间 Charging hours	4H	应急模式 Contingency mode	强光/弱光/红光/蓝光 强光/弱光/红光/蓝光 Strong/weak/Red/Blue Flow Strobe/ White Strobe	光通量 Luminous Flux	700LM
功率参数 Power parameters	正面10W/侧面4W 3.4.2V positive 10W/Side 4W	工作时间 working hours	5-32h				
LED灯珠数量 LED QTY	正面1颗/侧面38颗 Front 1 pc/Side 38 pcs	充电输入范围 LnPut voltage	5V	警示模式 Warning mode	红蓝光警示 Red Blue Warning Indicator	寿命 Life-span	LED50000小时
灯光模式 Lighting mode	强光/中光/弱光/爆闪 /SOS/Strong/Medium /Weak/Strobe/SOS	锂离子电池 Lithium ion battery	3.7(v)5200MAH	外形尺寸 Size	275*56mm	工作环境温度 Working environment	-40°C~+85°C, 可在 恶劣环境下正常工作 Can work normally under severe environment

LDWL-005B



爆闪警示
Strobe Warning Light



搜索照明
Search Illumination



安全带割刀
Seat Belt Cutting Knife



露营照明
Camping Illumination



敲击玻璃
Knock the glass window



徒步照明
Hiking Illumination

LED Working Light Series LED工作灯系列

通用适装率最高
最符合国际标准
抗干扰最强
防水等级最强

主光源采用36颗0.25W大功率贴片LED

灯罩采用全新的PC,顶部采用牙齿型工艺,能扩散光线,使光线更加均匀和散开,增加LED的亮度,无死点,无接触不良

支架采用电镀级铝合金,强度高,耐磨耐摔

灯罩颜色:白、红、黄

固定方式:螺丝固定(安装螺丝间距为60MM)

36pcs*0.25W High Power SMD LED

Latest PC lens,Flood pattern at the top allows dispersed and evenly distributed light,improved LED brightness,no blind spot,excellent connection

Plating grade aluminum alloy bracket,high intensity,wear and impact resistant

Color of lens:White,Red,Yellow

Mounting:screw mount(60mm space between screws)





4'' Square 9w LDWL-023D



细节展示



正面
Dimension



侧面
Dimension

产品编号 Item NO	LDWL-023D
功率参数 Power Parameters	9-32V/9W
电流 Strobe Frequency	倒车灯0.1A/24V Backup light 0.1A/24V 尾灯0.1A/刹车灯0.2A/24V Tail light 0.1A/Brake light 0.2A/24V 转向灯0.3A/24V Turn signal 0.3/24V 后尾警示灯0.5A/24V Tall warning light 0.5A/24V
发光颜色 COLOR	A-白光/White B-黄光/Yellow C-蓝光/Blue D-红光/Red E-红/白闪烁/Red/White Flash F-红/蓝闪烁/Red/Blue Flash G-黄/蓝闪烁/Yellow/Blue Flash
寿命 Life-span	LED30000小时 30000hours
工作环境温度 Working environment	-40℃~85℃,可在恶劣环境下正常工作 Can work normally under severe environment

LED Working Light Series LED工作灯系列

主光源采用72颗0.25W大功率贴片LED

灯罩采用全新的PC、顶部采用牙齿型工艺，能扩散光线，使光线更加均匀和散开，增加LED的亮度，无死点，无接触不良

灯座采用ABS，强度好，耐磨耐摔

两边灯罩颜色：黄、红、蓝、白

固定方式：一是车载点烟插头+磁吸式安装，可放置在仪表台、车顶、内置高度磁铁，可伸缩型连接线（和电话机的听筒线一样）二是U型支架+M12螺丝固定，可用螺丝固定在车上平板

Uses 72 pcs of 0.25W high power SMD LED

Military Standard Polycarbonate Lenses, top part uses flood beam pattern lens, great for dispersing light, well-distributed light pattern, improved LED brightness, no blind spot, no poor connection

Uses ABS mounthing device, hard and solid, wear resistant and drop resistant

Side Lens: Yellow, Red, Blue, White

Mounting method: 1. Cigar Lighter Plug and magnetic suction, suitable on dash board, car roof, built-in high intensity magnet, flexible cord (as telephone cord); 2. U-shape bracket and M12 screw, screw mount on roof

LED Working Light Series LED工作灯系列



固定式警示/信号灯
Fixed Warning/Signal Lamp

主光源采用72颗0.25W大功率贴片LED

灯罩采用军工的PC，顶部采用牙齿型工艺，能扩散光线，使光线更加均匀和散开，增加LED的亮度，无死点，无接触不良

灯座采用ABS，强度好，耐磨耐摔

两边灯罩颜色：黄、红、蓝、白

固定方式：一是车载点烟插头+磁吸式安装，可放置在仪表台、车顶、内置高度磁铁，可伸缩型连接线（和电话机的听筒线一样）二是U型支架+M12螺丝固定，可用螺丝固定在车上平板



通用适装率最高 最符合国际标准 抗干扰最强 防水等级最强

主光源采用72颗0.25W大功率贴片LED

灯罩采用军工的PC，顶部采用牙齿型工艺，能扩散光线，使光线更加均匀和散开，增加LED的亮度，无死点，无接触不良


灯座采用ABS，强度好，耐磨耐摔

两边灯罩颜色：黄、红、蓝、白

固定方式：一是车载点烟插头+磁吸式安装，可放置在仪表台、车顶、内置高度磁铁，可伸缩型连接线（和电话机的听筒线一样）二是U型支架+M12螺丝固定，可用螺丝固定在车上平板



移动式警示/信号灯
Movable warning/signal light



LED技术参数 LED Technical parameter

产品编号Item NO	功率参数Power Parameters	发光颜色Color	工作环境温度Working environment	寿命Life-span
LDWL-023E	9-32V/18W	黄红蓝白 Yellow Red Blue white	-40° ~ +85°C 可在恶劣环境下工作 Can work normally under severe environment	30000小时 30000hours



LED Jeep Light Series LED牧马人大灯系列

光型最好，亮度最高，功能最全

LDWL-020C-A特性

一、采用高质量材料：

1. 采用航空铝材，散热强
2. 德国进口LONOWO高亮光源，远/近光各45W设计，亮度高达4500LM
3. 进口PC面罩材质，独家特殊工艺，耐损、耐磨、抗冲击力强，长久使用不产生表面磨损、磨花、不易变黄老化

二、功能强大，拥有多项专利

1. 单色天使眼、日行灯功能
2. 天使眼采用新型导光条式天使眼设计，亮度均匀亮丽 6W 高亮
3. 鱼鳍型设计，外观简洁，线条流畅，结构轻巧，原车安装设计
4. 智能正负极反接保护功能
5. 内置CANBUS解码功能
6. 独特呼吸器技术，抽真空组装方式，有效解决镜面雾化问题，防水等级高，高达IP68
7. 原装电源接头，安装简单快捷
8. 通过5级EMC抗干扰技术
9. 拥有产品发明专利、外观专利、实用新型专利

三、通过认证

通过CE ROHS E-MARK 等国际认证

LDWL-020C-A characteristics:

1. Adopt high quality materials:

- A. Adopt aviation aluminum, strong heat dissipation;
- B. Germany imported LONOWO highlighted light source, high/low beam, 45W design for each, brightness is as high as 4500LM;
- C. Imported PC for mask material, exclusive special technology, resistance to damage, resistance to abrasion, strong anti-hitting performance, long-term use does not cause surface wear, blurred wear, not easy to become yellowing and aging.

2. Powerful function, with a lot of patents:

- A. Monochrome angel eyes and daytime running light function;
- B. Angel eyes adopting a new type of light guide angel eyes design, uniform brightness and 6W bright highlights;
- C. The fish fin type design, simple appearance, smooth lines, compact structure, design and installation for the original car;
- D. Intelligent protection function for the reverse connect of positive and negative pole;
- E. Built-in CANBUS decoding function;
- F. Unique breathing apparatus technology, vacuum assembly way, effectively solve the problem of mirror atomization, waterproof level is as high as IP68;
- G. Original power connector, simple and easy installation
- H. Passed test of 5 level EMC anti-jamming technology
- I. With product invention patent, appearance patent, and utility model patent.

3. Gain Certifications

Get CE ROHS E-MARK etc. international certifications.

7"LDWL-020C-A 第一代



白色天使眼

Lonowo® Chip
灯珠



远光 60W
6000LM



近光 45W
4500LM

天使眼、DRL、
转向灯采用最新
光导技术
6W高亮

白色天使眼、日行灯功能
White angel eye, can be used as DRL



一代黑色面罩
First Generation Black



气门芯
Valve core

固定支架
Fixed Bracket

产品编号 Item NO	功率参数 Power Parameters	LED光源 LED Chip	光通量 Luminous Flux	防水等级 IP Grade	工作环境温度 Working environment	天使眼功能 Angel eye
LDWL-020C-A	9-32V High/low Beam: 60W/45W	LONOWO Chip	High/low Beam: 6000/4500LM	IP68	-40°C~+105°C 可在恶劣工作环境下工作 Can work normally under severe environment	白色天使眼 Whit Angel Eyes

LED Jeep Light Series LED牧马人大灯系列

光型最好，亮度最高，功能最全

LDWL-020C-B特性

- 一、采用高质量材料
 1. 采用航空铝材，散热强
 2. 德国进口LONOWO高亮光源，远/近光45W/60W设计，亮度高达4500LM/6000LM
 3. 进口PC面罩材质，独家特殊工艺，耐损、耐磨、抗冲击力强，长久使用不产生表面磨损、磨花、不易变黄老化
- 二、功能强大，拥有多项专利
 1. 变色天使眼、日行灯功能，红、绿、蓝三色循环爆闪，酷炫亮丽
 2. 鱼鳍型设计，外观简洁，线条流畅，结构轻巧，原车安装设计
 3. 智能正负极反接保护功能
 4. 内置CANBUS解码功能
 5. 独特呼吸技术，抽真空组装方式，有效解决镜面雾化问题，防水等级高，达IP68
 6. 原装电源接头，安装简单快捷
 7. 通过5级EMC抗干扰技术
 8. 拥有产品发明专利、外观专利、实用新型专利
- 三、通过认证

通过CE ROSH E-MARK DOT等国际认证


LDWL-020C-B Features:

1. High quality material:
 - A. Adopt aviation aluminium materials;
 - B. German Imported LONOWO high brightness LED chip, Hi/Lo 45W/60W, 4500LM/6000LM
 - C. Imported PC cover, exclusive special process, anti-friction, shockproof, no superficial abrasion and scratch after without being used for a long time..not easy to turn to be yellow and aging.
2. Powerful functions with many patents:
 - A. RGB angle eye, daytime running light function, red, green, blue flashing circularly, cool and beautiful
 - B. "fins" look design, simple, smooth lines, Lightly and ingeniously structured, original car installation design
 - C. Smart non-polarity protection
 - D. Built-in canbus
 - E. Unique breathing technology, vacuumize assembly method, effectively solved fog problem, IP 68 rated waterproof
 - F. Original connector, simple instalation
 - G. 5th Grade EMC anti-interference technology
 - H. Invention patent, design patent, utility patent
3. Cetificates

CE ROSH E-MARK DOT Intenational cetificates.



7"LDWL-020C-B 第二代



变色天使眼DRL功能（红绿蓝）
RGB angel eye, can be used as DRL

Lonowo® Chip
灯珠



远光 60W
6000LM



近光 45W
4500LM

天使眼、DRL:6W
美国进口CREE光源
红、绿、蓝爆闪



二代金色面罩
Second Generation Golden



产品编号 Item NO	功率参数 Power Parameters	LED光源 LED Chip	光通量 Luminous Flux	防水等级 IP Grade	工作环境温度 Working environment	天使眼功能 Angel eye
LDWL-020C-B	9-32V High/Low Beam: 60W/45W	LONOWO Chip	High/Low Beam: 6000/4500LM	IP68	-40°C~+105°C 可在恶劣工作环境下工作 Can work normally under severe environment	RGB天使眼 RGB Angel

LED Jeep Light Series LED牧马人大灯系列

光型最好，亮度最高，功能最全

LDWL-020C-C特性

一、采用高质量材料

1. 采用航空铝材，散热强
2. 德国进口LONOWO高亮光源，远/近光各45W设计，亮度高达4500LM
3. 进口PC面罩材质，独家特殊工艺，耐损、耐磨、抗冲击力强，长久使用不产生表面磨损、磨花、不易变黄老化

二、功能强大，拥有多项专利

1. 黄光转向功能，为行驶增加一把安全锁
2. DRL天使眼功能，白光天使眼设计，亮度均匀亮丽
3. 鱼鳍型设计，外观简洁，线条流畅，结构轻巧，原车安装设计
4. 智能正负极反接保护功能
5. 内置CANBUS解码功能
6. 独特呼吸器技术，抽真空组装方式，有效解决镜面雾化问题，防水等级高，高达IP68
7. 原装电源接头，安装简单快捷
8. 通过5级EMC抗干扰技术
8. 拥有产品发明专利、外观专利、实用新型专利

三、通过认证

通过CE ROHS E-MARK DOT等国际认证

LDWL-020C-C characteristics:

1. Adopt high quality materials:

- A. Adopt aviation aluminum, strong heat dissipation;
- B. Germany imported LONOWO highlighted light source, high/low beam, 45W design for each, brightness is as high as 4500LM;
- C. Imported PC for mask material, exclusive special technology, resistance to damage, resistance to abrasion, strong anti-hitting performance, long-term use does not cause surface wear, blurred wear, not easy to become yellowing and aging.

2. Powerful function, with a lot of patents:

- A. Yellow light turning function, add a safety lock for driving
- B. With DRL angel eye function, white angel eye design, uniform brightness
- C. The fish fin type design, simple appearance, smooth lines, compact structure, design and installation for the original car;
- D. Intelligent protection function for the reverse connect of positive and negative pole;
- E. Built-in CANBUS decoding function;
- F. Unique breathing apparatus technology, vacuum assembly way, effectively solve the problem of mirror atomization, waterproof level is as high as IP68;
- G. Original power connector, simple and easy installation
- H. Passed test of 5 level EMC anti-jamming technology
- I. With product invention patent, appearance patent, and utility model patent.

3. Gain Certifications

Get CE ROHS E-MARK etc. international certifications.



Lonowo® Chip 灯珠



远光 60W
6000LM




近光 45W
4500LM



转向灯: 4.8W

天使眼、
DRL: 2.4W

转向、DRL 天使眼功能
Turning signal light with angel eye which can be used as DRL



三代蓝色面罩
Third Generation Blue



产品编号 Item NO	功率参数 Power Parameters	LED光源 LED Chip	光通量 Luminous Flux	防水等级 IP Grade	工作环境温度 Working environment	天使眼功能 Angel eye
LDWL-020C-C	9-32V High/Low Beam: 60W/45W	LONOWO Chip	High/Low Beam: 6000/4500LM	IP68	-40°C~+105°C 可在恶劣工作环境下工作 Can work normally under severe environment	白色天使眼和 转向功能 Whit Angel Eyes with Angel Turn Signal

LED Jeep Light Series LED牧马人大灯系列

光型最好，亮度最高，功能最全

LDWL-020C-D特性

一、采用高质量材料：

1. 采用航空铝材，散热强
2. 德国进口LONOWO高亮光源，远/近光各45W设计，亮度高达4500LM
3. 进口PC面罩材质，独家特殊工艺，耐损、耐磨、抗击力强，长久使用不产生表面磨损、磨花、不易变黄老化

二、功能强大，拥有多项专利

1. 智能黑暗自启动、会车自动亮度调节功能，行驶中光弱时自动开起大灯，会车时自动调暗灯光，为您驾驶安全带来一道保障
2. 黄光转向功能，为行驶增加一把安全锁
3. DRL天使眼功能，白光天使眼设计，亮度均匀亮丽
4. 鱼鳍型设计，外观简洁，线条流畅，结构轻巧，原车安装设计
5. 智能正负极反接保护功能
6. 内置CANBUS解码功能
7. 独特呼吸器技术，抽真空组装方式，有效解决镜面雾化问题，防水等级高，高达IP68
8. 原装电源接头，安装简单快捷
9. 通过5级EMC抗干扰技术
10. 拥有产品发明专利、外观专利、实用新型专利

三：通过认证 通过CE ROSE E-MARK DOT等国际认证

LDWL-020C-D Features:

1. Using high quality materials

- A. Using aviation aluminum, Strong heat dissipation
- B. Using German lonowo high light source, high/lo beam: 60w/45w, lumens more than 4500lm
- C. Import PC mask materials, Exclusive special process, Damage resistance, abrasion resistance, strong fighting force, Used for a long time doesn't produce surface wear, wear away, not easy to turn yellow and aging

2. Powerful function, owns several patents

- A. Automatic launch of the dark, automatic brightness adjustment function when meeting the other car, When driving in the weak light automatically open headlight, automatically dim the lights when meeting the other car, Bring a guarantee for your driving safety
- B. yellow light turning function, To add a security lock for driving,
- C. DRL angel eye function, white angel eye function design, Brightness uniformity and bright
- D. fin type pattern design, Concise appearance, Fluent line, with light structure, the original car design installation
- E. Intelligence positive and negative electrode reverse connect protection function
- F. Unique breathing apparatus technology, Vacuum assembly way, Effectively solve the problem of mirror atomization, high waterproof grade, IP 68
- G. Original power connector, simple and easy to install
- H. Passed 5 grade EMC anti-jamming technique
- I. Owns product invention patent, Appearance patent, utility model patents

3. Passed certificate

- A. Passed the CE, ROSE E-MARK DOT and other international certifications



黑暗自启动、会车自动变光功能
Automatic NO/OFF sensor, automatically change the beam when meeting a car



四代绿色面罩
Furth Generation Green



Lonowo® Chip
灯珠

远光 60W
6000LM

近光 45W
4500LM

转向灯：4.8W
天使眼、DRL：2.4W

智能黑暗自启动
亮灯功能、会车自
动调暗灯光功能

产品编号 Item NO	功率参数 Power Parameters	LED光源 LED Chip	光通量 Luminous Flux	防水等级 IP Grade	工作环境温度 Working environment	天使眼功能 Angel eye
LDWL-020C-D	9-32V High/low Beam: 60W/45W	LONOWO Chip	High/low Beam: 6000/4500LM	IP68	-40°C ~ +105°C 可在恶劣工作环境下工作 Can work normally under severe environment	智能开关 Automatic NO/OFF Sensor

LED Jeep Light Series LED牧马人大灯系列

光型最好，亮度最高，功能最全

LDWL-020C-E特性

一、采用高质量材料

1. 采用航空铝材，散热强
2. 德国进口LONOWO高亮光源，远/近光各45W设计，亮度高达4500LM
3. 进口PC面罩材质，独家特殊工艺，耐磨、抗冲击力强，长久使用不产生表面磨损、磨花、不易变黄老化

二、功能强大，拥有多项专利

1. 行车拍摄功能，录存大自然，保障行车安全，汽车中的黑匣子
2. 智黑暗自启动、会车自动亮度调节功能，行驶中光弱时自动开起大灯，会车时自动调暗灯光，为您驾驶安全带来一道保障
3. 黄光转向功能，为行驶增加一把安全锁
4. DRL天使眼功能，白光天使眼设计，亮度均匀亮丽
5. 鱼鱼鳍型设计，外观简洁，线条流畅，结构轻巧，原车安装设计
6. 智能正负极反接保护功能
7. 内置CANBUS解码功能
8. 独特呼吸器技术，抽真空组装方式，有效解决镜面雾化问题，防水等级高，高达IP68
9. 原装电源接头，安装简单快捷
10. 通过5级EMC抗干扰技术
11. 拥有产品发明专利、外观专利、实用新型专利

三、通过认证

通过CE ROHS E-MARK DOT等国际认证

LDWL-020C-E characteristics:

1. Adopt high quality materials:

- A. Adopt aviation aluminum, strong heat dissipation;
- B. Germany imported LONOWO highlighted light source, high/low beam, 45W design for each, brightness is as high as 4500LM;
- C. Imported PC for mask material, exclusive special technology, resistance to damage, resistance to abrasion, strong anti-hitting performance, long-term use does not cause surface wear, blurred wear, not easy to become yellowing and aging.

2. Powerful function, with a lot of patents:

- A: driving shooting function, recorded nature, to protect the safety of the driving, the black box in the car
- B. The dark wisdom from the start, car automatic brightness adjustment function, driving in weak light automatically open headlights, automatic dimming lights during the meeting, bring you a guarantee of safe driving
- C. Yellow light turning function, add a safety lock for driving
- D. With DRL angel eye function, white angel eye design, uniform brightness
- E. The fish fin type design, simple appearance, smooth lines, compact structure, design and installation for the original car;
- F. Intelligent protection function for the reverse connect of positive and negative pole;
- G. Built-in CANBUS decoding function;
- H. Unique breathing apparatus technology, vacuum assembly way, effectively solve the problem of mirror atomization, waterproof level is as high as IP68;
- I. Original power connector, simple and easy installation
- J. Passed test of 5 level EMC anti-jamming technology
- K. With product invention patent, appearance patent, and utility model patent.



Lonowo® Chip 灯珠

远光 60W
6000LM

近光 45W
4500LM

转向灯: 4.8W
天使眼、DRL: 2.4W

新增行车
拍摄功能

自动拍摄、行车记录功能 Driving Recorder



五代紫色面罩 Fifth Generation Purple



产品编号 Item NO	功率参数 Power Parameters	LED光源 LED Chip	光通量 Luminous Flux	防水等级 IP Grade	工作环境温度 Working environment	天使眼功能 Angel eye
LDWL-020C-E	9-32V High/Low Beam: 60W/45W	LONOWO Chip	High/Low Beam: 6000/4500LM	IP68	-40°C~+105°C, 可在恶劣工作环境下工作 Can work normally under severe environment	自动拍摄、行车记录 Driving Recorder

USA Version Oval BeamLight Bar Series (Oval Spot+Vertical Flood)

迷你一字光长条灯系列 (一字光+宽泛光) 中国唯一合法专利获得者

(滑块式、固定式、无损强磁式、镶嵌式、室内悬挂式)

可任意选择安装支架

多层叠加式安装，可同时前后左右照射

一、采用高质量材料

1. 采用航空铝材，散热强，连续点亮10小时。表面温度不超过50度
2. 正品美国CREE光源，亮度高，寿命长
3. 采用PMMC材质透镜，聚光强，透光率高
4. 灯体表面采用真空电镀，耐高温，外观优美，不易氧化

二、功能强大，拥有多项专利

1. 端盖采用嵌入式固定方式，防水等级高达IP68
2. 一字光型设计，光型分布均匀，照射范围广，无盲区，无眩光
3. 固定式、滑块式、叠加式三种固定支架，适合不同安装方式
4. 超薄结构设计，高速行驶时无风阻，无风噪
5. 通过5级EMC抗干扰技术
6. 拥有产品发明专利、外观设计、实用新型专利

三、通过认证

通过CE ROHS E-MARK 等国际认证

1. Using high quality materials

- A. Using aviation aluminum, Strong heat dissipation, working 10 hours continuously, surface temperature is less than 50 degrees
- B. Using USA Cree chip. high brightness, long lifespan
- C. Using PMMC Materials lens, strong condenser, high light transmittance
- D. Light body surface using vacuum plating, High temperature resistant. Beautiful appearance. Not easy oxidation

2. Powerful, with various patents

- A. End cover adopt embedded fixed way, High grade level waterproof, over IP68
- B. One line beam design, uniform light distribution, wide range irradiation, non-blind area, no glare
- C. Stationary, slider, superposition of three fixed bracket, suitable for different installation
- D. Ultra-thin structure, high speed driving with no wind resistance no wind noise.
- E. 5Grade EMC anti-interference techniques
- F. With product invention patent, appearance patent, utility new model patent

3. Authentication

Awarded CE, ROHS, E-mark Certificates



LDWL-MINI-L15-W



L190.7*W30.5*H56mm

LED Chip:CREE
Power:9~32V/15W
Luminous Flux:1500LM
Working Environment:-40~105°C
Range of irradiation:100m*5m
Life-span/IP Grade:50000Hrs/IP68

LDWL-MINI-L24-W



L277.8*W30.5*H56mm

LED Chip:CREE
Power:9~32V/24W
Luminous Flux:2400LM
Working Environment:-40~105°C
Range of irradiation:200m*10m
Life-span/IP Grade:50000Hrs/IP68

LDWL-MINI-L30-W



L336.3*W30.5*H56mm

LED Chip:CREE
Power:9~32V/30W
Luminous Flux:3000LM
Working Environment:-40~105°C
Range of irradiation:300m*15m
Life-span/IP Grade:50000Hrs/IP68

LDWL-MINI-L54-W



L564.3*W30.5*H56mm

LED Chip:CREE
Power:9~32V/54W
Luminous Flux:5400LM
Working Environment:-40~105°C
Range of irradiation:500m*20m
Life-span/IP Grade:50000Hrs/IP68

LDWL-MINI-L84-W



L849.3*W30.5*H56mm

LED Chip:CREE
Power:9~32V/84W
Luminous Flux:8400LM
Working Environment:-40~105°C
Range of irradiation:600m*30m
Life-span/IP Grade:50000Hrs/IP68

LDWL-MINI-L117-W



L1162.8*W30.5*H56mm

LED Chip:CREE
Power:9~32V/117W
Luminous Flux:11700LM
Working Environment:-40~105°C
Range of irradiation:700m*30m
Life-span/IP Grade:50000Hrs/IP68

LDWL-MINI-L135-W



L1333.8*W30.5*H56mm

LED Chip:CREE
Power:9~32V/135W
Luminous Flux:13500LM
Working Environment:-40~105°C
Range of irradiation:800m*30m
Life-span/IP Grade:50000Hrs/IP68



Crystal LED Bulb Series LED水晶系列插泡系列

终身质保 LED插泡灯

节能环保寿命长, 比传统卤素灯节能85%

发热低, 传统卤素灯高达150摄氏度, LED光源仅是传统灯珠50%的发热温度

小尺寸, 高亮度, 2W可替换传统卤素灯20W的亮度

插泡采用LED芯片, 能量转化效率高, 无频闪电磁辐射

Energy saving, and long life-span. 50% energy consumption than halogen bulb

Low heat, the traditional halogen lamps up to 150 degrees Celsius. LED light source is only 50% of the traditional lamp beads heating temperature

Small size, high brightness. 2W can replace the traditional halogen 20W brightness

The use of LED chip insert, energy conversion efficiency, no strobe electromagnetic radiation



LED阅读灯系列 Reading Light



LED雾灯系列 Fog Light



Crystal LED Bulb Series LED水晶系列插泡系列

仪表灯/示款灯/尾箱灯/前盖灯/门灯/车牌灯
Instrument Light/Width Light/Trunk Light/Front Cover Light/Door Light/License Plate Light



Item: 8A95 65MD 5630
Power: 6X0.5W
Voltage: DC12V
Luminous Flux: 180~240LM
Emitting Angle Of Peak: 360°



Item: 8A95 105MD 5630
Power: 10X0.5W
Voltage: DC12V
Luminous Flux: 300~400LM
Emitting Angle Of Peak: 360°



Item: T10 65MD 5630
Power: 6X0.5W
Voltage: DC12V
Luminous Flux: 180~240LM
Emitting Angle Of Peak: 360°



Item: T10 105MD 5630
Power: 10X0.5W
Voltage: DC12V
Luminous Flux: 300~400LM
Emitting Angle Of Peak: 360°



Item: T10 65MD 5630/CANBUS
Power: 6X0.5W
Voltage: DC12V
Luminous Flux: 180~400LM
Emitting Angle Of Peak: 360°



Item: T10 105MD 5630/CANBUS
Power: 10X0.5W
Voltage: DC12V
Luminous Flux: 300~400LM
Emitting Angle Of Peak: 360°

倒车灯/转向灯 Back-up Light Turning



Item: 1156(BAU155)/125MD5630/15MD CREE
Power: 27X0.5W/1x3W
Voltage: DC12V
Luminous Flux: 750~780LM
Emitting Angle Of Peak: 360°



Item: 1157(BA150)/275MD 5050
Power: 27X0.5W
Voltage: DC12V
Luminous Flux: 810~1080LM
Emitting Angle Of Peak: 360°

倒车灯/转向灯
Back-up Light Turning Light



Item: 1157(BA150)/335MD 5050
Power: 33X0.5W
Voltage: DC12V
Luminous Flux: 990~1320LM
Emitting Angle Of Peak: 360°

倒车灯/转向灯
Back-up Light Turning Light



Item: 7443 T20/135MD 5050
Power: 15X0.2W
Voltage: DC12V
Luminous Flux: 150~180LM
Emitting Angle Of Peak: 360°

倒车灯/转向灯
Back-up Light Turning Light



Item: 7440 T20/275MD 5630
Power: 27X0.5W
Voltage: DC12V
Luminous Flux: 810~1080LM
Emitting Angle Of Peak: 360°

倒车灯/转向灯
Back-up Light Turning Light



Item: 7443 T20/335MD 5630
Power: 33X0.5W
Voltage: DC12V
Luminous Flux: 990~1320LM
Emitting Angle Of Peak: 360°

阅读灯 Reading Light



Item: 31mm S85/65MD 5630
Power: 6X0.5W
Voltage: DC12V
Luminous Flux: 180~240LM
Emitting Angle Of Peak: 180°

阅读灯 Reading Light



Item: 36mm S85/65MD 5630
Power: 6X0.5W
Voltage: DC12V
Luminous Flux: 180~240LM
Emitting Angle Of Peak: 180°

阅读灯 Reading Light



Item: 39mm S85/65MD 5630
Power: 6X0.5W
Voltage: DC12V
Luminous Flux: 180~240LM
Emitting Angle Of Peak: 180°

阅读灯 Reading Light




Item: 39mm S85/95MD 5630
Power: 9X0.5W
Voltage: DC12V
Luminous Flux: 270~360LM
Emitting Angle Of Peak: 180°

终身质保 LED插泡灯



Crystal LED Bulb Series LED水晶系列插泡系列

原装车 (LED插泡) 安装图 Original car (LED Bulb) installation diagram



全球部分体验店



东京



东京




印尼



新加坡



巴拿马



美国



墨西哥



芬兰

全球部分旗舰店



西欧



英国



波兰




俄罗斯



摩洛哥



埃及



迪拜



沙特

广宣品推介

1、COBRA车主旅行套装



帽子

品名：COBRA迷彩帽子
颜色：军绿迷彩色
材质：棉涤

尺码	帽围	帽深	帽檐
均码	55~63cm	11cm	7cm

马甲

品名：COBRA马甲
颜色：军绿色
材质：棉涤

尺码参考						
尺码	型号	胸围	衣长	肩宽	裤长	腰围
S	160	110	60	46	94	2.2尺
M	165	114	63	49	98	24~26尺
L	170	118	67	51	102	26~28尺
XL	175	122	68	52	104	27~29尺
XXL	180	126	70	53	106	29~31尺
XXXL	185	130	72	55	109	31~33尺
XXXXL	190	134	74	56	111	3尺4

裤子

品名：COBRA裤子
颜色：军绿色
材质：棉涤

尺码参考						
尺码	型号	胸围	衣长	肩宽	裤长	腰围
S	160	110	60	46	94	2.2尺
M	165	114	63	49	98	24~26尺
L	170	118	67	51	102	26~28尺
XL	175	122	68	52	104	27~29尺
XXL	180	126	70	53	106	29~31尺
XXXL	185	130	72	55	109	31~33尺
XXXXL	190	134	74	56	111	3尺4



皮带

品名：COBRA真皮皮带
颜色：褐色
材质：皮料--鳄鱼皮，皮带头--含18K金，186颗钻
尺寸：长105cm 115cm 125cm 宽3.5cm

尺码参考			
腰围公尺	腰围厘米	裤子码数	皮带长度
2.5尺以下	83厘米以下	32码以下	105cm
2.5-3.0	83-100	32-40	115cm
3.0-3.4	100-110	40-50	125cm



包

品名：COBRA奢侈包	尺寸：常规
颜色：黑色	流行元素：编织
材质：牛皮	穿着场景/风格：通勤
功能：手拿包	颜色：其他

广宣品推介

2、POP



海报

品名	COBRA海报
尺寸	60 X 80CM
材质	200G铜版纸

广宣品推介



车贴

品名	COBRA车贴
尺寸	不干胶
材质	表面过光膜



门型架

品名	COBRA门型架
尺寸	60 X 160CM
材质	PVC
工艺	表面过光膜



测试架

品名	COBRA测试架
尺寸	长440 X 宽300 X 厚度150CM
材质	3MM亚克力+高清可移背胶



灯箱

品名	COBRA灯箱
材质	进口亚克力+灯管 (LED) + 导光板
灯箱总厚度	2.8-3.5CM
导光板厚度	4mm/5mm/6mm
四面翻盖式开启, 可悬挂, 可靠墙	

授权牌



眼镜蛇品牌商标



COBRA®

全球招商现场图

