

LONG FORK & SLEEVE BOTTLE SET



PART NO.	Application	No. of Spline	Cross Size	Pipe Dia mm/inch	Fork Length mm/inch	Bottle Length mm/inch
S300	COMPLETE RSB-325 SERIES SET WITH DUST COVER	20	42 X 119	84mm / 3.5"	312mm / 12.50"	170mm / 7.0"
S300 (C)	COMPLETE RSB-325 SERIES SET WITH DUST COVER COATED	20	42 X 119	84mm / 3.5"	312mm / 12.50"	170mm / 7.0"
S300A	COMPLETE RSB-325 SERIES SET WITH DUST COVER	20	42 X 119	84mm / 3.5"	400mm / 15.75"	224mm / 9.0"
S300A (C)	COMPLETE RSB-325 SERIES SET WITH DUST COVER COATED	20	42 X 119	84mm / 3.5"	400mm / 15.75"	224mm / 9.0"
S300B	COMPLETE RSB-325 SERIES SET WITH DUST COVER	20	42 X 119	95mm / 4.0"	312mm / 12.50"	170mm / 7.0"
S300B (C)	COMPLETE RSB-325 SERIES SET WITH DUST COVER COATED	20	42 X 119	95mm / 4.0"	312mm / 12.50"	170mm / 7.0"
S301	COMPLETE RSB-403 SMALL SET WITH DUST COVER	20	42 X 129	95mm / 4.0"	345mm / 13.50"	170mm / 7.0"
S301 (C)	COMPLETE RSB-403 SMALL SET WITH DUST COVER COATED	20	42 X 129	95mm / 4.0"	345mm / 13.50"	170mm / 7.0"
S302	COMPLETE RSB-403 LONG SET WITH DUST COVER TATA 2518	20	42 X 129	95mm / 4.0"	378mm / 15.0"	224mm / 9.0"
S302 (C)	COMPLETE RSB-403 LONG SET WITH DUST COVER TATA 2518 COATED	20	42 X 129	95mm / 4.0"	378mm / 15.0"	224mm / 9.0"
S302A	COMPLETE RSB-403 LONG SET WITH DUST COVER TATA 2518	20	42 X 129	95mm / 4.0"	400mm / 15.75"	262mm / 10.5"
S302A (C)	COMPLETE RSB-403 LONG SET WITH DUST COVER TATA 2518 COATED	20	42 X 129	95mm / 4.0"	400mm / 15.75"	262mm / 10.5"
S303	COMPLETE RSB - 490 SET WITH DUST COVER TATA 4018	30	48 X 135	95mm / 4.0"	323mm / 12.75"	195mm / 7.75"
S303 (C)	COMPLETE RSB - 490 SET WITH DUST COVER TATA 4018 COATED	30	48 X 135	95mm / 4.0"	323mm / 12.75"	195mm / 7.75"
S327A	COMPLETE RSB - 490 LONG SET WITH DUST COVER TATA 4018 LONG	30	48 X 135	95mm / 4.0"	370mm / 14.5"	256mm / 10.0"
S327A (C)	COMPLETE RSB - 490 LONG SET WITH DUST COVER TATA 4018 LONG COATED	30	48 X 135	95mm / 4.0"	370mm / 14.5"	256mm / 10.0"
S327D	COMPLETE RSB - 490 LONG SET WITH DUST COVER TATA 4018 LONG	30	48 X 135	95mm / 4.0"	370mm / 14.5"	224mm / 9.0"
S327D (C)	COMPLETE RSB - 490 LONG SET WITH DUST COVER TATA 4018 LONG COATED	30	48 X 135	95mm / 4.0"	370mm / 14.5"	224mm / 9.0"

LONG FORK & SLEEVE BOTTLE SET

PART NO.	Application	No. of Spline	Cross Size	Pipe Dia mm/inch	Fork Length mm/inch	Bottle Length mm/inch
S383	COMPLETE SPICER SPL 90, L/L 2516	20	41.27 X 126	95mm / 4.0"	345mm / 13.50"	170mm / 7.0"
S383 (C)	COMPLETE SPICER SPL 90, L/L 2516 COATED	20	41.27 X 126	95mm / 4.0"	345mm / 13.50"	170mm / 7.0"
S451	COMPLETE SPICER 2040 (I&S) SERIES SET WITH DUST COVER	34	47.68 X 135	95mm / 4.0"	388mm / 15.25"	268mm / 10.5"
S451 (C)	COMPLETE SPICER 2040 (I&S) SERIES SET WITH DUST COVER COATED	34	47.68 X 135	95mm / 4.0"	388mm / 15.25"	268mm / 10.5"
S452	COMPLETE SPICER 2040 SERIES SET WITH DUST COVER	34	47.68 X 135	114.4mm / 4.5"	355mm / 14.0"	195mm / 7.75"
S452 (C)	COMPLETE SPICER 2040 SERIES SET WITH DUST COVER COATED	34	47.68 X 135	114.4mm / 4.5"	355mm / 14.0"	195mm / 7.75"
S453	SPR 2045 COMPLETE SPICER 2045 SEIRS SET WITH DUST COVER	38	52 X 147	100.3mm / 4.0"	395mm / 14.75"	238mm / 9.25"
S453 (C)	SPR 2045 COMPLETE SPICER 2045 SEIRS SET WITH DUST COVER COATED	38	52 X 147	100.3mm / 4.0"	395mm / 14.75"	238mm / 9.25"
S454	COMPLETE SPICER 2045 SEIRS SET WITH DUST COVER	38	52 X 147	112.3mm / 4.5"	314mm / 12.25"	200mm / 8.0"
S454 (C)	COMPLETE SPICER 2045 SEIRS SET WITH DUST COVER COATED	38	52 X 147	112.3mm / 4.5"	314mm / 12.25"	200mm / 8.0"
S455 (C)	COMPLETE SPICER 2055 SEIRS SET WITH DUST COVER COATED	38	57 X 152	108.3mm / 4.5"	333mm / 13.0"	212mm / 8.25"
S500 (C)	COMPLETE RSB 620 SEIRS SET WITH DUST COVER COATED	36	57 X 152	108.3mm / 4.5"	370mm / 14.5"	201mm / 8.0"
S426S	COMPLETE SET TATA 4018 RSB 490	30	48 X 135	95mm / 4.0"	400 X 15.75"	256mm / 10.0"
S426S (C)	COMPLETE SET TATA 4018 RSB 490 COATED	30	48 X 135	95mm / 4.0"	400 X 15.75"	256mm / 10.0"
S539 (C)	COMPLETE SET RSB 590 COATED	30	52 X 147	95mm / 4.0"	357mm / 14.0"	224mm / 9.0"
S633 (C)	SET 3118, RSB 590 K557A + K558 (C) WITH DUST COVER	30	52 X 147	95mm / 4.0"	332mm / 13.0"	195mm / 7.75"
S641 (C)	COMPLETE SET SPICER 2040 SERIES K639 WITH DUST COVER COATED	34	47.68 X 135	91.4mm / 4.0"	296mm / 11.5"	218mm / 8.5"
S703 (C)	TATA-LPT 2523 TC SRT AXLE L/L 1710 SERIES INTERAXLE AL 3718 BSIV,2518 BSIV	16	47.68 X 135	95mm / 4.0"	370mm / 14.5"	256mm / 10.0"
S727 (C)	TATA LPTK 3718, LPK 3118, LPK2518, LPS 4223, SIGNA 4923 VECV-PRO 6037	30	52 X 147	95mm / 4.0"	397mm / 15.75"	256mm / 10.0"
S738 (C)	ASHOK LEYLAND-U4923	30	48 X 152	95mm / 4.0"	368mm / 14.5"	224mm / 9.0"
S749 (C)	L/L 2818 MSL DESIGN	16	42 X 129	95mm / 4.0"	330mm / 13.0"	224mm / 9.0"

LONG FORK ASSY. WITH DUST COVER



PART NO.	Application	No. of Spline	Cross Size	Total Length mm/inch	Dust Cover Length mm/inch
S321	LONG FORK RSB 325 SERIES K254 WITH DUST COVER	20	42 X 119	312mm / 12.5"	137mm / 5.5"
S321A	LONG FORK RSB 325 SERIES K275B WITH DUST COVER	20	42 X 119	400mm / 15.75"	215mm / 8.5"
S322	LONG FORK RSB 403 SERIES K256 WITH DUST COVER	20	42 X 129	345mm / 13.5"	137mm / 5.5"
S323	LONG FORK RSB 403 SERIES K275A WITH DUST COVER	20	42 X 129	378mm / 15.0"	215mm / 8.5"
S323A	LONG FORK RSB 403 SERIES K275A WITH DUST COVER	20	42 X 129	400mm / 15.75"	215mm / 8.5"
S324	LONG FORK RSB 490 SERIES K258 WITH DUST COVER	30	48 X 135	323mm / 12.75"	135mm / 5.5"
S327	LONG FORK RSB 490 SERIES K325 WITH DUST COVER	30	48 X 135	370mm / 14.5"	170mm / 7.0"
S426A	LONG FORK TATA 4018 WITH DUST COVER	30	48 X 135	400mm / 15.75"	170mm / 7.0"
S457	LONG FORK SPICER 2040 (I&S) SERIES K439 WITH DUST COVER	34	47.68 X 135	388mm / 15.25"	209mm / 8.0"
S458	LONG FORK SPICER 2040 SERIES K441 WITH DUST COVER	34	47.68 X 135	355mm / 14.0"	165mm / 6.5"
S459	LONG FORK SPICER 2045 SERIES K443 WITH DUST COVER	38	52 X 147	395mm / 15.75"	205mm / 8.0"
S460	LONG FORK SPICER 2047 SERIES SET WITH DUST COVER	38	52 X 147	314mm / 12.25"	144mm / 6.0"
S461	LONG FORK SPICER 2055 SERIES SET WITH DUST COVER	38	52 X 152	333mm / 13.0"	140mm / 5.5"
S462	LONG FORK SPICER 2060 SERIES SET WITH DUST COVER	14	59 X 167.7	350mm / 13.75"	125mm / 5.0"
S501	LONG FORK RSB 590 SERIES K495 WITH DUST COVER	36	52 X 147	380mm / 15.0"	170mm / 7.0"
S502	LONG FORK RSB 620 SERIES K496 WITH DUST COVER	36	57 X 152	370mm / 14.5"	170mm / 7.0"
S540	LONG FORK RSB 590 WITH DUST COVER	30	52 X 147	357mm / 14.0"	170mm / 7.0"
S557A	LONG FORK TATA 3118 RSB 590 WITH DUST COVER	30	57 X 147	332mm / 13.0"	135mm / 5.5"
S640	LONG FORK SPICER 2040 SERIES K639 WITH DUST COVER	34	47.68 X 135	296mm / 11.5"	165mm / 6.5"

REAR HOUSING / SLEEVE BOTTLE



PART NO.	Application (Rear Housing / Sleeve Bottle)	No. of Spline	Pipe Dia mm/inch	Total Length mm/inch
S255	RSB 325 SERIES TATA 2515 EX, 1613 TURBO	20	84mm / 3.5"	170mm / 7.0"
S255 (C)	RSB 325 SERIES TATA 2515 EX,1613 TURBO COATED	20	84mm / 3.5"	170mm / 7.0"
S257	RSB 403 SERIES SHORT TATA 2518	20	95mm / 4.0"	170mm / 7.0"
S257 (C)	RSB 403 SERIES SHORT TATA 2518 COATED	20	95mm / 4.0"	170mm / 7.0"
S259	RSB 490 SERIES,TATA 4018	30	95mm / 4.0"	175mm / 7.75"
S259 (C)	RSB 490 SERIES,TATA 4018 COATED	30	95mm / 4.0"	175mm / 7.75"
S271	TATA L/L 1710 SERIES INTERAXLE COATED	16	95mm / 4.0"	256mm / 10.0"
S271 (C)	TATA L/L 1710 SERIES INTERAXLE	16	95mm / 4.0"	256mm / 10.0"
S293	RSB 403 SERIES, LONG INTERAXLE TATA 2518	20	95mm / 4.0"	262mm / 10.5"
S293 (C)	RSB 403 SERIES,LONG INTERAXLE TATA 2518 COATED	20	95mm / 4.0"	262mm / 10.5"
S293A	RSB 403 SERIES LONG MEDIUM	20	95mm / 4.0"	224mm / 9.0"
S293A (C)	RSB 403 SERIES LONG MEDIUM COATED	20	95mm / 4.0"	224mm / 9.0"
S293B	RSB 325 SERIES,TATA 2515 EX,1613 TURBO	20	84mm / 3.5"	224mm / 9.0"
S293B (C)	RSB 325 SERIES,TATA 2515 EX,1613 TURBO COATED	20	84mm / 3.5"	224mm / 9.0"
S326	RSB 490 SERIES LONG TATA 4018/3118	30	95mm / 4.0"	256mm / 10.0"
S326 (C)	RSB 490 SERIES LONG TATA 4018/3118 COATED	30	95mm / 4.0"	256mm / 10.0"
S326A	RSB 490 SERIES LONG TATA 4018/3118	30	95mm / 4.0"	224mm / 9.0"

REAR HOUSING / SLEEVE BOTTLE

PART NO.	Application	No. of Spline	Pipe Dia mm/inch	Total Length mm/inch
S326A (C)	RSB 490 SERIES LONG TATA 4018/3118 COATED	30	95mm / 4.0"	224mm / 9.0"
S440	TATA LPS 4928,LPTA 3138,LPK2528. L/L 3119N BHARAT	34	91.40mm / 4.0"	268mm / 10.5"
S440 (C)	TATA LPS 4928,LPTA 3138,LPK2528. L/L 3119N BHARAT	34	91.40mm / 4.0"	268mm / 10.5"
S440A	TATA LPS 4928,LPTA 3138,LPK2528. L/L 3119N BHARAT	34	91.40mm / 4.0"	240mm / 9.5"
S440A (C)	TATA LPS 4928,LPTA 3138,LPK2528. L/L 3119N BHARAT	34	91.40mm / 4.0"	240mm / 9.5"
S440B	TATA LPS 4928,LPTA 3138,LPK2528. L/L 3119N BHARAT	34	91.40mm / 4.0"	218mm / 8.5"
S440B (C)	TATA LPS 4928,LPTA 3138,LPK2528. L/L 3119N BHARAT	34	91.40mm / 4.0"	218mm / 8.5"
S442	TATA LPS 4021,MAHINDRA NAVISTAR-4026 LEYLAND	34	114.4mm / 4.5"	195mm / 7.75"
S442 (C)	TATA LPS 4021,MAHINDRA NAVISTAR- 4026 LEYLAND ULE	34	114.4mm / 4.5"	195mm / 7.75"
S444	TATA LPS 4028,LPK 3128 L/L 3123, BHARAT BENZ 2523C, 4023TT, EICHER TERRA 25T MAN CLA 18.28	38	100mm / 4.0"	238mm / 9.25"
S444 (C)	TATA LPS 4028,LPK 3128 L/L 3123, BHARAT BENZ 2523C, 4023TT, EICHER TERRA 25T MAN CLA 18.28 COATED	38	100mm / 4.0"	238mm / 9.25"
S446	TATA LPTA 1828 LPU 2138, L/L HVM 6X6 SHA-8T MERITOR	38	112.3mm / 4.5"	200mm / 8.0"
S446 (C)	TATA LPTA 1828 LPU 2138, L/L HVM 6X6 SHA-8T MERITOR	38	112.3mm / 4.5"	200mm / 8.0"
S448 (C)	TATA LPTA-1628 2038-L/L 4936,BHARAT BENZ LTPA-1628	38	108.3mm / 4.5"	212mm / 8.25"
S538 (C)	RSB 590 9" COATED	30	95mm / 4.0"	224mm / 9.0"
S558 (C)	TATA 3118 RSB 590 8" LENGTH	30	95mm / 4.0"	195mm / 7.75"
S560 (C)	TATA 2518 FOR H/Y WELD WELTCH DESIGN COATED	20	95mm / 4.0"	224mm / 9.0"
S580 (C)	TATA 2518 FOR H/Y WELD WELTCH DESIGN COATED	20	95mm / 4.0"	200mm / 8.0"
S618 (C)	SLEEVE BOTTLE SPR 2045 COATED	38	100.45mm / 4.0"	277mm / 11.0"
S673 (C)	TATA 2518	34	91.4mm / 4.0"	240mm / 9.5"
S674 (C)	TATA 2518	34	91.4mm / 4.0"	218mm / 8.5"
S701 (C)	TATA 2515 AL 2518 BSIV	34	95mm / 4.0"	224mm / 9.0"

YOKE & TEETH SET



PART NO.	Application	No. of Splines	Cross Size	Pipe Dia in mm / Inch
S4	TATA 1312/1612/1510/2416/2213	16	46mm	84mm / 3.5"
S4(C)	TATA 1312/1612/1510/2416/2213 COATED	16	46mm	84mm / 3.5"
S4A	TATA 1312 LONG	16	46mm	84.4mm / 3.5"
S4A(C)	TATA 1312 LONG COATED	16	46mm	84.4mm / 3.5"
S4B	TATA INTERAXLE L/L 2516	30/16	34.92 X 126.2	84.4mm / 3.5"
S4B(C)	TATA INTERAXLE L/L 2516 COATED	30/16	34.92 X 126.2	84.4mm / 3.5"
S5A	TATA 2516 LPK	30	41.27 X 126	84.4mm / 3.5"
S5A(C)	TATA 2516 LPK COATED	30	41.27 X 126	84.4mm / 3.5"
S5B	TATA 4018	16	49.2 X 154.8	95mm / 4.0"
S5B (C)	TATA 4018 COATED	16	49.2 X 154.8	95mm / 4.0"
S29	TATA 1210 SE	10	38mm	68.2mm / 2.75"
S29 (C)	TATA 1210 SE COATED	10	38mm	68.2mm / 2.75"
S55	TATA 1210	10	38mm	64mm / 2.5"
S55 (C)	TATA 1210 COATED	10	38mm	64mm / 2.5"
S83	TATA 407	16	30 X 81.8	54mm / 2.0"
S83 (C)	TATA 407 COATED	16	30 X 81.8	54mm / 2.0"

YOKE & TEETH SET

PART NO.	Application	No. of Splines	Cross Size	Pipe Dia in mm / Inch
S84	TATA 407 TURBO BEARING 88507	16	27 X 81.8	59.5mm / 2.25"
S84 (C)	TATA 407 TURBO BEARING 88507 COATED	16	27 X 81.8	59.5mm / 2.25"
S140A	TATA 1613 THICK SPLINE	16	41.27 X 126	95mm / 4.0"
S140A(C)	TATA 1613 THICK SPLINE COATED	16	41.27 X 126	95mm / 4.0"
S265A	TATA 407 TURBO BEARING 6207/88507	16	30.17 X 92	72.2mm / 2.75"
S265A(C)	TATA 407 TURBO BEARING 6207/88507 COATED	16	30.17 X 92	72.2mm / 2.75"
S265B	TATA 407 PICKUP BEARING 6207/88507	16	30.17 X 92	71.8mm / 2.75"
S265B(C)	TATA 407 PICKUP BEARING 6207/88507 COATED	16	30.17 X 92	71.8mm / 2.75"
S268	YOKE 407 + LONG TEETH WITH BEARING 6207	16	30 X 81.8	54mm / 2.0"
S268 (C)	YOKE 407 + LONG TEETH WITH BEARING 6207 COATED	16	30 X 81.8	54mm / 2.0"
S287	TATA 407 TURBO EX/709/909 WITH BEARING 6208	16	30.17 X 92	71.8mm / 2.75"
S287 (C)	TATA 407 TURBO EX/709/909 WITH BEARING 6208 COATED	16	30.17 X 92	71.8mm / 2.75"
S309	TATA 4018 LONG 3118/2521 AMW 2518 MAN 25T	16	49.2 X 154.8	95mm / 4.0"
S309 (C)	TATA 4018 LONG 3118/2521 AMW 2518 MAN 25T COATED	16	49.2 X 154.8	95mm / 4.0"
S334	407 PICK UP	16	34.92 x 106	84.7mm / 3.5"
S334 (C)	407 PICK UP COATED	16	34.92 x 106	84.7mm / 3.5"
S334A	407 PICK UP, EICHER CANTER 11.10,11.10-XP	16	34.92 x 106	71.8mm / 2.75"
S334A(C)	407 PICK UP, EICHER CANTER 11.10,11.10-XP COATED	16	34.92 x 106	71.8mm / 2.75"
S367	TATA 2518	16	46mm	95mm / 4.0"
S367 (C)	TATA 2518 COATED	16	46mm	95mm / 4.0"
S394	TATA 407 6 WHEELER WITH BEARING 6207 SPLINES 407 O/M	16	30.17 X 106	71.8mm / 2.75"
S394 (C)	TATA 407 6 WHEELER WITH BEARING 6207 SPLINES 407 O/M COATED	16	30.17 X 106	71.8mm / 2.75"
S429	YOKE & TEETH SET 407 TURBO N/M MSL BEARING 88508/6208	16	34.92 X 126.2	71.8mm / 2.75"
S429 (C)	YOKE & TEETH SET 407 TURBO N/M MSL BEARING 88508/6208 COATED	16	34.92 X 126.2	71.8mm / 2.75"

YOKE & TEETH SET

PART NO.	Application	No. of Splines	Cross Size	Pipe Dia in mm / Inch
S138	TATA 2515/2518 L/L 2516/3516 10"(THIN SPLINE)	30	41.27 X 126	95mm / 4.0"
S138 (C)	TATA 2515/2518 L/L 2516/3516 10"(THIN SPLINE) COATED	30	41.27 X 126	95mm / 4.0"
S138A	TATA 2515/2518 L/L 2516/3516 10"(THICK SPLINE)	16	41.27 X 126	95mm / 4.0"
S138A(C)	TATA 2515/2518 L/L 2516/3516 10"(THICK SPLINE) COATED	16	41.27 X 126	95mm / 4.0"
S139A	L/L 2214 MSL SHAFT	16	47.62 X 135	95mm / 4.0"
S139A(C)	L/L 2214 MSL SHAFT COATED	16	47.62 X 135	95mm / 4.0"
S140	L/L 8" (THIN SPLINE)	30	41.27 X 126	95mm / 4.0"
S140 (C)	L/L 8" (THIN SPLINE) COATED	30	41.27 X 126	95mm / 4.0"
S177	L/L TUSKER 3"	16	34.92 X 126.2	71.5mm / 2.75"
S177(C)	L/L TUSKER 3" COATED	16	34.92 X 126.2	71.5mm / 2.75"
S177A	L/L 1613 TURBO	16	34.92 X 126.2	84mm / 3.5"
S177A(C)	L/L 1613 TURBO COATED	16	34.92 X 126.2	84mm / 3.5"
S178	L/L TUSKER 3.5" TATA 1510 TC	16	34.92 X 126.2	84.4mm / 3.5"
S178(C)	L/L TUSKER 3.5" TATA 1510 TC COATED	16	34.92 X 126.2	84.4mm / 3.5"
S194	L/L TAURUS	16	47.62 X 135	82.7mm / 3.5"
S194(C)	L/L TAURUS COATED	16	47.62 X 135	82.7mm / 3.5"
S195	L/L TAURUS N/M EXTRA LONG	16	47.62 X 135	82.7mm / 3.5"
S195(C)	L/L TAURUS N/M EXTRA LONG COATED	16	47.62 X 135	82.7mm / 3.5"
S252A	L/L E-COMET L/L STAG	16	34.92 X 126.2	84mm / 3.5"
S252A(C)	L/L E-COMET L/L STAG COATED	16	34.92 X 126.2	84mm / 3.5"
S393	L/L 1613 TURBO	16	41.27 X 126	82.7mm / 3.5"
S393(C)	L/L 1613 TURBO COATED	16	41.27 X 126	82.7mm / 3.5"
S393A	L/L 1613 TURBO	16	41.27 X 126	84mm / 3.5"
S393A(C)	L/L 1613 TURBO COATED	16	41.27 X 126	84mm / 3.5"

YOKE & TEETH SET

PART NO.	Application	No. of Splines	Cross Size	Pipe Dia in mm / Inch
S534S(C)	SET L/L 3118 SPL 90 MSL TYPE COATED	16	41.27 X 126	95mm / 4.0"
S237	CANTER	16	30.17 X 106	71.5mm / 2.75"
S237(C)	CANTER COATED	16	30.17 X 106	71.5mm / 2.75"

SLIP YOKE ASSY./ SLEEVE YOKES



PART NO.	Application	No. of Splines	Cross Size	Total Length mm/inch
S6	TATA 1312/1612 2416/2213	16	46mm	265mm / 10.5"
S6A	TATA 1312 LONG	16	46mm	309mm / 12.25"
S6B	TATA 4018,L/L 2516	16	49.2 X 154.8	281mm / 11.0"
S7B	TATA INTERAXLE 2516	30/16	34.92 X 126.2	356mm / 14.0"
S30	TATA 1210 SE	10	38mm	215mm / 8.5"
S56	TATA 1210	10	38mm	207mm / 8.0"
S85	TATA 407	16	30 X 81.8	168mm / 6.5"
S86	TATA 407 TURBO	16	27 X 81.8	168mm / 6.5"
S95	TATA 407/1210 CONVERTED	10	38mm	207mm / 8.0"
S288	CANTER TATA 407 TURBO EX 709/909	16	30.17 X 106	195mm / 7.75"
S310	TATA 3118 (4018 LONG) 2518/2521 AMW 2518, MAN 25T	16	49.2 X 154.8	329mm / 13.0"
S357	SLEEV YOKE AMW 2518 INTERAXLE SHAFT SPICER TYPE	16	41.27 X 126	305mm / 12.0"
S386	TATA 407 PICK UP	16	34.92 X 106	197mm / 8.0"
S428	SLEEV YOKE TATA 407 TURBO N/M MSL	16	34.92 X 126.2	200mm / 8.0"
S470	407 PICKUP	16	30.17 X 106	186mm / 7.25"
S534	L/L 3118 SPL 90 MSL TYPE SIILAR K269A	16	41.27 X 126	355mm / 14.0"
S238	CANTER TATA 407 TURBO EX 709/909	16	30.17 X 106	194mm / 7.5"
S141	L/L 2214 10" (THIN SPLINES)	30	41.27 X 126	296mm / 11.75"

SLIP YOKE ASSY./ SLEEVE YOKES

PART NO.	Application	No. of Splines	Cross Size	Total Length mm/inch
S141A	L/L 2214 10"(THICK SPLINES) TAAT 2515 EX	16	41.27 X 126	296mm / 11.75"
S143	L/L 8" 3516/3014/4018 TATA 1616/1613	30	41.27 X 126	253mm / 10.0"
S143A	L/L 8" 3516/3014/4018 TATA 1616/1613	16	41.27 X 126	253mm / 10.0"
S162	L/L 350/370 J4/J6 BEDFORD	16	39.68 X 115.4	202mm / 8.0"
S179	L/L TUSKER TATA 1510 TC	16	34.92 X 126.2	207mm / 8.0"
S179A	L/L 1613 TURBO EURO 11	16	34.92 X 126.2	246mm / 9.75"
S196	L/L TAURUS	16	47.62 X 135	240mm / 9.5"
S197	L/L TAURUS LONG	16	47.62 X 135	269mm / 10.5"
S252	L/L E.COMET STAG	16	34.92 X 126.2	265mm / 10.5"
S269	TATA L/L 1/A 1710 SERIES	16	34.92 X 126.2	341mm / 13.5"
S269A	TATA L/L 1/A 1710 SERIES	16	41.27 X 126	359mm / 14.0"
S485	TATA L/L 1/A 1710 SERIES	16	41.27 X 126	325mm / 12.75"

SLIP STUB SHAFT / REAR TEETH



PART NO.	Application	No. of Splines	Pipe Dia mm/inch	Total Length mm/inch
S8	TATA 1312,1612 2213/1510	16	84mm / 3.50"	291mm / 11.50"
S8 (C)	TATA 1312,1612 2213/1510 COATED	16	84mm / 3.50"	291mm / 11.50"
S8A	TATA 1312 LONG	16	84mm / 3.50"	338mm / 13.25"
S8A(C)	TATA 1312 LONG COATED	16	84mm / 3.50"	338mm / 13.25"
S8B	TATA 4018 AMW	16	95mm / 4.00"	265mm / 10.50"
S8B(C)	TATA 4018 AMW COATED	16	95mm / 4.00"	265mm / 10.50"
S9A	TATA LPK 10" THIN SPLINE	30	84.4mm / 3.50"	265mm / 10.50"
S9A (C)	TATA LPK 10" THIN SPLINE COATED	30	84.4mm / 3.50"	265mm / 10.50"
S9B	TATA INTERAXLE 2516	30/16	84.4mm / 3.50"	313mm / 12.25"
S9B (C)	TATA INTERAXLE 2516 COATED	30/16	84.4mm / 3.5"	313mm / 12.25"
S31	TATA 1210 SE	10	68.2mm / 2.75"	223mm / 8.75"
S31 (C)	TATA 1210 SE COATED	10	68.2mm / 2.75"	223mm / 8.75"
S57	TATA 1210	10	64mm / 2.50"	224mm / 8.75"
S57 (C)	TATA 1210 COATED	10	64mm / 2.50"	224mm / 8.75"
S87	TATA 407	16	54mm / 2.00"	168mm / 6.50"
S87 (C)	TATA 407 COATED	16	54mm / 2.00"	168mm / 6.50"
S88	TATA 407 TURBO	16	59.5mm / 2.25"	198mm / 8.00"
S88 (C)	TATA 407 TURBO COATED	16	59.5mm / 2.25"	198mm / 8.00"

SLIP STUB SHAFT / REAR TEETH

PART NO.	Application	No. of Splines	Pipe Dia mm/inch	Total Length mm/inch
S97	TATA 407/1210 CONVERTED	10	54mm / 2.00"	212mm / 8.25"
S97 (C)	TATA 407/1210 CONVERTED COATED	10	54mm / 2.00"	212mm / 8.25"
S146D	TATA 1613	16	82.7mm / 3.50"	226mm / 9.00"
S146D(C)	TATA 1613 COATED	16	82.7mm / 3.50"	226mm / 9.00"
S266	TATA 407 TURBO N/M MSL TYPE BEARING NO.88507/6207	16	72.2mm / 2.75"	201mm / 8.00"
S266 (C)	TATA 407 TURBO N/M MSL TYPE BEARING NO.88507/6207 COATED	16	72.2mm / 2.75"	201mm / 8.00"
S268A	TATA 407 TURBO N/M BEARING NO.88507/6207	16	54mm / 2.0"	226mm / 9.00"
S268A(C)	TATA 407 TURBO N/M BEARING NO.88507/6207 COATED	16	54mm / 2.0"	226mm / 9.00"
S289	TATA 407 TURBO EX/709/909 BEARING NO.6208/88508	16	71.8mm / 2.75"	230mm / 9.00"
S289 (C)	TATA 407 TURBO EX/709/909 BEARING NO.6208/88508 COATED	16	71.8mm / 2.75"	230mm / 9.00"
S311	TATA 3118 4018 EXTRA LONG	16	95mm / 4.00"	295mm / 11.50"
S311 (C)	TATA 3118 4018 EXTRA LONG COATED	16	95mm / 4.00"	295mm / 11.50"
S387	TATA 407 PICK UP	16	84.7mm / 3.50"	192mm / 7.50"
S387 (C)	TATA 407 PICK UP COATED	16	84.7mm / 3.50"	192mm / 7.50"
S387A	TATA 407 PICK UP	16	71.8mm / 2.75"	192mm / 7.50"
S387A(C)	TATA 407 PICK UP COATED	16	71.8mm / 2.75"	192mm / 7.50"
S471	407 PICK UP	16	71.8mm / 2.75"	230mm / 9.00"
S471 (C)	407 PICK UP COATED	16	71.8mm / 2.75"	230mm / 9.00"
S535 (C)	L/L 3118 MSL TYPE LONG 4018 13"COATED	16	95mm / 4.00"	323mm / 12.75"
S597 (C)	TATA 4018 COATED	16	95mm / 4.00"	295mm / 11.5"
S240	CANTER EICHER	16	71.5mm / 2.75"	170mm / 6.75"
S240 (C)	CANTER EICHER COATED	16	71.5mm / 2.75"	170mm / 6.75"
S144	10" (THIN SPLINES) L/L 2214/3516	30	95mm / 4.00"	270mm / 10.50"
S144 (C)	10" (THIN SPLINES) L/L 2214/3516 COATED	30	95mm / 4.00"	270mm / 10.50"

SLIP STUB SHAFT / REAR TEETH

PART NO.	Application	No. of Splines	Pipe Dia mm/inch	Total Length mm/inch
S144A	10" (THICK SPLINES) L/L 2214/3516	16	95mm / 4.00"	270mm / 10.50"
S144A(C)	10" (THICK SPLINES) L/L 2214/3516 COATED	16	95mm / 4.00"	270mm / 10.50"
S146	L/L 8" 3516/3014/4018 TATA 1616	30	95mm / 4.00"	225mm / 9.00"
S146 (C)	L/L 8" 3516/3014/4018 TATA 1616 COATED	30	95mm / 4.00"	225mm / 9.00"
146A	L/L 3516, 8"(THICK SPLINE)	16	95mm / 4.00"	225mm / 9.00"
146A(C)	L/L 3516, 8"(THICK SPLINE) COATED	16	95mm / 4.00"	225mm / 9.00"
S146B	L/L 1613 TURBO	30	84mm / 3.50"	225mm / 9.00"
S146B(C)	L/L 1613 TURBO COATED	30	84mm / 3.50"	225mm / 9.00"
S163A	L/L 350/370,TUSKER, BEDFORD HALF SPLINE	16	71.5mm / 2.75"	200mm / 8.00"
S163A(C)	L/L 350/370,TUSKER, BEDFORD HALF SPLINE COATED	16	71.5mm / 2.75"	200mm / 8.00"
S164A	L/L 350/370,HALF SPLINES TUSKER BEDFORD TATA 1510TC	16	84.4mm / 3.50"	200mm / 8.00"
S164A(C)	L/L 350/370,HALF SPLINES TUSKER BEDFORD TATA 1510TC COATED	16	84.4mm / 3.50"	200mm / 8.00"
S164B	L/L TURBO STAG,E-COMET	16	84mm / 3.50"	222mm / 8.75"
S164B(C)	L/L TURBO STAG,E-COMET COATED	16	84mm / 3.50"	222mm / 8.75"
S180	L/L 350/370,TUSKER, BEDFORD FULL SPLINE	16	71.5mm / 2.75"	198mm / 8.0"
S180 (C)	L/L 350/370,TUSKER, BEDFORD FULL SPLINE COATED	16	71.5mm / 2.75"	198mm / 8.00"
S181	L/L 350/370,FULL SPLINES TUSKER BEDFORDTATA 1510TC	16	84.4mm / 3.50"	199mm / 8.00"
S181 (C)	L/L 350/370, FULL SPLINES	16	84.4mm / 3.50"	199mm / 8.00"
S198	L/L TARUS	30/16	82.7mm / 3.50"	226mm / 9.00"
S198 (C)	L/L TARUS COATED	16	82.7mm / 3.50"	226mm / 9.00"
S199	L/L TAURUS LONG N/M	16	82.7mm / 3.50"	266mm / 10.50"
S199 (C)	L/L TAURUS LONG N/M COATED	16	82.7mm / 3.50"	266mm / 10.50"
S253	L/L STAG, E.COMET BUS	16	84mm / 3.50"	254mm / 10.00"
S253 (C)	L/L STAG, E.COMET BUS COATED	16	84mm / 3.50"	254mm / 10.00"

MID SLIP STUB SHAFT/ FRONT TEETH



PART NO.	Application	No. of Splines	Pipe Dia mm/inch	Total Length mm/inch
S10	TATA 1312 (72mm)	26	68.2mm / 2.75"	195mm / 8.0"
S11	TATA 1312 (90mm)2416	26	84mm / 3.5"	200mm / 8.0"
S11A	FRONT TEETH TATA 2518N/M	26	84mm / 3.5"	198mm / 8.0"
S32	TATA 1210 SE	14	68.2mm / 2.75"	191mm / 7.5"
S32A	TATA 1210 SE N/M	14	84mm / 3.5"	192mm / 7.5"
S58	TATA 1210	14	64mm / 2.5"	191mm / 7.5"
S120	TATA 1510TC, L/L 1613 TURBO (HEAVY DUTY)	10	84.3mm / 3.5"	144mm / 6.0"
S307	TATA 2515/2518/2416/ L/L BIG HEAD	26	95mm / 4.0"	197mm / 8.0"
S307A	TATA 2515/2518/2416 L/L BIG HEAD DOUBLE STEP	26	95mm / 4.0"	196mm / 8.0"
S350	TATA 3118	16	95mm / 4.0"	189mm / 7.5"
S351	TATA 4018	16	107.7mm / 4.25"	190mm / 7.5"
S380	TATA 2518 BEARING 6013 DOUBLE STEP	26	95mm / 4.0"	174mm / 7.0"
S380A	TATA 2518 SINGLE STEP	26	95mm / 4.0"	175mm / 7.0"
S503	TATA LPK 3118 RSB 690	30	108.4mm / 4.25"	224.5mm / 9.0"
S512	TATA 3127, 2517 BOLT TYPE	20	112.4mm / 4.5"	148mm / 6.0"
S512A	TATA 2518 BOLT TYPE	20	95mm / 4.0"	158.5mm / 6.25"
S533	LPT 5252 CLA 31.28 SDMT2055 BOLT TYPE	26	108.4mm / 4.25"	148.5mm / 6.0"
S556	TATA 4018	26	112.4mm / 4.5"	177mm / 7.0"

MID SLIP STUB SHAFT/ FRONT TEETH

PART NO.	Application (Mid Slip Stub Shaft / Front Teeth)	No. of Splines	Pipe Dia mm/inch	Total Length mm/inch
S562	TATA 3118 BOLT TYPE	26	95mm / 4.0"	168.5mm / 6.5"
S563	TATA 4018	46	95mm / 4.0"	189mm / 7.5"
S582	TATA 709/909 MSL TYPE	16	70mm / 2.75"	144mm / 5.75"

TUBE YOKE / HALF YOKE



PART NO.	Application	Cross Size	Pipe Dia mm/inch	Total Length mm/inch
S12	TATA 1312 (72MM)	46mm	72mm / 2.75"	136mm / 5.25"
S13	TATA 1312 (90MM)	46mm	84mm / 3.5"	136mm / 5.25"
S13A	TATA 4018/3118 L.P.O 1623/1618/1615/1625/L/L2515/3213/	49.2 X154.8	95mm / 4.0"	142mm / 5.5"
S13B	TATA L/L INTERAXLE 1710 SERIES,L/L 2516 TIPPER INTERAXLE	34.92 X 126.2	95mm / 4.0"	110mm / 4.25"
S33	TATA 1210 SE	38mm	68.2mm / 2.75"	120mm / 4.75"
S59	TATA 1210	38mm	64mm / 2.5"	122mm / 4.75"
S90	TATA 407	30 X 81.80	54mm / 2.0"	95mm / 3.75"
S149B	TATA LPK 2516,1615	41.27 X 126	84mm / 3.5"	132mm / 5.25"
S260	RSB 2515 EX (325 SERIES)	42 X 119	84mm / 3.5"	131mm / 5.25"
S261	RSB 2518 (403 SERIES)	42 X 129	95mm / 4.0"	139mm / 5.5"
S261A	RSB-2515 EX (325 SERIES) 4" Pipe Fitting	42 X 119	95mm / 4.0"	133mm / 5.25"
S261B	RSB-2518 LONG 403 SERIES HT 145MM	42 X 129	95mm / 4.0"	148mm / 6.0"
S262	RSB 4018 (490SERIES)	48 X 135	95mm / 4.0"	138mm / 5.5"
S290	TATA 407 TURBO EX 909,709 LPK	30.17 X 106	71.5mm / 2.75"	93mm / 3.75"
S290A	TATA 407 TML/MSM 900	30.17 X 92	71.5mm / 2.75"	97mm / 4.0"
S337	TATA 1109	34.92 x 126.2	84.15mm / 3.5"	111mm / 4.5"
S388	TATA 4018 RSB EXTRA LONG	48 x 135	95mm / 4.0"	138mm / 5.5"
S392	TATA 407 PICK UP	34.92 X 106	84mm / 3.5"	95mm / 3.75"

TUBE YOKE / HALF YOKE

PART NO.	Application	Cross Size	Pipe Dia mm/inch	Total Length mm/inch
S392A	TATA 407 PICK UP	34.92 X 106	72mm / 2.75"	95mm / 3.75"
S472	TATA LPS 4928,LPTA 3138, LPK528 L/L3119N,BHARAT BENZ 2523C,2528C,3128C,4928TT	47.68 X 135	91.35mm / 3.5"	154mm / 6.0"
S473	TATA LPS 4028 LPK 3128, L/L 3123 BHARAT BENZ 2523C	52 X 133	95mm / 4.0"	147.5mm / 6.0"
S474	TATA LPTA1828,LPO 2138,L/L HVM6X6 SHA-8T MERITOR	52 X 147	112.35mm / 4.5"	160mm / 6.25"
S475	TATA LPTA-1628, 2038-L/L 4936, BHARAT BENZ LTPA-1628, LTPA 2038	57 X 152	112.35mm / 4.5"	160mm / 6.25"
S476	TATA LPK 3138,L/L-FV-2636,EICHER 40T TIPPER MAN 31.28	59 X 167.7	118.4mm / 4.75"	166mm / 6.5"
S541	RSB590	52 X 147	95mm / 4.0"	158mm / 6.25"
S616	SPICER 2045	52 X 147	100.3mm / 4.0"	161mm / 6.25"
S630	TATA LPS 4928, LPTA 3138, LPK528 L/L3119N,BHARAT BENZ 2523C, 2528C,3128C,4928TT	47.68 X 135	114.35mm / 4.5"	140mm / 5.5"
S149	L/L 2214 (95MM) TCAC TUSKER SUPER TATA	41.27 X 126	95mm / 4.0"	130mm / 5.0"
S149A	TATA 2518 SPL 90	41.27 X 126	95mm / 4.0"	139mm / 5.5"
S150	L/L 2214 (97MM)	41.27 X 126	97mm / 4.0"	130mm / 5.0"
S184	L/L TUSKER 3"	34.92 x 126.2	71.5mm / 2.75"	109mm / 4.25"
S185	L/L TUSKER 3.5" TATA 1510TC	34.92 x 126.2	84.2mm / 3.5"	103mm / 4.0"
S201	L/L TAURUS	47.62 X 135	82.5mm3.25"	156mm / 6.0"
S242	CANTER	30.17 X 106	71.5mm / 2.75"	97.5mm / 4.0"

FLANGE YOKE / CROSS HOLDER



PART NO.	Application	Cross Size	No. of Holes	Hole Size in mm	Bolt No.	Plate Size mm/ inch	Total Length mm/inch
S14	TATA 1312/1612 2416/2213	46mm	8	10.2mm	17No.	130mm / 5.0"	114mm / 4.5"
S14A	TATA 1312 N/M,TIPPER	46mm	6	10.2mm	17No.	120mm / 4.75"	114mm / 4.5"
S14B	TATA 2515 TC L/L2516,TUSKER LONG INTERAXLE	34.92 X 126.2	4	12.8mm	21No.	SQUARE	105mm / 4.0"
S14C	TATA 2518 LPO 1616 BUS 1625 BUS LPO 1628/LPO 2521	41.27 X 126	8	12.2mm	19No.	150mm / 6.0"	116mm / 4.5"
S14D	TATA 4018 PATTI TYPE	49.2 X 154.8	8	16.2mm	24No.	165mm / 6.5"	134mm / 5.25"
S14G	RSB BIG 403 SERIES TATA 2518	42 X 129	8	16.2mm	24No.	165mm / 6.5"	133mm / 5.25"
S14H	TATA 2518 LPK	46mm	8	12.2mm	19No.	150mm / 6.0"	124mm / 5.0"
S14-1	RSB 4018	48 X 135	8	16.2mm	24No.	165mm / 6.5"	125mm / 5.0"
S14EX	TATA 2515 EX (BIG NUT)	41.27 X 126	8	10.2mm	17No.	130mm / 5.0"	113mm / 4.5"
S14FX	RSB 325 SERIWS TATA 2515 EX BIG NUT	42 X 119	8	10.2mm	17No.	130mm / 5.0"	114mm / 4.5"
S60	TATA 1210	38mm	6	10.2mm	17No.	120mm / 4.75"	90mm / 3.5"
S60A	TATA 1210 N/M	38mm	8	10.2mm	17No.	130mm / 5.0"	90mm / 3.5"
S91	TATA 407	30 X 81.80	6	8.2mm	13No.	100mm / 4.0"	73mm / 3.0"
S241	CANTER	30.17 X 106	4	12.2mm	19No.	SQUARE	75mm / 3.0"
S264	TATA 407 TURBO N/M	30.17 X 92	6	8.2mm	13No.	100mm / 4.0"	70mm / 2.75"
S274	TATA 1312 O.E TYPE	46mm	8	10.2mm	17No.	130mm / 5.0"	116mm / 4.5"
S276	TATA 2518 N/M (RSB TYPE)	42 X 119	8	12.2mm	19No.	150mm / 6.0"	107mm / 4.25"
S285	TATA 3118/2521 L/L 3116/1616 (SERATED)	41.27 X 126	4	13.0mm	19No.	150mm / 6.0"	104mm / 4.0"

FLANGE YOKE / CROSS HOLDER

PART NO.	Application	Cross Size	No. of Holes	Hole Size in mm	Bolt No.	Plate Size mm/ inch	Total Length mm/inch
S291	TATA 407 TURBO EX 410/709/909	30.17 X 106	6	10.2mm	17No.	120mm / 4.75"	87mm / 3.5"
S291A	TATA 407 PICK UP	34.92 X 106	6	10.2mm	17No.	120mm / 4.75"	88mm / 3.5"
S292	RSB 403 SERIES TAAT 2518,SERRATED,HT.125MM	42 X 129	4	13.0mm	19No.	150mm / 6.0"	128mm / 5.0"
S292A	RSB 403 SERIES TAAT 2518,SERRATED,HT.110MM	42 X 129	4	13.0mm	19No.	150mm / 6.0"	110mm / 4.25"
S294	RSB 490 TATA 4018 (SERRATED) HEIGHT 4"HT.115	48 X 135	4	13.0mm	19No.	150mm / 6.0"	119mm / 4.75"
S295	TATA 3118/1618/2518 252/AMW 2518L/L 2516/4921	49.2 X 154.8	4	13.0mm	19No.	150mm / 6.0"	113mm / 4.5"
S295A	TATA 1623/1625/1628 (SERRATED) HT.120MM	49.2 X 154.8	4	15.0mm	22No.	180mm / 7.0"	120mm / 4.75"
S298	TATA 2518 N/M (RSB BIG TYPE)	42 X 129	8	12.2mm	19No.	150mm / 6.0"	116mmm / 4.5"
S299	TATA 2518 TC N/M TUSKER LONG	41.27 X 126	4	12.8mm	21No.	SQUARE	105mm / 4.25"
S304	TATA 4018 SERRATED	49.2mm	4	13.0mm	19No.	150mm / 6.0"	115mm / 4.5"
S329	TATA 2515 EX (SERRATED) HT.110MM	42 X 119	4	11.1mm	18No.	150mm / 6.0"	107mm / 4.25"
S329A	TATA 2515 EX (SERRATED) HT.110MM	42 X 119	4	13.0mm	19No.	150mm / 6.0"	110mm / 4.25"
S330	AMW 2518/ EICHER 40.25	49.2 X 154.8	12	12.2mm	19No.	200mm / 8.0"	109mm / 4.25"
S331	RSB 490 SERIES TATA 4018 (SERRATED) HEIGHT	48 X 135	4	13.0mm	19No.	150mm / 6.0"	133mm / 5.25"
S335	TATA 1109	34.92 X 126.2	8	10.2mm	17No.	130mm / 5.0"	115mm / 4.5"
S335A	TATA 1109	34.92 X 126.2	6	10.2mm	17No.	120mm / 4.75"	90mm / 3.5"
S369	CANTER SERRATED	30.17 X 106	4	11.1mm	18No.	120mm / 4.75"	82nn / 3.25"
S370	TATA 2518 SERRATED HT 130MM	41.27 X 126	4	13.0mm	19No.	150mm / 6.0"	118mm / 3.25"
S371	RSB 490 SERIES TATA 4018 (SERRATED) L/L 4921,HT.110	48 X 135	4	15.0mm	22No.	180mm / 7.0"	112mm / 4.5"
S372	RSB 490 SERIES TATA 4018 (SERRATED) L/L 4921,HT. 110	48 X 135	4	15.0mm	22No.	180mm / 7.0"	126mm / 5.0"
S373	TATA 4018 HYWA SPL 90 HT 135MM	41.27 X 126	8	16.0mm	24No.	165mm / 6.5"	133mm / 5.25"
S374	TATA 2518 SPL 90 SERRATED	41.27 X 126	4	11.1mm	18No.	130mm / 5.0"	107mm / 4.25"
S477	TATA 3118/1618/2518/2521/AMW 2518 L/L 2516/4921/	49.0 X 154.8	4	13.0mm	19No.	150mm / 6.0"	62mm / 5.0"
S478	TATA LPS 4928,LPTA 3138,LPK 2528, L/L 3119N,BHARAT	47.68 X 135	4	13.0mm	19No.	150mm / 6.0"	138mm / 5.5"

FLANGE YOKE / CROSS HOLDER

PART NO.	Application	Cross Size	No. of Holes	Hole Size in mm	Bolt No.	Plate Size mm/ inch	Total Length mm/inch
S479	TATA LPS 4028,LPK 3128 L/L 3123,NHARAT BENZ 2523C,	52 X 147	4	13.0mm	19No.	150mm / 6.0"	125mm / 5.0"
S479A	TATA 4018 SERRATED	52 X 147	4	15.0mm	22No.	180mm / 7.0"	123mm / 4.75"
S480	TATA LPTA1828 LPO 2138, L/L HMV 6X6 SHA-8T MERITOR	52 X 133	4	15.0mm	22No.	180mm / 7.0"	130mm / 5.0"
S481	TATA LPTA-1628 2038-L/L 4936 BHARAT BENZ LTPA-1628,	57 X 152	4	15.0mm	22No.	180mm / 7.0"	137mm / 5.5"
S482	TATA LPK 3138,L/L-FV-2636,EICHER 40T TIPPER, MAN 31.	59 X 167.7	4	15.0mm	22No.	180mm / 7.0"	143mm / 5.75"
S528	TATA 3118 RSB 590 (6")SPR 2045 SERRATED	52 X147	4	13.0mm	19No.	150mm / 6.0"	140mm / 5.5"
S529	TATA 3118 RSB 590 (7")SPR2045 SERRATED	52 X147	4	15.0mm	22No.	180mm / 7.0"	140mm / 5.5"
S542	L/L 2516 TUSKER SERRATED	34.92 X 126.2	4	13.0mm	19No.	150mm / 6.0"	93mm / 3.75"
S543	TATA 3118 SPR 2040 SERRATED	47.68 X 135	4	15.0mm	22No.	180mm / 7.0"	130mm / 5.0"
S561	SWARAJ MAZDA ROUND 120MM	30.17 X 106	4	11.1mm	18No.	120mm / 4.75"	61mm / 2.5"
S571	TATA 909 LPK LPO 407/LPT 709 120mm DIA (3-2-15) Serrated	34.92 X 106	4	11.1mm	18No.	120mm / 4.75"	89mm / 3.5"
S631	TATA 3118 SPL 2040 SERRATED	47.68 X 135	4	15.0mm	22No.	150mm / 6.0"	115mm / 4.5"
S637	TAAT 2518 CROSS HOLDER SPL 2040 SERRATED	47.68 X 135	4	13.0mm	19No.	150mm / 6.0"	119mm / 4.75"
S151	L/L 2214 2516/1616/TC AC/EICHER	41.27 X 126	8	9.7mm	15No.	175mm / 7.0"	116mm / 4.5"
S167	L/L 350/370 BEDFORD	39.68 X 115.4	4	12.8mm	21No.	146mm / 6.0"	98mm / 4.0"
S186	L/L TUSKER	34.92 X 126.2	4	12.8mm	21No.	SQUARE	80mm / 3.0"
S202	L/L TAURUS	47.62 X 135	8	9.7mm	15No.	175mm / 7.0"	110mm / 4.25"
S368	L/L 2516 RSB SERIES	42 X 129	8	9.7mm	15No.	175mm / 7.0"	136mm / 5.5"
S375	L/L IVECOSERATED	34.92 X 126.2	4	11.1mm	18No.	120mm / 4.75"	91mm / 3.5"
S581	TATA 2518	42 X 119	4	13.0mm	19No.	150mm / 6.0"	128mm / 5.0"

COUPLINGS



PART NO.	Application	No. of Spline	No. of Holes	Hole Size in mm	Bolt No.	Plate Size mm/ inch	Total Length mm/inch
S15	CENTRE COUP.TATA 2416	26	8	10.2mm	17No.	130mm / 5.0"	76mm / 3.0"
S16	CENTRE COUP.TATA 1312	14	8	10.2mm	17No.	130mm / 5.0"	64.5mm / 2.5"
S17	GEAR COUP. TATA 1312	16	8	10.2mm	17No.	130mm / 5.0"	69.5mm / 2.75"
S17A	GEAR COUP. TATA 909 HT 61MM	16	8	10.2mm	17No.	130mm / 5.0"	61mm / 2.5"
S18	DIFF. COUP TATA 1312	26	8	10.2mm	17No.	130mm / 5.0"	61mm / 2.5"
S22E	DIFF. COUP. TATA 4018 N/M	26	8	16.2mm	24No.	165mm / 6.5"	76mm / 3.0"
S36	GEAR COUP. GBS-40	16	6	10.2mm	17No.	120mm / 4.75"	63mm / 2.5"
S61	CENTRE COUP. TATA 1210	14	6	10.2mm	17No.	120mm / 4.75"	62mm / 2.5"
S62	GEAR COUP TATA 1210	14	6	10.2mm	17No.	120mm / 4.75"	62mm / 2.5"
S63	DIFF. COUP. TATA 1210	26	6	10.2mm	17No.	120mm / 4.75"	61mm / 2.5"
S92	CENTRE COUP. TATA 407	16	6	8.2mm	13No.	100mm / 4.0"	57mm / 2.25"
S93	GEAR COUP. TATA 407	16	6	8.2mm	13No.	100mm / 4.0"	57mm / 2.25"
S94	DIFF COUP. TATA 407	16	6	8.2mm	13No.	100mm / 4.0"	57mm / 2.25"
S98	CENTRE COUP. CONVT 407/1210	16	6	10.2mm	17No.	120mm / 4.75"	54.5mm / 2.25"
S99	GEARE COUP. CONVT 407/1210	16	6	10.2mm	17No.	120mm / 4.75"	54.5mm / 2.25"
S124	GEAR COUP.TC	16	4	Thread	Thread	Patti Type	100.5mm / 4.0"
S125	DIFF. COUP. 1510 TC SPICER TYPE	26	4	Thread	Thread	Patti Type	112.5mm / 4.5"
S277	CENTRE COUP. 2416 N/M HEIGHT 4" TATA 2515	26	8	10.2mm	17No.	130mm / 5.0"	92mm / 3.75"

COUPLINGS

PART NO.	Application	No. of Spline	No. of Holes	Hole Size in mm	Bolt No.	Plate Size mm/ inch	Total Length mm/inch
S316	CENTRE / DIFF. FLANGE SMALL TATA 2518 HT.63MM	26	4	13mm	19No.	150mm / 6.0"	61mm / 2.5"
S316A	DIFF COUP. TATA 2518 CUT TYPE	26	4	13mm	19No.	150mm / 6.0"	61mm / 2.5"
S317	CENTRE / DIFF. FLANGE BIG TATA 2518 HT.82MM	26	4	13mm	19No.	150mm / 6.0"	79.5mm / 3.25"
S317A	CENTRE / DIFF. FLANGE BIG TATA 2518 HT.82MM	26	8	12.2mm	19No.	150mm / 6.0"	79.5mm / 3.25"
S319	GEAR COUP. TATA GBS 75 2518/ 4018 HT. 110MM	26	4	13mm	19No.	150mm / 6.0"	109.5mm / 4.25"
S376	CENTRE COUP. TATA 3118	16	4	13mm	19No.	150mm / 6.0"	80mm / 3.25"
S377	CENTRE COUP TATA 2518 HT 95MM	26	4	13mm	19No.	150mm / 6.0"	95mm / 3.5"
S484	TATA 3128, L/L FV 3136	26	4	13mm	19No.	150mm / 6.0"	84mm / 3.5"
S532	CENTRE COUP. TATA 3138 SDCF 2065	26	4	15mm	22No.	180mm / 7.0"	95.5mm / 3.75"
S536	DIFF COUP. TATA 709 (K36 SMALL)	16	6	10.2mm	17No.	120mm / 4.75"	58mm / 2.25"
S567	GEAR COUP. GBS-1150	26	4	13mm	19No.	150mm / 6.0"	90mm / 3.5"
S568	GEAR COUP. GBS-1150	26	4	15mm	22No.	180mm / 7.0"	90mm / 3.5"
S574	CENTRE COUP. TATA 2518 (K319 CUT TYPE)	26	4	13mm	19No.	150mm / 6.0"	109.5mm / 4.25"
S583	CENTRE COUP. TATA 709/909 MSL TYPE	16	6	10.2mm	17No.	120mm / 4.75"	71.5mm / 2.75"
S638	CENTRE COUP. TATA 2518 HT 95MM CUT-TYPE	26	4	13mm	19No.	150mm / 6.0"	96mm / 3.75"
S519	EICHER 11.10	16	4	12.8mm	19No.	Square	97mm / 4.0"
S522	EICHER 10.50	14	4	12.2mm	19No.	125mm / 5.0"	66.5mm / 2.75"
S205	CENTRE COUP. L/L TAURUS 1616	16	8	9.7mm	15No.	175mm / 7.0"	92mm / 3.75"
S366	GEAR COUPLING GB-75 TATA 4018, L/L 2518	26	4	15mm	22No.	180mm / 7.0"	109.5mm / 4.25"
S379	DIFF . COUP. L/L 2516	26	8	9.7mm	15No.	175mm / 7.0"	95mm / 3.5"
S483	TATA LPT 3127, 2527, LPK 3128. L/L FVDP 3123,2523	20	4	15mm	22No.	180mm / 7.0"	70.5mm / 2.75"
S483A	CENTRE COUP. TATA 3118 ROUND	20	4	13mm	19No.	150mm / 6.0"	73.5mm / 3.0"
S527	CENTRE COUP. TATA 3118 CUT TYPE	20	4	13mm	19No.	155mm / 6.0"	71mm / 2.75"
S572	VENTRE COUP. TATA 3118 CUT TYPE OIL SEAR 63MM	20	4	13mm	19No.	155mm / 6.0"	70.5mm / 2.75"

THROUGH SHAFTS



PART NO.	Application	No. of Splines	Lenght mm/inch
S397	TATA 2516 (L/L 2214)	34 X 32	385mm / 15.0"
S398	TATA 2518	39 X 20	430mm / 17.0"
S399	MERITOR TYPE	26 X 35	523mm / 21.0"
S400	DANA SPICER TYPE	39 X 34	379mm / 15.0"
S745	TATA LPK 2528 T.C O.E.M No. 273935107902	24 X 40	458mm / 18.0"