

## PROFESYONEL ÇÖZÜM ORTAĞINIZ

## Since 1990...





**SERTİFİKA**

TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

İşbu sertifika ile

**BÖRFH KİMYA SANAYİ TİCARET ANONİM ŞİRKETİ**  
HİCRİYE MAH. YUKARI SOKAK NO:36A HENDEK  
54300 SAKARYA / TÜRKİYE

şirketinin,  
**AERESOL ÜRÜNLER, ARAÇ TEMİZLİK VE BAKIM  
ÜRÜNLERİ ÜRETİM, DOLUM VE SATIŞI**  
**KİŞİSEL TEMİZLİK ÜRÜNLERİ SATIŞI**

konusunda bir Kalite Yönetim Sistemi'ni yürütürdüğü  
kayıdığını ve uygulamakta olduğunu teyit eder:  
712925534 sayılı raporadaki inceleme ile

**ISO 9001:2015**  
şartlarının sağlanıp sağlanmadığını kanıtlamıştır.

İşbu sertifika, gözlem denetimlerinin gerçekleştirilmesi  
koşullarıyla geçerlidir.

Sertifika Kayıt No: 24 3 712925534

İlk Yayın Tarihi: 08.03.2021  
Yayın Tarihi: 23.02.2024  
Geçerlilik Tarihi: 07.03.2027  
Revizyon Tarihi / Rev. No: - / -

24-SER-01451

ASB

TÜRKİYE  
TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

ISO 9001:2015

24-SER-01451

ASB

TÜRKİYE  
TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

**SERTİFİKA**

TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

İşbu sertifika ile

**BÖRFH KİMYA SANAYİ TİCARET ANONİM ŞİRKETİ**  
HİCRİYE MAH. YUKARI SOKAK NO:36A HENDEK  
54300 SAKARYA / TÜRKİYE

şirketinin,  
**AERESOL ÜRÜNLER, ARAÇ TEMİZLİK VE BAKIM  
ÜRÜNLERİ ÜRETİM, DOLUM VE SATIŞI**  
**KİŞİSEL TEMİZLİK ÜRÜNLERİ SATIŞI**

konusunda bir Kalite Yönetim Sistemi'ni yürütürdüğü  
kayıdığını ve uygulamakta olduğunu teyit eder:  
712925534 sayılı raporadaki inceleme ile

**ISO 9001:2015**  
şartlarının sağlanıp sağlanmadığını kanıtlamıştır.

İşbu sertifika, gözlem denetimlerinin gerçekleştirilmesi  
koşullarıyla geçerlidir.

Sertifika Kayıt No: 24 3 712925534

İlk Yayın Tarihi: 08.03.2021  
Yayın Tarihi: 23.02.2024  
Geçerlilik Tarihi: 07.03.2027  
Revizyon Tarihi / Rev. No: - / -

24-SER-01451

ASB

TÜRKİYE  
TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

ISO 9001:2015

24-SER-01451

ASB

TÜRKİYE  
TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

**CERTIFICATE**

**BÖRFH KİMYA  
SAN. TİC. A.Ş.**

HİCRİYE MAH. YUKARI SOK. NO:36 A  
HENDEK / SAKARYA / TÜRKİYE

Has been assessed and found to Comply with the Requirements of:  
Denetimli ve açıklağı standard gerekliliklerine uygunluğu doğrulanmıştır:

**ISO 13485:2016**  
Medical Device-Quality Management System is applicable to:  
Tıbbi Cihazlar Kalite Yönetim Sistemi:

MANUFACTURING, FILLING AND SALES OF AEROSOL PRODUCTS, BIOCIDAL AND  
PERSONAL CLEANING PRODUCTS USED IN THE MEDICAL FIELD

MEDİKAL ALANDA KULLANILAN AEROSOL ÜRÜNLER, BİYOSİDAL VE  
KİŞİSEL TEMİZLİK ÜRÜNLERİ ÜRETİMİ, DOLUMU VE SATIŞI

Certificate Number: 2022MDQMS/0000 Initial Certification Date: 13.12.2022  
Belge Numarası: 2022MDQMS/19999 İlk Belgelendirme Tarihi: 13.12.2022

Certification Period: 3 Years Belge Geçerlilik Periyodu: 3 Yıl  
Belge Geçerlilik Tarihi: 12.12.2023

24-SER-01451

ASB

TÜRKİYE  
TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

ISO 13485:2016

24-SER-01451

ASB

TÜRKİYE  
TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

**SERTİFİKA \* CERTIFICATE \* СЕРТИФИКАТ**

**ÇEVRE YÖNETİMİ  
ENVIRONMENTAL MANAGEMENT**

**BÖRFH KİMYA SAN. TİC. A.Ş.**

Hicriye Mah. Yukarı Sok. No: 36/A Hendek / Sakarya / Türkiye

AERESOL ÜRÜNLER, ARAÇ TEMİZLİK VE BAKIM ÜRÜNLERİ,  
BİYOSİDAL VE KİŞİSEL TEMİZLİK ÜRÜNLERİ ÜRETİMİ DOLUMU VE  
SATIŞI

MANUFACTURING, FILLING AND SALES OF AEROSOL PRODUCTS, VEHICLE  
CLEANING AND CARE PRODUCTS, BIOCIDAL AND PERSONAL CLEANING  
PRODUCTS

İşbu sertifikayı, çevre yönetim sisteminin, çevreye uyumlu olarak  
yürütülmesini doğrulamıştır.

**ISO 14001:2015**  
standard requirements compliance has been confirmed.

İlk Yayın Tarihi / Date First Registered: 05.03.2021  
Yayın Tarihi / Date Certificate Issued: 02.03.2024  
Geçerlilik Periyodu / Period of Registration: 3 Yıl / Years  
Geçerlilik Tarihi / Date Certificate Expires: 01.03.2025  
Sertifika Numarası / Certificate No: 041349304

Onay / Approved By: [Signature]

24-SER-01451

ASB

TÜRKİYE  
TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

ISO 14001:2015

24-SER-01451

ASB

TÜRKİYE  
TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

**SERTİFİKA \* CERTIFICATE \* СЕРТИФИКАТ**

**ÇEVRE YÖNETİMİ  
ENVIRONMENTAL MANAGEMENT**

**BÖRFH KİMYA SAN. TİC. A.Ş.**

Hicriye Mah. Yukarı Sok. No: 36/A Hendek / Sakarya / Türkiye

AERESOL ÜRÜNLER, ARAÇ TEMİZLİK VE BAKIM ÜRÜNLERİ,  
BİYOSİDAL VE KİŞİSEL TEMİZLİK ÜRÜNLERİ ÜRETİMİ DOLUMU VE  
SATIŞI

MANUFACTURING, FILLING AND SALES OF AEROSOL PRODUCTS, VEHICLE  
CLEANING AND CARE PRODUCTS, BIOCIDAL AND PERSONAL CLEANING  
PRODUCTS

İşbu sertifikayı, çevre yönetim sisteminin, çevreye uyumlu olarak  
yürütülmesini doğrulamıştır.

**ISO 14001:2015**  
standard requirements compliance has been confirmed.

İlk Yayın Tarihi / Date First Registered: 05.03.2021  
Yayın Tarihi / Date Certificate Issued: 02.03.2024  
Geçerlilik Periyodu / Period of Registration: 3 Yıl / Years  
Geçerlilik Tarihi / Date Certificate Expires: 01.03.2025  
Sertifika Numarası / Certificate No: 041349304

Onay / Approved By: [Signature]

24-SER-01451

ASB

TÜRKİYE  
TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

ISO 14001:2015

24-SER-01451

ASB

TÜRKİYE  
TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

**SERTİFİKA \* CERTIFICATE \* СЕРТИФИКАТ**

**İŞ SAĞLIĞI VE GÜVENLİĞİ YÖNETİMİ  
OCCUPATIONAL HEALTH AND SAFETY MANAGEMENT**

**BÖRFH KİMYA SAN. TİC. A.Ş.**

Hicriye Mah. Yukarı Sok. No: 36/A Hendek / Sakarya / Türkiye

AERESOL ÜRÜNLER, ARAÇ TEMİZLİK VE BAKIM ÜRÜNLERİ,  
BİYOSİDAL VE KİŞİSEL TEMİZLİK ÜRÜNLERİ ÜRETİMİ DOLUMU VE  
SATIŞI

MANUFACTURING, FILLING AND SALES OF AEROSOL PRODUCTS, VEHICLE  
CLEANING AND CARE PRODUCTS, BIOCIDAL AND PERSONAL CLEANING  
PRODUCTS

İşbu sertifikayı, iş sağlığı ve güvenliği sisteminin, çevreye uyumlu olarak  
yürütülmesini doğrulamıştır.

**ISO 45001:2018**  
standard requirements compliance has been confirmed.

İlk Yayın Tarihi / Date First Registered: 05.03.2021  
Yayın Tarihi / Date Certificate Issued: 02.03.2024  
Geçerlilik Periyodu / Period of Registration: 3 Yıl / Years  
Geçerlilik Tarihi / Date Certificate Expires: 01.03.2025  
Sertifika Numarası / Certificate No: 041349304

Onay / Approved By: [Signature]

24-SER-01451

ASB

TÜRKİYE  
TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi

ISO 45001:2018

24-SER-01451

ASB

TÜRKİYE  
TÜV SÜD Türkiye  
Yönetim Sistemleri Birimi





## HAND CLEANING CREAM

It is effectively used in mechanical and heavy industrial impurities such as heavy oil, pitch, tar, silicone, printing paints encountered in workplaces, homes, vehicles, occupational or hobby purposes.

Contains vegetable care oils.

While deep cleansing the skin, it provides long-term protection of the hands with the nutritious oils contained.

It is an oil water emulsion that provides effective cleansing by protecting the skin.

It contains soft, scrubbing minerals that strengthen the cleaning effect.

These degradable and disappearing scrubbers do not clog sink pipes.

Silicone free. It is at neutral pH. It smells nice.

3 gr BÖRFH is sufficient for effective skin cleansing.

## INSTRUCTIONS ON HOW TO USE

3 gr BÖRFH Hand Cleaning Cream is taken to dirty hands without getting the hands wet.

Hands are rubbed until dirt, oil or paint dissolves.

Finally, the hands are rinsed with clean water.



SIZE	QUANTITY OF BOXES	PRUDUCT NO
500 g	24 Pcs	6020799

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
500 g	580 g	8x8

Physical Appearance	: Balm
Odour	: Citrus Fruits
Solubility (in water)	: Fully Soluble
Density	: 1,01
Ph	: 5,5 - 7
Color	: Milk Brown
Active	: 20







## HAND CLEANING CREAM

It is effectively used in mechanical and heavy industrial impurities such as heavy oil, pitch, tar, silicone, printing paints encountered in workplaces, homes, vehicles, occupational or hobby purposes.

Contains vegetable care oils.

While deep cleansing the skin, it provides long-term protection of the hands with the nutritious oils contained.

It is an oil water emulsion that provides effective cleansing by protecting the skin.

It contains soft, scrubbing minerals that strengthen the cleaning effect.

These degradable and disappearing scrubbers do not clog sink pipes.

Silicone free. It is at neutral pH. It smells nice.

3 gr BÖRFH is sufficient for effective skin cleansing.

## INSTRUCTIONS ON HOW TO USE

3 gr BÖRFH Hand Cleaning Cream is taken to dirty hands without getting the hands wet.

Hands are rubbed until dirt, oil or paint dissolves.

Finally, the hands are rinsed with clean water.



SIZE	QUANTITY OF BOXES	PRUDUCT NO
1 kg	12 Pcs	6020805

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
1,00 kg	1,10 kg	8x8

Physical Appearance	: Balm
Odour	: Citrus Fruits
Solubility (in water)	: Fully Soluble
Density	: 1,01
Ph	: 5,5 - 7
Color	: Milk Brown
Active	: 20







SIZE	QUANTITY OF BOXES	PRUDUCT NO
1,5 kg	12 Pcs	6020812

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
1,50 kg	1,62 kg	8x5



## HAND CLEANING CREAM

It is effectively used in mechanical and heavy industrial impurities such as heavy oil, pitch, tar, silicone, printing paints encountered in workplaces, homes, vehicles, occupational or hobby purposes.

Contains vegetable care oils.

While deep cleansing the skin, it provides long-term protection of the hands with the nutritious oils contained.

It is an oil water emulsion that provides effective cleansing by protecting the skin.

It contains soft, scrubbing minerals that strengthen the cleaning effect.

These degradable and disappearing scrubbers do not clog sink pipes.

Silicone free. It is at neutral pH. It smells nice.

3 gr BÖRFH is sufficient for effective skin cleansing.

## INSTRUCTIONS ON HOW TO USE

3 gr BÖRFH Hand Cleaning Cream is taken to dirty hands without getting the hands wet.

Hands are rubbed until dirt, oil or paint dissolves.

Finally, the hands are rinsed with clean water.



Physical Appearance	: Balm
Odour	: Citrus Fruits
Solubility (in water)	: Fully Soluble
Density	: 1,01
Ph	: 5,5 - 7
Color	: Milk Brown
Active	: 20





## HAND CLEANING CREAM

It is effectively used in mechanical and heavy industrial impurities such as heavy oil, pitch, tar, silicone, printing paints encountered in workplaces, homes, vehicles, occupational or hobby purposes.

Contains vegetable care oils.

While deep cleansing the skin, it provides long-term protection of the hands with the nutritious oils contained.

It is an oil water emulsion that provides effective cleansing by protecting the skin.

It contains soft, scrubbing minerals that strengthen the cleaning effect.

These degradable and disappearing scrubbers do not clog sink pipes.

Silicone free. It is at neutral pH. It smells nice.

3 gr BÖRFH is sufficient for effective skin cleansing.

## INSTRUCTIONS ON HOW TO USE

3 gr BÖRFH Hand Cleaning Cream is taken to dirty hands without getting the hands wet.

Hands are rubbed until dirt, oil or paint dissolves.

Finally, the hands are rinsed with clean water.



SIZE	QUANTITY OF BOXES	PRUDUCT NO
3 kg	6 Pcs	6020836

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
3,00 kg	3,22 kg	10x5



Görünüm	: Balm
Koku	: Orange
Çözünürlük (su içinde)	: Fully Soluble
Yoğunluk	: 1,01
Ph	: 5,5 - 7
Renk	: Milk Brown
Aktiv	: 20





## HAND CLEANING CREAM

It is effectively used in mechanical and heavy industrial impurities such as heavy oil, pitch, tar, silicone, printing paints encountered in workplaces, homes, vehicles, occupational or hobby purposes.

Contains vegetable care oils.

While deep cleansing the skin, it provides long-term protection of the hands with the nutritious oils contained.

It is an oil water emulsion that provides effective cleansing by protecting the skin.

It contains soft, scrubbing minerals that strengthen the cleaning effect.

These degradable and disappearing scrubbers do not clog sink pipes.

Silicone free. It is at neutral pH. It smells nice.

3 gr BÖRFH is sufficient for effective skin cleansing.

## INSTRUCTIONS ON HOW TO USE

3 gr BÖRFH Hand Cleaning Cream is taken to dirty hands without getting the hands wet.

Hands are rubbed until dirt, oil or paint dissolves.

Finally, the hands are rinsed with clean water.



SIZE	QUANTITY OF BOXES	PRUDUCT NO
3 kg	6 Pcs	6022052

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
3,00 kg	3,13 kg	8x4

Physical Appearance	: Balm
Odour	: Citrus Fruits
Solubility (in water)	: Fully Soluble
Density	: 1,01
Ph	: 5,5 - 7
Color	: Milk Brown
Active	: 20







## HAND CLEANING CREAM

It is effectively used in mechanical and heavy industrial impurities such as heavy oil, pitch, tar, silicone, printing paints encountered in workplaces, homes, vehicles, occupational or hobby purposes.

Contains vegetable care oils.

While deep cleansing the skin, it provides long-term protection of the hands with the nutritious oils contained.

It is an oil water emulsion that provides effective cleansing by protecting the skin.

It contains soft, scrubbing minerals that strengthen the cleaning effect.

These degradable and disappearing scrubbers do not clog sink pipes.

Silicone free. It is at neutral pH. It smells nice.

3 gr BÖRFH is sufficient for effective skin cleansing.

## INSTRUCTIONS ON HOW TO USE

3 gr BÖRFH Hand Cleaning Cream is taken to dirty hands without getting the hands wet.

Hands are rubbed until dirt, oil or paint dissolves.

Finally, the hands are rinsed with clean water.



SIZE	QUANTITY OF BOXES	PRUDUCT NO
4 kg	4 Pcs	6020850

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
4,00 kg	4,30 kg	9x5

Physical Appearance	: Balm
Odour	: Citrus Fruits
Solubility (in water)	: Fully Soluble
Density	: 1,01
Ph	: 5,5 - 7
Color	: Milk Brown
Active	: 20







## HAND CLEANING CREAM

It is effectively used in mechanical and heavy industrial impurities such as heavy oil, pitch, tar, silicone, printing paints encountered in workplaces, homes, vehicles, occupational or hobby purposes.

Contains vegetable care oils.

While deep cleansing the skin, it provides long-term protection of the hands with the nutritious oils contained.

It is an oil water emulsion that provides effective cleansing by protecting the skin.

It contains soft, scrubbing minerals that strengthen the cleaning effect.

These degradable and disappearing scrubbers do not clog sink pipes.

Silicone free. It is at neutral pH. It smells nice.

3 gr BÖRFH is sufficient for effective skin cleansing.

## INSTRUCTIONS ON HOW TO USE

3 gr BÖRFH Hand Cleaning Cream is taken to dirty hands without getting the hands wet.

Hands are rubbed until dirt, oil or paint dissolves.

Finally, the hands are rinsed with clean water.



SIZE	QUANTITY OF BOXES	PRUDUCT NO
8 kg	1 Pcs	6020998

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
8,00 kg	8,32 kg	16x4



Physical Appearance	: Balm
Odour	: Citrus Fruits
Solubility (in water)	: Fully Soluble
Density	: 1,01
Ph	: 5,5 - 7
Color	: Milk Brown
Active	: 20





## HAND CLEANING CREAM

It is effectively used in mechanical and heavy industrial impurities such as heavy oil, pitch, tar, silicone, printing paints encountered in workplaces, homes, vehicles, occupational or hobby purposes.

Contains vegetable care oils.

While deep cleansing the skin, it provides long-term protection of the hands with the nutritious oils contained.

It is an oil water emulsion that provides effective cleansing by protecting the skin.

It contains soft, scrubbing minerals that strengthen the cleaning effect.

These degradable and disappearing scrubbers do not clog sink pipes.

Silicone free. It is at neutral pH. It smells nice.

3 gr BÖRFH is sufficient for effective skin cleansing.

## INSTRUCTIONS ON HOW TO USE

3 gr BÖRFH Hand Cleaning Cream is taken to dirty hands without getting the hands wet.

Hands are rubbed until dirt, oil or paint dissolves.

Finally, the hands are rinsed with clean water.



SIZE	QUANTITY OF BOXES	PRUDUCT NO
10 kg	1 Pcs	6020867

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
10,00 kg	10,38 kg	16x4



Physical Appearance	: Balm
Odour	: Citrus Fruits
Solubility (in water)	: Fully Soluble
Density	: 1,01
Ph	: 5,5 - 7
Color	: Milk Brown
Active	: 20







SIZE	QUANTITY OF BOXES	PRUDUCT NO
15 kg	1 Pcs	6020874

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
15,00 kg	15,68 kg	9x3



## HAND CLEANING CREAM

It is effectively used in mechanical and heavy industrial impurities such as heavy oil, pitch, tar, silicone, printing paints encountered in workplaces, homes, vehicles, occupational or hobby purposes.

Contains vegetable care oils.

While deep cleansing the skin, it provides long-term protection of the hands with the nutritious oils contained.

It is an oil water emulsion that provides effective cleansing by protecting the skin.

It contains soft, scrubbing minerals that strengthen the cleaning effect.

These degradable and disappearing scrubbers do not clog sink pipes.

Silicone free. It is at neutral pH. It smells nice.

3 gr BÖRFH is sufficient for effective skin cleansing.

## INSTRUCTIONS ON HOW TO USE

3 gr BÖRFH Hand Cleaning Cream is taken to dirty hands without getting the hands wet.

Hands are rubbed until dirt, oil or paint dissolves.

Finally, the hands are rinsed with clean water.



Physical Appearance	: Balm
Odour	: Citrus Fruits
Solubility (in water)	: Fully Soluble
Density	: 1,01
Ph	: 5,5 - 7
Color	: Milk Brown
Active	: 20





SIZE	QUANTITY OF BOXES	PRUDUCT NO
20 kg	1 Pcs	6020881

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
20,00 kg	20,66 kg	9x3



## HAND CLEANING CREAM

It is effectively used in mechanical and heavy industrial impurities such as heavy oil, pitch, tar, silicone, printing paints encountered in workplaces, homes, vehicles, occupational or hobby purposes.

Contains vegetable care oils.

While deep cleansing the skin, it provides long-term protection of the hands with the nutritious oils contained.

It is an oil water emulsion that provides effective cleansing by protecting the skin.

It contains soft, scrubbing minerals that strengthen the cleaning effect.

These degradable and disappearing scrubbers do not clog sink pipes.

Silicone free. It is at neutral pH. It smells nice.

3 gr BÖRFH is sufficient for effective skin cleansing.

## INSTRUCTIONS ON HOW TO USE

3 gr BÖRFH Hand Cleaning Cream is taken to dirty hands without getting the hands wet.

Hands are rubbed until dirt, oil or paint dissolves.

Finally, the hands are rinsed with clean water.



Physical Appearance	: Balm
Odour	: Citrus Fruits
Solubility (in water)	: Fully Soluble
Density	: 1,01
Ph	: 5,5 - 7
Color	: Milk Brown
Active	: 20





SIZE	QUANTITY OF BOXES	PRUDUCT NO
30 kg	1 Pcs	6020998

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
30,00 kg	31,70 kg	12x2



## HAND CLEANING CREAM

It is effectively used in mechanical and heavy industrial impurities such as heavy oil, pitch, tar, silicone, printing paints encountered in workplaces, homes, vehicles, occupational or hobby purposes.

Contains vegetable care oils.

While deep cleansing the skin, it provides long-term protection of the hands with the nutritious oils contained.

It is an oil water emulsion that provides effective cleansing by protecting the skin.

It contains soft, scrubbing minerals that strengthen the cleaning effect.

These degradable and disappearing scrubbers do not clog sink pipes.

Silicone free. It is at neutral pH. It smells nice.

3 gr BÖRFH is sufficient for effective skin cleansing.

## INSTRUCTIONS ON HOW TO USE

3 gr BÖRFH Hand Cleaning Cream is taken to dirty hands without getting the hands wet.

Hands are rubbed until dirt, oil or paint dissolves.

Finally, the hands are rinsed with clean water.



Physical Appearance	: Balm
Odour	: Citrus Fruits
Solubility (in water)	: Fully Soluble
Density	: 1,01
Ph	: 5,5 - 7
Color	: Milk Brown
Active	: 20





## HAND CLEANING CREAM

It is effectively used in mechanical and heavy industrial impurities such as heavy oil, pitch, tar, silicone, printing paints encountered in workplaces, homes, vehicles, occupational or hobby purposes.

Contains vegetable care oils.

While deep cleansing the skin, it provides long-term protection of the hands with the nutritious oils contained.

It is an oil water emulsion that provides effective cleansing by protecting the skin.

It contains soft, scrubbing minerals that strengthen the cleaning effect.

These degradable and disappearing scrubbers do not clog sink pipes.

Silicone free. It is at neutral pH. It smells nice.

3 gr BÖRFH is sufficient for effective skin cleansing.

## INSTRUCTIONS ON HOW TO USE

3 gr BÖRFH Hand Cleaning Cream is taken to dirty hands without getting the hands wet.

Hands are rubbed until dirt, oil or paint dissolves.

Finally, the hands are rinsed with clean water.



SIZE	QUANTITY OF BOXES	PRUDUCT NO
60 kg	1 Pcs	6021734

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
60,00 kg	62,05 kg	6x2



Physical Appearance	: Balm
Odour	: Citrus Fruits
Solubility (in water)	: Fully Soluble
Density	: 1,01
Ph	: 5,5 - 7
Color	: Milk Brown
Active	: 20





## -30° WINDSHIELD WASHER FLUID WITH ANTIFREEZE

It is a Windshield Washer Fluid with antifreeze for the windshield wiper systems.

Its improved antifreeze feature effectively and safely prevents the freezing of the windshield and headlight washing systems.

With its excellent cleaning performance, it provides a clear view despite snow and ice salt impurities in winter.

It removes dirt, insects and oil without any remaining.

It does not damage polycarbonate windshields.

No damage to vehicle body paint and wiper blades.

Suitable for all vehicle brands.

It prevents dirt from clinging to the surface, providing long-term cleaning.

## INSTRUCTIONS ON HOW TO USE

Preferably, it is placed directly in the windshield washing liquid tank.

Provides protection to -30°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.

Glass Water	Pure Water	Freezing Point
Concentrated	-	Down to -30 °C
1 Unit	1 Unit	Down to -14 °C
1 Unit	2 Unit	Down to -8 °C



SIZE	QUANTITY OF BOXES	PRUDUCT NO
1 lt	12 Pcs	6021031
NET WEIGHT	GROSS WEIGHT	PALLET x BOX
950 g	978 g	16x6



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,95
Ph	: 6
Color	: Blue
Active	: -





## -30° WINDSHIELD WASHER FLUID WITH ANTIFREEZE

It is a Windshield Washer Fluid with antifreeze for the windshield wiper systems.

Its improved antifreeze feature effectively and safely prevents the freezing of the windshield and headlight washing systems.

With its excellent cleaning performance, it provides a clear view despite snow and ice salt impurities in winter.

It removes dirt, insects and oil without any remaining.

It does not damage polycarbonate windshields.

No damage to vehicle body paint and wiper blades.

Suitable for all vehicle brands.

It prevents dirt from clinging to the surface, providing long-term cleaning.

## INSTRUCTIONS ON HOW TO USE

Preferably, it is placed directly in the windshield washing liquid tank.

Provides protection to -30°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.

Glass Water	Pure Water	Freezing Point
Concentrated	-	Down to -30 °C
1 Unit	1 Unit	Down to -14 °C
1 Unit	2 Unit	Down to -8 °C



SIZE	QUANTITY OF BOXES	PRUDUCT NO
5 lt	4 Pcs	6021048
NET WEIGHT	GROSS WEIGHT	PALLET x BOX
4,75 kg	4,94 kg	10x5



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,95
Ph	: 6
Color	: Blue
Active	: -







## -30° WINDSHIELD WASHER FLUID WITH ANTIFREEZE

It is a Windshield Washer Fluid with antifreeze for the windshield wiper systems.

Its improved antifreeze feature effectively and safely prevents the freezing of the windshield and headlight washing systems.

With its excellent cleaning performance, it provides a clear view despite snow and ice salt impurities in winter.

It removes dirt, insects and oil without any remaining.

It does not damage polycarbonate windshields.

No damage to vehicle body paint and wiper blades.

Suitable for all vehicle brands.

It prevents dirt from clinging to the surface, providing long-term cleaning.

## INSTRUCTIONS ON HOW TO USE

Preferably, it is placed directly in the windshield washing liquid tank.

Provides protection to -30°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.



SIZE	QUANTITY OF BOXES	PRUDUCT NO
30 lt	1 Pcs	6021055

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
28,50 kg	29,50 kg	12x3



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,95
Ph	: 6
Color	: Blue
Active	: -







## -10° WINDSHIELD WASHER FLUID WITH ANTIFREEZE

It is a Windshield Washer Fluid with antifreeze for the windshield wiper systems.

Its improved antifreeze feature effectively and safely prevents the freezing of the windshield and headlight washing systems.

With its excellent cleaning performance, it provides a clear view despite snow and ice salt impurities in winter.

It removes dirt, insects and oil without any remaining.

It does not damage polycarbonate windshields.

No damage to vehicle body paint and wiper blades.

Suitable for all vehicle brands.

It prevents dirt from clinging to the surface, providing long-term cleaning.

## INSTRUCTIONS ON HOW TO USE

Preferably, it is placed directly in the windshield washing liquid tank.

Provides protection to -10°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.

Glass Water	Pure Water	Freezing Point
Concentrated	-	Down to -10 °C
1 Unit	1 Unit	Down to -5 °C
1 Unit	2 Unit	Down to -1 °C



SIZE	QUANTITY OF BOXES	PRUDUCT NO
1 lt	12 Pcs	6021741

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
970 g	998 g	16x6



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,97
Ph	: 6
Color	: Blue
Active	: -





SIZE	QUANTITY OF BOXES	PRUDUCT NO
5 lt	4 Pcs	6021758
NET WEIGHT	GROSS WEIGHT	PALLET x BOX
4,85 kg	5,03 kg	10x5



## -10° WINDSHIELD WASHER FLUID WITH ANTIFREEZE

It is a Windshield Washer Fluid with antifreeze for the windshield wiper systems.

Its improved antifreeze feature effectively and safely prevents the freezing of the windshield and headlight washing systems.

With its excellent cleaning performance, it provides a clear view despite snow and ice salt impurities in winter.

It removes dirt, insects and oil without any remaining.

It does not damage polycarbonate windshields.

No damage to vehicle body paint and wiper blades.

Suitable for all vehicle brands.

It prevents dirt from clinging to the surface, providing long-term cleaning.

## INSTRUCTIONS ON HOW TO USE

Preferably, it is placed directly in the windshield washing liquid tank.

Provides protection to -10°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.

Glass Water	Pure Water	Freezing Point
Concentrated	-	Down to -10 °C
1 Unit	1 Unit	Down to -5 °C
1 Unit	2 Unit	Down to -1 °C



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,97
Ph	: 6
Color	: Blue
Active	: -





## -10° WINDSHIELD WASHER FLUID WITH ANTIFREEZE

It is a Windshield Washer Fluid with antifreeze for the windshield wiper systems.

Its improved antifreeze feature effectively and safely prevents the freezing of the windshield and headlight washing systems.

With its excellent cleaning performance, it provides a clear view despite snow and ice salt impurities in winter.

It removes dirt, insects and oil without any remaining.

It does not damage polycarbonate windshields.

No damage to vehicle body paint and wiper blades.

Suitable for all vehicle brands.

It prevents dirt from clinging to the surface, providing long-term cleaning.

## INSTRUCTIONS ON HOW TO USE

Preferably, it is placed directly in the windshield washing liquid tank.

Provides protection to -10°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.

Glass Water	Pure Water	Freezing Point
Concentrated	-	Down to -10 °C
1 Unit	1 Unit	Down to -5 °C
1 Unit	2 Unit	Down to -1 °C



SIZE	QUANTITY OF BOXES	PRUDUCT NO
30 lt	1 Pcs	6021765

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
29,10 kg	30,20 kg	12x3



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,97
Ph	: 6
Color	: Blue
Active	: -







SIZE	QUANTITY OF BOXES	PRUDUCT NO
250 ml	50 Pcs	6020287
NET WEIGHT	GROSS WEIGHT	PALLET x BOX
227 g	251 g	7x10



## -60° WINDSHIELD WASHER FLUID WITH ANTIFREEZE

It is a Windshield Washer Fluid with antifreeze for the windshield wiper systems.

Its improved antifreeze feature effectively and safely prevents the freezing of the windshield and headlight washing systems.

With its excellent cleaning performance, it provides a clear view despite snow and ice salt impurities in winter.

It removes dirt, insects and oil without any remaining.

It does not damage polycarbonate windshields.

No damage to vehicle body paint and wiper blades.

Suitable for all vehicle brands.

It prevents dirt from clinging to the surface, providing long-term cleaning.

## INSTRUCTIONS ON HOW TO USE

Preferably, it is placed directly in the windshield washing liquid tank.

Provides protection to -60°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.

Glass Water	Pure Water	Freezing Point
Concentrated	-	Down to -60 °C
2 Unit	1 Unit	Down to -35 °C
1 Unit	1 Unit	Down to -24 °C
1 Unit	2 Unit	Down to -16 °C



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,91
Ph	: 6
Color	: Blue
Active	: -





## CONCENTRATED WINDSHIELD WASHER SHAMPOO

With Concentrated Window Cleaning Soap, the appearance of the cars can be made more impressive.

A safer driving experience is also achieved with BÖRFH window cleaner, which is the choice of drivers who want their vehicles to have a stylish and clean appearance.

A higher field of view is obtained with the glass cleaner, which allows you to see the entire area more clearly in traffic.

Concentrated glass cleaning soap, which prolongs the life of car windows and ensures that they can be used for a longer time, provides successful hygiene with its long-lasting effect.

The window cleaner, which creates an effective usage experience for both winter and summer months, is appreciated by vehicle owners and passengers with its pleasant smell.

## INSTRUCTIONS ON HOW TO USE

It should be added into the wiper water according to the amount of glass water.

32 ml is sufficient for 2.5-3 liters of cleaning water.

The instructions for use are based on our own tests, it is recommended to do your own test before applying.



SIZE	QUANTITY OF BOXES	PRUDUCT NO
32 ml	25 Pcs	6021345
NET WEIGHT	GROSS WEIGHT	PALLET x BOX
32 g	42 g	63x12



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 1,026
Ph	: 5-6
Color	: Orange
Active	: 5







SIZE	QUANTITY OF BOXES	PRUDUCT NO
1 lt	12 Pcs	6021901

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
970 g	998 g	16x6



## CAR SCREENWASH

It effectively cleans dirt, dust and insect residues on the glass surfaces of your vehicle.

It provides a safer view in all road and climatic conditions.

It does not leave any stains on the glass.

It does not harm auto paint, polish, squeegees and tires.

## INSTRUCTIONS ON HOW TO USE

It is used by adding into the wiper water tank.



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	:
Ph	:
Color	: Blue
Active	: -





SIZE	QUANTITY OF BOXES	PRUDUCT NO
500 ml	12 Pcs	6020157
NET WEIGHT	GROSS WEIGHT	PALLET x BOX
455 g	535 g	22x6



## DE-ICING SPRAY

Even heavily iced glass is quickly and effectively cleaned from ice and frost.

Windows do not need to be scraped laboriously.

It is applied quickly.

Protects windows from re-icing.

Even if the interior of the vehicle has not reached ambient temperature it provides a clear vision.

With excellent material compatibility, paints, rubber and plastics are not damaged.

No damage to body paint and the rubber of wiper blades.

## INSTRUCTIONS ON HOW TO USE

Spray from top to bottom on the ice-holding windows and wait for it to take effect for a short time.

Clean the thawed ice with the help of an ice scraper.



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,91
Ph	: 6
Color	: Transparent
Active	: -





SIZE	QUANTITY OF BOXES	PRUDUCT NO
250 ml	24 Pcs	6022670
NET WEIGHT	GROSS WEIGHT	PALLET x BOX
230 g	260 g	23x6



## DE-ICING SPRAY

Even heavily iced glass is quickly and effectively cleaned from ice and frost.

Windows do not need to be scraped laboriously.

It is applied quickly.

Protects windows from re-icing.

Even if the interior of the vehicle has not reached ambient temperature it provides a clear vision.

With excellent material compatibility, paints, rubber and plastics are not damaged.

No damage to body paint and the rubber of wiper blades.

## INSTRUCTIONS ON HOW TO USE

Spray from top to bottom on the ice-holding windows and wait for it to take effect for a short time.

Clean the thawed ice with the help of an ice scraper.



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,91
Ph	: 6
Color	: Transparent
Active	: -





SIZE	QUANTITY OF BOXES	PRUDUCT NO
500 ml	12 Pcs	6020140
NET WEIGHT	GROSS WEIGHT	PALLET x BOX
455 g	535 g	22x6



## ANTI-FOG SPRAY

It is an anti-fog on car windows and mirrors.

Provides clear vision.

It improves vision quality and driving safety by preventing fog in vehicles.

Provides long continuous protection.

It prevents fogging on applied surfaces for up to 1 week depending on the application.

No damage to body paint and the rubber of wiper blades.

## INSTRUCTIONS ON HOW TO USE

Shake well before using.

Make sure that the surface you apply is dry and clean.

Spray and spread well on the inner surfaces of windows that you do not want to fog.

After waiting for a minute to dry, wipe without pressing with a sponge.



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,91
Ph	: 6
Color	: Transparent
Active	: -





SIZE	QUANTITY OF BOXES	PRUDUCT NO
250 ml	24 Pcs	6022663
NET WEIGHT	GROSS WEIGHT	PALLET x BOX
230 g	260 g	23x6



## ANTI-FOG SPRAY

It is an anti-fog on car windows and mirrors.

Provides clear vision.

It improves vision quality and driving safety by preventing fog in vehicles.

Provides long continuous protection.

It prevents fogging on applied surfaces for up to 1 week depending on the application.

No damage to body paint and the rubber of wiper blades.

## INSTRUCTIONS ON HOW TO USE

Shake well before using.

Make sure that the surface you apply is dry and clean.

Spray and spread well on the inner surfaces of windows that you do not want to fog.

After waiting for a minute to dry, wipe without pressing with a sponge.



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,91
Ph	: 6
Color	: Transparent
Active	: -





## RAIN REPELLENT SPRAY

Suitable for use on all types of vehicle windows.  
Provides clear vision.

At speeds of 80 km/h and above, it prevents raindrops from clinging to the glass, allowing it to slide with the wind.

It prevents dirt and drops from sticking, providing clear vision and improving driving safety.

It has an effect period of up to 12 weeks, depending on the pre-treatment and method of use.

No damage to body paint and the rubber of wiper blades.

## INSTRUCTIONS ON HOW TO USE

Completely clean the window surface to be applied.

Make sure the surface is dry, dust-free and oil-free.

Apply the rain slider spray on the outer surface of the window and distribute it with the help of a sponge all on the surface.

After waiting for 5 minutes, wipe the surface with a micro-fiber cloth until it shines.

Repeat the process to get good results.



SIZE	QUANTITY OF BOXES	PRUDUCT NO
500 ml	12 Pcs	6020133

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
485 g	565 g	22x6



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,97
Ph	: 5,5-6
Color	: Transparent
Active	: -





## RAIN REPELLENT SPRAY

Suitable for use on all types of vehicle windows. Provides clear vision.

At speeds of 80 km/h and above, it prevents raindrops from clinging to the glass, allowing it to slide with the wind.

It prevents dirt and drops from sticking, providing clear vision and improving driving safety.

It has an effect period of up to 12 weeks, depending on the pre-treatment and method of use.

No damage to body paint and the rubber of wiper blades.

## INSTRUCTIONS ON HOW TO USE

Completely clean the window surface to be applied.

Make sure the surface is dry, dust-free and oil-free.

Apply the rain slider spray on the outer surface of the window and distribute it with the help of a sponge all on the surface.

After waiting for 5 minutes, wipe the surface with a micro-fiber cloth until it shines.

Repeat the process to get good results.



SIZE	QUANTITY OF BOXES	PRUDUCT NO
250 ml	24 Pcs	6022632

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
230 g	260 g	23x6



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 0,97
Ph	: 5,5-6
Color	: Transparent
Active	: -





## -56°C FOUR SEASONS BLUE ANTIFREEZE

Concentrated organic antifreeze developed for the new generation vehicles.

It protects the radiator, water pump and cooling system and partly aluminum and alloy metal parts against corrosion.

It is mono ethylene glycol based and has organic inhibitor formulation.

It maintains the cooling system at maximum level even in the most difficult conditions.

In summer, it increases the boiling point and prevents the vehicle from heating up.

It prevents the radiator and cooling system from freezing in winter.

Suitable for all four seasons.

## INSTRUCTIONS ON HOW TO USE

Suitable for use in vehicle radiator systems.

Drain the cooling system and flush it with clean water.

Preferably directly, add it to the radiator without adding water. Provides protection to -56°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.

ANTIFREEZE	PURE WATER	DEGREE OF FREEZING
-	-	-56°C
1 Unit	1 Unit	-16°C
1 Unit	2 Unit	-8°C



SIZE	QUANTITY OF BOXES	PRUDUCT NO
3 lt	6 Pcs	6022816

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
3,20 kg	3,40 kg	10x5



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 1,07
Ph	: 10
Color	: Blue
Active	: -





## -56°C FOUR SEASONS BLUE ANTIFREEZE

Concentrated organic antifreeze developed for the new generation vehicles.

It protects the radiator, water pump and cooling system and partly aluminum and alloy metal parts against corrosion.

It is mono ethylene glycol based and has organic inhibitor formulation.

It maintains the cooling system at maximum level even in the most difficult conditions.

In summer, it increases the boiling point and prevents the vehicle from heating up.

It prevents the radiator and cooling system from freezing in winter.

Suitable for all four seasons.

## INSTRUCTIONS ON HOW TO USE

Suitable for use in vehicle radiator systems.

Drain the cooling system and flush it with clean water.

Preferably directly, add it to the radiator without adding water. Provides protection to -56°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.

ANTIFREEZE	PURE WATER	DEGREE OF FREEZING
-	-	-56°C
1 Unit	1 Unit	-16°C
1 Unit	2 Unit	-8°C



SIZE	QUANTITY OF BOXES	PRUDUCT NO
1,5 lt	12 Pcs	6022809

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
1,60 kg	1,69 kg	10x5



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 1,07
Ph	: 10
Color	: Blue
Active	: -





## -56°C FOUR SEASONS RED ANTIFREEZE

Concentrated organic antifreeze developed for the new generation vehicles.

It protects the radiator, water pump and cooling system and partly aluminum and alloy metal parts against corrosion.

It is mono ethylene glycol based and has organic inhibitor formulation.

It maintains the cooling system at maximum level even in the most difficult conditions.

In summer, it increases the boiling point and prevents the vehicle from heating up.

It prevents the radiator and cooling system from freezing in winter.

Suitable for all four seasons.

## INSTRUCTIONS ON HOW TO USE

Suitable for use in vehicle radiator systems.

Drain the cooling system and flush it with clean water.

Preferably directly, add it to the radiator without adding water. Provides protection to -56°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.

ANTIFREEZE	PURE WATER	DEGREE OF FREEZING
-	-	-56°C
1 Unit	1 Unit	-16°C
1 Unit	2 Unit	-8°C



SIZE	QUANTITY OF BOXES	PRUDUCT NO
3 lt	6 Pcs	6022830

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
3,20 kg	3,40 kg	10x5



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 1,07
Ph	: 10
Color	: Red
Active	: -







SIZE	QUANTITY OF BOXES	PRUDUCT NO
1,5 kg	12 Pcs	6022335
NET WEIGHT	GROSS WEIGHT	PALLET x BOX
1,60 kg	1,69 kg	10x5



## -56°C FOUR SEASONS RED ANTIFREEZE

Concentrated organic antifreeze developed for the new generation vehicles.

It protects the radiator, water pump and cooling system and partly aluminum and alloy metal parts against corrosion.

It is mono ethylene glycol based and has organic inhibitor formulation.

It maintains the cooling system at maximum level even in the most difficult conditions.

In summer, it increases the boiling point and prevents the vehicle from heating up.

It prevents the radiator and cooling system from freezing in winter.

Suitable for all four seasons.

## INSTRUCTIONS ON HOW TO USE

Suitable for use in vehicle radiator systems.

Drain the cooling system and flush it with clean water.

Preferably directly, add it to the radiator without adding water. Provides protection to -56°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.

ANTIFREEZE	PURE WATER	DEGREE OF FREEZING
-	-	-56°C
1 Unit	1 Unit	-16°C
1 Unit	2 Unit	-8°C



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 1,07
Ph	: 10
Color	: Red
Active	: -





## -40°C FOUR SEASONS BLUE ANTIFREEZE

Concentrated organic antifreeze developed for the new generation vehicles.

It protects the radiator, water pump and cooling system and partly aluminum and alloy metal parts against corrosion.

It is mono ethylene glycol based and has organic inhibitor formulation.

It maintains the cooling system at maximum level even in the most difficult conditions.

In summer, it increases the boiling point and prevents the vehicle from heating up.

It prevents the radiator and cooling system from freezing in winter.

Suitable for all four seasons.

## INSTRUCTIONS ON HOW TO USE

Suitable for use in vehicle radiator systems.

Drain the cooling system and flush it with clean water.

Preferably directly, add it to the radiator without adding water. Provides protection to -40°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.

ANTIFREEZE	PURE WATER	DEGREE OF FREEZING
-	-	-40°C
1 Unit	1 Unit	-17°C
1 Unit	2 Unit	- 5°C



SIZE	QUANTITY OF BOXES	PRUDUCT NO
3 lt	6 Pcs	6020782
NET WEIGHT	GROSS WEIGHT	PALLET x BOX
3,20 kg	3,40 kg	10x5



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 1,064
Ph	: 9
Color	: Blue
Active	: -







## -40°C FOUR SEASONS RED ANTIFREEZE

Concentrated organic antifreeze developed for the new generation vehicles.

It protects the radiator, water pump and cooling system and partly aluminum and alloy metal parts against corrosion.

It is mono ethylene glycol based and has organic inhibitor formulation.

It maintains the cooling system at maximum level even in the most difficult conditions.

In summer, it increases the boiling point and prevents the vehicle from heating up.

It prevents the radiator and cooling system from freezing in winter.

Suitable for all four seasons.

## INSTRUCTIONS ON HOW TO USE

Suitable for use in vehicle radiator systems.

Drain the cooling system and flush it with clean water.

Preferably directly, add it to the radiator without adding water. Provides protection to -40°C in direct use.

According to the table below, depending on your preference, it can be diluted with water, paying attention to the freezing point.

ANTIFREEZE	PURE WATER	DEGREE OF FREEZING
-	-	-40°C
1 Unit	1 Unit	-17°C
1 Unit	2 Unit	- 5°C



SIZE	QUANTITY OF BOXES	PRUDUCT NO
3 lt	6 Pcs	6020775

NET WEIGHT	GROSS WEIGHT	PALLET x BOX
3,20 kg	3,40 kg	10x5



Physical Appearance	: Liquid
Odour	: Characteristic
Solubility (in water)	: Soluble
Density	: 1,064
Ph	: 9
Color	: Red
Active	: -





KALİTE BELGELERİMİZ  
OUR QUALITY CERTIFICATES



Kaliteyi ekonomik fiyata pazara sunan, 32 yıldır sektörde güçlü bir ÜRETİCİYİZ.

We are a strong MANUFACTURER in the sector for 32 years, offering quality to the market with economical prices.

300 den fazla ürün çeşidi, 10.000 den fazla formülasyonlarımızla daima YANINIZDAYIZ.

We are always with you with more than 300 product types and more than 10.000 formulations.

30'dan fazla yerli ve yabancı markanın, üreticisi olarak birlikte GÜÇLÜYÜZ.

As a manufacturer of more than 30 domestic and foreign brands, we are STRONG together.

Sektörde TUV SUD ISO 9001: 2015 belgeli TEK FİRMAYIZ.

WE ARE THE ONLY TUV SUD ISO 9001: 2015 certified company in the sector.

Şimdilik 40 dan fazla ülkede,  
pek yakında tüm Dünya' dayız.

Currently in more than 40 countries,  
soon we will be all over the world.



BÖRFH KİMYA SAN. A.Ş.



FIND me on facebook  
Börfh Türkiye



FOLLOW me on instagram  
borfhshop



FOLLOW me on youtube  
Börfh Official



TEXT me online  
info@basarikimya.com



CONTACT me on whatsapp  
+90 530 516 59 86



CALL me at the office  
+90 216 309 99 51  
+90 216 309 99 52



VISIT me online  
www.borfh.com



Cumhuriyet Mh. Meryem Sk.  
No: 5 Kartal/İSTANBUL  
PK: 34876