

Yantai Rileng Electro- mechanical Technology Co., Ltd.

Whatsapp: +86 18561509390

Email: yantairileng@163.com

Website: <https://www.rilengtrade.com/>

Address: Chengguo Industrial Park, Yantai
City, Shandong Province, China



RILENG

Mechanical & electrical
Factory

<https://www.rilengtrade.com>



AUTO AIR- CONDITIONING COMPRESSOR



Whatsapp



wechat



中文版



质量第一 · 客户至上
Quality first · Clients paramount

AUTO A/C COMPRESSOR

工厂简介

烟台日冷机电科技有限公司成立于 2012 年 12 月，是一家集研发、制造、销售和服务为一体的专业汽车空调压缩机生产商。工厂坐落于中国山东省烟台市，占地面积 60000 平方米，总投资约 3000 万。

以科技为生产力，公司研制的 16 到 28CC/R 五个排量的分体式、一体式两种结构电动汽车空调压缩机每个排量都可以匹配 24V、48V、60V、72V、108V、144V、320V、540V 等多个电压等级直流永磁电机，丰富了产品种类，适用于新能源汽车、低速电动车、工程机械及各类货车空调改造。为解决货车司机停车使用空调不便等问题，公司研制的 12/24V 电动驻车空调系统，实现了真正绿色节能环保，推向市场接到各界的一致好评。2021 年公司引进先进的生产设备，开始变排量压缩机的研发生产。目前公司有斜盘活塞、传统涡旋、新能源电动压缩机及车用驻车空调四大系列产品服务于广大汽车用户。产品应用涵盖了微车、轿车、货车、工程车及新能源汽车等大部分车型。



AUTO A/C COMPRESSOR

Factory Profile

Yantai Rileng Mechanical & electrical Technology Co., Ltd. was established in December 2012. It is a manufacturer of automotive air-conditioning compressors integrating product development, manufacturing, sales and service. The factory is located in China Shandong Yantai City, with an area of 60000 square meters and a total investment of about 30 million.

With science and technology as the productivity, the company has developed a split and integrated electric vehicle air conditioning compressor with five displacement of 16 to 28CC/R. Each displacement can be matched with 24V, 48V, 60V, 72V, 108V, 144V, 320V, 540V and other voltage levels of DC permanent magnet motors, which enriches the product categories and is suitable for the air conditioning transformation of new energy vehicles, high and low speed electric vehicles, engineering machinery and all kinds of freight cars. In order to solve the problems of inconvenient use of air conditioning by truck drivers, the 12V/24V electric parking air conditioning system developed by the company has achieved real green, energy-saving and environmental protection, and has been widely praised by all walks of life.

In 2021, the company introduced advanced production equipment and began the R & D and production of variable displacement compressors. At present, the company has four series of products, including swashplate piston, traditional scroll, new energy electric compressor and parking air conditioner, to serve the majority of automotive users. Application covers passenger cars, trucks, engineering and new energy vehicles.





AUTO A/C COMPRESSOR



AUTO A/C COMPRESSOR

Workshop



Processing workshop



Assembly workshop



Warehouse a corner



Electric compressor



Parking Air conditioner



AUTO AC compressor

Equipment



R & D Laboratory



Carbon sulfur analyzer



Image measuring Instrument



Universal testing machine



Coordinate measuring machine



Impact testing machine

Enterprise Honor

Relying on strong technical force, advanced production- and testing equipment, exquisite production technology, perfect quality system and modern management, the company has obtained the production license of automobile air conditioning compressor, passed IATF16949: quality management system certification of automobile industry, and established long-term cooperative relations with many domestic electric vehicle manufacturers and air conditioning system suppliers.



Enterprise Mission

Enterprise Purpose

Core Value

Business Philosophy

Applicable to the following models

奥迪系列	AUDI	-----	P1-2
宝马系列	BMW	-----	P3-5
奔驰系列	BENZ	-----	P6-7
本田系列	TOYOTA	-----	P8-13
大众系列	VW	-----	P14-16
福特系列	FORD	-----	P17-19
标致系列	PEUGEOT	-----	P20-21
别克系列	BUICK	-----	P22-23
起亚系列	KIA	-----	P24-28
现代系列	HYUNDAI	-----	P29-34
本田系列	HONDA	-----	P35
三菱系列	MITSUBISHI	-----	P36
尼桑系列	NISSAN	-----	P37-38
其他系列	OTHERS	-----	P39-41
工程机械系列	ENGINEERING VEHICLES	-----	P42-45

适用奥迪系列AUDI

HS01001



6SBH14C

带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 125mm 4F0260805AR
额定电压/Rated Voltage: 12V 4F0260805AL
制冷剂/Refrigerant: R134a 4E0260805AA

AUDI C7 2.5

HS01002



6SEU14C

带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 100mm
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

AUDI C7 Q5

HS01003



6SEU14C

带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 125mm
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

AUDI C6 2.4

HS01004



6SEU14C

带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 125mm 8E0260805BA
额定电压/Rated Voltage: 12V 4F0260805AC
制冷剂/Refrigerant: R134a 4F0260805J

AUDI C6 2.0

HS01005



6SEU14C

带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 115mm 4B0260805H
额定电压/Rated Voltage: 12V 4F0260805L
制冷剂/Refrigerant: R134a 8E0560805F

AUDI A6 3.0 C6 3.0

HS01006



6SEU14C

带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 125mm
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

C7 PA



适用奥迪系列AUDI

HS01007



6SEU14C C7 PA Audi A5 Q5
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 8T0260805E
额定电压/Rated Voltage: 12V 8T0260805N
制冷剂/Refrigerant: R134a

HS01008



6SEU14C AUDI Q5 2014
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 8T0260805E
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS01009



7SEU17C Q7 3.6
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 110mm
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS01010



7SEU17C Q7 3.0 Audi Q7 4L Volkswagen TUAREG 3.0
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 125mm
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS01021



7SEU17C AUDI Q7 4.2
带轮槽数/No.of Grooves: PV0
皮带轮直径/Pulley Diameter: 0mm 4F0260805E
额定电压/Rated Voltage: 12V 4Z7260805E
制冷剂/Refrigerant: R134a 4E0260805AS

HS01022



7SEU17C Audi Q7/ VW Touareg 4Lb/71a 2.4/3.0
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 7L6820803Q
额定电压/Rated Voltage: 12V 7L6820803T
制冷剂/Refrigerant: R134a 7L6820803M

适用奔驰系列BENZ

HS02001



7SEU17C BENZ W203D
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 0002306511
额定电压/Rated Voltage: 12V 0002308511
制冷剂/Refrigerant: R134a 0002309011

HS02002



7SEU17C BENZ W220 / W221 / S350 / S300
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 110mm 0012303211
额定电压/Rated Voltage: 12V 68013347AA
制冷剂/Refrigerant: R134a 68012247AA

HS02003



7SEU17C BENZ W203 / W220 / VIANO (小盘)
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 100mm 0002309111
额定电压/Rated Voltage: 12V 0012300211
制冷剂/Refrigerant: R134a 0012302911

HS02004



7SEU17C W164
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 100mm
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS02005



7SEU17C C200
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 100mm
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS02021



7SBU16C BENZ ACTROS
带轮槽数/No.of Grooves: PV9
皮带轮直径/Pulley Diameter: 130mm 4471705001
额定电压/Rated Voltage: 24V 4471709110
制冷剂/Refrigerant: R134a 4471804360



适用奔驰系列BENZ

HS02022



7SBEU17C
带轮槽数/No.of Grooves: PV9
皮带轮直径/Pulley Diameter: 130mm 5412301211
额定电压/Rated Voltage: 24V 5412300711
制冷剂/Refrigerant: R134a

BENZ TRUCK

HS02023



7SBEU17C
带轮槽数/No.of Grooves: PV11
皮带轮直径/Pulley Diameter: 130mm 5412300411
额定电压/Rated Voltage: 24V 5412301311
制冷剂/Refrigerant: R134a A5412300411

BENZ TRUCK

HS02028



10PA15C
带轮槽数/No.of Grooves: PV9
皮带轮直径/Pulley Diameter: 126mm A5412301011
额定电压/Rated Voltage: 12V 4471905500
制冷剂/Refrigerant: R134a

Mercedes Benz

HS02029



10PA15
带轮槽数/No.of Grooves: PV11
皮带轮直径/Pulley Diameter: 130mm 5412301111
额定电压/Rated Voltage: 24V 447170-8790
制冷剂/Refrigerant: R134a 447190-5510

BENZ TRUCK

HS02024



10S15
带轮槽数/No.of Grooves: PV8
皮带轮直径/Pulley Diameter: 140mm 141729
额定电压/Rated Voltage: 24V 4472801840
制冷剂/Refrigerant: R134a 4722300111

BENZ ACTROS

HS02025



7SEU17C
带轮槽数/No.of Grooves: P V6
皮带轮直径/Pulley Diameter: 108mm 0032309011
额定电压/Rated Voltage: 12V 09Q03364
制冷剂/Refrigerant: R134a 32309011

BENZ SPRINTER 2500 14-16

HS02030



7SAS17C
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 115mm 4472500221
额定电压/Rated Voltage: 12V A0008307200
制冷剂/Refrigerant: R134a 4471609763

Benz S/GLE/GLS W166/X166/V222/X222/W222

HS02031



7SBU17C
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 125mm 8FK351175011
额定电压/Rated Voltage: 12V 000230201180
制冷剂/Refrigerant: R134a 0002307011

BENZ W140

HS02026



7SEU17C
带轮槽数/No.of Grooves: PV8
皮带轮直径/Pulley Diameter: 110mm 0002307811
额定电压/Rated Voltage: 140416
制冷剂/Refrigerant: R134a 2021776

BENZ

HS02027



7SEU17C
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 120mm 0002304511
额定电压/Rated Voltage: 2304511
制冷剂/Refrigerant: R134a 0002309711

BENZ S600



适用奔驰系列BENZ



适用宝马系列BMW

适用宝马系列BMW

HS03001



7SEU17C

BMW F18 2018

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV8

110mm

12V

R134a

64509196890

447140-0450081

8FK351111-081

HS03002



7SEU17C

BMW X3(双控)/523/525/535

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

110mm

12V

R134a

64529216466

64529399059

64529330825

HS03007



6SBU14A

Para BMW F10 528i F15 X5 F30 320i F32 428i

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

125mm

12V

R134a

64529399059

92600vk110

HS03018



6CVC

BMW 3 MINI

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

105mm

12V

R134a

64521171210

64521171310

64526918122

HS03003



7SEU17C

BMW X6 / 535 GT

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV8

110mm

12V

R134a

64529154070

447260-4080

64529399060

HS03004



7SEU17C

BMW X3

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

110mm

12V

R134a

64506805025

64529216467

6452921646703

HS03019



6SEU14C

BMW X1 F48 / BMW MINI COOPER 15-18

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

110mm

12V

R134a

8FK351339-241

64526811430

64526811432

HS03020



7SEU17

BMW 750/650

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV4

110mm

12V

R134a

198367

143143

CO 29118C

HS03005



7SEU17C

BMW 7S/ E66

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

110mm

12V

R134a

64522151495

64526956716

97391

HS03006



7SEU17C

BMW 523/525 LI

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV8

110mm

12V

R134a

64529185147

64529205096

20-22261

HS03021



7SEU17C

BMW X4 F20

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV8

110mm

12V

R134a

64529217869

198362

140991



适用丰田系列TOYOTA

适用丰田系列TOYOTA

HS04001



6SEU16C

TOYOTA CROWN 2.5

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV7

115mm

12V

R134a

88320-3A270

883203A300

883203A30084

HS04002



7SE17U

CROWN 13- / RENAULT / LEXUS

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

115mm

12V

R134a

8832048320

8832058020

8841033190

HS04007



MSB717

Camry 15

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

120mm

12V

R134a

8832048320

8832058020

8841033190

HS04008



6SEU16C

TOYOTA CAMRY

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV7

110mm

12V

R134a

88320-YC010

88310-06320

447260-0671

HS04003



7SEU17C

TOYOTA HIGHLANDER 2.7

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

110mm

12V

R134a

88310-4840

88310-48250

883100T020

HS04004



7SEU17C

TOYOTA HIGHLANDER 3.5

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV7

110mm

12V

R134a

883204815084

8832048150

8832048150

HS04009



6SEU14C

COROLLA -14

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

120.5mm

12V

R134a

1240478

8831002852

8831002850

HS04010



6SEU14C

COROLLA -12

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

120mm

12V

R134a

8831068030

8831002711

8831002710

HS04005



7SEU17C

TOYOTA CAMRY 2.0 12-

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV7

120mm

12V

R134a

88310-0R014

4472602890

88310-0R013

HS04006



7SEU17C

TOYOTA CAMRY 2.5 12-

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

120mm

12V

R134a

88310-0R014

4472602890

88310-0R013

HS04011



6SEU14C

COROLLA -08

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV6

120mm

12V

R134a

8831002852

8831002850

8831002850

HS04012



7SEU17C

Toyota Crown 15

带轮槽数/No.of Grooves:

皮带轮直径/Pulley Diameter:

额定电压/Rated Voltage:

制冷剂/Refrigerant:

PV7

115mm

12V

R134a

8831002711

8831002710

8831002710



适用丰田系列TOYOTA

HS04013



7SEU17C **LEXUS ES350 3.5**
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 110mm 883200806084
额定电压/Rated Voltage: 12V 88320442120
制冷剂/Refrigerant: R134a 883204212084

HS04014



7SEU17C **LEXUS RX350**
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 115mm 8832006190
额定电压/Rated Voltage: 12V 8832048220
制冷剂/Refrigerant: R134a 8832048280

HS04015



7SEU17C **TOYOTA CAMRY 2.0/ RAV4 14-**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 115mm
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS04016



7SEU17C **TOYOTA CAMRY 2.5 14/RAV4 2.5 13-17**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 115mm 883100R040
额定电压/Rated Voltage: 12V CO 20755C
制冷剂/Refrigerant: R134a 198307

HS04030



7SEU17C **Lexus GS/IS/LS460 UZS/URS/USF**
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 120mm DCP51004
额定电压/Rated Voltage: 12V 4471905640
制冷剂/Refrigerant: R134a 88310501610

HS04031



6SEU16C **Toyota Aurion/Camry 3.0/Avalon/RAV4 3.5 2GR**
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 115mm 883107060
额定电压/Rated Voltage: 12V 20-11318
制冷剂/Refrigerant: R134a 883203320

HS04032



5SE09C **Toyota Yaris/Auris/Corolla/Urban/Sienta/Fielder/Premio/Alion/Scion 1.5**
带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 110mm 88310-52551
额定电压/Rated Voltage: 12V 883102B720
制冷剂/Refrigerant: R134a

HS04033



10PA20C **Lexus LX470/Toyota LandCruiser100 4.7**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 135mm 83100G020
额定电压/Rated Voltage: 12V 8831060850
制冷剂/Refrigerant: R134a 8832060680

HS04034



6SEU16C **Toyota Hiace/Commuter2.7 TRH/KDH/GDH**
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 110mm 447260-0975
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS04035



5SEU09C **For Toyota Yaris**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 100mm DCP50001
额定电压/Rated Voltage: 12V 4472602333
制冷剂/Refrigerant: R134a 883100D200

HS04036



10SR19C **LAND CRUISER 4.5/PRADO (2008-2012)**
带轮槽数/No.of Grooves: PV9
皮带轮直径/Pulley Diameter: 123mm 447280-0012
额定电压/Rated Voltage: 12V 247300-5652
制冷剂/Refrigerant: R134a

HS04037



10SR19CWS **Lexus GX460/LX570/Landcruiser200 4.6/5.7 1UR/3UR/1VD**
带轮槽数/No.of Grooves: PV8
皮带轮直径/Pulley Diameter: 123mm 4471600034
额定电压/Rated Voltage: 12V 4472800790
制冷剂/Refrigerant: R134a 883206A320



适用丰田系列TOYOTA



适用丰田系列TOYOTA

HS04038



10S17C Toyota Landcruiser Prado/4Runner/Innova 4.0 1GR/2TR GRJ120
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 120mm 88320-35700
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS04039



10S15C INNOVA GASOLINE 2006 /FORTUNER 2.4L
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 120mm 4472160-8281
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS04040



10S15C Toyota Dyna/Hiace/HiluxVigo/Fortune 2.5/3.0
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 120mm 447280-0750
额定电压/Rated Voltage: 12V 447220-4713
制冷剂/Refrigerant: R134a

HS04041



10SA13E TOYOTA ETIOS
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 105mm 4F0260805AR
额定电压/Rated Voltage: 12V 4F0260805AL
制冷剂/Refrigerant: R134a 4E0260805AA

HS04042



10S11C TOYOTA HILUX
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 120mm 447260-8020
额定电压/Rated Voltage: 12V 88310-0K112
制冷剂/Refrigerant: R134a 88320-0K240

HS04043



10S11C TOYOTA HILUX
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 120mm 447260-8040
额定电压/Rated Voltage: 12V 447190-2650
制冷剂/Refrigerant: R134a 88310-0K122



适用丰田系列TOYOTA

HS04044



10SA13E TOYOTA HILUX 2.8 DIESEL 16-17
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 120mm CO 115492
额定电压/Rated Voltage: 12V 141257
制冷剂/Refrigerant: R134a X14472802720

HS04045



SCSA06C Toyota Corolla/Echo Funcargo 2001-2005 /Prius/Yaris 1NZ 1.0/1.3
带轮槽数/No. of Grooves: PV4
皮带轮直径/Pulley Diameter: 110mm 883101A580
额定电压/Rated Voltage: 12V 8831052351
制冷剂/Refrigerant: R134a

HS04046



SCSA06C Toyota Corolla Verso MR2 Spyder
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 95mm 883201A550
额定电压/Rated Voltage: 12V 883201A481
制冷剂/Refrigerant: R134a 88320-1A491



质量第一 · 客户至上
Quality first · Clients paramount

质量第一 · 客户至上
Quality first · Clients paramount



适用大众系列VW

HS05001



PXE14 **LAVIDA (18朗逸双控)**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm
额定电压/Rated Voltage: R134a
制冷剂/Refrigerant:

HS05002



PXE16 **SAGITAR / TIGUAN/CC/SUPERB/OCTAVIA**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 1K0820859S
额定电压/Rated Voltage: 1K0820803S
制冷剂/Refrigerant: R134a 1K0820859F

HS05003



PXE14 **SAGITAR (速腾14款)**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS05004



7SEU17C **PHAETON / TUAEREG 3.0**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 1K0820803E
额定电压/Rated Voltage: 1K0820803F
制冷剂/Refrigerant: R134a 1K0820803G

HS05023



PXE14 **Volkswagen GOLF 7**
带轮槽数/No.of Grooves: PV6PK
皮带轮直径/Pulley Diameter: 110mm 5K0820803C
额定电压/Rated Voltage: 12V 5N0820803
制冷剂/Refrigerant: R134a 5N0820803B

HS05024



5SE12 **VW GOLF**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm IS0820803C
额定电压/Rated Voltage: 12V IS0820803D
制冷剂/Refrigerant: R134a 1S0820803E

适用大众系列VW

HS05016



6SEU14C **VW POLO / SKODA FABIA 1.4**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 8Z0260805A
额定电压/Rated Voltage: 6Q820803G
制冷剂/Refrigerant: R134a 6Q820806H

HS05017



7SEU17C **VW SAGITAR / TIGUAN**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 1K0820803H
额定电压/Rated Voltage: 168646
制冷剂/Refrigerant: R134a 1K0820803E

HS05018



7SBU17C **PASSAT B5**
带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 120mm 8D0260805B
额定电压/Rated Voltage: 12V 8D0260808
制冷剂/Refrigerant: R134a 888100174

HS05019



PXE16 **VW PASSAT 1.8 2.5 3.6L 16-18 / VW NEW JETTA 1.4L 1.8L 2.0L 16-17**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 1K0820808H
额定电压/Rated Voltage: 12V 5C0820803F
制冷剂/Refrigerant: R134a 1697,1697A

HS05020



PXE14 **VW PASSAT/JETTA/TIGUAN/AUDI Q3**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 14SD1748C
额定电压/Rated Voltage: 5K0820803C
制冷剂/Refrigerant: R134a 1702/1748

HS05021



6V12 **For VW Polo For Skoda Rapid For Roomster Fabia Dodge Durango 2009-2015**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm SANDEN1948
额定电压/Rated Voltage: 12V 6R0820803A
制冷剂/Refrigerant: R134a 6R0820803C



适用大众系列VW

HS05022



7V16
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 119mm 1J0820803F
额定电压/Rated Voltage: 12V 1J0820803K
制冷剂/Refrigerant: R134a 1J0820805

BORA/LAVIDA 2011

HS05023



6SEU14C
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 100mm 7E0820803G
额定电压/Rated Voltage: 7E0820803E
制冷剂/Refrigerant: R134a 7E0820803A

VW

HS05025



7SEU17C
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 1K0820803G
额定电压/Rated Voltage: 12V 1K0820803H
制冷剂/Refrigerant: R134a

VW SAGITAR

适用福特系列FORD

HS06001



7SEU17C
带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 109mm DG9H19D629
额定电压/Rated Voltage: 12V YCC309
制冷剂/Refrigerant: R134a CO 29119C

MONDEO 2.0/EDGE

HS06008



10S12
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 109mm UC9M61450
额定电压/Rated Voltage: 12V AB3919D629BC
制冷剂/Refrigerant: R134a AB3919D629AB

FORD PICKUP

HS06009



10SA13E
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm RC.600.317
额定电压/Rated Voltage: 12V E3B119D629BA
制冷剂/Refrigerant: R134a

Ford Ka Motor 1.0 2014 Modelo 2015

HS06010



SP17
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 110mm F7AZ19589DA
额定电压/Rated Voltage: 12V 7C1919D629AA
制冷剂/Refrigerant: R134a 139300063

FORD TRANSIT V348

HS06011



HS15
带轮槽数/No.of Grooves: A1
皮带轮直径/Pulley Diameter: 142mm F500RZWLA-07
额定电压/Rated Voltage: 12V 97701-34700
制冷剂/Refrigerant: R134a

FORD PICKUP/RANGER

HS06012



VS16
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 108mm AVAA-19D
额定电压/Rated Voltage: 12V 629-A2C
制冷剂/Refrigerant: R134a

Ford escoport



适用福特系列FORD

HS06013



VS16 For Ford Focus Petrol For VOLVO For S40 For V50 2004-2012
带轮槽数/No.of Grooves: PV5
皮带轮直径/Pulley Diameter: 108mm 6C1H19497AA
额定电压/Rated Voltage: 12V 3M5H19D629PA
制冷剂/Refrigerant: R134a

HS06014



VS16 FOCUS MK3-MK4 1.6 TDC 05-11/C-MAX 07-10
带轮槽数/No.of Grooves: PV5
皮带轮直径/Pulley Diameter: 108mm 1333042
额定电压/Rated Voltage: 12V 30676394
制冷剂/Refrigerant: R134a 1368905

HS06015



PXE16 **Ford**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm GR3B19D629GD
额定电压/Rated Voltage: 12V GR3Z19703B
制冷剂/Refrigerant: R134a GR3Z19703C

HS06016



VS16 **FOCUS 1.6 AT**
带轮槽数/No.of Grooves: PV5
皮带轮直径/Pulley Diameter: 108mm 3M5H19D629PH
额定电压/Rated Voltage: 12V 3M5H19D629PJ
制冷剂/Refrigerant: R134a 1432750

HS06017



FS15 **FORD FIESTA**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 119mm
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS06018



7SEU17C
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 115mm
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a



适用福特系列FORD

HS06019



HS15 **FORD FIESTA 13-**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 120mm AE8619D629AB
额定电压/Rated Voltage: 12V 98319
制冷剂/Refrigerant: R134a

HS06020



6SEU16C **FORD MENDEO**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 108mm 8FK351334051
额定电压/Rated Voltage: 12V 6G9119D629KB
制冷剂/Refrigerant: R134a

HS06021



DH15 **FORD RANGER 3.2L**
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 108mm EB3B19D629DB
额定电压/Rated Voltage: 12V EB3B19D629DA
制冷剂/Refrigerant: R134a



适用标志系列PEUGEOT

HS07001



6SEU16C PEUGEOT 4008 308 II 1.2 13
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 119mm 4471504722
额定电压/Rated Voltage: 12V 4472807363
制冷剂/Refrigerant: R134a 9675659880

HS07002



6SEU16C PEUGEOT 4008/CITROEN C3 PICASSO
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 108mm 9675655880
额定电压/Rated Voltage: 12V 1613509980
制冷剂/Refrigerant: R134a 1606230580

HS07013



10S11 RENAULT KWIT
带轮槽数/No.of Grooves: PV3
皮带轮直径/Pulley Diameter: 125mm 926005548R
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS07009



6C12 PEUGEOT /C -TRIOMPHE
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 119.6mm 9671216280
额定电压/Rated Voltage: 12V 9651910980
制冷剂/Refrigerant: R134a TSP0155488

HS07010



6V12 PEUGEOT 206
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 115mm 9655191680
额定电压/Rated Voltage: 12V 64529223392
制冷剂/Refrigerant: R134a 64526942501



适用标志系列PEUGEOT

HS07012



7V16 PEUGEOT
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 125mm 7700273801
额定电压/Rated Voltage: 12V 8200315744
制冷剂/Refrigerant: R134a 8FK351127401

HS07008



SS96 For Fiat Palio Siena For Fire Uno
带轮槽数/No.of Grooves: PV5
皮带轮直径/Pulley Diameter: 115mm 51786321
额定电压/Rated Voltage: 12V W11J2020624
制冷剂/Refrigerant: R134a



适用别克系列BUICK

HS08001



6CVC

CHEVROLET MALIBU 2.4L 2007-2012/CHEVROLET HHR 2.4L 2004-2010 迈锐宝

带轮槽数/No. of Grooves:	PV5
皮带轮直径/Pulley Diameter:	105mm 152311079
额定电压/Rated Voltage:	12V
制冷剂/Refrigerant:	R134a

HS08002



7SEU17C

New Regal

带轮槽数/No. of Grooves:	PV6
皮带轮直径/Pulley Diameter:	120mm 13262836
额定电压/Rated Voltage:	6854109
制冷剂/Refrigerant:	R134a 13232305

HS08015



7SEU17C

LACROSSE 1.5 2016-

带轮槽数/No. of Grooves:	PV5
皮带轮直径/Pulley Diameter:	110mm 84139372
额定电压/Rated Voltage:	12V 84005713
制冷剂/Refrigerant:	R134a 84364335

HS08016



6SEU16C

BUICK LACROSSE 2.4

带轮槽数/No. of Grooves:	PV5
皮带轮直径/Pulley Diameter:	115mm
额定电压/Rated Voltage:	12V
制冷剂/Refrigerant:	R134a

HS08017



7SEU17C

BUICK REGAL NEW(Electronic Control)/BUICK LACROSSE 2.0/2.4

带轮槽数/No. of Grooves:	PV6
皮带轮直径/Pulley Diameter:	120mm 13262836
额定电压/Rated Voltage:	6854109
制冷剂/Refrigerant:	R134a 13232305

HS08018



7SEU17C

LACROSSE 3.0 09-12/CADILLAC

带轮槽数/No. of Grooves:	PV6
皮带轮直径/Pulley Diameter:	120mm 19354850
额定电压/Rated Voltage:	12V 19419921
制冷剂/Refrigerant:	R134a 22779351



适用别克系列BUICK

HS08019



6CVC

EXCELLE GT 2013

带轮槽数/No. of Grooves:	PV6
皮带轮直径/Pulley Diameter:	120mm 6854113
额定电压/Rated Voltage:	22820729
制冷剂/Refrigerant:	R134a 13271264

HS08020



7SB17C

BUICK GL8 3.0 08-

带轮槽数/No. of Grooves:	PV6
皮带轮直径/Pulley Diameter:	110mm 4F0260805AR
额定电压/Rated Voltage:	12V 4F0260805AL
制冷剂/Refrigerant:	R134a 4E0260805AA

HS08021



V5

BUICK REGAL 2.0

带轮槽数/No. of Grooves:	PV6
皮带轮直径/Pulley Diameter:	120mm 1135240
额定电压/Rated Voltage:	12V 2010963AM
制冷剂/Refrigerant:	R134a 1854067

HS08022



V5

BUICK EXCELLE 1.6

带轮槽数/No. of Grooves:	PV6
皮带轮直径/Pulley Diameter:	120mm 96246405
额定电压/Rated Voltage:	12V 714978
制冷剂/Refrigerant:	R134a CO 11027C

HS08023



V5

Buick Skylark 96-98 Chevrolet Cavalier 95-02

带轮槽数/No. of Grooves:	PV6
皮带轮直径/Pulley Diameter:	127mm 1135202
额定电压/Rated Voltage:	12V 1135145
制冷剂/Refrigerant:	R134a 89018887

HS08024



V5

Chevrolet Aveo 2005-2007 T200 1.2 1.4 1.5

带轮槽数/No. of Grooves:	PV6
皮带轮直径/Pulley Diameter:	132mm 714978
额定电压/Rated Voltage:	12V 715399
制冷剂/Refrigerant:	R134a 96539392



适用起亚系列KIA

HS09001



6SE12 **KIA K2 2013**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 123mm 97701-H6100
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS09002



VS16 **KIA K2 2015**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 124mm 97701-1R100
额定电压/Rated Voltage: 12V 97701-1W600
制冷剂/Refrigerant: R134a

HS09003



6SE16 **KIA K3 2015**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 125mm 506021-2353
额定电压/Rated Voltage: 12V 506221-1371
制冷剂/Refrigerant: R134a

HS09004



VS16 **For Hyundai For Tucson 13-15**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 114mm 97701-2S601
额定电压/Rated Voltage: 12V 97701-2S000
制冷剂/Refrigerant: R134a 140853

HS09005



6SE16 **KIA K5 Forte 14-18/Hyundai Elantra 14-17/MISTRA**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 115mm 97701-F2800
额定电压/Rated Voltage: 12V 97701-A5800
制冷剂/Refrigerant: R134a 97701-A4200

HS09006



VS12 **For Hyundai acento For Kia Soul 2010-2012**
带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 125mm 97701-2K100
额定电压/Rated Voltage: 12V 97701-2K101
制冷剂/Refrigerant: R134a 97701-1E100



适用起亚系列KIA

HS09007



VS16 **For Kia K5 2010- / For HYUNDAI SONATA VI (YF) 2.4**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 114mm 97701-3R000
额定电压/Rated Voltage: 12V EB9AA04
制冷剂/Refrigerant: R134a 1198334

HS09008



6SB16 **KIA SPORTAGE 2.4**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 120mm 97701-1D300
额定电压/Rated Voltage: 12V 2021976
制冷剂/Refrigerant: R134a

HS09014



6SB16 **KIA FORTE 1.6**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 124mm 97701-1J100
额定电压/Rated Voltage: 12V 97701-1X020
制冷剂/Refrigerant: R134a 97701-2F800

HS09016



DVE12 **Kia STONIC**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 118mm 97701-H8000
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS09017



DVE16 **KIA SPORTAGE**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 118mm 97701-D3000
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS09009



VS12 **Kia /Soul / Venga / Hyundai / IX20**
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 124mm 977013X000
额定电压/Rated Voltage: 12V 8623352
制冷剂/Refrigerant: R134a 977012K600



适用起亚系列KIA

HS09010



6SEU16 Car 2.0L Hyundai Tucson 2016 2017
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 114mm 97701-D3200
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS09011



7SE17C KIA SORENTO 2.2
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 119mm 97701-2P200
额定电压/Rated Voltage: 12V 97701-2P250
制冷剂/Refrigerant: R134a 890578

HS09012



VS12 ELANTRA 1.8 11-13 / KIA SOUL 2.0 12-13
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 116mm 97701-3X101
额定电压/Rated Voltage: 12V CO 11304C
制冷剂/Refrigerant: R134a 140570

HS09013



DVE18 Kia Sorento 2.4 2014
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 123mm 977012P650
额定电压/Rated Voltage: 12V 977012P400
制冷剂/Refrigerant: R134a 97701-2P650

HS09015



VS19 KIA Picanto MORNING (KIA PICANTO 2015)
带轮槽数/No. of Grooves: PV5
皮带轮直径/Pulley Diameter: 117mm 8300K193
额定电压/Rated Voltage: 12V 977011Y500
制冷剂/Refrigerant: R134a F500CPEBB01

HS09018



HS09 KIA PICANTO 11-14 / Hyunda i10 / Kia Picanto For Morning
带轮槽数/No. of Grooves: PV4
皮带轮直径/Pulley Diameter: 109mm F500CPAAC01
额定电压/Rated Voltage: 12V F500CPAAC07
制冷剂/Refrigerant: R134a 977011Y050



适用起亚系列KIA

HS09019



VS16E Kia For Sportage For Sorento 2.0 For Hyundai For IX35
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 115mm 977012Y550
额定电压/Rated Voltage: 12V 8FK351010061
制冷剂/Refrigerant: R134a

HS09020



10PA17C Kia Sorento 3.3 2006-2011
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 977013E865
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS09021



DVE18 Kia Sorento
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 120mm 97701-3T500
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS09022



DVE16 Kia /Sportage / Hyundai / Tucson 2.0
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 108mm 97701-D3000
额定电压/Rated Voltage: 12V 97701D3000
制冷剂/Refrigerant: R134a 97701 D3000

HS09023



VS18E Kia Sedona 2015-2018
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 100mm four season
额定电压/Rated Voltage: 12V 168308
制冷剂/Refrigerant: R134a 97701A9000

HS09028



HS11 Kia Rio
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 118mm 977015H000
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a



适用起亚系列KIA

HS09025



10S11C

带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 115mm 977014L000
额定电压/Rated Voltage: 12V 8FK351272-111
制冷剂/Refrigerant: R134a 977011S200

Kia Rio K2 1.6 /r HYUNDAI ACCENT

HS09026



HS11

带轮槽数/No.of Grooves: PV5
皮带轮直径/Pulley Diameter: 118mm 977011S400
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

Kia Rio HB20 1.0 / Hyundai Solaris 2017

HS09027



HS15

带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

Kia pegas

适用现代系列HYUNDAI

HS10001



VS14

带轮槽数/No.of Grooves: PV5
皮带轮直径/Pulley Diameter: 117mm 97701C7000
额定电压/Rated Voltage: 12V 977011R900
制冷剂/Refrigerant: R134a 1A3AE2400

Hyundai Accent 2011-2017

HS10002



VS16

带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 125mm 97701-2H100
额定电压/Rated Voltage: 12V 97701-17510
制冷剂/Refrigerant: R134a 98808

Hyundai Matrix Elantra i30

HS10003



VS14

带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 119mm 97701H9000
额定电压/Rated Voltage: 12V 97701-F9000
制冷剂/Refrigerant: R134a

Hyundai i30 / HYUNDAI Verna 1.4 2017-

HS10004



HS15

带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 123.4mm 97701-09000
额定电压/Rated Voltage: 12V 97701-2C100
制冷剂/Refrigerant: R134a 78347

ELANTRA

HS10005



10SP11

带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 112mm 97701-02310
额定电压/Rated Voltage: 12V 97701-02000
制冷剂/Refrigerant: R134a 97701-02200

HYUNDAI QQ ATOZ

HS10006



VS12

带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 124mm HYUNDAI
额定电压/Rated Voltage: 12V ELANTRA 13-
制冷剂/Refrigerant: R134a

Hyundai ELANTRA 1.6 GAMMA 1.6 DOHC



适用现代系列HYUNDAI

HS10007



10S11
带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 112mm 97701-0X000
额定电压/Rated Voltage: 12V 97701-07100
制冷剂/Refrigerant: R134a 141328

HYUNDAI A2

HS10008



VS18
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 120mm 97701-2B100
额定电压/Rated Voltage: 12V 97701-2B101
制冷剂/Refrigerant: R134a 97701-3K720

Hyundai Sonata/Grandeur

HS10009



6SBH14C
带轮槽数/No.of Grooves: PV5
皮带轮直径/Pulley Diameter: 118mm 97701-A5900
额定电压/Rated Voltage: 12V CS20589
制冷剂/Refrigerant: R134a 97701-F2900

HYUNDAI ELENTRA FLUIDIC 2017/QA K3 2012

HS10010



DV16
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 119mm 97701-2S500
额定电压/Rated Voltage: 12V 977012S500AS1
制冷剂/Refrigerant: R134a 977012S500RM

HYUNDAI TUSON 2.4/IX35

HS10011



VS18
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 120mm 97701-2W550
额定电压/Rated Voltage: 12V 977013M000
制冷剂/Refrigerant: R134a 977013M001

Hyundai Santa Fe 2.0 2.4 3.3 CVT

HS10012



10SP11
带轮槽数/No.of Grooves: PV5
皮带轮直径/Pulley Diameter: 117mm 97701-1Y000
额定电压/Rated Voltage: 12V 97701-1Y100
制冷剂/Refrigerant: R134a CS20368

HYUNDAI I10 1.2 (ORIGINAL) 07-13

适用现代系列HYUNDAI

HS10013



6SEU13
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 115mm 97701-C2000
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HYUNDAI SONATA 2.0 2.4 15-17

HS10014



VS18
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 119mm 977012W050
额定电压/Rated Voltage: 12V 977012W000
制冷剂/Refrigerant: R134a 8FK351002231

Hyundai IX45 For Grand Santafe 2.0 2.2 Equus Centennial 4.6

HS10015



VS14
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 125mm 97701-A5501
额定电压/Rated Voltage: 12V 97701-A5502
制冷剂/Refrigerant: R134a 141207

Hyundai ix35 TUCSON Elantra I30

HS10016



10PA17
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 124mm 97701-2D600
额定电压/Rated Voltage: 12V 97701-1D500
制冷剂/Refrigerant: R134a 97701-2E300

HYUNDAI TUSON 2.7 05-09 KIA SPORTAGE 2.7 05-07

HS10017



VS16
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 119mm 97701-2S000
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HYUNDAI TUSON 2.0 IX35 2.0CRDi 10

HS10018



DV13
带轮槽数/No.of Grooves: PV5
皮带轮直径/Pulley Diameter: 122mm 97701-C7300
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HyundaiKia



适用现代系列HYUNDAI

HS10019



10S11 Hyundai I10 2016
带轮槽数/No. of Grooves: PV5
皮带轮直径/Pulley Diameter: 111mm 97701-B4200
额定电压/Rated Voltage: 12V 97701-B9000
制冷剂/Refrigerant: R134a 141395

HS10020



10S11 HYUNDAI I10 GRAND PETROL
带轮槽数/No. of Grooves: PV5
皮带轮直径/Pulley Diameter: 111mm 97701-B4000
额定电压/Rated Voltage: 12V F500QADAA03
制冷剂/Refrigerant: R134a

HS10021



VS16 Hyundai / Elantra / I30 For ProCeed 1.4 1.6CVT / Kia For Ceed 2006-2012 1.4 1.6
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 123mm 977012H040
额定电压/Rated Voltage: 12V 977012H000
制冷剂/Refrigerant: R134a 977012H002

HS10022



10PA17C 2010-2012 For Hyundai Genesis 3.8L Engine / 2009-2010 For Kia Borrego 3.8L Engine
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 117mm 97701-2J100
额定电压/Rated Voltage: 12V 977012J100
制冷剂/Refrigerant: R134a Four Seasons

HS10023



10PA17C For Hyundai Genesis Coupe 3.8 V6
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 1325032200
额定电压/Rated Voltage: 12V 977012M100
制冷剂/Refrigerant: R134a P300132310

HS10024



VS18 For Hyundai For Tucson For IX35 For Kia For KX7
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 119mm 977012Y500
额定电压/Rated Voltage: 12V ACP445000P
制冷剂/Refrigerant: R134a 8FK351001301



适用现代系列HYUNDAI

HS10025



FS18 STAREX/ H-1-2.5 TDIC
带轮槽数/No. of Grooves: PV4
皮带轮直径/Pulley Diameter: 135mm 97701-4a400
额定电压/Rated Voltage: 12V 977014a400
制冷剂/Refrigerant: R134a 97701-4a800

HS10026



6SEU14C Hyundai Sonata For Tucson 2.0 2.4 2015-2017
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 115mm KT4472504360
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS10027



VS14M Hyundai For Elantra For Lafesta For I30
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 120mm 97701A5001
额定电压/Rated Voltage: 12V 97701J1100HNO
制冷剂/Refrigerant: R134a 8FK351010051

HS10028



VS14E Hyundai Elantra For Kia Cerato Soul 2.0 2013-2016
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 115mm 97701A5100
额定电压/Rated Voltage: 12V 97701F2100
制冷剂/Refrigerant: R134a

HS10029



HS-18 Hyundai For Starex H1
带轮槽数/No. of Grooves: PV4
皮带轮直径/Pulley Diameter: 138mm 977014A400
额定电压/Rated Voltage: 12V 977014H200
制冷剂/Refrigerant: R134a

HS10030



HS18 Hyundai Grand Starex Kia Sorento / Ford Escape Hyundai H1Load Imax 2.4 2007-2014
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 109mm 97701-4H100
额定电压/Rated Voltage: 12V 97701-3E300
制冷剂/Refrigerant: R134a 97701-4A900



适用现代系列HYUNDAI

HS10032



SP20 Hyundai Mini bus
带轮槽数/No.of Grooves: PV1
皮带轮直径/Pulley Diameter: 138mm AD300562
额定电压/Rated Voltage: 12V 740626 KN
制冷剂/Refrigerant: R134a 9925058120

HS10033



HS15 Hyundai Porter Libero
带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 132mm 97701-4F100
额定电压/Rated Voltage: 12V F500DH3AA03
制冷剂/Refrigerant: R134a



适用本田系列HONDA

HS12001



10SR15C Honda Accord-3.5i
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 135mm 38810-R70-A01
额定电压/Rated Voltage: 12V 388105G0A01
制冷剂/Refrigerant: R134a

HS12002



10S17C Odyssey For RB1
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 120mm 06388PZD505
额定电压/Rated Voltage: 12V 38810PZDA00
制冷剂/Refrigerant: R134a

HS12003



6CVC13 Honda Civic/CRV/HRV (FC/FK/RW/RU) 1.5T
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 110mm 700511270
额定电压/Rated Voltage: 12V CO29304C
制冷剂/Refrigerant: R134a 388105AAA01

HS12004



6CVC Honda Civic 2.0L
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 110mm 38810-5AA-A03
额定电压/Rated Voltage: 12V 38810-5BA-A01
制冷剂/Refrigerant: R134a 38810-5BA-A02

HS13003



TRSE07 HONDA ACCORD
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 100mm 38810-RNA-014
额定电压/Rated Voltage: 12V 38810RNA024
制冷剂/Refrigerant: R134a 38810RNA014

HS12006



HS18C Honda Accord 2.4
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 120mm 388105A2A01
额定电压/Rated Voltage: 12V MC4472802110
制冷剂/Refrigerant: R134a 2473009100



适用三菱系列MITSUBISHI

HS13001



VCR08 Mitsubishi Attrage
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 115mm 7813A385
额定电压/Rated Voltage: 12V 7813A526
制冷剂/Refrigerant: R134a

HS13002



CR12S MITSUBISHI L200 2016
带轮槽数/No. of Grooves: PV4
皮带轮直径/Pulley Diameter: 119mm 7813A673
额定电压/Rated Voltage: 12V 7813A672
制冷剂/Refrigerant: R134a

HS13003



MSC60 Mitsubishi Lancer 2007 ~
带轮槽数/No. of Grooves: PV5
皮带轮直径/Pulley Diameter: 90.6mm 7813A057
额定电压/Rated Voltage: 12V 7813A151
制冷剂/Refrigerant: R134a

HS13004



DKS15D MITSUBISHI STRADA TRITON pickup L200
带轮槽数/No. of Grooves: PV1
皮带轮直径/Pulley Diameter: 125mm MN123626
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS14001



CR08B Nissan Versa Micra 2012-2018
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 100mm 926006053R
额定电压/Rated Voltage: 12V 926001HC2D
制冷剂/Refrigerant: R134a 926001KA3B

HS14002



DKS17D Nissan Clima Np300 - Frontier 2016 AI 2019
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 130mm T70944AB
额定电压/Rated Voltage: 12V 926004JM2B
制冷剂/Refrigerant: R134a

HS14003



DKS17D Nissan Patrol
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 110mm 926001LA0B
额定电压/Rated Voltage: 12V 926007S000
制冷剂/Refrigerant: R134a 926001LA0C

HS14004



KPR-1265 Nissan Frontier 05-11
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 115mm 92600Ea300
额定电压/Rated Voltage: 12V 92600Ea01A
制冷剂/Refrigerant: R134a

HS14005



7SB17 Nissan Qashqai 1.6 2008
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 115mm 27630-00Q0A
额定电压/Rated Voltage: 12V 8200848916
制冷剂/Refrigerant: R134a

HS14006



DCS17 NISSAN QASHQAI NEW
带轮槽数/No. of Grooves: PV7
皮带轮直径/Pulley Diameter: 115mm 7711497035
额定电压/Rated Voltage: 12V 8200720780
制冷剂/Refrigerant: R134a 8200869742



适用尼桑系列NISSAN



适用尼桑系列NISSAN

HS14007



CVC Nissan Qashqa 2.0 2003-2015
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm 92600BR21A
额定电压/Rated Voltage: 12V 92600BR20A
制冷剂/Refrigerant: R134a 926001DB3A

HS14008



DKS17 Nissan patrol
带轮槽数/No.of Grooves: PV7
皮带轮直径/Pulley Diameter: 135mm 92600vk110
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS14009



DKV11C Nissan Almera Classic Sunny
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 133mm 27630-95F0A
额定电压/Rated Voltage: 12V 27630-95F0B
制冷剂/Refrigerant: R134a 27630-95F0B

HS14010



DKS17CH For Nissan Patrol Y60 For Navara D22 QD32 2.4
带轮槽数/No.of Grooves: PV1
皮带轮直径/Pulley Diameter: 135mm 92600VB005
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HS14011



6SBH14C For Nissan Qashqai For Renault Megane
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 109mm 926004EA0A
额定电压/Rated Voltage: 12V 926000994R
制冷剂/Refrigerant: R134a



适用其他系列OTHERS

HSCR001



10S15C CRUZE/REGAL 1.6T
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 120mm 13376447
额定电压/Rated Voltage: 12V CS20227
制冷剂/Refrigerant: R134a

HSSZ001



6SEU14 Suzuki GrandVitara 2.0L
带轮槽数/No.of Grooves: PV5
皮带轮直径/Pulley Diameter: 110mm 8629548
额定电压/Rated Voltage: 12V 9520164JB1
制冷剂/Refrigerant: R134a 9520164JB01

HSSZ002



10S11 Suzuki For Swift / SX4 / GrandVitara
带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 110mm 9521063JA0
额定电压/Rated Voltage: 12V 9520063JA0
制冷剂/Refrigerant: R134a VA08A1AB4AG

HSSZ003



QS70 Suzuki Swift 1.2 VVT 2010-2017
带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 94mm 9520168LA2
额定电压/Rated Voltage: 12V 9520068LA1
制冷剂/Refrigerant: R134a 9520068LA0

HSLR001



PXC16 LAND ROVER RANGE ROVER 5.0
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm LR056364
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a

HSCV001



SP17 Chevrolet CAPTIVA 2.4 PETROL 12-
带轮槽数/No.of Grooves: PV6
皮带轮直径/Pulley Diameter: 121mm 96861885
额定电压/Rated Voltage: 12V 96629606
制冷剂/Refrigerant: R134a



适用其他系列OTHERS

HSCV002



SP17 Chevrolet Captiva 2006-2011
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 121mm 96629605
额定电压/Rated Voltage: 12V 740342
制冷剂/Refrigerant: R134a 141214

HSCV003



JS96 Chevrolet Colorado GM S10 2.8
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 134mm 52021260
额定电压/Rated Voltage: 12V 52063999
制冷剂/Refrigerant: R134a 597910629

HSCY001



7SBH17C Chrysler 300C For Dodge Challenger 2014-2021
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 120mm 68160395af
额定电压/Rated Voltage: 12V 8160395AD
制冷剂/Refrigerant: R134a

HSCY002



HS18 Jeep Grand Cherokee For Chrysler 300C For Dodge 3.6
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 120mm 68294506ac
额定电压/Rated Voltage: 12V 68021637
制冷剂/Refrigerant: R134a

HSCY003



RS18 Jeep For Cherokee For Wrangler 3.0/3.6
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 120mm 55111374ae
额定电压/Rated Voltage: 12V 55111374AC
制冷剂/Refrigerant: R134a

HSCY004



10S17C CHRYSLER 300C 3.5/Dodge Challenger/Magnum
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 120mm 55111418ac
额定电压/Rated Voltage: 12V 55111418AB
制冷剂/Refrigerant: R134a 55116839AA



适用其他系列OTHERS

HSCY005



6SEU16C Jeep Compass Patriot Dodge Caliber
带轮槽数/No. of Grooves: PV4
皮带轮直径/Pulley Diameter: 109mm 68066970AA
额定电压/Rated Voltage: 12V 5058900AB
制冷剂/Refrigerant: R134a 5058900AC

HSMD001



10S17C Mazda CX-9 3.5L 3.7L 2007-2015
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 110mm CO 30021C
额定电压/Rated Voltage: 12V TD1561450A
制冷剂/Refrigerant: R134a 447260-6280

HSMD002



HS15 Mazda BT50 B2500 B2900 2001
带轮槽数/No. of Grooves: PV1(A1)
皮带轮直径/Pulley Diameter: 143mm UH8161450
额定电压/Rated Voltage: 12V 97701-34700
制冷剂/Refrigerant: R134a F500-RZWLA-07

HSMD003



RX15 Mazda 3 6 CX4 CX5 For Axela 2.0 2012
带轮槽数/No. of Grooves: PV6
皮带轮直径/Pulley Diameter: 109mm BFD161450A
额定电压/Rated Voltage: 12V KD4561450A
制冷剂/Refrigerant: R134a



质量第一 · 客户至上
Quality first · Clients paramount

质量第一 · 客户至上
Quality first · Clients paramount



适用工程车辆系列ENGINEERING VEHICLES

HSNH001



7H15 NewHolland For Iveco For Case
带轮槽数/No.of Grooves: PV8
皮带轮直径/Pulley Diameter: 153mm ABPN83304374
额定电压/Rated Voltage: 24V 58790
制冷剂/Refrigerant: R134a

HSIV001



PAC17C Iveco Stralis Eurotech Eurostar NewHolland
带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 115mm 504385146
额定电压/Rated Voltage: 24V 99488569
制冷剂/Refrigerant: R134a

HSIV002



PAC17C Iveco Eurotrakker Stracis
带轮槽数/No.of Grooves: PV4
皮带轮直径/Pulley Diameter: 115mm 504385144
额定电压/Rated Voltage: 24V 5801343601
制冷剂/Refrigerant: R134a

HSDL001



V5 Delong X3000
带轮槽数/No.of Grooves: PV8
皮带轮直径/Pulley Diameter: 115mm DZ13241845132
额定电压/Rated Voltage: 24V
制冷剂/Refrigerant: R134a

HSNH002



7H15 NEW HOLLAND T8 For CASE IH
带轮槽数/No.of Grooves: PA8
皮带轮直径/Pulley Diameter: 153mm 86993463
额定电压/Rated Voltage: 12V 317008A2
制冷剂/Refrigerant: R134a 86992688

HSIV003



7H15 Iveco For Eurocargo For NewHolland For Hitachi For Kobelco
带轮槽数/No.of Grooves: PV1
皮带轮直径/Pulley Diameter: 135mm 98462948
额定电压/Rated Voltage: 24V 76047005
制冷剂/Refrigerant: R134a 5095524

适用工程车辆系列ENGINEERING VEHICLES

HS10031



SP08 HYUNDAI excavator
带轮槽数/No.of Grooves: PV1
皮带轮直径/Pulley Diameter: 115mm 11MH-90380
额定电压/Rated Voltage: 24V A5W00260
制冷剂/Refrigerant: R134a

HSSC001



7H15 Scania Truck
带轮槽数/No.of Grooves: PV10
皮带轮直径/Pulley Diameter: 120mm 1531196
额定电压/Rated Voltage: 24V 1888032
制冷剂/Refrigerant: R134a

HSCP001



7H15 Caterpillar for Pad Mount
带轮槽数/No.of Grooves: PV8
皮带轮直径/Pulley Diameter: 133mm 3201291
额定电压/Rated Voltage: 24V SD4291
制冷剂/Refrigerant: R134a

HSCP002



7H15 CATERPILLAR (ENGINEERING TRUCK/EXCAVATOR)
带轮槽数/No.of Grooves: PV8
皮带轮直径/Pulley Diameter: 133mm 1419676
额定电压/Rated Voltage: 24V 2180234
制冷剂/Refrigerant: R134a 20-04726

HSCP003



7H15 Caterpillar Case
带轮槽数/No.of Grooves: PA1
皮带轮直径/Pulley Diameter: 153mm 4640
额定电压/Rated Voltage: 24V 1065122
制冷剂/Refrigerant: R134a

HSCP004



7H15 CATERPILLAR
带轮槽数/No.of Grooves: PV1
皮带轮直径/Pulley Diameter: 138.5mm 8065
额定电压/Rated Voltage: 12V
制冷剂/Refrigerant: R134a



适用工程车辆系列ENGINEERING VEHICLES

HSCP005



7H15

带轮槽数/No.of Grooves: PV12
皮带轮直径/Pulley Diameter: 126mm 3346439
额定电压/Rated Voltage: 24V 3729295
制冷剂/Refrigerant: R134a

Caterpillar 320E D2L D2GC D2

HSV1001



7H15

带轮槽数/No.of Grooves: PV8
皮带轮直径/Pulley Diameter: 176mm 20587125
额定电压/Rated Voltage: 24V 85000458
制冷剂/Refrigerant: R134a 8FK351135-081

VOLVO 400

HSV1002



7H15

带轮槽数/No.of Grooves: PV8
皮带轮直径/Pulley Diameter: 149mm 5010605063
额定电压/Rated Voltage: 24V 20-08192-AM
制冷剂/Refrigerant: R134a 8192,6093

VOLVO

HSV1003



7H15

带轮槽数/No.of Grooves: PV8
皮带轮直径/Pulley Diameter: 132mm 11104251
额定电压/Rated Voltage: 24V 11412631
制冷剂/Refrigerant: R134a 20538307

Volvo FH16

HSSC002



7H15

带轮槽数/No.of Grooves: PV8
皮带轮直径/Pulley Diameter: 119mm 1412263
额定电压/Rated Voltage: 24V 10575186
制冷剂/Refrigerant: R134a 1888034

Scania Heavy Trucks

HSSC003



7H15

带轮槽数/No.of Grooves: PV2
皮带轮直径/Pulley Diameter: 132mm 1376999
额定电压/Rated Voltage: 24V
制冷剂/Refrigerant: R134a

SCANIA 4 CAMION /MAZDA E-SERIE



适用工程车辆系列ENGINEERING VEHICLES

HSKT001



10S15C

带轮槽数/No.of Grooves: B1
皮带轮直径/Pulley Diameter: 152mm 20Y9796121
额定电压/Rated Voltage: 24V 447220-4052
制冷剂/Refrigerant: R134a 20Y-9796-121

KOMATSU PC200-7 PC300-7

HSKT002



DKS15C

带轮槽数/No.of Grooves: B1
皮带轮直径/Pulley Diameter: 144.5mm 2021372
额定电压/Rated Voltage: 24V 2039796831
制冷剂/Refrigerant: R134a 811417002

Komatsu PC228/PC138US