



Zhejiang Altertool Technology Incorporated

ADD: No.303# Zhuangqian Road, Economic & Technological Development
District, Jiaxing City, Zhejiang, China
314050
Mp:+86-18957369690
Tell:+86-573-82078308
E-mail:sales@altertool.com
Wabsite:www.altertool.com



Zhejiang Altertool Technology Incorporated



COMPANY PROFILE

ALERTOOL produces quality automotive products for vehicle after-sale service professionals.

As a manufacturer, ALERTOOL strives to provide our customers with the most cost-effective or customer service and quality products.

For many years we have been considered by people who throughout the garage industry as being the one of most professional manufacturer for car jacks, such as bottle jack, floor jack, scissor jack, jack stand, shop press, etc.

We provide the professional market as the same Efficient communication, Trustworthy products, Excellent responsibility, Better solution for vehicle after-sale buyers have trusted with over 20 years.

ISO Certified ISO 14001:2004,ISO/TS 16949:2009TUV/GS, CE, FCC.....



CAPACITY	2TON
MIN.HEIGHT	125MM
MAX.HEIGHT	330MM
NET WEIGHT	8.5KG
GROSS WEIGHT	9.5KG
PACKING SIZE	48X23X15CM

Certificate by: TUV SUD



Floor Jack

FLOOR JACK TUV GS SERIES



FLOOR JACK TUV GS SERIES



CAPACITY	3 TON
MIN.HEIGHT	75MM
MAX.HEIGHT	500MM
NET WEIGHT	34KG
GROSS WEIGHT	35KG
PACKING SIZE	77.5X38X19CM

Certificate by: TUV SUD



TWD24-3730S

**LOW
PROFILE**

**SLOWLY
DOWN**

75 MM
Min.Height



Floor Jack

FLOOR JACK TUV GS SERISES



High Straight Piston



Thickened Lifting Arm



High Purity hydraulic Oil
(-35——40℃ good working)



Protection:safety valve

Certificate by: TUV SUD



CAPACITY	2.25TON
MIN.HEIGHT	85MM
MAX.HEIGHT	380MM
NET WEIGHT	13.7KG
GROSS WEIGHT	14.7KG
PACKING SIZE	59.5X24X16.5 CM

Certificate by: TUV SUD



Floor Jack

Jacks



TWD24-1615




TWD24-1815



TWD24-1515



TWD24-1715



CAPACITY (TON)	MIN.H. (MM)	LIFTING.H (MM)	MAX.H (MM)	N.W. (KG)	G.W (KG)	PACKAGE	QTY/CTN (PCS)	MEASUREMENT (CM)	PALLET TYPE
2	125	175	300	6.5	7.3	Blow Case	1	45X21X14	A or B
2	125	175	300	6.5	7.5	Color Box	1	45X21X14	A or B
2	125	205	330	8.5	9.1	Color Box	1	48X23X15	A or B
2	125	205	330	8.5	9.5	Blow Case	1	48X23X15	A or B

Floor Jack

Certificate by: TUV SUD



TWD24-2222

2.5T



A
360°



B LED LAMP

TWD24-2525L



BASIC TYPE+A+B 2.5T






TWD24-2525LR

BASIC TYPE +A 2.5T

CAPACITY (TON)	MIN.H. (MM)	MAX.H. (MM)	N.W. (KG)	G.W (KG)	PACKAGE	MEASUREMENT (CM)	BOARD SHAPE TYPE
2.5T BASIC TYPE	85	380	12.5	13.5	Case	59.5*24*16.5	stright line or wavy line
2.5T BASIC TYPE	85	380	12.5	13.5	Color Box	59.5*24*16.5	stright line or wavy line
Make Update Type tTo Choose Parts With Extra Cost							
360 drgreen rotate handle			B	Led lamp		C	sleeve+L-handle

jacks

Super Deluxe



Floor Jack

Hot Sale



TWD24-2520



TWD24-2520T

CAPACITY (TON)	MIN.H. (MM)	LIFTING.H (MM)	MAX.H (MM)	N.W. (KG)	G.W (KG)	PACKAGE	QTY/CTN (PCS)	MEASUREMENT (CM)
2.5	110	250	360	10.5	11.2	case	1	57.6*24.5*16.3
2.5	110	250	360	10.5	10.8	color box	1	57.6*24.5*16.3
 A: FLAT RUBBER		 B:HIGH RUBBER		 C:SLEEVE+ L HANDLE				

Floor Jack

Jacks



TWD24-7420



TWD24-7420

TWD24-7320

	CAPACITY (TON)	MIN.H. (MM)	LIFTING.H (MM)	MAX.H (MM)	N.W. (KG)	G.W (KG)	PACKAGE	QTY/CTN (PCS)	MEASUREMENT (CM)
TWD24-7420	2.25	145	235	385	9.5	10.5	Blow Case	1	40*22.5*18.7
TWD24-7320	2.25	145	235	385	9.5	10.5	Color Box	1	40*22.5*18.7



Floor Jack



TWD24-5320



TWD24-6325



TWD24-5525F



CAPACITY (TON)	MIN.H. (MM)	LIFTING.H (MM)	MAX.H (MM)	N.W. (KG)	G.W (KG)	PACKAGE	QTY/CTN (PCS)	MEASUREMENT (CM)
3	135	325	460	22	23	Color Box	1	60X35X19
3	135	360	495	28	28.7	Color Box	1	68X38.5X19

Certificate by: TUV SUD



Floor Jack

Jacks

TWD24-5525D



TWD24-6730F



TWD24-6730



CAPACITY (TON)	MIN.H. (MM)	LIFTING.H (MM)	MAX.H (MM)	N.W. (KG)	G.W (KG)	PACKAGE	QTY/CTN (PCS)	MEASUREMENT (CM)
3	135	360	495	28	29	Color Box	1	68X38.5X19
3	135	360	495	32	33	Color Box	1	68X38.5X19

Floor Jack

Certificate by: TUV SUD



TWD24-3125



CAPACITY (TON)	MIN.H. (MM)	LIFTING.H (MM)	MAX.H (MM)	N.W. (KG)	G.W (KG)	PACKAGE	QTY/CTN (PCS)	MEASUREMENT (CM)
3ton-low	75	425	500	32	34	Color Box	1	77.5*38*19

Certificate by: TUV SUD



Floor Jack

Jacks



TWD03-5330




TWD24-3735

CAPACITY (TON)	MIN.H. (MM)	LIFTING.H (MM)	MAX.H (MM)	N.W. (KG)	G.W (KG)	PACKAGE	QTY/CTN (PCS)	MEASUREMENT (CM)
3ton-high	135	360	495	30	34	Color Box	1	68*38.5*19
3.5	105	415	520	43	44	Color Box	1	87*45.5*20

Cross Beam Adaptor for Floor Jack



Floor Jack Adapter



Rubber Jack-pad

Jacks



For Trolley Jack

Model	TTTB2-1100
Diameter(mm)	100
Thickness(mm)	30
Package Size(mm)	320x320x320
QTY/CTN(PCS)	90



Model	TTTB2-2139
Diameter(mm)	39
Thickness(mm)	15
Package Size(mm)	400x165x200
QTY/CTN(PCS)	100



Model	TTTB2-3152	TTTB2-3151
Diameter(mm)	52	51
Thickness(mm)	13	37
Package Size(mm)	430x180x175	310x310x310
QTY/CTN(PCS)	100	60



Model	TTTB2-2144
Diameter(mm)	44
Thickness(mm)	15
Package Size(mm)	410x170x200
QTY/CTN(PCS)	100



Model	TTTB2-41137
Diameter(mm)	137
Thickness(mm)	20
Package Size(mm)	400x280x320
QTY/CTN(PCS)	90



Model	TTTB2-5197
Diameter(mm)	96.5
Thickness(mm)	23
Package Size(mm)	315x315x365
QTY/CTN(PCS)	135



Model	TTTB2-6196
Diameter(mm)	96
Thickness(mm)	8
Package Size(mm)	315x315x320
QTY/CTN(PCS)	135



Model	TTTB2-41127
Diameter(mm)	127
Thickness(mm)	20
Package Size(mm)	400x400x320
QTY/CTN(PCS)	135



Model	TTTB2-71106
Diameter(mm)	106
Thickness(mm)	27
Package Size(mm)	350x350x425
QTY/CTN(PCS)	135



Email:sales@altertool.com

Professional Low Profile Floor Jack

Features:

- Professional stronger construction
- Compact and space-saving
- Protector, top saddle protection for safer lifting
- Polyamide wheels - for quietly positioning
- Long life using more than 1000 times
- 3 years guarantee

Products on this page are covered by international patents



Nylon Wheels

Special Quality Design

Polished and chrome cylinder rams enhanced by high performance seals



Chrome plated pump cylinder pistons help in preventing rust, extending the life of seals.



Model	Capacity	Min. Height (mm)	Max. Height (mm)	Net Weight (kg)	Gross Weight (kg)	Package Size (mm)	QTY/20'CY (PCS)
TCW02-76015	1.5 Ton	130	535	32	35.5	730x480x200	308
TCW02-7602	2 Ton	130	535	33.5	37	760x480x200	308
TCW02-76015H	1.5 Ton	135	855	50	54	1120x480x200	240
TCW02-1602H	2 Ton	127	914	73.9	80	1620x480x220	140

Long Floor Jack



- Ideal for lifting heavy trucks, buses, agriculture and constructions equipments.
- Heavy duty steel frame for maximum durability.
- Long frame for easy access lift point.
- Safety-overload system.
- Additional foot pedal control provides quick set-up and rise.
- Oversized swivel casters for easy mobility.

Model	Capacity	Min. Height (mm)	Max. Height (mm)	Product Size (mm)	N.W. / G.W. (kg)	Package Size (mm)	QTY/20'CY (PCS)
TCW02-1502	2 Ton	140	800	1184x435x140	58 / 64	1260x470x210	200
TCW02-1603	3 Ton	130	600	1312x400x130	65 / 71.5	1460x430x210	160
TCW02-1103	3 Ton	140	700	1100x436x140	54 / 60	1170x470x210	200
TCW02-1605	5 Ton	150	570	1412x418x150	85 / 100	1610x470x290	98
TCW02-1610	10 Ton	160	560	1540x486x160	129 / 150	1665x515x330	91
TCW02-1415	15 Ton	220	680	1550X560X305	165 / 180	1650X370X430	95
TCW02-1615	15 Ton	220	680	1550X560X305	165 / 180	1650X370X430	95
TCW02-1420	20 Ton	220	680	1550X560X305	215 / 230	1650X370X430	75
TCW02-1620	20 Ton	220	680	1550X560X305	215 / 230	1650X370X430	75



Email:sales@altertool.com

Jacks

ALTER TOOL
Tools & Equipments

Pneumatic Service Jack



Model	TWD23-122510	TWD23-124020	TWD23-125025	TWD23-42521
Capacity	25 Ton / 10 Ton	40 Ton / 20 Ton	50 Ton / 25 Ton	50 Ton / 25 Ton / 10 Ton
Air Pressure	0.6 ~ 0.8 Mpa	0.6 ~ 1.0 Mpa	0.6 ~ 1.0 Mpa	0.6 ~ 1.0 Mpa
Min. Height (mm)	185	210	235	188
Lifting Height	25 Ton : 91 mm 10 Ton : 96 mm	40 Ton : 100 mm 20 Ton : 90 mm	50 Ton : 117 mm 25 Ton : 105 mm	50 Ton : 73 mm 25 Ton : 70 mm 10 Ton : 85 mm
Extension Height (mm)	75 + 45	75 + 45	75 + 45	75 + 45
N.W. / G.W. (kg)	49 / 52	61 / 64	69 / 72	57 / 60
Package Size (mm)	860x350x310	860x350x310	860x350x310	860x350x310
Handle Box (mm)	1480x350x120	1480x350x120	1480x350x120	1480x350x120
QTY / 20'CY (PCS)	290	230	200	250



PROFESSIONAL


PNEUMATIC




Release Safety




Chrome Plated Cylinder




25 Ton / 10 Ton



40 Ton / 20 Ton



50 Ton / 25 Ton



50 Ton / 25 Ton / 10 Ton



Heavy Duty Pneumatic Service Jack



Model	TWD23-42421	TWD23-42642	TWD23-526421	TWD23-128050
Capacity	40 Ton / 20 Ton / 10 Ton	60 Ton / 40 Ton / 20 Ton	60 Ton / 40 Ton / 22 Ton / 11 Ton	80 Ton / 50 Ton
Air Pressure	0.8 ~ 1.2 Mpa	0.8 ~ 1.2 Mpa	0.8 ~ 1.2 Mpa	0.6 ~ 1.0 Mpa
Min. Height (mm)	130	150	150	255
Lifting Height	40 Ton : 62.5 mm 20 Ton : 54.5 mm 10 Ton : 58.5 mm	60 Ton : 57 mm 40 Ton : 49 mm 20 Ton : 56 mm	60 Ton : 55 mm 40 Ton : 48 mm 22 Ton : 53 mm 11 Ton : 58 mm	80 Ton : 111 mm 50 Ton : 93 mm
Extension Height (mm)	75 + 45	75 + 45	75 + 45	75 + 45
N.W. / G.W. (kg)	40 / 43	64 / 67	62 / 65	105 / 115
Package Size (mm)	920x380x320	920x380x320	920x380x320	1000x390x410
Handle Box (mm)	1480x380x120	1480x350x120	1480x350x120	1480x350x120
QTY / 20'CY (PCS)	400	230	235	540



PROFESSIONAL

PNEUMATIC



Release Safety



Chrome Plated Cylinder

40 Ton / 20 Ton / 10 Ton







60 Ton / 40 Ton / 20 Ton



60 Ton / 40 Ton / 22 Ton / 11 Ton



80 Ton / 50 Ton







Email:sales@altertool.com

Jacks

Pneumatic Service Jack

Model	TWD23-623015	TWD23-624020	TWD23-723015	TWD23-724020
Capacity	30 Ton / 15 Ton	40 Ton / 20 Ton	30 Ton / 15 Ton	40 Ton / 20 Ton
Air Pressure	0.8 ~ 1.0 Mpa	0.8 ~ 1.0 Mpa	0.6 ~ 0.8 Mpa	0.6 ~ 0.8 Mpa
Min. Height (mm)	150	150	170	170
Lifting Height	30 Ton : 74 mm 15 Ton : 68 mm	40 Ton : 74 mm 20 Ton : 68 mm	30 Ton : 73 mm 15 Ton : 65 mm	40 Ton : 70 mm 20 Ton : 62 mm
Extension Height (mm)	75 + 45	75 + 45	75 + 45	75 + 45
N.W. / G.W. (kg)	33 / 35	36 / 38	43 / 46	50 / 53
Package Size (mm)	540x370x300	540x370x300	650x360x300	650x360x300
Handle Box (mm)	/	/	1480x350x120	1480x350x120
QTY / 20'CY (PCS)	500	465	310	285



Pneumatic Service Jack

Jacks



Model	Capacity	Min. Height (mm)	Max. Height (mm)	Ram Lift (mm)	Screw Extend (mm)	Air Pressure (Mpa)	N.W. / G.W. (kg)	Package Size (mm)	QTY/20'CY (PCS)
TWD23-623015F	30 Ton / 15 Ton	150	409	30T : 73 / 15T : 66	75+45	0.8 ~ 1.2	24	700X300X280	456
TWD03-8322	22 Ton	215	430	110	105	0.75 ~ 0.85	45 / 47	660x380x240	340
TWD03-8335	35 Ton	245	490	130	115	0.75 ~ 0.85	46 / 50	660x380x240	340

Hydraulic Portable Body Repair Jack



Model	TFL03-3410
Capacity	10 Ton
Package Size (mm)	740x470x245
N.W. / G.W. (kg)	36 / 41.5
QTY / 20'CY (PCS)	297

Certificate by: TUV SUD



Hydraulic Portable Body Repair Jack

4 Ton



Fig. 1
Metal Case

TFL03-3404



Fig. 2
Blow Mold Case

TFL03-1404

Model	TFL03-3404/TFL03-1404
Capacity	4 Ton
Min. Ram Hight (mm)	330
Ram Lifting Hight (mm)	120
N.W. (kg)	17
G.W. (kg)	Fig. 1# 21 Fig. 2# 20
Package Size (mm)	Fig. 1# 580x240x170 (Metal Box) Fig. 2# 580x360x175 (Blow Mold Case)
QTY / 20'CY (PCS)	Fig. 1# 800 Fig. 2# 735

NOTE:

Includes: hand pump with hose, cylinder ram, spreader ram, rubber head, flat base, 90 degree V-base, serrated saddle, male thread adapter, assorted extension tubes.



Model	TFL03-3410/TFL03-1410
Capacity	10 Ton
Min. Ram Hight (mm)	470
Ram Lifting Hight (mm)	150
N.W. (kg)	31
G.W. (kg)	Fig. 1# 38 Fig. 2# 36
Package Size (mm)	Fig. 1# 790x305x160 (Metal Box) Fig. 2# 820x435x175 (Blow Mold Case)
QTY / 20'CY (PCS)	Fig. 1# 442 Fig. 2# 455

NOTE:

Includes: hand pump with hose, cylinder ram, spreader ram, rubber head, flat base, 90 degree V-base, serrated saddle, male thread adapter, assorted extension tubes.

TFL03-1410

Fig. 2
Blow Mold Case

10 Ton



Fig. 1
Metal Case

TFL03-3410



10 Ton



TFL03-2410



Model	TFL03-2410
Capacity	10 Ton
Min. Ram Hight (mm)	470
Ram Lifting Hight (mm)	150
N.W. (kg)	31
G.W. (kg)	38.8
Package Size	1020x470x200
QTY / 20'CY (PCS)	220



Hydraulic Ram & Hand Pump



Model			
Pressure Capacity	63 Mpa	63 Mpa	63 Mpa
Oil Capacity (high pressure)	2.6 ml/time	3 ml/time	3 ml/time
Oil Capacity (low pressure)	11.5 ml/time	20 ml/time	20 ml/time
Total Oil Capacity	0.6 L	1.0 L	1.9 L
Package Size (mm)	590x115x155	700x140x170	710x150x190
N.W. / G.W. (kg)	6 / 6.7	9 / 10	13 / 14.1
QTY / 20'CY (PCS)	2900	2000	1400

0.6L 1L 2L



5 Ton



10 Ton



15 Ton



20 Ton



30 Ton



50 Ton



75 Ton



100 Ton



150 Ton

Model									
Capacity	5 Ton	10 Ton	15 Ton	20 Ton	30 Ton	50 Ton	75 Ton	100 Ton	150 Ton
Min. Height (mm)	40	45	50	60	65	75	85	95	118
Lift Height (mm)	9	11	13	17	17	19	21	25	30
Product Size (mm)	63x44x40	78x56x45	92x68x50	104x80x60	125x100x65	153x125x75	186x155x85	206x175x95	247x215x118
Work Pressure (Mpa)	51	51.9	60.1	59.1	58.5	62.5	59.9	63.7	61.2
N.W. / G.W. (kg)	0.75 / 1.2	1.3 / 1.8	2 / 2.5	3.1 / 3.9	5 / 5.8	8.8 / 9.7	15.3 / 16.1	21 / 23	40 / 41.5
Package Size (mm)	70x50x43	85x65x50	102x77x55	110x85x65	130x105x70	160x130x80	190x160x90	215x180x100	250x220x120
QTY / 20'CY (PCS)	16000	11000	8000	5100	3400	2000	1200	890	480

Hand Operated Pump



TFL04-4500
10 Ton



TFL04-4360
4 Ton

Model	Capacity	N.W. / G.W. (kg)	Package Size (mm)	QTY/20'CY (PCS)
TYB04-4360	4 Ton	6.2 / 6.7	545x160x160	1690
TYB04-4500	10 Ton	7.2 / 7.7	685x160x160	1248

Pull-back Ram




TFL03-3320
20 Ton



TFL03-3310
10 Ton



TFL03-3305
5 Ton



TFL03-3302
2 Ton

Model	Capacity	Max. Length (mm)	Stroke (mm)	N.W. / G.W. (kg)	Package Size (mm)	QTY/20'CY (PCS)
TYB03-3302	2 Ton	575	120	22 / 24	600x290x230	4200
TYB03-3305	5 Ton	665	130	33 / 35	690x290x230	4000
TYB03-3310	10 Ton	715	130	32 / 34	680x340x210	2000
TYB03-3320	20 Ton	980	200	20 / 21	930x205x135	850



Email:sales@altertool.com

Jacks

ALTER TOOL
Tools & Equipments

Hydraulic Portable Body Repair Jack



Model	TFL03-8410
N.W. / G.W. (kg)	23 / 24
Package Size (mm)	650x450x110
QTY / 20'CY (PCS)	750
Model	TYB03-1415
N.W. / G.W. (kg)	22 / 23
Package Size (mm)	530x500x110
QTY / 20'CY (PCS)	780

1#

Stroke: 73 mm
Min.Height: 126 mm

2#

Stroke: 135 mm
Min.Height: 358 mm

3#

Stroke: 130 mm
Max.Length: 665 mm

4#

Stroke: 58 mm
Min.Height:118 mm

5#

Stroke: 18 mm
Min.Height: 40 mm

6#

Stroke: 120 mm
Max.Length: 575 mm

7#

Stroke: 125 mm
Min.Height: 270 mm

THYB04-61600



Model	TYB04-61600
Work Pression	70 Mpa
Oil Tank	1.6L
N.W. / G.W. (kg)	16.8 / 17.3
Package Size (mm)	340x310x250
QTY / CTN (PCS)	2
QTY / 20'CY (PCS)	2000

Model	TYB04-6690
Work Pression	70 Mpa
Oil Tank	0.625L
N.W. / G.W. (kg)	14.5 / 15
Package Size (mm)	410x390x220
QTY / CTN (PCS)	2
QTY / 20'CY (PCS)	2000

For use with a variety of rams, pressing tools and hydraulic tools. Operates at 10,000 PSI. Air Pressure 0.6-1.0 Mpa

TYB04-6690



Air Jack

Jacks



TQD30-2632
2 Ton

TQD30-3632
2 Ton



TQD30-2332
2 Ton

TQD30-3332
2 Ton



TQD30-2733
3 Ton

2.5 Ton
TJSAI-91625

CE

NEW

TQD30-2732
2 Ton



Model	TQD30-2632	TQD30-2332	TQD30-3632	TQD30-3332	TQD30-2732	TQD30-2733	TJSAI-91625
Capacity	2 Ton	2 Ton	2 Ton	2 Ton	2 Ton	3 Ton	2.5 Ton
Min. Height(mm)	115	115	200	200	100	120	138
Max. Height(mm)	430	430	560	560	420	450	550
Lifting Time	3 sec	3 sec	4 sec	4 sec	3 sec	4 sec	3-10 sec
Working Temp	-60°C ~ 50°C	-60°C ~ 50°C	-60°C ~ 50°C	-60°C ~ 50°C	-60°C ~ 50°C	-60°C ~ 50°C	-60°C~50°C
N.W. / G.W. (kg)	15 / 16	18 / 19	16 / 17	19 / 20	33/34	33/39	115/125
Package Size (mm)	480x280x140	1310x280x140	480x280x200	1280x280x200	850x380x260	850x400x270	1410x690x350
QTY/20'CY (PCS)	1450	530	1000	380	300	270	100



Email:sales@altertool.com

Scissor Jack



TJD36-3106

0.6 Ton

0.8 Ton



TJD36-3110

1 Ton



TJD36-3115

1.5 Ton




TJD36-3120

2 Ton



TJD79-6535

1.5 Ton



Optional Saddles Available.



Model	Capacity	Min. Height (mm)	Max. Height (mm)	Total Length (mm)	N.W. / G.W. (kg)	Package Size (mm)	QTY/ CTN (PCS)	QTY/20'CY (PCS)
TJD36-3106	0.6 Ton	85	330	375	2 / 2.3	415x400x260	10	8400 PCS
TJD36-3108	0.8 Ton	85	330	375	2.1 / 2.4	415x400x260	10	8400 PCS
TJD36-3110	1 Ton	88	380	426	2.5 / 2.8	500x455x255	10	4950 PCS
TJD36-3115	1.5 Ton	95	390	450	3.3 / 3.5	660x470x230	10	3600 PCS
TJD79-6535	1.5 Ton	95	390	450	4 / 4.2	460x395x225	6	4164 PCS
TJD36-3120	2 Ton	120	395	450	3.5 / 4	660x470x260	10	4800 PCS

Off-road Jack/Farm Jack

Jacks

- Multi-functional tool is great for lifting tractors or heavy trucks, pulling posts and poles, and even serves as an all-purpose hoist or winch.



Model	TNF30-320	TNF30-333	TNF30-348	TNF30-360
Capacity	3 Ton	3 Ton	3 Ton	3 Ton
Base Size (mm)	177.8x114.3	177.8x114.3	177.8x117.4	177.8x117.4
Product Height (mm)	508	838.2	1219.2	1524
Min.Height (mm)	125	125	125	125
Max.Height (mm)	318	660	1020	1330
N.W. / G.W. (kg)	11 / 12	13 / 14	14 / 15	14.5 / 15.5
Package Size (mm)	540x245x140	890x245x140	1255x250x145	1555x250x145
QTY/20'CY (PCS)	1320	950	650	550



Model		TNF30-248	TNF30-260
Max. SupportLoad (kg)	130 mm ≤ H < 300 mm	2000 kgs	2000 kgs
	300 mm ≤ H < 500 mm	1600 kgs	1600 kgs
	H ≥ 500 mm	500 kgs	500 kgs
Lifting Range (mm)		130-1060	130-1325
Base Size (mm) (WxLxT)		260x120x5	260x120x5
N. W. / G.W. (kg)		13 / 14	14.5 / 15.5
Package Size (mm)		1255x250x145	1555x250x145
QTY/20'CY (PCS)		580	480



Email:sales@altertool.com

Accessories of Farm Jack



TNF12-P13



TNF12-P31



TNF12-P23




TNF12-P14



TNF12-P15



TNF12-P16





TNF12-P17



TNF12-P65



TNF12-P18



Ratchet Steel Jack

Jacks

5 Ton


10 Ton

16 Ton

20 Ton

1.5 Ton

3 Ton



Model	TJXB2-13015	TJXB2-13030	TJXB2-13050	TJXB2-13100	TJXB2-13150	TJXB2-13200
Rated Capacity(Ton)	1.5	3	5	10	16	20
Stroke(mm)	300	350	350	410	320	320
Min. Height(mm)	F 60	70	80	85	95	100
Max. Height(mm)	H 600	730	730	800	800	860
Product Size(mm)	A 163	197	189	250	275	275
	B 190	200	239	293	320	335
	C 273	296	335	498	514	529
	D 100	130	140	140	150	150
	E 55	60	71	86	78	78
	G 110	140	170	170	180	180
	K 113	127	127	248	250	250
	R 225	250	275	300	300	380
N.W./G.W.(kg)	13.5 / 16	21.2 / 22	28.5 / 30	46.8 / 49	65 / 68	75 / 78
Package size(mm)	620x180x190	760x260x230	790x220x280	850x290x340	850x320x350	920x320x350
QTY/20'CY(PCS)	1100	743 PCS	534 PCS	310 PCS	273 PCS	230 PCS

Wheel Chock



Model WQD-01
Product Size 200x150x100 mm
N.W. / G.W. 2.2 kgs / 2.45 kgs
Package Size 330x275x220 mm
QTY/CTN 8 PCS
QTY/20'CY 9000 PCS

Rubber



Model WQD-02
Product Size 230x180x140 mm
N.W. / G.W. 3.65 kgs / 4 kgs
Package Size 430x275x290 mm
QTY/CTN 6 PCS
QTY/20'CY 4500 PCS

Rubber



Model WQD-03
Product Size 105x85x90 mm
N.W. / G.W. 0.7 kgs/pair / 0.8 kgs/pair
Package Size 370x230x120 mm
QTY/CTN 10 pairs
QTY/20'CY 20000 pairs

Steel



Model WQD-04
Product Size 240x190x165 mm
N.W. / G.W. 6.1 kgs / 6.2 kgs
Package Size 1120x900x1050 mm
QTY/PLT 150 PCS
QTY/20'CY 3200 PCS

Rubber



Model WQD-05
Product Size 326x204x161 mm
N.W. / G.W. 4.8 kgs/pair / 5.3 kgs/pair
Package Size 370x240x170 mm
QTY/CTN 2 PCS
QTY/20'CY 2000 PCS

Steel

For Truck



Model WQD-06
Product Size 105x75x75 mm
N.W. / G.W. 0.66 kgs/pair / 0.96 kgs/pair
Package Size 450x180x125 mm
QTY/CTN 10 pairs
QTY/20'CY 20000 pairs

Rubber



Model WQD-07
Product Size 230x220x12.5 mm
N.W. / G.W. 2.1 kgs/pair 2.2 kgs/pair
Package Size 295x233x260 mm
QTY/CTN 2 PCS
QTY/20'CY 2500 PCS

Steel

For Truck



Model WQD-08
Product Size 560x200x130 mm
N.W. / G.W. 1.7 kgs / 2 kgs
Package Size 620x410x430 mm
QTY/CTN 12 PCS
QTY/20'CY 2800 PCS

Plastic




Email:sales@altertool.com

Hydraulic Vehicle Position Jack

- Features with heavy duty all steel constructions and a quick release foot pump
- Professional positioning hydraulic jack helps to move your car or engine easily
- Maximum capacity rated at 1500lbs, rolls easily in any directions



Jacks



Model	Capacity(lbs)	Roller Length	Min/max Width Between Rollers(mm)	QTY/CTN(pcs)	Package Size(cm)	G.W(kg)	N.W(kg)
TCZ12-15312	1250	9"	335-595	1	62×60×22	15.5	13.5
TCZ12-17312	1250	12"	335-595	1	68×62×22	16	14
TCZ12-15315	1500	9"	345-650	1/2	62×62×22/88×62×22	19/36	17/34
TCZ12-17315	1500	12"	345-650	1/2	68×62×22/88×62×22	20/38	18/36



Email:sales@altertool.com

Hydraulic Vehicle Position Jack



Model	Capacity(lbs)	Roller Length	Min/max Width Between Rollers(mm)	QTY/CTN(pcs)	Package Size(cm)	G.W(kg)	N.W(kg)
TCZ12-16315	1500	12"	345-650	1/2	68×62×22/88×62×22	22.5/43	20.5/41
TCZ12-18315	1500	12"	345-650	1/2	68×62×22/88×62×22	20.5/39	18.5/37
TCZ12-19315	1500	12"	345-650	1/2	68×62×22/88×62×22	20/38	18/36
TCZ12-23315	1500	13"	425-700	1	70×65×21	25	22



Capacity(lbs) 承重	1500
Roller Length 套筒长度	12"
Min/max Width Between Rollers(mm) 套筒间最小、最大间距	/
QTY/CTN(pcs) 数量 / 箱	1
Package Size(cm) 包装尺寸	69×35×18
G.W(kg) 毛重	20
N.W(kg) 净重	18

Vehicle Wheel Dolly

Jacks




Aluminum




Chromeplated Steel



Steel



PC



Mechanical
(Turbine)



TCZ12-17315E

Capacity(lbs)	1500
承重	
Roller Length	12"
套筒长度	
Min/max Width	345-650
Between Rollers(mm)	
此管间最小 / 最大距离	
QTY/CTN(pcs)	1/2
数量 / 箱	
Package Size(mm)	68×62×22/88×62×22
包装尺寸	
G.W(kg)	15.5/31
毛重	
N.W(kg)	13.5/27
净重	




TCZ12-P113

Package Size(CM)	83×15×10
包装尺寸	
G.W(kg)	11
毛重	
N.W(kg)	10
净重	



Email:sales@altertool.com

47



Trailer Jack Series

Jacks

NEW



300 LBS



500/750 LBS



500 LBS



1000 LBS



800 LBS



1000 LBS



2000 LBS



2000 LBS



5000 LBS

Model:	300 lbs	500/450 lbs	500 lbs	1000 lbs	800 lbs	1000 lbs	2000 lbs	2000 lbs	5000 lbs
Capacity:	300 lbs	500/450 lbs	500 lbs	1000 lbs	800 lbs	1000 lbs	2000 lbs	2000 lbs	5000 lbs
Height:	200 mm	254 mm	254 mm	254 mm	254 mm	254 mm	381 mm	254 mm	285 mm
N.W.:	3.4 kgs	4.5 kgs	6.2 kgs	4.7 kgs	7 kgs	6 kgs	5.2 kgs	4.9 kgs	5.6 kgs
QTY/20'CY:	3530 PCS	2760 PCS	1500 PCS(2PCS/CTN)	1964 PCS	1639 PCS	1960 PCS	3000 PCS	2700 PCS	5000 PCS
MOQ:	200 PCS	200 PCS	200 PCS	200 PCS	200 PCS	200 PCS	200 PCS	200 PCS	200 PCS



Email:sales@altertool.com

Hydraulic Shop Press

10 TON



12 TON



6 TON



12 TON



12 TON




20 TON

Model:	10 TON	12 TON	6 TON	12 TON	12 TON	20 TON
Capacity:	10 TON	12 TON	6 TON	12 TON	12 TON	20 TON
Stroke:	175 mm	175 mm	127 mm	160mm	150 mm	150 mm
Product Size:	680x450x1070 mm	500x790x1060 mm	330x400x865 mm	530x500x875mm	510x500x1360 mm	690x670x1500 mm
N.W.	46.3 kgs	57.5 kgs	22.5 kgs	38.9 kgs	42 kgs	72 kgs
G.W.	49 kgs	59.5 kgs	24 kgs	41kgs	45 kgs	102 kgs
Package Size:	760x530x160 mm	780x410x160 mm	1000x400x130 mm	1235X220X150 mm	1375x220x165mm	1550x725x295 mm
QTY/20'CY:	320 PCS	260 PCS	390 PCS	370 PCS	300 PCS	82 PCS

Hydraulic Shop Press



12 TON
CE



12 TON
CE

Model:

Capacity:	12 TON
Stroke:	175 mm
Work Range:	0-610 mm
N.W.	43 kgs
G.W.	45 kgs
Package Size:	1265x220x165 mm
QTY/20'CY:	370 PCS

Model:

Capacity:	12 TON
Stroke:	175 mm
Work Range:	0-920 mm
N.W.	1# 54.5kgs / 2# 15 kgs
G.W.	1# 56.5kgs / 2# 16 kgs
Package Size:	1# 1375x165x195 mm 2# 660x220x150 mm
QTY/20'CY:	217 PCS

Model:


Capacity:	20 TON
Stroke:	185 mm
Work Range:	0-910 mm
N.W.	1# 20 kgs / 2# 81.5 kgs
G.W.	1# 21 kgs / 2# 83.5 kgs
Package Size:	1# 1550x185x150 mm 2# 640x320x130 mm
	1# 64 kgs / 2# 34 kgs 1# 66 kgs / 2# 35 kgs
	1# 1550x175x125 mm 2# 780x320x130 mm
QTY/20'CY:	160 PCS

Model:

Capacity:	20 TON
Stroke:	185 mm
Work Range:	0-910 mm
N.W.	1# 22 kgs / 2# 81.5 kgs
G.W.	1# 23 kgs / 2# 83.5 kgs
Package Size:	1# 1550x185x150 mm 2# 640x320x130 mm
	1# 64 kgs / 2# 35 kgs 1# 66 kgs / 2# 36 kgs
	1# 1550x175x125 mm 2# 780x320x130 mm
QTY/20'CY:	160 PCS



20 TON
CE



20 TON
CE
PNEUMATIC



Email:sales@altertool.com

Jacks

Hydraulic Shop Press



Model:	
Capacity:	20 TON
Stroke:	185 mm
Work Range:	0-910 mm
N.W.	1# 88.5 kgs / 2# 20 kgs
G.W.	1# 90.5 kgs / 2# 21 kgs
Package Size:	1# 1550x175x125 mm
	2# 780x320x130 mm
QTY/20'CY:	160 PCS

Model:	
Capacity:	20 TON
Stroke:	160 mm
Work Range:	0-998 mm
N.W.	102 kgs
G.W.	104 kgs
Package Size:	1630x190x320 mm
QTY/20'CY:	188 PCS



Application:

Hydraulic Shop Press are designed for automotive, truck, implement, fleet, and industrial repair shops where pressing, bending, straightening, forming, holding is required.

Model:	
Capacity:	20 TON
Stroke:	150 mm
Work Range:	0-710 mm
N.W.	68.3 kgs
G.W.	71.8 kgs
Package Size:	1530x205x220 mm
QTY/20'CY:	234 PCS

Model:	
Capacity:	30 TON
Stroke:	160 mm
Work Range:	0-840 mm
N.W.	150 kgs
G.W.	160 kgs
Package Size:	1620x380x310 mm
QTY/20'CY:	106 PCS



Hydraulic Shop Press



PNEUMATIC

Model:	
Capacity:	30 TON
Stroke:	160 mm
Work Range:	0-995 mm
N.W.	152 kgs
G.W.	162 kgs
Package Size:	1656x380x310 mm
QTY/20'CY:	106 PCS

Model:	
Capacity:	40 TON
Stroke:	175 mm
Work Range:	125-1080 mm
N.W.	215 kgs
G.W.	250 kgs
Package Size:	2010x550x320 mm
QTY/20'CY:	68 PCS

Model:	
Capacity:	40 TON
Stroke:	175 mm
Work Range:	0-890 mm
N.W.	216 kgs
G.W.	254 kgs
Package Size:	920x380x1792 mm
QTY/20'CY:	30 PCS



Email:sales@altertool.com

Jacks

ALTER TOOL
Tools & Equipments

Hydraulic Shop Press



Model:		
Capacity:	45 TON	50 TON
Stroke:	175 mm	175 mm
Work Range:	0-865 mm	0-890 mm
N.W.	223 kgs	245 kgs
G.W.	257 kgs	276 kgs
Package Size:	1055x440x1870 mm	920x380x1792 mm
QTY/20'CY:	24 PCS	30 PCS



Model:			
Capacity:	100 TON	150 TON	200 TON
Stroke:	280 mm	350 mm	350 mm
Work Range:	0-950 mm	0-950 mm	0-950 mm
N.W.	900 kgs	1300 kgs	1750 kgs
G.W.	1050 kgs	1350 kgs	1800 kgs
Package Size:	1000x1880x520 mm	1470x2270x650 mm	1520x2200x520 mm
QTY/20'CY:	12 PCS	10 PCS	7 PCS



Electrical Power

100 TON 150 TON 200 TON

Hydraulic Shop Press

Jacks

Special Quality Design

Higher Abrasion Resistant and Stronger for Long Life Using.



Better Fully Polished Inner Cylinder



Prevent Rust with Chrome Plated Pump Cylinder



High Quality Air Pump



Polyformaldehyde Double Seal



Better Fully Polished Inner Aluminum Cylinder

PROFESSIONAL



Model	Capacity	Stroke	Work Range	N.W.	G.W.	Package Size	QTY/20'CY
20 TON	20 TON	190 mm	0-1000 mm	115 kgs	145 kgs	1605x800x305 mm	49 PCS
20 TON	20 TON	190 mm	0-1000 mm	117 kgs	147 kgs	1605x800x305 mm	49 PCS
30 TON	30 TON	150 mm	51-1131 mm	165 kgs	201 kgs	1860x800x310 mm	49 PCS
50 TON	50 TON	200 mm	68-920 mm	293 kgs	373 kgs	1130x850x2076 mm	12 PCS



Email:sales@altertool.com

Hydraulic Shop Press



PROFESSIONAL



Model:	
Capacity:	75 TON
Stroke:	240 mm
Work Range:	0-900 mm
Package Size:	1370x840x2124 mm
N.W./G.W.:	460 kgs / 502 kgs
QTY/20'CY:	10 PCS

75 TON

Safety Guard

PNEUMATIC

Optional Shop Press Accessories

I) Quickly Hand Pump For Optional Choose




NEW

Patent Design
Quickly Pump Cylinder

II) Safety Guard

Model	Applied Model	Width (mm)	Height (mm)
		300	392
		468	520
		607	570
		843	620



III) Press Pin Adapter Kit


Model	Applied Model	Capacity (ton)	Diameter A(mm)	Diameter B(mm)	Length C(mm)	N.W. (kg)	G.W. (kg)	Package Size (mm)
		2	10	25	50			
		3	12	25	60			
		8	16	25	60			
PP-8		12	18	25	85	7.5	8	380x185x120
		14	20	25	85			
		16	22	25	85			
		18	25	25	110			
		20	30	25	110			

Hydraulic Shop Press

Jacks




20 TON



30 TON

NEW

CE ASME
SETTING THE STANDARD



50 TON

Model	Capacity	Stroke	Work Range	N.W.	G.W.	Package Size	QTY/20'CY
	20 TON	190 mm	0-1000 mm	120.5 kgs	180 kgs	1605x910x370 mm	42 PCS
	30 TON	150 mm	51-1131 mm	169 kgs	239 kgs	1855x910x380 mm	42 PCS
	50 TON	200 mm	68-920 mm	296 kgs	376 kgs	1220x860x2115 mm	10 PCS



Email:sales@altertool.com