



水康市逸哲工贸有限公司

YONGKANG YIZHE INDUSTRY AND TRADE CO., LTD



公司一直专注于汽保工具、五金工具等手动工具的研发、生产及销售,主打产品数百种,有燃油检测表系列、底盘专用工具系列、发动机专用工具系列、水箱检测工具系列、大车专用的正时工具系列、胎压枪系列、龙卷风系列等主打产品;

永康市逸哲工贸有限公司前身为永康市孟菲斯汽保工具厂,成立于2008年,于2013年3月正式改名为永康市逸哲工贸有限公司,公司位于中国永康;公司占地8000平,现有人员120人、其中中高级职称5人,有丰富的开发经验

公司致力于全球发展理念销售网络遍及全球的主要国气流和地区:如美国、德国、波兰、俄罗斯、日本、越南、印度、南非、尼日利亚、巴西、秘鲁等,在未来5~10年,将在主要国作代理商、达成战略合作从代理商、达成战略合作从保关系,打造"{\vizhe***全球品牌

The company has been focusing on the research and development, production and sales of hand tools such as auto maintenance tools and hardware tools. The main products are hundreds of kinds, including tire pressure gun series, tornado series, fuel gauge series, chassis special tools series, engine special tools series, water tank detection tools series, tool car and jack series, special car timing tools series and other main products.

With the purpose of "precise layout, pay close attention to quality, fast delivery and unlimited service", relyiny on the three-word policy of "fast, accurate and ruthless", combined with the strategy of "online and offline frequency", the company has reached an important strategic partnership with Alibaba Group.

The company is committed to the concept of global development, sales network throughout the world's majorcountries and regions: such as the United States, Germany, Poland, Russia, Japan, Vietnam, India, South Africa, Nigeria, Brazil, Peru and so on, in the next 5 to 10 years, will set up agents in major countries, reach a strategic partnership, to create "vizhe" global brand





() izhe[®] | 專業汽修工具制造商 PROFESSIONAL MANUFACTURER OF AUTOMOTIVE REPAIR TOOLS

目录 CONTENTS

CHAPTER 汽修工具套件

AUTOMOBILE FUEL PRESSURE GAUGE SERIES AUTO WATER TANK PRESSURE GAUGE SERIES

DIAGNOSTIC LEAK DETECTOR 09

VEHICLE MAINTENANCE TOOLS SERIES

TIMING TOOLS SERIES

CHAPTER 工具车系列

TOOL TROLLEY

TIRE PRESSURE GUN SERIES

INTERIOR CLEANING GUN SERIES

AIR PUMP SERIES 65

AUTO REPAIR PLIERS SERIES 67

CHAPTER 五金工具系列

HAND TOOLS SERIES

SOCKET WRENCH SERIES

CAR JACK SERIES

PUMPING UNIT SERIES 93

CHAPTER 电动工具系列

ALUMINUM RAMP SERIES 95

LITHIUM BATTERY SERIES

FORKLIFT SERIES 103

SPRAY PAINT FLIPPING FIXED BRACKET 104

01 | AUTOMOBILE FUEL PRESSURE GAUGE SERIES





YZ-7001

G324气缸压力表(汽油) G324 PETROL ENGINE COMPRESSION TESTER SET

Essy - reading 21/2" diameter gauge, features colour-coded quadruple, calibrations with 0-300ps, 21kg/cm, 13" durablerubber hose with 14mm/189 adapter.

adapter 6 heavy -duty stem with universal rubber cone adapter fits all plug holes.

OTY-20Pes G W-12 6KG MEAS-43-33-30CM



YZ-7001A

气缸压力表 PETROL ENGINE COMPRESSION TESTER SET

calibrations 0-300ps; 20ig/cm², 20bar 13"durable rubber hose with 14mm/198 adapter Two pipes with rubber plug for crank shaft type and transverse axis type.

QTY:20Pcs G W 14 6KG MEAS:42:33:30CM



YZ-7002

汽缸压力表(汽机车两用) CYLINDER PRESSURE GAUGE

- Fully diagnose cylinder pressure and wear piston
- Click the quick return valve to retest with 4 sizes adapter M10+1.0. M12+1.25. M14+1.25. M18+1.5
- Pressure range: 0-300 ps., 20kg/cm² Two pipes with rubber plug for crank shaft type and transverse axis type.

QTY/20Pcs C.W.21,0KG MEA5:52*29*42CM



YZ-7002A

多功能汽缸压力表 MULTI FUNCTION ENGINE COMPRESSION TESTER SET

This includes a straight and an angled push-or

- 0-20 Bar/0-300 Ps
- Adaptor:M10x1-0.M12x1-25.M14x1-25.M18x1.5
- Hose length:45cm With extension connecting pipe

QTY:20Pcs G.W:21.0KG MEAS:40+32+43CM



YZ-7002B

高端多功能汽缸压力表 MULTI FUNCTION CYLINDER PRESSURE GAUGE

including 1 piece spring buckle gauge-Spcs adapter M18*15, M16x15, M14*1,25, M12*1 25.M16*10 a 200mm metal Extension rod connector, two 50mm metal aluminum rod straight and blent rod, an extension rod hose with M12*1.25 thread.

0.20 8at/0.300 Psi.

QTY:10Pcs G.W:15.3KG MEA5:43+37+34CM



YZ-7002C

TU-3型多功能气缸压力表 TU-3 MULTIPLE - FUNCTION CYLINDER PRESSURE METER

0-20 Bar/0-300 Ps

QTY:20Pos G.W:21.0KG MEAS:58*32*43CM



YZ-7002D

汽缸压力表 (汽油机) COMPRESSION TESTER GAUGE SET

Quickly and accurately check compression on petrol engines.
Used for testing compression in gasoline.

Set includes:14/18mm hose adapter. Quick coupler and gauge. 14mm deep adapter

QTY-20Pcs G.W.16.0KG MEAS:58*32*43CM



YZ-7002E

TU-20-1快速气缸压力表 TU-20-1 QUICK CYLINDER PRESSURE METER

- Quickly and accurately check compression on
- Used for testing compression in gasoline engines.

 0-20 Bar/0-300 Psi
- QTY/20Pcs G.W.18.1RG MEAS:58+32+43CM



YZ-7003

TU-113燃油喷射压力表 OIL COMBUSTION SPARING PRESSURE METER

Gauge reads 0-109 ps.0-7 bar Suitable for most systems(expect for BOSCH, CIS-JETRONJIC and GM throttle body systems)

QTY-20Pcs G-W-22.0KG MEA5:52+36+60CM



YZ-7003A

新113燃油喷射压力表 NEW 113 FUEL INJECTION PRESSURE GAUGE

Suitable for most systems(except for BOSCH, CIS-1-ETRONIIC, and GM shortrie body systems) Gauge reads 0-100psi,0-7bar

QTY-10Pcs G.W-22.0KG MEAS:53+35+34CM

AUTOMOBILE FUEL PRESSURE GAUGE SERIES | 02





YZ-7004

TU-114 燃油喷射压力表 OIL COMBUSTION SPARING PRESSURE METER

This fuel pressure tester diagnoses drivability

this fuel pressure tester diagnoses dryability problems caused by poor fuel pressure. It is designed for gasoline engine systems, it features and-corrussion materials to ensure foliogillating using life. Moreover, it is 2.5° gauge with 0–140ps; 0–10 par scales for accurate measurements.

OTY-TIPES E-W-17-SKG MEAS-E6-do-doCM



YZ-7005

TU-443 多功能燃油表 TU-443 FUEL INJECTION PRESSURE GAUGE

Test range: 0-168ar/0-220Psi Fitted with 80mm gauge halving two scales(tsi and bar) reading from 0-140psi and 0-10bar Designed with a reflet valve and 6 feet of tuoing to relieve the pressure and fuel safety. -The feet pressure gauge fit opurpood with pressure release valve makes it safe and fast to use.

Comes with aparters hoses& fittings, suitable for most cars and triuds and fuel injection systems. Hose length 330mm Air inlet size: 1/4" NPT

OTV 5Pcs 6: W-28 0KG MEAS: 50*43*40CM



YZ-7005A

新型TU-443燃油喷油压力表 TU-443 FUEL INJECTION PRESSURE

Fitted with 90mm gauge having two scales[psi ritted with summ gauge having two scalestips and harf, reading from 0-140ps and 0-10bar. Designed with a relief valve and 6 feet of tubing to relieve the pressure and fuel safety. The fuel pressure gauge st equipped with pressure release valve makes it safe and fast to

Comes with adapters hoses& fittings, suitable for most carsand trucks and fuel injection systems.

OTY:5Pes G.W:22.0KG MEAS:53.5×49×39CM



YZ-7005B

气缸压力表 FULL SYSTEM DIESEL PETROL ENGINE FUEL COMPRESSION PRESSURE TESTER

For lesting the compression on both petrol and diesel vehicles Features 600pel gauge with large rubber

reactives output gauge with angled quick burniers, straight and right angled quick connect fittings and an extensive range of spark / glow plug and injector adapters. This kit will cover most modern car / van / fruisk / bus / agricultural and marine originos. Spark plug areas 10 / 12 × 14 and Tamen

QTY.5Pps G.W:23.0KG MEAS:57+46+48CM



YZ-7006

TU-12 机油压力表 TU-12 OIL PRESSURE GAUGE

Fully diagnose automobile oil pressure. High temperature resistance and oil meter

Pressure Gauge: 0-100 psi/5-7bar suitable for all kinds of small cars.



YZ-7006A

多功能机油表 ENGINE OIL PRESSURE TESTER

In Pressure pauge with hose and straight quick coupler (0-140ps: 0-10bsr) 1x 9 degree elbow quick coupler 1x 9 L/6 DIN 2999 adapter 1x 1/8"x27NP1 adapter 1x 1/4"x15NP1 adapter 1x 1/4"x15NP1 adapter

1x 1/2"x20UNF adapte

by MT0 MT2 M14 M16 M18 adveners



YZ-7007

两用气缸压力表 COMPRESSION TESTER KIT

GTY:20Pcs G.W:18.0KG MEAS:53+44+22.5CM



YZ-7008

TU-15柴油机气缸压力表 TU-15 CYLINDER PRESSURE METER FOR DIESEL TRUCK

Display mode, shockproof mechanical dial Material, PAB+30NGF Case material: NBN Accuracy: 2.5%

Accurecy: 2,5% Pressure range: 0-220Ps//0-168ar Trachua configuration: 400mm general clip



YZ-7009

柴油气缸压力表 AUTOMOTIVE DIESEL COMPRESSION TESTER SET

For use on both direct or indirect injection engines. Checks engines compression under cranking conditions. Small profile, quick coupling adapters for speeds.

Built-in- pressure relief valve enables repeat tests:

without dismantling.
Fresible hose(355mm)gives access to restricted plug&injector ports.
gauge range: 0–1000psi, 0–70bar.

QTV-5Pcs 'G.W-12.0KG MEAS-37+35+32CM



YZ-7010

TU-15全车系柴油气缸压力表 TU-15 CYLINDER PRESSURE METER FOR DIESEL TRUCK

This compression feating set has fittings for replacing imjestors and glow plugs.

0-1000 PSI/0-70 bat gauge with release valve and flacible leves. and flaighte hase

Comes with R different glow plugs and 4 injector adaptors QTY:5Pes G.W:15.BKG MEAS:39.5+39.5+29CM

03 | AUTOMOBILE FUEL PRESSURE GAUGE SERIES





YZ-7010B

柴油气缸压力表 AUTOMOTIVE DIESEL COMPRESSION TESTER SET

- For use on both direct or indirect injection.
- engines. Checks engines compression under cranking.
- conditions.
 Built in pressure relief valve enables repeat
- rests without dismantling. Flexible hose(356mm)gives access to restricted
- plug injector ports gauge range: 0-1000ps: 8:0-70 bar

QTV:5Pcs G.W:20.7kG MEAS:47.5+41.5+30CM



YZ-7011

TU-1真空压力表 TU-1 VACUUM &FUEL PUMP TESTER

Test Both Mechanical And Electrical Fuel Pumps Checks for worn or defective parts in fuel pump and vacuum system Used for checking the leaks in the fuel line, vacuum choics and heating



YZ-7011A

排气背压测试仪 EXHUST BACK PRESSURE TESTER

- Quickly and accurately check if the exhal blocked Thread size:M18+1.5,M12+1.25,M14 and M18+1.25
- M18+1-25 Hose,Diameter 6mm,Length 100 cm Pressure range Q-0.7kg/cm²

QTY 10Pcs G-W 25.0KG MEAS 53/39/24CM



YZ-7012

TU-11A自动变速器压力表 AUTOMATIC TRANSMISSION PRESSURE GAUGE

Easy to read dual scale gauge. Complete with 24"(600mm) of oil proof hose with 1/8" NPT. Also include 1/4" NPT and 3/8"NPT adaptors. Dual gauge readings: 0 to 500psi (0 to 35 bor)

QTV:20Pcs G-W:25.0KG MEAS:60+52+34CM



YZ-7013

四联真空压力表 FUEL SYNCHRONISATION KIT

- Each 2" gauge features 0-76 cm/Hg readings, shut off valve and all hardware is high brass. firmsh for langer life, higher corrusion resistance and better flow accuracy.
- 4 pcs 3-1/2' synchronization gauges with fixed
- plate (vacuum)
 4 rubber pipes 8x5x750mm
 4 Tubes of extension 3,8x52mm and 4 tubes 3.9x122mm
- Tubes of conical type connector 8x40mm
- 4 Tubes 10x53mm (M6x0 75) 4 Tubes 10x60mm (M6x1 d)

QTV:5Pcs G.W:17.5KG MEAS:46*29*48CM



YZ-7014

气缸侧漏仪表组 CYLINDER LEAK DETECTOR

Designed to detect a variety of common engine faults such as worn piston rings, cylinder head cracks, worn valves and blown head gaskets. It checks the amount of leakage in an engine cylinder and helps determine the source. Gauge scale displays percentage of cylinder heads of the cylinder and the cylinder cylinder. cauge some ungraps percentage or symmetric teakage and cylinder pressure. Pressurized air is supplied to each cylinder and in moments desplays a rate of leakage measure from 0 to 100 desplays a rate of leakage measure from 0 to 100 desplays substall local and imported cars and trucks, designed to check the amount of leakage in 4-stroke engines, ideal for testing trucks and car models where chearance is minimal. 2-1/2" (multi benessure once sona-ungruer) countries. 2-1/2' input pressure gauge snap-on quick connect nale connector, gauge scale (I 100PSI, II-7bar

12mm, 14mm spark plug adapters, air regulator QTV-20Pcs G.W-21.0KG MEAS:58+32-43CM



YZ-7015

喷油嘴流量计 FLOW METER COMMON RALL ADAPTOR SET

This his is design to measure the amount of the fuel that svery injector returns to the deposit tank rapidly and effectively, contents 24pos injector adaptors for BOSCH-01, SIEMENS-02, DENSO-03 and DELPHI injectors.

DTY:10Prs G.W:14.2KG MEAS:56:40:40CM



YZ-7015A

24件流量计适配器 24PC FLOW METER ADAPTOR SET

To be used on injection nozzles together with common rail diagnosis kit. Adaptors fit all systems such as Slemens Bosch. Denso etc.

For common rail dieses engines.

QTY-5Pcs G-W-20.0KG MEAS-53+38-5+34CM



YZ-7017

TU-112燃油喷射压力测试仪表组 TU-112 FUEL INIECTION PRESSURE TESTER GAUGE SET

- Adapter hase for schrader test ports with 7/ 16-20 threads.

- Adapter hose for schrader test poits with 308-32 threads. Single end hose connect 1/4', 5/16', 3/8' Double and hose connect 5/16' and 3/8', 5mm
- fuel bolt adapter
- UTY-20Pcs IS W:22 DKG MEAS:52+36+60CM



YZ-7016

气动球笼套索工具 PNEUMATIC BALL CAGE LASSO TOOL

- The working range of this CV axie removal tool is
- The working range of this CV asseremoval tool is between 20mm to 120mm. Fit for Audi, for BMW, for Citroen, for Frat, for GM, for Metcodus, for Mitsubish, for Renault, for Seat, for Skoda, for Volvo, for VW. The install removal air tool is suitable for rubber CV and steering boots- not suitable for Plastic (PVC) boots.

OTY:6Pcs G.W:18.6KG MEAS:52+50+36CM

AUTOMOBILE FUEL PRESSURE GAUGE SERIES | 04



YZ-7019

22件燃油和空调线路断开装置 22PCS FUEL & AIR CONDITIONING LINE DISCONNECT SET

Spcs Fuel&Air Conditioning Line Disconnect Set 5/16" 3/8" 1/2".5/8" 7/8" 5/16* 3/8* 3/2: 5/3* 7/8*
Ford A/C Spring lock coupling tool, red(3/8*)
Ford A/C Spring lock coupling tool, blue(1/2*)
Ford A/C Spring lock coupling tool, blue(1/2*)
Ford A/C Spring lock coupling tool, blue(3/8*)
Ford A/C Spring lock coupling Tool
Ford Dil Coople Line Coupling Tool
Ford A/G Spring lock blue Coupling Tool
Ford/S/M Quick Disconnected Tool
- 7pcs A/C, Fuel Line Disconnect SET
_Rubber Band

QTV:10Pcs G.W.12.0KG MEAS:47+39+32CM



YZ-7019-1

8L/15L废油接油盆 8L/15L WASTE OIL COLLECTING BASIN



YZ-7020

220件套密封圈 220PCS SEALING RINGS

20pts 5.29x1.78	20pcs 5.07+1.78	20pps 6.8x1.57
20pts 7.65x1.78	20pts 7.8x1.9	20pcs 8v2
20pcs 8 8v1 9	15pcs 10.82x1.78	15pts 10.77X2.62
15pcs 11x2	15pms 1202	10pcs 13.9XL8
10pcs 13,95X2.62	10pm 14X2	10pcs 15%2
10pcs 17X2	10pcs 17.17X1.78	10pcs 17:04X3.53

QTV:100P6s G.W:15.0KG MEAS:57+45-22CM



YZ-7021

柴油压缩试验机 DIESEL ENGINE COMPRESSION PRESSURE TESTER GAUGE TOOL KIT

Working pressure: 0-1000PS(0-70BAR) Made of durable copper and steel mate includes adapters for most engines

QTY:4Pes G:W-20.6RG MEAS:47=37=38CM



YZ-7022

8件套数字汽油发动机压缩测试 8PCS DIGITAL PETROL ENGINE COMPRESSION TESTER KIT

COMPRESSION TESTER KIT
2-1/2" LED digital gauge with side valve,
displays in PSVBAR KPA(0-300 gs),
Kit liedudes 130mm straight and
angled push-on connectors, 400mm
flexible extension with M10 × 1.0M,
M12× 1.25M, M14× 1.25M, M18X
0.5Medaptors.

QTY/10Pcs G.W.11.3KG MEAS:35-22-21CM



YZ-7023

多功能燃油压力表 PORTABLE FUEL INJECTION PRESSURE GAUGE TESTER TOOL

A large 3-1/2" gauge with dual readings of 0-145 pstand 0-1000 kps. And a low pressur 2-1/2" gauge for an accurate reading below.

15 psi.
All adapters, gauges, and hose assemblies feature a quick coupling system for speedyand efficient testing connection.

OTV:5Pcs G.W:20.5KG MEAS:63-28-34.5CM



YZ-7024

变速箱压力表套件 TRANSMISSION PRESSURE GAUGE

DE I
High pressure gauge; 0-100 PSI (0-700 kpa), 0-500 PSI (0-3500 kpa)
Adaptor 10:27 NPT
Adaptors: 1/8-27 NPT
Adaptors: 1/8-27 NPT
1/8-28 RSPT: 1/8-27 to M10-1.0
Fittings: 1/8-27 go steering elbow, 1/8-27 nipple
2* long, 1/8-27 couding, 1/8-27 to M8-1.0
1/8-27 to M8-1.25, 1/8-27 to 516-24 NF, 1/8-27
to 1/18-27 to M8-1.25, 1/8-27 to 516-24 NF, 1/8-27
to 1/18-27 to VM Audi.

QTY/20Pcs G.W.18.0KG MEAS 53+44*22.5CM



YZ-7025

真空式冷却系统 VACUUM TYPE COOLING SYSTEM \ FOR CO2 TEST IN RADIATOR

Set for testing leaks in head gasket without removing engine cylinder head by testing presence of CO2 in cooling system

QTY10Pcs GW13.009 MEAS:52/32.5/370M



YZ-7026

电气系统诊断工具电路测试仪 ELECTRICAL SYSTEM DIAGNOSTIC TOOLS CIRCUIT TESTER

ndicators .Color coded battery clips

QTY:20Pcs G.W:22:0KG MEAS:60+40+23CM



YZ-7027

焊枪修复套件 PLASTIC WELDER KIT CAR BUMPER REPAIR MACHINE

Eurostion: In can test the polenity of voltage, the continuity of relays and diodes, fuses and circuits, check lights, check motion, track and locate short circuits; test for pair grounding, test the polanty of cables and plugs, and measure ZV to 24V DC Voltage etc.

QTY:20Pcs G.W:16.0KG MEAS:59*88.5*31.5CM

05 AUTOMOBILE FUEL PRESSURE GAUGE SERIES





YZ-7029

气缸泄漏率测试工具 CYLINDER LEAKAGE TESTER KIT

With the leakage tester, you can check internal engine leakage quickly and conveniently. 2–1/2 inch dials, easy to read Well calibrated pressure gauges, ensure the test accuracy, 24 hose assembly with quick connector to coupler of mani fold. 100mm, 12mm, 14mm and 18mm adapters are available for most applications.

OTY:10Pcs G.W:18.0KG MEAS:25.5+21.4+11.5CM



YZ-7030

数字真空压力表 DIGITAL VACUUM&FUEL PRESSURE TESTER

Quick and accurate reading. Display unit random switch. Reading without any light. Function of showing the less electricity. Bood anti vibration performance. Oil resistant detection unit. Full scale 20PSI& 30inHg VAC,

QTY:10Pcs G.W:11.0KG MEAS:25.8*21.0*9.0CM



YZ-7031

数字式缸压表 DIGITAL COMPRESSION TESTER

The reading is quick and accurate, Automatic data storage, convenient to compareDisplay unit random switch, automatic conversion of measured data. Reading without any light. Function of showing the less electricity, Good anti vibration performance. Oil resistant detection unit.

QTY:10Pcs G.W:18.0KG MEAS:37.3*22.5*8.4CM



YZ-7033

气缸压力表 COMPRESSION TMSTER

Deluxe engine compression tester. Up to 7 kinds of adapters are included which can serve most gasoline engines. Standard and metric scales. 0-300 PSland ; 0-2100 KPs. 10mm, 12mm, 14mm, 14mm long reach adapters in cluded.

QTY:4Pcs G.W:20.6KG MEAS:47+37+38CM



YZ-7032

汽油车喷油器清洁汽油汽车燃料喷油 器喷嘴冲洗

PETROL CAR INJECTOR CLEANER GASOLINE AUTO FUEL INJECTOR NOZZLE FLUSHING

- Can operate non-dismantle cleaning to Fuel System Can operate cleaning Air Induction System Optional
- pipe clemp, fast and safe Multiple connectors match most brands of the vehicle Fast oil injecting design is convenient and functional

QTY:6Pcs G.W:21.5KG MEAS:74+34+38CM



YZ-7028

喷油嘴測试仪 COMMON RAIL DIESEL INJECTOR NOZZLE VALIDATOR FUEL NOZZLE INJECTOR TESTER

It is suitable for all common rail injector and mechanical injectors, auxiliary products have compression release valve, it can check the fuel injection conditions of various types of injector quickly and easily.

Calibrated hand pump with 3 1/2" dial reading 0-600 bar (0-8000lbs/sq inch).

QTY:8Pcs G.W:22.2KG MEAS:48*50*65CM

AUTOMOBILE FUEL PRESSURE GAUGE SERIES | 06





YZ-7028-2

感应加热器 INDUCTION HEATER

220V/5A 1100W 110V10A 1000W 配件线圈: Coill@15mm Ipc Ø20mm Ipc Ø35mm 1pc 1000mm 1nc Package Plantic Box



YZ-7028-1

汽车制动液测试仪 AUTOMOTIVE BRAKE FLUID TESTER

Fast warm-up and and light alarm LCD indication

QTY:1Pcs G:W:240G MEAS:22.7*10.7*5.5CM



YZ-7029-1

汽车制动液测试仪 AUTOMOTIVE BRAKE FLUID TESTER

Goose neck probe provides flexibility of detection Fast warm-up Sound and light alarm LED indication

QTY:IPcs G.W:248G MEAS:22.7+10.7+5.5CM



YZ-7030-1

汽车蓄电池系统测试仪 AUTOMOTIVE BATTERY SYSTEM TESTER

Two test methods, Accurate Test (CCA/DIN/IEC/ EN/IS required) and Quick Test (An required Jare available for test(DY219/DY219A)

available for test(DVZ16/DVZ19A)
-Four fester fully diagnose battery status and electrical system of the car
-Battery conduction upon rich parameters measured
Whong-polarity-protected everload voltage
protected.

QTY:1Pcs G.W:400G MEAS:20.3+12.4-5.7CM



YZ-7031-1

带打印机的汽车电池系统测试仪 AUTOMOTIVE BATTERY SYSTEM TESTER WITH PRINTER

Two test methods, Accurate Test (CCA/DIN/IEC/EN /IIS required) and Quick Test (Ah required) are available for test.

Complete test results including 4 test functions'

Complete test results including a test functions' readings are able to be printed dut, with date and timeshown in the thermal paper. Date/Time will be auto-updated shown in print-out paper as long as 3V 2032 coin battery is installed Multiple Isinquages available. Overhoad Voltage Protection. Reverse Connection Protection.

OTY/18cs G.W/S00G MEAS/29.5+12.4+10CM



YZ-7032-1

汽车电气系统测试仪 AUTOMOTIVE ELECTRIC SYSTEM. TESTER

Quickly chedil if a bircuit is Positive. Negative Open by probing it and observing the RED or GREEN LED

Quickly activate and check electric components -Quickly activate and check-electric components by pressing power switch to (-) or (-) position to determine their electronic and grounding status. Test continuity of switches, relays, dipdes, fuses and wires by connecting them between the auxiliary ground tead and the probe tip and observing the CRECKLES. GREEN LED

Find faulty ground connections instantly Follow and locate shart circuit



YZ-7033-1

火花塞測试仪 SPARK PLUG TESTER

er to avoid electrical shock.

QTY:1Pes G.W:386G MEAS:10.3+16.7+12CM



YZ-7034

数字歧管压力测试仪 DIGITAL MANIFOLD PRESSURE TESTER

temperature sensor interface

Pressure test of refrigerant operating conditions Testing of subcooling and superheat of refrigeran Temperature test for refrigerant evaporation and condensation

Vacuum pressure test, vacuum degree conversion Pressure leakage test, leakage speed prompt 89 refrigerant pressure and evaporation

temperature data Switching between reTrigerant and vacuum meters

QTY:1Pcs GW:950G MEAS:41.5-32.8-12.4CM



YZ-7034A

数字式歧管压力计 DIGITAL MANIFOLD GAUGE

Measuring high side/low side pressure and display saturation/evaporation reriperature 2-way valve tilock with three connections ferrigerants condensation, evaporation temperature

Vacuum pressure test Pressure drop test leak test

QTV:1Pcs G.W-1.900KG MEAS:22+14+7.3CM



YZ-7035

汽车电池测试仪 AUTOMOTIVE BATTERY TESTER

-Three main test result indicate the status of the battery and electrical system of the vehicle:Battery Capacity (Voltage CCA, Internal Resistance, SDH,

Cranking System

Craining System
Changing System
3.2-inch large colored screen provides gorgeous display
-Ropele test of changing system
-Test and display real time temperature.
-Available for all 12V and 24V starting lead -acid
battery, great compacible with regular floodedAGM
flat place. AGM spiral and gel batteries, and cover
10 batteries starting Startings CFA. DIVIS. EN. IEEE 10 battery rating Standards -CCA, DINJIS, EN, IEC. GB, SAE, MCA, BCI, CA

OTY 1Fcs G W 700G MEAS:19.3+12.4+6.1CM

07 | AUTO WATER TANK PRESSURE GAUGE SERIES





YZ-8001

14件套水箱泄漏检测器 14PCS WATER TANK LEAK DETECTOR

Text cooling system for leaks Includes hand pump, test head in a blow mold.

Surf for: Nissan, Missubishi, Mazda subaru Toyara. Honde, Ford GM, Chrysler, VW, Audi Audi Volvo, Saab, Mercedes Benz, SMW. Renault Fiat, Alfa, Romeo: Infinti, Geo, Sužuki, Jsuzu, Lexus, Opel, Peugeot, Jeep, Rover, CrimmTruck

OTV-5Pcs (7 W 18/8KG MEAS 49+43+35CM



YZ-8002

18件套水箱压力表组(塑钢) 18PCS WATER TANK LEAK DETECTOR

Functions: radiator pressure tester, radiator lid. tester. AMDvacuum purge &refill tool. Various adapters to meet most models. Material, Plastic rubbei, metals

OTY-5Pes G.W:15.5KG MEAS:51-47-35CM



YZ-8003

21件水箱測漏仪(铝制) 21PCS RADIATOR PRESSURE TESTER KIT

Easy-to-read pressure gauge with rubber

protective device. Pressure gauge with nucleon protective device. Pressure range. ID-35 psi/0-2,5 bar with pressure release valve and quick coupler Suitable for VW. Audi, Volvo, Saab, Mercedes-Benz, BMW, Renault. Porsche, Jaguar, Missubisiu, Mazda, Teyota, Honda, Sazukr, Jauzu, Ford, GM, Chryster, Frat Alfa Romeo, Lexus, Pourgeot, Jeop, Land Rover, etc.

OTY-5Pcs G.W.22.0KG MEAS:59+44+38CM



YZ-8004

27件多功能水箱压力表组(全铝) 27PCS RADIATOR PRESSURE TESTER ALUMINUM

Fasy-1to-read pressure ganger with pressure protective sleeve. Pressure range: 0-35 psi/0-25 ber with pressure release valve and quick coupler suitante for VM, Aurit, Valve, Saad, Mercedes Benz, BMW, Renault Porsche, Jaquan Mitsulpiste, Mazda, Toyota, Honda Suzuki Isizu, Ford, GM, Chryster, Fut, Alfa Romeo, Lexus, Peugeot, Jeep, Land Rover, etc.

Material, made of aluminum.

QTV:6Pis G.W:15.5KG MEAS:61+47+35CM



YZ-8005

28件多功能水箱压力表组(塑钢) 28PCS RADIATOR PRESSURE TESTER VACUUM-TYPE COOLING SYSTEM KIT

Easy-to-read pressure gauge with rubber

Easy-To-read pressure gauge with nubber protectors believe Pressure range: 0-35 psi/0-2.5 bar with pressure resource and purck cospiller. Statistic for VW, Aud, Volino, Saab, Mercodes-Beno, BMW, Renault, Porschie, Jaguer, Missubish, Mazda, Toyos, Honda Suzzin, Isuzu, Ford, GM, Chrysler, Flat, Alfa Romeo, Lexus.

Peugeot, Jeep, Land Rover, etc.

OTY:1Pcs G.W.E.2KG MEAS:51+48+11CM



YZ-8005B

34件散热器试压工具水箱 34PCS RADIATOR PRESSURE TESTING TOOL WATER TANK

Pressure gauge test range: -30 to 0 inHg, -78 to 0

Easy to Use for Radiator Coolant Vacuum Refill OTY: INC. G.W.: 8.5KG MEAS: 57-11.5-49CM



YZ-8006

4件真空式水箱更换工具组 4PCS COOLING SYSTEM VACUUM PURGE& REFICC KIT

Pressure gauge test range. 30 to 0 inHg. 76 to 0

cmHg Set for refilling new coolant by creating a vacuum

No need to undergo the time-consuming an bleeding after refilling new codant. Cone-shape adapter offers a wide application to different radiator filler nacks.

Chain can be hooked underneath vehicle's hood.

QTY:10Pcs G.W.14.2KG MEAS:56+40-40CM



YZ-8007

真空式水箱更换工具组套 COOLING SYSTEM VACUUM PURGE & REFILL KIT

material copper, rubbles infastic. Pressure gauge test range: -30 to 0 mHg -76 to 0

QTY-5Pts. G.W:16.8KG MEAS:49:43:35CM



YZ-8008

全铝手动真空泵 HAND-HELD VACUUM PUMP

Professional for automotive vehicle brake oil drainage, and disting brake-pump seal to ensure safe travel. Vacuum pump int can test all luncs. of important settings and equipment.
Plessure gauge test range: -30 to 0 inHg. -760 to 0 mmHg.

QTV:20Pcs G.W:17.0XG MEAS:51+33+45CM



YZ-8009

全配备真空吸力枪 AUTOMOTIVE VACUUM TESTER KIT

Works on most vehicle makes and models : works on most venicle makes and modes. Comprehensive workshop vocuum pump kit includes reservoir and nipple adaptor for brake and fuel line bleeding. Pressure gauge test range: -30 to 0 mHg. -760.

OTY:20Pcs G.W:16.0KG MEAS:59+45+42CM

AUTO WATER TANK PRESSURE GAUGE SERIES | 08





YZ-8010

高级手持式真空泵 SENIOR HAND-HELD VACUUM PUMP

- Hand vacutim pump is easy to bleed your car brakes.
- brakes.

 Protrable kit which includes different adapters designed for all vehicles is suitable for both home and business applications. Equipped with vacuum gauge, convenient readout of pressure.
- Pressure gauge test range: -30 to 0 inHg. -760

QTY:20Pcs G.W:19.0KG MEA5:57+43+36CM



YZ-8011

高档手持式真空泵 HIGH-GRADE HAND-HELD VACUUM PUMP

- Comprehensiva Vacuum Pump and Vacuum Tester Brake Bleed Kit allows testing of many vacuum
- operated systems. Positive pressure: 0-3 bar

Negative pressure: 0-1 bar

QTV:10Pcs G.W:16.5KG MEAS:56+40+40CM



YZ-8012

制动液更换工具 BRAKE FLUID CHANGE TOOL

This tool features effective oil replacement or air bleeding. it is widely used in automobiles, motorcycles.

QTY:20Pcs G.W:9.0KG MEAS-62+30+39CM

construction vehicles and trucks



YZ-8016A

C9升级款烟雾侧漏仪 C9 UPGRADED SMOKE SIDE LEAK DETECTOR

COOLING SYSTEM MAINTANENCE – Comprehensive kit including pressure tester and refilling tool. The professional coolant pressure tester set can both check the condition of your radiator and replace the coolant.

QTY:2Pcs G.W:10:2KG MEAS:50-33-23CM



YZ-8016

C4烟雾测漏仪 C4 SMOKE LEAK DETECTOR

ine system leak detection, smoke and air testing are acceptable

OTY:10Fcs G.W:20.7KG MEAS:47.5*41.5*30CM



YZ-8017

F6烟雾测漏仪 F6 SMOKE LEAK DETECTOR

Under long-term high temperatures, smoke and oil can oxidize and detenorate. It can affect the service life of smoke, The resulting parts, so please regularly replace the smoke and oil.

1.Before filling new oil, please pour out the remaining oil in the desector.

2.When the smoke output has water drops, please residue, with new oil.

- replace with new oil.
- 3.Liquid paraffin and baby oil are OK. 4.Please fill new oil with equipped oil bottle.

QTY:10Pcs G.W.17.0KG MEAS.54+34+27CM



YZ-8018

F8烟雾测漏仪 F8 SMOKE LEAK DETECTOR

Detachable smoke flose and power bords. In-built air compressor with big airflow. Instant smoke generation. Equipped with pressure gauge and flow adjustable meter to ensure quick diagnosis of leak status. Universal adaptor cone to fit most intakes/exhausts

QTY/20Pcs G.W 24.3KG MEAS 64+40+23.5CM



YZ-8019

IMT-200N喷油嘴清洗检测仪 IMT-200N INJECTOR CLEANING TESTER

Can be inspected and tested injection situation of injector automation/injection angle/injection rack/ Spraying uniformity, etc.

OTY:2Pcs G.W:10.2KG MEAS:50+23+23CM



YZ-8020

IMT-600N六缸喷油嘴检测仪 IMT-600N SIX CYLINDER FUEL INIECTOR DETECTOR

Features:1. Direct flushing;2. Reverse flushing;3. Litrasonic deaning. 4. On-vehicle cleaning(optional) :5. Spray ability test (6. Uniformity test (7. Injecting flow test (8. Electronic drain (9. Auto mode

QTY:20Pcs G.W:22.0KG MEAS:60+40+23CM



YZ-8020B

IMT-600N新升级六缸喷油嘴检测仪 IMT-600N NEWLY UPGRADED SIX CYLINDER FUEL INJECTOR DETECTOR

MT-600N car fuel injector cleaning detector has 6 cylinders and adopts advanced technology to clean thefuel injector of your vehicle and restore it to normal workingconducts. Not only that, our detector can also accurately detect the working conditions of the fuel injector, nelly yourlind and solve potential problems in time, and ensure yourdriving safety

QTY:1Pcs G.W:16.0KG MEAS:53+28.5+31.5CM






GDI-8025

GDI 6 缸超声波喷油器清洁器和测试仪 液晶屏幕喷雾测试仪

GDI 6 Cylinder Ultrasonic Injector Cleaner AndTester LCD Screen Spray Tester

- Power supply: AC220V±10%
- Frequency: 50-60HZ±0.5
- Relative humidity: <85%
- Ambient temperature: 0°C ~ + 40°C
- External magnetic field strength: <400A/m
- No open flames are allowed around Technical parameter
- Fuel tank capacity: 2000 ml
- Test tube amount: 110 ml
- RPM range: 0 ~ 7500 r/min
- Time range: 0 ~ 9900 times
- PWM pulse width: 0~20.0 ms
- System pressure: 0 ~ 0.55Mpa (adjustable)
- Timing: 0 ~ 20 minutes adjustable
- Ultrasonic cleaning power: 60W (intermittent work)
- Ultrasonic cleaning frequency: 28 KHZ±0.5 KHZ
- Dimensions: 390mm (length) × 410mm (width)
- × 430 mm (height) ● Weight: 16.6KG

YZ-8020A



4 Cylinder Ultrasonic Injector Cleaner



Power Supply	AC220V±10%
Frequency	50-60HZ±0.5
Relative humidity	<85%
Ambient temperature:	0°C~ + 40°C
External magnetic field strength:	<400A/m
Fuel tank capacity:	2000 ml
Test tube amount:	110 ml
RPM range:	0 ~ 7500 r/min
Time range:	0 ~ 9900 times
PWM pulse width:	0°C~+40°C











INDEPENDENT SWITCH CONTROL COMMAND













气动喷油嘴拉马 [Pneumatic Diesel Injector Puller]

- Tool for disassembly of especially tight injection nozzles and glow plugs.
- Comes complete with a universal adaptor set that cover Bosch, Delphi, denso, Siemens CR injectors which has solenoid coil or screw connections.
- Covers 99% of injectors.
- Tool for disassembling particularly fixed injection nozzles and glow plugs
- Compact and effective the solution to problems in which a sliding hammer cannot be used
- Working torque: 20-30Nm Working pressure: 5-8 bar (max) Weight: 7Kg (1x) air hydraulic hammer (19x) adapter for various applications



YZ-6103

多功能气动锤套装 [Air Hammer with 16-Piece Tool plus Set]

- Average Air Consumption 410l/MIN
- Maximum Torque 90PSI
- No-Load Speed 9000r/min
- Warranty 6 month
- Maximum Torque 90PSI
- Weight 38kg
- package 5 sets per carton
- Air pressure 0.6-0.8Mpa
- •volume 46*40.5*42CM

VEHICLE MAINTENANCE TOOLS SERIES | 12





YZ-6001

免拆避震弹簧压缩器 INTERCHANGEABLT-FOR SPRING COMPRESSOR

Suitable for MacPherson strut coil springs Safety yokes carefully shaped to ston the spring towng while under compression.

2x spring holder 65mm - 125mm (application 60mm - 115mm) 2x spring holder 88mm - 160mm (application 110mm - 150mm) 2x spring holder 125mm - 215mm (application range 140mm - 195mm)

QTY.1Fcs G.W:18,0KG MEAS,50+40+13CM



YZ-6001A

免拆避震弹簧压缩器带保护套 INTERCHANGEABLT-FOR SPRING COMPRESSOR

Suitable for MacPherson strut coil springs. Plastic yoke protectors that protect the spring coating. from damage

ncluded.

Included. 2s spring holder 65mm + 125mm (application 80mm - 115mm) 2s spring nodder 83mm - 150mm (application 110mm - 150mm) 2s spring moder 125mm - 215mm (application 1mge 140mm - 195mm)

OTY-TRES IS W-10-EKG MEAS:550+40+13CM



YZ-6001B

避震弹簧压缩器 SPRING COMPRESSOR FOR MERCHEDES

Construction with 3-point safety interlock and automatic freewheel at end of stroke Maximum compression range 325mm Minimum compression range 120ntm

CTV.IPIS. GW-65KG MEAS-85-90-10CM



YZ-6002

轴承分离器和拆卸器 (12件套双盘 拉码)

12PCS BEARING SEPARATOR AND PULLER SET

Ideal for removing large or small bearings on front and rear wheel halb arile shafts. Also removes gears, pulleys, steering wheels for vehicles, ATVs, and light trucks. Bearing separator raws (Splitters):30mm-50mm.

QTV-5Pcs G-W/25-0KG MEAS/40+90+27/CM



YZ-6003

轴承分离器和拆卸器(14件套双盘 拉码) 14PCS BEARING SEPARATOR AND PULLER SET

Ideal for removing large or small bearings on front and rear wheel hub axis shafts. Also removes gears pulleys steering wheels for wholes. ATVs: and egn. trucks. Bearing separator jaks (Splitters): 20-50mm. 50-75mm.

DTY:5Pos G.W-27.0KG MEAS-40-92+2TCM



YZ-6003A

9件轴承分离器和拉拔器套件 9PCS BEARING SEPARATOR AND PULLER SET

This kit as be used to split shaft end bearing, pulling gear from Gear shaft and separate other engine or mechanical perts. Suitable for engineering, automotive, marine and agricultural applications.

QTY: 5pc G.W.: 26.5KG MEAS: 36+28+23KM



YZ-6003B

10T液压轴承拉拔器和分离器工具 10T HYDRAULIC BEARING PULLER AND SEPARATOR TOOL

AND SEPARATOR TOOL

Hydraulic ram 10 Ton

3pc 4" peer puller jaws
3pc 6" peer puller jaws
3pc 8" peer puller jaws
4pc twin nead adapter (fibe using as a 2 jaw puller)
1pc bearing separator: 3/4" - 4-1/8"
1pc settersion rod 1" x 2" long
1pc settersion rod 1" x 4" long
1pc volle Aubrer

Ipc voke adapter

2pc main rods and 2pc entension rods Separator: 75-105mm

QTY/3Pcs G.W.16/0KG MEAS:46+43+30CM

YZ-6003C

9件小型轴承分离器套件 9PCS MINI BEARING SEPARATOR SET

Suitable for remaying small gears, wheels and fittings from Shaffs, includes: Ø15-58inm Separator, 50inm law(x2), Thrust Screw, 45imm Extension Rad (x2), 34imm Extension (x2), Cross Beam 1x M10x1.5p and M6x1.0n

QTV:10Pcs G:W:12.0KG MEAS:35+28-25CM



YZ-6003D

14件套轴承分离器和拉拔器组 14PCS BEARING SEPARATOR AND PULLER SET

A wide variety of pulling jobs: Can remove bisanings from a shaft; solid bearings, and separate flywheels. For engineering automotive, marine and agricultural applications/Separators; 050-75mm

QTV:2Pcs G.W 10:2KG MEAS:50+33+23CM



YZ-6003E

蝶式拉码三爪拉码 BUTTERFLY PULL CODE, THREE CLAW PULL CODE

Gear Hub Puller Bearing Separator Internal External 2 And 3 Legged 3" 4" 6" 8 Professional Car Repair Tools Set

QTY;5Pcs G.W:16.0KG MEAS:46:43-30CM

13 | VEHICLE MAINTENANCE TOOLS SERIES





YZ-6003F

重型液压卡盘组套 HYDRAULIC CHUCK SET

This list can be used to split shaft and bearing, pulling geer from Gear shaft and separate other engine or mechanical parts - Suitable for engineering, automotive, marine and agricultural applications

QTY/2Pcs G.W.17.0KG MEAS:54-34-27CM



YZ-6003G

双盘拉马拉码变速箱轴承取出拆卸 REMOVING AND DISASSEMBLING THE DUAL DISC RAMALLAH CODE GEARBOX BEARING

The range of use for 6-inch 100-120 sets of boxes is between 100 and 120 millimeters of the outer diameter of the bearing, if it exceeds the range. It is not suitable for use and requires a gar of 3 to 4 millimeters at the bottom of the bearing.

QTY:2Pcs G.W:5,7KG MEAS:48+38+12CM



YZ-6003H

可换开口头扳手套装 INTERCHANGEABLE OPEN-END WRENCH SET

nium 1/2" Drive Jumbo Crowfoot

14-Piece Premium 1/2" Drive lumbo Crowfoot Weensh Sel. Size range in Inch.L. 1/18", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-17/16", 1-3/4", 1-3/3", 1-17/16", 1-3/4", 1-3

QTY:20Pcs G.W:24.5KG MEAS:64+46+23.5CM



YZ-6004

9件套束钳 9PCS HOSE CLAMP PLIER SET

- Included: Tpc Flexible Hose Clamp Pliers Tpc Collar Hose Clamp Pliers:

- top: Collar Hose Clamb Pillers.

 Top: Elat Band Hose Clamp Pillers.

 Top: Cross Storted Jaw Pillers

 Top: Hose Removal Pillers,

 Top: Swivel Flat Band Hose Clamp Pillers,

 Top: Angled Hose Clamp Pillers.

 Top: Angled Hose Clamp Pillers.

 Top: Double Head Screwdriver,

 Top: Hose Removal Hoak.

OTY 5Pcs G.W.16.0KG MEAS 46*43*30CM



YZ-6005

气门密封拆卸和安装套件 VALVE SEAL REMOVER & INSTALLER KIT

This fool is used for removal and installation of valve stem seats, in which the pliers helps removal and drivers help installation. It is suitable for 5, 5.5, 6, 5.5, 7, 8, 3/8 inch seals, and these 2 deep seal driving sockets are for seals with 10.8-14.8cm diameter.

OTY:10Pcs G-W17.0KG MEAS:54*34*27CM



YZ-6006

多功能免拆式凡尔钳 UNIVERSAL VALVE SPRING INSTALLER

Applicable to: Volkswapen, Aug., BMW, Benz, osh road Tiger, Honda, Nissan, Chrys

QTY:1Pcs GW57KG MEAS:48+38+12CM



YZ-6006B

多功能免拆式凡尔钳 UNIVERSAL VALVE SPRING INSTALLER

UTMALL Engine Valve Spring Compressor Stem Seal Removal Tool for BMW VW Aura Mercedes tr is best suited for Merceges Benz: M102, M103, M104, M111, M112, M113, M271, M272, and BMW: N42, N52, N62, M64, M52, M56, E38, M60,

OTY 20Pos G-W-24.5KG MEAS-60+40+23.5CM



YZ-6006C

多功能免拆式凡尔钳 UNIVERSAL VALVE SPRING INSTALLER

UTMALL Engine Valve Spring Compressor Stem Seal Removal Tool for BMW VW Audi Mercedes His best suited for Mercedes Benz: M102, M103, M104, M111, M112, M113, M271, M272, and BMW: N42, N52, N62, M54, M50, M56, E38, M50,V8 engines

QTY:10Pcs G.W:20.7KG MEAS:47.5+41.5+30CM



YZ-6007

免拆凡尔钳 SCREW VAIL PLIERS

16, 19, 23, 25, 30mm or 5/8 to 13/16 inches. Ideal for Motorcycles and Small Bore Engines.

QTY/20Pcs G.W.24.3KG MEAS:64+40+23.5CM



YZ-6007A

免拆凡尔钳实心 NON DETACHABLE VALVE PLIERS SOLID

16, 19, 23, 25, 30mm or 5/8 to 13/16 inches ideal for Motorcycles and Small Bore Engines.

QTY-20Pcs G.W:24.3KG MEAS:64+40+23.5CM

VEHICLE MAINTENANCE TOOLS SERIES | 14



YZ-6008

通用型凸轮轴蛐封拆装组 UNIVERSAL CAMSHAFT SEAL REMOVER

Allow the crank seal to be replaced without dismantling the crank cause saving your time and costs: Universal use covering wide range of cars with oil seals between 27mm and 58mm in diameter. The falue seal adapters are made of aluminum to prevent the damage of crank

QTV 10Pcs G.W.16KG MEAS 47.5+41.5+30CM



YZ-6009

23件免拆式凡尔钳 23 PCS VALVE SPRING COMPRESSOR KIT

Applicable for CHV 8, CHC petrol or diesel engines of the following Cars: Audi, Chrysler, infiniti, Hondaryundar, usus, Mazda, Nissan, Porschie, Saturn Toyora Volvo and Vulkswapein Suitable for 8, 1/kand 24 engines.

QTY:5Pcs G-W;24.5KG MEAS:53×39:5×24CM



YZ-6010

简易免拆式凡尔钳 VALVE SPRING COMPRESSOR KIT

Applicable for DHV & OHC petrol or diesel angines of the following Cars: Audi, Chrysler, infiniti, Hondehyundas, Lexus, Mazda, Nesan-Porsche, Saturn Toyeta Volub and Volkswapen Complete service shot kin for installation and removal of the valve spring without removal of cylinder head from the engine

DTY-5Pes G-W-18-DKG MEAS-889-4D-35CM



YZ-6011

52件套衬套/轴承/密封的工具 52PC BUSH/BEARING/SEAL/ DRIVER

This bearing and seel driver set can remo-or install outhings that are flush with the housing The discs go from 18mm (0,7 inches) all the

way to 65mm (2.51 inches) in 1 increments plus 74mm (2.91 inches).

QTY:3Pcs G-W-25-5KG MEAS:37+28+2YCM



YZ-6012

12件套油底壳放油扳手 12PCS OIL PAN DRAIN WRENCH SET

The set comprises of Square and hexagon shape keys. Hex drain plug socket: 3/8". 8mm, 9mm, 10mm.

Drain plug socket: 3/8" 8mm, 11mm, 13mm T-bar: 3/8" Drive

OTY:20Pcs G.W:22.0KG MEAS:60~40~23CM



YZ-6012B

21件油底壳放油螺丝工具 21 PCS OIL PAN DRAIN SCREW TOOLS

3/8" side bar 163mm+1 Square bits with \$/8" ctnve: 5/16: 3/8: 7mm. 8mm. 10mm. 11mm, 12mm, 13mm. 14mm Hex bits with 3/8" ctnve: H8. H9. H10, H12, H13, H14, H17

3/8 inch bits: M16, T45, 10mm inner triangle.

QTV-10Pos G.W-14.5KG MEAS-27+26+27CM



YZ-6013

7件套传感器感应套筒 7 PCS SENSOR SOCKET SET

*1/2" Drive x 27mm (12 point)
*12" Drive x 29mm (6 point)
*12" Drive x 29mm (6 point)
*12" Drive x 7/8" or 22mm (6 point)
*3/8" Drive x 7/8" or 22mm (6 point)
*3/8" Drive x 7/8" or 22mm (6 point)
*3/8" Drive x 1-1/16" & 170" Z7mm (6 point)
*3/8" DR x 1-1/16" & 170" Z7mm (6 point)
*3/8" DR x 7/8" or 22mm (6 point)

QTY/10Pm G:W:21.3KG MEAS:40+29+25CM

YZ-6014

23件套碗型机滤扳手 23PCS OIL FILTER WRENCH SET

QTY:5Pcs G.W:20,0KG MEAS:53+38.5+34CM



YZ-6015

9件套碗型机滤扳手 9 PCS OIL FILTER WRENCH SET

ALMOST UNIVERSAL FIT 27mm x 6P (Marcades-Benz) 32mm x 6PT (GM), 36mm x 6PT Fit for: Benz BMW M52 M60 M73. Audi:

76mm x 14PT Fit Int Voixswargen Porsche. Jishim x 14PT Fit for Voisswagen, Porsche, Mercacles Benz, BMW, Topota: 75.8mm x 14PT Fit for Mazda, GM, Motor; Bishim x 16PT Fit for Mercades-Benz, BMW, Volvo, 75mm x 12PT Fit for, FDRD, MAZDA, MITSUBISHI, RENAULT, etc.

QTV: 5pz: G.W.: 26.5KG MEAS: 38×28×23CM



YZ-6016

10件套碗型机滤扳手 10 PCS OIL FILTER WRENCH SET

All for steel forging, surface blackening treatment Different module Numbers correspond to different inner diameter and to number, and corresponding models are also different

15 | VEHICLE MAINTENANCE TOOLS SERIES





YZ-6018

14件套碗型机滤扳手 14PCS OIL FILTER WRENCH SET

Size (Semi)14F, 65-67mm/14F, 68mm/14F, 75mm/14F, 74-76mm/15F, 75-77mm/15F, 76mm/14F, 74-76mm/15F, 75-77mm/15F, 76mm/14F, 90mm/15F, 100mm/15F, 1

OTV:10Pcs 5-W:25.7kG MEAS:27:28:27CM



YZ-6019

30件套碗型机滤扳手 30PCS OIL FILTER WRENCH SET

This is tised to remove and install the fuel filter sign when replacing the rold one.

Immudes: 76MM-30F, 75F/77MM-15P, 80MM-15P, 66MM-6P, 556/67MM-15P, 74MM-15P, 76MM-15P, 76MM-14P, 80/82MM-15P, 74MM-15P, 76MM-14P, 76MM-16P, 76MM-16P, 76MM-16P, 76MM-16P, 76MM-16P, 76MM-16P, 10MM-15P, 10MM-16P, 80MM-16P, 80MM-16P,

QTY/APES G-W 25,UKG MEAS/62+52+45CM



YZ-6019A

19件套墨盒式滤清扳手组 19 PCS 3RD GEN OIL FILTER WRENCH REMOVAL SET MULTI FITMENT TOOL

Packing: 14P/84MM: 18P/67MM; 14P/74.5MM; 15P/75MM; 14P/72.5MM; 12P/75.5MM; 15P/79MM; 15P/73MM; 18P/86.5MM 15P/79MM; 15P/91MM; 15P/79.5MM; 15P/101MM; 15P/92MM; rundouff wrench: 60mm-80mm: 75mm-100mm;

OTY 10Pcs E-W:26.7KG MEAS 62×38×33CM



YZ-6017

7件套奔驰宝马大众机滤扳手 BENZ, BMW, VW OIL FILTER WRENCH

27mm and 36mm/Mercedes A Class, Volks 2/mm and 36mm/Mercedes A class, Youssegen, 2-8L, 3-2L, and 3, 6L v6 Cadillac CTS, 5TS,58K, Buick Rendezvous Ultra, Buick Lacrosse CXS, Setum 13000, SAAB 9-5, and Mercedes 1.8L) 28mm/CM Ecotoc, 2 of, 2-2L, and 24, 4-2-Lylinder Some Saturn and SAAB), and 38mm

QTV:20Pcs G.W-16.0KG MEAS:35*2L5*20.5CM



YZ-6020

14件套加厚碗型过滤扳手 14 PCS THICKENING TYPE OIL FILTER WRENCH SET

For Toyota BMV Benz Buck Oil Flier Remover Hand Tool Set Six Angle 3/8 hex socket: 24 mm 27 mm 29 mm 30 mm to 32 mm 36 mm 38 mm Two special bit gridger wrenches for Toyota 3/8 raichet wienich.



YZ-6020A

17件套加厚碗型过滤扳手 17 PCS THICKENING TYPE OIL FILTER WRENCH SET

For Toyota, BMW Benz Buck Dit Filter Remover Hanti Tool Set Sox Angle 3/8 her socket 24 mm 27 mm 29 mm 30 mm to 32 mm 36 mm 38 mm Two special citi galger wrenches for Toyota 3/6 ratchet wrench.

OTY/SPH G.W:23.4KG MEAS:53:38:54.5CM



YZ-6020B

24件套加厚碗型过滤扳手 24PCS THICKENING TYPE OIL FILTER WRENCH SET

This tool is used to remove and install the oil filter. It is suitable for mast Toyora and Lewis vehicles. This filter weeth is forged with certained stempfile must work with a 3/65 rauchet within the day of the second of the

Size: 14 flutesx64.5mm Use torque when installing: 25Nm+Nm

DTY:4Pcs C.W.2E DKG MEAS:511/14/36CM



YZ-6020C

10件套机油滤芯扳手 OIL FILTER WRENCH SET /10PCS

Olt Filler WRENCH SEI / 1044

Kit includes
3/81 Dr. Ratchel Sponner, 24mm, 27mm, 28mm, 38mm-54 Emm 65mm
24mm - 3/81 × 24mm + 5/81 × 30mm 54
27mm - 3/81 × 24mm + 5/81 × 30mm 1,
27mm - 3/81 × 27mm × 5/81 × 30mm 1,
37mm - 3/81 × 28mm + 6/81 × 30mm 1,
37mm - 3/81 × 35mm + 6/81 × 30mm 1,
37mm - 3/81 × 35mm + 6/81 × 30mm 1,
37mm - 3/81 × 35mm + 6/81 × 30mm 1,
38mm - 2/81 × 35mm × 6/81 × 30mm 1,
38mm - 2/81 × 35mm × 6/81 × 30mm 1,

QTYLINPIS G.W.16.2KG MEAS:50/33/36CM





丰田/雷克萨斯机油滤清器扳手套装 OIL FILTER WRENCH SET FOR TOYOTA/LEXUS | 2 PCS.

This is used to remove and install the oil filter. It is suitable for most Toyota and Lexus vehicles. This filter wrench is forged with enhanced

This titler wrench is forged with enhanced sinengith. It must work with a 3/8' retoriet wrench or a 27mm socked for manual operation: \$27mm socked for manual operation: \$25mm+Nm Use torque when installing: 25mm+Nm

1 OTY:50Pcs G W:15 8KG MEAS:37+32+23CM 2 OTY:50Pcs G W:17 4KG MEAS:40+36+20CM



YZ-6021

12/13件套刹车分泵调整组 12/13 PCS UNIVERSAL CALIPER WIND BACK KIT

This tool is designed to wind back brake caliper pistons which servicing brake calipers or replacing brake pads Expert Quality, left hand and right hand thesaded rewind tools allow the easy letture. of the trake piston into the caliper to provide clearance for new brake patis

QTV LOPES TEW IS BIG MEAS(44/33/30CM

VEHICLE MAINTENANCE TOOLS SERIES | 16





YZ-6022

18/19件套刹车分泵调整组 18/19 PCS BRAKE CALIPER WIND BACK TOOL KIT

This tool is designed to wind back brake caliper pistons when servicing brake calipers or replacin brake pads Expert Quality, left hand and right hand threaded rewind roots allow the easy return of the brake piston into the caliper to provide clearance for new brake pads.

QTY:10Pcs G.W:23.4KG MEAS:56×33×24CM



YZ-6023

21/22件套刹车分泵调整组 21/22 PCS BRAKE CALIPER WIND BACK TOOL KIT

Ideal for wheel drive cars/trucks includes left and right franded thrust tipolt assemblies. The kit includes 17 adapters which fit variety of modern car brands.

OTY 10Pcs G-W 26.0KG MEAS 44*33*30CM



YZ-6024A

16件套气动刹车分泵调整组 16 PCS BRAKE CALIPER WIND BACK TOOL KIT

of the year disc brake caliner This can easily rewind the rear disc brake or piston which extends out, making brake se quickly and trouble-free Working Pressure (MAX), 114 psi.

QTV 5Pcs G.W:15.8KG MEAS:43+41+32CM



YZ-6024B

23件套气动刹车分泵调整组 23 PCS BRAKE CALIPER WIND BACK TOOL KIT

Air Operated Brake Compressor Tool (Pneumatic Brake Pump Adjusting Tool)
 Adapters that fit to the pistoric in various

Vehicles QTY:5Pcs G.W:19.5KG MEAS:43+41+32CM



YZ-6024

35件套刹车分泵调整组 35 PCS BRAKE CALIPER WIND BACK TOOL KIT

This tool is used to wind back brake caliper pistons when servicing brack caliper or eplacing brake pads

QTV:5Pcs G.W.21.8KG MEAS:41*42*32CM



YZ-6024C

50件套刹车分泵调整组 50 PCS BRAKE CALIPER WIND BACK TOOL KIT

Purpose: Used for top pressing operation of brake pistons for various domestic vehicle models including top pressing brake pistons, adjusting brake pumps, and replacing brake paid adjustment tools. The operation is simple and convenient.

OTY:5Pes G.W:21.8KG MEAS:41+42+92CM



YZ-6025

制动卡钳活塞泵装置套装(3件套) BRAKE CALIPER PISTON PUMP UNIT GROUP

Suitable for all bollect type brake disc calipers with integral parking feature For AUDI, FORD, HONDA, JAGUAR MAZDA, MITSURISHI, NISSAN, RÖVER, SAAB, SABARU, TOYOTA, WW

OTY-20Pes G-W-14-0KG MFAS-41-26-18CM



YZ-6026

二合一制动卡钳活塞工具套装 (5件套) 2 IN 1 BRAKE CALIPER PISTON TOOL SET

Right Handed Ihread Adaptor 1/2 side 1 - Distance between pin centres

32mm Adaptor 1/2 side 2 - Distance between pin centres

22mm Adaptor 3 - Variable size drive key - 37, 42 and

Adaptor 5 - Distance between pm centres 20mm

DTY/20Pcs 5.W:18.0KG MFAS:40+27+22CM



YZ-6026A

蝶式刹车调整器 PAPILIONACEOUS BRAKE REGULAR

Work with 1/2" Drive ratchet handle or 91mm.

Systems System

QTV:20Pcs G.W.18.0KG MEAS-48-32-28CM



YZ-6026B

汽车棘轮制动活塞卡钳 RATCHETING BRAKE PAD SPREADER

Used for pressing automotive disk brake caliper pistons back into bore when replacing brake pads. or for drum brakes

QTV: 20pc G.Wi-19.0KG MEAS:29*25*29CM

17 VEHICLE MAINTENANCE TOOLS SERIES





YZ-6026C

汽车棘轮制动活塞卡钳 (重型) RATCHETING BRAKE PAD SPREADER

The brake caliper press tool is equipped with two groups of push boards 7,01x2,36 inches and 453x2.17 inches, Suitable for most strigle and living pistors floating calipers, twen and quaid pistors fixed calipers or some setuplet pistors fixed calipers (Just make sure the piston calipers space). can accommodate the spreader)

QTY:20Pb G.W:15.0KG MEAS:35-29-25CM



YZ-6027

3件套排气管扩张器组 3 PCS TAILPIPE EXPANDERS SET

Heavy-duty tools and expend tailpipes Features exist long heal bar for turning and alloy stee construction.

Contents. compact 1-1/8"-1-3/4"(29 44mm) compact 1-1/2"-2-1/2"(38-64mm) compact 2-1/8"-3-1/2"(54-89mm)

QTV:10Pes G.W:28.0KG MEAS:84-29-32CM



YZ-6028

23件套前轮驱动轴承拆卸安装工具 23 PCS WHEEL BEARING REMOVAL TOOL KIT

Drive shaft: 32 &38mm Drift sizes: 50, 55 60, 54, 67, 70, 72, 74, 75, 78, 82

OTY 1Pcs G.W-10.5KG MEAS 46+31+11CM



YZ-6028A

19件套前轮驱动轴承拆卸安装工具 19 PCS WHEEL BEARING REMOVAL TOOL KIT

Content_Integrings_Siveasners_Integree Tellamping_screw2-special poth M12+1, 52-special bolt M14+1,51-puller screw 25-min3-puller boil*76mm-86mm-91mm 94-dataper 58-smm59mm-67mm-65mm 66mm-71,5mm-73mm-78mm,84mm,

QTY:10Pcs G.W:13.0KG MEAS:56+40+40CM



YZ-6075

31件套免拆式羊角培林拆卸器 31PCS FRONT WHEEL DRIVE BEARING PRESS TOOLS

Pressing plates 50 – 55 – 59 – 633 – 66 6 – 70 3 – 71.5 – 73.1 – 73.4 – 74.6 – 77.5 – 81.5 – 83.4 mm – Beti wash the following diameters: 76 – height: 96 – 91 – 102 mm – 3 Pin remove replace botts M17 x 1.5 – 3 Pin remove replace botts M14 x 1.5 – 53.4 mm – 20 m

Shaft 22.2 mm x 300 mm with thrust beening Push Nut F-5W 32 x 50 mm Pressure sleeve Ø 38 x 40 mm Mechanical Disc Dismeter 40 x 3 mm

DTYTPIS G.W.128KG MEAS:43-87-LIGH



YZ-6029

21件套全车系下摆臂球头取出器 BUSH 21 PCS BALL JOINT SERVICE MASTER ADAPATOR SET

This Ball Joint Tool is compatible with most America domestic and imported 2-wheel drive (ZWD) and 4-wheel drive (ZWD) and 4-wheel drive (EWD) cars end light pickup trucks that have press-fit type ball joints.

QTY:1Pcs G.W.12.8KG MEAS:58+32+43CM



YZ-6030

10件套球头拆卸器 10 PCS MASTER SET BALL JOINT ADAPTOR KIT

This is a heavy duty lorged steel tool and set that is for femoval/installation of press fit parts such as ball joints, universal joint and truck brake anchor prins, even temoving fusted and corroded.

This set pontains a C-frame press 8 receiver sizes: 2-9/4*x3*, 2-1/4*x 2-1/2* & 1-3/4*x2* installation and removing adapters.



YZ-6030A

5件套拉脚可替换式球头拉码组合 SPCS UNIVERSAL ADJUSTABLE JAW BALL IOINT PULLER SET

This tool can operator to select correct jaw size without taking entire extractor to the vehicle.

edjustable opening angle Jaw opening: 20, 22, 24, 27, 30 mm Thrust Screw Length: 100 mm Pivot Rod Length: 125 mm

QTV:1Pcs G.W.6.5KG MEAS:41.5-22-10CM



YZ-6032

5件套球头拉码取出工具 5PCS FRONT END SERVICE TOOL KIT

Includes

Le Ball Joint Separator

Le Tie Rod And Ball Joint Remover

Le Tie Rod And Ball Joint Remover

Le Carical Pitman Arm Puller

Le Pitman Arm And Tie Rod Enst Puller

1x Pitmari Arm Pulle

OTY:5Pcs G.W:25.5KG MEAS:37+31+34CM



YZ-6033

27件套通用压力机和仰角培林拆装 工具

27 PCS UNIVERSAL BUSHING AND BEARING REMOVAL PRESS AND PULL SLEEVE TOOL KIT

Inside diameter 34 35, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 75,

Outside diameter: 44, 46, 48, 50, 52, 54, 56, 58, 88, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 95,

Pulling spindles and nuts: M10, M12, M14; M16,

QTY:iPcs G.W.16.8KG MEAS:44×38×11CM

VEHICLE MAINTENANCE TOOLS SERIES | 18



YZ-6034

钣金修复工具拉锤 DENT PULLER SET

This set removes dents for auto body repair work without having to extract the vehicle's inside Material: Carpon steel; Slide Weight: 10 lbs. Slide Pole Length: 24" Slide Pole Diameter, 1"

QTY:1Pos G.W:7-9KG MEAS:62+24+11GM



YZ-6035

16件套滑动锤/拆卸器集 16PCS SLIDE HAMMER/PULLER SET

This tool provides a wide range of puller applications including flange type axles, oil seats, most front-wheel drive hubs, pulling dents and other press fit parts like bearings, bushings.

gears, pulleys, etc. Includes a 5lb malleable steel silding weight which gives you a quick precise pull in tight

QTY:1Pcs G W:6.0KG MEAS:50+30+10CM



YZ-6039

19件套专业滑锤/拉拔机 19PCS PROFESSIONAL SLIDE HAMMER/PULLER SET

The combination puller includes 5 ib steel hammer, steel pullers, actachments, shatts, and acressones

accessories, Includes 2 or 3-jaw internal/external axle guiller adapter.

QTY:1Pcs G.W:8.5KG MEAS:62*23*11CM



YZ-6036

3件套三爪拉码 3 JAW INNER BEARING PULLER DENT PULLER SLIDE HAMMER

Set contains: 1pc 3lb. Slide Hammer

The convex screw connection Zpcs Int. triple puller

Tpc Ext. triple leg puller



YZ-6037

27件套通用压力机和拉袖机 27PCS UNIVERSAL PRESS AND PULL SLEEVE KIT

Pulling Spindles with I M10, M12, M14, M16

QTV:1Pcs G.W:19.0KG MEAS:559*25*15CM



YZ-6073

QTY:5Pcs G.W 25.5KG MEAS:47+42+30CM

28件套仰角培林拆装工具 28PC UNIVERSAL PRESS AND PULL SLEEVE KIT BUSH

Outside Sleeve diameter: 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80. 82 84 mm

Pulling Rods: M10, M12, M14 Thrust bolt: M10, M12, M14

Trinist balt: M10, M12, M14
Discs:
Disc 1 for 34, 42, 50, 58, 66 mm sleeves:
Disc 2 for 36, 44, 52, 60, 68 mm sleeves:
Disc 3 for 38, 46, 54, 62, 70 mm sleeves:
Disc 3 for 38, 46, 54, 62, 70 mm sleeves:
Disc 4 for 40, 48, 56, 64, 72 mm sleeves

QTY:5Pcs G.W:21.8KG MEAS:41+42+32CM



YZ-6038

链条断路器 CHAIN BREAKER RIVETING TOOL

QTV:20Pcs G.W-18.0KG MEAS:40x30x27CM



YZ-6040

5件套内孔轴承拉玛 5PCS INNER BEARING PULLER

Overall length 15"/355mm, Bearing extractor collets with internal capacity. 3/8" to 1/2" (10-14mm) 9/16" to 11/16"(15-19mm)

QTY:6Pits G.W:18.0KG MEAS:42*35*27CM



YZ-6041

9件套内孔轴承拉玛 9PCS INNER BEARING PULLER

Slida Hammer with T-Handle 370mm Collects sizes 8-10mm, 18-12mm; 12-14mm; 15-17mm; 17-20mm; 20-24mm; 25-29mm; 30-32mm

QTY:5Pcs G.W.19.0KG MEAS.45+27+34CM



YZ-6042

16件套内轴承拉码 16PCS BLIND HOLE INNER BEARING PULLER

This tools is used to remove tightly jammed axiss, wheeling bearings, and bushings on a wide variety of vehicles.

of vehicles. Thread MI0 = 15, MI0 = 15 to MB = 1.25, MI0 × 1.5 to M6 × 1.0; Collects: 8-11mm, 12-17mm, 12-23mm, 18-23mm,

24-29mm, 30-34mm, 34-38mm, 39-43mm, 44-48mm, 48-53mm, 54-58mm

QTY. 1pc G.W. 5.6KG MEAS:40-32-9CM

19 VEHICLE MAINTENANCE TOOLS SERIES





YZ-6043

17件套离合器调整器工具组 17PCS CLUTCH ALIGNMENT TOOL SET

TIS 5=14.2K, 66, brins; 16.7*15.4*27, 0mm; 19.0*17.5*27, 5mm; 20.0*18.627, 5mm; 21.4*20, 9-27, 4mm; 23.0*21, 627, 5mm; 23.5*22.0*27, 5mm; 26.624.2*27, 5mm; Clutch Plate Adaptors; 5ize: 12.6*10.8*19, 2mm; 14.8*12.2*19, 4mm; 15.0*13.8*19, 3mm; 16.0*14, 7*19, 7mm; 77, 74.58*39, 4mm; 19.0*17, 1*19, 3mm; 16.0*14, 79.19, 7mm; 17, 74.58*39, 4mm; 19.0*17, 1*19, 3mm; 17, 74.58*39, 4mm; 19.0*17, 1*19, 3mm; 16.0*14, 79.19, 3mm; 17, 74.58*39, 4mm; 19.0*17, 1*19, 3mm; 19.0*1

QTY:20Pcs G.W:19,0KG MEAS:45*28*27CM



YZ-6044

9孔球笼万向拆卸器(小号) CVJ REMOVAL TOOL (SMALL)

Quickly removes the CV joint from the drive shaft without damaging the joint, and keeps hands free for releasing retaining circlip

QTY:10Pcs G.W:22-0KG MEAS:30+26+29CM



YZ-6044A

9孔球笼万向拆卸器(大号) CVJ REMOVAL TOOL(LARGE)

Quickly removes the CV joint from the drive shall without damaging the joint, and keeps hands free for releasing retaining circlip.

QTV:10Pcs G.W:22.0KG MEAS:30+26+29CM



YZ-6045

23件套端子/线束拆卸工具 23PCS TERMINAL RELEASE TOOL

This terminal removal kit easily releases terminals from the plastic connector housings on every electrical connection on your vehicle or computer

QTV:5Pcs G.W:8.0KG MEAS:45+27+35CM



YZ-6045C

26件套汽车线束端子拆卸工具 26 PCS TERMINAL RELEASE TOOL KIT

This berminal removal bit easily releases terminals from the plastic connector bousings on every electrical connection on your vehicle or computer

QTY:5Pcs G.W:10.0KG MEAS:89+35×40CM



YZ-6046

10件套主置球头适配器组件 10PCS BEARING RACE SEAL DRIVER TOOL KIT

Metric equivalent size: 39.5mm; 44.5mm; 50mm; 59mm; 63mm;65mm;72mm; 76mm; 81mm

QTY:10Pcs G.W:15.0KG MEAS:54+34+27CM



YZ-6046A

10件套主置球头适配器组件 10PCS BEARING RACE SEAL DRIVER TOOL KIT

Metric equivalent size; 39.5mm; 44,5mm; 50mm; 59mm; 63mm; 65mm; 72mm; 76mm; 81mm

QTY:10Pcs G.W:15.0KG MEAS:47-26-31CM



YZ-6047

17件套轴承套圈密封驱动装置 17PCS BEARING RACE SEAL DRIVE SET

Univer SE!

Driver Handles 113, 140, 162 mm

Bushing Adapters 10-12/mm, 12-13/mm, 14-16/mm, 16-18/mm, 16-22/mm, 22-24/mm, 22-24/mm, 22-24/mm, 25-27/mm, 26-36/mm, 20-34/mm, 32-26/mm, 36-46/mm, 38-42/mm

QTY:20Pcs G.W.18.0KG MEAS:40*33*38CM



YZ-6048

风扳手大号刻磨机 16PCS DIE GRINDER KIT

Material: Carbon steel and stainless steel Collect: 1/4n(5mm), 1/8in(3mm) Free Speed. 22000rpm Air Consumption. 4 OCFM Air Pressure. 909Si (6.2bar) Michigel. 1/4in

QTY-20Pcs G.W.20.0KG MEAS:47*43*27CM



YZ-6048A

风扳手小号刻磨机 16PCS MINI DIE GRINDER KIT

Malerial, Carbon steel and stainless steel
Collect: 1/4in(drim), 1/8in(3mm)
Free Speed: 22000/pm
Air Consumption: 4.0/cfM
Air Pressure: 50PSI (6.2bar)
Air Inlet: 1/4in

OTY: 20Pcs G.W.21.0KG MEAS 47+49+27CM

VEHICLE MAINTENANCE TOOLS SERIES | 20



YZ-6049

131件套螺纹修复工具 131PC THREAD REPAIR TOOL KIT

- 5pcs Installation Tools 5pcs Break Pin Tools 5pcs Twist Drills. 5pcs Taps.

- 11ft Wire Thread inserts:
- M5X0.8 mm 25pcs M6 1.0 mm 25pcs M6X1.25 mm 25pcs M10X 1.5 mm 25pcs M10X1.75mm 10pcs

QTY:18Pcs G.W.22.5KG MEAS:40+40+22CM



YZ-6050

88件套螺纹修复工具 88PC THREAD REPAIR TOOL KIT

- Spcs Installation Tools Spcs Break Pin Tools
- Spcs Twist Dolls.
- opes twest Dnills.
 Spes Taps, 3pc Hex Key
 75pcs Wire Thread Inserts
 M6X 1.0mm 25pcs.
 M8 X 1.25 mm 25pcs
 M10x15mm 25pcs

QTY:10Pts G.W:12:0KG MEAS:34-26-21CM



YZ-6051

15件套螺纹修复工具 15PCS THREAD REPAIR TOOL

25PC M6X1.0	25PC M7XL0	25PC MBX1.0
25PC MBX1.25	15PC M9X1.25	15PC M9X1.5
15PC M10X1.0	15PC M10X1.25	ISPC MIDXLS
15PC M11X1.25	15PC M11XL5	16PC-M12X1-25
15PG M12X1.5	15PC M12X1-75	15PC M14X1.25
15PC M14X1,0		

QTY:40Pcs G.W:12.0KG MEAS:46:43:20.5CM



YZ-6051A

131件套螺纹修复工具 131PCS THREAD REPAIR TOOL

- Spcs Installation Tools Spcs Break Pin Tools

- Spcs Twist Drills.
 Spcs Taps,
 1pc Hex Key
 110 Wire Thread inserts:
- M5X0.8 mm 25pcs. M6 1.0 mm 25pcs
- M8X1.25 mm 25pcs. M10X.1.5 mm 25pcs M12X1.75mm 10pcs

QTY:10Pcs G.W.22.5KG MEAS:40+40+22CM



YZ-6051B

261件套螺纹修复工具 261PCS THREAD REPAIR TOOL KIT

- 20 IPLS TIRRAD REPAIR TOOL 1

 10 x HSS Drills 5.2MM, 8.2MM, 8.3MM, 10.5MM, 12.5MM, 1/4*, 5/16*, 3/6*, 7/16*, 1/2*

 10 x HSS 511 Taps: MS, M6, M8, M10, M12, 1/4*, 5/16*, 3/8*, 7/16*, 1/2*

 110 x Metric thread inserts: M5 x 0.3 x 6.7mm, M6 x 1.0 x 8.0mm, M8 x 1.28 x 10.3mm, M0 x 1.8 x 13.5mm, M12 x 1.76 x 16.3mm, 110 x SAE thread inserts: 1/4*, 20, 5/16*, 18, 3/8*, 16, 7/18*, 14, 1/2*, 13

OTV-SPCS G-W-16 DKG MEAS-97-29-35CM



YZ-6052

重型高安全性280毫米钩环弹簧压 缩器

HEAVY DUTY HIGH SECURITY 280MM HOOK COIL SPRING COMPRESSOR

- Jaws working capacity, 23mm-280m Capacity each pain: 1200 kg Max Use with a 19mm socket or wrench

OTY:5Pcs G.W:23.2KG MEAS:34+32+27CM



YZ-6053

重型高安全280毫米钩盘弹簧压缩机 INTERCHANGEABLE FORK STRUT COIL SPRING COMPRESSOR TOOL

laws capacity: 23 mm 280mm Length: 280mm, 1200kg max, capacity per pair

QTY 6Pcs G W:19.0KG MEAS;36+31.5+13CM



YZ-6054

370MM弹簧压力调节器 370MM SPRING PRESSURE REGULATOR

A: WELDING PROCESS **B: FORGING PROCESS**

To repair or replace the MicPherison strut, shock absorbed and spring set, and replace the shock absorbed unit or spring. For repairing bent struts, strut rubes and damaged parts. Length: 370mm

QTV:10Pcs G.W:17.2KG MEAS:41×20×32CM



YZ-9014

麦克弗森螺柱弹簧 MACPHERSON STRUT SPRING COMPRESSION TOOL KIT

13/16" Hex Socket 1/2" Square Drive to compress the coil spring to replace the shock absorber unit or spring quickly and safely; For repairs on bent struts, strut tubes and damaged pieces

QTY:5Pcs G.W:19.2KG MEA5:37+38+30CM



YZ-6054C(原YZ-5054)

270MM卷型弹簧压缩器 27MM SPRING PRESSURE REGULATOR

Drop forged CR-V - steel jaws&leaded screws (250mm) both heat treated ensure you obtain professional job performance. The tool is designed for use in limited space under wheel arch. Jaws design is fitting to wrep coil claws for safely. Maximum law opening is 250mm.

QTY: 10Pis G.W.,18.9KG MEAS:41*20*81CM

21 VEHICLE MAINTENANCE TOOLS SERIES





YZ-6055

8件套喷油嘴底座清理铰刀 8PC INJECTOR SEAT CLEANER

Special designed for cleaning and re-cutting injector seats on common rail diesel engines. Sizes: 15x19mm, 17x17mm, 17x17mm, 17x19mm,

QTY:10Pcs G.W:18 0KG MEA5:38+35+54CM



YZ-6055A

5件套柴油喷油器座切割器组 5PCS DIESEL INJECTOR SEAT CUTTER SET

Special designed for cleaning and re-cutting injector seats on common rail diesel engines. includes: 15X19mm, 17X17mm, 17X19mm, 17X21mm



YZ-6056

11件套喷油嘴底座清理铰刀 11PC INJECTOR SEAT CLEANER

This set is used to clean and decarbonise injector seats when changing injectors. It helps to avoid Sizes: 15mm x 19mm, 17mm x 17mm x 21mm, 17mm x 17mm, 22mm, 21mm, 21mm x 21mm, 17mm x 17mm, 17mm x 21mm, 17mm

QTV:10Pcs G.W:20.0KG MEAS:43*30*25CM



YZ-6057

17件套喷油嘴底座清理铰刀 17PCS DIESEL INJECTOR SEAT CUTTER SET

Included: 'Jarim' x 14mm, 15mm x 19mm,
15.5mm x 15.5mm x 15.5mm x 15.5mm,
17mm x 17mm, x 17mm, x 17mm, x 17mm x 17mm x 17mm,
17mm x 19mm, 17mm x 19.5mm,
17mm x 21mm, 17mm x 20.5mm, 19mm x 21.5mm

QTV:10Pcs G.W:21.5KG MEAS:45-32-32CM



YZ-6058

64件套油底壳螺丝修复工具 64PC OIL DRAIN PLUG THREAD REPAIR TOOL

This Kit is a comprehensive thread repair for repairing sump, gearbox and differential drain plug threads
4 * TAPS: M18 * 1.5P; M15 * 1.5P; M17 * 1.5P;

4 * 7495; M13 * 1.59; M15 * 1.59; M17 * 1.59; M20 * 1.59; 20 * Oil, DRAIN PLUGS: M13 * 1.5 (5Pcs); M15 * 1.5 (5Pcs) M17 * 1.5 (5Pcs); M20 * 1.5 (5Pcs) 40 * CGPPER WASHERS: 10 * M13: 10 * M15: 10 * M17; 10 * M20.

QTY:5Pcs G.W.B.5KG MEAS:33+33+24CM



YZ-6059

114件套油底壳螺丝修复工具 114PC OIL DRAIN PLUG THREAD REPAIR TOOL

This Kit is a comprehensive thread repair kit for repairing sump, gearbox and differential drain plug Topaling sums, person of threads of threads of a TAPS MT3 x 1.5P, MT3 x 1.5P, MT5 x 1.5P, MT5 x 1.5P, MT7 x 1.5P, M22 x 1.5P, M22 x 1.5P, 36 x OIL DRAIN PLUGS MT3 x 1.25 (x6), MT3 x 1.5 (x6)



YZ-6060

3件套彩色套筒 WHEEL IMPACT SOCKET SET 3PCS 1/2" SQ DRIVE



YZ-6060A

4件套彩色套筒 WHEEL IMPACT SOCKET SET 4PCS 1/2" SQ DRIVE

OTY:20Pcs G.W-19.0KG MEAS:40+36+25CM



YZ-6060B

5件套彩色套筒 WHEEL IMPACT SOCKET SET 5PCS 1/2" SQ DRIVE

Size: 15mm, 17mm, 19mm, 21mm, 22mm

QTV:10Pcs G.W 13:0KG MEAS:44*35*31GM



YZ-6061

6件套1/2L型喷油器管路套筒扳手套装 6PCS 1/2 DR L-TYPE DIESEL INJECTOR LINE SOCKET WRENCH SET

Sizes: 12mm / 14mm / 16mm / 17mm / 18mm and

QTY:20Pcs G W:25.5KG MEA5:52*38*27CM

VEHICLE MAINTENANCE TOOLS SERIES | 22





YZ-6062

6件套凸轮轴油封拆装工具组 SEAL REMOVER HOSE PICK KIT

1 pc 130° angled remover (210min long) 1 pc 93.5° angled remover (193min long) 1 pc large seal remover with T-handle(165min long) 1 pc seal remover with T-handle (115min long)

DTV 5Pcs G.W-8.5KG MEAS.38+33+30CM



YZ-6063

14件套喷油嘴抽出器 14 PCS INJECTOR EXTRACTOR W/ SLIDE HAMMER

MIA x 1.5 compatible for Delphi Injector
MI7 x 1 compatible for Besch
M20 x 1 compatible for Dense adaptor
M25 x 1 compatible for Stemens adaptor
M25 x 1 compatible for Stemens adaptor
M27 x 1 compatible for Stemens adaptor
M27 x 1 compatible for Bosch Injector nozzle puller with W/M14 x 1.5P

4 Piece injection nozzle socket 25, 27, 29 & 30mm 6PT 100mm long



YZ-6064

全车系柴油喷油嘴拉码组套 DIESEL INJECTOR EXTRACTOR MASTER KIT

This tool is a specialized sliding hammer for removal of stuck and seized common rail injectors without dismantling the cylinder head-for all injection nozzle cars.

QTY:1Pcs G W:21.8KG MEAS:63:42+11CM



YZ-6065

可换式皮带盘支挡扳 UNIVERSAL PULLEY HOLDER & FAN CLUTCH SET

- It is suitable for removing and installing fan-clutch and camshaft pulley. It can be used in
- Scope of application: 40-220Bett pulley Specifications: 6-10mm, 8-11mm, 10-12 mm.

QTY:10Pcs G.W.21.DKG MEAS:57+29+23CM



YZ-6066

正时皮带盘拆装工具套组 PULLER FOR RIBBED DRIVE PULLEY

Scope of application 35-160mm 3/8 or 17m wrench

QTY:10Pcs G.W.15.4KG MEAS:25+21+24CM



YZ-6067

13件套电机皮带盘工具 13PCS ALTERNATOR PULLEY KIT

Package Included:

1pc M10 Spline Atternator Combination Bit Socket
1pc T50 Tx-Star Alternator Combination Bit Socket
1pc T50 Tx-Star Alternator Combination Bit Socket
2pcs 75mm(L), 5pline M8, M10
2pcs 75mm(L), Tx-Star-T40 T50
2pcs 75mm(L), Tx-Star-T40 T50
1pc 33 Teeth Alternator Nut with 17mm Hex Tip
1pc 33 Teeth Alternator Nut with 17mm Hex Tip
1pc 33 Teeth Alternator Nut with 17mm Hex Tip
1pc 27mm Hexagon Alternator Nut
1pc 4 points Alternator Nut with 17mm Hex Tip
1pc 1/2* Sciusire Drive x 10mm Hex Bit Adapter

QTY:10Pcs G.W.LIL0KG MEAS:48+33+18CM



YZ-6068

18件套电机皮带盘工具 18PCS ALTERNATOR PULLEY KIT

Combined Socket Bits: J/2m Sq Drive:
T50-43TX;13mm, Spline-M10-33TX;13mm, 3/8m Sq Drive: Spline-M10-33TX;13mm, 3/8m Sq Drive: Spline-M10-33TX;13mm, Spline-Adaptor: Sq Drive Spline, M10x149mm, Spline Adaptor: 15mmx83T, 22mmx83T Hex Adaptor: 22,22x26.
19x28mm, Round Adaptor: 35mm-4 Pin Bits: 10mm Hex; T40,T50, Spline-M8,M10,Hex-9, 10mm-12mm Hex; Spline-M8,M10,Hex-9, 10mm-12mm Hex; Spline-M10. Adaptor: 1/2in Sq Drives/tflom-Hex Drivex10mm Hex

OTY-10Pcs G W:18.0KG MEAS:45+33+43CM



YZ-6069

24件套电机皮带盘工具 24PCS ALTERNATOR PULLEY KIT

Compatible with VW Audi, Ford, BMW, Mercedes Benz, Mitsubishi Honda Toyota Lexus, Dodge Fiat Volvo Chevy Chrysler Opel Buick Porsehe Cadillac

QTY:5Pcs G.W-12.8KG MEAS:37+34+29CM



YZ-6070

30件套电机皮带盘工具 30PCS PULLEY KIT

Compauble with VW Audi, Ford, BMW, Mercedes Benz, Missubshi Honda Toyota Lexus, Dodge Flat Volvo Chevy Chrysler Opel Binck Porsche Cadillac etc.

QTY: 5Pcs G.W:15.4KG MEAS:41+38+27CM



YZ-6071A

5PCS 球头拉马套装 5PCS BALL JOINT SEPARATOR QTY:5Pcs. G.W:19.0KG MEAS:50+39+30CM

23 | VEHICLE MAINTENANCE TOOLS SERIES





YZ-6076

前轮轴承工具-72mm FRONT WHEEL BEARING TOOLS-**72MM**

Bearing size: 72mm Suitable for, Audi A2 models after 2000; Skoda: Fabia models after 2000, VW; Polo. Fox models after 2005 Seat: Ibiza models after 2002

QTY:1Pcs G.W:7.3KG MEAS:37*30*10CM



YZ-6077

前轮轴承工具-85mm FRONT WHEEL BEARING TOOLS-85MM

Bearing size: 85mm Surtable for: Audi A2 models after 2000; Skods: Fabia models after 2000, VW: Polo. Fox models after 2005 Seat: Ibiza models after 2002

QTY:1Pcs G,W;8.3KG MEA5:37+28.5+9CM



YZ-6078

欧式车球头取出器 (4尺寸) EUROPEAN CAR BALL JOINT REMOVER (4 SIZES) Size: 24mm, 27mm, 31mm, 36m

QTY:5Pcs G.W:32:9KG MEAS:40+33+38CM



YZ-6089

5件套球头叉式撬棒组全车系球头 取出器 5PC FORK TYPE BALL JOINT SEPARATOR

G.W:20.0KG MEAS:58.5×30×23CM



YZ-6079

8件套方向机舵杆扳手 8PCS INNER TIE ROD ROOL KIT

Size:13/16", 1-1/4",1-5/16", 1-7-16", 14mm, 17mm, & 33.6mm

Use with 1/2 ratchet wrench

QTY:4Pcs G.W:15.0KG MEAS:5*37*18CM



YZ-6080

13件套方向机舵杆扳手 13PCS MASTER INNER TIE ROD TOOL KIT

5ize: 29mm, 32,5mm, 33,6mm, 38,4mm, 40mm, 42mm 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2

Use with 1/2 ratchet wrench QTY:SPcs G.W:19.0KG MEAS:56+40+30CM



YZ-6081

方向机舵杆扳手组套 TRACK ROD END REMOVER AND INSTALLER

embly and assembly of built-in For disassembly and assembly of Steering ball head steering ball head Range : 30-35mm,35-40mm,40-45mm Match 1/2 ratchet spanner, use 27m spanner

QTY:4Pcs G.W:20.7KG MEAS:49+39+25CM



YZ-6082

铁盒摩托车轴承拉码工具 8-25MM BEARING PULLER SET-METAL BOX OTY:10Pcs G:W:26.2KG MEAS:44*27*21CM

VEHICLE MAINTENANCE TOOLS SERIES | 24





YZ-6082A

塑盒摩托车轴承拉码工具 8-25MM BEARING PULLER SET-PLASTIC BLOW BOX

QTY:10Pcs G.W.26:2KB MEA5:44*27*21CM



YZ-6083

42件套公英制螺纹修复工具 42PCS OF METRIC AND IMPERIAL THREAD REPAIR TOOLS

Inch coarse sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8"; 9/16", 5/6"; inch fine sizes: 1/4", 5/16", 3/6", 7/16", 1/2", 9/16",

5/8", Metric sizes: 8x1.00, 8x1.25, 10x1.25, 10x1.50. 12x1.25, 12x1.5, 12x1.75mm

QTY:5Pcs G.W:17.5KG MEAS:42+31+28CM



YZ-6084

10件套汽车飞轮拆卸扳手 10PC AUTOMOBILE FLYWHEEL REMOVAL WRENCH

M14x1 5; M16x1 5; M18x1 5; M28x1 0; M26x1 0 M25x1,5 / M22x1,0, M28x1.5/ M19k1.0 M26x1.5 / M22x1.5 M2fxp1.25 / M2fx1 0 M27xp1.9L / M24x1.0

QTV:10Pcs G.W.17.0KG MEAS.42-22-24CM



YZ-6086

110件套锥和模具套装 110PCS TAP AND DIE SET

110PCS TAP AND DIE SET

SAE TAP SIZES 3/4-10. 3/4-10. 3/4-16. 5/8-18.
1/4XLBNP1: 1/8-27NPT; 5/16-24; 5/16-18; 1/4-32;
1/4-24; 1/4-28; 1/4-20; 7/16-20; 1/2-13; 1/2-20;
3/16-12; 9/16-18; 5/8-11; 2/3-16. 3/8-24; 7/16-14;
METRIC TAP SIZES; 18X1, 5/14X1, 25; 64X1, 12-24
10-32; 6-32; 4-40. 12X1, 25; 12X1, 76; 8X1, 25; 1
8X1, 5: 10X1, 11X1, 6/6-32; 10-24
-5AE DIE SIZES-1/4-20; 1/4-24; 1/4-28; 5/16-18;
5/16-24; 3/9-16; 3/9-24; 7/36-14; 7/16-20; 1/218; 1/2-20; 9/16-8; 5/8-1; 9/16-12; 3/4-10; 3/4
16; 5/9-18;
METRIC DIE SIZES: 6X1, 0; 6X1, 25; 10X1, 5; 10X1, 0;
11X1, 5; 1/8-27NPT; 1/4-18NPT; 12X1, 75; 12X1, 25;
14X1, 25; 16X1, 5



YZ-6086A

20件套丝锥组套 20PCS TAP AND DIE SET

Taper Taps, Plug Taps and Dies sizes: 3/16" x 32 BSF, 1/4" x 26 BSF, 5/16" x 22 BSF, 3/8" x 20 BSF

7/16" x 18 BSF 1/2" x 16 BSF. 1 * tap fiolder suitable for taps M3 M12 (1/16" $\frac{1}{12^{\circ}}$) 1 x die halder suitable far dies with 25mm (1°)

QTV-30Pcs G-W-18-0KG MEAS-38-33-28CM



YZ-6086B

40件套英制丝锥和模具套装 40PCS TAP AND DIE SET METRIC WRENCH CUT M3-M12 TAP

Faps: M2X0.5, M4X0.7, M5X0.9, M6X0.75, M7X0.75, M9X1.0, M10X1.75, M12X1.5.1/8NPT Dies: M3X0.6, M4X0.75, M5X0.9, M6X1.0, M7X1.0, M8X1.25, M10X1.5, M12X1.75.1/8NPT

QTY:5Pcs G.W:15.0KG MEAS:45x33x35CM



YZ-6086C

45件套丝锥和模组钢 45 PCS METRIC HSS MACHINE TAPS AND DIES SET

7ap & Dies. M6×1.0.M6×0.75, M8×1.25, M8× 1.0, M10×1.5, M10×1.26, M12×1.75, M12×1.5, M14×2.0, M13×1.5, M36×2.0, M16×1.5, M16× 25, M18×1.5, M26×2.6, M20×1.5, M26× M26×1.5, M26×2.5, M20×1.5, M22×2.5, M22×1.5, M24×3.0, M24×1.5

QTY.5Pcs G.W:18.0KG MEAS:45-33-35CM



YZ-6087

8件套刹车弹簧调整工具 8PCS BRAKE SPRING INSTALLER REMOVER PLIER

QTY-5Pcs G.W-9.0KG MEAS:59+33+28CM



YZ-6088

汽车刹车系统拆装维护组套制动卡钳 制动器工具

DURABLE ELECTRONIC PARKING BRAKE BRAKE SERVICE TOOL



YZ-6089A

15件套冷媒压缩机泵拉码 15PCS AUTO AC COMPRESSOR CLUTCH REMOVER

compressors.
For DM R4 and A6, HR -6, DA -6 and V5 A7C compressors, Sanya compressors SDS05, 507. 510.700, and 709...

QTY:10Pcs G.W:14.5KG MEAS:43+30+28CM

25 | VEHICLE MAINTENANCE TOOLS SERIES





YZ-6092

4件套螺母分离器 4PCS DURABLE NUT SPLITTER NUT REMOVER VEHICLE HAND TOOLS NUT SEPARATOR

§ 12mm Nut Splitter. Requires 12mm 1/2"-5/8"12 16mm Nut Splitter, Requires 14mm

1/2-3/5/12 Johnn Nut Spitter, Requires 14mm Spanner to tighten. 5/8-1//8/16 22mm Nut Spitter, Requires 18mm Spanner to tighten. 1/8-1-1/16/22 27mm Nut Spitter, Requires 21mm Spanner to tighten.

QTV: 10Pcs G.W.,16.0KG MEAS:34+26+32CM



YZ-6093

25件套多花键螺旋螺钉取出器套装 25PC MULTI SPLINE SCREW EXTRACTOR SET

This tools is used to remove br

188 (John S. 1988), 5/32 (4mm), 3/16 (4.8mm), 5/15; 5/28; 1/8 (3.2mm), 5/32 (4mm), 3/32 (7mm), 5/16 (4.8mm), 5/16 (4.8mm), 1/32 (7mm), 1/32 (6.7mm), 3/6 (9.5mm), 13/32 (1.2mm), 1/32 (1.3mm), 1/16 (11.5mm), 15/32 (1.2mm), 1/2 (1.3mm), 1/32 (1.4.5mm), 1/32 (1.4.5mm), 1/32 (1.5.5mm), 5/6 (1.5.5mm), 2/32 (1.7.7mm), 1/16 (1.5.5mm), 5/6 (1.5.5mm), 2/32 (1.7.7mm), 1/16 (1.5.5mm), 5/6 (1.5.5mm), 2/32 (1.7.7mm), 1/16 (1.5.5mm), 2/32 (1

QTV:10Pcs G.W-12.0KG MEAS:35+33+40CM



YZ-6094

46件套方向盘拆卸器 46PC HARMONIC PULLER SET CRANKSHAFT BALANCE PULLER GEAR FLYWHEELS STEERING TOOL

gear pulseys, steering wheels and flywheels. The four slots in the yoke allow for application using 2 or 3 holes. The center screw is equipped with a floating swivel, which prevents damage to the shaft and.

QTY10Pcs GW:18.0KG MEAS:34*29*38CM



YZ-6095

通用离合器组装调整工具 UNIVERSAL SELF ADJUSTING CLUTCH ASSEMBLY DISASSEMBLY ALIGNMENT REMOVE TOOL SET

ALIGNMENT REMOVE TOOL SET For assembling and froing self-adjusting clutches on Audi, SMW. Fiat, Mercedes-Benz, Renault, Vaurhall/Opel, and Volvo. Aligoment, 4daptor Suzes; 834 x 20mm, 2015 x 20mm, 2015 x 24mm, 201

QTV:5Pts G.W:20.0KG MEAS:48+29+35CM



YZ-6096

13件套方向盘拉玛 13PCS STEERING WHEEL PULLER G.W:12.5KG MEAS:35*24*25CM



YZ-6097

17件套方向盘拉码 17 PCS STEERING WHEEL PULLER G.W:12.0KG MEAS:41+28+27CM



YZ-6098

三爪拉马内孔轴承拉玛 THREE CLAW PULLER INNER HOLE BEARING PULLER

G W-12.5KG MFAS:3S+24+25CM



YZ-6099

40件星批组套 40PCS STAR BATCH SET



YZ-6100

柴油喷油嘴拆装工具 DIESEL INJECTOR DISASSEMBLY AND ASSEMBLY TOOLS



YZ-6101

115PCS维修工具组套 115PCS REPAIR TOOL SET

TIMING TOOLS SERIES | 26





YZ-9001

10件套BMW MINI正时工具 10PCS BMW MINI TIMING TOOL (N12 N14 N16)

Applicable to: BMW N12/N14/N16.

QTY:5Pts G.W:12.0kG MEAS:45×20×20CM



YZ-9002

汽油发动机设置/锁定基-宝马N42/ N46,1.8N,2.0链条驱动 PETROL ENGINE SETTING / LOCKING KIT-BMW N42/N46 1.6,1.8,2.0-CHAIN DRIVE

Application For BMW E97: 118/120i-N46 For BMW E96: 316i/316u/218i-N42 For BMW E90/E91: 318i/320i-N46 For BMW E95: 24.2/01-N46

QTY:10Pcs G.W.25.6KG MEA5:63+34+24CM



YZ-9003

宝马正时工具 (N20,N26) BMW TIMING TOOL(N20 N26)

Application: Applicable to BMW N20 and N26 engines (4 Dylinder Turbo)

QTY:5Pes G.W:25.8KG MEAS:41+31+56CM



YZ-9004

发动机定时工具-WWW-1.2L ENGINE TIMING TOOL-WWW-1.2L G.W.12.5KG MEAS:41*21*24.5CM



YZ-9005

本田讴歌轴托架 HONDA ACURA CRANKSHAFT CRANK PULLEY HOLDER

This crankshaft pulley wrench holder tool fits for most Honda and Acura engines. When servicing the engine and power-realint can be used for the removal and installation with great convenience.

QTY:20Pcs G.W:12.5KG MEAS:41*21*24CM



YZ-9006

柴油机定时工具Vw2.5 4.9(5.0)TDI PD DIESEL ENGINE TIMING TOOL SET VW 2.5 4.(5.0)TDI PD

G.W:14.5KG MEAS:4143241UCM QTV.1Pcs



YZ-9007

发动机定时工具大众&奥迪和斯柯达 ENGINE TIMING TOOL-VW AUDI SKODA

Application:
Audi: 80 - A2 - A3 - S3 - A4 - A6 - TT Seat:
Alliambra, Arosa,
Cordoba, Ibiza, Inca, Leon. Toledo, Skoda-Fabia.
Octavia (from 96)
WW. Bora, Caddy, Fox, Golf, Lupo, New Beetle,
Passat, Poto, Sharan, Touran

QTY:5Pcs G.W-20.7KG MEAS:59+29+33CM



YZ-9008

宝马N51/N52/N53/N54/N55发动 机正时工具 ENGINE TIMING TOOL KIT FOR BMW N51/N52/N53/N54/N55

This kit is suitable for a wide range of BMW N61. N52, N53,N54, N55 engine 2.5 & 3.0 chain drive. 5-cylinder.

QTY:1Pts G.W:9.2KG MEAS:49+40+12CM



YZ-9009

25件套正时皮带盘拆卸器 SERPENTINE BELT TOOL

For use on the crank pulley damper / crankshaft damper /torsion damper or vibration damper for

QTY-5Pcs B.W:15.0KG MEAS:34*37.5*35CM



YZ-9010

奔驰M27 1.8链传动凸轮轴对准锁刀组 MERCEDES M271 CHAIN DRIVE CAMSHAFT ALIGN LOCK TOOL SET

Application Vehicle: Compatible with Mercedes Benz M271, fit ELR 200 KOMPRESSOR 200 CGI (2209) C180K: C200K: C230K (W203) C SportCoupe C 160K C180K: C200K: 230KC; E 200K: (W211; S.IX 200K (R171); C 180K (W204) CLC 180K: CLC 200K; C 180 CGI. C 200CGI; C 260CGI, C 260CGI. C 260

OTY:5Pcs G.W:16.5KG MEAS:46+85+10CM





主活塞环维修工具箱 MASTER PISTON RING SERVICE TOOL KIT

Three pistori compressors: 55-125mm • 75mml. 90-175mm • 90mml., & 90-175mm • 100mml. sces

QTY:5Pcs G.W:14.0KG MEAS:49-48-31CM



YZ-9012

OHV阀弹簧压缩器 OHV VALVE SPRING COMPRESSOR

Use on a wide range of DMV, DMC and DMV engines Allow valve springs and valve stem oil seals to be replicted with the cylinder head. Feature a reversible law adaptor and automatic cain-action locking to a so determined setting.

a re-determined setting Notice: NOT suitable for use on origines with deep regited valves.

QTY:20Pcs G.W:17.0KG MEAS:41-29-27CM



YZ-9013

宝马后仰角铁套安装轴承拆装器 REAR AXLE BUSH TOOLS MOUNT BUSHING KIT FOR BMW

QTV:1Pcs G.W-6.4KG MEAS:38*29*11CM



YZ-9014A

捷豹路虎福特雪铁龙计时工具组 DIESEL ENGINE INJECTION PUMP REMOVAL INSTALL TIMING TOOL KIT FOR MAZDA FORD DURATORQ 2.0, 2.2, 2.4 & 3.2

FORD DURATORQ (PUMA) 2,0, 2,2, 2,4 & 3,2 L bread singlines in: CITOEN Relay Jumpler III. FIAT Ducato FORD Mondeo Transi: 1AGUAR X: Type, LAND ROVER Defender, LDV Corivoy, PEUGEOT Boxer III

QTY:5Pcs G.W-18:0kG MEAS:39+35+30CM



YZ-9014B

宝马正时工具组 5PCS ENGINE CAMSHAFT TIMING LOCKING TOOL KIT FIT FOR BMW N47 N47S N57

Helps to lock the camshaft in TDC (top dead centre) position, which is ideal for checking / adjusting the timing or replacing the intake camshaft.

QTV: 10Pcs G.W. 10 5KG MEAS:29-26-27CM



YZ-9014C

福特柴油机正时拆卸安装工具包 亚硝基菲亚特2.2升3.2升 DIESEL ENGINE TIMING REMOVAL INSTALLATION TOOL KIT FOR FORD ITROEN FIAT 2.2L 3.2L

Applicable for Ford Duratorg (Pursa) 2.0, 2.2, 2.4 & 3.2 Littli Djesel Engines in Citroen. Flat. Ford, Jaguar, Land Rover, LDV, PRugeot.



YZ-9014D

欧宝沃克斯豪尔铃木菲亚特1.3D汽车 发动机正时工具 4PCS DIESEL ENGINE CAMSHAFT CRANKSHAFT TIMING LOCKING TOOL SET KIT FOR ALFA FIAT FORD VAUXHALL CHAIN DRIVE 1.3

Suitable for timing the camshaft and crankshaft, on chain drive 1.3 diesel angines:

QTY:25Pcs G.W:19.4KG MEA5:53+31+29CM



YZ-9014G

奥迪1.6 2.0发动机凸轮轴正时工具 ENGINE CAMSHAFT TIMING BELT TOOL KIT FOR VAG VW AUDI 1.6

2 Fuel Pump Locking and Camshaft Alignment Pins Audiliary Drive Tessionee Pin Camshaft Chenkshaft Timing Pin Citankshaft Timing Tool and Locking Pin Sprocket Holding Tool for High Prussure Fuel-Pump

QTY:20P/s G.W:18.0KG MEAS:40+38+38/CM



YZ-9014H

汽车发动机正时工具 AUTO CAR REPAIR TOOL SET ENGINE TIMING TOOL SET ALIGNMENT KITS FOR VAG 1.6 & 2.0L TDL

For Audi ALAS/BB/AS AE(CB.C7,TT(B)),QS QS SNoda Fabia,Roperter Practice,Octavia Il Suberti III, Yeti,Sesa,Ibiza(B),Leon III,Exen,Aurea,Alinabia II, VW Gelf V.VII & Plux,Passat;Polo V.Jetta V.& VI. Sorropto III, Beathe III, III Caddyy,Passat B6,B7 & CC, Touran,Shaian II.TS,Amsirok.



YZ-9014J

汽车发动机正时工具 AUTOMOTIVE ENGINE TIMING TOOL

Engine Codes J. 0 VTI - EBO(ZMZ), ZMZ(EBO) 1.2 VTI - EB2(HMZ), HMY(EB2M), HMZ(EB2) 1.2 E/VTI - EB2(HMZ), EB2F(HMZ) 1.2 Pure Tech VTI - EB2O(HMT)

QTY-20Pcs G-W-21.6KG MEAS.47+43+27CM





YZ-9014K

雪铁龙1.0 1.2 V发动机正时工具 ENGINE TIMING TOOL KIT FOR PETROL CITROEN C3 PEUGEOT 208 308 2008 SUV PSA 1.0 1.2 VTI

Engine Codes:1.0 VTI - EBO(ZMZ), ZMZ(EBO) 1.2 VTI - EB2(HMZ), HMY(EB2M), HMZ(EB2) 1.2 E-VTI - EB2(HMZ), EB2F(HMZ) 1.2 Pure Tech VTI - EB2D(HMT)

QTY:Z0Pcs G.W.Z2.0KG MEAS:47+43+27CM



YZ-9014L

BMW宝马S63发动机正时工具 BMW S63 ENGINE TIMING TOOL BMW M3 M5 TIMING TOOL

Suitable for Brake fluid Engine Oil, Gear Oil, Transmission Fluid, Water, etc.:



YZ-9014N

拆卸紧实的发动机舱内的减震器滑轮 REMOVE THE SHOCK ABSORBER PULLEY IN THE TIGHT ENGINE COMPARTMENT

QTY-EPes G.W.B.9KG MEAS:32:30-23CM



YZ-9029

柴油机正时工具福特 1.6 DIESEL ENGINE TIMING TOOL FORD 1.6

Applications, Ford; Focus/C-Max 1 & VCT-TI (03-09)

QTY:10Pcs G.W:15.6KG MEAS:40+32+33CM



YZ-9029B

5件套奧迪V6. V8.V10发动机正时工具 5PCS AUDI V6. V8. V10 ENGINE TIMING TOOL

QTY:10Pcs G.W.13KG MEAS:35-25.5-28CM



YZ-9030

柴油发动机正时工具福特1.6 DIESEL ENGINE TIMING TOOL FORD 1.6

pplications: Ford; Focus/C-Max 1.6 VCT-Ti(03-09)

QTY.20Pgs G W-15,6KG MEAS 47+31+32CM



YZ-9031

雪佛兰科鲁兹正时工具 ENGINE TIMING TOOL-VW AUDI SKODA

Application, Chevrolet, Cruz, yinglang gt.,6 1.8 1.61 New Regal 1.6T. Excelle, new Buick, mairuibao 1.61, New horizon 1.8, Ano. 1.6, Opel, Chevrolet, Flat and Alfa Romeo 2002 - 2011 16V 1.6 1.8 Grlando 1.4 1.6, 1.8 and Coloma Flat, Alfa Romeo 15893944 000

QTY:20Pcs G.W:13.1kG MEAS:40-32-26CM



YZ-9031A

雪佛兰科鲁兹别克1.6 1.8专用计时 工具 CHEVROLET CRUZE BUICOPEL 1.6 1.8 SPECIAL TIMING TOOLS

Y:20Pcs B W 13.8KG MEAS 44+29+27CM



YZ-9031B

雪佛兰 1.6 1.8 16V 发动机凸轮轴 定位锁紧工具 CHEVROLET 1.6 1.8 16V ENGINE CAMSHAFT POSITIONING AND LOCKING TOOL

QTY:20Pcs G.W:10.0KG MEAS:44+29+27CM



YZ-9031C

16件套柴油预热塞维修工具 16PCS DIESEL GLOW PLUG REPAIR TOOL

QTY:20Pcs G.W:10.0KG MEAS:44+29+27CM





雷诺/日产沃克斯豪尔/OPEL 2.0计 时工具 RENAULT/NISSAN VAUXHALL/ OPEL 2.0 TIMING TOOL

Model Nissan: Primastar(08-09), Qasingai(08-09), X-Trai(0708)Renault: Espace(08-09), Kotecs(08-09), Kotecs(08-09), Scanic08-09), Magane(07-08), Scanic08-09), Valura (07-08), Vel Satis(08-09), Valuxhall/Opell Vivaro(07-08)

Renault: M9R700,721,722,724,740,742,446760,761, 780,802,803,805,830,832,833 Vauxhall/Opel: M9R 780, 782, 784

QTY 5Pcs G.W:15.0KG: MEAS:43*35*33CM



YZ-9033

雷诺1.4、1.6、1.8、2.0 16V发动机 正时工具组 ENGINE TIMING TOOL SET FOR RENAULT 1.4, 1.6, 1.8, 2.0 16V

Suitable for timing tielt repla 1.6 1.8 2.0 engine fittd to Renault Vehicles

Applicable: Renault 16V & K4) K4M F4P, F4R

QTY:20Pcs G.W.10.0KG MEAS:43:35:330M



YZ-9034

雷诺发动机正时工具箱 ENGINE TIMING TOOL SET FOR RENAULT

Engine: 1.4, 1.6, 1.8, 2.0 189 double cam, pasoline engine Fon Renault Clin

Engine model: k4j, km. t4p, t4r QTY:5PG G.W.10.0KG MEAS:42-39-32CM



YZ-9034A

雷诺F4P F4R发动机正时工具 ENGINE TIMING TOOLS FOR RENAULT F4P F4R

This tools enables the correct engine timing to be made when replacing the timing belt. Suitable for use on the most recent cars with either HP (Petrol) or HOI (Diesel) engines.

Applicable for Pouped and Circoen suitable e.g. for Locking the flywheel / camshaft / crankshaft

QTV:4Pes G.W:18.5KG MEAS:40-34-32CM



YZ-9035

菲亚特、欧宝正时工具 ENGINE TIMING TOOL SET FIAT& OPELC

QTV: IOPes G.W. 15.0KG MEAS:38×24×21CM



YZ-9036

别克昂科拉1.4正时工具 ENGINE SETTING/LOCKING KIT VAUXHALL/OPEL

This tools is designed to look the cams and crankshafts in order to allow disassembly and replacement of timing chains adapted at the Vauxhall Opel Chevy engine.

OTV:12Pcs G.W-20.3KG MEAS:40+32+40CM



YZ-9037

大众波罗高尔夫奥迪1.4/1.6发动机正 时工具 ENGINE TIMING TOOL KIT FOR VAG 1.4/1.6FS

VAG 1.47 1.015
Applicable models: Langy 1.4.1.6 F000 1.4.1.6 Skoda
1.4.1.5 Golf 1.4.1.6 Audi 4.3 Stadi Cordoba, Ibiza,
Leon, Toledo Skoda, roomsterz, Mingrus, Fabia II
Volkswagen 80 golf, Jetta, Passat, pob., BCC
Applicable engine codes of Shangku, Tiguan and
touan

QTY 20Pcs G,W 26,0KG MEA5:55+38+28CM



YZ-9038

VW-AUDI FSI 1.4&1.6 FSI 1.2&1.4T FSI发动机正时设置工具包 ENGINE TIMING SETTING TOOL KIT FOR VW AUDI FSI 1.4 & 1.6 FSI & 1.2&1.4T FSI

Used for installing and remove camshaft variable camshaft timing unit.

OTY:10Pes G.W:12.0KG MEAS:39+32+32CM



YZ-9039

大众奥迪V62.43.2正时工具 ENGINE TIMING TOOL SET FOR VW AUDI A4 A6 A8 FSI V6 V8

AUDI VAG 2.4 3.2, VW AUDI A4 A6 Applicable for AUI A8, ESI VII V8 V10

OTY:20Pts G.W:25.5KG MEAS:50+32+29CM



YZ-9040A

福特马自达1.4 1.6 1.8 2.0发动机 正时工具包

ENGINE TIMING TOOL KIT FOR FORD MAZDA 1.4 1.6 1.8 2.0

Engine Timing Tool Kir Companible with Ford Mazoa Camshaft Flywheel Locking Tools 14 1.5 1.8 2.0 Di/TDC/JTDD ESCOBOOST 1.6 TI-VCT 1.57 1.6 V/VT Cam Holding Tool 303-1097 303-1550 302-1556

OTY:5Pcs G.W.12 DKG MEAS:38+34*28CM

TIMING TOOLS SERIES | 30





YZ-9040B

福特马自达16V 1.4 1.6 1.8 2.0发 动机的发动机正时工具包 ENGINE TIMING TOOL KIT FOR FORD MAZDA 16V 1.4 1.6 1.8 2.0 ENGINES

Suitable for a wide range of modern vehicles from Ford and Mazda.

QTY:5Pes GW:11.0KG MEAS:38+34+28CM



YZ-9040

福特/马自达正时工具

DIESEL/PETROL ENGINE SETTING/LOCKING Combination Kit-Ford-Bell/Chain Drive. When the engine balf it replaced, fix the engine crown The axis is set at the correct position when it is delivered from the factory, which is easy to replace Calibration of timing belt.

Applicable to: Ford gasoline 1,25, 1,4, 1,6, 1,7, 1,8 and 2,0 Suitable for Ford diesel 1,4,1,6 tdci. 1,8/ Iddcit.ddi, 2,0tdci. Also suitable for Land Rover Manda Suitable for Ford diesel 1,4,1,6 tdci. 1,8/ Iddcit.ddi, 2,0tdci. Also suitable for Land Rover

Mazda Suzuki Volvo

QTY.20Pcs G.W-28,0KG MEAS:52+35+28CM



YZ-9041

BMW宝马S63发动机正时工具 BMW S63 ENGINE TIMING TOOL BMW M3 M5 TIMING TOOL

Suitable for Brake fluid Engine Cil. Gear Cil. Transmission Fluid. Water, etc.

QTY:10Pcs G.W:22.5KG MEAS:40+40+22CM



YZ-9042

路虎极光2.0正时工具 ENGINE TIMING TOOLS SET-LAND ROVER 2.OT

Camshaft timing for Land Rover and Ford engines Engine displacement, 2.0T Suitable model: Land Rover Aurora Ford Mondea ijanglingyu Sheng 5350, kt4024

OTY/10Pcs G.W/25-5KG. MEAS:40+32+33CM



YZ-9043

梅赛德斯链条拆卸器 BENZ CHAIN LINK INSTALL AND REMOVE TOOL SET

This tool is used for Benz M272 and m273 engines Installation and maintenance of fixed timing chain for camphalt position of engine adjustment Application: C230 C290 C290 C300 C350 C350 E230 E260 E280 E350 CLK240 CLK280 ML350 SL350 GL K350 R300 R350

QTY.5Pcs G.W:15.5KG MEAS:33+32+25CM



YZ-9044

发动机正时工具 **ENGINE TIMING TOOLS FOR VAG 1.2**

Compatible for AUDI VAG 2.4 3.2, FSI (V6. V8. V10)

QTY:50Pcs G.W:19.5KG MEAS:46+36+29CM



YZ-9045

发动机正时锁定工具 ENGINE TIMING LOCKING TOOL FOR BMW 2.0/3.0 LTR DIESEL ENGINES E38/E39/E46/M47/M57

This set enables the correct timing to be made when servicing BMW M47 2.0.16 engines. Application, E46 318D 320D 330D,E38 520D, 525D, 530D, E38, 730D

QTY:5Pcs G.W.7.5KG MEAS:32-32-21CM



YZ-9046

奔驰、宝马风扇扳手工具 MERCEDES-BENZ & BMW FAN CLUTH TOOL SET

Applicable: Volkswagen, Audi. BMW and Senz. Opening size 32mm, 38mm, 38mm, 40mm, 44.5mm, 65mm

QTY:5Pcs G.W:22.0KG MEAS:49+48+32CM



YZ-9047

4件套点火线圈取出器拔卸器 4PCS SPARK PLUG PULLER SET-

Applicable models: Volkswagen, Audi, Suteng, Bora, lavish, gbif, Mingrui, polo

QTV:10Pcs G.W:9.0KG MEAS:56+25+20CM



YZ-9048

18件套大众奥迪套喷油嘴拆卸器 18PCS INJECTOR PULLER SET

Applicable model: Volkswapen Audi

QTY:10Pcs G.W:22.0KG MEAS:40*82*82CM





路虎/捷豹正时工具 TIMING KIT FOR DIESEL ENGINES - LAND ROVER

This tool is suitable for Land Rover and Jaguar diesel 2.0 TDI, 3.0 TDI 2.5D (12), 2.5id (19) engine

OTY 10Pcs G.W:12.0KG MEAS:43*33*28CM



YZ-9050

大众正时工具1.8/2.0 ENGINE TIMING TOOLS FOR NEW JETTA/SANTANA/GRAN LARIDA/ GOLF 7

Applicativ: 1.8T and 2.0T Dr engines Applicative models: Volkswagen CC, Sharang, Tiguan, Passat, Mai Teng, Audi A2, A4, A5, Q5, Skoda Haorui, siyate buyusho, etc

QTY:10Pcs G.W:16.3KG MEAS:40:31:33CM



YZ-9051

大众奥迪7速DSG变速箱拆装工具 DSG CLUTCH INSTALLATION KIT-VW

Compatible for VW Golf, Golf Plus, and VW Touareg with 8-speed geathor, and gearbox code 68D. All automobile production years should be after 2003–2005.

OTY:2Pcs G-W-10.3KG MEAS:33+24+23CM



YZ-9053

1.6 2.0 TDI专用工具的发动机正时 工具包 ENGINE TIMING TOOL KIT FOR

VAG 1.6 2.0 TDI SPECIAL TOOL

Applicable models: Volkswagen, Audi. Skoda, Ford: Volkswagen

QTY:40Pcs G.W:17.4KG MEAS:60+30+25CM



YZ-9054

大众奥迪V6 2.4 3.2正时工具(综合型)

AUDI VW ENGINE TIMING TOOL SET V6 2.4/3.2T FSI

- Applicable models Volkswagen, Audi A4, A6, A8, A6L, C7, etc., suitable for 2.1 / 3.2 displacement V6 engine.

QTY: 5Pcs B.W:14.3KG MEAS: 47+34+23CM



YZ-9055

大众奥迪V6 2.0 2.8 3.0正时工具 (综合型)

AUDI VW ENGINE TIMING TOOL SET V6 2.0/2,8/3.0T FSI ENGINES

Applicable models: Volkswagen Audi Q5 2/3 A6L 2.8, 3.0T Q7 4.2, suitable for 2.0 / 2.8, / 3.0T displacement V6 engine



YZ-9056

欧宝正时工具

OPEL TIMING TOOLS 1.0 1.4

Petrol Twin Engine Camshaft Locking Timing Tool Kit for Vauxhall Opel 1,0 1,2 1,4

QTY:10Pcs G.W.9.2KG MEAS:29*26*27CM



YZ-9057

路虎/捷豹正时工具 DIESEL ENGINE SETTING /LOCKING KIT-JAGUAR/LAND ROVER 2.7-BELT DRIVE.

DRIVE.
This rold is suitable for diesel V6 engines of Land Rover and Jaguer Engine camshaft timing. Ingine model: 276d / 276dr Applicable models: 276d / 276dr Applicable models: Discoverer V6 / 2,7dd (04-09) laguer series V6 / 2,7dd (04-09) laguer s series V6 / 2,7dd (04-09)

QTY:5Pcs G.W:19.0KG MEAS:56*40*30CM



YZ-9058

BENZ ALIGNMENT TOOL SET (M270,M274)

It is suitable for the new 1 of turbocharged gasoline engine Benz m274, m270 engine timing Applicable model: Mercedes Benz m133 B200 B100 B250

OTY:2Pcs G-W:10.5KG MEAS:37+18+29CM



YZ-9061

大众1.0 1.2 1.6正时工具 ENGINE TIMING TOOL FOR VW 1.0/1.2/1.6

TY:5Pcs G.W.12.0KG MEAS:40*28*20CM





VAG 2.4/2.5D SDI/TDICR的柴油发动机设置/锁定皮带驱动套件 DIESEL ENGINE SETTING/LOCKING BELT DRIVE KIT FOR VAG 2.4/ 2.5D SDI/TDICR

QTY:20Pcs G W-22.0KG MEAS:46-65-320M



YZ-9064

2.2福特路虎柴油发动机正时工具 2.2 DIESEL ENGINE TIMING TOOL FOR FORD LAND ROVER

Sunable for Ford 2.2 (100 Puma Durstord chain drive diesel engines.

Applications: Ford. - Transit (16-14) Jaquet - X-Type (05-10)

QTY/20Pcs G W-12 DKG MEAS:38/38/28CM



YZ-9065

雪佛兰阿尔法罗密欧16V 1.6 1.8 正时工具包 CHEVROLET ALFA ROMEO 16V 1.6 1.8 TIMING TOOL KIT

QTY:20Fcs G:W:12.0KG MEAS:44*29*27CM



YZ-9066

大众奥迪柴油发动机正时工具 DIESEL ENGINE TIMING TOOL CAMSHAFT LOCKING TOOLS KIT FOR VW 2.5/4.9 D TDI PD

1.For removing and installing camphaft drive gear and eliminating play in gear train-for locking of both camphaft and crankshaft; 2.Applicable:VM T5. Toulang and Transporter 2.5 TDI PD and 4.8D/TDI models. 3.Engine codes: BAC.BLK,BPD,AXD,AXE,BLB,BPC,and,AYH.

QTV:5Pts G.W:15.0KG MEAS:34*27.5-950M



YZ-9068

柴油机正时工具套装 DIESEL ENGINE TIMING CHAIN TWIN CAMSHAFT LOCKING TOOL SET FOR BMW N47 N47S 2.0 D20A

Essential tools for timing the BMW Ne77N57.2.0 and 3.0 diesel chain drive engines (it includes cambrid's setting place. Hywheel locking pin and crankshafturning tool kind also includes HP pimp sprocket retaining tool required during pump removal/replacement applications (/replacement applications).

QTY:5Pcs G.W.14.0KG MEAS:48-42.5-31CM



YZ-9069

大众1.01.21.4正时工具 AUTO PETROL ENGINE TIMING TOOL FOR VW AUDI VAG 1.01.21.4 FSI TFSI1 BUYER

For the assembly and removal of camshafts and engine receir. For testing and adjusting the camshafts control times – suitable for VAG TS) 1.0 3-cylinder and 1.2 + 1.4 4-cylinder engines also for the new 1.4 TSI Act motor.

QTY:20Pcs G.W.13 BKG MEAS:40*29*20CM



YZ-9070

菲亚特正时专用工具 AUTO ENGINE TIMING TOOL SET FOR FIAT, FORD, OPEL, SUZUKI 1.3L DIESEL

1.3L DIESEL
Engine Timing Tool Sec for Fiel, Ford, Opel, Suzuki
1.3l Diesel Flat 1,2 7/D | Vauxhall Opel 1.3 COTI|
Ford 1.3 TDC1 | Suzuki 213DT engines plus Circoen/
Peugeot F130TE5 (FHZ) engines This set of tools
allows the user to check and adjust the camshalt
liming, remove and replace the Cam chain and
perform complete engine (ebuilds whilst
maintaining the correct Additional Information

QTY:2Pcs G.W:16.0KG MEAS:38+35+20CM



YZ-9071

大众斯柯达POLO高尔夫奥迪A3 1.0 1.2 1.4T锁紧工具包 ENGINE CAMSHAFT TIMING LOCKING TOOL KIT FOR VW SKODA POLO GOLF AUDI A3 1.0 1.2 1.4T

-for VW. Golf VIII from 2012: Jetta vorome 2012 for Shode Critigo, Octavia, for Saat Lenn, Tolledo 2012 -for Seat Mili 1.0 / J. Il Footuel / 1.0 Foomotive-for Shode Critigo 1.0 / 1.0 Econiel / 1.0 Green Tech-Motor Code, CHYA, DHYB, CPGA1.2/1,4TSI-for Skriba Octavia from 2013 - for Seat Leon from 2013

QTY:5Pcs GW:8.0KG MEAS:45+27+35CM



YZ-9072

沃克斯豪尔正式工具 6PCS VAUXHALL OFFICIAL TOOL SET

Includes Psychoel hording tool to remove/install candshaft pulley, crandshaft locking tool and candshaft setting tools. Suitebbe for setting and tacking Afa Romea and flat 1.9 and 2.4 jtd including 16v and 20v variants: Suitable for setting and lacking Afa Romeo and fart 1.9 and 2.4 jtd including latest 1.9 jtd 16v and 2.4 jtd 20v angines

QTY:10Pcs. G.W.9.6KG MEAS:29+26+27CM



YZ-9073

菲亚特发动机正时工具 6PCS FIAT ENGINE TIMING TOOL

Timing Tool Kit for locking camphaft and cranishaft when changing timing belt on Fat and Chrysfer 1.1 Eco. 1.2 and 1.4 BV liter patrol engines, Helps set up timing in the correct position.

-1,1, 1,2 and 1,4 8 v liter

Engine codes: - 187A1 000 __ 169A4000 ... 188A4,000 ... 199A4,000 ... 199A7 000 and 350A1,000

QTY.25Pcs G.W.13.4KG MEAS:53+31+29CM





路虎极光神行者沃尔沃2.0T链条发动 机正时工具

LAND ROVER EVOQUE FREELANDER VOLVO 2.0TCHAIN ENGINE TIMING TOOL

Constall timing for land Rover and Ford engines Engine displacement 2.01 — Suitable model Land Rover Aurora Ford Mondeo jianglingyu Sheng S350, kt4024 without camahat Irolider

OTY 25Pcs G.W-13-4KG MEAS-53-91-29CM



YZ-9076

福特3.5L 3.7L 4V正时工具 CAMSHAFT HOLDING TOOL TIMING ALIGNMENT HOLDER TOOL FOR FORD 3.5L 3.7L 4V ENGINES

VEHICLE FITMENT Works for 3.5L8.3,7L4V errgines Used in vehicles Ford Edge, Explorer, F-150, MXX. MKT. MKZ. Mustang, Flex, Euslin Hybrid, Milan. Sable, Tauris, Tauris, X. Please Andly Sonfirm more comparability details on the below product, descriptions before purchase PACKAGE INCLUDED: 2 X Cametal Holding Taols, 1 X Tension Tool.

QTY:10P(s G.W:24 0KG MEAS:54+34+27CM



YZ-9082

标致雪铁龙1.0 1.2T正时专用工具 ENGINE TIMING TOOL KIT FOR PETROL CITROEN C3 PEUGEOT 08 308 2008 SUV PSA 1.0 1.2 VTI

Otroen - C3 iii (12-15), C4 Cactus (14-15), C-Liyece (12-15), DS3 (12-15) Peugeot - 108 (14-15), 208 (12-15), 308 (13-15), 208 (13-15), Engine Cades: 1.0 VT - EBC/ZMZ, ZMZ/EGO /12 VT - EBZ/HMZ)-HMZ(EBZ), HMZ(EBZ), L2 E-VTI - EBZ/HMZ), EBZF/HMZ | 12 PureTech VTI - EBZ/HMZ).

QTV:EPE G.W.E.9KG MEAS:32/30/23CM



YZ-9082A

路虎5.0风扇扳手 LAND ROVER 5.0 FAN WRENCH

Viscous fan wrench set 2pc Applications: Land Rovel Discovery 3 & 4. New Range Rover, Range Rover Sport (4.274,4 petrol and 2.2 TDVB)

Use in pairs according to application. Slim fit design to allow for limited under bornet access. Equivalent to OEM 303-1142, 305-1143.

QTY:L0Pos G.W:22.5KG MEAS:40+40-22CM



YZ-9084

福特马自达奔腾沃尔沃正时工具 FORD FOCUS MAZDA MONDEO 2.0 VOLVO 2.3L PENTIUM 1.8 ENGINE CHAIN TIMING TOOL

Includes reward design camstaft setting plate and tensioner lacking pin This lot covers the complete range of Ford Duralso engines 1.25 through to 2.0 16v in both best and chain of the variants Pins elso suitable for some Mazda vehicles.

QTV: 20Fts G.W-17.3KG MEAS:40-32-33CM



YZ-9086

1.6 TI-VCT发动机正时工具包对齐工 具包

1.6 TI-VCT ENGINE TIMING TOOL KIT ALIGNMENT TOOL KIT

Kit covers firming belt replacement on Ford L6
Durated engines with variable valve timing.
Camdraft crankshaft and flywheet plus are sessionable for many other perfort and deself Ford engine.
Application 1.6 SCT/TI-VCT
Ecoboost_1/6gtdi.1.5/_ecoboost_2014 and newer

DTV:5Pcs G.W.15.0KG MEAS:34*97.5*85CM



YZ-9087

宝马M52 M54发动机正时专用工具 DOUBLE VANOS CAR CAMSHAFT ALIGNMENT TOOL FOR B.M.W M52 TU/M54/M56

Master tool set contains a comprehensive set of tools to perform camshaft + VANOS timing on MSZTU. MSA. MSB Engines. The tools are also applicable for camshaft timing on non-VANOS angines (M42, M44, M60, M52, MSEOUS and results.)

QTV 10Pcs G.W-22.0KG MEA5:43*35*33CM



YZ-9088

菲亚特吉普1.4T正时工具 ENGINE TIMING TOOL KIT SET FOR FIAT ALFA ROMEO MULTIAIR TURBO 105 135 163 170 1.4L

QTY:10Pcs G.W.18,9KG MEAS:41+20+31CM



YZ-9090

5件套点火线圈拆卸工具 IGNITION COIL REMOVER SPARK PLUG PULLER FOR VAG COILS REMOVAL INSTALLATION

Suitable for installation/removel of ignition coils on VAS vehicles. Long shafts with composite T-style mandle forsided control and stability. Prevents damage to ignition coils whitst allowing faster removal. Supplied in storage case. Sparil Plug Insulated Pilers Piters Spart Plug Kemovic.

QTY:20Pcs G.W:14,0%G MEAS:47+26+26,5CM



YZ-9091

大众奥迪正时工具1.8T2.0T ENGINE TIMING TOOL KIT-VAG 1.8/ 2.0 TFSI(EA888)

Used for correct the camshalt and crankshalt timing position, Four cyliner EAB88 petrols engines: I.8 R4 I.4V TBI/TFSI Applications:2006-2013 VAG series TSI/TFSI EAB88 engines (1.8L.2.0L)

QTY:IDPOS G:W:17 1KG MEASI43+40+35CM







YZ-9094

雪佛兰科鲁兹正时工具 FOR CHEVROLET CRUZE FIAT OPEL ALFA ENGINE TIMING BELT TOOL CAMSHAFT TENSIONING LOCKING ALIGNMENT TIMING TOOL KIT

Lipca Camshaft Locking Total; 2. Zpcs Pamishaft Blear Locking Total; 3. Tipcs Crainkshaft Locking Total; 4. Lock - tibbed Belt Tensoner Locking Pln; 5. Tipcs Trainsplied Tensoner Locking Total; 6. 19cs Engine Tensioner Spanner.

QTY:20Pcs G.W:22.0KG MEAS:46-35-32CM



YZ-9095

吉普克莱斯勒3.0 3.2 3.6汽油正时工 具 JEEP CHRYSLER GRAND CHEROKEE HERDER 3.0 3.2 3.6 ENGINE

10202 - For fixing the camshall/phase shifter and lossening and pathening the oil cipatrol value what checking the Routan with the 3.6 site origins. 102018 is used as a wedge in the camshaft and phasor repair procedure of the Routan 3.5-litre engine to release the rension on the tining shain.

TIMING SPECIAL TOOL 10202

QTV.15Pcs G.W-18.9KG MEAS:45+27.5+22.6CM



YZ-9065A

大众奧迪后曲轴油封拆裝工具 VOLKSWAGEN AUDI REAR CRANKSHAFT OIL SEAL REMOVAL AND INSTALLATION TOOL

QTV:2Pm G.W.18.5KG MEAS:48-39-26GM



YZ-9099

柴油机发动机正时工具 ENGINE TIMING TOOL KIT SET DIESEL PETROL CHAIN/BELT DRIVE

This comprehensive set of tools enables the correct tening positions to be exhibited on both careshaft and cranishaft, whilst replacing the tuning belt or cheir on both petrol and diesel engines Special wench for controlled turning of the exhaust carefulled turning of the exhaust carefulled surrocket when removing and misalling the VANOS unit-Primary bring chain pre-load bool for tensioning the siming chain on M50 angines. M22 Intereded for M42/M60 engines M26 threaded for M50/M52.

QTV:5Pcs G.W:26.6KG MEAS 63-38.6+34CM



YZ-9100

宝马N42 N46正时工具 CAR REPAIR TOOLS PETROL ENGINE TIMING TOOL KIT SETTING LOCKING TOOL KIT FOR BMW 1.6 N40/N45/N45T

This tool is applicable to 1.51.8 and 2.0 variable valve system chain drive gasdline engines. Includes all tools for aligning dual Vanos units.

QTY10Pcs G.W-25.5KG MEAS:40+34+33CM



YZ-9101

宝马柴油N47N47S正时工具 AUTOMOTIVE ENGINE TIMING TOOL SET DOUBLE CAMSHAFT LOCK FOR BMW 1 3 5 6 7 SERIES X1 X3 X5 X6 DIESEL ENGINES N47 N47S

Range: Compatible with BMW N47/N475/N57 2.0 diesel engines, compatible with all diesel engines after Mini 2007 1.8a 1.8d 2.0d

QTYSPIS G.W.15.UKG MEAS 23-31-23.5CM



YZ-9102

奇瑞4J16发动机正时工具 CHERY A3 TIMING TOOLS KIT FOR A1 QQ6 A3 A5 AND CHERY TIGGOEASTAR 473 481 484 XC1676 Engine triming sool for CHERY A1,QQ6,A3A6,V5,473, -881,484.4G16

QTY-5P/s G-W-9.5KG MEAS-42-33-13CM



YZ-9103

福特2.0正时工具 MMZ439 ENGINE TIMING TOOL COMPATIBLE FOR FORD TRANSIT ECOBLUE TDCI FLYWHEEL AND CRANK ALIGNMENT

Chairi Breeker Can break and dismantia most types of chairs quickly and easily, affortless and practical. For Chairi Solitive Link Drive the chairi on a cam chairi or use a chairi sircuit breaker to push the prisout. Universal filtreting Tool The resear tool kin has different sizes of airvil and pin, which can meet the use of many sizes of chair

QTY.10F65 G.W.16.0RG MEAS:43*32*36CM



YZ-9104

阿尔法·罗密欧菲亚特1.4T发动机正 时工具

DPL TOOLS ENGINE TIMING BELT TOOL SET KIT FOR ALFA ROMEO FIAT 1.4 MULTIAIR

FIAI 1.4 MOULIAIR
Application for Alfa Remea Mito/Guilletta Multiser
105/Multiser Turbu 135/163/170 from 2009-2013
with 5005tenginecode/95546 000/95542 0007
95547 000795548 00079540A2 000 for Engine for Flat
Punto Evo/Punto/ Brayo 2009-2013 with engine
codes 19847-000955468000 Applications: Lancia
Delta 2010-2013 with engine code 95547,000

QTV:3Pcs G.W.13.4KG MEA5:53*29*37CM



YZ-9105

福克斯MK1球头三脚架铁套拆装组 NEW REAR BUSH REMOVAL TOOL FOR FORD FOCUS REAR MK1 MK2

The tear suspension subframe butching remove installation foel is made of high-quality authori steel material, strong, rust-proof and durable, not easy to break and has long service life. The package includes 1 bush installation removel tool, 2 sleaves, 1 ous fox.

QTY/10Pcs G.WR.RKG MEAS:56.5-25-21CM

35 | TIMING TOOLS SERIES SERIES





YZ-9015

16件套加油漏斗 16PCS ENGINE OIL FILLER SET

- 1pc 2t. plastic formet 1pc refueling connecting rad 14pc oil filling adapters
- It is widely used in all kinds of high-end cars and SUVs

QTY:5Pcs G.W.13.0KG MEAS:83+83+84CM



YZ-9016

8件套加油漏斗 8PCS ENGINE OIL FILLER SET

- Tipe reflecting connecting red tipe on filling adapters It is widely used in all kinds of high-end cars and Sline.

and SUVs

QTY:10Pcs G.W:13.0KG MEAS:83+33+34CM



YZ-9016A

10件套加油漏斗 10PCS ENGINE OIL FILLER SET

- 1pc retueling connecting rod
- Spc oil filling adapters
- It is widely used in all kinds of high-end cars and SUVs

QTY:5Pcs G.W:12.0KG MEAS:79+40+32CM



YZ-9016B

机油加注漏斗 (万用型) OIL FUNNEL (UNIVERSAL TYPE)

spillage.

QTV:10Pcs G.W:5KG MEAS:47-40-41CM



YZ-9017

6L气动式变速箱加油机 **6L PNEUMATIC AUTOMATIC** TRANSMISSION FLUID CHANGER OIL DISPENSER ATF FILLER SYSTEM ADAPTERS

This pneumatic ATF pump has a BL large capacity. It provides an easy way to extract and disperise transmission fluid quickly and cleanly. Max working pressure: 170 PSI.

QTV: 4Pcs G.W.:14 0KG MEAS:78+65+60CM



YZ-9018

10L气动式变速箱加油机(吸加两用) 10L PNEUMATIC AUTOMATIC TRANSMISSION FLUID CHANGER OIL DISPENSER ATF FILLER SYSTEM **ADAPTERS**

This pneumatic ATF pump has a 10L large capacity. It provides an easy way to extract and dispense transmission fluid quickly and cleanly. Max working pressure: 170 PSI

QTY:4Pcs G.W:17.8KG MEAS:60+60+67CM



YZ-9019

5L气动式变速箱加油机 5L PNEUMATIC PRESSURE BLEEDER KIT

Working Pressure: 10-40 PSI Air consumption: 4.5CFM at 30 PSI Tank capacity: 1.3 Gallon (5L) Air Inlet: 1/4" -male coupler

QTY:1Pcs G.W:9.0KG MEAS:47=29=28.5CM



YZ-9020

气动刹车油更换机 PNEUMATIC BRAKE FLUID BLEEDER

This kit is good at exchanging brake and clutch fluid by sucking out waste fluid and air guiding the new oil to fill the whole brake system or motorcycle car truck and pickup.

QTY:20Pts G.W:20.0KG MEAS:88.5+43+43CM



YZ-9021

9L手动抽油机 9L ENGINE OIL EXTRACTOR PUMP

Oil extractor numn is used to evacuate automotive fluids:engine and gear oil, transmission fluid, brake fluid, coolant.

QTY:4Pcs G.W.17.0KG MEAS:70*56*700M



YZ-9021B

6.5l/9l手动抽油机 6.5L/9L PNEUMATIC AND MANUAL OIL EXTRACTOR

This tool extracts most fluid types: engine oil, transmission fluid, gear oil, coolant, and power steering fluid. Applicable for car, motorcycle, lawn mower, troat, jet ski and etc.

6.5L QTY:4Pcs G.W.11.0KG MEAS:55*45*45CM 9L QTY:4Pcs G.W:18.0KG MEAS:70*58*56CM

TIMING TOOLS SERIES | 36





YZ-9022

1L制动液更换工具 1L BRAKE FLUID CHANGE TOOL

This kit is good at exchanging brake and clutch fluid by sucking out waste fluid and air guiding the new oil to fill the whole brake system on motorcycle car truck and pickup. workshop air supply (90-120psi)

OTY:20Pcs G.W:20 0KG MEAS:68.5+46+43CM



YZ-9023

7.5L手动变速器机油更换工具 7.5L MANUAL TRANSMISSION OIL REPLACEMENT TOOL

This transmission fluid pressure bleeder has a 7.5L large capacity. It provides an easy way to dispense transmission fluid, keeping your brake system running anonable. running smoothly.

QTY:4Pcs G.W:17.5KG MEAS:59*58*52CM



YZ-9023A

6L手动加注组件 6L MANUAL ATF FILLING SET (20 ADAPTERS)

Manual type pressure tank to refill ATF on automatic transmissions without a districk includes 20 adapters for most common wehiclesTank with 6 liter / quarts capacity. suitable for most transmissions - Audi, Cadillac. Ford, GMC, Infiniti, Mercedes, Nissan Toyota. wagen,and Volvo

QTY:4Pcs G.W:15,5KG MEAS:59*53*52CM



YZ-9024

3L压迫式制动液更换工具 3LCOMPRESSION BRAKE FLUID CHANGETOOL

This brake damper is made of sturdy plastic and is ideal for home use. It absorbs an amazing 3 liters of liquid and is therefore available for models. Rugged plastic material not only makes the unit easy to clean, but also rugged and durable, making it easy to brake leaks in all types

QTY:8Pcs G.W:12.0KG MEAS:57*34.5*45CM



YZ-9025

2L制动液更换工具 2L BRAKE FLUID CHANGE TOOL

This brake bleeder ensures safe extraction without spillage. The check valve avoids back flow when bleeding and the step hooks control air and keep extracting oil continuously.

Capacity 2L and 1L refilling bottle.

Working pressure: 70-170 ps.

Air connection: 1/4*



YZ-9026

200CC手动换油工具 200CC MANUAL OIL CHANGE TOOL

anti-freeze, gear oil, power steering fluid and

QTY:25Pcs G.W:9.8KG MEAS:38+33+34CM



YZ-9027

500CC手动换油工具 500CC MANUAL OIL CHANGE TOOL

This tool is designed to remove and fill brake fluid anti-freeze, gear oil, power steering fluid and more, Capacity: 500cc

QTY 25Pcs G W:12.0KG MEA5;56+44+41CM



YZ-9028

1.5L手动换油工具

1.5L MANUAL OIL CHANGE TOOL

anti-freeze, gear oil, power steering fluid and more Capacity, 3,5L

QTY:10Pos G.W:11.0KG MEAS:65+51+26CM



YZ-9029-1

气动黄油机油机 12L PNEUMATIC BUTTER OIL MACHINE 12L

PRESSURE RATIO:80:1 DUTTAKE DIL PRESSURE:30 -40MPa AIR INTAKE RANGE 0.6 -0.3MPa CAPACITY OIL TRANSPORT:0.85L/Min BUCKET VOLUME:12L



YZ-9029-2

钣金凹陷整形修复机 SHEET METAL CONCAVE SHAPING AND REPAIRING MACHINE

- Function Features
 1. Unique function of automatically monitoring grid
- voltage Switch with welding gun monitoring function
- 3. With 7 gear adjustments
 4. In has multiple welding functions such as sheet
 metal shrinking, meson, straight pull spot welding,
 corrugatedwire, and triangular sheet.



WJS-C1001 Garage Storage Sets



Overal: 4400*495*2000mm





WJS-C1003 Wall cabinet



WJS-C1002 drawer bottom cabinet



WJS-T1301

SIZE: 1086X510X870mm

Overall dimensions: 1265X510X1025mm

GW: 90kg **NW:** 86kg

Material quality: SPCC

thickness: main body 08/drawer06 Package size: 1105*530*900mm





WJS-T0704

Tool cart:

- 1. The pulley adopts imported double ball slide rail, with long service life and assembly Adopting a pressure cap type fixed installation, making the drawer work more comfortable.
- 2. The dual lock function makes the operation and use of the tool cart safer.
- 3. Equipped with strong load-bearing silent dual color casters, it can withstand a weight of 300KG.
- 4. The drawer is 100% pulled out and extended, making it easier to access and place tools.



(Vizhe"

工具车:

1.滑轮采用进口双合滚珠滑轨,使用寿命长,装配 采用压帽式固定安装,使抽屉工作更舒适。

2.双重锁具功能, 使工具车操作使用更安全。

3.采用载重量强的静音双色脚轮,可承受300KG重量。

4.抽屉100%拉出伸展, 取放工具更自如。

细节图 DETAIL DRAWING







Tool cart:

- 1. The pulley adopts imported double ball slide rail, with long service life and assembly Adopting a pressure cap type fixed installation, making the drawer work more comfortable.
- 2. The dual lock function makes the operation and use of the tool cart safer.
- 3. Equipped with strong load-bearing silent dual color casters, it can withstand a weight of 300KG.
- 4. The drawer is 100% pulled out and extended, making it easier to access and place tools.





WJS-T0702(KY07)

7层工具车

7Drawers Heavy Duty Tool Cabinet



With Anti Dumping Wheel

Size(mm)	815-450-970MM
Net weight:	520G
Gross weight	53KG(WOODEN BOX)
Drawer	big drawer 570-400+140mm
specifications	small drawer 570+400+65mm



WJS-T0703(KY07A)

7Drawers Heavy Duty Tool Cabinet



Internal Double Cabinet

Size(mm)	890+460+960MM
Net weight	.52KG
Gross weight	53KG(WOODEN BOX)
Drawer	big drawer 570×400×75mm
specifications	small drawer 570-400-135mm



WJS-T0301(K03)

3Drawers Heavy Duty Tool Cabinet

(4)	Internal Double	Cabinet
Saxo(mm)	710-990-465MM	
Net weight	44KG	
Gross weight	60KG(WOODEN BOX)	
Drawer	big drawer 570-400-140mm	



WJS-T0401(K04)

4Drawers Heavy Duty Tool Cabinet



Size(mm)	710+990+465MM
Net weight.	45KG
Grass weight	64KG(WOODEN BOX)
Drawer	big drawer 570:400:140mm
specifications	small drawer 570-400-65mm



WJS-T0501(K05)

5Drawers Heavy Duty Tool Cabinet



Size(mm)	710+910+465MM
Net weight	48KG
Gross weight	65kG(WOODEN BOX)
Drawer	big drawer 570-400-140mm
specifications	small drawer 570+400+87mm



WJS-T0701(K07)

7层工具车

7Drawers Heavy Duty Tool Cabinet



With Anti Dumping Wheel

Size(mm)	710-1080-465MM
Net weight	57KG
Gross weight	58KG(WOODEN BOX)
Drawer specifications	big drawer 570-400-140mm small drawer








WJS-C0301 (YZ-4012)

工具柜 Tool Cabinet



Size(mm)	650×340×750MM
Net weight	7KG
Gross weight	8KG(WOODEN BOX)



WJS-C0302(KH03B)

工具柜 Tool Cabinet



Size(mm)	800+420+920MM
Netweight	25KG
Gross weight	28KG(WOODEN BOX)
Bearing capacity	150KG



WJS-C0303 (KH03)

工具车 Tool trolly



Size(mm)	765+620+880MM
Net weight	30KG
Gross weight	32KG(WOODEN BOX)
Drawer specifications	big drawer 568-400-55mm
Package dimensions	740=500=430mm






KG01/KH02

85pcs组合工具组 Multifunctional tool box/85pcs



Combination Tool Set

Size(mm)	468+205+206MM
Net weight	11/27.5KG
Gross weight	15/29KG(WOODEN BOX)
Drawer	big drawer 462+197+107mm
specifications	small drawer 453+90+53mm



WJS-C0304 (KG03)

工具柜

3Drawers Heavy Duty Tool Cabinet

Size(mm)	1500+750+800mm
Gross weight	65KG/ PAPER CASE)



WJS-C0305 (KG04)

工具柜

2Drawers Heavy Duty Tool Cabinet

ч	-

Size(mm)	1500+750+800mm
Grass weight	70KG(PAPER CASE)



WJS-T0702 421 (KY07-421)

7层工具车

7 Drawers Heavy Duty Tool Chest with 421Pcs Comprehensive Tool Sets 26pcs





- External 175mm Circlip Pliers Straight External 175mm Circlip Pliers Bent Nose Internal 175mm Circlip Pliers Straight
- Internal 175mm Circlip Piers Bent Nose 6" Diagonal Cutting Piers, 6" Long Needle Nose Piers, 8" Combination Piers, 10" Locking Piers, 8" Carp Piers
- Spos Broken Screw Extractor
- Screwdrivers with through lang to 150(FD,PH);8*200(FD,PH);
 Screwdriver: 6*38 (FD)

34pcs



- 9pcs Middle Length S2 Allen Key Set
- 9pcs Middle Length S2 Torx Allen Key Set
- 5M Band Tape
- Auto Battery Tester Pencil Adjustable Preset Torque Wrench: 0-300N
- Vernier Caliper: 0-150mm Oil Filter Wench with 3 Legs
- Rubberized Utility Knife Ball Peen Hammer
- Fitter Hammer 300g
- 1/2" DR Bits Socket 125mmL 52: T52
- Dust Gurt 5"
- 4pcs Precision Pick and Hook Set





Cap Oil filter wrench(Steel)901,902,903,904,905)

3/BTXR Sliding Bar

-7PCS Air Conditioning Spring Lock Coupling Tools Set 3/8*D/R Siding Bar 3/8*D/R Adapter H8-9-10-12-14-17mm; SQ:5/16*3/8*,7-8-10-11-12-13-14mm; Triple:10mm/lnner H10mm,T45

Flandcuff Style Adjustable oil filter wrench stainless Small/big size: 4PCS Interior tools

Ttype Spark Plug Socket 16mm Disc Brake Caliper Wind Back Tools

98pcs



- 1/2" DR Shallow Hexagon set 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm
- 1/2" DR Deep Hex Socket: 10-12-13-14-15-16-17-18-19-21-22-24mm 1/2" DR E socket: F10-11-12-14-16-18-20-22-24mm
- LV2" DR Black Screw Bits (80mml. CR-MO); T20-30-40-45-50; M6-8-10-12-16-1/2" DR Universal Joint
- 3/8" DR Spark Plug Socket: 14mm 1/2" DR Spark Plug Socket: 16-21mm
 - 1/2" DR 3-Ways Adapter - 1/2" DR Bent Bar 12
- 1/2" DR Extension Bar: 5-10" L/2" DR Ratchet Wrench 72 Teeth
- L/2" DR Tire Socket: 17-19-21mm 1/2" DR Bit Holder: 8mm
- -1/2" DR Tools Socket: M16, H17

Adapter 1/2" to 3/8". Shock Absorber Socket

1/2" DR S2 8mm*30mml Bts; H5-6-7-6-10, T25-27-30-35-40-45-50, M5-6-8-10; PH3-4; FD6-6-5-8; PZ3-4: Hollow T25-27-30-35-40-45-50



- 3/8" DR Shallow Hex Socket: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm
- 3/8" DR Deep Hex Socket: 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm
 3/8" DR Socket Bits (48mml, S2) 710-20-25-30-40-50; H4-5-6-8-10; PZ1-2-3; PH1-2-3; FD5.5-6.5-8
- 3/8" DR E Sockert E10-11-12-14-16-18-20mm
 3/8" DR Extension Bar 3-6-10"; 3/8" DR 3-Ways Adapter; 3/8" DR Universal Joint; Adapter: 3/8" to 1/2" & 1/4" to 3/8"
 3/8" DR Spark Plug Sockert 16-21mm
 3/8" DR Ratchet Wrench 72 Teeth

- 1/4 DR Shallow Hex Socket: 4-45-5-55-6-7-8-9-10-11-12-13-14mm 1/4 DR Deep Hex Socket: 4-5-6-7-8-9-10-11-12-13-14mm
- 1/4" DR Socket Bits (37mm)L S2): T8-10-15-20-30; H3-4-5-6-7-8; PZ1-2-3; PH1-2-3; FD4-5:5-7
- 1/4" DR E Socket E4-5-6-8-10
- 1/4" DR 52 Bits 25erml.
- 1/4" DR Universal Joint, 1/4" DR Bent Bar, 1/4" DR Bit Holder 6.3mm; 1/4" DR Side T Bar, 1/4" DR Extension Bar 2-4-6", 1/4" DR Flexible Extension Bar.
- 1/4" DR Spinner Handle



- Torx Combination Spanner: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm
- Double Offset Ring Spanner: 5,5*7; 8*10; 9*11; 12*14; 13*15; 16*18; 17*19; 18*21; 22*24mm; Double Open-Ended Spanner; 8*10mm
- Ratchet Combination Spanner: 10-12-13-17-19mm Hare Nut Wrench: 8+10; 10+12; 13+14; 15+17mm
- 12" Adjustable Wrench

WJS-T0702 417 (KY07-417) (Vizhe)



7层工具车

7 Drawers Heavy Duty Tool Chest with 26pcs 417Pcs Comprehensive Tool Sets





External 175mm Circlip Pliers Straight External 175mm Circlip Pliers Bent Nose

Internal 175mm Circlip Pliers Straight Internal 175mm Circlip Pliers Bent Nose

6" Diagonal Cutting Pliers 6" Long Needle Nose Pliers 8" Combination Pliers 10" Locking Pliers 8" Carp Pliers

Spos Broken Screw Extractor

Screwdrivers with through tang 6+150(FD,PH);8+200(FD,PH); Screwdriver: 6×38 (FD)

30pcs



9ncs Middle Length S2 Allen Key Set 9pcs Middle Length S2 Torx Allen Key Set

5M Band Tape

Auto Bettery Tester Pencil Adjustable Preset Torque Wrench: 0-300N Vernier Caliper: 0-150mm

Oil Filter Wrench with 3 Legs Rubberized Utility Knife

Ball Peen Hamme Fitter Hammer 300g

1/2" DR Bits Socket 125mml S2 T52 Tyre Inflation Gauge

Cap Oil filter wrench/Steel901.902.903.904.905) 4PCS Interior tools T type Spark Plug Socket 16mm



98pcs



Handouff Style Adjustable oil filter wrench stainless Small/big size

Disc Brake Caliper Wind Back Tools

1/2" DR Shallow Hexagon set: 8-9-10-11-12-13-14-15-16-17-18-15-20-21-22-23-24-27-30-32mm 1/2" DR Deep Hex Socket: 10-12-13-14-15-16-17-18-15-21-22-24mm 1/2" DR E socket: E10-11-12-14-16-18-20-22-24mm 1/2" DR Black Screw Bits (80mmL CR-MO): T20-30-40-45-50; M6-8-10-12-16

1/2" DR Universal Joint 3/8" DR Spark Plug Socket, 14mm

1/2" DR Spark Plug Socket 16-21mm 1/2" DR Extension Bar: 5-10"

1/2" DR 3-Ways Adapter 1/2" DR Bent Bar 12"

1/2" DR Ratchet Wrench 72 Teeth 1/2" DR Tire Socket: 17-19-21mm

1/2" DR Tools Socket: M16, H17

1/2" DR Bit Holder, 6mm Adapter 1/2" to 3/8"; Shock Absorber Socket 1/2" DR S2 8mm/30mml Bits: H5-6-7-8-10; T25-27-30-35-40-45-50; M5-6-8-10; PH3-4; FD6-6.5-B; PZ3-4; Hollow T25-27-30-35-40-45-50



- 3/8" DR Shallow Hex Socket: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm

3/8" DR Deep Hex Socket: 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm 3/8" DR Socket Bis (48mmL 52): T10-20-25-30-40-50; H4-5-6-6-10 PZI-2-3; PH1-2-3; FD5.5-65-8

3/8" DR E Socket: E10-11-12-14-16-18-20mm
3/8" DR Extension Bar 3-6-10", 3/8" DR 3-Ways Adapter; 3/8" DR Universal Joint, Adapter: 3/8" to 1/2" & 1/4" to 3/8"

3/8" DR Spark Plug Socket 16-21mm 3/8" DR Ratchet Wrench 72 Teeth

1/4 DR Shallow Hex Socket 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm 1/4 DR Deep Hex Socket 4-5-6-7-8-9-10-11-12-13-14mm I/4" DR Socket Bits (37mmL 52); T8-10-15-20-30; H3-4-5-6-7-8; PZ1-2-3; PH1-2-3; FD4-5-5-7

1/4" DR E Socket: E4-5-6-8-10

1/4" DR 52 Bits 25mml.

1/4" DR Universal Joint 1/4" DR Bent Bar , 1/4" DR Bir Holder 6.3mm; 1/4" DR Slide T Bar, 1/4" DR Extension Bar 2-4-6"; 1/4" DR FlexibleExtension Bar;

1/4" DR Spinner Handle

1/4" DR Ratchet Wrench 72 Teeth



- Torx Combination Spanner: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm
- Double Offset Ring Spanner, 5,5×7; 6×10; 9×11; 12×14; 13×15; 16×18; 17×19; 18×21; 22×24mm Double Open-Ended Spanner, 8×10mm
- Ratchet Combination Spanner: 10-12-13-17-19mm Flare Nut Wrench; 8+10; 10+12; 13+14; 15+17mm
- 12' Adjustable Wrench



(V) izhe WJS-T0702 369 (KY07-365)

7层工具车 7 Drawers Heavy Duty Tool Chest with 369Pcs Comprehensive Tool Sets



26pcs




- Boernal 175mm Circlip Pliers Straight External 175mm Circlip Pliers Bent Nose Internal 175mm Circlip Pliers Straight
- Internal 175mm Circlip Pliers Bent Nose
- 6" Diagonal Cutting Pliers; 6" Long Needle Nose Pliers; 8"
- Combination Pliers, 10" Locking Pliers, 8" Carp Pliers 6pcs Broken Screw Extractor
- Screwdrivers: SL6x38mm, SL3x75mm, SL6x100mm.
- SL6x150mm, SL8x175mm
- Core Through Screwdrivers: PH 2x38mm, PH 3x75mm PH 2x100mm, PH 2x150mm, PH 3x200mm

34pcs



- 9pcs Middle Length S2 Allen Key Set
- 9pcs Middle Length S2 Torx Allen Key Set 5M Band Tape
- Auto Battery Tester Pencil Adjustable Preset Torque Wrench (1-300N)
- Vernier Caliper 0-150mm Oil Filter Wrench with 3 Legs
- Rubberized Utility Knife Ball Peen Hammer
- Fitter Hammer 300g 1/2" DR Bits Socket 125mmL S2: T52
- 4pcs Precision Pick and Hook Set

98pcs



- 1/2" DR Shallow Hexagon set: 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm
- 1/2" DR Deep Hex Socket: 10-12-13-14-15-16-17-16-19-21-22-24mm 1/2" DR E socket: E10-11-12-14-16-18-20-22-24mm
- 1/2" DR Black Screw Bits (B0mmL CR-MO); T20-30-40-45-50; M6-8-10-12-16
- 1/2" DR Universal Joint
- 3/8" DR Spark Plug Socket: 14mm 1/2" DR Spark Plug Socket: 16-21mm
- 1/2" DR Extension Bar. 5-10" 1/2" DR Ratchet Wrench 72 Teeth
- 1/2" DR Tire Socket 17-19-21mm
- 1/2" DR Bit Holder: 8mm
 - 1/2" DR Tools Socket M16, H17

- 1/2" DR 3-Ways Adapter -1/2" DR Bent Bar 12"

- Adapter 1/2" to 3/6": Shock Absorber Socket
- 1/2" DR S28mm-30mml Bits: F5-6-7-8-10; T25-27-30-35-40-45-50; M5-6-8-10; PH3-4; FD6-65-8; PZ3-4; Hollow T25-27-30-35-40-45-50.



- 3/8" DR Shallow Hex Socket 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm 3/8" DR Deep Hex Socket 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm 3/6" DR Socket Bits (48mmL SZ): T10-20-25-30-40-50; H4-5-6-8-10; PZ1-2-3; PH1-2-3; FD55-65-B 3/8" DR E Socket E10-11-12-14-16-18-20mm
- 3/8" DR Extension Bar 3-6-10"; 3/8" DR 3-Ways Adapter; 3/8" DR Universal Joint; Adapter: 3/8" to 1/2" & 1/4" to 3/8"

- 3/8" DR Spark Plug Socket 16-21mm 3/8" DR Ratchet Wrench 72 Teeth 1/4 DR Shallow Hex Socket 4-45-5-55-6-7-8-9-10-11-12-13-14mm
- 1/4 DR Deep Hex Socket 4-5-6-7-8-9-10-11-12-13-14mm 1/4" DR Socket Bits (37mmt, SZ); TB-10-15-20-30; H3-4-5-6-7-8; PZ1-Z-3; PH1-Z-3; FD4-55-7
- 1/4" DR E Socket E4-5-6-8-10
- 1/4" DR S2 Bits 25mmL
- 1/4" DR Universal Joint, 1/4" DR Bent Bar, 1/4" DR Bit Holder 6.3mm; 1/4" DR Slide T Bar, 1/4" DR Extension Bar 2-4-6"; 1/4" DR RexibleExtension Bar;
- 1/4" DR Spinner Handle
- 1/4" DR Ratchet Wrench 72 Teeth



- Torx Combination Spanner: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm
- Double Offset Ring Spanner: 5.5-7; 8x10; 9-11; 12-14; 13-15; 16-18; 17-19; 18-21; 22-24mm Double Open-Ended Spanner: 8-10mm

- Ratchet Combination Spanner: 10-12-13-17-19mm Hare Nut Wrench: 8+10; 10+12; 13+14; 15+17mm
- 12" Adjustable Wrench

WJS-T0702 365 (KY07-250)



7层工具车

7 Drawers Heavy Duty Tool Chest with 365Pcs Comprehensive Tool Sets



26pcs



- External 175mm Circlip Piers Straight
- External 175mm Circlip Pliers Bent Nose Internal 175mm Circlip Pliers Straight
- Internal 175mm Circlp Piers Bent Nose 6' Diagonal Cutting Piers 6' Long Needle Nose Piers; 8' Combination Piers; 10' Locking Piers; 8' Carp Piers
- 6pcs Broken Screw Extractor
- Screwdrivers SL6x38mm, SL3x75mm, SL6x100mm, SL6x150mm. SL8x175mm
- Core Through Screwdrivers PH 2x28mm, PH 3x75mm
- PH 2x100mm, PH 2x150mm, PH 3x200mm


30pcs



- 9pcs Middle Length S2 Allen Key Set
- 9pcs Middle Length S2 Toox Allen Key Set

- 5M Band Tape Auto Battery Tester Periol Adjustable Preset Torque Wrench; 0-300N
- Vernier Caliper, 0-150mm
- Oil Filter Wrench with 3 Legs
- Rubberized Utility Knife
- Ball-Peen Hamme Fitter Hammer 300g
- 1/2' DR Bits Socket 125mmL S2: T52
- Dust Gun 5"
- Tyre Inflation Gauge

98pcs




- 1/2' DR Shallow Hexagon set 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm
- 1/2" DR Deep Hex Socket 10-12-13-14-15-16-17-18-19-21-22-24mm 1/2" DR E socket E10-11-12-14-16-18-20-22-24mm
- 1/2" DR Black Screw Bits (80mmL CR-MO): T20-30-40-45-50: M6-8-10-12-16
- 1/2' DR Universal Joint
- 3/8" DR Spark Plug Socket; 14mm
- 1/2" DR 3-Ways Adapter 1/2" DR Spark Plug Socket: 16-21mm
- 1/2" DR Extension Bar. 5-10" 1/2' DR Ratchet Wrench 72 Teeth
- 1/Z' DR Tire Socket, 17-19-21mm
- 1/2' DR Bit Holder 8mm
- 1/2" DR Tools Socket: M16, H17
- Adapter 1/2" to 3/8", Shock Absorber Socket
- 1/2" DR S2 5mm·30mml Bits H5-6-7-8-10: T25-27-30-35-40-45-50: M5-6-8-10: PH3-4: FD6-6.5-8: PZ3-4: Hollow T25-27-30-35-40-45-50



- 3/8" DR Shallow Hex Socket 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm
- 3/8" DR Deep Hex Socket 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm 3/8" DR Socket Bits (48mm)L S2): T10-20-25-30-40-50; H4-5-6-8-10; P21-2-3; PH1-2-3; FD5-5-65-8
- 3/8" DR E Sodoet: E10-11-12-14-16-18-20nvn 3/8" DR Extension Bar 3-6-10": 3/8" DR 3-Ways Adapter, 3/8" DR Universal Joint, Adapter, 3/8" to 1/2" & 1/4" to 3/8"
- 3/8" DR Spark Plug Socket 16-21mm 3/8" DR Ratchet Wherich 72 Teeth
- 1/4 DR Shallow Hex Socket 4-45-5-5.5-6-7-8-9-10-11-12-13-14mm 1/4 DR Deep Hex Socket 4-5-6-7-8- 9-10-11-12-13-14mm

1/4" DR Ratchet Wrench 72 Teeth

- 1/4" DR Socket Bits (37mm), SZ): T8-10-15-20-30; H3-4-5-6-7-8; PZ1-2-3; PH1-2-3; FD4-55-7 1/4" DR E Socket E4-5-6-8-10 1/4" DR 52 Bits 25mmL 1/4" DR Universal Joint; 1/4" DR Bent Bar , 1/4" DR Bit Holder 6:3mm; 1/4" DR Slide T Bar; 1/4" DR Extension Bar 2-4-6"; 1/4" DR Flexible
- Extension Bar; 1/4" DR Spinner Handle



- Torx Combination Spanner: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm Double Offset Ring Spanner: 5.5*7; 8*10; 9*11; 12*14; 13*15; 16*18; 17*19; 18*21; 22*24mm

- Double Open-Ended Spanner: 8×10mm Ratchet Combination Spanner: 10-12-13-17-19mm
- Flare Nut Wrench: 8*10; 10*12; 13*14; 15*17mm 12' Adjustable Wrench.



(izhe[®] wjs-t0704 254(ky07-254)

7层工具车

7 Drawers Heavy Duty Tool Chest with 254Pcs Comprehensive Tool Sets 21pcs






19PC SCREWDRIVER SCREWDRIVER(+-)3X75 (+-) 4X75, (+-) 5X75, (+-) 5X100, (+-)6X100, (+) 6X150 CORE SCREWDRIVER (+-) 6X38, (+-)5X100, (+-) 6X100,

2 PRECISION SCREWDRIVER (-),3X100,PH0X100MM

26pcs



18 T HEX KEY WRENCHES T10X100, 15X100, 20X100, 40X150, 25X150, 27X150, 30X150, 45X200, 50X200, H:2X100, 2:5X100,3X100,4X150,6X150, 7X150,5X150, 8X200,,10X200

80pcs



13PC 1/4"DR SOCKET 4,45,5,5.5,6,7,8,9,10,11,12,13,14MM

1PC 3/8"DR. EXTENSION BAR 5"

PPC 1/2*DR DEEP SOCKET 10.11.12.13,14.15.16.17.18.19.20,21.22.23.24.27.30MM 9PC 1/2*DR DEEP SOCKET 10.13.15.16.17.18.19.22.24MM

1PC 1/2"DR UNIVERSAL JOINT 76MM(L) 2PC 1/2"DR EXTENSION BAR 5"

JPC 1/4" RATCHET HANDLE 72TH

102pcs



1PC 1/2" RATCHET HANDLE 72th

48PC 1/4" DR SOCKET BIT TS:10-15-20-25--27-30-40-45-50MM JH-3-4-5-6-7-8MM JMB-10-12-SL:4-55-6:5-7MM,PH0-1-2-3,PZ0-1-2-3,

1489-10-15-20-25-27-30-40, T8-9-10-15-20-25-27-30-40

1PC 1/4*DR:COUPLER 25MM

24PC BITS:30mm1 T40-45-50-56-60-70,P20-1-2-3.58-10-12MM,HEX7-8-10-12-14MM TT-40-45-50-55-60-70 PH:3-4

PC 1/2**socket bit + 6:14-17-19-22-24 M:16

1PC Impact socket M18

APC socket bit M9-10 R0 T80 -14PC Socket bit H5-10-11-13 M:10-12-14 R:10 T40-45-50-55-60-70--4PC Socket bit H7 R7-8 T30

13pcs



13PC RATCHET WRENCH 8,9,10,1112,13,14,15,17,19,21,22,24MM

15pcs



IPC WATER PUMP PLIER 10º

CLAW HAMMER 120Z

1PC CRICLIP PLIER 6"

4PC LONG NOSE PLIER

DIAGONAL PLIER 6" COMBINATION PLIER

6PC PUNCH 3,4,5,6,7,8MM

WJS-T0401 271 (K04-271)



4层工具车

4 Drawers Heavy Duty Tool Chest with 271Pcs Comprehensive Tool Sets



34pcs



- 9pcs Middle Length S2 Allen Key Set 9pcs Middle Length S2 Torx Allen Key Set
- 5M Band Tape
- Auto Battery Tester Pencil
- Adjustable Preset Torque Wrench 0-300N
- Vernier Caliper: 0-150mm
- Oil Filter Wrench with 3 Legs
- Ruloberized Utility Knife
- Ball Peen Hamme
- Fitter Hammer 300g
- 1/2" DR Bits Socket 125mmL \$2 T52
- Dust Gun 5'
- 4pcs Precision Pick and Hook Set

26pcs



- External 175mm Circlip Pliers Straight External 175mm Circlip Pliers Bent Nose
- Internal 175mm Circlip Pliers Straight Internal 175mm Circlip Pliers Bent Nose

- 6" Diagonal Cutting Pliers; 6" Long Needle Nose Pliers; 8" Combination Pliers; 10" Locking Pliers; 8" Carp Pliers Epics Broken Screw Extractor Screwdrivers: SL6x38mm, SL3x75mm, SL6x100mm,
- SL6x150mm, SL8x175mm Core Through Screwdrivers: PH 2x38mm, PH 3x75mm
- PH 2x100mm, PH 2x150mm, PH 3x200mm



- 3/8" DR Shallow Hex Socket 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm 3/8" DR Deep Hex Socket 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm 3/8" DR Socket Bits (48mmL S2): T10-20-25-30-40-50; H4-5-6-8-10; PZ1-2-3; PH1-2-3; FD5-6-5-8 3/8" DR E Socket E10-11-12-14-16-18-20mm
- 3/8" DR Extension Bar 3-6-10"; 3/8" DR 3-Ways Adapter; 3/8" DR Universal Joint; Adapter: 3/8" to 1/2" & 1/4" to 3/8"
- 3/8" DR Spark Plug Socket 16-21mm
- 3/8" DR Ratchet Wrench 72 Teeth
 1/4 DR Shallow Hex Socket 4-45-5-55-6-7-8-9-10-11-12-13-14mm
 1/4 DR Deep Hex Socket 4-5-6-7-8-9-10-11-12-13-14mm
 1/4 DR Socket Bits (37mmL S2) 78-10-15-20-30; H3-4-5-6-7-8; PZ1-2-3; PH1-2-3; FD4-55-7
- 1/4" DR E Socket E4-5-6-8-10
- 1/4" DR S2 Bits 25mmL
- 1/4" DR Universal Joint; 1/4" DR Bent Bar , 1/4" DR Bit Holder 6.3mm; 1/4" DR Slide T Bar; 1/4" DR Extension Bar 2-4-6"; 1/4" DR Hexible
- 1/4" DR Spinner Handle



- Torx Combination Spanner: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm Double Offset Ring Spanner: 5:5+7:8+10.9+11; 12+14; 13+15; 16+18; 17+19; 18+21; 22+24mm
- Double Open-Ended Spanner: 8*10mm Ratchet Combination Spanner: 10-12-13-17-19mm
- Flare Nut Wrench: 8:10; 10:12; 13:14; 15:17mm 12" Adjustable Wrench



WJS-T0703 254(KY07-254)


7层工具车

7 Drawers Heavy Duty Tool Chest with 254Pcs Comprehensive Tool Sets 21pcs





26pcs



19PC SCREWDRIVER SCREWDRIVER(+-(3)075 (+-) 4X75, (+-) 5X75, (+-) 5X100, (+-)6X100, (+) 6X150 CORE SCREWDRIVER (+-) 6X38, (+-)5X100, (+-) 6X100.

2 PRECISION SCREWDRIVER (-),3X100,PH0X100MM

18 T HEX KEY WRENCHES T10X100, 15X100, 20X100, 40X150, 25X150, 27X150, 30X150, 45X200, 50X200, H:2X100, 2:5X100,3X100,4X150,6X150, 7X150,5X150, 8X200,,10X200



13PC 1/4"DR SOCKET 4,45,5,55,6,7,8,9,10,11,12,13,14MM

19°C 1/4"DR DEEP SOCKET 4,55,56,7,8,9,10,1112,13,149MM
1PC 1/4"EXTENSION 3" 1PC 1/4"DR LIVIN/VERSAL XXINT 40MM(L)
10°C 3/8"DR SOCKET 10,11,12,13,14,15,16,17,18,19MM
11°C 3/8"DR DEEP SOCKET 8,10,11,12,13,14,15,16,17,18,19MM

1PC 3/8 DRUNIVERSAL JOINT 10MM 1PC 3/8 RATCHET HANDLE 72 th 1PC 3/8"DR. EXTENSION BAR 5"

PPC 1/2"DR DEEP SOCKET 10.11.12.13,14.15.16.17.18.19.20,21.22.23.24.27.30MM 9PC 1/2"DR DEEP SOCKET 10.13.15.16.17.18.19.22.24MM

1PC 1/2"DR UNIVERSAL JOINT 76MM(L) 2PC 1/2"DR EXTENSION BAR 5"

1PC 1/2" RATCHET HANDLE 72th

JPC 1/4" RATCHET HANDLE 72TH

102pcs



4BPC 1/4" DR SOCKET BIT TS:10-15-20-25--27-30-40-45-50MM ,H-3-4-5-6-7-8MM ,MB-10-12-SL:4-55-6:5-7MM,PH0-1-2-3,PZ0-1-2-3,

TRS-9-10-15-20-25-27-30-40, TRS-9-10-15-20-25-27-30-40

TRS-9-10-15-20-25-27-27-25-27-25-27-25-27-25-27-20-25-27-27-25-27-25-27-25-27-25-27-25-27-25-27-25-27-25-27-25-27-

APC socket bit M9-10 R0 T80 -14PC Socket bit H5-10-11-13 M:10-12-14 R:10 T40-45-50-55-60-70--4PC Socket bit H7 R7-8 T30

13pcs



13PC RATCHET WRENCH 8,9,10,11.12,13.14,15,17,19,21,22,24MM

15pcs



IPC WATER PUMP PLIER 10º

CLAW HAMMER 120Z

1PC CRICLIP PLIER 6"

4PC LONG NOSE PLER

DIAGONAL PLIER 6" COMBINATION PLIER

6PC PUNCH 3,4,5,6,7,8MM

WJS-T0401 198 (K04-198)



4层工具车

4 Drawers Heavy Duty Tool Chest with 198Pcs Comprehensive Tool Sets



34pcs



- 9pcs Middle Length S2 Allen Key Set 9pcs Middle Length S2 Torx Allen Key Set
- 5M Band Tape
- Auto Battery Tester Pencil Adjustable Preset Torque Wrench: 0-300N Vernier Caliper: 0-150mm
- Oil Filter Wrench with 3 Legs Rubberized Utility Knife
- Ball Peen Hammer
- Fitter Hammer 300g
- 1/2" DR Bits Socket 125mmL S2: T52
- 4pcs Precision Pick and Hook Set





- External 175mm Circlip Pliers Straight
- External 175mm Circlip Pliers Bent Nose Internal 175mm Circlip Pliers Straight
- Internal 175mm Circlip Pliers Bent Nose 6" Diagonal Cutting Pliers, 6" Long Needle Nose Pliers, 8" Combination Pliers; 10" Locking Pliers; 8" Carp Pliers 6pcs Broken Screw Extractor
- Screwdrivers: SL6x38mm, SL3x75mm, SL6x100mm, SL6x150mm, SL8x175mm
- Core Through Screwdrivers: PH 2x38mm, PH 3x75mm PH 2x100mm, PH 2x150mm, PH 3x200mm



- 1/2" DR Shallow Hexagon set: 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm 1/2" DR Deep Hex Socket: 10-12-13-14-15-16-17-18-19-21-22-24mm 1/2" DR E socket: E10-11-12-14-16-18-20-22-24mm

- 1/2" DR Black Screw Bits (80mml, CR-MO): T20-30-40-45-50; M6-8-10-12-16

- 1/2" DR Universal Joint 1/2" DR Universal Joint 1/2" DR Universal Joint 1/2" DR Spark Plug Socket 14mm 1/2" DR Spark Plug Socket 16-21mm 1/2" DR Extension Bar: 5-10" 1/2" DR 3-Ways Adapter · 1/2" DR Bent Bar 12
- 1/2" DR Ratchet Wrench 72 Teeth
- 1/2" DR Tire Socket: 17-19-21mm
- 1/2" DR Bit Holder: 8mm Adapter 1/2" to 3/8": Shock Absorber Socket -1/2" DR Tools Socket M16, H17
- 1/2" DR S2 8mm+30mml Bits: H5-6-7-8-10; T25-27-30-35-40-45-50; M5-6-8-10; PH3-4; FD6-6-5-8; PZ3-4; Hollow T25-27-30-35-40-45-50



- Torx Combination Spanner: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm
- Double Offset Ring Spanner 55-7; 8-10; 9-11; 12-14; 13-15; 16-18; 17-19; 18-21; 22-24mm Double Open-Ended Spanner 8-10mm Ratchet Combination Spanner: 10-12-13-17-19mm

- Flare Nut Wrench: 8+10; 10+12; 13+14; 15+17mm





() izhe WJS-C0303 159(KH03-159)

3层工具车 3 Drawers Heavy Duty Tool Chest with 159Pcs Comprehensive Tool Sets



34pcs



- 9pcs Middle Length S2 Allen Key Set.
- 9pcs Middle Length S2 Torx Allen Key Set 5M Band Tape

- Auto Battery Tester Pencil Adjustable Preset Torque Wrench: 0-300N
- Vernier Caliper: 0-150mm Oil Filter Wrench with 3 Legs
- Rubberized Utility Knife Ball Peen Hammer

- Fitter Hammer 300g 1/2" DR Bits Socket 125mmL S2: T52
- Dust Gun 5* 4pcs Precision Pick and Hook Set

98pcs



- 1/2" DR Shallow Hexagon set: 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm 1/2" DR Deep Hex Socket: 10-12-13-14-15-16-17-18-19-21-22-24mm 1/2" DR E socket: E10-11-12-14-16-18-20-22-24mm 1/2" DR Black Screw Bits (80mmL CR-MO): T20-30-40-45-50; M6-8-10-12-16

- 1/2" DR Universal Joint 3/8" DR Spark Plug Socket 14mm
- 1/2" DR Spark Plug Socket: 16-21mm 1/2" DR Extension Bar: 5-10"
- 1/2" DR Ratchet Wrench 72 Teeth 1/2" DR Tire Socket 17-19-21mm
- 1/2" DR 3-Ways Adapter
- · 1/2" DR Bent Bar 12"
- 1/2" DR Bit Holder: 8mm Adapter 1/2" to 3/8"; Shock Absorber Socket -1/2" DR Tools Socket: M16, H17

102" DR 32 mrm 30mml Bits: H5-6-7-8-10; T25-27-30-35-40-45-50; M5-6-8-10; PH3-4; FD6-6.5-8; PZ3-4; Hollow T25-27-30-35-40-45-50



- External 175mm Circlip Pliers Straight External 175mm Circlip Pliers Bent Nose
- Internal 175mm Circlip Pliers Straight Internal 175mm Circlip Pliers Bent Nose
- 6" Diagonal Cutting Pliers; 6" Long Needle Nose Pliers; 8" Combination Pliers; 10" Locking Pliers; 8" Carp Pliers
- 6pcs Broken Screw Extractor Screwdrivers: SL6x38mm, SL3x75mm, SL6x100mm,
- SL6x150mm, SL8x175mm Core Through Screwdrivers: PH 2x38mm, PH 3x75mm
- PH 2x100mm, PH 2x150mm, PH 3x200mm

CAN BE FREELY COMBINED VIZHE



123件套 S-806-123PCS 国际款综合工具车组套(高级版)



S-817-98PCS 98件套 |际款综合工具车组套(高级版)



177件套 S-802-171 PCS



123PC5 5-806-123PC5 INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

-1/2 Short hexagonal socket: 10-12-13-14-15-16-17-17-18-19-21-23-24-

10-12-13-14-15-16-17-17-18-19-21-23-24-27-30-32mm ·1/2 Long hexagonal socket: 10-12-13-14-16-17-18-21mm ·1/2 Short pneumatic socket: 17-19-21-23mm ·1/2 extension rod 5-10 inches ·3/8 extension rod 3-6 inches ·1/4 extension rod 2-4 inches ·1/2 bent rod 10 inches ·Universal joint 1/4-3/8-1/2 ·3/8 spark plug sleeve 14-16-21mm ·1/2 casing 10mm 3/8 casing 10mm ·72 tooth curved handle ratchet wrench 1/2-3/8-1/41/4 small square

T20 -25-30-40-45-50-55

10mm * 100mm long screwdriver 52; T5

98PCS S-817-98PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM

VERSION) 1/2" DR Shallow Hexagon set:

8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm · 1/2" DR Deep Hex Socket:

10-12-13-14-15-16-17-18-19-21-22-24mm

· 1/2" DR E socket: E10-11-12-14-16-18-20-22-24mm 1/2" DR Black Screw Bits (80mmL CR-MO): T20-30-40-45-50; M6-8-10-12-

16

1/2" DR Universal Joint

· 3/8" DR Spark Plug Socket: 14mm

· 1/2" DR Spark Plug Socket: 16-21mm · 1/2" DR 3-Ways Adapter

· 1/2" DR Extension Bar: 5-10" · 1/2" DR Bent Bar 12" · 1/2" DR Ratchet Wrench 72 Teeth

- 1/2" DR Tire Socket: 17-19-21mm + 1/2" DR Tools Socket: M16, H17

· 1/2" DR Bit Holder: 8mm

· Adapter 1/2" to 3/8"; Shock Absorber Socket

1/2" DR S2 8mm*30mml Bits:

171PCS 5-802-171 PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

• 3/8" DR Shallow Hex Socket: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm • 3/8" DR Deep Hex Socket: 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm

- 3/8" DR Socket Bits (48mmL S2): T10-20-25-30-40-50; H4-5-6-8-10;

PZ1-PZ1-2-3; PH1-2-3; FD5,5-6,5-8 -3/8" DR E Socket: E10-11-12-14-16-18-20mm -3/8" DR Extension Bar 3-6-10"; 3/8" DR 3-Ways Adapter; 3/8" DR

Joint: Adapter: 3/8" to 1/2" & 1/4" to 3/8" · 3/8" DR Spark Plug Socket 16-21mm · 3/8" DR Ratchet Wrench 72 Teeth

: 3/8" DR Ratchet Wrench 72 Teeth - 1/4 DR Shallow Hex Socket: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm - 1/4 DR Deep Hex Socket: 4-5-6-7-8-9-10-11-12-13-14mm - 1/4" DR Socket Bits (37mmL S2): T8-10-15-20-30; H3-4-5-6-7-8; PZ1-2-3; PH1-2-3; FD4-5.5-7 - 1/4" DR E Socket: E4-5-6-8-10 - 1/4" DR S2 Bits 25mmL - 1/4" DR Universal Joint; 1/4" DR Bent Bar, 1/4" DR Bit Holder 6.3mm; 1/4"

() izhe CAN BE FREELY COMBINED


23件套 S-810-23PCS 国际款综合工具车组套(高级版)



29件套 S-826-29PCS 国际款综合工具车组套(高级版)



20件套 S-830-20PCS 国际款综合工具车组套(高级版)



23PCS S-810-23PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

-Combination wrench 8-10-12-13-14-15-16-17-18-

19-21mm

·Oil pipe wrench 8 * 10, 9 * 11, 10 * 12, 13

* 14, 15 * 17

·Automotive test pen adhesive coated

art knife blade

·Flat three claws

·Pointer torque 0-300N

·Dust blowing gun 5 inches

·Fitter Hammer 300g

·10pc impact screwdriver set

29PCS S-826-29PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

 175 snap ring pliers, straight inside and straight outside

·Nutcracker pliers 8 inches

·Carp pliers 8 inches

·Pointed nose pliers 6 inches

·Steel wire pliers 8 inches

·Adjustable wrench 10 inches

-9pc hexagonal S2 special length

 Non piercing screwdriver 3 * 75 flat cross

·6 * 150 straight cross

·Spline screwdriver T20 * 100 T30 * 100

20PCS S-830-20PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

·Combination wrench

8-10-12-13-14-15-16-17-18-

19-21mm

·Oil pipe wrench 8 * 10, 9 * 11, 10 * 12, 13

*14,15*17

·Automobile testing pen

·Glue coated art knife blade

·Flat three claws

-Pointer torque 0-300N

·Dust blowing gun 5 inches

·Fitter Hammer 300g

·10pc impact screwdriver set

CAN BE FREELY COMBINED VIZHE



34件套 S-809-34PCS 国际款综合工具车组套(高级版)



5-805-30PCS 30件套 国际款综合工具车组套(高级版)



34件套 S-818-34PCS 国际款综合工具车组套(高级版)



34PCS S-809-34PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

 Combination wrench 8-10-12-13-14-15-16-17-18-19-21mm

·Oil pipe wrench 8 * 10, 9 * 11, 10 * 12, 13 * 14,

15 * 17

·Automobile testing pen

·Glue coated art knife

·blade

·Flat three claws

·Pointer torque 0-300N

·Dust blowing gun 5 inches

·Fitter Hammer 300g

·10pc impact screwdriver set

S-805-30PCS 30PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

· 9pcs Middle Length S2 Allen Key Set

· 9pcs Middle Length S2 Torx Allen Key Set

5M Band Tape

· Auto Battery Tester Pencil

· Adjustable Preset Torque Wrench: 0-300N

· Vernier Caliper: 0-150mm

Oil Filter Wrench with 3 Legs

Rubberized Utility Knife

· Ball Peen Hammer

· Fitter Hammer 300g

1/2" DR Bits Socket 125mmL S2: T52

Dust Gun 5"

· Tyre Inflation Gauge

S-818-34PCS 34PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

· 9pcs Middle Length 52 Allen Key Set

9pcs Middle Length S2 Torx Allen Key

5M Band Tape

· Auto Battery Tester Pencil

 Adjustable Preset Torque Wrench: 0-300N

· Vernier Caliper: 0-150mm

Oil Filter Wrench with 3 Legs

· Rubberized Utility Knife

· Ball Peen Hammer

· Fitter Hammer 300g

· 1/2" DR Bits Socket 125mmL S2: T52

· Dust Gun 5"

4pcs Precision Pick and Hook Set

() izhe CAN BE FREELY COMBINED

52件套 S-808-52PCS 国际款综合工具车组套(高级版)



39件套 S-803-39PCS 国际款综合工具车组套(高级版)



70件套 S-812-70PCS 国际款综合工具车组套(高级版)



52PCS S-808-52PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

· Cap Oil filter wrench(Steel901,902,903,904,905) · 7PCS Air Conditioning Spring Lock CouplingTools Set · 3/8" DR Sliding Bar · 3/8" DR Adapter.H8-9-10-12-14-17mm; SQ:5/16" , 3/8" ,7-8-10-11-12-13-14mm; Triple:10mm,Inner H10mm,T45 · Handcuff Style Adjustable oil filter wrench,stainless, Small/big size:

39PCS S-803-39PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

Torx Combination Spanner:6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24mm
 Double Offset Ring Spanner: 5.5*7; 8*10; 9*11; 12*14; 13*15; 16*18; 17*19; 18*21; 22*24mm
 Double Open-Ended Spanner: 8*10mm
 Ratchet Combination Spanner: 10-12-13-17-19mm
 Flare Nut Wrench: 8*10; 10*12; 13*14; 15*17mm

12" Adjustable Wrench

70PCS S-812-70PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

·Cap type oil grille steel 901, 902, 903, 904, 911-1, 27mm, 32mm, 36mm ·7pc air conditioner remover connector ·18 brake wheel cylinders ·3/8 sliding rod ·3/8 oil bottom tool hexagonal: 8-9-10-12-14-17mm Four corners: 5/16, 3/8, 7-8-10-12-13-14mm Triangle: 10mm Inner four corners: 10mm

9pc hexagonal 52 medium length
 9pc hexagonal 52 medium length

CAN BE FREELY COMBINED ()izhe



S-831-19PCS 19件套 国际款综合工具车组套(高级版)



S-831-19PCS 19PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

18PC universal bearing pull code

S-807-28PCS 28件套 际款综合工具车组套(高级版)



28PCS S-807-28PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

- -Combination wrench 8-10-12-13-14-15-16-17-18-19-21mm
- ·Oil pipe wrench 8 * 10, 9 * 11, 10 * 12, 13 * 14, 15 * 17
- ·Non piercing screwdriver 6 * 38 flat cross 6 * 100 flat cross 6 * 150 flat cross
- ·Adjustable wrench 10 inches
- ·Pointed nose pliers 6 inches
- Oblique nose pliers 6 inches
- ·Steel wire pliers 8 inches
- ·Carp pliers 8 inches

26件套 S-831-19PCS 国际款综合工具车组套(高级版)



26PCS 5-831-19PCS INTERNATIONAL COMPREHENSIVE TOOL SET (PREMIUM VERSION)

- External 175mm Circlip Pliers Straight
- · External 175mm Circlip Pliers Bent Nose
- · Internal 175mm Circlip Pliers Straight
- Internal 175mm Circlip Pliers Bent Nose
- · 6" Diagonal Cutting Pliers; 6" Long Needle Nose Pliers; 8" Combination Pliers; 10" Locking Pliers; 8" Carp Pliers
- · 6pcs Broken Screw Extractor
- Screwdrivers: SL6x38mm, SL3x75mm, SL6x100mm, SL6x150mm, SL8x175mm
- Core Through Screwdrivers: PH 2x38mm, PH 3x75mm PH 2x100mm, PH 2x150mm,





YT-021

大表胎压枪 TIRE PRESSURE GAUGE (50PCS/CTN)

Test range: 0-16Bar/0-220Psi Dial diameter: 60mm Hose length: 330mm Air miet size: 4/4" NPT



YT-021A

大表胎压枪 (小) TIRE PRESSURE GAUGE (50PCS/CTN)

Test range: 0-16Bat/0-220Psi Dial diameter: 60mm Hose length: 330mm Air inlet size: 1/4" NPT



YT-021-1

黑色防震冲油胎压枪 BLACK PROOF OIL HIGH-QUALITY(50PCS/CTN)

Test range: 0-16Bar/0-230Psi Dial diameter: 60mm Hose length: 330mm Air infet size: 1/4" NPT



YT-021-4

Y60 充油表 Y60 TIRE PRESSURE GAUGE (50PCS/CTN)

Test range: 0-16Bar/0-230Psi Dial diameter: 60mm Hose length: 330mm Air inlet size: 1/4" NPT



YT-021-2

机械式胎压表 MECHANICAL TIRE PRESSURE

GAUGE (50PCS/CTN)
Test range: 0-188ar/0-220Psi
Dial diameter: 60mm
Hose length: 330mm
Air milet size: 1/4" NPT



YT-022-1

Y60 数显胎压枪 Y60 DIGITAL TIRE PRESSURE GAUGE (50PCS/CTN)

Test range: 0-16Bar/0-Dial diameter: 60mm Hose length: 330mm Air inlet size: 1/4" NPT



YT-021-3

防金油胎压枪 GLYCERIN FILLED TIRE PRESSURE GAUGE (50PCS/CTN)

Test range: 0 168ar/0 230 Dial diameter: 80mm Hose length: 330mm Air inlet size: 1/4" NPT



YT-022

Y60 数显胎压枪 Y60 DIGITAL TIRE PRESSURE GAUGE (50PCS/CTN)

Test range: 0 168ar/0-2206 Dial diameter: 60mm Hose length: 330mm Air inlet size: 1/4" NPT



YT-022-2

Y60数显胎压枪 Y60 GLYCERIN FILLED TIRE PRESSURE GAUGE(50PCS/CTN)

Test range: 0-16Bar/0-220P Dial diameter: 60mm Hose length: 330mm Air inlet size: 1/4" NPT



YT-021-5

Y60 美式胎压枪(50只/件) Y60 AMERICAN TIRE PRESSURE GUN (50 PIECES/PIECE)

Test range: 0-168ar/0-220Psi Dial diameter: 60mm Hose length: 320mm Aur inlet size: 1/4° NPT

57 | TIRE PRESSURE GUN SERIES





YT-021-6

握式Y50胎压枪 Y50 TIRE INFLATION GUN (50PCS/CTN)

Test range: 0-168ar/0-220Psi Dial diameter/50mm Hose length: 330mm Air inlet size: 1/4" NPT



YT-021-7

美式胎压枪 AMERICAN TIRE PRESSURE GUN (50 PIECES/PIECE)

Test range: 0-168ar/0-220Ps/ Dial diameter: 60mm/ Hose length: 330mm/ Air inlet size: 1/4" NPT



YT-021-8

小表胎压枪 SMALL TIRE PRESSURE GUN (50 PIECES/PIECE)

Test range: 0-16Bar/0-220Ps Dial diameter: 60mm Hose length: 330mm Air inlet size: 1/4" NPT



YT-021-11

大表带杆胎压枪 HIGH-QUALITY TYPE (50PCS/CTN)

Test range: 0-16Bar/0-220Psi Dial diameter: 60mm Hose length: 390mm Air inlet size: 1/4" NPT



YT-021-11A

大表胎压枪 HIGH-QUALITY TYPE(50PCS/CTN)

Test range: 0-16Bar/0-220Psi Dial diameter: 60mm Hose length: 330mm Air inlet size: 1/4" NPT



YT-021-10

带尺胎压枪 OIL TIRE PRESSURE GUN WITH RULER (50PCS/CTN)



YT-021-11B

冲油表 AMERICAN STYLE PREMIUM TIRE PRESSURE GUN (50 PIECES/PIECE)

Test range: 0-16Bar/0-220P Dial diameter: 60mm Hose length: 330mm Air inlet size: 1/4" NPT



YT-021-12

Y60高精度机械轮胎压力表 Y60 HIGH ACCURATE MECHANICALTIRE PRESSURE GAUGE

Display mode, shockproof mechanical dial Material PA6+30NGF Case material NBR. Accuracy: 2.5h Pressure range: 0-220Psi/0-168ar Trachea configuration: 400mm general clip trachea.



YT-022-5

Y60高档胎压枪数显 Y60 HIGH-END TIRE PRESSURE GUN DIGITAL DISPLAY (10 PIECES/PIECE)

High-quality type inflationgun Calibraten: (370kg/12bar) Digital gauge Imported digital gauge strongshank resistance,High definition



YT-022-6

Y60高档胎压枪数显 Y60 HIGH-END TIRE PRESSURE GUN DIGITAL DISPLAY (10 PIECES/PIECE)

Display mode shockproof mechanical dial Material: PA6+30hGF Case material: NBR Accuracy: 2.5h Pressure range: 0-220Psi/0-16Bar Trachea configuration: 400mm general clip trachea.





YT-021-13

Y60带油胎压枪 Y60 TIRE PRESSURE GUN YN63MM (SILICONE OIL)

Display mode: shackproof silicon oil filled Material: PA6+30KGF Case material: NSR Accuracy: 25% Pressure range; 0-230Psi/0-16Bar Trachea configuration: 400mm; general clip trachea



YT-021-14

高精度数字胎压枪 HIGH ACCURATE DIGITAL AIR GAUGE

DANGE
Display mode: 20-40mm LCD display
Material: PA6+30NGF
Case material: NB8
Accuracy: 20-2Psi
Pressure range: 0-100Psi/0-7Bar
Battery type. No. 7 battery
Trachea configuration: 400mm general clip i
rachea
25-5-11-5CM 0.4kg
57-27-48.5CM 22kg



YT-021-15

高档机械式轮胎压力表 HIGH-GRADE MECHANICAL TIRE PRESSURE GAUGE

Display mode, snockproof mechanical watch Material PAG-5090F Case material NBR Accuracy; 2.54 Pressure tange; 0-230Psi/0-16Bar Traches configuration; 400mm general diptrachas 29-13-95CM 0.7kg 59.5-31.5-52CM 19.5kg



YT-021-16

高档带油轮胎压力表 HIGH-GRADE TIRE PRESSURE GAUGE (SILICONE OIL)

GAUGE (SILICONE OIL)
Display mode: shockproof silicon oil filled Material: PAG-30/IGF
Cape material: NBR
Accuracy: 25th
Pressure range: 0-230Psi/0-168ar
Trachea configuration: 400/mm general dip



YT-021-17

高档数显胎压枪 LCD DIGITAL DISPLAY (40X20MM,BACKLIGHT DISPLAY)

Display mode: 20-40mm LCD display Material: PA6+80NGF Case material: NBR Accuracy: ±0.2Psi Pressure range: 0-255Psi/0-18Bar Battery type: No. 7 battery Trachea configuration: 400mm general clip trachea 29-13-9-50-M.055kg 59.5+81.5-52CM 18.25kg



YT-021-18

气尺式胎压表 SCALE DIAL

Air pauge type, the total length of the air tube with aerated rod 650mm, metal material range ib 12KG accuracy; 2 5% 41+18+7CM 0.75kg 44+36+41CM 20kg



YT-021-19

LED 数字显示胎压表 LED DIGITAL DISPLAY PHOTOSENSITIVITY DISPLAY

PHOTOSENSITIVITY DISPLAY
Display mode bright LED display
material: metal
Case material: NBR
Accuracy: ±0.2Psi
Pressure range: 0-255Psi/0-18Bar
Battery type: No. 7 battery
Tracheal configuration: 500mm gourd head clip
41-18-70-M 0.65kg
44-38-41CM 17.8kg



YT-021-20

高档数显胎压枪 HIGH GRADE DIGITAL TIRE PRESSURE GUN

LCD digital display (40x20mm, Backlit display) soil 0.29x500mm Rotaling inflation tube • 1. Battery • 1. For 600mm Hoses, 2 batteries



YT-021-22

液晶数字显示轮胎气压计 LCD DIGITAL DISPLAY TIRE PRESSUGE GAIGE

Display mode: 25:45mm LCD display
Material: PA6+30NGF
Case material: NBR
Accuracy: ±0.2Pai
Pressure range: 0.255Psi/0-188ar
Battery type: No. 7 battery
Air pipe configuration: 600mm universal threadedair pipe
+ Gourd head chuck
30:43:45.6CM 0.7kg
64,5-44+465CM 23kg



YT-021-23

液晶数字显示轮胎气压计 LCD DIGITAL DISPLAY TIRE PRESSUGE GAIGE

59 | INTERIOR CLEANING GUN SERIES





YB-024-1

软管清洗枪 (精细抛光电泳) HOSE CLEANING GUN (FINE POLISH PHOTOPHORESIS)

- Gun body Aluminum polishing, Hose: explosion-proof Pressure range. 6-9BAR Pot capacity: 1000ml With copper switch waterway corrosion protection.

QTY 12Pcs G.W.9.6KG MEAS 55+38+56CM



YB-024-2

轴承清洗枪 (电泳) BEARING CLEANING GUN (ELECTROPHORESIS)

- Gun body: Aluminum alloy electrophoretic, 3

- Surface bearings statistics are supported by the surface of the su corrosion protection

OTY:12Pcs G.W:11.0KG MEAS:56+38+56CM



YB-024-3

短喇叭轴承枪 (电泳) SHORT HORN BEARING GUN (ELECTROPHORESIS)

- Gun body: Aluminum alloy electrophoretic. 3. stainless steel hearing

- stanties steet bearings.
 Pressure range, 8–9 BAR
 Pot capacity, 300 ml
 Stiding valve switch, with copper switch waterway
 concision protection.

OTY-12Pcs G.W-11.3KG MEAS:56+38+56CM



YB-024-4

360度通用清洗枪(电泳) UNIVERSAL CLEANING GUN (ELECTROPHORESIS)

- Cun body: Aluminum alloy electrophoresis, Pressure range: 6-98AR Pot capacity: 1000 ml with cooper switch waterway anti-corrosion, anti--collision-universal tube

QTY:12Pcs G.W:14.0KG MEAS:56+38+56CM



YB-024-5

泡沫枪 (精细抛光电泳) FOAM GUN (FINE POLISH PHOTOPHORESIS)

- Gun body: Aluminum polishing Capacity, 1000 ml High efficiency foam bead ABS engineering plastic, with copper switch waterway anti-borrosion

QTY: 10Pes G.W.:11.4KG MEAS:67:35:55CM



YB-024-6

水汽除尘枪 WATER VAPOR DESTAINING GUN

- Gun body: Aluminum polishing
- Hose: explosion-proof
- Pressure range: 6-9BAR Pot capacity: 1000ml With copper switch waterway corrosion protection

QTY:12Pcs G.W:9.5KG MEAS:56*38*56CM



YB-024-7

加长轴承清洗枪(电泳) ELONGATED BEARING GUN (ELECTROPHORESIS)

- Gun body: Aluminum altoy electrop Pot capacity: 1000 ml
- 3 stainless steel bearings high strength design; with copper switch waterway corrosion protection

QTY:14Pcs G.W:14.9KG MEAS:56-38-56CM



YB-024-8

加长发动机轴承枪 (电泳) ELONGATED BEARING GUN (ELECTROPHORESIS)

- Gun body: Aluminum alloy electrophoresis Length 56cm
- 3 stainless steel bearings high strength design, with copper switch waterway corrosion protection

OTY:14Pes G.W:14.8KG MEAS:39+24+29CM





镀膜枪 CANOPY CLEANING GUN (ELECTROPHORESIS)

Pressure range: 6-9BAR

Pot capacity 250 ml With water fine adjustment switch, (with copper switch waterway corrosion protection

QTY:14Pcs G.W-11.8KG MEAS:56:38:56CM



YB-024-10

软管干洗枪 HOSE DRY CLEANING GUN (ELECTROPHORESIS)

Gun body: Aluminum alloy electrophoresis PU balance tube Pressure range: 6-9BAR

QTY:20Pcs G.W:9.5KG MEAS:56+38+56CM

INTERIOR CLEANING GUN SERIES | 60



YB-024-11



轴承干洗枪 (电泳) BEARING DRY CLEANING GUN (ELECTROPHORESIS)

Gun body: Aluminum alloy electrophoresis,high-precision bearings Pressure range: 6-9BAR

QTY:20Pcs G.W:10.5KG MEAS:56*38*56CM

YB-024-12



水汽混合枪(电泳) WATER-GAS MIXING GUN (ELECTROPHORESIS)

Gun body, Aluminum alloy electrophoresis gun body, water and gas mix. Pressure range 6-98AR Water and gas dual interface all copper material, sliding valve switch; with copper switch waterway anti-corrosion

QTY:40Pcs G.W:21.0KG MEAS:56+38+56CM

YB-024-13



双柱管泡沫枪 (电泳) DOUBLE-BARREL FOAM GUN (ELECTROPHORESIS)

Gun body: Aluminum alloy electrophoresis, high efficiency foam head ABS engineering plastic water and gas dual interface all copper material Pressure range: 6-9BAR With copper switch waterway corrosion protection

QTY:12Pcs G:W:10.2KG MEAS:56+28+56CM

YB-024-14



双管轴承枪(电泳) DOUBLE-TUBE BEARING GUN (ELECTROPHORESIS)

- and gas dual interface all copper material
- Pressure range 6-9 BAR 3 stainless steel bearings; with copper switch waterway corrosion protection

QTY:12Pcs G.W:9.7KG MEAS:56+38+56CM

YB-024-15



软管清洗枪 (电泳) HOSE CLEANING GUN (ELECTROPHORESIS)

Gun body: Aluminum polishing, explosion-proof

Pressure range: 6-9BAR With copper switch waterway corrosion protection

OTY:12Pcs G.W:10.0KG MEAS:56+38+56CM



YB-023

高档精品轴承内饰清洗枪 HIGH INTERIOR CLEANING GUN-BEARING

Pot capacity: 1000ml Air Pressure: 6-9,2 Bar

QTY: 10pcs G.W.: 11.2kg MEAS: 56*36*55CM



YB-023-1

高档内饰清洗枪 HIGH INTERIOR CLEANING GUN-HOSE TUBE

Pot capacity: 1000ml Air Pressure: 6-9.2 Bar

QTY: 10pcs G.W.: 11.2kg MEAS: 68+34+56CM



YB-023-2

内饰龙卷风清洗枪 CLEANING GUN-HOSE TUBE

Pot capacity: 1000ml Air Pressure: 6-9.2 Bar

OTY: 10pts G.W.: 11.2kg MEAS: 68+34+56CM



YB-023-3

内饰清洗枪 INTERIOR CLEANING GUN-HOSE TUBE

Pot capacity: 1000ml Air Pressure: 6-9.2 Bar

QTY: 20pcs G.W.: 14.5kg MEAS: 86+33+56CM



YB-019

汽车美容抛光机 CAR BEAUTY PROJECTOR

61 | INTERIOR CLEANING GUN SERIES



YB-016

新款4.3寸大屏汽车空调可视清洗枪 DOUBLE TUBE FOAM GUN (ELECTROPHORESIS)



YB-016A

新款升级4.3寸大屏汽车空调可视清洗枪 DOUBLE TUBE FOAM GUN (ELECTROPHORESIS)





YB-023-6

泡沫清洗抢 FOAM GUN

Pot capacity: 1000ml Air Pressure: 6-9.2 Bar

QTY: 10pcs G.W.: 12kg MEAS: 62+35+55CM



YB-023-7

高档精品泡沫清洗抢 HIGH FOAM GUN

Pot capacity: 1000ml Air Pressure: 6-9.2 Bar

QTY: 10pcs G.W., 12.2kg MEAS: 68+36+55CM



YB-023-8

高档内饰清洗抢 INTERIOR CLEANING GUN

Pot capacity: 1000ml Air Pressure: 6-9.2 Bar

QTY: 20pcs G.W.: 25kg MEAS: 85+33+56CM



YB-023-9

360度金属软管清洗抢 ENGINE CLEANING GUN

Pot capacity: 1000ml Air Pressure: 6-9.2 Bar

QTY: 10pcs G.W.: 25kg MEAS: 68+34+56CM



YB-023-11

泡沫枪 FOAM CANNON

TY: 24pcs G.W.: 19.5kg MEAS: 58*34*56CM



YB-023-11A

升级款洗车泡沫壶 FOAM CANNON

QTY: 48pcs G.W.: 19,4kg MEAS: 58+34+56CM



YB-023-12

大枪体带壶清枪 CLEANING GUN

Pot capacity: 1000ml

QTY: 10pcs G.W.: 25kg MEAS: 68*34*56CM



YB-023-13

干洗枪 CLEANING GUN

QTY: 20pcs G.W.: 12kg MEAS: 68×34×56CM



YB-018

洗车毛刷 Car wash brush







YZ-4001

15米PU管卷管器 AIR HOSE REEL WITH 15M PU PIPE QTYI 4pcs G.W.: 19.6kg MEAS: 63+42+33CM



YZ-4002

15M PU 管的空气软管卷盘 AIR HOSE REEL WITH 15M PU PIPE QTV: 4pcs G.W.; 21.7kg MEAS: 68+36+34CM



YB-032

大型电动卷盘10M BIG ELECTRIC HOSE REEL 10M OTY: 6pcs G.W.: 18.5kg MEAS: 60-60-38CM



YB-034

大水管卷盘 15M BIG WATER HOSE REEL 15M QTY: 4pcs G.W.: 19kg MEAS: 66+36+34CM



YB-23-23

多用抛光凳 MULTI-PURPOSE POLISHING STOOL



YB-023-24

汽车美容凳 CAR BEAUTY STOOL



YB-023-25

高级汽车美容凳 PREMIUM CAR BEAUTY STOOL



YB-023-26

汽车美容修理凳 CAR BEAUTY REPAIR STOOL



YB-023-27

汽车美容修理凳 CAR BEAUTY REPAIR STOOL



YB-023-28

汽车美容店三层工具车 CAR BEAUTY SHOP THREE-LAYER TOOL CAR

63 | INTERIOR CLEANING GUN SERIES





YB-023-15

雪花泡沫枪 FOAM CANNON GUN QTY: 20pcs G.W.: 11kg MEAS: 60+33+48CM



YB-023-16

高压洗车水枪 HIGH PRESSURE WASHER GUN

QTY: 10pcs G.W.: 11kg MEAS: 60+33+48CM



YB-023-17

长柄清洗枪 CAR WASH JET GUN QTY: 50pcs G.W.: 16kg MEAS: 47+37+42CM



YB-023-18

低压洗车泡沫枪 LOW PRESSURE FOAM GUN OTY: 24pcs G.W.: 19kg MEAS: 58+48+44CM



YB-023-21

底盘清洗机 CAR CHASSIS CLEANER QTY: 10pcs G.W.: 15.4kg MEAS: 37*33*34CM



YB-023-19

高压洗车水枪 HIGH PRESSURE WASHER GUN QTY:50pcs G.W: 16kg MEAS: 47-37-42CM



YQ-031

带管清洗枪 ENGINE WASHING GUN QTY: 60pcs G.W.: 22kg MEAS: 72-45-36CM



YQ-31-1

立式直柄清洗枪 ENGINE WASHING GUN QTY: 60pcs G.W.: 22.6kg MEAS: 53-45-47CM



YO-031-2

带壶清洗枪 ENGINE WASHING GUN (WITH POT) OTY: 30pcs G.W.: 15.5kg MEAS: 58*42*40CM



YQ-031-3

大枪体带管清洗枪 (HIGH-QUALITY) ENGINE WASHING GUN QTY: 60pcs G.W.: 22.4kg MEAS: 57*45*49CM

INTERIOR CLEANING GUN SERIES | 64





YQ-031-4

大枪体带管清洗枪 (HIGH-QUALITY) ENGINE WASHING GUN (WITH HOSE)



YQ-031-5

989吹灰枪(电镀大喷嘴) 989 DUST BLOWING GUN (ELECTROPLATING BIG BLOWING NOZZLE)

QTY: 100pcs G.W.: 22kg MEAS: 69*29*47CM



YQ-031-6

989吹灰枪(电镀大喷嘴) 989 DUST BLOWING GUN (ELECTROPLATING BIG BLOWING NOZZLE)

QTY: 100pcs G.W.: 21kg MEAS: 69*29*47CM



YQ-031-8

989吹尘枪(喷塑可调) 989 AIR DUST GUN VOLUME ADJUSTABLE

QTY: 100pcs G.W.: 18kg MEAS: 65-26.5-42CM



YO-031-9

989带杆吹尘枪 (喷塑可调) 989 AIR DUST GUN ADJUSTABLE 0Tr: 100pcs G.W.: 19.3kg MEAS: 65-26.5-42CM



YQ-031-10

金属吹尘枪 AIR DUSTER GUN QTY: 100pcs G.W: 17kg MEAS: 56-35-39CM



YQ-031-11

吹尘枪五件套 FIVE PIECES OF DUSTER QTY: 100pcs G.W.: 22.4kg MEAS: 57*35*48CM



YB-023-12

小明铁吹尘枪 SMALL AIR BLOW SET QTY: 100pcs G.W.: 12kg MEAS: 65-23-28CM



YQ-031-13

大枪体吹尘枪 BIG AIR BLOW SET QTY: 100pcs G.W.: 10kg MEAS: 65*23*28CM



YQ-031-18

带管吹尘枪套装 AIR BLOW SET

TY: 100pcs G.W.: 15.7kg MEAS: 62*38*40CM





YQ-031-14

塑料短吹尘枪 高档品质10个/彩盒 PLASTIC SHORT DUST BLOWER QTY: 100pcs G.W.: 16.5kg MEAS: 68-45.5-29.5CM



YB-031-15

塑料长吹尘枪 高档品质10个/彩盒 PLASTIC LONG DUST BLOWER OTY: 100pcs G.W.: 16.5kg MFAS: 68145.5428.5CZ



YQ-031-17

可伸缩吹尘枪 RETRACTABLE DUST BLOWER OTY: 100pcs G.W.: 24kg MFAS: 61+43+24CM



YQ-032

日式/鼠尾 打气嘴 QUICK CATCH/MOUSE-TAIL PUMP OTY: 200pcs G.W.: 28kg MEAS 38-34-31CM



YQ-032-1

胶把打气嘴 RUBBER SPREADER(QUICK CONNECT /MOUSE TAIL) QTY: 10pcs G.W.: 15.4kg MEAS; 37*33*34CM



YQ-032-2

六角鼠尾打气嘴 HEXAGONAL RAT TAIL PUMP QTY: 200pes G.W.: 25kg MEAS: 40-28-30CM



YQ-032-3

T型铁杆打气嘴 TYPE T IRON PUMP NOZZLE QTY: 200pcs G.W.: 28kg MEAS: 38-84-31CM



YQ-032-4

手摇带表打气嘴 Handle the pump with a handle OTY: 100cs GW: 22.0kg MEAS: 30+39+54CM



YQ-032-5

手摇带表打气嘴 Hand handle with a stylus QTY: 50pcs G.W.: 21.0kg MEAS: 30-38-50CM



YQ-032-6

铁尺测压尺 IRON GAUGE QTY: 100pcs G.W.: 25.0kg MEAS: 39*39*31CM





YQ-032-7

软管双头打气嘴 T-TYPE(2 FUNCTIONS) QTY: 200pcs G.W.: 28kg MEAS: 38+34-31CM



YQ-032-8

胎压管(铜/锌) PRESSURE TUBE (COPPER/ZINC) QTY: 200pcs G.W.: 14kg MEAS: 44*33*18CM



YQ-032-9

铁杆测压表 IRON MANOMETER QTY: 100pcs G.W.: 17kg MEAS: 72*25*38CM



YQ-032-10

测压表 PRESSURE TABLE QTY: 200pcs G.W.: 17kg MEAS: 43+40+37CM



YQ-032-11

带管测压表 PIPE-GAUGE QTY: 100pcs G.W: 23kg MEAS: 70*38*35CM



YQ-032-13

带杆测压表 PRESSURE GAUGES WITH BLOW ROD QTY: 50pcs G.W: 17.5kg MEAS: 85-33-34CM



YQ-032-12

带管测压表100只/件 PIPE-PAUGE QTY: 50pcs G.W:: 14.5kg MEAS: 76-33-35CM



YQ-033-14

喷砂枪 AIR SPOT SAND BLASTER QTY: 12pcs G.W: 10.2kg MEAS: 42*38*30CM



YQ-033-14A

气动喷砂枪 AIR SPOT SAND BLASTER QTY: 20pcs G.W.: 10.6kg MEAS: 58-49-27CM



YQ-033-15

25/30/35/40MM 安装锤 INSTALLATION HAMMER

67 | AUTO REPAIR PLIERS SERIES





YZ-5001

可弯式喉式管束夹钳 LONG REACH HOSE CLAMP PLIERS

This tool can lose clamps on cars, remove factory spring hose clamp pincer, coolant hose clamps pliers and radiator hoses, automotive clamp allow technicians to access flat hose clamps in hard-to-reach areas.

QTY: 50pcs G.W.: 28kg MEAS: 40+40+48CM



YZ-5002

3件车门内饰拆卸器 3PCS DOOR UPHOLSTERY REMOVER

Suitable for car audio-radio system installing or removing, door panel, moldings, emblems, window trims andautomotive interior repairing without damaging upholstery or the trim.

QTY: 50pcs G.W.: 17.3kg MEAS: 40+20+27CM



YZ-5003

喉式管束钳 CURVED HOSE CLAMP PLIERS

for Removal and Installation of Flat-Band o Ring-Type Hose Clamps

QTY: 50pcs G.W.: 16kg MEAS: 45+38+42CM



YZ-5004

弯型喉式管束钳 HOSE REMOVER PLIERS

For Fuel & Coolant Hose Pipe Clips for Auto Car Repair Water Pipe Removal Tool

QTY: 50pcs G.W.: 12.9kg MEAS: 60+28+28CM



YZ-5005

直型喉式管束钳 HOSE CLAMP PLIERS

G.W.: 16kg MEAS: 45+38+42CM



YZ-5006

直型喉式管束钳 HOSE CLAMP PLIERS

200pcs G.W.: 25kg MEAS: 40+28+30CM



YZ-5007

油管分离钳

HOSE CLAMP PLIERS

For removing stubborn hoses on header tanks, radiators, pumps, air cleaners, etc.

QTY: 50pcs G.W.: 11.7kg MEAS: 40+28+36CM



YZ-5008

软管夹钳

HOSE CLAMP PLIERS

TY: 50pcs G.W.: 16kg MEAS: 45×38×42CM



YZ-5009

气门油封拔取钳

VALVE STEM SEAL PLIERS QTY: 50pcs G.W.: 16kg MEAS: 38+36+26CM



YZ-5010

活塞环装入钳 PISTON RING INSTALLER

QTY: 120pcs G.W.: 16.9kg MEAS: 53+38+28CM





YZ-5011

虎型钳 HOSE CLAMP PLIERS

Suitable for releasing and refitting re-usable clic and clic R hose clips

QTY: 50pcs G.W.: 13.6kg MEAS: 52+42+30CM



YZ-5012

60-90MM钳式机滤扳手 60-90MM OIL FILTER PLIER WRENCH

QTY: 50pcs G.W.: 19.8kg MEAS: 39*29*18CM



YZ-5012-1

机油滤清拆卸钳 OIL FILTER PLIER WRENCH



YZ-5012-2

汽车油管钳 HYDRAULIC BRAKE HOSE CLAMP

QTY: 50pcs G.W.: 14.2kg MEAS: 40x28x35.5CM



YZ-5012-3

防尘套套装钳 2PCS CV BALL JOINT CLAMPING BANDING TOOL

For fast and simple tensioning and securing of oboot banding strap.
Suitable for ear-type hose clips found on fuel, cooling system and vacuum hoses and used for securing late model GM CVJ boot clamps.

QTY: 50pcs G.W.: 26.5kg MEAS: 51x38x27CM



YZ-5013

双向万向舵杆扳手 CAR INNER TIE ROD END WRENCH REMOVAL TOOL 27-42MM WITH 1/2" SQUARE DRIVE

steering rod and easily replaces inner tie rod ends from 27-42mm diameter without removing the rack and pinion

QTY: 50pcs G.W.: 16kg MEAS: 35x30x15CM



YZ-5013A

万向舵杆扳手 CAR INNER TIE ROD END WRENCH REMOVAL TOOL

Use to replace the inner tie rod ends without replacing the rack and pinion Capacity 33-42mm

QTV: 50pcs G.W. 27.7kg MEAS: 34x34x17CM



YZ-5014

1/2 "DR扭矩角规工具扳手 1/2" DR TORQUE ANGLE GAUGE TOOL WRENCH

This tool fits 1/2" Dr. tools such as ratchet / torsion wrench / power bar etc.

QTY: 50pcs G.W.: 10.8kg MEAS: 47*33*27CM



YZ-5015

80-120MM银式机滤扳手 80-120MM OIL FILTER PLIER WRENCH

QTY: 50pcs G.W.: 20kg MEAS: 38+27+26CM



YZ-5016

油封拉拔器 (双钩头起子型 SEAL PULLER)

QTV: 50pcs. G.W.: 19.2kg. MEAS: 38.5+37+14.5CM.





YZ-5017

挡风玻璃拆卸工具组 WINDSHIELD REMOVAL TOOL SET

QTY: 10pcs G.W.: 11.5kg MEAS: 53+41+29CM



YZ-5018

软管扳手 REXIBLE WRENCH

QTY: 100pcs G.W.: 15kg MEAS: 55*24*35CM



YZ-5019

强磁吸棒 COGENT FLEXIBLE MAGNET PICK

QTY: 100pcs G.W.: 15kg MEAS: 55+24+35CM



YZ-5020

强磁吸棒 COGENT FLEXIBLE MAGNET PICK UP TOOL

QTY: 100pcs G.W.: 10.8kg MEAS: 68+21+16CM



YZ-5021

大小边张引夹 BOX CLAMP

Single-way pull operation Bolt size: 14m/mØ x 110L m/m

QTY: 10pcs G.W.: 21kg MEAS: 30+26+30CM



YZ-5022

窄型张引夹 (双向) BOX CLAMP

Capacity: 5 ton (Straight way) 2 ton (Cross way)

Two-way pull operation Bolt size: 16m/m∅ x 70L m/m

QTY: 10pcs G.W.: 22.7kg MEAS: 30+26+30CM



YZ-5023

窄型张引夹 (双向) BOX CLAMP (TWO-WAYS)

Capacity: 3 ton (Straight way) 2 ton (Cross way)

Two-way pull operation Bolt size: 14m/mØ x 110L m/m

QTY: 10pcs G.W.: 21.8kg MEAS: 30+26+30CM



YZ-5024

调整型汽油箱盖拆装器 ADJUSTABLE FUEL TANK LID REMOVER

REMOVER

Fit for: Mercedes Benz/BMW/Audi/VW

Remove and install the fuel pump retaining
ring, keeping the gas tank and the fuel pump
module in the balance curve of the foot.

QTY: 30pcs G.W.: 20kg MEAS: 40+26+20CM



YZ-5024B

调整型汽油箱盖拆装器弯角 ADJUSTABLE FUEL TANK LID REMOVER

Fit for: Mercedes Benz/BMW/Audi/VW Remove and install the fuel pump retaining ring, keeping the gas tank and the fuel pump module in the balance curve of the foot.

QTY: 30pcs G.W.: 18kg MEAS: 40+35+20CM



YZ-5024C

调整型汽油箱盖拆装器弯角 4 JAW FUEL TANK LID WRENCH SPANNER

G.W.: 10.8kg MEAS: 33+27+20CM







YZ-5025

13件方向平衡拉码 13PCS DIRECTOR PULLER

· Used on steering wheels with tapped holes.

QTY: 30pcs G.W.: 30.4kg MEAS: 40+30+31CM



YZ-5025B

加宽活塞组装钳 WIDENING PISTON ASSEMBLY PLIERS



YZ-5027

含养感应套筒 OFFSET OXYGEN SENSOR WRENCH QTY: 100pcs G.W.: 21.7kg MEAS: 42-45-48cM



YZ-5027-1

1/2和3/8含养感应套筒 22MM 1/2 OR 3/8" SQUARE DRIVE OXYGEN SENSOR SOCKET WRENCH

QTY: 100pcs G.W.: 28kg MEAS: 38+25+30CM



YZ-5027-2

1/2和3/8含养感应套筒 22MM 1/2 OR 3/8" SQUARE DRIVE OXYGEN SENSOR SOCKET WRENCH

This tool fits 1/2" Dr. tools such as ratchet / tools or wrench / power bar etc.

QTY: 100pcs G.W.: 25.5kg MEAS: 40*25*30CM



YZ-5027-3

3件套含氧感应套筒 3PCS OXYGEN SENSOR SWITCH SOCKET

QTY: 30pcs G.W.: 22kg MEAS: 39+28+25CM



YZ-5027-4

5件套含氧感应套筒 5PCS OXYGEN SENSOR SWITCH SOCKET

QTY: 20pcs G.W.: 15kg MEAS: 39+28+25CM



YZ-5032

卡扣钳 CAR TRIM PANEL REMOVAL PLIERS



YZ-5033

断电器拆卸钳 BREAKER DISMANTLING PLIERS QTY:50pcs G.W.: 13kg MEAS: 49*38*32CM



YZ-5035

大灯分离钳 SEPARATING PLIERS FOR HEADLIGHTS

QTY: 50pcs G.W.: 14kg MEAS: 49+38+32CM

71 | HAND TOOLS SERIES





YZ-5036

鼓式刹车弹簧钳 DRUM-TYPE BRAKE SPRING PLIERS QTY: 100pcs G.W.: 34.3kg MEAS: 43+45+18CM



YZ-5037

10件套螺母螺栓分离器 10PC NUT BOLT EXTRATOR

Fits hex size: 9mm 10mm 11mm 12mm 13mm 14mm 15mm 16mm 17mm 19mm to remove damaged. Outside size: 16mm,16mm, 17mm, 19mm, 19mm, 21mm, 22mm, 24mm, 24mm, 27mm.

QTY: 30pts G.W.: 18.7kg MEAS: 40+32+20CM



YZ-5038

10件套金属开孔器 10PC METAL HOLE OPENER

Size: 5/8 "(16 mm), 5/7" (18 mm), 7/9 "(20 mm), 7/8" (22 mm), 1 "(25 mm)), 1-1/6" (30 mm), 1-3/6 "(35 mm), 1-7/9" (45 mm), 1-31/32" (50mm), 2-1/ 9"(53 mm).

QTY: 20pcs G.W.: 38kg MEAS: 58+41+35CM



YZ-A115

爆冲 (充气泵) 5 GALLON AIR TIRE BEAD SEATER BLASTER

QTY: 1pc G.W 11.7kg MEAS: 46+39+33CM



YZ-A116

内装拆卸工具 11PC CAR TRIM REMOVAL TOOL QTY: 20pcs G.W.: 10.9kg MEAS: 51+34+48CM



YZ-A116A

19件套内拆工具 19PC CAR TRIM REMOVAL TOOL QTY: 20pcs G.W.: 18kg MEAS: 65+50+24CM



YZ-A116B

5件套内拆工具 5PC CAR TRIM REMOVAL TOOL



YZ-A116C

38件套汽车收音机车门装饰撬夹拆 卸套件 38PCS CAR RADIO DOOR TRIM PRY CLIP REMOVAL KIT QTY: 20pcs G.W.: 22kg MEAS: 51+34+48CM



YZ-A116D

27件套汽车仪表板音响安装工具拆 卸工具撬动工具 27PCS REMOVAL TOOL KITS FOR CAR DASH AUDIO INSTALLER PRY TOOL QTY: 10pcs G.W.: 10.9kg MEAS: 51*34*48CM



YZ-A117

修车板 CAR CREEPER G.W.: 5.4kg MEAS: 104-50+10CM

HAND TOOLS SERIES | 72





YZ-A117A

可折叠躺板 CAR CREEPER

QTY: 1pc G.W.: 8.3kg MEAS: 68+43+13CM



YZ-A117B

可折叠躺板 **CAR CREEPER**

G.W.: 10.2kg MEAS: 67+42+12CM



YZ-5041

3" ×125mm活塞环压缩器 3" ×125MM PISTON RING COMPRESSOR

3'height, capacity: 53-125mm

QTY: 50pcs G.W.: 14.7kg MEAS: 42*34.5*19.5CM



YZ-5042

×175MM活塞环压缩器 4" ×175MM PISTON RING COMPRESSOR

4"height, capacity, 53-175mm

QTY: 50pcs G.W. 16.5kg MEAS: 42+39.5+23CM



YZ-5043

6" X175MM活塞环压缩器 6" X175MM PISTON RING COMPRESSOR

6"height, capacity: 60-175mm

QTY: 50pcs G.W.: 23kg MEAS: 60+45+42CM



YZ-5044

9件套冷气快速接头拆卸器 9PC COOL GAS QUICK JOINT DISASSEMBLY

Spring locking tool: 3/8" RED, 1/2" Blue, 5/8" Black, 3/4" white

Fuel disconnect tool; 3/8" Yellow, 1/2" Green Fuel line fitting disconnect tool: 5/16" Gray, 3/8" CYAN For Ford/GM quick disconnect tool: 1/2" Black

QTY: 50pcs G.W.: 10kg MEAS: 36+38+54CM



YZ-5045

7件套冷气管拆卸器 7PC COOL OIL PIPE DISASSEMBLY

1/4", 3/8", 1/2", 5/8", 3/4", 7/8

QTY: 50pcs G.W.: 7.7kg MEAS: 48+40+23CM



YZ-5046

7件套汽车钣金工具组套 7PCS PANEL BEATING SET



YZ-5047

圆三爪机滤扳手 3 JAWS TWO WAYS OIL FILTER WRENCH

3-Jaw length: 60mm Claw diameter: 69-130mm Square head size: 1/2"

QTY: 50pcs G.W.: 17kg MEAS: 44+35+33CM



YZ-5048

扁三爪机滤扳手 3 JAWS TWO WAYS OIL FILTER WRENCH

QTY: 50pcs G.W.: 20kg MEAS: 42+42+15.5CM





圆三爪机滤扳手 3 JAWS TWO WAYS OIL FILTER WRENCH

- 3-Jaw length: 60mm Claw diameter: 69-130mm Square head size: 1/2"

QTY: 40pcs G.W.: 23.0kg MEAS: 42+35+33CM



YZ-5051

铝链条扳手 OIL FILTER WRENCH

- Casting aluminum handle Chain length is adjustable Application: 60-120mm oil filter
- QTY: 50pcs G.W.: 27kg MEAS: 38+32+33CM



YZ-5052

钢带扳手 OIL FILTER WRENCH

- Chain length is adjustable Application: 60-120mm oil filter

QTY: 50pcs G.W.: 15kg MEAS: 42+35+33CM



YZ-5055

(小号) 气缸听诊器 AUTOMOTIVE STETHOSCOPE

quickly. Listen for trouble by tracing sound of flowing water, oil, gas or steam.

QTY: 100pcs G.W.: 16KG MEAS: 83+33+34CM



YZ-5055A

气缸听诊器(大号) Automotive Stethoscope



YZ-5056

套简链式机滤扳手 SOCKET CHAIN TYPE OIL FILTER WRENCH OTY: 50pcs G.W.: 21KG MEAS: 37-37-20CM



YZ-5057

50-100MM活塞环钳 50-100MM PISTON RING PLIER

QTY: 10pcs G.W.: 15.2KG MEAS: 40+20+32CM



YZ-5057A

80-120MM活塞环钳 80-120MM PISTON RING PLIER

OTY: 50pcs G.W.: 18KG MEAS: 42+55+33CM



YZ-5058

100-150MM活塞环钳 100-150MM PISTON RING PLIER

QTY: 50pcs G.W.: 19KG MEAS: 42*55*33CM



YZ-5059

3爪轴承拉拔器 3 IAWS BEARING PULLER

Dunan .	DECTION	10 101
YZ-5059-3	Sinds	75mm
YZ-5059-4	4ndi	10mm
YZ-5069-6	6mdn	150mm
YZ-5009-8"	Sind1	200mm
YZ-5060-10	30nds	250mm
42-5059-12	12indy	300mm
YZ-5059-14	34hth	350mm
YZ-5069-16	35irch	400mm
YZ-5060-20	20inch	500mm
YZ-5059-24	24inch	600mm
YZ-5059-28	28indh	700mm





液压轴承拉码 HYDRAULIC BEARING PULLER

DUTPUT	LATERAL MAXIMUM PULL DISTANCE	MAXIMUM MAXIMUM DRAWING SAW	AXIS STROKE
51	200mm	140mm	50mm
101	250mm	160mm	50mm
15T	300mm	180mm	50mm
20T	350mm	200mm	70mm
30T	400mm	250mm	75mm
501	500mm	400mm	75mm



YZ-5061

雨刮器拉马 WIPER ARM PULLER MEAS: 47+31+20CM



YZ-5062

内孔轴承拉码 THREE-JAW PILOT BEARING PULLER QTY: 20pcs: G.W.: 16KG MEAS: 35+30+26CM

YZ-5062A

8件套摩托车轴承拉码 8PCS MOTORCYCLE BEARING **PULLER** QTY: 20pcs G.W.: 20KG MEAS: 35*30*26CM



YZ-5062B

4 "/6" /8 "二爪活动拉码 4" 6" 8" 2-Jaw Movable Pulling Tools

YZ-9009-5	3nth	75mm
YZ-5059-4:	4nth	35mm
YZ-5059-6	Sinch	150mm
YZ-5059-6"	Bhdh	200mm
YZ-5059+10*	10inch	250mm
YZ-5059+12	12mb	300mm
YZ-5059-14	14mm	350mm
YZ-5059-16	16indy	400mm
YZ-5059-20	20mm	500mm
YZ-5050-24*	24nd-	900mm
YZ-5059-2T	29mg/-	700mm



4" /6" 三爪活动拉码 4 "6 "3-Jaw Movable Pulling

אכו כוכ		
1Z-5059-3	3inch	75mm
12-5059-4	4ndi	-10mm
YZ-5059-6	- Ginchi	150mm
12-5059-8	Binch	200mm
YZ-5059-10	Loinch	250mm
YZ-5099-12	12inchi	300mm
YZ-5099-14	14inch	350mm
YZ-5059-16*	16inch	400mm
YZ-5059-20	20min	500mm
YZ-5059-34	24inch	600mm
12-1099-28	28inch	700mm



YZ-5062D

轴承拉拔器 ARMATURE BEARING PULLER

YZ-5062D-1: 50MM YZ-5062D-2: 75MM YZ-5062D-3: 100MM YZ-5062D-4: 150MM YZ-5062D-5: 200MM



YZ-5063

点火线圈拆卸/拔出工具 IGNITION COIL PULLER REMOVAL SPARK PLUG PULLER TOOL



YZ-5065

气动风磨笔套装 PNEUMATIC GRINDING PEN MEAS: 35+37+29CM



YZ-5066

气动打磨机、抛光机 PNEUMATIC CAR POLISHER POLISHING MACHINE

75 | HAND TOOLS SERIES





YZ-5050

横拉杆球头拔卸器 BALL JOINT SAPERATOR

aws open: 19mm

QTY: 20pcs G.W.: 27kg MEAS: 38+32+15CM



YZ-5067

凡尔钳 OHC OHV ALVE SPRING COMPRESSOR

TY: 60pcs G.W.: 26.4KG MEAS: 60+41+26CM



YZ-5068

多功能凡尔钳 UNIVERSAL VALVE SPRING COMPRESSOR

QTY: 10pcs G.W.: 22.6KG MEAS: 50+40+25Cl



YZ-5069

德式球头 GERMAN BALL

G.W.: 17KG MEAS: 31+30+25CM



YZ-5070

欧式球头 PITMAN ARM PULLER QTY: 20pcs G.W.: 17.4KG MEAS: 31*30*20CM



YZ-5071

大号转向臂球头拉码 PITMAN ARM PULLER

Opening size: 33mm

QTY: 20pcs G.W.: 12.5KG MEAS: 31+30+20CM



YZ-5072

小号转向臂球头拉码 PITMAN ARM AND TIE ROD END PULLER

Opening size: 27mm

QTY: 20pcs G.W.: 9.5KG MEAS: 27*26*10CM



YZ-5073

立式球头 CONICAL PITMAN ARM PULLER

Jaws open: 19mm

QTY: 20pcs G.W.: 22KG MEAS: 28+22+17CM



YZ-5074

两爪横拉杆球头拔卸器 TIE ROD AND BALL JOINT REMOVER

QTY: 25pcs G.W.: 33.3KG MEAS: 65*33*10CM



YZ-5075

重型防尘套夹钳 CV BOOT BAND PLIERS

- Drive: 3/8" - Capacity: 50mm

QTY: 20pcs G.W.: 15KG MEAS: 35+33+20CM







三爪油箱盖调整工具 FUEL TANK SENDER SPANNER 3 LEGS 75-160MM

Drive: 24mm Hex Capacity: Ø75–160mm

QTY: 20pcs G.W.: 12.5KG MEAS: 55+40+25CM



YZ-5077

三爪油箱盖调整工具 UNIVERSAL FUEL SENDER LID REMOVER/INSTALLER (89-170MM)



YZ-5077A

三爪式滤清扳手 UNIVERSAL 3 JAW ADJUSTABLE OIL FILTER WRENCH (60-95MM)

Suitable for 3/8" DR drive tools or filters within 100mm of removable handle diameter.

QTY: 50pcs G.W.: 11kg MEAS: 42+42+15.5CM



YZ-5078B

机油滤清器扳手手套式 OIL FILTER WRENCH

YZ-50788-1: 65-80mm YZ-50788-2: 79-96mm

QTY: 36pcs G.W.: 12.7kg MEAS: 54+34+40CM



YZ-5078-1

铐式机油滤芯扳手 CUFF TYPE OIL FILTER WRENCH

All-Steel Composite Handle The composite welded one-piece handle issmooth and polished for a comfortable grip diameter: 55-75mm



YZ-5078/YZ-5078A

钢带滤清器扳手 OIL FILTER BAND WRENCH

YZ-5078-1: 2-3/8"-2-3/4" (60-70mm) YZ-5078-2: 2-3/4" -3-1/8" (70-80mm) YZ-5078-3: 3-1/8" -3-3/4" (80-95mm) YZ-5078-4: 3-1/4"-3-7/8" (83-98mm) YZ-5078-5: 3-3/4"-4-1/4" (95-110mm)

QTY: 36pcs G.W.: 19kg MEAS: 50+30+42.5CM



YZ-5080

U型滤油器扳手 U-SHAPED OIL FILTER WRENCH

YZ-5080: 60-80mm YZ-5081A: 80-105mm YZ-5081B: 105-145mm

QTY: 20pcs G.W.: 16kg MEAS: 34*34*30CM



YZ-5082

1/2" 带夹臂角规 1/2" ANGULAR GAUGE WITH CLIP ARM



YZ-5083

带磁力臂的角规 Angle Gauge With Magnnetic arm



YZ-5084

数字制动盘卡尺0-125mm DIGITAL BRAKE DISCS CALIPER 0-125MM





YZ-5084A

制动盘和轮胎深度计0-70MM BRAKE DISC & TYRE DEPTH GAUGE 0-70MM

G.W.: 5.3kg MEAS: 42+35+25CM



YZ-5085

汽车轮胎平衡锤 Wheel Balancing Weight Pliers



YZ-5086

油封拆卸扳手 Hicen Head 300mm Auto Repair Engine Oil Grease Seal Removal



YZ-5087

燃油箱盖拆卸工具 Adjustable Fuel Tank Lid Remover



YZ-5088

鸭掌式剎车分泵调整工具 Disc Brake Piston Spreader Tool Two Guides



YZ-5089

刹车分泵调整器 DISC BRAKE PISTON SPREADER TOOL LIGHT STRUTURE
QTY: 50pcs G.W.:15kg MEAS: 33*35*25CM



YZ-A118

17件套风炮扳手 17PCS PNEUMATIC IMPACT WRENCH TOOLS SET

- Drive socket size: 1/2" Rotation speed: 7000RPM Max. torsion: 250FT-LB (340N-M)

- Max. torsion: 250FT-18 (34UN-M) Air Infet: 174 Air pressure: 90psi (6.2 bar) Air consumption: 140L/MIN 1/2" impact sockets: 9, 10: 11; 13; 14; 17; 19; 22; 24; 27 mm

QTV: 5pcs G.W.: 21kg MEAS: 48+27+28CM



YZ-A119

气动往复锯 PNEUMATIC RECIPROCATING SAW



YZ-A120

气动砂带机 PNEUMATIC BELT SANDER



YZ-5064

气动棘轮扳手 pneumatic ratchet wrench





汽车凹纹修复工具 CAR DENT REPAIR TOOL



YZ-4008

汽车凹纹修复工具 CAR DENT REPAIR TOOL



YZ-4016

汽车凹纹修复工具 CAR DENT REPAIR TOOL



YZ-4017

挡风玻璃修复工具 WINDSHIELD REPAIR TOOL KIT



YZ-4018

气动凹痕拉拔器 PNEUMATIC CAR DENT REPAIR **PULLER**



YZ-4019

汽车挡泥板卡扣 AUTO BUMPER FENDER BUCKLE CAR RIVETS

QTV: 50pcs G.W.: 5.3kg MEAS: 42+35+25CM



YZ-4020

汽车凹痕拉拔器 CAR DENT REPAIR TOOL



YZ-4009

REFRIGERANT MANIFOLD GAUGE

QTY: 5pcs G.W.: 21kg MEAS: 46*33*32CM



YZ-4009-1

R134A高级环保冷媒双表 R134A ALUMINUM A/C MANIFOLD SAUCE SET

G.W.: 25.8kg MEAS: 62x33x48CM



YZ-4009-2

燃油清洗器 (单吊瓶) CLEAN FUEL OIL INFUSION BAG OR BOTTLE

By cleaning up carbon deposits from the intake system and the combustion chamber.

Fuel injection cleaner& tester kit Fuel System Treatment can restore lost power and let you rediscover the power of your engine while you drive.

QTY: 5pcs G.W.: 15kg MEAS: 42x33x48CM





YZ-4009-3A

R134A普通冷媒表 R134A COMMON COOL GAS METER

QTV: 20pcs G.W.: 17.8kg MEAS: 40x30x40CM



YZ-4009-4

空调清洗瓶 AIR CONDITIONING CLEANING BOTTLE

Used in automobile air-conditioning pipe cleaners tools, car line maintenance, car line maintenance free disassembly cleaning infusion bag or bottle.

QTY: 10pcs G.W.: 11kg MEAS: 47x44x30CM



YZ-4009-5

直式快速接头 **OUICK COUPLER SET**

- This tool of 2 color couplers offer you the great bonisminence to attach the mainfold hoses onto the auto/carAC R134a system during the diagnosis, charging or evacuation working. It can quickly connect the hose without leaking refigerant, and you don't have to pour the new refigerant into the air onditioner.
- Red for high pressure side and blue for low pressure side.

QTY: 100pcs G.W.: 21.5kg MEAS: 36x33x23CM



YZ-4009-6

R134R可调快速接头 R134R ADJUSTABLE QUICK CONNECTOR

- For R134y refrigerants, is designed to use with diagnostic manifold gauge and designed for AC charging, diagnostic check, recovery and evecuation work.

 Red for high pressure, blue for low pressure.

QTV: 50pcs G.W: 24kg MEAS: 37x33x23CM



YZ-4009-7

339开瓶器 339 R134A BOTTLE OPENER

QTY: 100pcs G.W.: 24kg MEAS: 37x33x23CM



YZ-4013-1

翻边扩管器 BOUBLE FLARING TOOL



YZ-4013-2

翻边扩管器 DOUBLE FLARING TOOL

For R12 R134 Refrigera

QTY: 100pcs G.W: 16kg MEAS: 37x33x23CM



YZ-4009-11

26件梅花星形套筒钻头套装1/2 " DR 26PCS TORX STAR SOCKET BIT SET 1/2" DR

Size: Length 55mm | M5, M6, M8, M9, M10, M12, M14, M16

M14, M16 Length 100mm : M5, M6, M8, M9, M10, M12, M14 Length 140mm : M5, M6, M8, M9, M10, M12, M14 Length 200mm : M8, M30, M12, M14

QTY: 5pcs G.W. 20kg MEAS 43+45+38CM



YZ-4013

翻边扩管器 DOUBLE FLARING TOOL



YZ-4014

翻边扩管器 DOUBLE FLARING TOOL







翻边扩管器 DOUBLE FLARING TOOL



YZ-4015-1

翻边扩管器 DOUBLE FLARING TOOL



YZ-4015-2

翻边扩管器 DOUBLE FLARING TOOL



YZ-4015-3

翻边扩管器 DOUBLE FLARING TOOL



YZ-4015-4

翻边扩管器 DOUBLE FLARING TOOL



YZ-4021-1

省力扳手套装 LABOR SAVING WRENCH

Gear Ratio: 1:58 Max safe output torque: 4800 N.M Socket drive: 21mm(13/16°), 33mm(1-5/16°), 38mm(1-1/2°) and 41mm(1-5/8°)

QTY: 4pcs G.W.: 35.2kg MEAS: 39+40+23CM



YZ-4021-2

1:58省力扳手套装 1:58 LABOR SAVING WRENCH

Gear Ratio: 1:58

QTY: 4pcs G.W.: 32kg MEAS: 40+37+21CM



YZ-4021-3

1:68省力扳手套装 1:68 LABOR SAVING WRENCH

Gear Ratio: 1:68 Socket drive: 32, 33mm

QTY: 3pcs G.W.: 24kg MEAS: 41+36+24CM



YZ-4021-4

省力扳手套装 LABOR SAVING WRENCH

- Gear Ratio: 1:64 - Max safe output torque: 5000 N.M(500KG, F.M)

QTY: 2pcs G.W.: 22kg MEAS: 48+36+34CM



YZ-4021

汽车省力扳手 LABOR SAVING WRENCH

Gear Ratio: 1:16 Max safe output torque: 800 N M

QTY: 10pcs G.W.: 21kg MEAS: 48+36+35CM

81 | SOCKET WRENCH SERIES





YZ-4022

46件套1/4DR套筒扳套装 46 PCS 1/4 DR SOCKET WRENCH SET



YZ-4023

24件套1/2DR筒扳手套装 24PCS 1/2 DR SOCKET WRENCH SET



YZ-4024

24件套1/2DR筒扳手套装 24PCS 1/2 DR SOCKET WRENCH SET



YZ-4025

150件套筒扳手 150PCS COMBINATION SOCKET WRENCH SET



YZ-4026

62件套筒扳手 62PCS COMBINATION SOCKET WRENCH SET



YZ-4027

82件套1/4, 1/2套筒组套 82PCS 1/4" 1/2" COMBINATION SOCKET WRENCH SET



YZ-4028

45件套1/2, 1/4套筒扳手 45PCS 1/4" 1/2" COMBINATION SOCKET WRENCH SET



YZ-4029

32件套1/2套筒扳手 32PCS 1/2" COMBINATION SOCKET WRENCH SET



YZ-4030

121件套1/4, 1/2套筒组套 121PCS 1/4" 1/2" COMBINATION SOCKET WRENCH SET



YZ-4031

37件套1/2套筒扳手组合 37PCS 1/2" COMBINATION SOCKET WRENCH SET

SOCKET WRENCH SERIES | 82





YZ-4032

94件套1/2" 套筒扳手组合 94PCS 1/2" COMBINATION SOCKET WRENCH SET



YZ-4033

151件套1/2, 3/8, 1/4棘轮扳手套 筒组合 151PCS 1/2" 3/8" 1/4" COMBINATION SOCKET WRENCH SET



YZ-4033A

172件套套筒扳手 172PCS SOCKET WRENCH SET



YZ-4033-2

108件套棘轮扳手套装 108 PCS COMBINATION RATCHET WRENCH SET 1/2" 1/4" INCH SOCKET SET



YZ-4033-3

216件套筒扳手套装 216PCS COMBINATION SOCKET WRENCH SET



YZ-4033-4

137件套1/2, 3/8, 1/4英寸棘轮 扳手套筒工具 137 PIECE 1/2' 3/8' 1/4 INCH RATCHET WRENCH SOCKET TOOL KIT SET



YZ-4033-5

28-21N.M扭矩扳手1/2 28-210N.M ADJUSTABLE TORQUE WRENCH 1/2



YZ-4033-6

5-25N.M扭矩扳手1/4 5-25N.M TORQUE WRENCH 1/4



YZ-4033-7

19-110N.M扭矩扳手3/8 19-110N.M ADJUSTABLE TORQUE WRENCH 3/8



YZ-4033-8

10-60N.M扭矩扳手3/8 10-60N.M TORQUE WRENCH 3/8





8件套两用开口扳手 8PCS DOUBLE OPEN-HEAD WRENCH SET



YZ-4035

14件套两用开口扳手 14PCS COMBINATION WRENCH SET



YZ-4036

8件套两用开口扳手 8PCS DOUBLE OPEN-HEAD WRENCH SET



YZ-4036-1

30件套内六角螺丝刀内六角钻头 钻孔工具 30PCS SOCKET SET SCREWDRIVER SOCKET TORX BITS DRILL HOLES TOOL



YZ-4038

5件套1/2套筒组 5PCS 1/2" SOCKET DRIVE - Size, 30, 32, 34, 35, 36mm - Height: 7.8CM

QTY: 10pcs G.W.: 16.5kg MEAS: 35+33+30CM



YZ-4039

8件套3/4套筒组 8PCS 3/4" SOCKET DRIVE Size: 22, 24, 27, 30, 32, 36, 38, 41mm Height: 9CM

QTY: 10pcs G.W.: 24kg MEAS: 48+38+35CM



YZ-4040

10件套3/4套筒组 10PCS 3/4" SOCKET DRIVE - Size: 21, 22, 24, 27, 30, 32, 23, 36, 38, 41mm

QTY: 5pcs G.W: 27.8kg MEAS: 52+36+31CM



YZ-4041

8件套1/2套筒组 8PCS 1/2" SOCKET DRIVE

Size: 1"-3/4", 3/4"-1", 3/4"-1/2", 1/2"-3/4", 1/2"-3/8", 3/8"-1/2", 3/8"-1/4", 1/4"-3/8"

QTY: 10pcs G.W.: 15.5kg MEAS:28+30+20CM



YZ-4042

10件套含养套筒组 10PC SENSOR SOCKET SET

Sixe 1-3/16" (29mm) x 1/2", 7/8" (22mm) x 3/8", 1-1/8" (28mm) x 1/2", 7/8" (22mm) x 3/8", 7/8" (22mm) x 1/2", 1-5/8" (27mm) x 1/2", 1" and 1-1/6" x 3/8", 7/8" (22mm) x 3/8", 7/8" (22mm) x 1/2", 7/8" (22mm) x 1/2"

QTY: 5pcs G.W.: 15kg MEAS: 32+32+240M



YZ-6085

26件套重型套筒扳手套装 26Pcs Heavy Duty Socket Wrench Set

SOCKET WRENCH SERIES | 84





YZ-4094

加长气动套筒10件1/2 "套筒组套 10PCS LENGTHEN PNEUMATIC SLEEVE 1/2" SOCKET SET 8-24MM



YZ-4096

长车轮冲击深套筒扳手套件 90cm 150cm 200cm long wheel impact deep socket wrench set



YZ-4097

15件套加长套简 15PCS DEEP SOCKET WRENCHES Size 8, 10, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24, 27, 30, 32mm



YZ-4098

20件套加长套简 20PCS 1/2" DEEP SOCKET WRENCHES Stree 8, 9, 10, 11, 12, 14, 15, 16, 17, 18, 19, 20, 21, 22, 28, 24, 27, 30, 32mm



YZ-4099

5件套重型移动扳手电动扳手 5PCS heavy-duty mobile wrench electric wrench



YZ-4100

24件套重型插座套装汽车机械维修 工具 professional tool box 24 PCS other power tool accessories heavy duty socket set car mechanical repair tools



YZ-4101

21件套筒重型套筒套件 21PCS Hex Impact Sleeve 1/2 Sleeve Heavy Duty Sleeve Kit



YZ-4102

24件套工具套筒扳手套装 24pcs Tool socket wrench set Auto repair tools Hardware tools set Manganese phosphate Combination tool



YZ-4103-1

12件套套筒扳手 12PCS socket wrench set 1/2 12PC 3/8 12PC 1/4 12PC



YZ-4103

1/2 "20把组合套筒扳手套装 20 Pcs 1/2"Dr Socket Set With 24Tooth Ratchet Handle/ MirrorPolish Socket Tool Set





电动千斤顶 12V ELECTRIC CAR SCISSOR JACK QTY: 4pcs G.W. 25.6kg MEAS: 52.5+44+27CM



YZ-4003-1

电动千斤顶 12V ELECTRIC CAR SCISSOR JACK QTV: 3pcs G.W. 27.2kg MEAS: 48+38+34CM



YZ-4003-2

3T/5T三合一电动液压汽车千斤顶 3T/5T 3 IN 1 ELECTRIC HYDRAULIC CAR JACK

QTY: 1pc G.W.: 9.4kg MEAS: 37-35-19CM



YZ-4004

5T双泵超低位千斤顶 5T DOUBLE PUMP ULTRA-LOW LEVEL FLOOR JACK

Load Capacity: 5 tons Min Lifting Height: 90mm Max Lifting Height: 550mm

QTV: 1pc G.W.: 50kg MEAS: 85+46+21CM



YZ-4005

2.5T 12KG千斤顶 2.5T 12KG FLOOR JACK

Load Capacity: 2.5 tons Min Lifting Height: 85mm

QTY. 10c G.W. 13kg MEAS 61+24+14CM



YZ-4005A

2.5T 13KG千斤顶 2.5T 13KG FLOOR JACK

QTV. 1pc G.W. 13.6kg MEAS: 60+24+15.5CM



YZ-4005B

2T 6.5KG千斤顶 2T 6.5KG FLOOR JACK

Load Capacity: 2 tors Min Lifting Height: 135mm Max Lifting Height: 320mm

QTY: 1pc G.W. 6.5kg MEAS: 43+20+13.5CM



YZ-4006

3T双泵超低液压落地千斤顶 3T DOUBLE PUMP ULTRA-LOW LEVEL FLOOR JACK

Load Capacity: 3 tons Min Lifting Height: 75mm Max Lifting Height: 500mm

QTY: 1pc G.W. 34kg MEAS: 78+38+18CM



YZ-4006D

2.5T铝制千斤顶 2.5T ALUMINUM ALLOY FLOOR JACK

Load Capacity: 2.5 tons Win Lifting Height: 75mm Max Lifting Height: 500mm

QTY: 1pc G.W.: 22kg MEAS: 88:5+45+20CM



细节图 DETAIL DRAWING



YZ-4043

1T 1.5T手动剪刀千斤顶 1T 1.5T MANUAL SCISSOR IACK

model number	Capacity (ton)	Min.H (mm)	Max.H (mm)	N.W. (NS)	(KIS)	PACKAGE SIZE (MM)
YZ-4043	17	90000	302MM	1.3MG	1,405	510°370°220MM
YZ- 4013A	1.5T	105MM	328MM	1.4KG	1.905	600*420*220MW
YZ- 4043B	1.51	250494	340MM	1.486	1.500	600°420°220MW
YZ-4044	2.01	100MM	375MM	1.805	1,9+805	600*420*220MM
YZ- 40444	2.57	MMOS	391MM	2.1905	2.2905	600*030*220MM
YZ- 40448	3.07	97MM	407984	2,746	2.805	600°420°220MM

CAR JACK SERIES | 86



细节图

DETAIL DRAWING

YZ-4044

2.0T手动剪刀千斤顶 2.0T MANUAL SCISSOR JACK

model number	Capacity (ton)	Min.H (mm)	Max.H (mm)	N.W. (KE)	G.W (KG)	PACKAGE SIZE (MM)
YZ-4043	17	90MM	302MM	1.3KG	1,486	510°370°220MM
YZ- 4043A	1,51	105MM	320MM	1.486	1.5005	600°420°220MM
YZ- 40438	1.51	вомм	340MM	1.465	1,500	600*420*220MM
YZ-4044	2.01	100MM	375MM	1.886	1,9+105	600*420*220MM
YZ- 4044A	2.51	воми	391MM	2.105	2.2965	600*420*220MM
Y2- 40448	3.01	97MM	407MM	2.746	2.885	600°420°220MM



细节图 DETAIL DRAWING

3.6	

YZ-4044A

2.5T重型剪式千斤顶 2.5T HEAVY DUTY SCISSOR JACK FOR CAR

model number	(ton)	(mm)	(mm)	N.W. (KG)	(905) G.W	PACKAGE SIZE (MM)
YZ-4043	11	SOMM	302MM	1.3105	1,466	510*370*220MM
YZ- 4043A	1.5T	105MM	328MM	1,4805	1.5KG	600°420°220MM
YZ- 40438	151	89MM	340MM	1,486	1.5KG	600*420*220MM
YZ-4044	2,01	100MM	375MM	1.800	19465	600°420°220MM
YZ- 4044A	2.51	вомм	391MM	2.1KG	2.2905	600°420°220MM
YZ- 4044B	3,01	97MM	407MM	2,7105	2.800	600*420*220MM



YZ-4045

2T/3T瓶式千斤顶 2T/3T BOTTLE JACK



YZ-4046

4T/5T瓶式千斤顶 4T/5T BOTTLE JACK



YZ-4047

6T/8T瓶式干斤顶 6T/8T BOTTLE JACK



YZ-4048

10T/32T瓶式千斤顶 10T/32T BOTTLE JACK



YZ-4049A

2T千斤顶支架 2T JACK STAND



YZ-4049

3T千斤顶支架 3T JACK STAND



YZ-4050


6T千斤顶支架 6T JACK STAND



YZ-4050A

12T千斤顶支架 12T JACK STAND





1.5M发动机引擎吊架 1.5M ENGINE HANGER

OTY: 100 G.W.: 16kg MEAS: 152+16+10CM



YZ-4055

2000LB发动机平衡器 2000LB ENGINE BALANCER

QTV: 1pcs G.W.: 6.2kg MEAS: 57.5-19.5-6CM



YZ-4056

2000LBS发动机平衡器 2000LBS ENGINE BALANCER



YZ-4052

0.5T高位运输器 0.5 TON HYDRAULIC VERTICAL HIGH LIFT TRANSMISSION JACK

Load Capacity; 0.5 Ton Min Lifting Height: 830mm Max Lifting Height: 1800mm

QTY: 1pc G.W.: 43kg MEAS: 72+42+24CM



YZ-4052A

0.5T液压传动千斤顶 0.5T HYDRAULIC TRANSMISSION JACK

Min Lifting Height: 830mm Max Lifting Height: 1700mm

QTY: 1pc G.W.: 48kg MEAS: 72+42+24CM



YZ-4052B

0.5T压传动千斤顶 0.5T HYDRAULIC TRANSMISSION JACK

Load Capacity: 0.5 Ton Min Lifting Height: 1300mm Max Lifting Height: 1800mm

QTY: ipe G.W.: 35kg MEAS: 76+34+20CM



YZ-4052C

1T薄型变速器千斤顶 1T HYDRAULIC TRUCK TRANSMISSION JACK

Load Capacity: 1 ton Min Lifting Height: 190mm Max Lifting Height: 690mm

QTY: 1pc G.W.: 53kg MEAS: 91+52+29CM



YZ-4052D

1.5T液压汽车变速器千斤顶 1.5T HYDRAULIC TRUCK TRANSMISSION JACK

Load Capacity 1.5 tons Min Lifting Height: 190mm Max Lifting Height: 780mm

QTY: 1pc G.W.: 59kg MEAS: 91+52+29CM



YZ-4053-1

3T引擎吊机 3T CAR CRANE



YZ-4053

2T引擎吊机 2T CAR CRANE

QTY: 1pc G.W. 58kg MEAS: 138+26+21CM





挡泥板整形器 FENDER SHAPER QTY: 3pcs G.W: 20.7kg MEAS: 42.5*30*44.5CM



YZ-4062

双泵超低位千斤顶 DOUBLE PUMP ULTRA LOW JACK



YZ-4061

3T超低位液压千斤顶 3ton capacity hydraulic trolley car floor jack



YZ-4064

2T千斤顶 2 T Low Lift Transmission Floor Jack for Car Lifting



YZ-4065

农夫顶 HIGH LIFT FARM JACK

Low	f capacity	Lift range	Weight
201	3 tons	130-330mm	10kg
33"	3 tons	130-645mm	12kg
48":	3 tons	130-1050mm	13kg
60%	3 tons	130-1320mm	17kg



YZ-4069

22T气动液压千斤顶 22T PNEUMATIC HYDRAULIC CYLINDER JACK STEAM

Load Capacity: 22 tons Min Height: 263+20mm Max Height: 538+100mm Lifting Height: 155mm Adjust Height: 120mm

QTY: 1pc G.W.: 42kg MEAS: 64+35+32CM



YZ-4070

35T气动液压千斤顶 35T PNEUMATIC HYDRAULIC CYLINDER JACK STEAM

Load Capacity: 35 tons Min Height: 263+20mm Max Height: 538+100mm Lifting Height: 155mm Adjust Height: 120mm

QTY: 1pc G.W.: 45kg MEAS: 64+35+32CM



12 "海耳

12 "液压塑料滚筒移车位 12 "HYDRAULIC PLASTIC ROLLING SIMPLE MOVING PARKING SPACE

YZ-4071

Roller length: 9" or 12" Load capacity: 1500LBS Work range: 265-560mn



YZ-4072

12 "铝制机械移车位 12 "ALUMINUM MECHANICAL PARKING SPACE

Roller length: 9" or 12" or 13" Load capacity: 1500LBS Work range: 265-560mm



YZ-4072A

铁管液压/机械移车位 HYDRAULIC/MECHANICAL SHIFTING OF IRON PIPES

Roller length: 9" or 12" or 13" Load capacity: 1500LBS Work range: 265-560mm





2T汽车支架 2 T bracket durable frame hydraulicBottle car jack



YZ-4075

750LBS/1000LBS发动机立式起重机 750LBS/1000LBS ENGINE STAND

Capacity: 750LBS Operating H: 850mm

QTY: 1pc G.W.: 19kg MEAS: 85+19+19CM



YZ-4077

1250磅发动机立式起重机 1250LBS ENGINE STAND CRANE

Capacity: 1250LBS Operating H: 870mm

QTY: 1pc G.W.: 24kg MEAS: 79+22+21CM



YZ-4078

2000磅发动机立式起重机 2000LBS ENGINE STAND CRANE

Capacity: 2000LBS Operating H: 860mm

QTY: 1pc G.W.: 37kg MEAS: 82*22*20CM



YZ-4078-1

0.5T变速箱高位运输器 0.5T GEARBOX HIGH TRANSPORTER

Capacity: 1250LBS Operating H: 870mm

QTY: 1pc G.W.: 24kg MEAS: 79+22+21CM



YZ-4079

弹簧压缩器 SPRING COMPRESSOR

Capacity: 2200LBS Spring Size: 102-380mm Lower York Travel: 320mm



YZ-4080

弹簧压缩器 SPRING COMPRESSOR

Capacity: 2200LBS Spring Size: 102-160mm Lower York Travel: 320mm



YZ-4081

12T液压压力机

12T HYDRAULIC SHOP PRESS

Capacity: 12T Working Range: 0-620mm



YZ-4082

20T液压压力机 20T HYDRAULIC SHOP PRESS

Capacity: 20T Working Range: 0-800mm



YZ-4083

30T液压压力机 30T HYDRAULIC SHOP PRESS

Capacity: 30T Working Range: 0-730mm





1000LBS 摩托车支架 1000LBS Motorcycle rear bracket



YZ-4105

摩托车后支架 Motorcycle rear bracket



YZ-4106

580LBS摩托车后支架 580LBS Motorcycle rear bracket



YZ-4108

1100磅宽甲板摩托车中心剪式千斤顶 维修起重机支架 1100LBS WIDE DECK MOTORCYCLE CENTER SCISSOR LIFT JACK REPAIR HOIST STAND

Capacity: 1100 lbs (500KG) Min Height: 85mm Max Height: 340mm Platform Size: 360*220mm

QTY: Ipc G.W.: 14kg MEAS: 46*28*10CM



YZ-4110

1100磅摩托车中心剪式千斤顶 1100LBS MOTORCYCLE CENTER SCISSOR LIFT JACK HOIST STAND

Capacity: 1100 (bs (500KG) Min Height: 95mm Max Height: 400mm Platform Size: 450+150mm

QTY: 1pc G.W.: 14.5kg MEAS: 54+36+19CM



YZ-4111

300磅越野摩托车收集升降机 300LBS OFF-ROAD MOTORCYCLE COLLECTION LIFT MACHINE

- Capacity: 300 lbs (135KG) Min Height: 350mm Max Height: 870mm Platform Size: 410+340mm

QTY: 1pc G.W. 28kg MEAS: 47*42*37CM



YZ-4112

1500磅摩托车液压升降机 1500LBS MOTORCYCLE HYDRAULIC PRESSURE LIFT ELEVATOR

Capacity: 1500lbs (680KG) Min Height: 115mm Max Height: 370mm

QTY: 1pc G.W.: 30kg MEAS: 81*41*14CM



YZ-4113

10T液压千斤顶 10T PORTA POWER HYDRAULIC BODY FRAME REPAIR TOOLS JACKS



YZ-4073

1000磅汽车轮胎推车 1000LBS WHEEL DOLLY BEARING LIFT PAIR PORTABLE AUTO CAR TIRE CART

Capacity: 1000LBS Caster: IRON or NYLON

QTY: 1pc G.W 19.5kg MEAS: 64+43+12.5CM



YZ-4073A

铁皮打孔折边钳 IRON SHEET PUNCHING AND FOLDING PLIERS





YZ-4121 | 3T-3.5T双弯把 款气囊干斤顶

3T-3.5T Double Bend Handle Balloon Jack









Vectorial valve

Japanese and American duck

Can be equipped with high least

Hubber band

Technical Data 技术参数

承载重量	Capacity	3000kg/3500kg
最低高度	Min.Height	14.5cm
最高高度	Max.Height	40cm
工作压力	Working pressure	0.8-1.2Mpa
工作温度	Working Temp.	-60°C±60°C
净重	Net Weight	16 kg
毛 重	Gross Weight	17 kg
装箱尺寸	Prcking Dimension	510x420x180mm
颜 色	Colors	自定/Custom

CE











YZ-3397 PNEUMATIC PUMPING UNIT

外箱尺寸 (量杯)	Outer box size(measuring cup)	51*25*26.5CM
外箱尺寸(罐体)	Outer box size(tank body)	50*43*92CM
毛重/净重	G.W/N.W	25/22KG
抽油温度	Pumping temperature	40-60°C
真空度	Vacuum degree	0~-0.1Mpa
排油压力	Drain pressure	<3Bar
工作压力	Working pressure	8-10Bar
罐体容积	Tank volume	80L
量杯容积	Measuring cup volume	10L
油盆容积	Oil basin volume	10L

最高高度1250mm 最低高度1250mm

YZ-3197 PNEUMATIC PUMPING UNIT

油盆容积	Oil basin volume	10L
量杯容积	Measuring cup volume	10L
罐体容积	Tank volume	80L
工作压力	Working pressure	8-10Bar
排油压力	Drain pressure	<3Bar
真空度	Vacuum degree	0~-0.1Mpa
抽油温度	Pumping temperature	40-60°C
毛重/净重	G.W/N.W	23/20.5KG
外箱尺寸 (罐体)	Outer box size(tank body)	50*43*88CM
外箱尺寸 (量杯)	Outer box size(measuring cup)	27*27*39CM





YZ-3198 OIL EXTRACTOR WITHOUT MEASURING CUP

外箱尺寸(罐体)	Outer box size(tank body)	50*43*88CM
毛重/净重	G.W/N.W	18.5/16.5KG
真空度	Vacuum degree	0~-0.1Mpa
排油压力	Drain pressure	<3Bar
工作压力	Working pressure	8-10Bar
罐体容积	Tank volume	80L
油盆容积	Oil basin volume	10L



YZ-3196 SINGLE-CONNECTED AIR EXHAUST AND OIL RECEIVER

油盆容积	Oil basin volume	10L
罐体容积	Tank volume	80L
排油压力	Drain pressure	<3Bar
毛重/净重	G.W/N.W	17/15KG
外箱尺寸(罐体)	Outer box size(tank body)	50*43*88CM





YZ-2001 铝坡道 ALUMINUM RAMP

Folding size	93.5 * 29.2CM
Unfolded size	182.5 * 29.2CM
Single load capacity	200KGS
Gross and net weight	8/7KGS
Packaging method	1pc/ctn
Outer box size	95 * 31 * 17m
Cubic quantity per box	0.053cbm
	Unfolded size Single load capacity Gross and net weight Packaging method Outer box size



YZ-2003 铝坡道 ALUMINUM RAMP

折叠尺寸	Folding size	16*29CM
展开尺寸	Unfolded size	228*29CM
单支载重	Single load capacity	340KGS
毛净重	Gross and net weight	9/8KGS
包装方式	Packaging method	1pc/ctn
外箱尺寸	Outer box size	117*29.5*14.6m
每箱立方数	Cubic quantity per box	0.053cbm



YZ-2002 铝坡道 ALUMINUM RAMP

折叠尺寸	Folding size	116*29CM
展开尺寸	Unfolded size	228*29CM
单支载重	Single load capacity	340KGS
毛净重	Gross and net weight	9/8KGS
包装方式	Packaging method	1pc/ctn
外箱尺寸	Outer box size	117*29.5*14.6m
每箱立方数	Cubic quantity per box	0.053cbm



YZ-2004 铝坡道 ALUMINUM RAMP

折叠尺寸	Folding size	16*29CM
展开尺寸	Unfolded size	228*29CM
单支载重	Single load capacity	340KGS
毛净重	Gross and net weight	9/8KGS
包装方式	Packaging method	1pc/ctn
外箱尺寸	Outer box size	117*29.5*14.6m
每箱立方数	Cubic quantity per box	0.053cbm














Universal Stand

YZ-3001



Technical Data 技术参数

Model	N.W(kg)	G.W(kg)
YZ-3001	21.2	22.5
YZ-3001E	16.5	17.8
YZ-3001S	21.2	22.5

Package size-A (cm)

YZ-3001	120x25x14
YZ-3001E	120x25x14
YZ-3001S	120x25x14

Package size-B (cm)

YZ-3001	1
YZ-3001E	1
YZ-3001S	1

Multiple Angle Stand for Painting and Drying

Suitable for spray painting and drying on car wing door ,fender , trunk deck , hood , bumper etc .

Including extension with 4 hooksand 2 spoiler admissions

Strong toothed ring for locking device

Holder for spray gun included

Expecially space-saving

• Robust construction

High stability. Rotating axis

●7 "x1 . 75 " solid wheel

Packing: 1 pc / ctn


UNIVERSAL STAND

105 | SPRAY PAINT FLIPPING FIXED BRACKET



Scalable Stand

YZ-3002



Parts Cart

YZ-3003



Technical Data

技术参数

Model	N.W(kg)	G.W(kg)
YZ-3002	19.5	16.7
YZ-3002E	21	18

Package size-A (cm)

YZ-3002 88x28x16 YZ-3002E 88x28x16

Package size-B (cm)

YZ-3002 YZ-3002E

- This stand t is convenient for placement of door
- --bumperor hood moving or repairing
- Stable structure with telescopic double spring
- With anti-slip Rubber cover to protect surface.
- Length are adjustable, and Ps105s hight is adjustable

Technical Data

技术参数

Model	N.W(kg)	G.W(kg)
YZ-3003	1	41.5

Package size-A (cm)

109.5x24.5x15 YZ-3003

Package size-B (cm)

60x11x107 YZ-3003

Parts Cart:

Efficient Storage and Transportation Solution

Space-efficient Design: Easily foldable to minimize floor space usage , ideal for compact storage

Durable Construction:Crafted from steel tubing, ensuring sturdiness and longevity beyond standard marketoptions

Optimized Shelving: Features tightly meshed 21 'deep and 38 long shelves, framed with tubing for addedstrength, preventing small items from slipping through

Adjustable Shelving: Quick and effortless shelf repositioning to accommodate various item sizes

Easy Accessibility:
Open design facilitates straightforward loading and unloading , streamlining the processstraight from the delivery truck

Stable Mobility: Equipped with brake casters for secure and controlled movement

Enhanced Durability: Finished with a robust powder coat, providing resilience against wear and tear

Quick Assembly: Designed for fast and easy setup, saving you time and effort

() izhe[®] 逸行千裡 哲通天下





Contact Wechat

☎ 电话/TEL: 0086 15888911746

■ 传真/Fax:0579-89287642

図 邮箱/Email:sales1@yizhetools.com

■ 官网/Web:www.yizhetools.com