

CHiC JUMPER

www.shenzhenchic.com



Shenzhen Chic Electronics Co. Ltd

Add: Area B, 4th Floor, Building 4, Jinhua
Industrial Park, Helian Community, Longhua
Street, Longhua District, Shenzhen, China
Tel: +86 0755 23776027
Email: products@chic-electrics.com
Web: www.shenzhenchic.com

CHiC JUMPER



JUMP STARTER

PROFESSIONAL OEM/ODM MANUFACTURER





JUMP STARTERS

Applications

Designed for most gasoline and diesel vehicles including car, motorbike, snowmobile, boat, watercraft, mower and more. Monstrous boosting capacities available to meet high demanding situations.





CJS76

4 IN 1 Jump Starter with Air Compressor
Capacity:7200mAh
Start Current:300A
Peak Current: 600A



Features: 4 IN 1 Jump starter
 Capacity: 7200mAh
 Specifications:
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A
 USB Output 1: 5V/3A, 9V/2A, 12V/1.5A
 USB Output 2: 5V/3A, 9V/2A, 12V/1.5A
 Maximum Inflating Pressure: 150 PSI
 Start the car: 12V
 Start Current: 300A
 Peak Current: 600A
 LED Flashlight: Solid/SOS/Strobe
 Dimension: 184*127*55mm
 Product weight: ≈ 1000g
 Cycle times (life) : 1000 times
 Charge time: 200-300 minutes
 Battery Cells type: 4pcs 386888
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C



CJS26

Capacity:7200mAh/10000mAh
Start Current:300A/400A
Peak Current: 600A/800A



Features: Outdoors
 Capacity: 7200mAh
 Specifications: 2 USB ports.
 Type C Input:5V1.5A
 Output:5V2.1A
 Start the car: 12V
 Start Current: 300A
 Peak Current: 600A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 158*84.5*33mm
 Product weight: ≈400g
 Cycle times (life) : 1000 times
 Charge time: 300-400 minutes
 Battery Cells type: 4pcs 386888
 Material: PC+ABS/V0
 Working temperature: -20°C-60°C

CJS27



Capacity: 7200mAh/10000mAh
 Start Current: 300A/400A
 Peak Current: 600A/800A



Features: Outdoors
 Capacity: 7200mAh
 Specifications: 2 USB ports.
 Type C Input: 5V1.5A
 Output: 5V2.1A
 Start the car: 12V
 Start Current: 300A
 Peak Current: 600A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 156*81.5*34mm
 Product weight: ≈400g
 Cycle times (life): 1000 times
 Charge time: 300-400 minutes
 Battery Cells type: 4pcs 386888
 Material: PC+ABS/V0
 Working temperature: -20°C-60°C

CJS28



Capacity: 7200mAh/10000mAh
 Start Current: 300A/400A
 Peak Current: 600A/800A



Features: Waterproof/Outdoors
 Capacity: 7200mAh
 Specifications: 2 USB ports.
 Type C Input: 5V1.5A
 Output: 5V2.1A
 Start the car: 12V
 Start Current: 300A
 Peak Current: 600A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 158*84.5*33mm
 Product weight: ≈400g
 Cycle times (life): 1000 times
 Charge time: 300-400 minutes
 Battery Cells type: 4pcs 386888
 Material: PC+ABS/V0
 Working temperature: -20°C-60°C



CJS32

LCD Screen, PD65W Car Jump Starter
Capacity: 16000mAh/20000mAh/24000mAh
Start Current: 600A/800A/1000A
Peak Current: 1200A/1600A/2000A



Features: LCD Screen/Big Capacity/PD65W
 Capacity: 16000mAh/20000mAh/24000mAh
 Specifications: 3 USB ports + 1 DC port.
 Type C Input/Output:
 (PD65W) 5V3A, 9V2A, 12V3A, 15V3A, 20V3.25A
 USB Output 1&2: (QC18W) 5V/3A, 9V/2A, 12V/1.5A
 DC Output: 15V/10A
 Start the car: 12V
 Start Current: 600A/800A/1000A
 Peak Current: 1200A/1600A/2000A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 243*113*66mm
 Product weight: ≈980g
 Cycle times (life): 1000 times
 Charge time: Around 2 hours by PD65W input
 Battery Cells type: 4pcs 5570140
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C



CJS33

LCD Screen, PD65W Car Jump Starter
Capacity: 16000mAh/20000mAh/24000mAh
Start Current: 600A/800A/1000A
Peak Current: 1200A/1600A/2000A



Features: LCD Screen/Big Capacity/PD65W
 Capacity: 16000mAh/20000mAh/24000mAh
 Specifications: 3 USB ports + 1 DC port.
 Type C Input/Output:
 (PD65W) 5V3A, 9V2A, 12V3A, 15V3A, 20V3.25A
 USB Output 1&2: (QC18W) 5V/3A, 9V/2A, 12V/1.5A
 DC Output: 15V/10A
 Start the car: 12V
 Start Current: 600A/800A/1000A
 Peak Current: 1200A/1600A/2000A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 239.5*100*57.5mm
 Product weight: ≈920g
 Cycle times (life): 1000 times
 Charge time: Around 2 hours by PD65W input
 Battery Cells type: 4pcs 5570140
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C - 60°C

**CJS72**

4 IN 1 Jump Starter with Air Compressor
Capacity: 16000mAh
Start current: 600A
Peak current: 1200A



Features: 4 IN 1 Jump starter
 Capacity: 16000mAh
 Specifications:
 Type C Input: 5V/3A, 12V/1.5A
 USB Output 1: 5V/3A, 9V/2A, 12V/1.5A
 USB Output 2: 5V/3A, 9V/2A, 12V/1.5A
 DC Output: 15V/8A
 Maximum Inflating Pressure: 150 PSI
 Start the car: 12V Start Current: 600A
 Peak Current: 1200A
 LED Flashlight: Solid/SOS/Strobe
 Dimension: 202*165*86mm
 Product weight: ≈ 1500g
 Cycle times (life) : 1000 times
 Charge time: 250-400 minutes
 Battery Cells type: 4pcs 6567102
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C

**CJS73**

4 IN 1 Jump Starter with Air Compressor
Capacity: 16000mAh
Start Current: 600A
Peak Current: 1200A



Features: 4 IN 1 Jump starter
 Capacity: 16000mAh
 Specifications:
 Type C Input: 5V/3A, 12V/1.5A
 USB Output 1: 5V/3A, 9V/2A, 12V/1.5A
 USB Output 2: 5V/3A, 9V/2A, 12V/1.5A
 Maximum Inflating Pressure: 150 PSI
 Start the car: 12V
 Start Current: 600A
 Peak Current: 1200A
 LED Flashlight: Solid/SOS/Strobe
 Dimension: 220*185*82mm
 Product weight: ≈ 1500g
 Cycle times (life) : 1000 times
 Charge time: 250-400 minutes
 Battery Cells type: 4pcs 6567102
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C



CJS20

Jump Starter with Safety Hammer
Capacity: 19200mAh
Start current: 750A
Peak current: 1500A



Features: Jump starter with built-in Safety hammer
 Capacity: 19200mAh
 Specifications:
 USB C Input: 5V/2A
 USB output 1: 5V/3A, 9V/2A, 12V/1.5A
 USB output 2: 5V/3A, 9V/2A, 12V/1.5A
 Wireless Output: Max 10W
 Start the car: 12V
 Start Current: 750A Peak Current: 1500A
 LED Flashlight: White solid/White SOS/Red solid/
 Red SOS/Red+White Strobe
 Dimension: 210*103*47mm
 Product weight: 800g
 Cycle times (life) : 1000 times
 Charge time: 8 hours
 Battery Cells type: 4pcs x 72100
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C



CJS60

3 in 1 Jump Starter with Vacuum Cleaner
Capacity: 10000mAh
Start current: 400A
Peak current: 800A



A USB C cable
 An Intelligent Clamp
 A 2 In 1 Brush Tool
 Manual

Features: 3 in 1 Jump starter/Vacuum cleaner/
 Power bank
 Capacity: 10000mAh
 Specifications: 2 USB ports+Vacuum cleaner
 Type C Input: 5V/2A
 USB Output: 5V/2.1A
 Suction Power: ≥4000PA
 Start the car: 12V
 Start Current: 400A
 Peak Current: 800A
 Dimension: 272×65mm
 Product weight: ≈730g
 Cycle times (life) : 1000 times
 Charge time: 200-300 minutes
 Battery Cells type: 4pcs 72100
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C



CJS61

3 in 1 Jump Starter with Vacuum Cleaner
Capacity: 10000mAh
Start current: 400A
Peak current: 800A



A USB C cable
 An Intelligent Clamp
 A 2 In 1 Brush Tool
 Manual
 Box Package

Features: 3 in 1 Jump starter/Vacuum cleaner/
 Power bank
 Capacity: 10000mAh
 Specifications: 2 USB ports+Vacuum cleaner
 Type C Input: 5V/2A
 USB Output: 5V/2.1A
 Suction Power: $\geq 4000\text{PA}$
 Start the car: 12V
 Start Current: 400A
 Peak Current: 800A
 Dimension: 272*65mm
 Product weight: $\approx 730\text{g}$
 Cycle times (life) : 1000 times
 Charge time: 200-300 minutes
 Battery Cells type: 4pcs 72100
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C - 60°C



CJS30

IP66 Waterproof Car Jump Starter
Capacity: 12000mAh
Start current: 500A
Peak current: 1000A



Features: Waterproof/Wireless Charging
 Capacity: 12000mAh
 Specifications: 2 USB ports+Wireless Charging
 Type C Input: 5V/2A
 USB Output: (QC3.0) 5V/3A, 9V/2A, 12V/1.5A
 Wireless Charger: 5V/2A, 10W max
 Start the car: 12V
 Start Current: 500A
 Peak Current: 1000A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 180*92*36mm
 Product weight: $\approx 550\text{g}$
 Cycle times (life) : 1000 times
 Charge time: 300-400 minutes
 Battery Cells type: 4pcs 606888
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C - 60°C



CJS31

IP66 Waterproof Car Jump Starter
Capacity: 12000mAh
Start current: 500A
Peak current: 1000A



CJS10

Rugged Waterproof IP67 Car Jump Starter
Capacity: 16000mAh
Start Current: 600A
Peak Current: 1200A



Features: Waterproof/Outdoors/PD30W
Capacity: 16000mAh
Specifications: 4 USB ports.
Micro Input: 5V/2.1A
Type C Input/Output: (PD30W)5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A & (QC18W) 5V/3A, 9V/2A, 12V/1.5A
USB Output 1&2: (QC3.0) 5V/3A, 9V/2A, 12V/1.5A
Start the car: 12V
Start Current: 600A Peak Current: 1200A
LED Flashlight: Torch, Quick Flashing and SOS.
Dimension: 194*98*43mm
Product weight: ~600g
Cycle times (life) : 1000 times
Charge time: 400-500 minutes
Battery Cells type: 4pcs 6272100
Material: PC+ABS/V0&TPU
Working temperature: -20°C-60°C

Features: Waterproof/Wireless Charging
Capacity: 12000mAh
Specifications: 2 USB ports+Wireless Charging
Type C Input: 5V/2A
USB Output: (QC3.0) 5V/3A, 9V/2A, 12V/1.5A
Wireless Charger: 5V/2A, 10W max
Start the car: 12V
Start Current: 500A
Peak Current: 1000A
LED Flashlight: Torch, Quick Flashing and SOS.
Dimension: 180*92*36mm
Product weight: ~550g
Cycle times (life) : 1000 times
Charge time: 300-400 minutes
Battery Cells type: 4pcs 606888
Material: PC+ABS/V0&TPU
Working temperature: -20°C-60°C



CJS18

Rugged Waterproof IP67 Car Jump Starter
Capacity: 16000mAh
Start Current: 600A
Peak Current: 1200A



Features: Waterproof/Outdoors/PD30W
 Capacity: 16000mAh
 Specifications: 4 USB ports.
 Micro Input: 5V/2.1A
 Type C Input/Output: (PD30W) 5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A & (QC18W) 5V/3A, 9V/2A, 12V/1.5A
 USB Output 1&2: (QC3.0) 5V/3A, 9V/2A, 12V/1.5A
 Start the car: 12V
 Start Current: 600A Peak Current: 1200A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 194*98*43mm
 Product weight: ≈600g
 Cycle times (life) : 1000 times
 Charge time: 400-500 minutes
 Battery Cells type: 4pcs 6272100
 Material: PC+ABS/V0&TPU



CJS19

Rugged Waterproof IP67 Car Jump Starter
Capacity: 16000mAh
Start Current: 600A
Peak Current: 1200A



Features: Waterproof/Outdoors/PD30W
 Capacity: 16000mAh
 Specifications: 4 USB ports.
 Micro Input: 5V/2.1A
 Type C Input/Output: (PD30W) 5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A & (QC18W) 5V/3A, 9V/2A, 12V/1.5A
 USB Output 1&2: (QC3.0) 5V/3A, 9V/2A, 12V/1.5A
 Start the car: 12V
 Start Current: 600A
 Peak Current: 1200A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 185*100*45mm
 Product weight: ≈600g
 Cycle times (life) : 1000 times
 Charge time: 400-500 minutes
 Battery Cells type: 4pcs 6272100
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C



CJS03

IP66 Waterproof Car Jump Starter
Capacity: 7200mAh
Start current: 300A
Peak current: 600A



Features: Waterproof/Outdoors
 Capacity: 7200mAh
 Specifications: 2 USB ports,
 Micro Input: 5V/1.5A
 Output: 5V/2.1A
 Start the car: 12V
 Start Current: 300A
 Peak Current: 600A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 140*85*27mm
 Product weight: ≈330g
 Cycle times (life) : 1000 times
 Charge time: 300-400 minutes
 Battery Cells type: 4pcs 386888
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C

CJS05

IP66 Waterproof Car Jump Starter
Capacity: 7200mAh
Start Current: 300A
Peak Current: 600A



Features: IP66 jump starter
 Capacity: 7200mAh
 Specifications: 2 USB ports,
 Micro Input: 5V/1.5A
 Output: 5V/2.1A
 Start the car: 12V
 Start Current: 300A
 Peak Current: 600A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 140*85*27mm
 Product weight: ≈330g
 Cycle times (life) : 1000 times
 Charge time: 300-400 minutes
 Battery Cells type: 4pcs 386888
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C

**CJS12**

IP66 Waterproof Car Jump Starter
Capacity: 7200mAh/10000mAh
Start Current: 300A/400A
Peak Current: 600A/800A



Features: Waterproof/Outdoors
 Capacity: 7200mAh/10000mAh
 Specifications: 2 USB ports.
 Micro Input: 5V/1.5A
 Output: 5V/2.1A
 Start the car: 12V
 Start Current: 300A/400A
 Peak Current: 600A/800A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 158*88*33mm
 Product weight: ≈400g
 Cycle times (life) : 1000 times
 Charge time: 300-400 minutes
 Battery Cells type: 4pcs 506888
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C

**CJS15**

IP66 Waterproof Car Jump Starter
Capacity: 7200mAh/10000mAh
Start Current: 300A/400A
Peak Current: 600A/800A



Features: Waterproof/Outdoors
 Capacity: 7200mAh/10000mAh
 Specifications: 2 USB ports.
 Micro Input: 5V/1.5A
 Output: 5V/2.1A
 Start the car: 12V
 Start Current: 300A/400A
 Peak Current: 600A/800A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 158*88*33mm
 Product weight: ≈400g
 Cycle times (life) : 1000 times
 Charge time: 300-400 minutes
 Battery Cells type: 4pcs 506888
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C

CJS11



IP66 Waterproof Car Jump Starter
Capacity: 7200mAh/10000mAh
Start current: 300A/400A
Peak current: 600A/800A



Features: Waterproof/Outdoors
 Capacity: 7200mAh/10000mAh
 Specifications: 2 USB ports.
 Micro Input: 5V/1.5A
 Output: 5V/2.1A
 Start the car: 12V
 Start Current: 300A/400A
 Peak Current: 600A/800A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 158*88*33mm
 Product weight: ≈400g
 Cycle times (life) : 1000 times
 Charge time: 300-400 minutes
 Battery Cells type: 4pcs 506888
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C

CJS02



Rugged Waterproof IP68 Car Jump Starter
Capacity: 10000mAh
Start Current: 400A
Peak Current: 800A



Features: Waterproof/Outdoors
 Capacity: 10000mAh
 Specifications: 4 USB ports.
 Micro Input: 5V/2A
 Type C Input: 5V/2A
 Output 1: 5V/3A, 9V/2A, 12V/1.5A
 Output 2: 5V/3A, 9V/2A, 12V/1.5A
 Start the car: 12V
 Start Current: 400A
 Peak Current: 800A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 168*92*38mm
 Product weight: ≈480g
 Cycle times (life) : 1000 times
 Charge time: 200-300 minutes
 Battery Cells type: 4pcs 606080
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C



CJS08

Rugged Waterproof IP67 Car Jump Starter
Capacity: 10000mAh
Start Current: 400A
Peak Current: 800A



Features: Waterproof/Outdoors
 Capacity: 10000mAh
 Specifications: 4 USB ports,
 Micro Input: 5V/2A
 Type C Input: 5V/2A
 Output 1: 5V/3A, 9V/2A, 12V/1.5A
 Output 2: 5V/3A, 9V/2A, 12V/1.5A
 Start the car: 12V
 Start Current: 400A
 Peak Current: 800A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 178*98*43mm
 Product weight: ≈500g
 Cycle times (life) : 1000 times
 Charge time: 200-300 minutes
 Battery Cells type: 4pcs 606080
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C



CJS06

Rugged Waterproof IP67 Car Jump Starter
Capacity: 12000mAh
Start Current: 500A
Peak Current: 1000A



Features: Waterproof/Outdoors
 Capacity: 12000mAh
 Specifications: 4 USB ports,
 Micro Input: 5V/2A
 Type C Input: 5V/2A
 Output 1: 5V/3A, 9V/2A, 12V/1.5A
 Output 2: 5V/3A, 9V/2A, 12V/1.5A
 Start the car: 12V
 Start Current: 500A
 Peak Current: 1000A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 185*92*41mm
 Product weight: ≈550g
 Cycle times (life) : 1000 times
 Charge time: 300-400 minutes
 Battery Cells type: 4pcs 606888
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C



CJS07

Rugged Waterproof IP67 Car Jump Starter
Capacity: 12000mAh
Start Current: 500A
Peak Current: 1000A



Features: Waterproof/Outdoors
 Capacity: 12000mAh
 Specifications: 4 USB ports.
 Micro Input: 5V/2A
 Type C Input: 5V/2A
 Output 1: 5V/3A, 9V/2A, 12V/1.5A
 Output 2: 5V/3A, 9V/2A, 12V/1.5A
 Start the car: 12V
 Start Current: 500A
 Peak Current: 1000A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 184*100*46mm
 Product weight: ≈550g
 Cycle times (life) : 1000 times
 Charge time: 300-400 minutes
 Battery Cells type: 4pcs 606888
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C

CJS09

Rugged Waterproof IP67 Car Jump Starter
Capacity: 16000mAh
Start Current: 600A
Peak Current: 1200A



Features: Waterproof/Outdoors
 Capacity: 16000mAh
 Specifications: 4 USB ports.
 Micro Input: 5V/2A
 Type C Input: 5V/2A
 Output 1: 5V/3A, 9V/2A, 12V/1.5A
 Output 2: 5V/3A, 9V/2A, 12V/1.5A
 Start the car: 12V
 Start Current: 600A
 Peak Current: 1200A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 185*100*45mm
 Product weight: ≈600g
 Cycle times (life) : 1000 times
 Charge time: 400-500 minutes
 Battery Cells type: 4pcs 6272100
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C



CJS16

Rugged Waterproof IP67 Car Jump Starter
Capacity: 16000mAh
Start Current: 600A
Peak Current: 1200A



Features: Waterproof/Outdoors/PD30W
 Capacity: 16000mAh
 Specifications: 4 USB ports.
 Micro Input: 5V/2.1A
 Type C Input/Output: (PD30W) 5V/3A, 9V/3A, 12V/2.5A,
 20V/1.5A & (QC18W) 5V/3A, 9V/2A, 12V/1.5A
 USB Output 1&2: (QC3.0) 5V/3A, 9V/2A, 12V/1.5A
 Start the car: 12V
 Start Current: 600A
 Peak Current: 1200A
 LED Flashlight: Torch, Quick Flashing and SOS.
 Dimension: 185*100*45mm
 Product weight: ≈600g
 Cycle times (life) : 1000 times
 Charge time: 400-500 minutes
 Battery Cells type: 4pcs 6272100
 Material: PC+ABS/V0&TPU



CJS25

Jump Starter for 24V Car Battery
Capacity: 21000mAh
Start current: 800A
Peak current: 1600A



Features: 24V Car Jump starter
 Capacity: 21000mAh
 Specifications:
 DC Input: 15V/1A
 USB output 1: 5V/3A, 9V/2A, 12V/1.5A
 USB output 2: 5V/3A, 9V/2A, 12V/1.5A
 Start the car: 12V
 Start Current: 800A
 Peak Current: 1600A
 LED Flashlight: White solid/SOS/White Illumination solid/
 Red Illumination Solid/Red Strobe
 Dimension: 265*153*122mm
 Product weight: 1200g
 Cycle times (life) : 1000 times
 Charge time: 6 hours
 Battery Cells type: 7pcs x 72100
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C



CJS50

Jump Starter with 100W AC Outlet
Capacity: 16000mAh
Start current: 600A
Peak current: 1200A



Features: Jump starter with 100W AC outlet
 Capacity: 16000mAh
 Specifications:
 USB C Input: 5V/2A
 USB output 1: 5V/3A, 9V/2A, 12V/1.5A
 USB output 2: 5V/2.1A
 AC Output: 110V/60HZ, 220V/50HZ
 Rate Power: 100W
 Start the car: 12V
 Start Current: 600A Peak Current: 1200A
 LED Flashlight: Strong, Strobe, SOS
 Dimension: 218*155*60mm
 Product weight: 1100g
 Cycle times (life) : 1000 times
 Charge time: 8 hours
 Battery Cells type: 4pcs x 72100
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C



CJS52

Jump Starter with 100W AC Outlet
Capacity: 15900mAh
Start current: 600A
Peak current: 1200A



Features: Jump starter with 100W AC outlet
 Capacity: 15900mAh
 Specifications:
 USB C Input: 5V/2.4A, 9V/1.5A
 USB output 1&2: 5V/3A, 9V/2A, 12V/1.5A
 DC output: 12V/8A
 AC Output: 110V/60HZ, 220V/50HZ
 Rate Power: 100W
 Start the car: 12V
 Start Current: 600A Peak Current: 1200A
 LED Flashlight: Strong, Strobe, SOS
 Dimension: 192*86*39mm
 Product weight: 750g
 Cycle times (life) : 1000 times
 Charge time: 8 hours
 Battery Cells type: 3pcs x 117080
 Material: Aluminium alloy, PC+ABS
 Working temperature: -20°C-60°C



CJS75

4 IN 1 Jump Starter with Air Compressor
Capacity: 16000mAh
Start current: 600A
Peak current: 1200A



Features: 4 IN 1 Jump starter
 Capacity: 16000mAh
 Specifications:
 Type C Input: 5V/3A, 12V/1.5A
 USB Output 1: 5V/3A, 9V/2A, 12V/1.5A
 USB Output 2: 5V/3A, 9V/2A, 12V/1.5A
 DC Output: 15V/8A
 Maximum Inflating Pressure: 150 PSI
 Start the car: 12V
 Start Current: 600A Peak Current: 1200A
 LED Flashlight: Solid/SOS/Strobe
 Dimension: 202*165*86mm
 Product weight: ≈ 1500g
 Cycle times (life) : 1000 times
 Charge time: 250-400 minutes
 Battery Cells type: 4pcs 6567102
 Material: PC+ABS/V0&TPU
 Working temperature: -20°C-60°C

Optional Accessories



▲ Electric Air Pump



▲ Car Safety Hammer



▲ Wall Adapter



▲ EC5 to Car Adapter



▲ Car Adapter

Standard Packages



A



B



C









SuperSafe

SAFE

Mistake Proof


Smart Protection Clamp

8 SECURITY GUARANTEES

-  Short circuit protection
-  Over load protection
-  Low voltage protection
-  Over voltage protection
-  Over charge and discharge protection
-  Temperature protection
-  Reverse charging protection
-  Reverse connect protection

Safety First

More than you see



Certificates



BSCI, ISO9001, UL, CE, FCC, ROHS, PSE, MSDS

www.shenzhenchic.com 35

CHIC History

- 2014-2017:
Designed and launched a number of private mode of power banks.
Stop the power banks business in the Mid of 2017 and trasform into jump starter business.
- 2017-Now:
Designed and launched a number of private mode of jump starters.
- 2017:
Designed and launched the first IP68 jump starter around the world.
- 2018:
Designed and launched a series of Waterproof/Water-resistant jump starters.
The factory is certified to ISO9001, BSCI and etc certificates.
- 2019:
Designed and launched PD30W/Wireless charger + jump starters.
- 2020:
Designed and launched Multi-function jump starters such as Vacuum cleaner + jump starters, AC outlet + jump starters and etc new models.
- 2021:
Designed and launched Compressor/Safety hammer + jump starters and etc new models.
- 2022:
Designed and launched 24V jump starters, PD45W jump starters and etc new models.
- 2023:
Designed and launched LCD display screen jump starters and etc new models.
- 2024:
Will develop more small jump starters with air compressor and etc new models.

Company Profile

Shenzhen Chic Electrics Co., Ltd. is a high-tech factories engaging in designing and manufacturing waterproof Jump Starter, portable storage power supply. We mainly provide OEM and ODM service.

Our SMT factory is located at Shenzhen City, Guangdong Province, it covers an area of 3,000 square meters, more than 150 workers, 10 automatic SMT production lines with HDGD automatic printer machines, Japan Fuji NXT high speed placement machines, Japan Fuji NP243 multiple placement machines, passed the ISO90001.

Our assembly fatctory is located at Dongguan City, Guangdong Province, it cover an area of 2000 square meters, more than 100 workers, 4 assembly lines, passed the BSCI audit by Intertek.

All batteries of Chic jump starter have UL certiffcate. And products passed CE, FCC, ROHS, UN38.3,MSDS,ETL etc certification tests by ITS, SGS, BV etc authoritative laboratory accreditation. After many years of professional service, our products have formed a brand effect in more than 30 countries around the world.

Shenzhen Chic Electrics Co. Ltd

Add: Area B, 4th Floor, Building 4, Jinhuafa Industrial Park, Helian Community, Longhua Street, Longhua District, Shenzhen, China

Tel: +86 0755 23776027

Email: products@chic-electrics.com

Web: www.shenzhenchic.com