


LED WORK LIGHT

We are premier manufacturer of high quality led work light including 4x4 off-road led work light, E-mark R10&R23 reverse led work lamp, square round oval led work light, flush mount led work light, led cube pod light, led flood tractor light, led truck light, 7 inch led driving light etc... All led work lights adopts premium materials: great heat conductive PCB, high luminous Osram/Cree leds, Exquisite aluminum housing, unfading electroplated layer reflector, double-faced corrosion harden PC lens materials, smooth appearance outdoor powder, flexible and strong mounting systems, all these makes our work lights be compact, portable, high brightness and excellent performance. Comply with CE, RoHS, IP67, IP68, IP69K, LVC, E-mark certification(R10, R23, R149, R65) etc... As a manufacturer, we can provide customers great led work lights with competitive price and stable quality.



GT13120
2.7 inch



GT13121
3.2 inch



GT13121A
4.8 inch



GT-M1603
4.5 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT13120	4pcs*10W Cree LED	40W	3.33A@12V, 1.67A@24V	3900lm	Spot, Flood	69.8*63.8*64	304 Stainless steel	RoHS, CE, ECE R10
GT13121	4pcs*10W Cree LED	40W	3.33A@12V, 1.67A@24V	3900lm	Spot, Flood	80.9*75.4*72.7	304 Stainless steel	RoHS, CE, ECE R10
GT13121A	4pcs*10W Cree LED	40W	3.33A@12V, 1.67A@24V	3900lm	Spot, Flood	122*89*72.7	304 Stainless steel	RoHS, CE, ECE R10
GT-M1603	6pcs*10W Cree LED	60W	5.00A@12V, 2.50A@24V	5850lm	Spot, Flood	128.7*86*106.2	304 Stainless steel	RoHS, CE, ECE R10



GT16219
6.1 inch



GT16219A
7.4 inch



GT13119A
3.94 inch



GT15114A
6.3 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT16219	6pcs*10W Cree LED	60W	5.00A@12V, 2.50A@24V	5850lm	Driving Light	155.8*46.8*60.1	304 Stainless steel	RoHS, CE, ECE R10
GT16219A	6pcs*10W Cree LED	60W	5.00A@12V, 2.50A@24V	5850lm	Driving Light	188*62*60.1	304 Stainless steel	RoHS, CE, ECE R10
GT13119A	2pcs*5W Osram P7	10W	0.58A@12V, 0.29A@24V	810lm	Flood	100*60.2*52.8	304 Stainless steel	RoHS, CE, ECE R10
GT15114A	4pcs*5W Osram P7	20W	1.17A@12V, 0.58A@24V	1740lm	Flood	160.1*59.7*54.2	304 Stainless steel	RoHS, CE, ECE R10



MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT15108	9pcs*4W Cree LED	36W	2.58A@12V, 1.29A@24V	3510lm	Driving light beam	108.1*105.9*65.7	304 Stainless steel	RoHS, CE, ECE R149, R10
GT15113	9pcs*10W	90W	5.25A@12V, 2.62A@24V	8775lm	Spot, Flood	134.5*134*85.3	304 Stainless steel	RoHS, CE
GT-M1601	9pcs*10W	90W	5.38A@12V, 2.69A@24V	8730lm	Flood	138.1*124.4*116.2	304 Stainless steel	RoHS, CE

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT13111	2pcs*10W Osram P9	20W	1.24A@12V, 0.62A@24V	1840lm	Flood	96.9*58.3*69.7	304 Stainless steel	RoHS, CE, ECE R10
GT14121	4pcs*10W Osram P9	40W	2.33A@12V, 1.17A@24V	3800lm	Spot, Flood	100.4*98.2*93.7	304 Stainless steel	RoHS, CE, ECE R10
GT13117	4pcs*10W Cree LED	40W	3.34A@12V, 1.67A@24V	3600lm	Spot, Combo	79.8*80*77.9	304 Stainless steel	RoHS, CE
GT14122	9pcs*3W Cree LED	27W	2.25A@12V, 1.25A@24V	2565lm	Flood	76.5*75.9*63.4	304 Stainless steel	RoHS, CE

IP68

CE

RoHS

5700K-6000K

10-30V



GT14126

3.73 inch

GT14228

4.43 inch

GT14128

3.96 inch

GT15109

4.47 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT14126	4pcs*10W Cree LED	40W	2.46A@12V, 1.23A@24V	3680lm	Flood	94.8*79.8*45	304 Stainless steel	RoHS, CE
GT14228	9pcs*4W Osram S8	36W	2.84A@12V, 1.42A@24V	6075lm	Flood	112.6*112.6*45.7	304 Stainless steel	RoHS, CE, ECE R10
GT14128	9pcs*4W Osram S8	36W	2.76A@12V, 1.38A@24V	6075lm	Flood	100.6*100.8*45.7	304 Stainless steel	RoHS, CE, ECE R10
GT15109	8pcs*3W Osram P8	24W	1.50A@12V, 0.75A@24V	2680lm	Flood	107.3*107.3*60.8	304 Stainless steel	RoHS, CE, ECE R10

IP68

CE

RoHS

5700K-6000K

10-30V



GT16116

5.90 inch

GT16215

5.55 inch

GT16203

7.0 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT16116	6pcs*5W Cree LED	30W	2.18A@12V, 1.09A@24V	2400lm	Spot, Flood	150*89.5*72	304 Stainless steel	RoHS, CE, ECE R10
GT16215	6pcs*5W Cree LED	30W	2.14A@12V, 1.07A@24V	2400lm	Flood, Diffuse	141*90*59	304 Stainless steel	RoHS, CE
GT16203 Former Model: GT2012-36W	12pcs*3W Cree LED	36W	2.40A@12V, 1.20A@24V	3120lm	Spot, Flood	178.5*123.5*74	Stainless steel	RoHS, CE

LED WORK LIGHT



GT17201
6.69 inch



Four Color Rings



GT17202
6.29 inch



Three Color Rings



GT17203
6.29 inch



Three Color Rings

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT17201 Former Model: GT16905-45W	3pcs*15W Cree LED	45W	2.80A@12V, 1.40A@24V	4360lm	Spot	170*170*133	Stainless steel	RoHS, CE
GT17202 Former Model: GT11015	17pcs*3W Epistar	51W	4.25A@12V, 2.13A@24V	3825lm	Spot, Flood	160*160*86	Stainless steel	RoHS, CE
GT17203 Former Model: GT11015B	17pcs*3W Epistar	51W	4.25A@12V, 2.13A@24V	3825lm	Spot, Flood	160*160*86	Stainless steel	RoHS, CE



GT14223
4.5 inch




GT15207
5.3 inch



GT17213
6.8 inch



GT19203
8.85inch



Different Colors Of Decorative Parts

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT14223	12pcs*3W Osram P7	36W	2.52A@12V, 1.26A@24V	3780lm	Driving light beam	115*115*59.7	304 Stainless steel	RoHS, CE, ECE R149, R10
GT15207	14pcs*3W Osram P7	42W	2.74A@12V, 1.37A@24V	4410lm	Driving light beam	136.9*136.9*54.4	304 Stainless steel	RoHS, CE, ECE R149, R10
GT17213	22pcs*3W Osram P7	66W	3.98A@12V, 1.99A@24V	6930lm	Driving light beam	173*173*68	304 Stainless steel	RoHS, CE, ECE R149, R10
GT19203	37pcs*3W Osram P7	111W	7.50A@12V, 3.75A@24V	11655lm	Driving light beam	225*225*71.9	304 Stainless steel	RoHS, CE, ECE R149, R10



GT16107
6.29 inch



GT16107M
5.98 inch



GT16122M
5.98 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT16107 Former Model: GT1015-18W	6pcs*3W Epistar	18W	1.02A@12V, 0.51A@24V	1260lm	Spot, Flood	159.8*45.2*47.5	Stainless steel	RoHS, CE, ECE R10
GT16107M	36pcs*1W Osram S5	36W	2.22A@12V, 1.11A@24V	6120lm	Flood	152*50*59.8	304 Stainless steel	RoHS, CE, ECE R10
GT16122M	72pcs*1W Osram S5	72W	4.58A@12V, 2.29A@24V	9200lm	Flood	152*76*60	304 Stainless steel	RoHS, CE, ECE R10



GT17219
6.95 inch



GT18101
7.64 inch



GT1X103
9.66inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT17219	9pcs*10W	90W	4.64A@12V, 2.32A@24V	8775lm	DRL+ Driving light beam	176.7*176.7*60	304 Stainless steel	RoHS, CE, ECE R149, R10
GT18101	15pcs*6W Osram P9	90W	6.67A@12V, 3.34A@24V	9675lm	Flood	194.2*130*78.8	304 Stainless steel	RoHS, CE, ECE R10
GT1X103	8pcs*10W Cree LED	80W	5.06A@12V, 2.53A@24V	7760lm	Spot+DRL	245.4*140.4*93	304 Stainless steel	RoHS, CE, ECE R10

LED WORK LIGHT

LED WORK LIGHT

IP68

CE

RoHS

5700K-6000K

10-30V



GT12101
2.5 inch

GT12102
2.5 inch

GT12103
1.97 inch

GT12202
2.1 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT12101 Former Model: GT11023-12W	4pcs*3W Epistar	12W	0.74A@12V, 0.37A@24V	960lm	Spot, Flood	66*66*65	Stainless steel	RoHS, CE
GT12102 Former Model: GT11023B-10W	1pcs*10W Cree LED	10W	0.80A@12V, 0.40A@24V	970lm	Spot, Flood	66*66*65	Stainless steel	RoHS, CE
GT12103 Former Model: GT11023C-10W	1pcs*10W Cree LED	10W	0.64A@12V, 0.32A@24V	970lm	Spot, Flood	50*50*60	Stainless steel	RoHS, CE
GT12202 Former Model: GT11023D-10W ONE HOUSING	1pcs*10W Cree LED	10W	0.68A@12V, 0.34A@24V	970lm	Spot, Flood	54*54*65	Stainless steel	RoHS, CE, ECE R10

IP68

CE

RoHS

5700K-6000K

10-30V



GT13201
3.26 inch

GT14218
4.0 inch

GT14220
3.5 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT13201	4pcs*3W Epistar	12W	0.82A@12V, 0.41A@24V	960lm	Flood	83*83*76	Stainless steel	RoHS, CE, ECE R10 R23
GT14218	2pcs*10W Cree LED	20W	0.99A@12V, 0.50A@24V	1940lm	Spot	97.8*67.6*63	Stainless steel	RoHS, CE
GT14220 Former Model: GT2009-19W	6pcs*3W Osram	18W	0.94A@12V, 0.47A@24V	1710lm	Spot	89*89*64	Stainless steel	RoHS, CE, ECE R23

LED WORK LIGHT

IP68

CE

RoHS

5700K-6000K

10-30V



GT13101
3.25 inch

GT13101A
4.8 inch

GT13102
3.25 inch

GT13102A
4.8 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT13101 Former Model: GT11022-16W	4pcs*4W Cree LED	16W	0.82A@12V, 0.41A@24V	1040lm	Spot, Flood	82.6*75.1*79.5	Stainless steel	RoHS, CE
GT13101A Former Model: GT11022A-16W	4pcs*4W Cree LED	16W	0.82A@12V, 0.41A@24V	1040lm	Spot, Flood	122*92*80	Stainless steel	RoHS, CE
GT13102 Former Model: GT11022-24W	6pcs*4W Cree LED	24W	0.98A@12V, 0.49A@24V	1560lm	Spot, Flood	80*75*82	Stainless steel	RoHS, CE
GT13102A Former Model: GT11022A-24W	6pcs*4W Cree LED	24W	0.98A@12V, 0.49A@24V	1560lm	Spot, Flood	122*92*80	Stainless steel	RoHS, CE

IP68

CE

RoHS

5700K-6000K

10-30V



GT13203
3.38 inch

GT13205-2
2.52 inch

GT13205-3
2.52 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT13203	1pcs*25W Cree LED	25W	1.38A@12V, 0.69A@24V	1500lm	Flood	86*86*80	Stainless steel	RoHS, CE
GT13205-2	1pcs*20W	20W	1.12A@12V, 0.56A@24V	2310lm	Flood	64.1*63.8*70.1	304 Stainless steel	RoHS, CE
GT13205-3	3pcs*4W	12W	0.64A@12V, 0.32A@24V	Blue 1000lm Red 200lm	Pencil beam	64.1*63.8*70.1	304 Stainless steel	RoHS, CE

13



GT14129
4.01 inch



GT15104
4.92 inch



GT15105
4.92 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT14129	9pcs*5W Osram S8	45W	2.60A@12V, 1.30A@24V	7380lm	Flood	101*92.5*68	304 Stainless steel	RoHS, CE, ECE R10
GT15104 Former Model: GT10135-40W	4pcs*10W Cree LED	40W	2.44A@12V, 1.22A@24V	3880lm	Spot, Flood	125*115*90	Stainless steel	RoHS, CE, ECE R10
GT15105 Former Model: GT10138-48W	16pcs*3W Cree LED	48W	4.00A@12V, 2.00A@24V	4160lm	Spot, Flood	125*115*90	Stainless steel	RoHS, CE, ECE R10



GT14101
4.33 inch



GT14102
4.24 inch



GT14103
4.13 inch



GT14104
4.33 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT14101 Former Model: GT2010-15W	5pcs*3W Epistar	15W	0.96A@12V, 0.48A@24V	1200lm	Spot, Flood	110*110*45	Stainless steel	RoHS, CE, ECE R10, R23
GT14102 Former Model: GT1007-27W	9pcs*3W Epistar	27W	1.84A@12V, 0.92A@24V	2160lm	Spot, Flood	107.6*107.6*58	Stainless steel	RoHS, CE, ECE R10, R23
GT14103 Former Model: GT2011-24W	8pcs*3W Epistar	24W	2.00A@12V, 1.00A@24V	1920lm	Spot, Flood	105*105*45	Stainless steel	RoHS, CE
GT14104 Former Model: GT1015-48W	16pcs*3W Epistar	48W	4.00A@12V, 2.00A@24V	3840lm	Spot, Flood	110*110*72	Stainless steel	RoHS, CE, ECE R10



GT14201
4.54 inch



GT14202
4.52 inch



GT14203
4.52 inch



GT14204
4.52 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT14201 Former Model: GT2003-18W	6pcs*3W Epistar	18W	1.50A@12V, 0.75A@24V	1350lm	Spot, Flood	115*115*35	Stainless steel	RoHS, CE
GT14202 Former Model: GT2006-27W	9pcs*3W Epistar	27W	2.25A@12V, 1.13A@24V	2160lm	Flood	115.5*115.5*63.5	Stainless steel	RoHS, CE, ECE R10
GT14203 Former Model: GT2005-24W	8pcs*3W Epistar	24W	2.00A@12V, 1.00A@24V	1920lm	Spot, Flood	115*115*41	Stainless steel	RoHS, CE
GT14204 Former Model: GT2003-42W	14pcs*3W Epistar	42W	3.50A@12V, 1.75A@24V	3360lm	Spot, Flood	115*115*70	Stainless steel	RoHS, CE



GT14111
4.5 inch



GT14112
4.5 inch



GT14113
4.5 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT14111 Former Model: GT1011-18W	6pcs*3W Epistar	18W	1.50A@12V, 0.75A@24V	1440lm	Spot, Flood	110*60*56	Stainless steel	RoHS, CE, ECE R10
GT14112 Former Model: GT10115-30W	2pcs*10W Cree LED	20W	1.67A@12V, 0.84A@24V	1940lm	Spot, Flood	110*60*56	Stainless steel	RoHS, CE, ECE R10
GT14113 Former Model: GT1010-9W	3pcs*3W Epistar	9W	0.75A@12V, 0.38A@24V	720lm	Spot, Flood	110*60*56	Stainless steel	RoHS, CE, ECE R10

LED WORK LIGHT

IP68

CE

RoHS

5700K-6000K

10-30V

GT15103

4.40 inch

GT16102

5.51 inch

GT16109

6.26 inch

GT16111

6.26 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT15103 Former Model: GT1025-50W	5pcs*10W Cree LED	50W	3.10A@12V, 1.55A@24V	4850lm	Spot, Flood, Combo	112*112*88	Iron Bracket	RoHS, CE
GT16102 Former Model: GT1025-80W	8pcs*10W Cree LED	80W	6.67A@12V, 3.33A@24V	7760lm	Spot, Flood, Combo	140*140*92	Stainless steel	RoHS, CE
GT16109 Former Model: GT1025-33W	11pcs*3W	33W	2.75A@12V, 1.38A@24V	3300lm	Flood	159.1*94.3*75.4	304 Stainless steel	RoHS, CE
GT16111 Former Model: GT1020B-45W	15pcs*3W	45W	3.75A@12V, 1.88A@24V	4500lm	Flood	159.1*94.4*75.7	304 Stainless steel	RoHS, CE

IP68

CE

RoHS

5700K-6000K

10-30V

GT16103

5.31 inch

GT16104

5.31 inch

GT16205

5.5 inch

GT17204

7.0 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT16103	6pcs*10W Cree LED	60W	3.61A@12V, 1.81A@24V	5100lm	Spot, Flood	135*120*124	304 Stainless steel	RoHS, CE
GT16104	9pcs*10W Cree LED	90W	5.76A@12V, 2.88A@24V	7650lm	Spot, Flood	135*120*124	304 Stainless steel	RoHS, CE
GT16205 Former Model: GT6401-45W	9pcs*5W Cree LED	45W	3.10A@12V, 1.55A@24V	3780lm	Hyperspot	140*140*90	Stainless steel	RoHS, CE
GT17204 Former Model: GT6601-50W	12pcs*5W Cree LED	60W	3.90A@12V, 1.95A@24V	5040lm	Hyperspot	180*180*97	Stainless steel	RoHS, CE

ECE R10

IP68

CE

RoHS

5700K-6000K

10-30V

GT17102

5.66 inch

GT17103

5.66 inch

GT17104

5.66 inch

MODEL	LEDS	MAX. POWER	AMP DRAW	LUMEN	BEAM	SIZE(mm)	BRACKET MATERIAL	CERTIFICATION
GT17102 Former Model: GT1007Q-75W	20pcs*3.75W Osram	75W	6.44A@12V, 3.22A@24V	9000lm	Combo	139*143.8*79.6	304 Stainless steel	RoHS, CE, ECE R10
GT17103 Former Model: GT1007Q-80W	24pcs*3.33W Osram	80W	6.67A@12V, 3.33A@24V	10800lm	Pencil beam	139*143.8*79.6	304 Stainless steel	RoHS, CE, ECE R10
GT17104 Former Model: GT1007Q-70W	16pcs*4.375W Osram	70W	4.86A@12V, 2.43A@24V	7200lm	Hyper spot beam	139*143.8*79.6	304 Stainless steel	RoHS, CE, ECE R10