

BEACON & LED WARNING LIGHT

LED Beacon Lights/warning lamps are a popular and affordable emergency lighting option in the vehicle lighting industry for a wide range of application (truck, forklift, ambulance, commercial vehicles ect) and for all kinds weathers (foggy weather, rainy day, snow weather). Our Beacons utilize latest LED technology in conjunction with high quality light polycarbonate housing, are high brightness, portable clever compact design, easy installation, simple operation, optional flashing and rotating patterns, helping the vehicle to be visible from 360 degree to help maximize safety. As a manufacturer, we can provide customers great led beacons and warning lights with competitive price and stable quality.




BEACON & WARNING LIGHT

GT-B1301

FEATURES


- Super brightness to improve better safety
- Polycarbonate lens for rugged durability
- Aluminum housing accelerates heat dissipation
- Sand black outdoor powder spraying
- Flexible mounting in almost situation



GT-B1401

FEATURES


- Produce uncompromising illumination
- High-quality lenses for optimal signaling
- Aluminum housing accelerates heat dissipation
- Sand black outdoor powder spraying
- Easy installation with bracket mounting



GT-B1301A

FEATURES


- Super brightness to improve better safety
- Polycarbonate lens for rugged durability
- Aluminum housing accelerates heat dissipation
- Sand black outdoor powder spraying
- Ultra-thin design install with 304stainless steel screws



GT-B1401A

FEATURES

- Produce uncompromising illumination
- High-quality lens for optimal signaling
- Aluminum housing delivers fast heat dissipation
- Sand black outdoor powder spraying
- Faster and easier surface mounting via two screws



Model	Size	Max Power	LEDs	LED Color	Flash Pattern	Voltage	Certification
GT-B1301	2.68"	9W	3PCS*3W Cree LED		12 kinds	10-30V DC	IP68, ECE-R10 ECE-R65 XA1 XB1, XR1, SAE
GT-B1301A	3.38"	9W	3PCS*3W Cree LED				


Model	Size	Max Power	LEDs	LED Color	Flash Pattern	Voltage	Certification
GT-B1401	4.24"	18W	6PCS*3W Cree LED		12 kinds	10-30V DC	IP68, ECE-R10 ECE-R65 XA1 XB1, XR1, SAE
GT-B1401A	5.01"	18W	6PCS*3W Cree LED				

BEACON & WARNING LIGHT

GT-B1501

FEATURES


- Powered by high intensity LEDs with optical lens
- Good performance with low power consumption
- Aluminum housing accelerates heat dissipation
- Ultra slim with surface mounting
- Anti-collision, anti-dust and splash-proof



GT-B2601

FEATURES

- Design is technically and visually impressive
- Emit a clearly visible warning signal
- 360° warning effect without dazzle
- Long service life and reliable function
- Waterproof and vibration resistant design




Rotating lighting function

Flashing lighting function

Model	Size	Max Power	LEDs	LED Color	Flash Pattern	Voltage	Certification
GT-B1501	5.07"	18W	6PCS*3W		12 kinds	10-30V DC	IP68, ECE-R10 ECE-R65 XA1 XB1, XR1, SAE
GT-B2601	5.82"	12W	32PCS*0.4W Osram		4 Kinds		IP68, ECE-R10 ECE-R65 TA1

GT-B1X01



APPLICATION


FEATURES

- 1W high intensity German Osram led
- Amber light output flash in both clear and amber lenses
- User can select flashing or rotating patterns
- Unique pattern appearance and PC lens endure harsh conditions
- Aluminum housing for superior heat dissipation
- ECE R10, R65 TA1, SAE J845 Class1, IP67 approved



Model	Size	Max Power	LEDs	LED Color	Flash Pattern	Voltage	Certification
GT-B1X01	9.7"	30W	30PCS*1W Cree LED		17 kinds	10-30V DC	IP67, ECE-R10 ECE-R65 XA1 XB1, XR1, SAE

GT-B1X03



FEATURES

- 1W high intensity Cree led
- Multi-color light output flash in clear and anti-scratch lenses
- User can select flashing or rotating patterns
- Unique pattern appearance and PC lens endure harsh conditions
- Aluminum housing for superior heat dissipation
- ECE R10, R65 TA1, SAE J845 Class1, IP67 approved

Model	Size	Max Power	LEDs	LED Color	Flash Pattern	Voltage	Certification
GT-B1X03-4	15.3"	42W	42PCS*1W Cree LED		17 kinds	10-30V DC	IP67, ECE-R10 ECE-R65 XA1 XB1, XR1, SAE
GT-B1X03-7	29.7"	78W	78PCS*1W Cree LED				
GT-B1X03-9	39.3"	102W	102PCS*1W Cree LED				
GT-B1X03-11	48.9"	126W	126PCS*1W Cree LED				
GT-B1X03-13	58.5"	150W	150PCS*1W Cree LED				
GT-B1X03-16	73.0"	186W	186PCS*1W Cree LED				