




AUTOPAX

A Faithful One-Stop Purchase Partner

Premium Selections





AUTOPAX ALL FOR THE BEST



AUTOPAX SUPPLIES LTD.

2F, 210 Hsintaiwu Rd, Sec. 1, Hsichi Dist., New Taipei City, Taiwan 221
Tel: 886-2-2648-8220 Fax: 886-2-2647-5876 Skype: autopaxtaiwan
Email: autopax.taiwan@msa.hinet.net [Http://www.autopax.com](http://www.autopax.com)



Walk Far
Aim High



ALL FOR THE BEST

Autopax Provides Total Solution for Automotive LED Lights & Electric Parts

For almost three decades, Autopax Supplies Ltd. has been engaged in serving our clients quality LED lights, Accessories and Electric Parts with our enthusiasm and professionalism.

Autopax work by 5 core values: Quality, Supportive, Professional, Integrity and Service. In the belief, we commit to become the most professional and innovative supplier of our worldwide customers, giving total solution out of ordinary and fulfilling every mission we undertake with customers.



Autopax offer quality merchandise and perform in-house quality to assure your 100% satisfaction. You are welcome to check our website: www.autopax.com. Or contact our sales team at autopax.taiwan@msa.hinet.net for a total solution to move your projects. We guarantee you our speedy reply and professional service.



Lamps and Lights

Truck Marker Lamp	3~6
Work/ Scene Light	7

Security System

Led Strobe Module	8~11
Beacon	12~14
Warning Light Bar	15~16
Siren & Buzzer	17
Tool & Tester	18

Electric Parts

Housing Connector	19~25
Rubber Grommet	26
Pneumatic Kit	27
Relay, Flasher & Socket	27~29
LED Bulb	30~31
Bulb Socket	31~34
Switch, Miscellaneous	35~44
Fuse, Holder, Block	44~47
Indicator & More	48

AUTOPAX OFFER TOTAL SOLUTION
WE GUARANTEE OUR PROFESSIONAL SERVICE



Upgraded Streamline Look

For Scania Truck P/G/R/T and 4 Series (95-04)



L030087 White
L030088 Amber
L030197 White/Amber Dual Color
 Streamline LED Front Top Lamp 24V
 IP67, Glossy Fine Finish
 Easy replacement with original cable.
 ECE R7 Approved on white color

Exclusive in Europe. Distributor in other areas are most welcome.
Scania is a trademark of Scania CV AB (publ)

ASTRAL LED Marker Lamp

Crystal Lens. Clarity Look. Easy Installation

ECE R148 Approved in all colors
 SAE P2 in Red, Amber
 Size: 79 x 22 x 6.5mm



Clear lens, Red
 Clear lens, Amber
 Clear lens, White



Smoke lens, Red
 Smoke lens, Amber
 Smoke lens, White



Red lens, Red



Amber lens, Amber

L030127

ASTRAL LED Marker Lamp 12-24V
 Available in Clear Lens,
 Colored Lens, Smoke Lens
 Complete with rubber gasket,
 Option: curved gasket



Exclusive in Europe. Distributor in other areas are most welcome.

Streamline Marker Lamp

Streamline Design, Clean Cut Apperance

Slim profile 11.8mm thick only
ECE R148 Approved in all colors
SAE P2 in Red, Amber


6LED, 12-24V, 20cm cable
Available in clear lens, colored lens,
& smoked lens
Complete with foam gasket & S.S. screws
Option: rubber grommet for pipe mounting
Easy installation
Size: 100 x 24 x 11.8mm




Exclusive in Europe. Distributor in other areas are most welcome.



L030188-01
White Light, Smoked Lens



L030188-02
Red Light, Smoked Lens



L030188-03
Amber Light, Smoked Lens



L030188-04
Red Light, Red Lens



L030188-05
Amber Light, Amber Lens

Lamps and Lights *Truck Marker Lamp*



L030055

6 LED Side Marker Lamp 12-24V
ECE Approved
Size: 95 x 21 x 5.5mm



L030077

3-LED Sealed Marker 9-32V
Available in Clear Lens, Colored Lens, Smoke Lens
Mounting: Φ 18.72mm ECE R7, R91 approved
Option: Chrome bezel




L030063

3 LED Side Marker Lamp 9-32V
With reflex, ECE Approved
Size: 129.7 x 32mm



L030155

Side Marker Lamp with Reflector
3LED 12V-24V, R10, R148, R3
Size: 100 x 45 x 15mm



L030163

Marker Lamp 12V, 24V, 12-24V
IP67, ECE R7, R91
Size: 124 x 45 x 14mm



L030116

Side Marker Lamp 12-24V
12LED Surface mount ECE R6
Option: Recess Mount

Cat 5 approved



L030205

Direction Indicator Light
12-24V ECE R6 CAT 5, EMC, SAE
Size: 145 x 65 x 31.8mm



L030202

L030209 With ground light
Side Marker Lamp
12V or 24V, ECE approved
Size: 110 x 43 x 172mm

For Motorbike



L030203

Side Marker with Reflector
12/36/48V, ECE 3R, IP65,
Size: 138.4 x 44.4 x 25.8mm



L030204

10-30V, ECE R91, R7 IP66,
Size: Dia. 37.3 x 40.9mm



L030206

Side Marker Lamp 12V or 24V
ECE R91, Size: 126 x 41 x 14mm



L030080

Torpedo Style Marker Lamp 24V
19LEDs, with foam pad
Size: Dia. 86.4mm x 373.4mm



L030117

Torpedo Style Marker Lamp 24V
LED type With foam pad
Size: Dia. 89mm x 387.4mm



L030198

LED Cab Light 12V SAE P2/P3
12LEDs, amber lens or clear lens
Size: 146 x 46 x 22mm



L030149-01

LED Double Face Signal Light
9-32V Amber, Dia. 109mm

E mark



L030149-02

LED Double Face Signal Light
9-32V IP68, White/Red, Dia. 109mm



L030099

4" Signal Light 10-30V SAE



L030207-02

4" LED Rear/Stop Light 12V



L030208-02

6" LED Rear/Stop Light 12V




L030212

Side Marker Lamp 12V
Size: 98 x 30 x 24mm



L030210-03

4" LED Turn Signal Light 12V
Option: With grommet



L030211-01

6" LED Turn Signal Light 12V



L030213-03

6" LED Back Up Light 12V

Lamps and Lights *Work/Scene Light*



L030185

Streamline LED Side Marker
With Ground Light
12V or 24V, SAE P2
Size: 129 x 37 x 27mm



L030214-03 11 LED
L030214-04 3 LED
15" Stop/Turn/Tail Light 12V
Size: 397.7 x 31 x 12.5mm



L030215

17" Stop/Turn/Tail/Back Up Light
SAE on both vertical & horizontal



A038054

3LED Maker Light 10-30V
9W Raw Lumen: 810Lm
Option: A038056 30° Rubber Mount



A033074

LED Scene Light 9-32V
650Lm, Size: 118 x 58 x 35 mm



A033086

5" Scene Light 725LM, ECE R10, CE,
RoHS, Size: 129 x 60 x 43 mm
Also Available: 9" & 13"



A033104

10-30V 48W Work Lamp
3300Lm, ECE R10, IP67, Alu Housing
Flood Beam, Size: 110 x 110 x 44mm

Waterproof IP68



A033124

12-24V 24W LED Work Lamp
ECE R10, E. Lumen: 1400Lm
Sturdy Aluminum Housing
Size: 103 x 81.4 x 32.8mm



A033114

10-30V 4x3W LED Work Lamp
Effective Lumen: 1000Lm, IP67
Size: 103(W) x 150(L) x 165(H)mm




A038065

10-30V LED Rigid Light Bar, IP67
Length: 0.2M/0.5M/1M/1.5M,
Option: Magnetic mount



A038088

24V 120mm LED Ring
39 LEDs work up to 32V
White 5000K/6000K
A038103 140mm 45LEDs



A038104

24V 155mm LED Ring
51 LEDs work up to 32V
A038105 102 LEDs
Dual Color White/Amber

Professional LED Warning 12-24V Lighthead

Ideal for Ambulance, Fire Truck, Tanker, etc

ECE R65 XA2/ XB2/ XR2, R10,

SAE J595, J845 approved

Waterproof IPX7, Clear or Color Lens

Available with black, white, or chrome flange cover

16 flash patterns including Top-Bottom Split,

Left-Right Split and Criss-Cross Split



A030331

8 LED Flash Light Head
Size: 122 x 70 x 22 mm

A030330

12 LED Flash Light Head
Size: 155 x 105 x 30 mm

ECE R65 Class II



A030228

6 LED 12-24V 5 Flash Patterns
Color: Amber, Blue 2meter cable
Size: 127.5 x 27.8 x 17.2 mm

ECE R65 Class II



A030241

6 x 3W LED Module 12-24V,
R65 Class 2, 25 Flash Pattern,
Size: 114.6 x 43.4 x 9 mm

ECE R65 Class II



A030254

6 x 3W LED Module 12-24V,
R65 Class II, 20 Flash Pattern,
Size: 113 x 28.4 x 9.9 mm

ECE R65 Class II



A030271

Slim Light Pad With Traffic Adviser
12LED dual color, ECE R65 Class II
Size: 132 x 45 x 10 mm

ECE R65 Class II



A030340

6 LED Slim Pad 12-24V
ECE R65 XA2 XB2, R10
Size: 106 x 29 x 10 mm

ECE R65 Class II



A030311

6 LED Ultra Slim Pad 10-30V
ECE R65 Class 2, R10
Option: Bezels, Smoke Lens
Size: 108 x 25 x 7 mm

ECE R65 Class II



A030310

6 LED Light Head, TIR
ECE R65 Class 2, R10
Size: 156.8 x 36.4 x 13mm

ECE R65 Class II



A030315

12 LED Light Head, TIR
ECE R65 Class 2, R10
Size: 155 x 55 x 13mm

ECE R65 Class II



A030316

24 LED Light Head, TIR
ECE R65 Class 2, R10
Size: 150 x 103 x 13mm

High Intensity LED Modules

- * Energy saving low power consumption
- * ECE R65 Approved wide voltage application
- * Slim, Sturdy and Sustainable



Optional Cover:

A030206-91 Black Flange

A030206-92 Chrome Flange



A030206

6 x 3 Watt LED Module 12-24V
ECE R65 Class 1
Size: 112 x 28 x 9 mm



A030265

4 x 3 Watt LED Module 12-24V
ECE R65 Class 1, SAE Class I
Size: 89.2 x 28 x 10 mm



A030253

3 x 3 Watt LED Module 12-24V
ECE R65 Class 1, SAE Class I
Size: 75.5 x 28 x 10 mm



A030194

Ultra Slim 6 LED Pad 12-24V,
R10, 23 Flash Pattern,
Size: 130.5 x 30 x 6.6 mm



A030235

Ultra Slim 4 LED Pad 12-24V,
R10, 23 Flash Pattern,
Size: 111 x 30 x 6.6 mm



A030232

Ultra Slim 3 LED Pad 12-24V,
R10, 12 Flash Pattern,
Size: 88 x 30 x 6.6 mm



A030233-11

4 x 3 Watt 150° Wide Angle
12-24V ECE R65
Size: 110 x 29 x 11 mm



A030321

12 LED Slim Pad
12-24V ECE R65, R10
Size: 130.5 x 50.6 x 6.6 mm



A030309

6 LED Ultra Slim Light Pad
ECE R10, R65
Size: 113 x 29 x 10 mm

LED Grille Strobe Light

ECE
R65 Class 2

ECE
R10

SAE
Class 1

Slim profile suitable for most vehicles
Direct access to steady burn
Fully waterproof rating IP68

A030317

LED Grille Strobe Light 12-24V
ECE R65 Class 2, R10, SAE Class 1,
Dual color available with independent control of different colors
Size: 91mm(L) x 19mm(W) x 22mm(H)



A030336

12-24V Grille Strobe Light
ECE R65 Class 2, R10, IPX8
Smoke Lens: R65 Class 1
Size: 85.5 x 26.6 x 12.9mm



A030323

150° Wide Angle Lighthouse
ECE R65 XA1, R10, IP67
Size: 196 x 73 x 35mm



A030333

9LED Corner Lighthouse
10-30V, ECE R65 T2, R10,
SAE J845 Class 1
Size: 185 x 82 x 32.5mm



A030332

3LED Warning Light 10-30V
ECE R65 Class 1, SAE
Size: 86 x 25.4 x 9.5mm



A030338

9-30V 4LED Strobe Head
4LED*5W, ECE R65 XA1 XB1, R10
Size: 108 x 34 x 27mm



A030339

9-30V 6LED Warning Light Head,
6LED*5W, ECE R65 XA1, R10,
Size: 140 x 34 x 27mm



A030343

REACTOR 4LED Light Head
Paste-N-Lock design, no screw required
ECE R65 Class 1, R10, SAE Class 1, CA T13
Weatherproof IPX9K, IPX7 and vibration resistant design
Size: 52.8 x 32.2 x 10mm



2-IN-1 Warning Head With Position Light



A030263

6LED Warning Head 12-24V R65, XA1, XB1
With LED Halo Ring R10, R7, R91 approved
Option: Chrome flange, Size: 132 x 50 x 18.8 mm



A030344

9-30V ECE R65, R10, R148-2a
Size: 132 x 51 x 19mm

ECE R65 Class II



A030306

4 LED Square Strobe 12-24V
ECE R10, ECE R65 Class 2
Size: 73 x 55 x 14.2 mm



A030353

4LED*3W, ECE R65 XA1 XB1,
ECE R10, CE, UKCA,
Size: 55.3 x 37 x 16mm

ECE R65 Class II



A070189

12-24V Ultra-bright 4LED Light
ECE R65 Class II, R10
Size: Ø28 x H40mm



A070136

12-24V 3LED Light Head
Flush Mount, ECE R65 R10
Size: Ø24 x H39mm



A070163

12-24V 4LED Light Head
Flush Mount, ECE R65 R10
Size: Ø27 x H40mm



A070181

12-24V 4LED Light Head
Flush Mount, ECE R65 R10
Size: Ø26.4 x H38.9mm

With breathing feature



A070201

10-30V 360° 6LED Light Head
6LED, Size: Ø28 x H48.5mm



A070243

4 LED Hideaway Light
9-33V ECE R65 XA1 XB1
Size: Dia. 26 x 36mm



E060103

Wireless Remote Controller
10-30V 25A, 8 output
50M Effective Distance

ICAO & CAP168
Compliant



A070099

8 x 3W LED 12-24V, Bolt Mount
ECE R10, R65 Class 1, SAE
Size: Ø142 x H80mm

ICAO & CAP168
Compliant



A070100

8 x 3W LED 12-24V, Magnetic
ECE R10, R65 Class 1, SAE
Size: Ø130 x H80mm

ICAO & CAP168
Compliant



A070101

8 x 3W LED 12-24V, Din Pole
ECE R10, R65 Class 1, SAE
Size: Ø130 x H158mm



A070149

16 x 3W LEDs, Alum Base
ECE R65 Class 1, Option: Dual Color
Size: Ø165 x H65mm

ECE R65 Class II



A070202

36 x 1W LEDs, Alum Base
ECE R65 Class II Approved
Size: Ø165 x H65mm

ECE R65 Class II



A070193

54 x 1W LEDs, Alum Base
ECE R65 Class II Approved
Size: Ø165 x H117.8mm



A070205

12-36V 12 x 3W LED, Bolt Mount
SAE Class 1, ECE R65
Size: Ø164 x H95mm



A070206

12-36V 12 x 3W LED, Magnetic
SAE Class 1, ECE R65
Size: Ø164 x H95mm



A070207

12-36V 12 x 3W LED, Din Pole
SAE Class 1, ECE R65
Size: Ø164 x H176.3mm



A070249

12-24V ECE R65 TA1, R10,
SAE J845 Class 1
Size: Dia. 130 x H57.7mm



A070269

12-24V ECE R65 TA1, TB1, R10
SAE J845 Class 1, CA13
Size: Dia.151.50 x H80mm



A070270

12-24V ECE R65 TA1, TB1, R10
SAE J845 Class 1, CA13
Size: Dia.151.50 x H126mm



A070171

18 x LED 9-30V, Bolt mount
ECE R65, R10, IP67
Size: Ø112 x H46mm



A070172

18 x LED 9-30V, Magnetic
W/Cig. Plug & 3M cable
ECE R65, R10, IP67
Size: Ø112 x H46mm



A070173

18 x LED 9-30V, Din pole
ECE R65, R10, IP67
Size: Ø112 x H140mm



A070251

9-30V ECE R65 TA1, R10, CE,
SAE J845 Class 1
Size: Dia. 130 x 79 mm



A070253

9-30V ECE R65 TA1, R10, CE,
SAE J845 Class 1
Size: Dia. 97 x 169 mm



A070254

9-30V ECE R65 TA1, R10, CE,
SAE J845 Class 1
Size: Dia. 97 x 124 mm

Mini Size



A070261

9-30V, Magnetic mount
ECE R65 TA1, R10, IP67
Size: Ø70 x 58mm

Mini Size



A070262

9-30V, Bolt mount
ECE R65 TA1, R10, IP67
Size: 102 x 72 x 58mm

Mini Size



A070264

9-30V, Din Pole mount
ECE R65 TA1, R10, IP67
Size: Ø70 x 157mm



A070009 3 x 1 Watt LED
A070010 6 x 1 Watt LED
DC 12V-110V
Size: Ø72 x 98 x H130mm



A070012 3 x 1 Watt LED
A070013 6 x 1 Watt LED
DC 12V-110V
Size: Ø130 x H98mm

With Magnet



A070177

Battery Operated Beacon DC6V
One flash pattern: rotating,
Size: Ø125 x H112mm



A070209

20SMD 10-110V, IP66
ECE R10, CE, bolt mount
1 flash pattern, Size: Ø79 x H55mm



A070204

Rotating Beacon Magnetic base
12V & 24V H1 Bulb included,
Size: Ø140 x H200mm



A038125

Flexible LED Stripes 10-30V
200mm, single flash
Options: steady or running



A070245

3" Vacuum Suction Cup
With 140mm metal Plate



A070246

4.5" Vacuum Suction Cup
With 140mm metal Plate



A079025 95.2 x 135mm

A079025 117 x 102mm
Pole Mount Bracket Ø24mm



A072010

Mini LED Lightbar 12-24V
24 LED ECE R65, R10
Size: 230 x 144 x 47mm



A072087

Mini LED Lightbar 12-24V
36LED ECE R65, R10
Size: 246 x 170 x 43.5mm



A072088



Mini LED Lightbar 12-24V
60LED ECE R65 TA1 TB1, R10
Size: 398 x 170 x 43.5mm

Octans Mini Light Bar

ECE R65 XA2, XB2, R10
SAE Class 1, CA13 approved

A072075

12-24V, 60x 1Watt LED,
Single color or Dual color
Available with bolt mount or magnetic mount with cigar plug
Size: 212.3 x 150.2 x 38mm



High Intensity Compact

ECE R65 Class I
ECE R10 approved

NANO Warning Light Bar

- * Super Slim 43.8mm High
- * Super Narrow 112.4mm Wide
- * Glossy silver aluminum finish or Matt black aluminum finish
- * With Traffic Advisor Feature
- * Hi/Lo Power mode
- * Option 1: Control Switch Panel
- * Option 2: Black clip cover



A072003 (156MM)
With black clip cover



A072005 (516MM)



A072012 (756MM)



A072006 (996MM)



A072007 (1236MM)



A072011 (1476MM)



A079014
6 WAY Switch Panel



A079019
With LED Display



Aluminum mounting Bracket

Item No	A072003	A072005	A072012	A072006	A072007	A072011
Approval	ECE R10	ECE R10 R65 Class I, SAE Class 1, CA Title 13				
Voltage	10-30V					
Length	156MM (6.14")	516MM (20.9")	756MM (29.8")	996MM (39.2")	1236MM (48.7")	1476MM (58.1")
Waterproof	IP67					
LED Heads	4X 4LEDs	10X 4LEDs	14X 4LEDs	18X 4LEDs	22X 4LEDs	26X 4LEDs
Power Consumption	54W@12V 27W@24V 4.5A@12V	64.8W@12V 32.4W@24V 5.4A@12V	96W@12V 48W@24V 8A@12V	114W@12V 57W@24V 9.5A@12V	138W@12V 69W@24V 11.5A@12V	162W@12V 81W@24V 13.5A@12V
Working Temperature	40°C ~ +80°C					
Material	PC lens, Aluminum Top and Bottom					
Warranty	3 Years					

MACRO Warning Light Bar

SAE Class 1, CA Title 13, ECE R65 Class II XA2 XB2, ECE R10



A072078

- * 36mm high and 177mm wide only
- * Matt black aluminum finish
- * Independent control of front side and rear side
- * Sophisticated features for instant & convenient operation
- * Single color: Amber, Dual color: Amber/White, Blue/White



A079017

For Single Color




A079029


For Dual Color




A072076



A072077



A072079



A072080



Aluminum mounting Bracket

Function	Single Color	Dual Color
Light Bar Flash	24 Flash modes	25 Flash modes
Hi/Low (Dim)	V	V
End Flash	V	V
Rear Off	V	X
Take Down	V	V
Left/Right Alley	X	V
Left/Right Arrow	Front & Rear	Only Rear
Split Arrow	V	V

Item No:	A072076	A072077	A072078	A072079	A072080
Voltage	10-32V				
Length	532MM (20.9")	864MM (34")	1196MM (47.1")	1528MM (60.2")	1860MM (73.2")
LED Heads	4 X 18LEDs 2 X 30LEDs	8 X 18LEDs 2 X 30LEDs	12 X 18LEDs 2 X 30LEDs	16 X 18LEDs 2 X 30LEDs	20 X 18LEDs 2 X 30LEDs
Max. Power Consumption	11A@12V 5.5A@24V	17A@12V 8.5A@24V	23A@12V 11.5A@24V	29A@12V 14.5A@24V	35A@12V 17.5A@24V
Remark	Waterproof IP67, -40°C ~ 80°C, PC Lens, Aluminum Plate, 3 Years Warranty				



A060005

Siren Horn Loudspeaker
Rated power: 80W/100W/150W/200W



A060010

Electronic Siren With 6 Sounds
Air Horn, Siren, Hi-Lo, Wail, Yelp,
Phaser & Microphone

Auto-Adjust
Sound Volume



A060032

Back Up Siren 12-80V 112dB
Option: Auto-Adjust volume
according to ambient noise



A060003

Back up Buzzer 100±5dB



A060012

Back Up Piezo Siren
12V-80V 122±3dB
Size: 60mm x 40mm



A060025

Mini Buzzer 12/24V, 95dB
Size: Dia. 37/40.5 x 30 mm



A060043

Back up Buzzer 6-28VDC
80dB 2800Hz 3 Pin
Size: 42.5mm x 33mm



A060044

Back up Buzzer 12-24V 105dB
With Night Feature 2800Hz
Size: Dia.59 x H37mm



A060045

Back up Buzzer 12-24V 97dB
With triangle mount base
Size: Dia.55 x H35mm



A060047

Back up Buzzer 12-80V 105dB
Size: 99.5 x 68 x 41mm



E052029

Reversing Alarm with Light
BA15S 12V 20W or 24V 10W



A060052

Back Up Alarm 9-80V
IP67, 92-107dB, EMC ECE R10



A060053

Back Up Siren
DC 12-80V 15W 102dB
Size: 102 x 40 x 70mm



A060055

Speaker Horn 75W 11Ω
112±3dB, 1w/m@1.6KHz
Size: Ø113 x 71mm



A060056

Speaker Horn 100W 8Ω/11Ω
120~130dB, 100~4500Hz
Size: 157 x 118 x 91mm



A190053

DC Plug 12V 10A With LED



A190054

Cigarette Lighter Plug
With on/ off switch Red LED
Rating: 8A @13.6V DC



A190056

Cig. Plug & Power Socket
with Dust Cap & 5A Fuse
18Awg wire 90cm



A270001

Battery Tester 6V-24V
Solid brass



A270002

Battery Tester 6V-24V
Solid brass



A270016

Battery Tester 6V-24V
Plastic



A270013

Crimp Tool for Bare Terminal
1.25~16mm², 16-6Awg,
Easy operation with ratchet device



A270029

Crimp Tool for open barrel terminals
24-14AWG, 6.34" Long



A270023

23-Piece Terminal Release Kit
With comfortable grip
Suitable for most vehicles



A270017-01
For Round Pin 18-16Awg



A270017-02
For Round Pin 20-18Awg



A270017-03
For Round Pin 20-14Awg



A270017-04
For Round Pin 12Awg



A270027
Crimp Tool W/3 Positioners
For Round Terminals
26-12AWG, 241mm long



A270030
Cable Cutter With Spring
Upto 70mm² copper/alum. cable
Length: 225mm



A270031
Cable Cutter
Upto 70mm² copper/alum. cable
Length: 245mm



A282001
100A Booster Clamp
With insulaed handles



A447101
A447102 Digital
Battery Load Tester
Stainless steel housing



A191017
12V/24V Jump Starter
Capacity: 32000mah
Peak Current: 12V/1000A, 24V/600A



A500100
Steel Cable Clamp 15mm wide
Size: 10~60 mm



A500111
Cable Clamp 15mm Wide
Stainless Steel #304
Size: 10~60mm



A5002XX
Busbar Standoff Insulator
Working -40°C~+140°C
Size: 16~75mm high



A510001
2-Hole Connecting Plug



A510002
2P Connecting Socket



A510003
6-Hole Connecting Socket



A510004
6-Pin Connecting Plug



A510006
4P Plug Wire & Terminals



A510041
"L" Type Connector
With VDE H05 0.75mm



A510018
Anderson Type Connector 50A, 75A, 125A, 300A
Contact Barrel: 6, 8, 10-12AWG



A510026 Female
A510027 Male
Waterproof Connector 2P



A510028 Female
A510029 Male
Waterproof Connector 3P



A510042
2P Superseal Connector kits



A510043
3P Superseal Connector



A510044
4P Superseal Connector



A510045
5P Superseal Connector



A510046
6P Superseal Connector




A510303 2Way
A510304 3Way
Rubber Boot for superseal



Housing Connector
250 Type

	Male	Female
2P	A510030	A510031
3P	A510032	A510033
4P	A510034	A510035
6P	A510036	A510037
8P	A510012	A510013
9P	A510252	A510253



Housing Connector
250 Type With Retainer

	Male	Female
1P	A510054	A510055
2P	A510115	A510116
3P	A510117	A510118
4P	A510119	A510120
6P	A510121	A510122
8P	A510123	A510124



A510134
Weatherpack Connector 1P



A510135
Weatherpack Connector 2P



A510136
Weatherpack Connector 3P



A510137
Weatherpack Connector 4P



A510140
Weatherpack Connector 6P



A510048
Silicone Rubber Seal
ID: 1.0~2.0mm



A510201~A510204
Quick Connector



A510206~A510209
Quick Connector

We carry a complete series of DT, DTM, DTP connectors. Contact us for more details to benefit high quality and competitive price.





A510149
DT 2P with Flange Mount,
Male



A510150
DT 3P with Flange Mount,
Male



A510151
DT 4P with Flange Mount,
Male



A510152
DT 6P with Flange Mount,
Male



A510088 Male
A510089 Female
Solid Pin 16-14Awg
Green Band



A510125 Male
A510126 Female
Solid Pin 18-16Awg



A510101 Male
A510102 Female
Solid Pin 20-18Awg



A510145 Male
A510146 Female
Solid Pin 12-14Awg



A510080 Male
A510081 Female
Stamped Pins



A510178 DT & DTP
A510179 DTM



A510182
DT Mounting Clip



A510183
DT Mounting Clip Metal

Custom Packages Handled with Care

Highlight & Differentiate Your Products in Market



Custom Made Assortment



A510407
2P Straight Flange Mount
Ref. DT15-2P



A510408
4P Straight Flange Mount
Ref. DT15-4P



A510409
6P Straight Flange Mount
Ref. DT15-6P



A510410
8P Straight Flange Mount
Ref. DT15-8PA



A510416
12P Right Angle



A510417
3P flange mount



A510418
6P flange mount



A510419
9P flange mount



A510420
9P flange mount



A510421
9P with hex nut



A510422
3P "Y" Connector



A510237
1-to-2 Extension Cable



A510261
DT Harness 2P Female
Grey or Black housing
1 meter extension cable



A510361 Male 2P
A510362 Female 2P
Harness with molded DT
Connector Easy grip design



A510263
Trailer Wiring Junction Box
Available in 4/6/8/10 way



A510350
Sealed Blind Connector



A510286
4P Sealed Connector, Male
Ref: 7123-7740-40



A510287
4P Sealed Connector, Female
Ref: 7222-7740-40



A510288
6P Sealed Connector, Male
Ref: 7222-7760-40



A510289
6P Sealed Connector, Female
Ref: 7123-7760-40



A510025
5Way Connector



A510059
3P Connector



A510060
4P Connector



A510062
2P Connector



A510019
1-to-2 Extension Harness
Connectors for A039009



A510083-01
Connecting Socket 5P
For window switch



A510085
2P Connector



A510109
Connecting Socket
For back up switch



A510111
Connecting Socket
For back up switch



A510112
Connecting Socket
For back up switch



A510234
3 Way Alternator Repair
Connector
16GA# 16cm, For Toyota



A510236
3 Way Adaptor For Toyota
internal fan alternator
18GA# 17cm



A510239
5P Engine Harness
Connector Generator Plug



A510247
2P Female Cable Harness
Ref: 1928403874




A510248
2P Coolant Temp Connector
Ref: 90980-10737



A510249
2P Cable harness 18AWG
Ref: 90980-11246



A510250
3P Female Cable Pigtail
18AWG
Ref: 90980-11451



A510251
2P Connector
Ref: 90980-10901



A510256
Alternator Repair Connector
for Honda, Mitsubishi



A517098
Repair Connector 4P
Ref: 6189-0132



A517100
Lamp Socket
Ref: 1U2Z-14S411-BEA,
BEB, WPT-150, WPT1204



A517101
Lamp Socket
Ref: 3U2Z-14S411-DMAA,
WPT-702, 88988109



A517102
Lamp Socket
Ref: 3U2Z-14S411-CK11,
WPT-671, 88988139



A517103
Lamp Socket
Ref: 3U2Z-14S411-FHAB,
WPT-1156, 88988117



A517104
Straight Lamp Socket
Ref: 3U2Z-14S411-DNAA,
WPT-773, WPT-868



A517105
Cooling Fan Connector
for Yaris & Hyundai Fan



A517106
Automatic Shift Lock
Connector & Tucson Box,
10Pins



A517107
Trailer Tow Relay Connector



A517004

Zinc Connector Plug
7 Pins




A517005

Zinc Connector Socket
7 Pins



A517007

Coiled Electrical Cable
With 7pin connector




Blind/Blanking Grommet

Provides efficient way of plugging a hole. Kit of assorted sizes are available upon request.

Part No.	A	B	C	D	E
A520101	12	15	20	1.5	4
A520102	13	17	24	1.5	4.5
A520103	15	20	29	2	6
A520104	18	22	30	3	7
A520105	20	25	32	2	7
A520106	22	27	34	2	7
A520107	25	30	36	3	8
A520108	26	32	44	2	7
A520109	30	35	46	2	8
A520110	32	40	47	2.5	7

Rubber Grommet

Secure wires and cables when passing through a panel hole. Keeping them secure while protecting them from abrasions, cuts and snags. Also protect wires and cables from liquid and dust ingress. More sizes available upon request



Part No.	A	B	C	D	E
A520201	4	7	10	1.6	7
A520202	5	8	12	1.6	7
A520203	6	10	13.5	2	7.5
A520204	7	7	15	2	6.5
A520205	8	10	16	2	6.5
A520206	8	12	16	1.6	8.5
A520207	9	15	20	2	8
A520208	10	12	17	2	7.2
A520209	10	14	18	1.6	9
A520210	12	15	22	2.5	10
A520211	14	17	23	2	9
A520212	16	20	26	2	9
A520213	16	23	28	1.8	8
A520214	18	22	27	2.5	9
A520215	20	25	30	2.5	9
A520216	22	28	36	3	12
A520217	23	28	38	6	13
A520218	25	30	42	3	10
A520219	30	35	48	3	11



A548001

Air Blow Gun With Connector
Air pressure 8-10kg
5 meter PU hose (5x8mm)

Custom Made Assortment According to Your Requirement



A548002

78-Piece Pneumatic Push-In Fitting Kit
Convenient Hand Carry Case



A548010 6mm
A548011 8mm
A548012 10mm
Tee Adaptor



A548013 6mm
A548014 8mm
A548015 10mm
Elbow Adaptor



A548016 6mm x 1/4"
A548017 8mm x 1/4"
A548018 10mm x 3/8"
Male Stud Elbow Adaptor



A548019 6mm
A548020 8mm
A548021 10mm
Straight Adaptor



E020001-01 12V
E020001-02 24V
Relay 4P 40A



E020006-01 12V 80A
E020006-02 24V 60A
Relay 4P



E020012
Relay 5P 40A with LED



E020013
Relay 4P 30A with Fuse



E020002 3P
E020003 2P
Flasher Long Form
Option: With Clamp



E020004 3P
E020005 2P
Flasher Start Form



E020018
Relay 4P 40A
With metal mounting tab



E020019-01 12V
E020019-02 24V
Relay 4P 40A
Without mounting tab



E020031
12V 4P Head Lamp Relay
Ref: 90987-02016



E020041 European V.
E020042 Japanese V.
Flasher Relay 3P



E020024
Micro Relay 12V 20A
Ref: 95220-38000



E020026
Micro Relay 12V 20A
Ref: 12077866



E020027
Micro Relay 12V 20A
Ref: 90987-02012



E020032
Motion Sensor 12-24VDC
Induction range: 8m



E020037
Photocell Switch 12V
Max. 60W IP67



E020038
Smart Battery Relay 12V
300A
Activate: 13.4V,
Disconnect: 12.8V



E020052
Flasher Relay With Sounder
Flash work between 5-15V
Sound work between 8-15V



E020050
10-40V LED Strobe Flasher
20 Flash patterns
Max. 6 Lamps

Work on 12-24V System
Make Lights Run



E020051
12-24V Dynamic Controller
Max. 5 Lamps



E020060
Trailer Light Power Module 12-24V. Designed to provide an effective way of towing for any vehicles (cars, trucks and caravans) and Any brands. Work on Independent Power Supply. Suit for all vehicles 12-24V





E028010 4 Pin
E028011 5 Pin
For 5 Pin Relay, Urea-form.



E028012 5 Pin
E028013 4 Pin
For Relay, Black available



E028016
For 5 Pin Relay



E028018
For 5 Pin Micro Relay



E028031
For 5 Pin Heavy Duty Relay



E028035
Relay Connector Harness
#14GA



E028016-01
Housing for 5 Pin Socket



E028021-01
Housing for 9 Pin Socket



E028043
5 Pin Relay Socket
For 70A Relay



E028945
C10 Hazard Warning
Flasher Connector



E028033-R1
Relay Harness With Switch,
40A Relay & Fuse



*We offer complete, flexible
and quality solutions.
Contact us to make your
own cable harness.*



Standard Vision
Outstanding light output
Anti-UV quartz harden glass
ECE R37 approved



Polaris Vision
Xenon Super White 4200K
20% brighter than standard
ECE R37 approved



Premium Vision
Giving extra 30% light
Upto 10M longer beam
Model: H1, H3, H4, H7



Diamond Vision
Xenon Ultra White 5000K
Stylish and power light
ECE R37 approved



E054038~41
LED T10 6SMD
White 22 Lumen



E054046
LED T10 9SMD 2 Layers
White 33 Lumen



E054059
6SMD BA9S
White 22 Lumen



E054060
9SMD BA9S 2 Layers
White 33 Lumen



E054127
T5 White 15 Lumen



E054015 T10 4Q
E054081 BA9S 4Q
White 20 Lumen



E054141
BA9S 12V White 25 Lumen



E054154
BA9S 6.3V LED Bulb



E054128
BA9S, with Lens,
White 50 Lumen



E054113
T10 5SMD 10-30V
White 75 Lumen



E054129
T10 10-30V Non-Polarity
White 50 Lumen



E054124
G4 10-30V Non-Polarity
Warm White 160
Lumen@12V



E054001
LED BA15S 5Q
White 30 Lumen



E054111
1156/1157 12SMD 10-30V
White 180 Lumen



E054112
1156/1157 8SMD 10-30V
White 120 Lumen



E054133
1156 8SMD 10-30V
White 100 Lumen

360° Luminous



E054135 T20
E054136 T25
10-40V White 180lm

360° Luminous



E054137
BA15S/BAY15D 10-40V
White 180lm

3D Plus



E054144
BA15S White 420lm
BAY15D White 400lm
BAU15S Amber 310lm

3D Plus



E054145
T20 7440 White 420lm
T20 7443 White 400lm
WY21W Amber 310lm



E055072
BAY9S 12-24VDC, 10LEDs
Effective 380 Lumen



E054158
BAY15D Dual Color 12V
Amber 2100lm
Warm white 500lm



E055073
Red Brake Light for Hilux
Revo Rocco Rogue 2015



E055074 Reverse
E055075 Fog
White Light for Hilux Revo
Rocco Rogue 2015



E058001
For H1/H3, Ceramic



E058002
For H4, Ceramic



E058003
For H7, Ceramic



E058012
For 9005/HB3, Ceramic



E058013
For 9006/HB4, Ceramic



E058006
For 9004/9007, Ceramic



E058007
For H1/H3, Ceramic



E058008
For H7, Ceramic



E058010
For H4, Ceramic



E058011
For H13, Ceramic



E058014
For H11, Ceramic



E058022
For H1/H3, Urea-Form.



E058023
For H4, Urea-Form.



E058024
For H4, Urea-Form.



E058025
For H7, Urea-Form.



E058026
For H7, Urea-Form.



E058027
For 9005, Urea-Form.



E058028
For 9006, Urea-Form.



E058029
For 9004/9007, Urea-Form.



E058069
For H13, Urea-Form.



E058106
For H9, Urea-Form.



E058107
For H8/H11, Urea-Form.



E058105
For H1,
With Insulated terminals



E058019
For H4, Bakelite



E058054
For H4, ABS



E058067
For H4, Nylon & fiber



E058052
For H7



E058116
For H7



E058108
9006 To H7 Adaptor



E058112
Socket For H7



E058056
For 9004, Nylon



E058057
For 9004, Bakelite



E058058
For 9005, Nylon



E058059
For 9006, Nylon



E058060 For H8/H11
E058122 Extra tenon on 2
sides For H8/H11



E058061
For H10/9145



E058082
For 881/889/H8/H11



E058099
For H12



E058097
For H15



E058098
For PS19 PSX24W



E058015 For BA9S
E058016 For BA15S
Single Contact



E058017 For BA15D
E058018 For BAY15D
Double Contact



E058078 Single Contact
E058079 Double Contact



E058114
Double filament
For 1034, 1154, 1157




E058021 For BAY15D
E058050 For BA15S
Black color available



E058087 BAU15S
E058096 BA15S



E058063
For T20 #7440



E058064
For T20 #7443



E058030
Silicone Socket For T10



E058031
Rubber Socket For T10



E058120
Silicone Bulb holder For T10



E058104
Bulb Socket for T10



E058137
Bulb Socket 927 HY21W
BAY9S



E058138
Bulb Socket S25, 3157
Wedge



E058139
Bulb Socket S25, 1141,
BA15S



E058140
Bulb Socket 7537 PY21/5W
BAY15D



E060028-00 Orange Red
E060028-09 Dark Red
E060028-10 Maroon



E060028-05 Chrome
E060028-06 Carbon Look



E060028
 Crystal colors



E060023 Blue Led
E060024 White Led
 LED Toggle Switch
 with Cover



E060021-00
 Non-LED Toggle Switch
 With red cover



E060021-06
 Non-LED Toggle Switch
 With carbon look cover



E060039
 Performance Control Panel
 Complete with wire harness
 size: 113 x 60 mm



E060040
 Performance Control Panel
 Complete with wire harness
 size: 135 x 60 mm



E060001
 Ref: PB1, 4200



E060011
 Horn Button 12V5A
 Ref: L810, 4520



E060014
 Horn Button 12V5A
 With bracket



E060070
 12V 3A On-Off
 Also available Off-(On)



E060068
 Illuminated, 12V 50A
 LED red



E060068-04
 12V 50A
 LED blue on black lens

Performance Push Button Switch In Triple Colors



Push Off



Push (On)

E060068-41
 DC12V 50A max. With RED aura ring
 Push Off: Blue, Push (On): Green
 Different color presentation upon request



E060013
Horn Button Switch
For forklift use



E060089
Horn Button Switch
Soft PVC cover
Option: Dual Contacts



E060090
Push Button Switch
Off-(On) 125V 15A
Mounting: Ø12mm



E060102
Off-(On) Push Switch
Dome Rubber Cover
or Flat Top Rubber Cover



E060084
12VDC 20A With LED
Mounting: 20.2 mm

Waterproof
IP67



E060086
12VDC 20A
Mounting: 20.2 mm

Waterproof
IP67



E060087
12VDC 20A With LED
Mounting: 20.2 mm



E060094
E060096 W/Cover
Screw terminal



E061001
W/removable Key lever



E061002
W/removable Key lever
& rubber cover



E061017
W/removable Key lever



E061018
W/removable Key lever
& rubber cover



E061005
Two 3/8" copper studs
250A Continuous rating



E061006
Two 3/8" copper Studs
With alt. connection
250A continuous rating



E061027
4P With Alt. connection
Two 1/2"-20 copper studs



E061028
Two 1/2"-20 copper studs
Max. 300A continuous



E061013
Ref No. Lucas SSB106



E061033
On-Off-On-Off, 4 Position



E061028-10
Two 1/2"-20 copper studs
With lockout Kit



E061029
4P DPSP 125A
Four 3/8"-24 copper studs



E061032
Lockout Kit, Chrome



E061032
Lockout Kit, Painted



E061049
Lockout Kit, painted
Size: 140 x 80 x 90mm



E061052
Lockout Kit
Size: 86 x 84 x 59mm



E061050
24V 300A continuous
Intermittent 2000A/5sec



E061053 W/O Index Pin
E061054 With Index Pin
4P DPST On-Off 180A
Ref: 51904



E061055 W/O Index Pin
E061056 With Index Pin
2P SPST On-Off 180A
Ref: 51902



E061057
2P SPST On-Off 190A
W/O Index Pin
Ref: 51927

Silver Contact



E061035
For Volvo/Renault trucks
Ref: 21243844, 742199003



E061064
Max. 300A continuous
Ref. 75920



E061026
Push off in emergency
Silver plated copper studs
Max. 250A continuous



E061061
Pull on/Push OFF
With LED indicator
Max. 150A continuous



E061030
Emergency Stop Switch
Aluminum case



E061031
Emergency Stop Switch
Plastic case



E061016
Emergency Stop Switch
Rating: 150A continuous



E061068
Power Kill Switch
21A 14VDC/10A 28VDC
30mm Acuator, with light



E062002
Fits Forklift Anti-restart
Ref: 2368655



E062004
Fits for Forklift, Anti-restart



E062009
Fits for Hyster, Anti-Restart
Ref. No: 272041



E062021
Main Switch 3P with Keys



E062033
Fits for Nissan Forklift



E062035
Fits for Toyota Forklift



E062036
Fits for Toyota Forklift

Waterproof IP65



E062043
12V 30A 5 Position
Ref: 956-3124, 31-253



E062057
Ignition Start Key Switch
For EZGO RXV
Ref: 605637, 609682



E062058
Ignition Start Switch 48V
For Club Car DS 1996-up
Ref: 101826201



E062060
Ignition Key Switch
For golf cart / lawnmower
4 plug-in terminals




E062062
Ignition/Heater Starter Switch
5 position: Acc/Off/On/
Glow/Start
With pre-heat function

IP69


IP69K Waterproof Sealed Toggle Switches

- Chemical/heat-resistant silicone gasket implanted. Galvanized metal finish.
- RoHS compliant. Mounting Ø12mm
- Top-rated IP level by IEC 60529 C. 13.4 test and ISO 20653 cl 9.4/9.4.3 test.
- Electrical rated up to 20A in both DC and AC. UL 61058-1/ENEC15 Recognized.
- Available toggle lever: Nickel-plated Brass / Plastic / Pull-to-Unlock Levers
- Flat base comes with 4 kinds of terminals: (1) 0.250 Tab (2) 0.187 Tab (3) Solder lug
- Step base comes with binding head screw (6-32 UNC .260 screws)



With nickel-plated brass toggle & .250 blade terminals

E064026-01	2P On-Off	E064033-01	4P On-Off, dual pole
E064027-01	2P (On)-Off	E064034-01	4P (On)-Off, dual pole
E064028-01	3P On-On	E064035-01	6P On-On, dual pole
E064029-01	3P (On)-On	E064036-01	6P (On)-On, dual pole
E064030-01	3P On-Off-On	E064037-01	6P On-Off-On, dual pole
E064031-01	3P (On)-Off-On	E064038-01	6P (On)-Off-On, dual pole
E064032-01	3P (On)-Off-(On)	E064039-01	6P (On)-Off-(On), dual pole



UL 61058-1/ENEC15 Recognized
Rated up to 20A in both DC and AC

- Step-case design provides added space to prevent shorting
- Binding head screw terminal (6-32 UNC .260 screw)
- Available in nickel-plated brass bat or plastic covered handle

E064081-01	2P On-Off, SPST	E064083-03	4P (On)-Off, DPST
E064081-02	2P Off-(On), SPST	E064084-01	6P On-Off-On, DPDT
E064082-01	3P On-Off-On, SPDT	E064084-02	6P (On)-Off-(On), DPDT
E064082-02	3P (On)-Off-(On), SPDT	E064084-03	6P (On)-Off-On, DPDT
E064082-03	3P On-On, SPDT	E064084-04	6P On-Off-(On), DPDT
E064082-04	3P (On)-On, SPDT	E064084-05	6P On-On, DPDT
E064083-01	4P Off-On, DPST	E064084-06	6P (On)-On, DPDT
E064083-02	4P Off-(On), DPST	E064085-01	12P On-Off, 4PST

Pull-to-Unlock Lever



E064093

Sealed Locking Toggle Switch
2P Off-On, IP69K

Pull-to-Unlock Lever



E064095

Sealed Locking Toggle Switch
3P (On)-Off-(On), IP69K



E064015

Sealed Toggle Switch
On-Off, Moulded housing
With silicone rubber cap



E064079

Toggle Switch W/Rubber
Cap On-Off, Painted
weather-proof housing



E064002 2P On-Off
E064003 3P On-Off-On
125V 10A, screw terminals



E064004 6P
E064024 6P Momentary
125V 10A, screw terminals



E064064 2P On-Off
E064068 3P On-Off-On
125V 10A, screw terminals



E064065
2P On-Off
125V 10A



E064001
125VAC 15A, (On)-Off-(On)
6 screw terminals



E064043
3P On-Off-On
12VDC 20A



E064042
6P On-Off-On
12VDC 20A



E064069
3P On-Off-On
12VDC 20A



E064004-15
6P, On-On
Screw terminals



E064040 2P On-Off
E064041 3P On-Off-On
Heavy Duty 40A



E064044
2P On-Off
12VDC 20A



E064007
12VDC, On-Off
with LED Light



E063007
Heavy Duty Push Pull 75A
Ref.: 1820, SW-101



E063008
Push Pull switch. 15A 12V



E063701 8mm
E063702 13mm
E063703 20mm



E063707 Dia. 8mm
E063708 Dia. 12mm
12V 6A



E063714

Push Pull Switch With Light
50A 14VDC, 30A 28V
Mount 14.2mm



E063718

Push Pull Switch With Light
On-Off 12V 10A



E065001

Stop Light Switch
Ref: MS43, 3118



E065002

Stop Light Switch
Ref: 25320-H1000
H5001-89910



E065003

Stop Light Switch
Ref: 25320-H1000
H5001-89910



E065008

Stop Light Switch
Ref: 93810-2E000



E065010

Stop Light Switch
Ref: 84340-09040



E065013

Stop Light Switch
Ref: 84340-30030,
MB-229024



E065020

Stop Light Switch
Ref: 1-82410-037-0



E065022

Stop Light Switch
Ref: 0005454214



E065026

Stop Light Switch 4P
With Lock For Hyundai
Ref: 93810-3S000



E065027

Stop Light Switch 2P
For Hyundai
Ref: 93840-3K000



E065028

Stop Light Switch 4P
For Audi VW Golf Bora
Ref: 1C0945511A



E065029

Stop Light Switch 4P
For Megane II Renault
Ref: 8200168238-B



E065032

Stop Light Switch 4P
For Renault KangooClio II
Dacia Logan I
Ref: 8200276361



E065033

Stop Light Switch 4P
For Renault
Ref: 253201367R



E065501
Back Up Light Switch



E065502
Back Up Light Switch



E065505
Back Up Light Switch
Ref: 84210-01010



E065509
Back Up Light Switch
Ref: 84210-12040



E065511
Back Up Light Switch
Ref: MD-703797



E065513
Back Up Light Switch
Ref: 57490-22800



E065515
Neutral Safety Switch
Ref: 12003-42451



E065516
Back Up Light Switch
Ref: 104 120 001



E067013-A2M1G4-1L
12V20A 3P (On)-Off
Soft Cover



E067013-A2G4-1L
12V20A 3P On-Off
Soft Cover



E067014-A3G3-2L
12V20A 4P On-Off-On
Soft Cover



E067034-A2G5-1L1TRY
12V20A 4P On-Off
Soft Cover with fixing hook



E067025-A2G5C-1L1TB
12V20A 5P On-Off-On
With partition, Soft Cover



E067402-A2G0
12V25A 2P On-Off
Option: momentary



E067403-A2M1G4-1L
12V25A 3P, (On)-Off
Pad printing upon request



E067404-A2G4-1L
12V25A 4P, On-Off
Pad printing upon request



E067001 Non-Illuminated
E067002 Illuminated
Window Switch



E067063
12V 16A On-Off
With Light



E067064
12V 15A/24V 10A
On-Off-On, Dual Light



E067065
12V16A, On-Off
3P With Light



E067005
3P On-Off-On
Mounting: 19 x 8 mm



E067418
2P On-Off 12VDC 16A
Mounting: 19.8 x 13 mm



E067419 3P On-Off
12VDC 16A, with LED
Mounting: 19.8 x 13 mm



E067420 3P On-Off
12VDC 16A IP65 W/ LED
Mounting: 19.8 x 13 mm



E067409 Red/Green
E067410 Black
2P On-Off
Mounting: 37 x 21.2 mm



E067443 with Red LED
E067444 W/O LED
On-Off, DPST, 12VDC 35A
Mounting: 34.2 x 20.3 mm



E067431
2P On-Off, 12V 20A
Mounting: Ø20.2mm



E067432
3P On-Off, 12V 20A
Mounting: Ø20.2 mm



E067437
On-On 4P, 12V 25A
Mounting: Ø24mm



E067439
3P On-Off, 12V 20A
Mounting: Ø20.2 mm



E067447
On-On 6P DPDT, 12VDC
20A Mounting: Ø20.2mm
Option: Printed symbol



E067448
On-On 6P DPDT, 12VDC
20A Mounting: Ø20.2mm
Option: Printed symbol

Illuminated Auxiliary Auto Switches
OE style designed to suit specific car models
Customs Symbol/Logo Upon Request
Complete with Harness

- *On-Off Switch with Light Symbol
- *USB 2.1A and 3.0 , Type C Charger
- *Dual USB Charger
- *RJ45 UHF Passthrough and More



E067456
 3P On-Off, 12V 20A
 Mounting: Ø20.2 mm



E067068
E067069 With LED
 Rocker Switch 12V 30A
 On-Off



E067449
E067450 W/Green LED
 Handle Bar Switch



E067453
 Alum. Handlebar
 With Ill. Switch 3M cable



E080040
 Blade Type Maxi Fuse
 20~100A



E080030
 Blade Type Plug In
 3~35A



E080050
 Blade Type Mini Fuse
 3~35A



E080100
 Blade Type Micro Fuse
 3~30A



E080190
 Fuse Link Female,
 20~120A



E080200
 Fuse Link Female
 20~120A



E080270
 Low Profile Fuse Link
 Female 20~60A



E080300
 Fuse Link Female
 Mini Micro 15A~40A



E080290
Micro II Fuse
5~30A



E080310
Micro III Fuse
5~15A



E080320
Micro Fuse Kit 2 & 3
100pcs package

CE Marked



E080341
Resettable Circuit Breaker
Blade Fuse Type 10~25A



E081030
Blade Type Micro Fuse
2~30A W/LED indicator



E080110 41MM
Flat Type Fuse
30~175A



E080280 42MM
E080340 65.5MM
Flat Type Fuse



E086010
Circuit Breaker 50~300A
Manual reset



E080140
Bolt On ANL Fuse, Bakelite
25~200A 82MM



E080141
Bolt On ANL Fuse, Ceramic
225~500A 82MM



E080329
Bolt On Mega Fuse
40~300A 68.8MM



E080261
Bolt On Midi Fuse
30~175A 40.8MM



E089006
Fuse Holder, Rubber
For E080030



E089017
Fuse Holder
For E080030



E089018
Fuse Holder
For Micro Fuse



E089046
Blade Fuse Holder, Nylon
Waterproof



E089053
Fuse Holder, Mini Fuse



E089054
Maxi Fuse Holder
Wire #8 x 12", Max.60A



E089100
Fuse Holder, Micro III



E089104
Fuse Holder, J-Case



E089055
Add-A-Circuit Fuse Holder
For Mini Fuse



E089059
Add-A-Circuit Fuse Holder
For Blade Fuse E080030



E089068
Add-A-Circuit Fuse Holder
For Micro Fuse



E089069
Add-A-Circuit Fuse Holder
For Micro II Fuse



E089064
Bolt-On Fuse Holder
With Cover, For ANL fuse



E089071
Bolt-On Fuse Holder
For Midi fuse



E089078
Bolt-On Fuse Holder
For Midi fuse



E089083
Bolt-On Fuse Holder
For Mega fuse



E089019 6 Way
E089020 8 Way
E089021 10 Way
Blade Fuse Holder



E089106
12 Way Blade Fuse Holder



E089107
15 Way Blade Fuse Holder



E089042/43/44/45
4/6/8/10 Way Blade Fuse
Block with Cover & Pad



E089072
Junction Block 6 Gang

Dual Input



E089093
6 Way Fuse Block with LED indicator & 6P Negative Bus Bar



E089101 4 Way
E089102 6 Way
E089103 10 Way
Blade Fuse Block with Led Indicator



E089132
6 Way Fuse Block with LED & 6 Negative Bus Bar With Cover



E089133
12 Way Fuse Block with LED & 12 Negative Bus Bar With Cover



E089134
12 Way Fuse Blocks & 12 Negative Bus Bar With easy-release Cover



E089135
6 Way Fuse Blocks & 6 Negative Bus Bar With easy-release Cover



E089136
6 Way Fuse Blocks With easy-release Cover



E089137
8 Way Compact Fuse Blocks Max 100A, 30A per circuit With Cover



E089138
4 Way Compact Fuse Blocks Max 100A, 30A per circuit With Cover



E089147
4 Way Fuse Holder With blade terminals



E089148
6 Way Fuse Holder With blade terminals

Fireproof UL 94 V-O ABS Base. Cover in one of 3 materials: ABS, TPR, or PC



E089140
Busbar and Cover 150A
6x 1/4"-20 Studs



E089143
Busbar and Cover 150A
20x #8-23 screws,
2x 1/4"-20 Studs

Custom Made Spec According to Your Requirement



E089144~146
Mounting Bracket for Midi Fuse Holder



E240001 Screw Terminal
E240016 Blade Terminal
Mount Hole Ø17mm
Size: Ø24.4 x 47.6mm



E240003
E240015 LED
Mount Hole Ø13mm
Size: Ø16.5 x 28mm



E240038
Mount Hole Ø15mm
Size: Ø18 x 40mm



E240080
Mount Hole Ø22mm
Size: Ø28.5 x 51mm

**We Can Do
Beyond Your
Imagination**



Rear Bumper



Tonneau Tri-fold
Cover



Front Guard



Aluminum Roller Cover



Side Step



Tail Lamp, Lamp Cover
And more...