Just Do WHAT YOU LIKE














WeChat

+86-020-32911095 +86-020-32911095 officezxy@vip.163.com www.like-china.com

Guangzhou YuPeng Auto Parts Co., Ltd

3rd Floor Building A, DongTouFang Industrial Area, Nan'an Village Xintang Town, ZengCheng District, Guangzhou





Catalogue



Polishing Machine Series	05-08
cleaning tool Series	09-32
Sponge polishing pad Series	33-58
Wool polishing pad Series	59-74
Fiber polishing pad Series	75-80
Professional pad Series	81-84
Backing pad Series	85-94
Towel Series	95-102
Auxiliary tools Series	103-110

Polishing liquid Series	111-114
Magic armor Series	115-116
DIY Series	117-118
Car wax Series	119-120

About **US**

Guangzhou Yupeng Auto Parts Co., Ltd. was established in 2002. The company has a long history and strong strength, covering an area of 5,000 square meters. It currently has the most advanced three sponge production lines in China and the most advanced cutting machine in Germany. The company has strong scientific research and technical strength and has passed the GMC international quality management system. Certification. Our company has been developing and producing auto beauty products for ten years. It is one of the oldest auto accessories manufacturers in China. Automobile beauty products with "OWLLIKE" registered trademark are famous for their high quality, low cost, novelty and practicality. Various types of polishing machines, car washing sponges, polishing balls, polishing discs, waxing sponges, polishing trays and other products are the first choice of professional wholesalers at home and abroad.

Our company specializes in producing lacguer polishing products, and produces sponge and wool polishing products. There are international top and general high-end materials, and there are complete sets of products for grinding, polishing and reduction according to the process. In accordance with the usage habits of various countries in the world and domestic, our factory also produces a variety of different types of polishing supplies. Customers with different needs choose to use, and at the same time welcome to provide customized OEM drawings and samples. At the same time, we have been tracking and applying technological development and the latest materials research and new achievements to ensure that the company's products maintain world-class standards. Products are exported all over the world.

"Customer first, service first, integrity-based" is our business philosophy. Looking ahead, we expect to provide you with more sophisticated products, better quality, comprehensive services and the most affordable prices, based on the professional "polyurethane products" cradle, to create a sponge supermarket business model. And with your support and help to develop together with you, grow together and create a win-win situation!







SetSail



2002 The factory was officially established

At that time, the factory area was only about 500 square meters, only one sponge polishing ball production machine and an old stamping machine. can only do the most common conventional products, mainly in the domestic market.



We attended in the Canton Fair for the first time

We got the first foreign trade order in this exhibition, many types of products in this order were not completed by the own production equipment at that time. In order to complete this order, we independently developed modeling equipment, delivered the first container on time, earned the first bucket of gold, and the factory can also produce more models.

Upgrade



2008 The factory moved

The new factory has increased from 500 square meters to 1200 square meters. The equipment of the factory has also been upgraded and improved and increased simultaneously. Some international famous brands have started to cooperate with each other



2014 The DA Polishing System was officially launched

This is a new concept to subvert the global automotive finish polishing technology, perfect scheme, reasonable collocation, simple operation, so that 3 years of professional technology can be simplified into 10 minutes. We have also expanded from only manufacturing products to tailor-made solutions for global professional customers to meet the needs of different customers.

Leap



2014 To Present

The company continues to grow and expand, the factory has expanded to 5000 square meters, the old production equipment has been replaced by advanced automation equipment, won a lot of invention patents, utility model patents, independent research and development and design of products, novel design, perfect function, has been recognized and favored by professional customers at home and abroad.





2. Optimized arm design, light weight, simple and portable

Eccentricity 15°

- 3. Easy to adjust the use of six gears
- 4. Metal gear box, longer service life
- 5. Full roller bearing to ensure more durable tools
- 6. Velcro tray, easier to replace accessories
- 7. Constant electronic function, effectively prevent overload
- 8. Strengthen coil and double insulation protection, effectively prevent dust





Eccentricity 21°

- 1. High-quality pure copper durable motor
- 2. Optimized arm design, light weight, simple and portable
- 3. Easy to adjust the use of six gears
- 4. Metal gear box, longer service life
- 5. Full roller bearing to ensure more durable tools
- 6. Velcro tray, easier to replace accessories
- 7. Constant electronic function, effectively prevent overload
- 8. Strengthen coil and double insulation protection, effectively prevent dust

PRODUCT PARAMETER

Model	Da15	Da21
Bare Weight	2.5kg	2.5kg
Machine Size	470*105*80mm	
Power	900W	
no-load RPM	1800-4800 RPM/mins	
Decelerating Mechanism	Mechanical Double Stage	
Output Shaft Thread	M14	
Tray Diameter	148mm(6")	
Sponge Diameter	150mm(6")	
Accessories	Handle *1 / Set Screw *2 / Carbon Brush *2 / Hexagon Wrench *1	

Warm Tips:

Suitable for vehicle and local polishing, it is recommended to use 3"-6" sponge plate/wool plate to obtain the best performance, shall not be used for a long time at 1-2 gear low speed, so as to avoid overload or overheating.







Eccentricity 25°

- 1. High-quality pure copper durable motor
- 2. Optimized arm design, light weight, simple and portable
- 3. Easy to adjust the use of six gears
- 4. Metal gear box, longer service life
- 5. Full roller bearing to ensure more durable tools
- 6. Velcro tray, easier to replace accessories
- 7. Constant electronic function, effectively prevent overload
- 8. Strengthen coil and double insulation protection, effectively prevent dust

RO



ROTATE STRAIGHT

- 1. The fuselage is made of imported plastic, with low noise and low vibration
- 2. Comfortable handle design, easy installation, simple operation, improve polishing effect
- 3. The unique two-stage gear reduction mechanism is adopted to achieve the strong output torque of ordinary polishing machine with a compact design and prolong the service life
- 4. 1-6 gears adjustable speed, speed selection for different working conditions, differentiated polishing is more efficient
- 5. Dust-proof vents, easy heat dissipation, prevent burning, higher work efficiency

PRODUCT PARAMETER

Model	Da25	RO
Bare Weight	2.5kg	2.3kg
Machine Size		470*105*80mm
Power		900W
no-load RPM	1800-4800 RPM/mins	900-3000 RPM/mins
Decelerating Mechanism	Mech	anical Double Stage
Output Shaft Thread	M14	
Tray Diameter	148mm(6")	123mm(5")
Sponge Diameter	150mm(6")	125mm(5")
Accessories	Handle *1 / Set Screw *2	2 / Carbon Brush *2 / Hexagon Wrench *1

Warm Tips:

Suitable for vehicle and local polishing, it is recommended to use 3"-6" sponge plate/wool plate to obtain the best performance, shall not be used for a long time at 1-2 gear low speed, so as to avoid overload or overheating.

WSHING WOOL Series



	FIGURE-8 CLEANING SPONGE
Model	LK-A02
Size	220x120x70MM
Color	
Features	Essential tools for car washing

	PREMIUM CAR WASHING SPONGE
Model	LK-A01
Size	19.5x12.5x70MM
Color	
Features	Essential tools for car washing



WSHING WOOL Series



	WOOL CAR WASH GLOVES
Model	LK-A03
Size	24X15CM
Color	
Features	The fur is soft and does not damage the car during cleaning

	WOOL CAR WASH GLOVES
Model	LK-A04
Size	24X15.5CM
Color	
Features	The fur is soft and does not damage the car during cleaning






	PREMIUM WAXING SPONGE
Model	K01-A
Size	ф105Х20ММ
Color	
Features	Convenient surface application and waxing of objects

	PREMIUM WAXED GLOVES
Model	K03-A
Size	ф120Х90ММ
Color	
Features	More convenient waxing method, not dirty hands





	WAXING SPONGE
Model	K01-B
Size	ф100Х30ММ
Color	
Features	Convenient surface application and waxing of objects


	WAXING SPONGE
Model	K01-A1
Size	ф100Х30ММ
Color	
Features	Convenient surface application and waxing of objects






	TIRE CLEANING BRUSH
Model	LK-LTS
Size	113X70MM (270MM)
Color	
Features	Quickly clean dirt in narrow spaces


	WAXING SPONGE
Model	K01-D
Size	100X30MM
Color	
Features	Convenient surface application and waxing of objects





	SPONGE APPLICATOR
Model	K04-A
Size	Customized to size
Color	
Features	Applying protective products to the surface of an object


	TIRE WAXING COTTON
Model	K05-A K05-B
Size	10X4X(2.5+3.5)CM 10X8X(3+3.5)CM
Color	
Features	Apply protective wax to the tires






	GLASS CLEANING BLOCK
Model	K04-B
Size	60X42X (42+5) MM
Color	
Features	Clean the dirt on the glass

	GLASS CLEANING PAD
Model	LK-BL
Size	ф150Х3ММ ф130Х3ММ ф80Х3ММ
Color	
Features	Clean the dirt on the glass










	REMOVE THE SLUDGE CUBES
Model	LK-V2-1
Size	11.2X6.2X3CM
Color	
Features	Clean stubborn dirt on the surface of the car paint

	REMOVE THE SLUDGE CUBES
Model	LK-V2
Size	140x70X45MM
Color	
Features	Clean stubborn dirt on the surface of the car paint





	SLUDGE REMOVAL GLOVES
Model	LK-V3
Size	220x155MM
Color	
Features	Convenient and fast to use on hand

	REMOVE SLUDGE PAD
Model	LK-VC LK-VB LK-VA
Size	φ78X13MM 125x13MM 150X13MM
Color	
Features	Can be used with a polishing machine





	SLUDGE TOWEL REMOVAL
Model	LK-V1
Size	30x30MM
Color	
Features	Soft and versatile to use

	CHENILLE SLUDGE REMOVAL GLOVES
Model	LK-V3-1
Size	220x140MM
Color	
Features	Convenient and fast to use on hand









TURTLE SHELL PATTERN POLISHING PAD		
Model	L01A-C L01A-P L01A-F L01B-C L01B-P L01B-F	
Size	ф170-180x30mm ф140-150x25mm ф80-90x25mm	
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F	
Features	The pattern increases the cutting force	

	DUPLEX FLAT POLISHING PAD
Model	LK-F-C LK-F-C1 LK-F-P LK-F-F LK-F1-C LK-F1-C1 LK-F1-P LK-F1-F LK-F2-C LK-F2-C1 LK-F2-P LK-F2-F
Size	ф140-150x20mm ф125-135x20mm ф78-88x20mm
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F
Features	Comfortable edge pressing





	SPOTTED FLAT POLISHING DISC
Model	S01A-C S01A-C1 S01A-P S01A-F S01B-C S01B-C1 S01B-P S01B-F S01C-C S01C-C1 S01C-P S01C-F
Size	ф150-165X20MM ф128-148X15MM ф80-100X15MM
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F
Features	Suitable for hard paint surfaces

COMPOUND NANO PATTERN POLISHING PAD				
Model	LK-FA-C LK-FA-C1 LK-FA-P LK-FA-F LK-FA1-C LK-FA1-C1 LK-FA1-P LK-FA1-F LK-FA2-C LK-FA2-C1 LK-FA2-P LK-FA2-F			
Size	ф140-150x20mm ф125-135x20mm ф78-88x20mm			
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F			
Features	The pattern increases the cutting force			





	DIAMOND FLAT POLISHING PAD
Model	E09F-C E09F-P E09F-F E09F1-C E09F1-P E09F1-F E09F2-C E09F2-P E09F2-F
Size	ф140-150x30ММ ф125-135x30ММ ф80-90X25ММ
Color	HEAVY CUTTING POLISHING=P FINISHING=F

The pattern enhances cutting force

DRU	M SHAPED CHECKERED POLISHING DAD
Model	LK-GA-C LK-GA-P LK-GA-F LK-GA1-C LK-GA1-P LK-GA1-F LK-GA2-C LK-GA2-P LK-GA2-F
Size	ф150-160x25MM ф125-135x25MM ф80-90x25MM
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F
Features	The pattern enhances cutting force



Features



	POCKMARK POLISHING PAD
Model	E09DA-C E09DA-P E09DA-F E09DB-C E09DB-P E09DB-F E09DC-C E09DC-P E09DC-F
Size	ф140-150X30MM ф125-135X30MM ф80-90X25MM
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F
Features	Dents are beneficial for absorbing excess grinding wax

	THIN ROUND EDGE POLISHING PAD
Model	LK-M-C LK-M-P LK-M-F LK-M1-C LK-M1-P LK-M1-F LK-M2-C LK-M2-P LK-M2-F
Size	ф150-165X20MM ф128-148X15MM ф80-100X15MM
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F
Features	Suitable for hard paint surfaces






	CONCAVE POLISHING PAD		
Model	G06A-C G06A-P G06A-F		
Size	ф178х32ММ		
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F		
Features	Wrapped back panel for safer use		

DISC POLISHING PAD				
Model	G03A-C G	03A-C1	G03A-P	G03A-F
Size		ф230Х38	ВММ	
Color	HEAVY CUTTING CUTTING=C	-	POLISHING=P FINISHING=F	
Features	Sui	table for har	d car paint	







	JAPANESE FLAT POLISHING PAD
Model	F03B-P F03B-F
Size	ф180Х150ММ
Color	
Features	Suitable for soft car paint





	BUMP POLISHING PAD	
Model	S02A-C S02A-C1 S02A-P S02A-F S02B-C S02B-C1 S02B-P S02B-F S02C-C S02C-C1 S02C-P S02C-F	
Size	ф150-165X20ММ ф128-148X15ММ ф80-100X15ММ	
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F	

Convex point architecture increases cutting force

	CONV	EX POLISH	IING PAD	
Model	E09CA-C E09CB-C E09CC-C	E09CA-C1 E09CB-C1 E09CC-C1	E09CA-P E09CB-P E09CC-P	E09CA-F E09CB-F E09CC-F
Size	•	0-150X30MM -90X25MM	ф125-135Х	30MM
Color	HEAVY CUTTING CUTTING=C	==-	POLISHING=P FINISHING=F	
Features		Suitable for har	d paint surfaces	5



Features



	DA POLISHING PAD
Model	LK-ZP-C LK-ZP-C1 LK-ZP-P LK-ZP-F LK-ZP1-C LK-ZP1-C1 LK-ZP1-P LK-ZP1-F LK-ZP2-C LK-ZP2-C1 LK-ZP2-P LK-ZP2-F
Size	ф150-170X(6+12)ММ ф130-150X(6+12)ММ ф78-98X(6+12)ММ
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F
Features	Exclusive to DA polishing machine

	POCKMARKED FLA	AT POLIS	HING F	PAD
Model	X02A-C X02A-C1 X02B-C X02B-C1 X02C-C X02C-C1	X02A-C2 X02B-C2 X02C-C2	X02A-P X02B-P X02C-P	X02A-F X02B-F X02C-F
Size	ф150-170X3 ф80-98X25M	•)-150X30M	1M
Color	HEAVY CUTTING CUTTING=C		HING=P HING=F	
Features	Imp	rove usage saf	ety	





	DRUM SHAPED FLAT POLISHING PAD
Model	LK-G-C LK-G-P LK-G-F LK-G1-C LK-G1-P LK-G1-F LK-G2-C LK-G2-P LK-G2-F
Size	ф150-160x25MM ф125-135x25MM ф80-90x25MM
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F
Features	Improve usage safety

	DIAMOND-PATTERNED POLISHED PAD	
Model	X04A-C X04A-C1 X04A-P X04A-P X04B-C X04B-C1 X04B-P X04B-P X04C-C X04C-C1 X04C-P X04C-P X04D-C X04D-C1 X04D-P X04D-P	
Size	ф150-180X25ММ ф150-170X25ММ ф130-150X25ММ ф80-100X25ММ	
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F	
Features	The pattern increases the cutting force	





	CONCAVE ADHESIVE POLISHING PAD		
Model	G02A-C G02A-P G02A-F		
Size	ф210Х38ММ		
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F		
Features	Wrap the back panel for added safety		

	CORRUGATED POLISHING PAD
Model	LK-3MC LK-3MF
Size	ф190Х30ММ
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F
Features	Suitable for waxing





	SPONGE POLISHED BALL
Model	H02B-C H08B-C H08A-P H02B-P H08B-P H02B-F H08B-F
Size	φ150x45MM
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F
Features	Suitable for hard car paint


	MUSHROOM-TYPE POLISHING BALL
Model	H01A-C H01A-C1 H02A-C H01A-P H01A-P1 H06A-P H02A-P H01A-F H01A-F1 H02A-F
Size	φ150x50MM φ150x45MM
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F
Features	Suitable for hard car paint






	SPHERICITY DRILL PAD
Model	E10B-A
Size	ф105ММ
Color	
Features	360 ° full polish

	SMALL SIZE POLISHING PAD
Model	X03A-C X03A-P X03A-F X03A1-C X03A1-P X03A1-F X03A2-C X03A2-P X03A2-F
Size	ф78-95X25MM ф50-65X20MM ф32-42X20MM
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F
Features	Multi size combination for greater practicality





	PLANE DRILL PAD
Model	E10B-C
Size	φ75-95x25MM
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F
Features	Industrial paint removal polishing pad

CONICAL DRILL PAD			
Model	E10B-BC E10B-BP		
Size	ф80Х80ММ		
Color	HEAVY CUTTING POLISHING=P CUTTING=C FINISHING=F		
Features	Special polishing pad for steel rim		







WOOL PAD Series





ELASTIC SHOCKPROOF POLISHING PAD				
Model	W09-A W09-A1 W09-A2			
Size	150MM 130MM 80MM			
Color				
Features	Elastic shockproof, easier polishing			





GRAY-BLACK BEVELED WOOL PAD			
Model	W03A-1 W03A-2 W03A-3		
Size	ф150-165X10ММ ф130-146X10ММ ф78-90X8ММ		
Color			
Features	Strong cutting force and high polishing efficiency		

MULTI COLOR LONG WOOL POLISHING PAD				
Model	W10-A W10-A1 W10-A2			
Size	ф150Х8ММ ф130Х8ММ ф80Х8ММ			
Color				
Features	Strong cutting force and high polishing efficiency			





100% SINGLE SIDED WOOL POLISHING PAD			
Model	W02C-A (60#) W02C-B (49#)		
Size	7"		
Color			
Features	Suitable for hard car paint		

100% SINGLE SIDED WOOL POLISHING PAD			
Model	W02A-A W02A-B W02B-A W02B-B W02A-C W02A-E W02B-C W02B-E W02D-A (line) (yarn)		
Size	7"/6"/5"/3"		
Color			
Features	Suitable for hard car paint		






DOUBLE SIDED WOOL PAD		
Model	W01B-C(49#) W01B-B(60#)	
Size	9"/10"	
Color		
Features	Suitable for hard car paint	

DOUBLE SIDED WOOL PAD			
Model	W01B-A(line) W01A-B(yarn)		
Size	9"/10"		
Color			
Features	Suitable for hard car paint		



WOOL PAD Series





JAPANESE WOOL FLAT POLISHING PAD			
Model	W06C-1 W06C1-1	W06B-C1 W06B1-C1 W06B2-C1	W06C-C W06C-C1
Size	ф150-160X(3+5)ММ ф130-140X(3+5)ММ	ф150-170X20MM ф125-150X20MM ф80-96X20MM	ф160-180X15MM ф130-150X15MM
Color			
Features	Suitable for soft car paint		



WOOL PAD Series





DA PURPLE HEAVY CUT WOOL PAD		
Model	W06G-C W06H-C W06K-C W06G1-C W06H1-C W06K1-C W06G2-C W06H2-C W06K2-C	
Size	ф150-165X(6+8)ММ ф150-165X(6+6)ММ ф130-148X(6+8)ММ ф130-146X(6+6)ММ ф78-90X(6+8)ММ ф78-90X(6+6)ММ	
Color		
Features	Strong cutting force and high polishing efficiency	



WOOL PAD Series






TIED LEATHER WOOL BALLS			
Model	W08A-1/2/3/4/5/6 W	V05A-A/B/C/D/E/F/G	W04A-A/B/C/D
Size	5"/6"/7"/8"/9"/10" 2	2"/3"/5"/6"/7"/8"	2"/3"/5"/6"
Color			
Features	Quickly achieve mirror effect		





PREMIUM CHEMICAL FIBER PAD		
Model	LK-MF LK-MF1 LK-MF2	
Size	ф150-165X12MM ф130-146X12MM ф78-90X10MM	
Color		
Features	Suitable for finishing and waxing	

CYCLONE FIBER PAD		
Model	LK-MF3 LK-MF3A	
Size	φ150-165X(10+8.5)MM φ130-150X(10+8.5)MM	
Color		
Features	Suitable for finishing and waxing	




FIBER PAD Series



DA BLACK FIBER PAD		
Model	LK-MF6 LK-MF6A LK-MF6B	
Size	ф150-165X(6+8)ММ ф130-145X(6+8)ММ ф78-90X(6+8)ММ	
Color		
Features	Suitable for finishing and waxing	

CHECKERED FIBER PAD (SAME AS MAXSHINE)		
Model	LK-MF2 LK-MF2A LK-MF2B	
Size	ф150Х8ММ ф130Х8ММ ф80Х8ММ	
Color		
Features	Suitable for finishing and waxing	



FIBER PAD Series



CHECKERED FIBER PAD		
Model	LK-MF4 LK-MF4A LK-MF4B	
Size	ф150Х8ММ ф130Х8ММ ф80Х8ММ	
Color		
Features	Suitable for finishing and waxing	

BLUE AND WHITE STRIPED ULTRAFINE FIBER PAD		
Model	LK-MF5 LK-MF5A LK-MF5B	
Size	ф150Х8ММ ф130Х8ММ ф80Х8ММ	
Color		
Features	Suitable for finishing and waxing	




PROFESSIONAL PAD Series



CORDUROY POLISHING PAD		
Model	LK-DX1 LK-DX2	
Size	ф135ММ ф80ММ	
Color		
Features	Industrial grade repair of paint surface defects	

DENIM POLISHING PAD		
Model	LK-LZ1 LK-LZ2	
Size	ф135ММ ф80ММ	
Color		
Features	Industrial grade repair of paint surface defects	



PROFESSIONAL PAD Series



VELCRO GRIPPER		
Model	LK-ZS2 LK-ZS1	
Size	ф125ММ ф150ММ	
	Raised suede for added safety	

CRASH PAD		
Model	P01A-A (Contains sponge)	P01A-B (Excluding sponge)
Size	3"/5"/6"	5"/6"
Features	Increase buffering effect between disc throwing and backplane	





	BACKING PAD
Model	LK-C05A
Size	M14 M16 5/8-11

BACKING PAD	
Model	LK-C05C
Size	M14 M16 5/8-11






	BACKING PAD
Model	LK-C10-1 LK-C10-3
Size	M14 M16 5/8-11

BACKING PAD	
Model	LK-F601 LK-F602 LK-F603
Size	1"/2"/3"





BACKING PAD	
Model	LK-605-2 LK-605-7
Size	5"6 holes 5/16X24mm 6"6 holes 5/16X24mm


BACKING PAD	
Model	LK0125-A
Size	5/16X24mm





	BACKING PAD
Model	LK-DY3
Size	M14 M16 5/8-11


BACKING PAD	
Model	LK-605 LK-606
Size	5"/6"






BACKING PAD	
Model	LK-DY1
Size	M14 M16 5/8-11

BACKING PAD	
Model	LK-DY2
Size	M14 M16 5/8-11









400g/m ² BRUSHED TOWEL	
Model	LK-13 4040 LK-13 4060
Size	40X40CM 64g 40X60MM 96g



450g/m ² COMPOSITE CORAL VELVET TOWEL	
Model	LK-M9 4040 LK-M9 4060
Size	40X40CM 72g 40X60CM 108g

820g/m² COMPOSITE **CORAL VELVET TOWEL** LK-16 3040 Model 30X40CM 102g Size



520g/m² NON MARKING **COMPOSITE GLASS TOWEL**

Model	LK-15 3040
Size	30X40CM 62g







450g/m² NON MARKING NANO CAR TOWEL

Model	LK-10 4040 LK-M10 4060
Size	40X40CM 72g 40X60MM 108g



420G/M² BRUSHED LARGE TOWEL

Model	LK-11 60160 LK-11 60180
Size	60X160CM 403g 60X180CM 453g

450g/m² NEW NON MARKING NANO CAR TOWEL (7030)

Model	LK-M8 3360
Size	33X60CM 89g



HIGH AND LOW VELVET TOWEL

Model	LK-23 4060 LK-23 53180
Size	40X60CM 95g 53X180CM 380g







CLEAN NANO WIPE CAR TOWEL

Model	LK-22 3360 LK-22 60180
Size	33X60CM 79g 60X180CM 430g



FILM COATED WATERPROOF BLANKET

ののは、日本のでは、日本のは、日本のは、日本のは、日本のは、日本のは、日本のは、日本のは、日本の	Model	LK-19 60160
	Size	60X160MM 535g
	Material	Upper layer -8020 polyester nylon, middle layer - natural latex, bottom layer - nano flannel fabric

450g/m² NON MARKING **COMPOSITE CAR TOWEL**

Model	LK-14 4060
Size	40X60CM 108g



HIGH AND LOW WOOL WAXED TOWEL

Model	LK-18 4040
Size	40X40MM 52g







BORDERLESS CRYSTAL PLATED TOWEL

Model	LK-20 3737
Size	37X37 48g
Material	120D high elastic composite fiber



TWISTED TOWEL WITH SMALL BRAIDS

	LK-24 4040
Model	LK-24 3060
	LK-24 40160
	40X40CM 105g
Size	30X60CM 125g
	40X160CM 405



Model	LK-17 3535
Size	35X35 48g




CORAL HAIR CAR WASH TOWEL

Model	LK-M5 4060 LK-M5A 4040
Size	40X60CM 40X40CM








AUXILIARY TOOLS Series



MEASURE INSTRUMENT	
Model	LK-Y07
Color	
Features	Quick measurement of liquid

SEDIMENT FILTER	
Model	LK-Y03
Size	220x120x70MM
Color	
Features	Wash the surface of the car body for dirt



AUXILIARY TOOLS Series



	POLISHING MACHINE BRACKET		
Model	LK-Y05		
	54CMX21CMX10.5CM		
Color			
Features	Used for storing and placing polishing machines		

POLISHING MACHINE BRACKET		
Model	LK-Y08	
Size	23.5CMX20CM	
Color		
Features	Used for storing and placing polishing machines	



Second GENERATION CLEANING BUCKETS	
Model	LK-Y02
Color	
Features	Push-to-clean polishing pad




A GENERATION CLEANING BUCKETS	
Model	LK-Y01
Color	
Features	Geared cleaning polishing disc





Q1500		
Model	Q1500	
Size	500ml	
Features	This product is an oil-based formula complex that removes more than 1500 sandpaper scratches and oxide layers, and the stone car paint is clear and translucent	







DA2000		
Model	DA2000	
Size	500ml	
Features	The latest abrasives, exclusive t echnology, special for shock throwing machines It can eliminate deep oxide layer and sanding marks above 1500#, and widely use various car paints	

DA3000	
Model	DA3000
Size	500ml
Features	The latest abrasives, exclusive technology, special for shock t hrowing machines It can eliminate deep oxide layer and sanding marks above 1800#, easily remove glare, and achieve mirror effect



POLISHING LIQUID Series




C1-1500	
Model	C1-1500
Size	500ml
Features	This product is specifically researched and developed for quick car care. It is suitable for all kinds of car paint surface.

	C1-1500	
Model	C1-2000	
Size	500ml	
Features	This product is specifically researched and developed for quick car care. It is suitable for all kinds of car paint surface.	





C6		
Model	C6	
Size	500ml	
Features	This product is a unique water-based formula polish that repairs 1200-1800 mesh sandpaper marks, easily removes scratches, flow marks and oxide layers on the surface of the paint, and restores clarity and clarity to the paint surface	







С9		
Model	C 9	
Size	500ml	
Features	This product is a unique water-based formula reducing agent that removes glare, minor scratches and oxide on the paint surface without residual dirt and cleans the paint surface as if it were new	

MAGIC ARMOR Series



	MAGIC ARMOR
Model	LK-J3-1
Features	Form a protective layer to protect your car

	MAGIC ARMOR(PRO)
Model	LK-J3-2
Features	Penetrates the paint surface to form a tight protective layer, good gloss and hydrophobic effect, protect your car and reduce damage







	PASTE WAX
Model	LK-WAX-P
Features	Protects the paint surface, forms a hydrophobic layer, and has a self-cleaning effect

	NANO WAX
Model	LK-WAX-N
Features	Penetrate deep into the paint surface to form a protective layer, protect the paint surface for a long time, reduce environmental damage, and always look beautiful

